IV-X310ST

Bright, compact and portable short-throw XGA projector for education and business.

This short-throw XGA portable projector is light, compact and delivers bright, sharp images from short distances. Reliable operation and low ownership costs make this an ideal choice for the price-conscious buyer.

















- Deliver sharp, high-quality images in classic XGA resolution (1024 x 768 pixels)
- Enjoy bright colours and deep blacks with 3,100 lumens and 10,000:1 contrast ratio
- Display large images from close range with the 0.61:1 short-throw lens
- Experience sharp, detailed images thanks to the DLPTM
- Light and compact at just 2.8 kg for easy transport
- RJ-45 and MHL-compatible HDMITM ports; support for 3D content via the DLP-Link system
- Vertical and horizontal keystone correction (+/-15°) keeps images true
- 6-axis colour adjustment and Screen Colour feature adapts to your environment
- Up to 6,000 hour lamp life plus 3-year replacement lamp warranty*
- Built-in 10W speaker and audio line out plus quiet operation at just 29dB

Product Range



LV-WX300ST



LV-X310ST



LV-X300ST



LV-WX300 LV-X320 LV-X300 LV-WX310ST LV-WX300ST LV-X310ST LV-X300ST LV-S300

LV-WX320



LV-X310ST

Technical Specifications

PANEL

Type Size and Number 0.55" diagonal x 1

Aspect Ratio

Native Resolution

OPTICS

Lamp Type Lens F Number and Focal

Focus Control

Vertical: 65% Fixed Lens Shift Lamp Life

IMAGE AND AUDIO

Brightness Uniformity **Contrast Ratio**

Projection Distance

Coverage Screen Size

Projection Ratio

Digital Zoom Magnification

Keystone Correction Range

Digital RGB Compatibility

Analogue RGB Compatibility

Digital Video Scan Systems

Component Video Scan Systems

Video / S-Video Colour

MHI Input

3D content

1-Chip DLP

1024 x 768 (XGA), 786,432 pixels

210W Super High Pressure Mercury Lamp

Manual

4000 (Normal), 6000 (Eco)

3100 lumens / 2450 lumens

10,000:1 (full on / full off)

0.74 m - 1.49 m

60" - 120" (122 cm x 91 cm - 244 cm x 183 cm)

0.61:1

Vertical: +/-15°

Horizontal: +/-15°

UXGA / WXGA+ / SXGA+ / FWXGA / WXGA / SXGA / XGA /

SVGA / VGA

UXGA / WXGA+ / SXGA+ / FWXGA / WXGA / SXGA / XGA /

SVGA / VGA / MAC

1080p / 1080i / 720p / 576p / 480p

1080p / 1080i / 720p / 576p / 576i / 480p / 480i

1080p / 1080i / 720p / 576p / 576i / 480p / 480i

PAL / PAL-M / PAL-N / NTSC / NTSC4.43 / SECAM / Pal-60

HDMI using DLP-Link: Frame Sequential / Frame Packing / Top-Bottom / Side-By-Side

10W RMS, Monaural Built-in Speaker

PORTS AND CONNECTORS

Digital RGB / Digital Video / MHL

Analogue RGB Input 1 Analogue RGB Input 2

S Video input

Audio Input 1

Audio Output

USB Port

Projector Control

LAN Network Port

HDMI™ V1.3 (with Deep Colour), MHL Input

Mini D-Sub 15-pin

Mini D-Sub 15-pin Mini-Din4

3.5 mm stereo mini-jack

3.5 mm stereo mini-jack (variable level)

Service port USB Type B RS-232C Mini D-Sub 9-pin

RJ-45 (100BASE-TX / 10BASE-T)

MECHANISMS

Elevation Mechanism

One front & one rear rotary foot, 6° maximum image

elevation

RATINGS

Dimensions (W x H x D)

Power Consumption

Operating Environment

Storage Environment

Noise Level

Warranty

282 mm x 117.9 mm x 267.5 mm (Including protrusions) 2.8 kg (6.2 lbs)

Weight

Power Source 100V - 240V AC, 50/60Hz

Normal Mode: 350W / Eco Mode: 240W / Standby: 3W /

Standby (LAN off): 0.5W

Normal Mode: 36dBA / Eco Mode: 29dBA

0°C to +40°C

-10°C to +60°C

3 years

All data is based on Canon standard testing methods except where indicated Subject to change without notice.



USB type B: Service port

2 RJ-45: Network connection (100BASE-TX / 10BASE-T)

3 HDMI: HDMI input

4 Mini Dsub 15 x2: Analog PC input / Component video input

5 Dsub9: RS232C connection

6 RCA: Video input

7 Mini DIN4: S-video input

8 Mini jack x2: Audio input x1, Audio output x1

canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2015

Canon Inc.



•

LV-X310ST

Bright, compact and portable short-throw XGA projector for education and business.

This short-throw XGA portable projector is light, compact and delivers bright, sharp images from short distances. Reliable operation and low ownership costs make this an ideal choice for the price-conscious buyer.

Sales Start Date: January 2016




Product Details:

Product Name	Mercury Code	EAN Code		
Multimedia Projector LV-X310ST	0911C005AA	8714574632407		

Optional Accessories:

Product Name	Mercury Code	EAN Code
Remote Controller LV-RC08	0029C001AA	4549292024203
Projector Lamp LV-LP38	0031C001AA	4549292024234

Image Size (4:3)	Diagonal (inches)	60	70	80	90	100	120
	Width (m)	1.22	1.42	1.63	1.83	2.03	2.44
	Height (m)	0.91	1.07	1.22	1.37	1.52	1.83
Projection Distance	Meters	0.74	0.86	0.99	1.11	1.23	1.48
	Inches	29	34	39	44	49	58



Optical axis when projected vertically against a screen



•

LV-X310ST

Bright, compact and portable short-throw XGA projector for education and business.

This short-throw XGA portable projector is light, compact and delivers bright, sharp images from short distances. Reliable operation and low ownership costs make this an ideal choice for the price-conscious buyer.



Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Net Weight (kg)	Gross Weight (kg)
Multimedia Projector LV-X310ST	0911C005AA	EA	Each	1	268	282	118	2.7	
		СТ	Carton	1	377	185	345		3.7
		EP	Euro Pallet						

What's in the box?

- Multimedia Projector LV-X310ST
- Remote Control
- Battery
- AC Mains Power Cable
- Computer Connection Cable
- Instruction Manual on CD-ROM
- Important Information and Quick Start Document
- European Warranty Document

