

Data Sheet FUJITSU Notebook LIFEBOOK U729

Ultra-Mobile Meets Ultra Secure

The new FUJITSU Notebook LIFEBOOK U729, based on the 8th generation Intel® Core™ processor is a slim, light and stylish ultra-mobile notebook for business professionals. With its 12.5-inch screen, light weight of 1.15 kg, Intel® Thunderbolt™ ports, it provides excellent mobility and portability. Ergonomic viewing is guaranteed along with outstanding security with the integrated PalmSecure® or finger print sensor. The common port replicator facilitates workplace sharing within today's modern workstyle.

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

 A remarkably slim 19 mm ultra-mobile notebook starting from 1.15 kg, HD or FHD display, antiglare, FHD touch panel option, aluminum/magnesium housing and optional backlit keyboard

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

 Integrated PalmSecure® or finger print sensor, trusted Platform Module 2.0, integrated SmartCard reader

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 3 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with, full-size LAN connector
- Embedded 4G/LTE, WLAN and Bluetooth

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

■ Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family







Page 1 / 8 www.fujitsu.com/fts/mobile

Components

Base unit	LIFEBOOK U729
Operating systems	
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home
Operating system notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu.com.
Processor	Intel® Core™ i7-8665U processor (4 Cores / 8 Threads, 1.9 GHz, up to 4.8 GHz)
	Intel® Core™ i7-8565U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.6 GHz) *
	Intel® Core™ i5-8365U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz)
	Intel® Core™ i5-8265U processor (4 Cores / 8 Threads, 1.6 GHz, up to 3.9 GHz) *
	Intel® Core™ i3-8145U processor (2 Cores / 4 Threads, 2.1 GHz, up to 3.9 GHz) *
	*Processor only for retail, SMB, education and government
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,400 MT/s, SO DIMM
,	8 GB (1 module(s) 8 GB) DDR4, 2,400 MT/s, SO DIMM
	16 GB (1 module(s) 16 GB) DDR4, 2,400 MT/s, SO DIMM
Hard disk drives (internal)	SSD SATA III, 1024 GB M.2 module, SED
	SSD SATA III, 512 GB M.2 module, SED
	SSD SATA III, 256 GB M.2 module, SED
	SSD SATA III, 256 GB M.2 module
	PCIe-SSD, 1024 GB M.2 NVMe module, SED
	PCIe-SSD, 512 GB M.2 NVMe module, SED
	PCIe-SSD, 256 GB M.2 NVMe module, SED
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III or PCIe
Interface add on cards/components (optional)	
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC9560 11ac with integrated Bluetooth 5.0
Display	31.8 cm (12.5-inch),LED backlight,(HD),Anti-glare display,magnesium,1,366 x 768 pixel,500:1,220 cd/m²
	31.8 cm (12.5-inch),LED backlight,(Full HD),Anti-glare IPS touchscreen,magnesium,1,920 x 1,080 pixel,700:1,260 cd m²
	31.8 cm (12.5-inch),LED backlight,(Full HD),Anti-glare display,magnesium,1,920 x 1,080 pixel,700:1,300 cd/m²
Multimedia	
Camera	Optional: Built-in webcam, HD (Microsoft® Lync™)
Camera notes	720p, 1 megapixels, 1280 x 720
Microphone	dual digital array microphone

Base unit

Base unit	LIFEBOOK U729

Page 2 / 8 www.fujitsu.com/fts/mobile

General system information	
Chipset	Integrated
Supported capacity RAM (max.)	32 GB
Memory slots	2 SO DIMM (DDR4, 2400 MHz)
LAN	10/100/1,000 MBit/s Intel® I219LM
BIOS version	UEFI Specification 2.5
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek ALC255 with MaxxAudio
Audio features	Stereo speakers
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display	
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gamut: 45% FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gamut: 50%
Graphics	
Base unit	LIFEBOOK U729
TFT resolution (DisplayPort)	up to 4,096 × 2,160
TFT resolution (HDMI)	up to 1,920 x 1,200
TFT resolution (VGA)	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200
Graphics brand name	Intel® UHD Graphics 620
Graphics features	3 Display Support
Graphics notes	Shared memory depending on main memory size and operating system
Graphics notes Interfaces	Shared memory depending on main memory size and operating system
·	Shared memory depending on main memory size and operating system 1
Interfaces	
Interfaces DC-in	1
Interfaces DC-in Audio: line-out / headphone	1 1 (combo port with Audio line-in)
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone	1 1 (combo port with Audio line-in) 1 (combo port with Audio line-out)
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones	1 1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible)
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total	1 1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total	1 1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible)
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C	1 1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C DisplayPort	1 1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C DisplayPort HDMI	1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4 1 (via USB Type-C adapter)
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C DisplayPort HDMI Ethernet (RJ-45)	1 1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4 1 (via USB Type-C adapter) 1 1 (with status LED) 1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C DisplayPort HDMI Ethernet (RJ-45) Memory card slots	1 1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4 1 (via USB Type-C adapter) 1 1 (with status LED) 1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C DisplayPort HDMI Ethernet (RJ-45) Memory card slots SmartCard slot	1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4 1 (via USB Type-C adapter) 1 1 (with status LED) 1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s) 1 (optional) 1 (only for models with integrated 4G/LTE module)
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C DisplayPort HDMI Ethernet (RJ-45) Memory card slots SmartCard slot SIM card slot Port Replicator interfaces (optional)	1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4 1 (via USB Type-C adapter) 1 1 (with status LED) 1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s) 1 (only for models with integrated 4G/LTE module) Model: NPR46
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C DisplayPort HDMI Ethernet (RJ-45) Memory card slots SmartCard slot SIM card slot Port Replicator interfaces (optional) DC-in	1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4 1 (via USB Type-C adapter) 1 1 (with status LED) 1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s) 1 (optional) 1 (only for models with integrated 4G/LTE module)
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C DisplayPort HDMI Ethernet (RJ-45) Memory card slots SmartCard slot SIM card slot Port Replicator interfaces (optional) DC-in Power on switch	1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4 1 (via USB Type-C adapter) 1 1 (with status LED) 1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s) 1 (only for models with integrated 4G/LTE module) Model: NPR46
Interfaces DC-in Audio: line-out / headphone Audio: line-in / microphone Internal microphones USB 3.1 Gen1 (USB 3.0) total USB 3.1 Gen2 total USB Type-C DisplayPort HDMI Ethernet (RJ-45) Memory card slots SmartCard slot SIM card slot Port Replicator interfaces (optional) DC-in	1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality) 1 x Intel® Thunderbolt™ (backward compatible) USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4 1 (via USB Type-C adapter) 1 1 (with status LED) 1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDHC/microSDHC card: 2TB Speed Class: up to UHS-I (104MB/s) 1 (optional) 1 (only for models with integrated 4G/LTE module) Model: NPR46 1 (19V)

Page 3 / 8 www.fujitsu.com/fts/mobile

Port Replicator interfaces (optional)	(T A
USB 3.1 Gen1 (USB 3.0) total	4x Type-A 2x Type-C
DisplayPort	2
VGA	1
DVI	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)
Keyboard and pointing devices	
ne, see and perioning devices	Keyboard w/o touchstick (spill-resistant)#Keyboard w/ touchstick#Backlight keyboard w/o touchstick (spill-resistant)
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm
	Multi gesture touchpad with two mouse buttons
	Status LED
	Power Button
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional
Bluetooth	v5.0
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
GPS	Embedded in 3G/4G module if configured with WWAN
Power supply	
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
Notes	65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator
1st battery options	Li-lon battery 3-cell, 45 Wh
1st battery	Lithium Polymer battery 3-cell
Battery features	Quick Charge: 80% in 1 h
Runtime 1st battery	up to 12h 12min (HD Panel -15min)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Noise emission	
Noise emission	Please refer to the Eco Declaration
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	302 x 209 x 19.0mm (non-touch and touch) mm
	11.89 x 8.23 x 0.75 (non-touch and touch) inch
Weight	From 1.11 kg (non touch), 1.21kg (touch)
Weight (lbs)	From 2.44 lbs (non touch), 2.67 (touch) lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80 %
Product	LIFEBOOK U729
Model	U729
Compliance link	https://sp.ts.fujitsu.com/sites/certificates

Page 4 / 8 www.fujitsu.com/fts/mobile

Additional Software	
Additional software (preinstalled)	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (optional)	Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®
Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 11.6 (depending on processor)
Manageability software	DeskView Client DeskView Instant BIOS Management
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
 Security	
System and BIOS Security	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1703)
User Security	Embedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)
Warranty	
Warranty Terms & Conditions Product Support Services - the perfect	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Page 5 / 8 www.fujitsu.com/fts/mobile

Recommended Accessories

Port Replicator for LIFEBOOK U7 and E5x8 family with key lock



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code: S26391-F1607-L219

USB Type-C Port Replicator



The FUJITSU USB Type-C Portreplicator is the perfect solution for connecting FUJITSU mobile clients with a single USB Type-C plug. It allows you to charge S26391-F1667-L100 and transfer data at the same time via only one cable in order to support your first steps towards a clean desk environment. High speed data transfer through USB 3.1 and Gigabit LAN make it possible to be more flexible and work faster.

Order Code:

USB Port Replicator PR09



The new FUJITSU USB Port Replicator PR09 is the perfect solution for shared Order Code: desk environments within a hyperconnected world. It connects your mobile S26391-F6007-L500 system to your main peripherals with a single USB plug. This Port Replicator is equipped with the most powerful DisplayLink chipset supporting high performance video streaming with Dualhead-DisplayPort. Highest data throughput is guaranteed due to an USB Type-C based Gen2 Hub-Controller enabling up to 10Gbit/s data streaming. The newest version of USB Power Delivery chipset (PD3.0) provides powerful charging during your workday.

Battery 3 cell 45Wh



The 3 cell 45 Wh battery requires a voltage of 10.8 V and has a capacity of 4170 mAh. The weight of the battery is 255 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.

Order Code: S26391-F1606-L100

Wireless Notebook Mouse WI610



The Wireless Notebook Mouse WI610 uses wireless 2.4 GHz technology, and Order Code: an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

S26381-K460-L100

Microsaver® DS Ultra thin



The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key.

Order Code: S26361-F1650-L900

Privacy Filters



To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.

Order Code: S26391-F6098-L213

MANASSE 14



The Plevier Manasse 14 leather case is a compact and classic carrier for on the go. Available for notebooks up to 14 inches with a padded compartment, the sleeve ensures protection for your device while providing a sleek and subtle design in a black leather nappa shade.

Order Code: S26391-F1193-L62

TACAN 14



The Plevier Tacan 14 leather notebook bag provides a diverse range of features to optimize your carrier needs. With a shoulder strap, fast access pocket on the rear side and two compartments for your device and additional accessories, the bag provides multifunctional and protective space for your belongings. Its brown leather design creates a sleek finish to create a carrier that is high quality in both functionality and appearance.

Order Code: S26391-F1193-L64

Page 6 / 8 www.fujitsu.com/fts/mobile

Keyboard KB950 Phone

The KB950 Phone is a modern and slim line USB keyboard with integrated S26381-F950-L4** (**: Skype for business features. This extremely reliable, high-speed input device is the perfect way to manage incoming and outgoing calls, even when the system is locked. Three additional keys make it easy to accept and end calls and mute your microphone during a call. Easy number dialing is assured with the numpad. The integrated 61 x 12 mm display shows the time and date, the user status and shows incoming call data in the form of the calling number and caller ID.

Country specific variation)

Page 7 / 8 www.fujitsu.com/fts/mobile

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK U729, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U729, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html

Copyright 2019 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2019-07-20 EM-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html
Copyright 2019 Fujitsu Technology Solutions GmbH