



# HPE 1.92TB SATA 6G MIXED USE LFF (3.5IN) SCC 3YR WTY SSD (P19982-B21)

**Drives and Storage** 



### WHAT'S NEW

- HPE 480 GB, 960 GB, 1.92 TB, 3.84 TB SATA 6G Mixed Use SFF (2.5-inch) SC, 3year Warranty SSDs
- HPE 1.92 TB SATA 6G Mixed Use SFF (2.5-inch) RW, 3-year Warranty SSDs
- HPE 480 GB, 1.92 TB SATA 6G Mixed Use LFF (3.5-inch) SCC, 3-year Warranty SSDs
- HPE 960 GB, 1.92 TB SATA 6G Mixed Use

## **OVERVIEW**

HPE SATA Mixed Use (MU) Solid State Drives (SSD) deliver enterprise features at an affordable price. HPE SATA MU SSDs are engineered for greater performance and endurance for applications requiring a more balanced mix of high random read and write IOPS performance such as database, virtualization, cloud computing and transactional applications.

HPE Value SAS 12G SSDs offer higher performance than 6G

LFF (3.5-inch) LPC, 3-year Warranty SSDs

SATA SSDs at a lower cost than traditional 12G SAS SSDs, enabling you to improve total cost of ownership (TCO) with affordable HPE Value SAS SSDs.

HPE SSDs are backed by over 3.35 million hours of testing and qualification [1] ensuring reliable, high performing drives. HPE Digitally Signed Firmware prevents unauthorized access to your data by providing the assurance that drive firmware comes from a trusted source. You can also monitor the lifespan of your SSD with HPE SmartSSD Wear Gauge to determine if any drives are at risk of failure.

#### **FEATURES**

#### High Performance, Exceptional Reliability, and Efficiency for Faster Business Results

HPE SATA Mixed Use Solid State Drives are ideal for big data analytics, cloud computing, active archiving, database applications, and data warehousing.

Achieve higher IOPS to enhance the performance of your data center.

Maintain data accuracy with full data-path error detection.

Choose from a broad portfolio of enhanced solutions in a wide variety of capacities.

12 Gb/s SAS, 6 Gb/s SATA, NVMe, M.2, and M.2 Enablement Kits.

# HPE Value SAS SSDs Deliver Twice the Interface Speed of SATA SSDs, Improving Workload Performance.

HPE Value SAS solid state drives (SSDs) support 12 Gb/s, versus SATA SSDs at 6 Gb/s.

Optimized for enterprise application workloads, HPE Value SAS SSDs allow you to do more work with fewer servers by improving and consolidating transactional database workloads.

HPE Value SAS SSDs allow you to reduce operating costs for storing, powering and maintaining servers, as well as reducing your data center footprint.

Available in a variety of storage capacities, HPE Value SAS SSDs are the perfect choice for supporting read-intensive and mixed-use applications.

#### HPE Multi Vendor SSDs Offer Longer SKU Lifecycles and Immediate Availability on SATA SSDs

HPE enhanced its extensive SSD portfolio with a Multi Vendor SSD SKU offering that allows for extended SKU lifecycles, immediately available supply and preferably priced SATA SSDs.

HPE Multi Vendor SSD offering ensures the SATA SSD selected, delivers the minimum level of performance published, or better.

# **Technical specifications**

# HPE 1.92TB SATA 6G Mixed Use LFF (3.5in) SCC 3yr Wty SSD

Product Number (SKU)P19982-B21Lifetime Writes17,520Endurance DWPD (Drive Writes Per Day)5Read IOPSRandom Read IOPS (4KiB, 0=16)=67,000 Max Random Read IOPS (4KiB)=75,000@0256Write IOPSRandom Write IOPS (4KiB, 0=16) 52,000 Max Random Write IOPS (4KiB) 52,000@04Power (Watts)3.23Plug TypeHot PluggableHeight7mm	
Endurance DWPD (Drive Writes Per Day)   5     Read IOPS   Random Read IOPS (4KiB, Q=16)=67,000 Max Random Read IOPS (4KiB)=75,000@Q256     Write IOPS   Random Write IOPS (4KiB, Q=16) 52,000 Max Random Write IOPS (4KiB) 52,000@Q4     Power (Watts)   3.23     Plug Type   Hot Pluggable	
Read IOPS Random Read IOPS (4KiB, Q=16)=67,000 Max Random Read IOPS (4KiB)=75,000@Q256   Write IOPS Random Write IOPS (4KiB, Q=16) 52,000 Max Random Write IOPS (4KiB) 52,000@Q4   Power (Watts) 3.23   Plug Type Hot Pluggable	
Max Random Read IOPS (4KiB)=75,000@Q256   Write IOPS   Random Write IOPS (4KiB, Q=16) 52,000 Max Random Write IOPS (4KiB) 52,000@Q4   Power (Watts)   3.23   Plug Type   Hot Pluggable	
Max Random Write IOPS (4KiB) 52,000@Q4   Power (Watts)   3.23   Plug Type   Hot Pluggable	
Plug Type Hot Pluggable	
Height 7mm	
-	
Minimum dimensions ( H x W x D)     12.7 x 25.4 x 21.92 cm	
Weight 1.36 kg	
Warranty     HPE Solid State Drives and Add-In Cards have a standard 3/0/0 war       Customer Self Repair (CSR) subject to maximum usage limitations. M       amount of data that can be written to the drive. Drives that have read       warranty coverage.	laximum usage limit is the maximum

For additional technical information, available models and options, please reference the QuickSpecs

### **HPE POINTNEXT SERVICES**

<u>HPE Pointnext Services</u> leverages our breadth and depth of technical expertise and innovation to help to accelerate digital transformation. A comprehensive portfolio that includes – Advisory, Professional, and Operational Services is designed to help you evolve and grow today and into the future.

#### **Operational Services**

- **HPE Datacenter Care** offers a tailored operational support solution built on core deliverables. It includes hardware and software support, a team of experts to help personalise deliverables and share best practices, as well as optional building blocks to address specific IT and business needs.
- **HPE Proactive Care** is an integrated set of hardware and software support including an enhanced call experience with start to finish case management helping resolve incidents quickly and keeping IT reliable and stable.
- **HPE Foundation Care** helps when there is a hardware or software problem offering several response levels dependent on IT and business requirements.

**Advisory Services** includes design, strategy, road map, and other services to help enable the digital transformation journey, tuned to IT and business needs. Advisory Services helps customers on their journey to Hybrid IT, Big Data, and the Intelligent Edge.

**Professional Services** helps integrate the new solution with project management, installation and startup, relocation services, and more. We help mitigate risk to the business so there is no interruption when new technology is being integrated in the existing IT environment.

## **HPE GREENLAKE**

<u>HPE Greenlake</u> is an as-a-service offering that delivers on-demand capacity and planning, combining the agility and economics of public cloud with the security and performance of on-premises IT.

[1] HPE Internal lab testing. 3.35 million hour test quant is derived from a combination of drive qualification test plans, specifically HDDQ spec-supplier responsibility to perform, HDDQ spec-HPE responsibility to perform, RDT-Reliability Demonstration Test (RDT) spec, CSI integration test spec and pilot test requirements. Test was conducted in May 2017.

Make the right purchase decision. Contact our presales specialists.

Chat online



Share now
Get updates

Hewlett Packard Enterprise © Copyright 2020 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. All other third-party trademark(s) is/are property of their respective owner(s).

Image may differ from the actual product PSN1012325752UKEN, April 28, 2020.