


Honeywell North America Pricebook



**Solutions that
Enable Productivity**

Honeywell

Honeywell Sales Policy Summary

The Honeywell Sales Order Policy is a reference guide within the price book as it relates to common definitions, terms and conditions.

Where existing signed contracts or order acknowledgements stipulate different terms and conditions, those documents preside.

Part numbers, or SKUs, are categorized by one of the four groups:

- **Stocking:** products have high sales run-rate, distributors should be stocking these
- **Standard:** products have moderate sales run-rate, discretion left to distributors on whether to stock
- **Non-Standard:** products are primarily project-based, discretion left to distributors on whether to stock
- **Custom:** products are unique to specific customers and only for sale to the identified customer

Ordering policies for each of the four categories are described below:

	Stocking	Standard	Non-Standard	Custom	Software
All SKUs					
Returnable	Yes	Yes	Non-returnable	Non-returnable	Non-returnable
Order Cancellation	+30 day notice	+30 day notice	Non-cancellable	Non-cancellable	Yes
Lead Time	15 days	30 days	30 days	Call for Quote	2 days
Scanning SKUs					
Min Order Quantity	Master Carton*	1 unit	1 unit		
Max Order Quantity	500 units	200 units	200 units	Call for Quote	
Mobility SKUs					
Min Order Quantity	10 units	1 unit	1 unit		
Max Order Quantity	100 units	50 units	50 units	Call for Quote	
All orders must meet the net minimum order value of \$1,500 or local currency equivalent.					
<ul style="list-style-type: none"> ● Lead times begin upon HSM receipt of PO and end upon shipment from HSM facility. ● All days are provided in business days (5 days = 1 calendar week). ● All returns are subject to the terms and conditions set forth by Honeywells Stock Rotation Policy. ● Order multiples must also be in master carton intervals for stocking scanning SKUs. ● Lead times apply only to order sizes less than the Max SKU Quantity. Call for lead time if quantity exceeds. 					

Customization Category	Product Family	Initial Quantity Requirements	Minimum Reorder Qty per Release
Custom SKUs			
Hardware Configuration (Defaults, firmware, kitting, labels, etc)	All Products	250 units - Year 1	50 units, OR Specified in custom SKU terms & conditions
Hardware Modification (housings, overlays, keypads, PCBs, etc)	All Products	1000 units - Year 1	Specified in custom SKU terms & conditions
New Cable	Cables	100 units - Year 1	100 units, OR Specified in custom SKU terms & conditions
<ul style="list-style-type: none"> ● Initial quantity requirements do not include quantities required for pilot test and acceptance by the customer. EWR must be submitted to develop a new Custom SKU. ● Minimum reorder quantities are reflective of Honeywells minimum order quantities with our suppliers and will vary based on level of customization. 			

Price Adjustments: Eligible price protection credit claims must be submitted in writing to Honeywell within thirty (30) days of the effective date of the pricing change. Eligible products must be current and saleable and claims must include a SKU inventory list specifying the number of units affected by the price decrease.

Honeywell Scanning & Mobility is a leading manufacturer of high-performance image- and laser-based data collection hardware, including rugged mobile computers and bar code scanners. Our product portfolio is one of the broadest in the AIDC industry, providing you with solutions for vertical markets such as retail; healthcare; and transportation and logistics. We complement our innovative products with advanced software, service and professional solutions that enable customers to effectively manage data and assets. Honeywell products are sold worldwide through a network of distributor and reseller partners. For more information, please visit www.honeywellaidc.com.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced or translated into another language without the prior written consent of Honeywell.

© Honeywell International Inc. All rights reserved.

Captuvo, Eclipse, Voyager, VoyagerGS, Fusion, Orbit, OrbitCG, QuantumT, InVista, Solaris, Horizon, Genesis, Vuquest, Stratos, StratosH, ScanPal2, Optimus, OptimusS, CodeSelect, CodeGate, CodeSense, TotalFreedom, StratosSYNC, StratosSWAP, EasyDL, Omniplanar, SwiftDecoder, SwiftJPEG, SwiftDimension, SwiftOCR and SwiftVerify are the intellectual property of Metrologic Instruments, Inc. Dolphin, Quick Check, Service Made Simple, Shift-PLUS and Adaptus are the intellectual property of Hand Held Products. Xenon is the intellectual property of Honeywell. All other product or service names are the property of their respective owners.

Scanning - 3800 Series

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
3800RSR050-0A00E	Non standard	KBW Kit: scanner (3800RSR050E), coiled KBW cable (42206132-02E), and Quick Start Guide	370.00
3800RSR050-0F00E	Standard	USB Kit: scanner (3800RSR050E), straight USB cable (42206161-01E), and Quick Start Guide	370.00
3800RSR150-0F00E	Non standard	USB Kit: black scanner (3800RSR150E), straight USB cable (42206161-01E), and Quick Start Guide	370.00

Hardware - Imager Kits: 3800gPDF

SKU	SKU Type	SKU Description	List (\$)
3800GPDF04-KBWKITE	Non standard	3800g PDF KBW Kit: Ivory Imager (3800GPDF04E), coiled KBW cable (42206132-02E), and Quick Start Guide	255.00
3800GPDF04-USBKITE	Stocking	3800g PDF USB Kit: Ivory Imager (3800GPDF04E), straight USB cable (42206161-01E), and Quick Start Guide	255.00

Hardware - Imager Kits: 3800r

SKU	SKU Type	SKU Description	List (\$)
3800RSR050-0G00E	Non standard	Scanner: scanner (3800RSR050E), Users Guide (CD), and UHOLDERE	343.00

Hardware - Imager: 3800gHD

SKU	SKU Type	SKU Description	List (\$)
3800GHD24E	Standard	Scanner: KBW, TTL RS232 USB / Teal / 5V (cable sold separately)	264.00

Hardware - Imager: 3800gPDF

SKU	SKU Type	SKU Description	List (\$)
3800GPDF04E	Standard	KBW, TTL RS-232 USB / Ivory / 5V	236.00

Hardware - Imager: 3800r

SKU	SKU Type	SKU Description	List (\$)
3800RSR030E	Non standard	True RS-232 / Gray	343.00
3800RSR050E	Standard	KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray	343.00
3800RSR150E	Non standard	KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black	298.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3800G/R/P-SMS5	Preorder	3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year	30.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
PS-050-2400D1-EU	Non standard	Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E)	38.85
PS-050-2400D1-NA	Non standard	Power Supply: 5V @ 2.4 A	36.75

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
42203758-03E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	63.00
42203758-03SE	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	18.90
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42205895-01E	Non standard	Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	63.00
42206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-01E	Non standard	Cable: USB, black, secondary interface Length: 9.2 ft. (2.8m), coiled	36.75
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90

42206202-03E	Standard	Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	63.00
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75
42206431-01E	Standard	Cable: USB, black, Type A, 3.4m (11.1) coiled, host power (Use w/3800VHD-ESD-12E. Not compatible with 3800g)	63.00

Accessories - Stands/Holders

SKU	SKU Type	SKU Description	List (\$)
HFSTAND7E	Standard	Stand: gray, 25cm (10) stand height, flexible rod, weighted mid-sized base, 1300g/3800g cup (for 1300g and 3800g only)	26.25

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
HFSTAND5E	Non standard	Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	26.25
STND-15R00-000	Non standard	Stand: 3800G Stand	23.10
UCOVERE	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for 3800r and 4600g	26.25
UHOLDERE	Non standard	Holder: desktop for 3800r, 3800i, 4600g, and 4800i	10.50

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35

Scanning - 3820 Cordless

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
3820SR0C0B-0FA0E	Stocking	USB Kit: ivory scanner (3820SR0C0BE), 2.6m straight USB Type A cable (42206161-01E), NA power supply (PS-090-2000D-NA), cordless charge base (2020-5BE), and documentation	731.00
3820SR0C0B-0FC0E	Non standard	USB Kit: scanner (3820SR0C0BE), cordless base (2020-5BE), UK power supply & power cord, straight USB Cable: and user documentation	810.00
3820SR0C0B-0GA0E	Stocking	Kit: ivory scanner (3820SR0C0BE), NA power supply (PS-090-2000D-NA), cordless charge base (2020-5BE), and Users Guide CD (3820UG-CD)	596.00
3820SR0C0B-0IA0E	Standard	KBW Kit: ivory scanner (3820SR0C0BE), 2.8m coiled KBW 6-pin Mini Din M/F cable (42206132-02SE), NA power supply (PS9U-21E), cordless charge base (2020-5BE), and documentation	707.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
3820SR0C0BE	Stocking	Scanner: RS232, USB, KBW, IBM 4683, Wand Emulation / ivory	539.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3820K-SMS3	Preorder	3820 with Base, SMS 1-day turnaround, comprehensive coverage, 3-Year	95.00
HSVC3820K-SMS5	Preorder	3820 with Base, SMS 1-day turnaround, comprehensive coverage, 5-Year	185.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3820K-W	Preorder	3820 with Base Extended Warranty, 1-Year	45.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4BAY-SMS3	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package	39.00
HSVC4BAY-SMS5	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year package	65.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended Warranty, 10-day turn, 1 year term	11.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVCCordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3820k-SMS1	Preorder	3820 with Base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	50.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3820K-W	Preorder	3820 with Base Extended Warranty, 1-Year, Post Sale	50.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
300000651E	Non standard	Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions	149.10
PS-090-2000D-EU	Non standard	Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E)	37.80
PS-090-2000D-NA	Non standard	Power Supply: 9V @ 2.0 A	23.10
PS-090-2000D-UK	Non Standard	Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E)	21.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
42203758-03E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	63.00
42203758-03SE	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	18.90
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42205895-01E	Non standard	Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	63.00
42206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
42206203-02E	Non Standard	Cable: USB, black 3800 retail	99.75
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
2020-5BE	Standard	Base: Compact cordless charge base charges Lithium-ion batteries contained within the 3820, 3820i, 4820, and 4820i handheld scanners. This base also provides a radio link to facilitate communication between the scanner and host system	341.25
2020-CB-AE	Non standard	Base: charge-only, NA power supply for use with 3820, 3820i, 4820, 4820i	158.55
HOLSTERE	Non standard	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
100005325FRE	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with gray commercial cordless image scanners only	33.60
200001576E	Non standard	Miscellaneous: Battery Charge Sleeve (for use with 100000495 Lithium-Ion battery)	48.30

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35

Scanning - 38X0i Series

Hardware - Imager Kits: 3800i

SKU	SKU Type	SKU Description	List (\$)
3800ISR050-0A00E	Non standard	3800i KBW Kit: orange imager (3800ISR050E), coiled KBW cable (42206132-02E), and Quick Start Guide	544.00
3800ISR050-0F00E	Standard	3800i USB Kit: orange imager (3800ISR050E), straight USB cable (42206161-01E), and Quick Start Guide	549.00
3800ISR050-0G00E	Non standard	3800i Users Guide Kit: orange imager (3800ISR050E) and Users Guide (CD), and UHOLDERE	518.00

Hardware - Imager Kits: 3820i

SKU	SKU Type	SKU Description	List (\$)
3820ISR-KBWKITAE	Non standard	KBW Kit: Industrial range, orange scanner (3820ISRE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.4m straight 6-pin Mini Din cable (42206132-02SE), and documentation	1136.00
3820ISR-SERKITAE	Non standard	RS232 Kit: Industrial range, orange scanner (3820ISRE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.3m straight D 9 Pin F cable (42203758-03SE), and documentation	1136.00
3820ISR-USBKITAE	Standard	USB Kit: Industrial range, orange scanner (3820ISRE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.6m straight USB Type A cable (42206161-01E), and documentation	1136.00

Hardware - Imager: 3800i

SKU	SKU Type	SKU Description	List (\$)
3800ISR030E	Non standard	True RS-232 / Orange	518.00
3800ISR050E	Standard	KBW, TTL RS-232, IBM 468X/9X Retail, Wand Emulation, USB / Orange	518.00

Hardware - Imager: 3820i

SKU	SKU Type	SKU Description	List (\$)
3820ISRE	Non standard	KBW, TTL RS-232, IBM 468X/9X, Wand Emulation, USB, Orange, Green LED	827.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3800I-SMS3	Preorder	3800i, SMS 1-day turnaround, comprehensive coverage, 3-Year	35.00
HSVC3800I-SMS5	Preorder	3800i, SMS 1-day turnaround, comprehensive coverage, 5-Year	80.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3800I-W	Preorder	3800i, Extended Warranty, 1-Year	20.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3820IK-SMS3	Preorder	3820i with base, SMS 1-day turnaround, comprehensive coverage, 3-Year	95.00
HSVC3820IK-SMS5	Preorder	3820i with base, SMS 1-day turnaround, comprehensive coverage, 5-Year	185.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3820IK-W	Preorder	3820i with base Extended Warranty, 1-Year	45.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4BAY-SMS3	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package	39.00
HSVC4BAY-SMS5	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year package	65.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended Warranty, 10-day turn, 1 year term	11.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVCCordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3800I-SMS1	Preorder	3800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	30.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3800I-W	Preorder	3800i Extended Warranty, 1-Year, Post Sale	25.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3820ik-SMS1	Preorder	3820i with base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	60.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3820IK-W	Preorder	3820i with base Extended Warranty, 1-Year, Post Sale	55.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
300000651E	Non standard	Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions	149.10
PS-090-2000D-EU	Non standard	Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E)	37.80
PS-090-2000D-NA	Non standard	Power Supply: 9V @ 2.0 A	23.10
PS-090-2000D-UK	Non Standard	Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E)	21.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
42203758-03E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	63.00
42203758-03SE	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	18.90
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42205895-01E	Non standard	Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	63.00
42206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
2020-5BE	Standard	Base: Compact cordless charge base charges Lithium-ion batteries contained within the 3820, 3820i, 4820, and 4820i handheld scanners. This base also provides a radio link to facilitate communication between the scanner and host system	341.25
2020-CB-AE	Non standard	Base: charge-only, NA power supply for use with 3820, 3820i, 4820, 4820i	158.55
HOLSTERE	Non standard	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55
TOOLBAL	Non standard	Miscellaneous: Take up reel/balancer	81.90
VMHOLDERE	Non standard	Holder: Vehicle/fork lift holder for (3800i only)	37.80

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
100003438FRE	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with orange industrial cordless image scanners only	43.05
200001576E	Non standard	Miscellaneous: Battery Charge Sleeve (for use with 100000495 Lithium-Ion battery)	48.30

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
HFSTAND5E	Non standard	Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	26.25

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35

Scanning - 4600g

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
-----	----------	-----------------	-----------

42203758-03E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	63.00
42203758-03SE	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	18.90
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42205895-01E	Non standard	Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	63.00
42206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
42206202-03E	Standard	Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	63.00
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35
PS-050-2400D1-EU	Non standard	Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E)	38.85
PS-050-2400D1-NA	Non standard	Power Supply: 5V @ 2.4 A	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
HFSTAND5E	Non standard	Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	26.25
IMAGESTANDPE	Non standard	Stand: ImageStand with mounting plate for 4600g	136.50
IMAGESTANDTE	Non standard	Stand: ImageStand with countertop decal template for 4600g	126.00
UCOVERE	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for 3800r and 4600g	26.25
UHOLDERE	Non standard	Holder: desktop for 3800r, 3800i, 4600g, and 4800i	10.50

Scanning - 4600r

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42205895-01E	Non standard	Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	63.00
42206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-03E	Standard	Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	63.00
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
HFSTAND5E	Non standard	Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	26.25
HFSTAND5RE	Standard	Stand: Retail flex neck holder for hands-free operation/presentation scanning. For use with 4600r.	26.25
HFSTAND5RSE	Non standard	Stand: Retail flex neck stand with out-of-stand sensor. For use with 4600r.	36.75

Scanning - 4800dr

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
42206433-01E	Non standard	Cable: USB,+5V, 8.5FT, straight cable ending in right angle (8.5ft, 3.7m)	36.75

Scanning - 4800i

Hardware - Imager Kits: 4800iSR

SKU	SKU Type	SKU Description	List (\$)
4800ISR051C-0A00E	Non standard	KBW Kit: scanner (4800ISR051CE), coiled KBW cable (42206132-02E), and Quick Start Guide	605.00
4800ISR051C-0F00E	Stocking	USB Kit: scanner (4800ISR051CE), straight USB cable (42206161-01E), and Quick Start Guide	605.00

Hardware - Imager Kits: 4820iSR

SKU	SKU Type	SKU Description	List (\$)
4800ISR051C-0G00E	Non standard	4800i Users Guide Kit: imager (4800ISR051CE) and Users Guide (CD)	605.00

Hardware - Imager Kits: 4800iSF

SKU	SKU Type	SKU Description	List (\$)
4800ISF051C-0A00E	Standard	4800i KBW Kit: imager (4800ISF051CE), coiled KBW cable (42206132-02E), and Quick Start Guide	605.00
4800ISF051C-0F00E	Stocking	4800i USB Kit: imager (4800ISF051CE), straight USB cable (42206161-01E), and Quick Start Guide	605.00
4800ISF051C-0G00E	Non standard	4800i Users Guide Kit: imager (4800ISF051CE) and Users Guide (CD)	604.00

Hardware - Imager: 4800iSR (Industrial) Interfaces / Aimer

SKU	SKU Type	SKU Description	List (\$)
4800ISR031CE	Standard	Scanner: Supports true RS232 and 12V DEC wedge / Orange / Green LED (cable sold separately)	604.00
4800ISR051CE	Standard	Scanner: Supports TTL RS232, USB, KBW, IBM 4683, and Wand Emulation / Orange / Green LED (cable sold separately)	604.00

Hardware - Imager: 4800iSF

SKU	SKU Type	SKU Description	List (\$)
4800ISF031CE	Standard	Supports true RS-232 and 12V DEC wedge / Orange / Green LED	604.00
4800ISF051CE	Standard	Supports TTL RS-232, USB, KBW, IBM 4683, and Wand Emulation / Orange / Green LED	604.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4800I-SMS5	Preorder	4800i, SMS 1-day turnaround, comprehensive coverage, 5-Year	80.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC4800I-SMS1	Preorder	4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware	30.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
PS-050-2400D1-EU	Non standard	Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E)	38.85
PS-050-2400D1-NA	Non standard	Power Supply: 5V @ 2.4 A	36.75

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
42203758-03E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	63.00
42203758-03SE	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	18.90
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42205895-01E	Non standard	Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	63.00
42206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
42206202-03E	Standard	Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	63.00
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
ADJARME	Non standard	Miscellaneous: adjustable arm	47.25
HFSTAND5E	Non standard	Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	26.25
TOOLBAL	Non standard	Miscellaneous: Take up reel/balancer	81.90
UHOLDERE	Non standard	Holder: desktop for 3800r, 3800i, 4600g, and 4800i	10.50

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35

Scanning - 4800p

Hardware - Imager Kits: 4800p

SKU	SKU Type	SKU Description	List (\$)
4800PSF151C-0F00E	No SKU code	4800pSF USB Kit: imager (4800PSF151CE), stand (300000681), straight USB cable (42206161-01E), Quick Start Guide (4800P-QS)	487.00

Hardware - Imager: 4800p

SKU	SKU Type	SKU Description	List (\$)
4800PSF151CE	No SKU code	Supports USB/Black/Green LED	415.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4800P-SMS5	Preorder	4800P: 1-day turnaround, comprehensive coverage, 5-year package	70.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC4800p-SMS1	Preorder	4800p, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware	25.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
300000681	No SKU code	Stand: for use with 4800p	71.40

Scanning - 4820 Cordless

Hardware - Kit (HD)

SKU	SKU Type	SKU Description	List (\$)
4820HDH-FIPSKITAE	Preorder	USB Kit: 4820HD with disinfectant-ready housing, USB Cable: fully-functional base (2020-5BE), FIPS-encrypted software, power supply (PS9U-21E) and Quick Start Guide	1349.00

Hardware - Imager Kits: 4820SF

SKU	SKU Type	SKU Description	List (\$)
4820SF-FAFIPSE	No SKU code	Kit contains a 4820SF & 2020 with FIPS-encrypted software, USB cable (42206161-01E), North American Power Supply and Quick Start Guide.	1313.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4820K-SMS3	Preorder	4820 with Base, SMS 1-day turnaround, comprehensive coverage, 3-Year	95.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC4820K-SMS1	Preorder	4820 with Base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware purchase	60.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC4820K-W	Preorder	4820 with Base, Extended Warranty, 1-Year, Post-Sale	50.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
100005325FRE	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with gray commercial cordless image scanners only	33.60
100005326FRE	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with cordless image scanners with white disinfectant-ready housings only	55.65
200001576E	Non standard	Miscellaneous: Battery Charge Sleeve (for use with 100000495 Lithium-Ion battery)	48.30

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
42203758-03E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	63.00
42203758-03SE	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	18.90
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
300000651E	Non standard	Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions	149.10
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35
PS-090-2000D-EU	Non standard	Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EU/pean AC connection (77900508E)	37.80
PS-090-2000D-NA	Non standard	Power Supply: 9V @ 2.0 A	23.10
PS-090-2000D-UK	Non standard	Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E)	21.00

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
2020-5BE	Standard	Base: Compact cordless charge base charges Lithium-ion batteries contained within the 3820, 3820i, 4820, and 4820i handheld scanners. This base also provides a radio link to facilitate communication between the scanner and host system	341.25
2020-CB-AE	Non standard	Base: charge-only, NA power supply for use with 3820, 3820i, 4820, 4820i	158.55
BT MODULE-KIT	Non standard	Bluetooth Interface Module Kit contains: Bluetooth Interface Module, USB Cable: 2 unlinking barcodes, and velcro	268.80
HOLSTERE	Non standard	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55

Scanning - 4820i Cordless

Hardware - Imager Kits: 4820iSR

SKU	SKU Type	SKU Description	List (\$)
4820ISR-KBWKITAE	Non standard	KBW Kit: Standard range, orange scanner (4820ISRE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.4m straight 6-pin Mini Din cable (42206132-02SE), and documentation	1364.00
4820ISR-SERKITAE	Standard	RS232 Kit: Standard range, orange scanner (4820ISRE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.3m straight D 9 Pin F cable (42203758-03SE), and documentation	1364.00
4820ISR-USBKITAE	Stocking	USB Kit: Standard range, orange scanner (4820ISRE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.6m straight USB Type A cable (42206161-01E), and documentation	1364.00

Hardware - Imager Kits: 4820iSF

SKU	SKU Type	SKU Description	List (\$)
4820ISF-KBWKITAE	Standard	KBW Kit: Special focus, orange scanner (4820ISFE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.4m straight 6-pin Mini Din cable (42206132-02SE), and documentation	1364.00
4820ISF-SERKITAE	Standard	RS232 Kit: Special focus, orange scanner (4820ISFE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.3m straight D 9 Pin F cable (42203758-03SE), and documentation	1364.00
4820ISF-USBKITAE	Stocking	USB Kit: Special focus, orange scanner (4820ISFE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.6m straight USB Type A cable (42206161-01E), and documentation	1364.00

Hardware - Imager Kits: 4820iHD

SKU	SKU Type	SKU Description	List (\$)
4820IHD-IKITAE	Non standard	USB Kit: High Density, orange scanner (4820IHDM), Bluetooth interface module with 1.8m straight cable (100005247), charge only base (2020-CBE), spare battery (100000495), battery charge sleeve (200001576E), NA power supply (PS-090-2000D-NA), and documenta	1316.00

Hardware - Imager: 4820iSR (Industrial) Performance Range / Housing Color / Aimer / Decoder

SKU	SKU Type	SKU Description	List (\$)
4820ISRE	Standard	Scanner: Standard Range / Orange / Green LED Aimer (cable sold separately)	955.00

Hardware - Imager: 4820iSF (Industrial)

SKU	SKU Type	SKU Description	List (\$)
4820ISFE	Non standard	Special Focus / Orange / Green LED Aimer / Complete Decode (1D, 2D, PDF, matrix, postal bar codes, image capture, and OCR)	955.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4820iK-SMS3	Preorder	4820i with Base, SMS 1-day turnaround, comprehensive coverage, 3-Year	85.00
HSVC4820iK-SMS5	Preorder	4820i with Base, SMS 1-day turnaround, comprehensive coverage, 5-Year	185.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4820iK-W	Preorder	4820i with Base, Extended Warranty, 1-Year	45.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4BAY-SMS3	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package	39.00
HSVC4BAY-SMS5	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year package	65.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended Warranty, 10-day turn, 1 year term	11.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVCCordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC4820ik-SMS1	Preorder	4820i with base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	60.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC4820I-W	Preorder	Post Sale Extended Warranty for 4820i	45.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
300000651E	Non standard	Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions	149.10
PS-090-2000D-EU	Non standard	Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E)	37.80
PS-090-2000D-NA	Non standard	Power Supply: 9V @ 2.0 A	23.10
PS-090-2000D-UK	Non Standard	Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E)	21.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
42203758-03E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	63.00
42203758-03SE	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	18.90
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
2020-5BE	Standard	Base: Compact cordless charge base charges Lithium-ion batteries contained within the 3820, 3820i, 4820, and 4820i handheld scanners. This base also provides a radio link to facilitate communication between the scanner and host system	341.25
2020-CB-AE	Non standard	Base: charge-only, NA power supply for use with 3820, 3820i, 4820, 4820i	158.55
BT MODULE-KIT	Non standard	Bluetooth Interface Module Kit contains: Bluetooth Interface Module, USB Cable: 2 unlinking barcodes, and velcro	268.80
HOLSTERE	Non standard	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
100003438FRE	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with orange industrial cordless image scanners only	43.05
200001576E	Non standard	Miscellaneous: Battery Charge Sleeve (for use with 100000495 Lithium-Ion battery)	48.30

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35

Scanning - Eclipse™ 5145

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK5145-31A38	Stocking	USB Kit: black scanner (MS5145-38-3), 2.9m straight USB Type A cable (55-55235-N-3) and documentation	145.00
MK5145-31A47	Non standard	KBW Kit: black scanner (MS5145-47-3), KBW PowerLink cable (59-59002-3) and documentation	145.00
MK5145-31B41	Non standard	RS232 Kit: black scanner (MS5145-41-3), US power supply (46-00525), 2.1m RS232 9-PIN Ruby cable (55-55000-3) and documentation	145.00
MK5145-31B47	Non standard	KBW Kit: black scanner (MS5145-47-3), US power supply (46-00525), KBW PowerLink cable (59-59002-3) and documentation	145.00
MK5145-71A38	Standard	Change SKU Description to USB Kit: light gray scanner (MS5145-38), 2.9m straight USB Type A cable (55-55235-N-3) and documentation	145.00
MK5145-71A47	Non standard	KBW Kit: light gray scanner (MS5145-47), KBW PowerLink cable (59-59002-3) and documentation	145.00
MK5145-71B41	Non standard	RS232 Kit: light gray scanner (MS5145-41), US power supply (46-00525), 2.1m RS232 9-PIN Ruby cable (55-55000-3) and documentation	145.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS5145-38	Non standard	Scanner-only: light gray, low speed USB, Installation & Users Guide	135.00
MS5145-38-3	Non Standard	Scanner-only: black, low speed USB, Installation & Users Guide	135.00
MS5145-41	Non Standard	Scanner-only: light gray, RS232, Installation & Users Guide	135.00
MS5145-41-3	Non Standard	Scanner-only: black, RS232, Installation & Users Guide	135.00
MS5145-47	Non Standard	Scanner-only: light gray, KBW, Installation & Users Guide	135.00
MS5145-47-3	Non Standard	Scanner-only: black, KBW, Installation & Users Guide	135.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC5145-SMS3	Preorder	5145Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year	15.00
HSVC5145-SMS5	Preorder	5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 5-Year	30.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC5145-W	Preorder	5145 Eclipse Extended Warranty, 1-Year	10.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC5145-W	Preorder	5145 Eclipse, Extended Warranty, annual, Post Sale	15.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
55-55000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power	11.55
55-55002-3	Non standard	Cable: KBW, black, 2.4m (7.9), straight, 5V external power	18.90
55-55235-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), straight, host power	11.55

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
46-46633	Non standard	Stand: countertop holder for MS5145 Eclipse	18.90

Scanning - Focus® 1690

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
53-53000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power	11.55
53-53002-3	Non standard	Cable: KBW, black, 2.9m (9.5), coiled, 5V external power	18.90
53-53020-3	Non standard	Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power	18.90
53-53213-N-3	Non standard	Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power	36.75
53-53235-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), coiled, host power	18.90

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
46-00147	Non standard	Stand: black, presentation scanning, 15cm (6) flexible pole and weighted base for MS16xx Focus Series	31.50

Software - Software

SKU	SKU Type	SKU Description	List (\$)
SW-OCR-1690	Preorder	Software: OCR decoding license key for MS1690 Focus	45.00
TF-EasyDL-16xx	Preorder	Software: EasyDL license key for Focus series of products including MS1633 and MS1690 (Revisions D and later), downloaded from company website)	100.00
TF-EasyDLx-16xx	Preorder	Software: EasyDL license key for Focus series of products including MS1633 and MS1690 (Revisions C and earlier), downloaded from company website)	100.00

Scanning - FocusBT 1633

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
46-00358	Non standard	Charger: for Li-ion battery (70-72018)	114.45

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-46878	Preorder	Power Supply: NA plug, 2.0A @ 5.2VDC, 220-240VAC @ 50-60Hz	34.65
70-72018	Standard	Battery: Li-ion, 2300mAh for MS1633 FocusBT	69.30

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
46-00147	Non standard	Stand: black, presentation scanning, 15cm (6) flexible pole and weighted base for MS16xx Focus Series	31.50
AP-010-BT	Non standard	Access Point: Class 2 Bluetooth, 10m, RS232/USB/KBW/IBM 46xx	191.10
M-05176	Non standard	Bluetooth Class 2 USB dongle for MS1633 FocusBT	47.25

Software - Software

SKU	SKU Type	SKU Description	List (\$)
TF-EasyDL-16xx	Preorder	Software: EasyDL license key for Focus series of products including MS1633 and MS1690 (Revisions D and later), downloaded from company website)	100.00
TF-EasyDLx-16xx	Preorder	Software: EasyDL license key for Focus series of products including MS1633 and MS1690 (Revisions C and earlier), downloaded from company website)	100.00

Scanning - Fusion™ 3780

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK3780-31A62	Standard	RS232 Verifone Kit: dark gray scanner (MS3780-62-3), stand (46-00225), 1.8m coiled Veri-Ruby 10 pin RJ45 male cable (MVC-3MPC-VR) and documentation	336.00
MK3780-61A38	Stocking	USB Kit: dark gray scanner (MS3780-38), stand (46-00225-3), coiled low speed USB cable (53-53235-N-3), and documentation	336.00
MK3780-61A40	Non Standard	USB Kit: dark gray scanner (MS3780-40), stand (46-00225-3), 3m USB+A cable (53-53213x-N-3) and documentation	336.00
MK3780-61A47	Non standard	KBW Kit: dark gray scanner (MS3780-47), stand (46-00225-3), coiled KBW No PowerLink cable (53-53002-N-3) and documentation	336.00
MK3780-61B41	Stocking	RS232 Kit: dark gray scanner (MS3780-41), stand (46-00225-3), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	336.00
MK3780-61B47	Non standard	KBW Kit: dark gray scanner (MS3780-47), stand (46-00225-3), US power supply (46-00525), coiled KBW Powerlink Ruby cable (53-53002-3) and documentation	336.00
MK3780-71A38	Standard	USB Kit: light gray scanner (MS3780-38-7), stand (46-00225-2), coiled low speed USB cable (53-53235-N-3) and documentation	336.00
MK3780-71A47	Non standard	KBW Kit: light gray scanner (MS3780-47-7), stand (46-00225-2), coiled KBW No PowerLink cable (53-53002-N-3) and documentation	336.00
MK3780-71B41	Non standard	RS232 Kit: light gray scanner (MS3780-41-7), stand (46-00225-2), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	336.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS3780-11	Non Standard	Scanner-only: dark gray, IBM 46x RS485, Installation & Users Guide	307.00
MS3780-11-7	Non Standard	Scanner-only: light gray, IBM 46x RS485, Installation & Users Guide	307.00
MS3780-38	Non Standard	Scanner-only: dark gray, low speed USB, Installation & Users Guide	307.00
MS3780-38-7	Non Standard	Scanner-only: light gray, low speed USB, Installation & Users Guide	307.00
MS3780-40	Non Standard	Scanner: dark gray, USB Full Speed	273.00
MS3780-40-7	Non Standard	Scanner: light gray, USB Full Speed	273.00
MS3780-41	Non standard	Scanner-only: dark gray, RS232, Installation & Users Guide	307.00
MS3780-41-7	Non Standard	Scanner-only: light gray, RS232, Installation & Users Guide	307.00
MS3780-47	Non Standard	Scanner-only: dark gray, KBW, Installation & Users Guide	307.00
MS3780-47-7	Non Standard	Scanner-only: light gray, KBW, Installation & Users Guide	307.00
MS3780-9	Non standard	Scanner: dark gray, OCIA	307.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3780-SMS3	Preorder	3780 Fusion, SMS 1-day turnaround, comprehensive coverage, 3-Year	15.00
HSVC3780-SMS5	Preorder	3780 Fusion, SMS 1-day turnaround, comprehensive coverage, 5-Year	30.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3780-W	Preorder	3780 Fusion Extended Warranty, 1-Year	10.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3780-W	Preorder	3780 Fusion, Extended Warranty, annual, Post Sale	15.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
53-53000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power	11.55
53-53002-N-3	Non standard	Cable: KBW, black, 2.9m (9.5), coiled, host power	18.90
53-53020-3	Non standard	Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power	18.90
53-53213-N-3	Non standard	Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power	36.75
53-53235-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), coiled, host power	18.90
MVC-3MPC-IB9	Non standard	Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
46-00225-2	Non standard	Stand: gray, presentation scanning with weighted base for MS3780 Fusion	18.90
46-00225-3	Non standard	Stand: black, presentation scanning with weighted base for MS3780 Fusion	18.90

Scanning - Genesis 7580

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS7580-124-00	Standard	Scanner-only: 1D, black, RS232-TTL/USB/KBW/IBM 46xx RS485, Installation & Users Guide	380.00
MS7580-124-02	Non standard	Scanner-only: 1D, PDF417, 2D, black, RS232-TTL/USB/KBW/IBM 46xx RS485, Installation & Users Guide	453.00
MS7580-124-02-EAS	Non standard	Scanner-only: 1D, PDF417, 2D, black, EAS, RS232-TTL/USB/KBW, IBM 46xx RS485 via cable, Installation & Users Guide	520.00
MS7580-124-12	Non standard	Scanner-only: 1D, PDF417, 2D, black, RS232-TTL/USB/KBW, IBM 46xx RS485 via cable, Installation & Users Guide, EasyDL	553.00

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK7580-30A38-00-A	Non standard	USB Kit: 1D-only, black scanner (MS7580-118), 2.9m (9.5) straight Type A cable (5S-5S235-3)	427.00
MK7580-30A38-02-A	Standard	USB Kit: 1D, PDF417, 2D, black scanner (MS7580-124), 2.9m (9.5) straight Type A cable (5S-5S235-3)	482.00
MK7580-30B38-02-A	Stocking	USB Kit: 1D, PDF417, 2D, black scanner (MS7580-124), 2.9m (9.5) straight Type A cable (5S-5S235-3), US power supply (46-00862) and documentation	500.00
MK7580-30B38-12-A	Standard	USB Kit: 1D, PDF17, 2D, Black Scanner (MS7580-124), 2.9m (9.5) Straight Type A Cable, (5S-5S235-3), US power supply (46-00862), EasyDL (TF-EasyDL-7580) and Documentation	600.00
MK7580-30B41-02	Standard	RS232 Kit: 1D, PDF417, 2D, black scanner (MS7580-124), 2.9m (9.5) straight RS232 cable (5S-5S000-3), US power supply (46-00862) and documentation	500.00
MK7580-30B47-02	Non standard	KBW Kit: 1D, PDF417, 2D, black scanner (MS7580-118), 2.9m (9.5) straight wedge cable (5S-5S002-3), US power supply (46-00862) and documentation	500.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC7580-SMS3	Preorder	7580 Genesis, SMS 1-day turnaround, comprehensive coverage, 3-Year	70.00
HSVC7580-SMS5	Preorder	7580 Genesis, SMS 1-day turnaround, comprehensive coverage, 5-Year	110.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC7580-SMS1	Preorder	7580 Genesis, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	30.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC7580-W	Preorder	7580 Genesis, Extended Warranty,1-Year	25.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC7580-W	Preorder	7580 Genesis, Extended Warranty, annual, Post Sale	25.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
5S-5S000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), straight, 12V external power	11.55
5S-5S002-3	Non standard	Cable: KBW, black, 2.9m (9.5), straight, 12V external power	18.90
5S-5S213-N-3	Non standard	Cable: USB, black, 12V locking, 2.9m (9.5), straight, host power	18.90
5S-5S235-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), straight, 12V external power	18.90
MX-5S236-E-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), straight, 12V external power, EAS	36.75
MX-RS485-5S006-3	Non standard	Cable: RS485, black, voltage converter with built-in power jack, straight, short strain relief	99.28

Accessories - Stands/Holders

SKU	SKU Type	SKU Description	List (\$)
46-00913	Non standard	Stand: wall mount kit for MS7580 Genesis	18.90

Software - Software

SKU	SKU Type	SKU Description	List (\$)
SW-2D-7580	Preorder	Software: 2D decoding license key for MS7580 Genesis	45.00
SW-OCR-7580	Preorder	Software: OCR decoding license key for MS7580 Genesis	45.00
SW-PDF-7580	Standard	Software: PDF417 decoding license key for MS7580 Genesis	27.00
TF-EasyDL-7580	Preorder	Software: EasyDL license key for MS7580 Genesis, downloaded from company website	100.00

Scanning - Granit™ 191Xi

Hardware - Kit (Corded)

SKU	SKU Type	SKU Description	List (\$)
1910iER-3USB	Non standard	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1910iER-3), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator	710.00

Hardware - Kit (Cordless)

SKU	SKU Type	SKU Description	List (\$)
1911iER-3USB-5	Preorder	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1911iER-3), charge & communication base (CCB02-100BT-07N) USB Type A 3m straight cable (CBL-500-300-S00), with vibrator	1300.00

Hardware - Scanner Only (Corded)

SKU	SKU Type	SKU Description	List (\$)
1910iER-3	Non standard	Scanner, 1D, PDF417, 2d, ER focus, red, RS232/USB/KBW, with vibrator	692.00

Hardware - Scanner Only (Cordless)

SKU	SKU Type	SKU Description	List (\$)
1911iER-3	Preorder	Scanner, 1D, PDF417, 2d, ER focus, red, Bluetooth Class 1, with vibrator	917.00

Hardware - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
AP-100BT-07N	Preorder	Access Pont Class 1 Bluetooth, 100m (300), up to 7 scanners can be connected RS232/USB/KBW (cables sold separately)	256.00
CCB02-100BT-07N	Preorder	Base: charging, Class 1 Bluetooth, 100m (300), up to 7 scanners can be connected, RS232/USB/KBW host interfaces (cable sold separately)	365.00
COB02	Preorder	Charge-Only Base: only 1 scanner can be charged at a time, power supply must be purchased separately	311.00

HOLDER-010-U	Non standard	Holder: desktop/wall mount (include mounting hardware)	25.00
STND-30R00-011-4	Non standard	Stand: gray, 30cm (12) height, rigid rod, weighted base, Granit cradle	36.00
STND-33F00-012-4	Non standard	Stand: gray, 33cm (13) height, flexible rod, weighted base, Granit cup	36.00
VMHOLDERK	Preorder	Vehicle Mount Kit: contains vehicle mount forked holder (VM Holder), adjustable arm with ball joints (ADJARME) and mounting hardware	125.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1910i-SMS3	Preorder	Granit 1910i, SMS 1-day turnaround, comprehensive coverage, 3-Year	35.00
HSVC1910i-SMS5	Preorder	Granit 1910i, SMS 1-day turnaround, comprehensive coverage, 5-Year	80.00
HSVC1911iK-SMS3	Preorder	Granit 1911i & base, SMS 1-day turnaround, comprehensive coverage, 3-Year	95.00
HSVC1911iK-SMS5	Preorder	Granit 1911i & base, SMS 1-day turnaround, comprehensive coverage, 5-Year	185.00
HSVCCordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00
HSVCIScan-AE5	Preorder	Industrial tethered scanner, Advanced Exchange Adder to SMS5. 100 unit minimum.	20.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1910i-SMS1	Preorder	Granit 1910i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3.	30.00
E-HSVC1911iK-SMS1	Preorder	Granit 1911i & base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3.	60.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-300-S00-01	Non standard	Cable: USB, black, Type A, 3m (9.8), straight, 5v host power, industrial grade	37.80
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
BAT-SCN01	Non standard	Battery: Lithium-ion battery for Granit 1911i	58.80
PS-05-1000W-A	Non standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
HOLSTER-INDUSTRIAL	Preorder	When clipped to a users belt holster enables storage of Granit 1911i cordless image while leaving hands-free to accomplish other tasks (scanner sold separately)	78.75
TOOLBAL	Non standard	Miscellaneous: Take up reel/balancer	81.90

Scanning - Horizon™ 7600

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK7620-71C07	Non Standard	USB Kit: gray scanner, plastic top cover w/ standard glass (MS7620-37), 60cm (24) EAS cable (52-52511), 2.4m (7.8) straight USB Type A cable (54-54165x-3), EU power supply (46-00526) and documentation	678.00
MK7625-71B07	Standard	USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.4m (7.8) straight USB Type A cable (54-54165-3), US power supply (46-00525) and documentation	638.00
MK7625-71B41	Non standard	RS232 kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (9.5) straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation	638.00
MK7625-71B47	Non standard	KBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (9.5) straight wedge KB cable (59-59002-3), US power supply (46-00525) and documentation	638.00
MK7625-71C07	Non Standard	USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.4m (7.8) straight USB Type A cable (54-54165-3), EU power supply (46-00526) and documentation	702.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS7625-13	Non Standard	Scanner-only: dark gray, stainless steel platter with standard glass, RS232/IBM 46xx Rs485/OCIA, Installation & Users Guide	575.00
MS7625-13D	Non Standard	Scanner-only: dark gray, stainless steel platter with Diamonex glass, RS232/IBM 46xx Rs485/OCIA, Installation & Users Guide	756.00
MS7625-37	Non standard	Scanner-only: light gray, stainless steel platter with standard glass, RS232/KBW/USB, Installation & Users Guide	575.00
MS7625-37D	Non standard	Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/KBW/USB, Installation & Users Guide	756.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC7600H-SMS3	Preorder	7600 Horizon,SMS 1-day turnaround, comprehensive coverage, 3-Year	70.00
HSVC7600H-SMS5	Preorder	7600 Horizon, SMS 1-day turnaround, comprehensive coverage, 5-Year	110.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC7600H-W	Preorder	7600 Horizon Extended Warranty, 1-Year	25.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC7600H-SMS1	Preorder	7600 Horizon, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	30.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC7600H-W	Preorder	7600 Horizon, Extended Warranty, annual, Post Sale	25.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
52-52511	Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight	11.55
54-54165-3	Non standard	Cable: USB, black, Type A, straight, 5V external power	11.55
54-54667-14	Non standard	Cable: RS232 LSO, gray, 4.3m (14), straight, 5V external power	18.90
59-59000-3	Non standard	Cable: RS232, black, DB9, 2.9m (9.5), straight, 5V external power	11.55
59-59002-3	Non standard	Cable: KBW, black, 2.4m (7.9), straight, 5V external power	18.90

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
46-46603	Non standard	Replacement stainless platter for Horizon with EverScan window	157.50
46-46604	Non standard	Replacement stainless platter for Horizon with standard glass window	37.80
46-46641	Non standard	Misc: stainless steel trim ring for MS7600 Horizon	86.10

Scanning - Hyperion 1300g

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
1300g-1KBW	Standard	KBW Kit: 1D, ivory scanner (1300g-1), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	209.00
1300g-1USB	Stocking	USB Kit: 1D, ivory scanner (1300g-1), USB Type A 3m straight cable (CBL-500-300-S00) and documentation	209.00
1300g-2KBW	Standard	KBW Kit: 1D, black scanner (1300g-2), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	209.00
1300g-2USB	Stocking	USB Kit: 1D, black scanner (1300g-2), USB Type A 3m straight cable (CBL-500-300-S00) and documentation	209.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1300g-1	Standard	Scanner only: 1D, ivory, RS232/USB/KBW/IBM	190.00
1300g-2	Stocking	Scanner only: 1D, black, RS232/USB/KBW/IBM	190.00
1300gWEM-2	Non standard	Scanner only: 1D, Black, RS232/USB/KBW/IBM Wand Emulation	190.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1300g-SMS5	Preorder	Hyperion 1300G, 1 day Comprehensive, 5yr	30.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-820-300-C00	Non standard	Cable: Wand Emulation, Black, 9 PIN SQZ, 3m, Coiled, 5V Power on Pin 9 on Host	19.95
CBL-821-300-C00	Non standard	Cable: Wand Emulation, Black, 9 PIN SQZ, 3m, Coiled, 5V Power on Pin 4 on Host	19.95
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Stands/Holders

SKU	SKU Type	SKU Description	List (\$)
HFSTAND7E	Standard	Stand: gray, 25cm (10) stand height, flexible rod, weighted mid-sized base, 1300g/3800g cup (for 1300g and 3800g only)	26.25
HOLDER-008-U	Non standard	Holder: desktop/wall mount (includes holder, screws)	18.90
STND-23R03-006-4	Non standard	Stand: gray, 23cm (9) stand height, rigid rod, weighted mid-sized universal base, Hyperion 1300 sliding cradle	26.25
STND-30R03-006-4	Non standard	Stand: gray, 30cm (12) stand height, rigid rod, weighted mid-sized universal base, Hyperion 1300 sliding cradle	26.25

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
200003829	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	46.20

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - InVista® 7320

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK7320-71B07	Non standard	USB Kit: gray scanner (MS7320-37), flex stand (46-00157), 60cm (24) EAS cable (52-52511), 2.4m (7.8) straight USB Type A cable (54-54165x-3), US power supply (46-00525) and documentation	638.00
MK7320-71B41	Preorder	RS232 kit: gray scanner (MS7320-37), flex stand (46-00157), 60cm (24) EAS cable (52-52511), 2.9m (9.5) straight RS232 cable (59-59000x-3), US power supply (46-00525) and documentation	638.00

Scanning - Orbit® 7100

SKU	SKU Type	SKU Description	List (\$)
MK7120-31A38	Stocking	USB Kit: black scanner (MS7120-38-3), mounting plate (45-45619), 2.8m (9.2) straight USB Type A cable (59-59235-N-3) and documentation	371.00
MK7120-31A62	Stocking	RS232 Verifone Kit: black scanner (MS7120-62-3), mounting plate (45-45619), 3.3m (10.7) coiled Ruby RS232 Verifone cable (MVC-3MPS-VR) and documentation	371.00
MK7120-31B41	Stocking	RS232 Kit: black scanner (MS7120-41-3), mounting plate (45-45619), 2.9m (9.5) straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation	371.00
MK7120-31B47	Standard	KBW Kit: black scanner (MS7120-47-3), mounting plate (45-45619), 2.9m (9.5) straight wedge KB cable (59-59002-3), US power supply (46-00525) and documentation	371.00
MK7120-31C47	Non standard	KBW Kit: black scanner (MS7120-47-3), mounting plate (45-45619), 2.9m (9.5) straight wedge KB cable (59-59002-3), EU power supply (46-00526) and documentation	400.00
MK7120-71A38	Standard	USB Kit: light gray scanner (MS7120-38), mounting plate (45-45619), 2.8m (9.2) straight USB Type A cable (54-54235B-N-3) and documentation	371.00
MK7120-71B41	Standard	RS232 Kit: light gray scanner (MS7120-41), mounting plate (45-45619), 2.9m (9.5) straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation	371.00
MK7120-71B47	Non standard	KBW Kit: light gray scanner (MS7120-47), mounting plate (45-45619), 2.9m (9.5) straight wedge KB cable (59-59002F-3), US power supply (46-00525) and documentation	371.00
MK7120-71C47	Non Standard	KBW Kit: light gray scanner (MS7120-47), mounting plate (45-45619), 2.9m (9.5) straight wedge KB cable (59-59002F-3), EU power supply (46-00526) and documentation	400.00

MK7180-31A138	Non Standard	USB Kit: black scanner, non-EAS (MS7180-138-3), mounting plate (45-45619), 2.9m (9.5) straight USB Type A cable (59-59084x-N-3) and documentation	400.00
MK7180-31A38-EAS	Non standard	USB Kit: black scanner (MS7180-120-3), mounting plate (45-45619), 2.8m (9.3) straight Type A cable, w/interlock (55-55809-N-E-3), and documentation	440.00
MK7180-71A138	Non Standard	USB Kit: gray scanner (MS7180-138), mounting plate (45-45619), 2.9m (9.5) straight USB Type A cable (59-59084x-N-3), and documentation	400.00

Hardware - 7120 Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS7120-106	Non Standard	Scanner: light gray, RS232/IBM 46xx RS485/USB, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-106-3	Non Standard	Scanner: black, RS232/IBM 46xx RS485/USB, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-38	Non standard	Scanner-only: light gray, low speed USB, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-38-3	Non standard	Scanner-only: black, low speed USB, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-41	Non standard	Scanner-only: light gray, RS232, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-41-3	Non standard	Scanner-only: black, RS232, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-47	Non standard	Scanner-only: light gray, KBW, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-47-3	Non standard	Scanner-only: black, KBW, Installation & Users Guide, mounting plate (45-45619)	360.00

Hardware - 7180 Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS7180-106-3	Non standard	Scanner: black w/ EAS, Full Speed USB/IBM USB, Installation & Users Guide , mounting plate (45-45619)	382.00
MS7180-38-3	Non standard	Scanner-only: black W/OUT EAS, low speed USB, Installation & Users Guide, mounting plate (45-45619)	382.00
MS7180-41	Non standard	Scanner: light gray w/ EAS, RS232, Installation & Users Guide, mounting plate (45-45619)	382.00
MS7180-41-3	Non standard	Scanner: black w/ EAS, RS232, Installation & Users Guide, mounting plate (45-45619)	382.00
MS7180-47	Non standard	Scanner: light gray w/ EAS, KBW, Installation & Users Guide, mounting plate (45-45619)	382.00
MS7180-47-3	Non standard	Scanner: black w/ EAS, KBW, Installation & Users Guide, mounting plate (45-45619)	382.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS7180-120-3	Non standard	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619)	382.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC7100-SMS3	Preorder	7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year	40.00
HSVC7100-SMS5	Preorder	7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year	70.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC7100-W	Preorder	7100 Orbit Extended Warranty, 1-Year	15.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC7100-SMS1	Preorder	7100 Orbit, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	25.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC7100-W	Preorder	7100 Orbit, Extended Warranty, annual, Post Sale	20.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
-----	----------	-----------------	-----------

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
59-59000-3	Non standard	Cable: RS232, black, DB9, 2.9m (9.5), straight, 5V external power	11.55
59-59002-3	Non standard	Cable: KBW, black, 2.4m (7.9), straight, 5V external power	18.90
59-59084-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), straight, host power	11.55

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
45-45619A	Non standard	Horizontal Hard Mount	CFQ

Scanning - QuantumT® 3580

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK3580-31A11	Non Standard	IBM 46xx Kit: black scanner (MS3580-11), standard square weighted base (70-74588), 2.4m (8) straight RS485 Port 9 cable (MVC-3MPS-IB9) and documentation	364.00
MK3580-31A38	Stocking	USB Kit: black scanner (MS3580-38), standard square weighted base (70-74588), 2.8m (9.2) straight USB Type A cable (54-54235-N-3) and documentation	364.00
MK3580-31A40	Non Standard	USB Kit: black scanner (MS3580-40), standard square weighted base (70-74588), 3m (9.8) straight 5V locking USB cable (54-54213x-N-3) and documentation	364.00
MK3580-31A47	Non standard	KBW Kit: black scanner (MS3580-47), standard square weighted base (70-74588), 2.4m (8) straight wedge KB cable (54-54002-N-3) and documentation	364.00
MK3580-31A62	Standard	RS232 Verifone Kit: black scanner (MS3580-62), standard square weighted base (70-74588), 3.3m (10.7) straight Ruby RS232 Verifone cable (MVC-3MPS-VR) and documentation	364.00
MK3580-31B41	Standard	RS232 Kit: black scanner (MS3580-41), standard square weighted base (70-74588), 2.9m (9.5) straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation	364.00
MK3580-31B47	Non standard	KBW Kit: black scanner (MS3580-47), standard square weighted base (70-74588), 2.9m (9.5) straight wedge KB cable (59-59002-3), US power supply (46-00525) and documentation	364.00
MK3580-32A38	Standard	USB Kit: black scanner (MS3580-38), 3 flex stand (46-00288), 2.8m (9.2) straight USB Type A cable (54-54235-N-3) and documentation	364.00
MK3580-32A47	Non Standard	KBW Kit: black scanner (MS3580-47), 3 flex stand (46-00288), 2.4m (8) straight wedge KB cable (54-54002x-N-3) and documentation	364.00
MK3580-33A38	Non Standard	USB Kit: black scanner (MS3580-38), 6 flex stand (46-00289), 2.8m (9.2) straight USB Type A cable (54-54235-N-3) and documentation	364.00
MK3580-35A38	Non Standard	USB Kit: black scanner (MS3580-38), 3 flex w/oval base (46-00291), 2.8m (9.2) straight USB Type A cable (54-54235x-N-3) and documentation	364.00
MK3580-36A38	Non Standard	USB Kit: black scanner (MS3580-38), 6 flex w/oval base (46-00292), 2.8m (9.2) straight USB Type A cable (54-54235x-N-3) and documentation	364.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS3580-11	Non Standard	Scanner-only: weighted base, IBM 46xx RS485, Installation & Users Guide	353.00
MS3580-11-7	Non Standard	Scanner-only: weighted base, light gray, IBM 46xx RS485, Installation & Users Guide	353.00
MS3580-38	Non Standard	Scanner-only: weighted base, low speed USB, Installation & Users Guide	353.00
MS3580-38-7	Non Standard	Scanner-only: weighted base, light gray, low speed USB, Installation & Users Guide	353.00
MS3580-41	Non standard	Scanner-only: weighted base, RS232, Installation & Users Guide	353.00
MS3580-41/WN	Non Standard	Scanner: weighted base, black, RS232, Wincor certified configuration (cable sold separately)	353.00
MS3580-41-7	Non Standard	Scanner-only: weighted base, light gray, RS232, Installation & Users Guide	353.00
MS3580-47	Non standard	Scanner-only: weighted base, black, KBW, Installation & Users Guide	353.00
MS3580-47/WN	Non Standard	Scanner: weighted base, black, KBW, Wincor certified configuration (cable sold separately)	353.00
MS3580-47-7	Non Standard	Scanner-only: weighted base, light gray, KBW, Installation & Users Guide	353.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3580-SMS3	Preorder	3580 QuantumT,SMS 1-day turnaround, comprehensive coverage, 3-Year	40.00
HSVC3580-SMS5	Preorder	3580 QuantumT, SMS 1-day turnaround, comprehensive coverage, 5-Year	70.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3580-W	Preorder	3580 QuantumT Extended Warranty, 1-Year	15.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3580-SMS1	Preorder	3580 QuantumT, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	25.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3580-W	Preorder	3580 QuantumT, Extended Warranty, annual, Post Sale	20.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
59-59000-3	Non standard	Cable: RS232, black, DB9, 2.9m (9.5), straight, 5V external power	11.55
59-59002-3	Non standard	Cable: KBW, black, 2.4m (7.9), straight, 5V external power	18.90

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
46-00288	Non standard	Stand: black, presentation scanning, 7.5cm (3) flex pole with mountable base for MS3580 QuantumT	26.25
46-00289	Non standard	Stand: black, presentation scanning, 15cm (6) flex pole with mountable base for MS3580 QuantumT	26.25

Scanning - Solaris™ 7820

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK7820-00B38	Non standard	USB Kit: black scanner (MS7820-118) mounting plate (70-73050), 2.9 (9.5) straight USB Type A cable (5S-5S235-N-3), US power supply (46-00862) and documentation	518.00
MK7820-00B41	Non standard	RS232 Kit: black scanner (MS7820-118), mounting plate (70-73050), 2.9m (9.5) straight RS232 cable (5S-5S000-3), US power supply (46-00862) and documentation	518.00
MK7820-00B47	Non standard	KBW Kit: black scanner (MS7820-118), mounting plate (70-73050), 2.9m (9.5) straight wedge KB cable (5S-5S002-3), US power supply (46-00862) and documentation	518.00
MK7820-01B38	Non standard	USB Kit: black scanner (MS7820-118), mounting plate (70-73050), flex pole stand (46-00868), 2.9m (9.5) straight USB Type A cable (5S-5S235-3), US power supply (46-00862) and documentation	545.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS7820-118	Non standard	Scanner-only: dark gray, RS232-TTL/USB/KBW/IBM 46xx RS485, Installation & Users Guide	467.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC7820-SMS3	Preorder	7820 Solaris,SMS 1-day turnaround, comprehensive coverage, 3 -Year	70.00
HSVC7820-SMS5	Preorder	7820 Solaris, SMS 1-day turnaround, comprehensive coverage, 5-Year	110.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC7820-W	Preorder	7820 Solaris Extended Warranty, 1-Year	25.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC7820-SMS1	Preorder	7820 Solaris, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	30.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC7820-W	Preorder	7820 Solaris, Extended Warranty, annual, Post Sale	25.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
57-57499-3	Non standard	Cable: RS232 Aux, black, 10-pin RJ45, 12V external power	11.55
5S-5S000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), straight, 12V external power	11.55
5S-5S002-3	Non standard	Cable: KBW, black, 2.9m (9.5), straight, 12V external power	18.90
5S-5S213-N-3	Non standard	Cable: USB, black, 12V locking, 2.9m (9.5), straight, host power	18.90
5S-5S235-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), straight, 12V external power	18.90

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
46-00868	Non standard	Stand: gray, presentation scanning, 15cm (6) flex pole with weighted base for MS7820 Solaris	26.25
46-00869	Non standard	Stand: gray, presentation scanning, 7.5cm (3) flex pole with weighted base and mounting option for MS7820 Solaris	26.25

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
46-00867	Non standard	Window: clear field replaceable protective outer window for MS7820 Solaris	28.35

Scanning - Stratos® 24xx

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK2420KD-10B140	Non Standard	USB Kit: 399 mm (15.7) scanner with Mettler scale (MS2420-105KD), diamonex platter with single flip-up bar (46-00296), 4.0 m (13) straight USB+PWR cable (57-57227-N-3), NA power supply (70-74868) and documentation	2091.00
MK2420KD-10B141	Non Standard	RS232 Kit: 399mm scanner with Mettler scale (MS2420-105KD), diamonex platter with single flip-up bar (46-00296), 3.7m straight DB9 cable (57-57210-N-3), NA power supply (70-74868) and documentation	2091.00
MK2430KD-10B238	Non standard	USB Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KD), diamonex platter with single flip-up bar, 4 m (13) USB Type A non-locking cable (57-57201-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (70-74868) and documentation	2091.00
MK2430KD-10B241	Non Standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KD), diamonex platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (70-74868) and documentation	2091.00
MK2430KD-11B141	Standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KD), diamonex platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210-N-3), NA power supply (70-74868), Mettler remote scale display in pounds (46-00375) and documentation	2273.00
MK2430KD-11B241	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KD), diamonex platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (70-74868), Mettler remote scale	2273.00
MK2430KS-11B141	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KS), sapphire platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210x-N-3), NA power supply (70-74868), Mettler remote scale display in pounds (46-00375) and documentation	2373.00
MK2430KS-11B241	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KS), sapphire platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210x-N-3), 3.7 m (12) straight DB9 cable (57-57000x-N-3), NA power supply (70-74868), Mettler remote scale	2373.00
MK2431ND-00B138	Non Standard	USB Kit: 508 mm (20) scanner (MS2431-105D), diamonex platter, 4 m (13) USB Type A non-locking cable (57-57201-N-3), NA power supply (70-74868) and documentation	1391.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS2431-105S	Non Standard	Scanner-only: 508 mm (20.0), Sapphire platter (46-01086), RS232/USB/IBM 46xx	644.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC23/2420-SMS3	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 3-Year Package	415.00
HSVC23/2420-SMS5	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 5-Year Package	695.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC23/2420-W	Preorder	Stratos 2320/2420+Scale,Extended Warranty, annual	130.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC23/24XX-SMS3	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 3-Year Package	275.00
HSVC23/24XX-SMS5	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 5-Year Package	455.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC23/24XX-W	Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual	90.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVCBioptic-AE5	Preorder	Bioptic scanners Advanced Exchange Adder to SMS5 (Call for quote). 100 unit minimum.	CFQ

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC23/2420-SMS1	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	210.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC23/2420-W	Preorder	Stratos 2320/2420+Scale,Extended Warranty, annual, Post Sale	165.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC23/24XX-SMS1	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	135.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC23/24XX-W	Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale	110.00

Accessories - Remote Displays

SKU	SKU Type	SKU Description	List (\$)
46-00375	Standard	Remote Display: Mettler Diva scale, single-line, pounds for MS2420/MS2430 Stratos and MS2320 StratosH	172.20
46-01075	Standard	Remote Display: Mettler Diva scale, single-line, kilograms for MS2420/MS2430 Stratos and MS2320 StratosH	172.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00980	Non Standard	Power Supply: NA plug, 2.5A @ 5.2VDC & 0.8A @ 12VDC, 220VAC - 240VAC @ 50-60Hz	47.25
70-74866	Non standard	Power Supply: No AC cord, 6-pin, 3.8A @ 5.2VDC & 1.5A @ 12VDC, 90-255AC @ 50-60 HZ	86.10
70-74868	Non standard	Power Supply: NA plug, 6-pin, 3.8A @ 5.2VDC & 1.5A @ 12VDC, 90-255AC @50-60 HZ	86.10

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
52-52511	Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight	11.55
52-52556	Non standard	Cable: Checkpoint EAS, 1.8m (6.0), straight	11.55
54-54004-3	Non Standard	Aux. Port Cable (Black)	18.90
57-57000-N-3	Non standard	Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power	18.90
57-57008-N-3	Non standard	Cable: StratosSchool, RS232 Aux, black, straight, host power	36.75
57-57099-3	Non standard	Cable: RS232 Aux, black, 10-pin RJ45, 2.9m (9.5), straight, host power (voyager/eclipse)	11.55
57-57099-3-12	Non standard	Cable: RS232 Aux, black, 10-pin RJ45, 3.7m (12), straight, host power (voyager/eclipse)	11.55
57-57201-N-3	Non standard	Cable: USB, black, Type A, 4.0m (13.1), straight, no power with ferrite	11.55
57-57210-N-3	Non standard	Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power	11.55
57-57227-N-3	Non standard	Cable: USB, black, 12V locking, 4.0m (13.1), straight, no power	36.75
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
46-00359	Stocking	Wire Seal Kit: Mettler Diva Scale Calibration Switch	18.90

Scanning - Stratos® 2700

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
2753-MD001	Standard	Stratos 2700 (Scanner/Scale): 508mm (20), Diamonex glass, standard platter, Mettler scale (single range - lbs), Checkpoint EAS -- Cable and power supplies separate	2618.00
2753-MD011	Stocking	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Diamonex glass, standard platter, Mettler scale (single range - lbs), Checkpoint EAS -- Cable and power supplies separate	2945.00
2753-MS011	Standard	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Sapphire glass, standard platter, Mettler scale (single range - lbs), Checkpoint EAS -- Cable and power supplies separate	3045.00
2753-MS013	Non standard	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Sapphire glass, standard platter, Mettler scale (single range - lbs), Sensormatic EAS -- Cable and power supplies separate	3427.00
2753-ND001	Standard	Stratos 2700 (Scanner/Scale): 508mm (20), Diamonex glass, standard platter, Mettler scale (single range - kg), Checkpoint EAS -- Cable and power supplies separate	2618.00
2753-ND011	Stocking	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Diamonex glass, standard platter, Mettler scale (single range - kg), Checkpoint EAS -- Cable and power supplies separate	2945.00
2753-NS011	Standard	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Sapphire glass, standard platter, Mettler scale (single range - kg), Checkpoint EAS -- Cable and power supplies separate	3045.00
2753-NS013	Non standard	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Sapphire glass, standard platter, Mettler scale (single range - kg), Sensormatic EAS -- Cable and power supplies separate	3427.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC2700NS-SMS3	Preorder	Stratos 2700 Scanner only , No Scale, 3-day Turn, Comprehensive, 3-Years	275.00
HSVC2700NS-SMS5	Preorder	Stratos 2700 Scanner only , No Scale, 3-day Turn, Comprehensive, 5-Years	455.00
HSVC2700WS-SMS3	Preorder	Stratos 2700 with Scale, 3-day Turn, Comprehensive, 3-Years	485.00
HSVC2700WS-SMS5	Preorder	Stratos 2700 with Scale, 3-day Turn, Comprehensive, 5-Years	815.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC2700NS-SMS1	Preorder	Stratos 2700 Scanner only , No Scale, 3-day Turn, Comprehensive, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3.	135.00
E-HSVC2700WS-SMS1	Preorder	Stratos 2700 with Scale, 3-day Turn, Comprehensive, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3.	245.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC2700NS-W	Preorder	Stratos 2700 Scanner only , Extended Warranty, 1-Year	90.00
HSVC2700WS-W	Preorder	Stratos 2700 with Scale, Extended Warranty, 1-Year	150.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC2700NS-W	Preorder	Stratos 2700 Scanner only , Extended Warranty, 1-Year, Post Sale	110.00
E-HSVC2700WS-W	Preorder	Stratos 2700 with Scale, Extended Warranty, 1-Year, Post Sale	190.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-140-370-S20-BP	Stocking	Cable: Stratos RS232, black, DB9 female, 3.7m (12), straight cable	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-530-370-S20-BP	Stocking	Cable: Stratos Powered Locking USB, black, 12v Locking, 3.7m (12), straight cable	18.90
CBL-540-370-S20-BP	Stocking	Cable: Stratos Locking USB, black, 12v Locking, 3.7m (12), straight cable	18.90
CBL-541-370-S20-BP	Stocking	Cable: Stratos Standard USB, black, Type A, 3.7m (12), straight cable	18.90
CBL-640-370-S20-BP	Stocking	Cable: Stratos IBM 46xx, black, 3.7m (12), straight cable	18.90

Scanning - StratosH 23xx

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK2320KD-60B138	Non standard	USB Kit: 508mm scanner with Mettler scale (MS2320-40KD), diamonex platter with weigh bar (46-46806), 3.7m straight USB Type A cable (57-57006-N-3), NA power supply (46-46812) and documentation	2409.00
MK2320KD-60B141	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812) and documentation	2409.00
MK2320KD-60B238	Non standard	USB Kit: 508 mm (20) scanner with Mettler scale (MS2320-40KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight USB Type A cable (57-57006-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812) and documentation	2409.00
MK2320KD-60B241	Standard	RS232 Kit: 508mm scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7m straight DB9 cable (57-57000-N-3), 3.7m straight DB9 cable (57-57000-N-3), NA power supply (46-46812) and documentation	2409.00
MK2320KD-61B140	Non standard	USB Kit: 508mm scanner with Mettler scale (MS2320-40KD), diamonex platter with weigh bar (46-46806), 2.7m straight USB+PWR cable (57-57200-N-3), NA power supply (46-46812), Mettler remote scale display in pounds (46-00375) and documentation	2591.00
MK2320KD-61B141	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812), Mettler remote scale display in pounds (46-00375) and documentation	2591.00
MK2320KD-61B238	Standard	USB Kit: 508 mm (20) scanner with Mettler scale (MS2320-40KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight USB Type A cable (57-57006-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812), Mettler remote sca	2591.00
MK2320KD-61B241	Standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight DB9 cable (57-57000-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812), Mettler remote scale	2591.00

MK2320KD-61H141	Non standard	RS232 Kit: 508mm scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7m straight DB9 cable (57-57000-N-3), NA power supply (46-46812), Mettler remote scale display in kilograms (46-00376) and documentation	2591.00
MK2320KD-61H241	Non standard	RS232 Kit: 508mm scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7m straight DB9 cable (57-57000-N-3), 3.7m straight DB9 cable (57-57000-N-3), NA power supply (46-46812), Mettler remote scale display in kilograms	2591.00
MK2320KS-60B141	Non standard	RS232 Kit: 508mm scanner with Mettler scale (MS2320-14KS), sapphire platter with weigh bar (46-46808), 3.7m straight DB9 cable (57-57000-N-3), NA power supply (46-46812) and documentation	2509.00
MK2321ND-60B138	Non standard	USB Kit: 508mm scanner (MS2321-40D), diamonex platter (46-46806), 3.7m straight USB Type A cable (57-57006x-N-3), NA power supply (46-46812) and documentation	1618.00
MK2321ND-60B141	Non standard	RS232 Kit: 508mm scanner (MS2321-14D), diamonex platter (46-46806), 3.7m straight DB9 (57-57000-N-3), NA power supply (46-46812) and documentation	1255.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC23/2420-SMS3	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 3-Year Package	415.00
HSVC23/2420-SMS5	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 5-Year Package	695.00
HSVC23/24XX-SMS3	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 3-Year Package	275.00
HSVC23/24XX-SMS5	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 5-Year Package	455.00
HSVCBioptic-AE5	Preorder	Bioptic scanners Advanced Exchange Adder to SMS5 (Call for quote). 100 unit minimum.	CFQ

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC23/2420-SMS1	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	210.00
E-HSVC23/24XX-SMS1	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	135.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC23/2420-W	Preorder	Stratos 2320/2420+Scale,Extended Warranty, annual	130.00
HSVC23/24XX-W	Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual	90.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC23/2420-W	Preorder	Stratos 2320/2420+Scale,Extended Warranty, annual, Post Sale	165.00
E-HSVC23/24XX-W	Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale	110.00

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
46-00359	Stocking	Wire Seal Kit: Mettler Diva Scale Calibration Switch	18.90
46-46889	Standard	Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series	28.35

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
52-52511	Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight	11.55
52-52556	Non standard	Cable: Checkpoint EAS, 1.8m (6.0), straight	11.55
57-57000-N-3	Non standard	Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power	18.90
57-57004-N-3	Non standard	Cable: IBM 46xx, black, 4-pin SDL, straight, no power	18.90
57-57006-N-3	Non standard	Cable: USB, black, Type A, 3.6m (11.8), straight, no power	11.55
57-57008-N-3	Non standard	Cable: StratosSchool, RS232 Aux, black, straight, host power	36.75
57-57099-3	Non standard	Cable: RS232 Aux, black, 10-pin RJ45, 2.9m (9.5), straight, host power (voyager/eclipse)	11.55
57-57099-3-12	Non standard	Cable: RS232 Aux, black, 10-pin RJ45, 3.7m (12), straight, host power (voyager/eclipse)	11.55
57-57200-N-3	Non standard	Cable: USB, black, 12V locking, 2.7m (8.9), straight, no power with ferrite	36.75
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-46812	Preorder	Power Supply: NA plug, 1.5A @ 5.2VDC & 1.5A @ 12VDC, 90-255VAC @ 50-60Hz	47.25
70-74865	Non standard	Power Supply: No AC cord, 3-pin, 3.8A @ 5.2VDC & 1.5A @ 12VDC, 90-255AC @50-60 HZ	86.10
70-74867	Non standard	Power Supply: NA plug, 3-pin, 3.8A @ 5.2VDC & 1.5A @ 12VDC, 90-255AC @50-60 HZ	86.10

Accessories - Remote Displays

SKU	SKU Type	SKU Description	List (\$)
46-00375	Standard	Remote Display: Mettler Diva scale, single-line, pounds for MS2420/MS2430 Stratos and MS2320 StratosH	172.20
46-01075	Standard	Remote Display: Mettler Diva scale, single-line, kilograms for MS2420/MS2430 Stratos and MS2320 StratosH	172.20

Scanning - StratosS® 22xx

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
54-54004-3	Non Standard	Aux. Port Cable (Black)	18.90

Scanning - Voyager® 1200g

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
1200g-1KBW-1	Non standard	KBW Kit: 1D, ivory scanner (1200g-1), rigid presentation stand (STND-19R02-002-4), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	210.00
1200g-1USB-1	Standard	USB Kit: 1D, ivory scanner (1200g-1), rigid presentation stand (STND-19R02-002-4), USB Type A 3m coiled cable (CBL-500-300-C00) and documentation	210.00
1200g-2KBW-1	Standard	KBW Kit: 1D, black scanner (1200g-2), rigid presentation stand (STND-19R02-002-4), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	210.00
1200g-2USB-1	Stocking	USB Kit: 1D, black scanner (1200g-2), rigid presentation stand (STND-19R02-002-4), USBType A 3m coiled cable (CBL-500-300-C00) and documentation	210.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1200g-1	Standard	Scanner only: 1D, ivory, RS232/USB/KBW/IBM	175.00
1200g-2	Standard	Scanner only: 1D, black, RS232/USB/KBW/IBM	175.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1200g-SMS5	Preorder	Voyager 1200G, 1 DAY, COMPREHENSIVE, 5YR	30.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90

CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Stands/Holders

SKU	SKU Type	SKU Description	List (\$)
HOLDER-004-U	Non standard	Holder: desktop/wall mount	18.90
HOLDER-005-W	Non standard	Holder: wall mount hook	18.90
STND-19R02-002-4	Non standard	Stand: gray, 19cm (7.5) stand height, rigid Voyager-like plastic pole, weighted tripod base, Voyager 1200 cup	18.90
STND-23F02-002-4	Non standard	Stand: gray, 23cm (9) stand height, flexible rod, weighted tripod base, Voyager 1200 cup	26.25
STND-23F03-002-4	Non standard	Stand: gray, 23cm (9) stand height, flexible rod, weighted mid-sized universal base, Voyager 1200 cup	37.80

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
200003829	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	46.20

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Voyager® 1202g

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
1202g-1USB-5	Standard	USB Kit: ivory BT 10m scanner (1202g-1), charge & communication base (CCB00-010BT-01N), USB Type A 3m straight cable (CBL-500-300-S00), and documentation	515.00
1202g-2USB-5	Stocking	USB Kit: black BT 10m scanner (1202g-2), charge & communication base (CCB00-010BT-01N), USB Type A 3m straight cable (CBL-500-300-S00), and documentation	515.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1202g-1	Non standard	Scanner only: 1D, ivory, RS232/USB/KBW/IBM, Bluetooth 10m	342.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1202k-SMS3	Preorder	Voyager 1202+base, SMS, 1-day turnaround, Comprehensive coverage, 3-Year Package	85.00
HSVC1202k-SMS5	Preorder	Voyager 1202+base, SMS, 1-day turnaround, Comprehensive coverage, 5-Year Package	165.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1202k-W	Preorder	Voyager 1202+base, Extended Warranty, Annual	40.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVCCordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1202k-SMS1	Preorder	Voyager 1202+base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	60.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1202k-W	Preorder	Voyager 1202+base, Extended Warranty, Annual, Post Sale	45.00

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
PS-05-1000W-A	Non standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90

CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Stands/Holders

SKU	SKU Type	SKU Description	List (\$)
HOLDER-005-W	Non standard	Holder: wall mount hook	18.90

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
CCB00-010BT-01N	Non standard	10m BT Charge/Comm base (only; cable and power must be purchased separately)	162.75

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Voyager® 1250g

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
1250g-1USB	Non standard	USB Kit: 1D, ivory scanner (1250g-1), no presentation stand, USB Type A 3m coiled cable (CBL-500-300-C00) and documentation	173.00
1250g-2KBW-1	Non standard	KBW Kit: 1D, black scanner (1250g-2), flex neck presentation stand (STND-15F03-009-4), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	198.00
1250g-2USB	Standard	USB Kit: 1D, black scanner (1250g-2), no presentation stand, USB Type A 3m coiled cable (CBL-500-300-C00) and documentation	173.00
1250g-2USB-1	Stocking	USB Kit: 1D, black scanner (1250g-2), flex neck presentation stand (STND-15F03-009-4), USB Type A 3m coiled cable (CBL-500-300-C00) and documentation	198.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1250g-1	Non standard	Scanner only: 1D, ivory, RS232/USB/KBW/IBM	155.00
1250g-2	Non standard	Scanner only: 1D, black, RS232/USB/KBW/IBM	155.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the

SKU	SKU Type	SKU Description	List (\$)
HSVC1250-SMS5	Preorder	Voyager 1250g, 1 day turn around, comprehensive coverage, 5 year plan	30.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Stands/Holders

SKU	SKU Type	SKU Description	List (\$)
HOLDER-009-U	Non standard	Holder: Universal holder (desk or wall)	18.90
STND-15F03-009-4	Non standard	Stand: gray, 15cm (6) flexible rod, weighted mid-sized universal base, Voyager 1250 cup	26.25

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Voyager® 1400g

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1400G1D-1	Non standard	Scanner Only: Omni-directional, 1D, ivory, RS232/USB/KBW/IBM	202.00
1400g1D-2	Stocking	Scanner Only: Omni-directional, 1D, black, RS232/USB/KBW/IBM	202.00
1400G2D-1	Non standard	Scanner Only: Omni-directional 1D, PDF417, 2D, ivory, RS232/USB/KBW/IBM	320.00
1400g2D-2	Stocking	Scanner Only: Omni-directional 1D, PDF417, 2D, black, RS232/USB/KBW/IBM	320.00
1400GPDF-1	Non standard	Scanner Only: Omni-directional 1D, PDF417, ivory, RS232/USB/KBW/IBM	256.00
1400gPDF-2	Non standard	Scanner Only: Omni-directional 1D, PDF417, black, RS232/USB/KBW/IBM	256.00

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
1400g1D-2USB	Standard	USB Kit: Omni-directional, 1D, black, USB Type A 1.5m straight cable (CBL-500-150-S00)	220.00
1400g1D-2USB-1	Stocking	USB Kit: Omni-directional, 1D, black, rigid presentation stand (STND-19R02-002-4), USB Type A 1.5m straight cable (CBL-500-150-S00)	238.00
1400g2D-2USB	Standard	USB Kit: Omni-directional 1D, PDF417, 2D, black, USB Type A 1.5m straight cable (CBL-500-150-S00)	338.00
1400g2D-2USB-1	Stocking	USB Kit: Omni-directional 1D, PDF417, 2D, black, rigid presentation stand (STND-19R02-002-4), USB Type A 1.5m straight cable (CBL-500-150-S00)	356.00
1400gPDF-2USB	Non standard	USB Kit: Omni-directional 1D, PDF417, black, USB Type A 1.5m straight cable (CBL-500-150-S00)	275.00
1400gPDF-2USB-1	Standard	USB Kit: Omni-directional 1D, PDF417, black, rigid presentation stand (STND-19R02-002-4), USB Type A 1.5m straight cable (CBL-500-150-S00)	293.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1400g-SMS3	Preorder	Voyager 1400G, 1 DAY, COMPREHENSIVE, 3YR	35.00
HSVC1400g-SMS5	Preorder	Voyager 1400G, 1 DAY, COMPREHENSIVE, 5YR	70.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1400g-SMS1	Preorder	Voyager 1400G, 1 DAY, COMPREHENSIVE, 1YR	25.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Stands/Holders

SKU	SKU Type	SKU Description	List (\$)
HOLDER-004-U	Non standard	Holder: desktop/wall mount	18.90
HOLDER-005-W	Non standard	Holder: wall mount hook	18.90
STND-19R02-002-4	Non standard	Stand: gray, 19cm (7.5) stand height, rigid Voyager-like plastic pole, weighted tripod base, Voyager 1200 cup	18.90
STND-23F02-002-4	Non standard	Stand: gray, 23cm (9) stand height, flexible rod, weighted tripod base, Voyager 1200 cup	26.25
STND-23F03-002-4	Non standard	Stand: gray, 23cm (9) stand height, flexible rod, weighted mid-sized universal base, Voyager 1200 cup	37.80

Software - Software

SKU	SKU Type	SKU Description	List (\$)
SW-2D-scanner	Standard	Software: 2D license key for Voyager 1400g series of products	127.00
SW-PDF-scanner	Preorder	Software: PDF417 license key for Voyager 1400g series of products	64.00

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Voyager® 9520

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK9520-32A00	Non standard	RS232 LSO Kit: black scanner (9520-00-3), stand (46-46128E), coiled PowerLink cable (53-53109-3) and documentation	200.00
MK9520-32A38	Stocking	USB Kit: black scanner (MS9520-38-3), stand (46-46128E), coiled low speed USB direct cable (53-53235-N-3) and documentation	200.00
MK9520-32A47	Non standard	KBW Kit: black scanner (MS9520-47-3), stand (46-46128E), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9520-32A62	Non standard	RS232 Verifone Kit: black scanner (MS9520-62-3), stand (46-46128E), 1.8m coiled Veri-Ruby 10 pin RJ45 male cable (MVC-3MPS-VR) and documentation	200.00
MK9520-32B41	Standard	RS232 Kit: black scanner (MS9520-41-3), stand (46-46128E), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	200.00
MK9520-32B47	Non standard	KBW Kit: black scanner (MS9520-47-3), stand (46-46128E), US power supply (46-00525), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9520-37A38	Standard	USB Kit: black scanner (MS9520-38-3), stand (46-46128 and 46-46351), coiled low speed USB direct cable (53-53235-N-3) and documentation	207.00
MK9520-37A47	Non standard	KBW Kit: black scanner (MS9520-47-3), stand (46-46128 and 46-46351), coiled KBW PowerLink cable (53-53002-3) and documentation	207.00
MK9520-72A38	Stocking	USB Kit: light gray scanner (MS9520-38), stand (46-46128), coiled low speed USB direct cable (53-53235-N-3) and documentation	200.00
MK9520-72A47	Non standard	KBW Kit: light gray scanner (MS9520-47), stand (46-46128), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9520-72B41	Standard	RS232 Kit: light gray scanner (MS9520-41), stand (46-46128), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	200.00
MK9520-72B47	Non standard	KBW Kit: light gray scanner (MS9520-47), stand (46-46128), US power supply (46-00525), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9520-77B41	Non standard	RS232 Kit: light gray scanner (MS9520-41), stand (46-46128 and 46-46351), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	207.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS9520-00	Non standard	Scanner-only: light gray, laser emulation, Installation & Users Guide	171.00
MS9520-11	Non standard	Scanner-only: light gray, IBM 46xx RS485, Installation & Users Guide	171.00

MS9520-11-3	Non standard	Scanner-only: black, IBM 46xx RS485, Installation & Users Guide	171.00
MS9520-38	Non standard	Scanner-only: light gray, low speed USB, Installation & Users Guide	171.00
MS9520-38-3	Non standard	Scanner-only: black, low speed USB, Installation & Users Guide	171.00
MS9520-40	Non standard	Scanner-only: light gray, full speed USB, Installation & Users Guide	171.00
MS9520-40-3	Non standard	Scanner-only: black, full speed USB, Installation & Users Guide	171.00
MS9520-41	Non standard	Scanner-only: light gray, RS232, Installation & Users Guide	171.00
MS9520-41-3	Non standard	Scanner-only: black, RS232, Installation & Users Guide	171.00
MS9520-47	Non standard	Scanner-only: light gray, KBW, Installation & Users Guide	171.00
MS9520-47-3	Non Standard	Scanner-only: black, KBW, Installation & Users Guide	171.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC9520/40-SMS5	Preorder	9520/40 Voyager, SMS 1-day turnaround, comprehensive coverage, 5-Year	30.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
53-53000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power	11.55
53-53002-N-3	Non standard	Cable: KBW, black, 2.9m (9.5), coiled, host power	18.90
53-53020-3	Non standard	Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power	18.90
53-53213-N-3	Non standard	Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power	36.75
53-53235-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), coiled, host power	18.90
MVC-3MPC-IB9	Non standard	Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
46-46128	Non standard	Stand: gray, presentation scanning, 15cm (6) rigid pole for MS9520 Voyager and MS9540 VoyagerCG	18.90
46-46128-3	Non standard	Stand: black, presentation scanning, 15cm (6) rigid pole for MS9520 Voyager and MS9540 VoyagerCG	18.90
46-46351	Non standard	Stand: gray, presentation scanning with hard mount option, 15cm (6) rigid pole for MS9520 Voyager and MS9540 VoyagerCG	18.90
46-46508	Non standard	Stand: gray, wall mount hanger for MS9520 Voyager and MS9540 VoyagerCG	18.90

Scanning - VoyagerCG 9540

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK9540-32A00	Non standard	RS232 LSO Kit: black scanner (9540-00-3), stand (46-46128), coiled PowerLink cable (53-53109-3) and documentation	200.00
MK9540-32A38	Stocking	USB Kit: black scanner (9540-38-3), stand (46-46128), coiled low speed USB direct cable (53-53235-N-3) and documentation	200.00
MK9540-32A47	Non standard	KBW Kit: black scanner (9540-47-3), stand (46-46128), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9540-32A62	Non standard	RS232 Verifone Kit: black scanner (MS9540-62-3), stand (46-46128), 1.8m coiled Veri-Ruby 10 pin RJ45 male cable (MVC-3MPS-VR) and documentation	200.00
MK9540-32B41	Standard	RS232 Kit: black scanner (MS9540-41-3), stand (46-46128), US power supply (46-00525), coiled RS232 PowerLink cable (53-53089C-3) and documentation	200.00
MK9540-32B47	Non standard	KBW Kit: black scanner (MS9540-47-3), stand (46-46128), US power supply (46-00525), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9540-37A38	Non standard	USB Kit: black scanner (MS9540-38-3), stand (46-46128 and 46-46351), coiled low speed USB direct cable (53-53235-N-3) and documentation	207.00
MK9540-37A47	Non standard	KBW Kit: black scanner (MS9540-47-3), stand (46-46128 and 46-46351), coiled KBW PowerLink cable (53-53002-3) and documentation	207.00
MK9540-72A11	Non standard	IBM 46xx Kit: light gray scanner (MS9540-11), stand (46-46128), 1.8m coiled RS485 Port 9 cable (MVC-3MPC-IB9) and documentation	200.00
MK9540-72A38	Stocking	USB Kit: light gray scanner (MS9540-38), stand (46-46128), coiled low speed USB direct cable (53-53235-N-3) and documentation	200.00
MK9540-72A40	Non standard	USB Kit: light gray scanner (MS9540-40), stand (46-46128), coiled 5V Locking PlusPower USB cable (53-53213-N-3-FR) and documentation	200.00
MK9540-72A47	Non standard	KBW Kit: light gray scanner (MS9540-47), stand (46-46128), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9540-72A48	Non standard	KBW Kit: light gray scanner (MS9540-47), stand (46-46128), coiled stand-alone KBW PowerLink cable (53-53020-3) and documentation	200.00

MK9540-72B41	Standard	RS232 Kit: light gray scanner (MS9540-41), stand (46-46128), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	200.00
MK9540-72B47	Non standard	KBW Kit: light gray scanner (MS9540-47), stand (46-46128), US power supply (46-00525), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9540-77A38	Non standard	USB Kit: light gray scanner (MS9540-38), stand (46-46128 and 46-46351), coiled low speed USB direct cable (53-53235-N-3) and documentation	207.00
MK9540-77B41	Non standard	RS232 Kit: light gray scanner (MS9540-41), stand (46-46128 and 46-46351), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	207.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS9540-00	Non standard	Scanner-only: light gray, laser emulation, Installation & Users Guide	171.00
MS9540-00-3	Non standard	Scanner-only: black, laser emulation, Installation & Users Guide	171.00
MS9540-11	Non standard	Scanner-only: light gray, IBM 46xx RS485, Installation & Users Guide	171.00
MS9540-11-3	Non standard	Scanner-only: black, IBM 46xx RS485, Installation & Users Guide	171.00
MS9540-38	Non Standard	Scanner-only: light gray, low speed USB, Installation & Users Guide	171.00
MS9540-38-3	Non standard	Scanner-only: black, low speed USB, Installation & Users Guide	171.00
MS9540-40	Non Standard	Scanner: light gray, USB Full Speed	182.00
MS9540-40/WN	Non Standard	Scanner-only: light gray, full speed USB, Wincor certified configuration, Installation & Users Guide	171.00
MS9540-40-3	Non standard	Scanner-only: black, full speed USB, Installation & Users Guide	171.00
MS9540-41	Non standard	Scanner-only: light gray, RS232, Installation & Users Guide	171.00
MS9540-41/WN	Non Standard	Scanner-only: dark gray, RS232, Wincor certified configuration, Installation & Users Guide	171.00
MS9540-41-3	Non standard	Scanner-only: black, RS232, Installation & Users Guide	171.00
MS9540-41-WN-EAS	Non Standard	Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide	171.00
MS9540-47	Non standard	Scanner-only: light gray, KBW, Installation & Users Guide	171.00
MS9540-47-3	Non standard	Scanner-only: black, KBW, Installation & Users Guide	171.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC9520/40-SMS5	Preorder	9520/40 Voyager, SMS 1-day turnaround, comprehensive coverage, 5-Year	30.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
53-53000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power	11.55
53-53002-N-3	Non standard	Cable: KBW, black, 2.9m (9.5), coiled, host power	18.90
53-53020-3	Non standard	Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power	18.90
53-53213-N-3	Non standard	Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power	36.75
53-53235-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), coiled, host power	18.90
MVC-3MPC-IB9	Non standard	Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
46-46128	Non standard	Stand: gray, presentation scanning, 15cm (6) rigid pole for MS9520 Voyager and MS9540 VoyagerCG	18.90
46-46128-3	Non standard	Stand: black, presentation scanning, 15cm (6) rigid pole for MS9520 Voyager and MS9540 VoyagerCG	18.90
46-46351	Non standard	Stand: gray, presentation scanning with hard mount option, 15cm (6) rigid pole for MS9520 Voyager and MS9540 VoyagerCG	18.90
46-46508	Non standard	Stand: gray, wall mount hanger for MS9520 Voyager and MS9540 VoyagerCG	18.90

Scanning - VoyagerGS™ 9590

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
MK9590-60A38-A	Standard	USB Kit: dark gray scanner (MS9590-106), coiled USB cable (53-53809-N-3) and documentation	173.00
MK9590-60A40-A12	Non standard	USB Kit: dark gray scanner (MS9590-106), coiled 5V Locking PlusPower USB cable (53-53813-N-3) and documentation	173.00
MK9590-60A47	Non standard	KBW Kit: dark gray scanner (MS9590-47), coiled KBW cable (53-53802-N-3) and documentation	173.00

MK9590-60B14	Non standard	RS232 Kit: dark gray scanner (MS9590-14), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	173.00
MK9590-61A38-A	Stocking	USB Kit: dark gray scanner (MS9590-106), stand (46-00709), coiled USB cable (53-53809-N-3) and documentation	187.00
MK9590-61A38-A-EAS	Non Standard	USB Kit: dark gray scanner w/ EAS (MS9590-38-EAS), stand (46-00709), coiled USB EAS cable (55-55809x-N-E-3) and documentation	235.00
MK9590-61A47	Non standard	KBW Kit: dark gray scanner (MS9590-47), stand (46-00709), coiled KBW cable (53-53802-N-3) and documentation	187.00
MK9590-61B14	Non standard	RS232 Kit: dark gray scanner (MS9590-14), stand (46-00709), coiled RS232 PowerLink cable (53-53000-3) and documentation	187.00

Hardware - Kit (HD)

SKU	SKU Type	SKU Description	List (\$)
MK9591-60A38	Non standard	USB Kit: high-density, dark gray scanner (MS9591-106), coiled USB cable (53-53809-N-3) and documentation	200.00

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
MS9590-106	Non standard	Scanner-only: dark gray, RS232-TTL/USB/IBM 46xx RS485, Installation & Users Guide	162.00
MS9590-106-7	Non Standard	Scanner-only: light gray, RS232-TTL/USB/IBM 46xx RS485, Installation & Users Guide	162.00
MS9590-14	Non standard	Scanner-only: dark gray, RS232, Installation & Users Guide	162.00
MS9590-14/WN	Non Standard	Scanner-only: dark gray, RS232, Wincor certified configuration, Installation & Users Guide	162.00
MS9590-14-7	Non Standard	Scanner-only: light gray, RS232, Installation & Users Guide	162.00
MS9590-14-7/WN	Non Standard	Scanner-only: light gray, RS232, Wincor certified configuration, Installation & Users Guide	162.00
MS9590-47	Non Standard	Scanner-only: dark gray, KBW, Installation & Users Guide	162.00
MS9590-47-7	Non Standard	Scanner-only: light gray, KBW, Installation & Users Guide	162.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC9590-SMS5	Preorder	9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year	30.00

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
53-53000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power	11.55
53-53802-N-3	Non standard	Cable: KBW, black, 2.9m (9.5), coiled, host power	18.90
53-53809-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), coiled, host power	11.55
55-55809-N-E-3	Non standard	Cable: USB, black, Type A and 2 wire pigtail, straight, host power with EAS	18.90

Accessories - Stands/Holders

SKU	SKU Type	SKU Description	List (\$)
46-00885-3	Non standard	Stand: black, wall mount/desktop and weighted base for MS9590 VoyagerGS	26.25

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
46-00709	Non standard	Stand: black, presentation scanning, 15cm (6) flexible pole and weighted base for MS9590 VoyagerGS	26.25
46-00885-2	Non standard	Stand: gray, wall mount/desktop and weighted base for MS9590 VoyagerGS	26.25

Scanning - Vuquest® 3310g

Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
3310g-4	Standard	Scanner: 1D, PDF417, 2D gray scanner (3310g-4) RS232/USB/KBW	431.00
3310g-4-1D	Non standard	Scanner: 1D only, gray scanner (3310g-4) RS232/USB/KBW	408.00
3310g-4-EIO	Non standard	Scanner: 1D, PDF417, 2D gray scanner (3310g-4) RS232/USB/KBW, External IO license	575.00

3310g-4-EZD	Non standard	Scanner: 1D, PDF417, 2D gray scanner (3310g-4) RS232/USB/KBW, EasyDL (TF-EasyDL-33xx)	531.00
3310g-4-OCR	Non standard	Scanner: 1D, PDF417, 2D, OCR, gray scanner (3310g-4) RS232/USB/KBW	480.00

Hardware - Kit

SKU	SKU Type	SKU Description	List (\$)
3310g-4KBW-0	Non standard	KBW Kit: 1D, PDF417, 2D gray scanner (3310g-4), 2.9m (9.5) straight KBW PS2 5V cable (52-52558-3-FR) and documentation	475.00
3310g-4USB-0	Stocking	USB Kit: 1D, PDF417, 2D gray scanner (3310g-4), 2.9m (9.5) straight USB Type A, cable (52-52559-N-3-FR), documentation	475.00
3310g-4USB-0EZD	Non standard	USB Kit: 1D, PDF417, 2D gray scanner (3310g-4), 2.9m (9.5) straight USB Type A, cable (52-52559-N-3-FR), documentation, EasyDL (TF-EasyDL-33xx)	575.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3310g-SMS3	Preorder	VuQuest 3310g, SMS 1-day turnaround, comprehensive coverage, 3-Year	40.00
HSVC3310g-SMS5	Preorder	VuQuest 3310g, SMS 1-day turnaround, comprehensive coverage, 5-Year	70.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3310g-SMS1	Preorder	VuQuest 3310g, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware purchase	25.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3310g-W	Preorder	VuQuest 3310g, Extended Warranty, 1-Year	15.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC3310g-W	Preorder	VuQuest 3310g, Extended Warranty, 1-Year, Post-Sales	20.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
52-52557-3-FR	Non standard	Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight	11.55
52-52558-3-FR	Non standard	Cable: KBW, black, 3.0m (9.8), coiled, 5V external power with ferrite	18.90
52-52559-N-3-FR	Non standard	Cable: USB, black, Type A, 5V, 2.9m (9.5) straight	11.55
52-52561-3-FR	Non standard	Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO	18.90
52-52562-3-FR	Non standard	Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight, External IO	18.90

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Stands/holders

SKU	SKU Type	SKU Description	List (\$)
46-01210	Non standard	Vuquest presentation-tray stand	78.75

Software - Software

SKU	SKU Type	SKU Description	List (\$)
SW-EIO-33xx	Standard	Software: External Input Output (EIO) license key for Vuquest 3310	45.00
TF2-EZBCBP	Preorder	Software: EasyBCBP license key for Xenon, Vuquest	100.00

TF2-EZDL	Preorder	Software: EasyDL license key for Xenon, VuQuest, and Captuvo	100.00
TF2-EZGS1	Preorder	Software: EasyGS1 license key for Xenon, Vuquest	100.00
TF2-EZMVC	Preorder	Software: EasyMVC license key for Xenon, Vuquest	100.00

Software - Software

SKU	SKU Type	SKU Description	List (\$)
SW-OCR-33xx	Preorder	Software: OCR license key for Vuquest 3310	45.00

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Xenon 1500

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
300001630	Standard	Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit	26.25
STND-08R00-000-4	Non standard	Stand: gray, 8cm (3) height, rigid rod, weighted base, Xenon cradle	37.80
STND-15R00-000-4	Standard	Stand: gray, 15cm (6) height, rigid rod, weighted base, Xenon cradle	37.80
STND-22F00-001-4	Stocking	Stand: gray, 22cm (9) height, flexible rod, weighted base, Xenon cup	37.80
UCOVERXENON	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	36.75

Scanning - Xenon 1900

Hardware - Scanner Only (ER) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1900gER-1	Non standard	Scanner: 1D, PDF417, 2D, ER focus, ivory, RS232/USB/KBW/IBM	449.00
1900gER-2	Non standard	Scanner: 1D, PDF417, 2D, ER focus, black, RS232/USB/KBW/IBM	449.00
1910gER-2	Non standard	Scanner Only: 1D, PDF417, 2D, ER focus, laser aimer, black, RS232/USB/KBW/IBM	467.00

Hardware - Scanner Only (HD) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1900gHD-1	Non standard	Scanner: 1D, PDF417, 2D, HD focus, ivory, RS232/USB/KBW/IBM	449.00
1900gHD-2	Stocking	Scanner: 1D, PDF417, 2D, HD focus, black, RS232/USB/KBW/IBM	449.00
1900hHD-0	Stocking	Scanner: 1D, PDF417, 2D, HD focus, white disinfectant-ready housing, RS232/USB/KBW/IBM	485.00

Hardware - Kit (HD)

SKU	SKU Type	SKU Description	List (\$)
1900gHD-2USB	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, black scanner (1900gHD-2), USB Type A 3m straight cable (CBL-500-300-S00)	467.00
1900hHD-0USB	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings scanner (1900hHD-0), USB Type A 3m straight cable (CBL-500-300-S00)	504.00
1900hHD-0USB-EZ	Non standard	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings scanner (1900hHD-0), USB Type A 3m straight cable (CBL-500-300-S00), EasyDL Software (TF-EasyDL-19xx)	595.00

Hardware - Scanner Only (SR) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1900gSR-1	Standard	Scanner: 1D, PDF417, 2D, SR focus, ivory, RS232/USB/KBW/IBM	449.00
1900gSR-2	Stocking	Scanner: 1D, PDF417, 2D, SR focus, black, RS232/USB/KBW/IBM	449.00
1900gSR-2-2-EZ	Non standard	Scanner: 1D, PDF417, 2D, SR focus, black, integrated ratchet stand, EasyDL	655.00
1900gSR-2-EZ	Stocking	Scanner: 1D, PDF417, 2D, SR focus, black, EasyDL	540.00
1900gSR-2-OCR	Non standard	Scanner: 1D, PDF417, 2D, OCR, SR focus, black scanner (1900gSR-2), RS232/USB/KBW/IBM	495.00
1900hSR-0	Non standard	Scanner: 1D, PDF417, 2D, SR focus, white disinfectant-ready housing, RS232/USB/KBW/IBM	485.00

Hardware - Scanner Only (Ratchet Stand) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1900gSR-2-2	Stocking	Scanner: 1D, PDF417, 2D, SR focus, black, integrated ratchet stand	564.00

Hardware - Kit (SR)

SKU	SKU Type	SKU Description	List (\$)
1900gSR-2KBW	Stocking	KBW Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00)	467.00
1900gSR-2USB	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2), USB Type A 3m straight cable (CBL-500-300-S00)	467.00
1900gSR-2USB-EZ	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2), USB Type A 3m straight cable (CBL-500-300-S00), EasyDL Software (TF-EasyDL-19xx)	558.00
1900hSR-0USB	Standard	USB Kit: 1D, PDF417, 2D, SR focus, white disinfectant-ready housings scanner (1900hSR-0), USB Type A 3m straight cable (CBL-500-300-S00)	504.00

Hardware - Kit (Ratchet Stand)

SKU	SKU Type	SKU Description	List (\$)
1900gSR-2USB-2	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2-2), USB Type A 3m straight cable (CBL-500-300-S00), integrated ratchet stand	582.00
1900gSR-2USB-2EZ	Standard	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2-2), USB Type A 3m straight cable (CBL-500-300-S00), integrated ratchet stand, EasyDL Software (TF-EasyDL-19xx)	673.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1900-SMS5	Preorder	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year	70.00

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75

CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
300001630	Standard	Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit	26.25
STND-08R00-000-4	Non standard	Stand: gray, 8cm (3) height, rigid rod, weighted base, Xenon cradle	37.80
STND-15R00-000-4	Standard	Stand: gray, 15cm (6) height, rigid rod, weighted base, Xenon cradle	37.80
STND-22F00-001-4	Stocking	Stand: gray, 22cm (9) height, flexible rod, weighted base, Xenon cup	37.80
UCOVERXENON	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	36.75

Software - Software

SKU	SKU Type	SKU Description	List (\$)
TF2-EZBCBP	Preorder	Software: EasyBCBP license key for Xenon, Vuquest	100.00
TF2-EZDL	Preorder	Software: EasyDL license key for Xenon, VuQuest, and Captuvo	100.00
TF2-EZGS1	Preorder	Software: EasyGS1 license key for Xenon, Vuquest	100.00
TF2-EZMVC	Preorder	Software: EasyMVC license key for Xenon, Vuquest	100.00

Software - Software

SKU	SKU Type	SKU Description	List (\$)
SW-OCR-19xx	Preorder	Software: OCR license key for Xenon series of products including Xenon 1900 and Xenon 1902	45.00

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Xenon 1900 Color

Hardware - Scanner Only (HD) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1900hHD-0-COL	Standard	Scanner Only: 1D, PDF417, 2D, HD focus, white disinfectant-ready housing, RS232/USB/KBW/IBM, color imaging	558.00
1900hHD-0-COLC	Non standard	Scanner Only: 1D, PDF417, 2D, HD focus, white disinfectant-ready housing, RS232/USB/KBW/IBM, color imaging capable (ColorFusion license required)	513.00

Hardware - Scanner Only (SR) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1900gSR-2-COL	Non standard	Scanner Only: 1D, PDF417, 2D, SR focus, black, RS232/USB/KBW/IBM, color imaging	522.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1900-SMS5	Preorder	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year	70.00

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
200003829	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	46.20
200003830	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with Xenon 1902	26.25

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
300001630	Standard	Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit	26.25
STND-08R00-000-4	Non standard	Stand: gray, 8cm (3) height, rigid rod, weighted base, Xenon cradle	37.80
STND-15R00-000-4	Standard	Stand: gray, 15cm (6) height, rigid rod, weighted base, Xenon cradle	37.80
STND-22F00-001-4	Stocking	Stand: gray, 22cm (9) height, flexible rod, weighted base, Xenon cup	37.80
UCOVERXENON	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	36.75

Software - Software

SKU	SKU Type	SKU Description	List (\$)
TF2-EZBCBP	Preorder	Software: EasyBCBP license key for Xenon, Vuquest	100.00
TF2-EZDL	Preorder	Software: EasyDL license key for Xenon, VuQuest, and Captuvo	100.00
TF2-EZGS1	Preorder	Software: EasyGS1 license key for Xenon, Vuquest	100.00
TF2-EZMVC	Preorder	Software: EasyMVC license key for Xenon, Vuquest	100.00

Software - Software

SKU	SKU Type	SKU Description	List (\$)
SW-OCR-19xx	Preorder	Software: OCR license key for Xenon series of products including Xenon 1900 and Xenon 1902	45.00

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Xenon 1902

Hardware - Scanner Only (ER) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1902gER-2	Non standard	Scanner: 1D, PDF417, 2D, ER focus, black, Bluetooth	844.00
1912gER-2	Non standard	Scanner Only: 1D, PDF417, 2D, ER focus, laser aimer, black, Bluetooth	862.00

Hardware - Scanner Only (HD) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1902gHD-2	Non standard	Scanner: 1D, PDF417, 2D, HD focus, black, Bluetooth	844.00
1902hHD-0	Standard	Scanner: 1D, PDF417, 2D, HD focus, white disinfectant-ready housing, Bluetooth	875.00

Hardware - Kit (HD)

SKU	SKU Type	SKU Description	List (\$)
1902gHD-2USB-5	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, black scanner (1902gHD-2), charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00)	1176.00
1902hHD-0USB-5	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings scanner (1902hHD-0), charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00)	1225.00
1902hHD-0USB-5F	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings, charge & communication base, FIPS certification, USB Type A 3m straight cable (CBL-500-300-S00)	1362.00
1902hHD-0USB-8FAP	Standard	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings, Access Point with FIPS certification, USB Type A 3m straight cable (CBL-500-300-S00), battery charger required - purchase MB4-BAT-SCN01xxx0 or COB01	1387.00
1902hHD-0USB-8NAP	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings scanner (1902hHD-0), Access Point (AP-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), battery charger required - purchase MB4-BAT-SCN01xxx0	1149.00
1902hHD-0USBA-7NAP	Stocking	Charge-Only Base Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings, Access Point (AP-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), Charge-Only Base (COB01); NA power supply (46-00525)	1251.00

Hardware - Scanner Only (SR) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1902gSR-1	Non standard	Scanner: 1D, PDF417, 2D, SR focus, ivory, Bluetooth	838.00
1902gSR-2	Standard	Scanner: 1D, PDF417, 2D, SR focus, black, Bluetooth	838.00
1902gSR-2-EZ	Stocking	Scanner: 1D, PDF417, 2D, SR focus, black, Bluetooth, EasyDL	929.00
1902hSR-0	Non standard	Scanner: 1D, PDF417, 2D, SR focus, white disinfectant-ready housing, Bluetooth	875.00

Hardware - Kit (SR)

SKU	SKU Type	SKU Description	List (\$)
1902gSR-2USB-5	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1902gSR-2), charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00)	1189.00

1902gSR-2USB-5EZ	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black, charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), EasyDL Software (TF-EasyDL-19xx)	1280.00
1902gSR-2USB-5F	Non standard	USB Kit: 1D, PDF417, 2D, SR focus, black housings, charge & communication base, FIPS certification, USB Type A 3m straight cable (CBL-500-300-S00)	1325.00
1902gSR-2USB-8NAP	Non standard	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1902gSR-2), Access Point (AP-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), battery charger required - purchase MB4-BAT-SCN01xxx0	1215.00
1902hSR-0USB-5	Non standard	USB Kit: 1D, PDF417, 2D, SR focus, white disinfectant-ready housings scanner (1902hSR-0), charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00)	1225.00

Hardware - Stands/ Holders/ Cordless Bases/ Access Points

SKU	SKU Type	SKU Description	List (\$)
AP-010BT-07F	Non standard	Access Point: Class 1 Bluetooth, 10m (33), up to 7 scanners can be connected, FIPS certification, RS232/USB/KBW/IBM (cable sold separately)	393.00
AP-010BT-07N	Standard	Access Point: Class 2 Bluetooth, 10m (33), up to 7 scanners can be connected, RS232/USB/KBW/IBM (cable sold separately)	256.00
CCB01-010BT-07F	Non standard	Base: charging, Class 1 Bluetooth, 10m (33), up to 7 scanners can be connected, FIPS certification, RS232/USB/KBW/IBM host interfaces (cable sold separately)	462.00
CCB01-010BT-07N	Stocking	Base: charging, Class 2 Bluetooth, 10m (33), up to 7 scanners can be connected, RS232/USB/KBW/IBM host interfaces (cable sold separately)	325.00
COB01	Non standard	Charge-Only Base: only 1 scanner can be charged at a time, power supply must be purchased separately	102.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1902k-SMS3	Preorder	Service: Xenon 1902 +base, SMS 1-day turnaround, comprehensive coverage, 3-Year	85.00
HSVC1902k-SMS5	Preorder	Service: Xenon 1902 +base, SMS 1-day turnaround, comprehensive coverage, 5-Year	165.00
HSVC4BAY-SMS3	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package	39.00
HSVC4BAY-SMS5	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year package	65.00
HSVCcordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1902k-SMS1	Preorder	Xenon 1902+base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	60.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1902k-W	Preorder	Service: Xenon 1902 +base, Extended Warranty 10-day turnaround, 1-Year	40.00
HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended Warranty, 10-day turn, 1 year term	11.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1902k-W	Preorder	Service: Xenon 1902 +base, Extended Warranty 10-day turnaround, 1-Year, Post Sale	45.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
200003829	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	46.20
200003830	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with Xenon 1902	26.25

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
-----	----------	-----------------	-----------

CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
300001490	Non standard	Accessory: Plastic charge/communication base insert prevents the scanner from falling out of the base when the cordless system is subjected to turbulent movement	18.90
300001501	Standard	Accessory: Sheet metal bracket with pre-drilled holes enables horizontal or vertical mounting of a cordless system	37.80
300001630	Standard	Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit	26.25
HOLSTERE	Non standard	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55
UCOVERXENON	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	36.75

Software - Software

SKU	SKU Type	SKU Description	List (\$)
TF2-EZBCBP	Preorder	Software: EasyBCBP license key for Xenon, Vuquest	100.00
TF2-EZDL	Preorder	Software: EasyDL license key for Xenon, VuQuest, and Captuvo	100.00
TF2-EZGS1	Preorder	Software: EasyGS1 license key for Xenon, Vuquest	100.00
TF2-EZMVC	Preorder	Software: EasyMVC license key for Xenon, Vuquest	100.00

Software - Software

SKU	SKU Type	SKU Description	List (\$)
SW-OCR-19xx	Preorder	Software: OCR license key for Xenon series of products including Xenon 1900 and Xenon 1902	45.00

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Xenon 1902 Color

Hardware - Scanner Only (HD) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1902hHD-0-COL	Non standard	Scanner Only: 1D, PDF417, 2D, HD focus, white disinfectant-ready housing, Bluetooth, color imaging	947.00
1902hHD-0-COLC	Non standard	Scanner Only: 1D, PDF417, 2D, HD focus, white disinfectant-ready housing, Bluetooth, color imaging capable (ColorFusion license required)	902.00

Hardware - Scanner Only (SR) - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
1902gSR-2-COL	Non standard	Scanner Only: 1D, PDF417, 2D, SR focus, black, Bluetooth, color imaging	911.00
1902gSR-2-COLC	Non standard	Scanner Only: 1D, PDF417, 2D, SR focus, black, Bluetooth, color imaging capable (ColorFusion license required)	865.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1902k-SMS3	Preorder	Service: Xenon 1902 +base, SMS 1-day turnaround, comprehensive coverage, 3-Year	85.00
HSVC1902k-SMS5	Preorder	Service: Xenon 1902 +base, SMS 1-day turnaround, comprehensive coverage, 5-Year	165.00
HSVC4BAY-SMS3	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package	39.00
HSVC4BAY-SMS5	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year package	65.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1902k-SMS1	Preorder	Xenon 1902+base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	60.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1902k-W	Preorder	Service: Xenon 1902 +base, Extended Warranty 10-day turnaround, 1-Year	40.00
HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended Warranty, 10-day turn, 1 year term	11.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1902k-W	Preorder	Service: Xenon 1902 +base, Extended Warranty 10-day turnaround, 1-Year, Post Sale	45.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
200003829	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	46.20
200003830	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with Xenon 1902	26.25

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
300001501	Standard	Accessory: Sheet metal bracket with pre-drilled holes enables horizontal or vertical mounting of a cordless system	37.80
300001630	Standard	Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit	26.25
HOLSTERE	Non standard	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55
UCOVERXENON	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	36.75

Software - Software

SKU	SKU Type	SKU Description	List (\$)
TF2-EZBCBP	Preorder	Software: EasyBCBP license key for Xenon, Vuquest	100.00
TF2-EZDL	Preorder	Software: EasyDL license key for Xenon, VuQuest, and Captuvo	100.00
TF2-EZGS1	Preorder	Software: EasyGS1 license key for Xenon, Vuquest	100.00
TF2-EZMVC	Preorder	Software: EasyMVC license key for Xenon, Vuquest	100.00

Software - Software

SKU	SKU Type	SKU Description	List (\$)
SW-OCR-19xx	Preorder	Software: OCR license key for Xenon series of products including Xenon 1900 and Xenon 1902	45.00

Software - Software Licenses includes 1yr Maintenance & Support - new customers minimum order of 10 licenses

SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ

Software - Software Maintenance & Support Extensions and Renewals

SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext. - use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Note: Global Services contracts availability varies per region.
 Services such as Service Made Simple (SMS) are available in the EU, USA & Canada.
 For countries outside of the EU, USA & Canada, please contract a Honeywell representative to confirm availability.

Prices are recommended resell prices only. HSM Distributors and Partners are free to define their own prices.

Honeywell official pricelist is the one regularly updated and published on this site.

All prices are subject to change without notice and will be confirmed upon reception of orders.

For more information on our products:
www.honeywellaidc.com

Honeywell Scanning & Mobility
9680 Old Bailes Road
Fort Mill, SC 29707
800.582.4263
www.honeywell.com

Honeywell