

# Data Sheet FUJITSU Tablet STYLISTIC Q555

#### Versatile Business Tablet

The FUJITSU Tablet STYLISTIC Q555 provides full office productivity for mobilized roles in enterprises or government. It is a perfect companion, weighing only 655 g in a thin design with 10 hours battery life and 2 in 1 design with an attachable keyboard. The toughened, bright 25.7 cm (10.1-inch) anti-glare WUXGA display supports pen input, enabling paperless workflows. Latest NFC and 4G/LTE connectivity let you stay connected and enable forward-thinking authentication and data sharing. Enterprise-grade security features provide maximum data protection and an optional cradle delivers a desktop-like experience in the office.

#### Adaptable 2 in 1 design for boosted efficiency

Enjoy the flexibility of a tablet and the productivity of a notebook in one device

Optional keyboard for productivity outside the office while an optional cradle delivers a desktoplike experience in the office

#### Convenient working

Comfortable handling and long runtime

 Bright, toughened anti-glare display with multi-touch and pen input supporting audit-proof signature, super lightweight and up to 10 hours of battery runtime

#### Ultimate security

Protect your company data against fraud access

 Embedded TPM, various authentication methods with optional embedded SmartCard reader, fingerprint sensor or even contactless SmartCard

#### Enterprise-grade connectivity

Connect and create wherever you are

 Optionally embedded 4G/LTE, WLAN and NFC for seamless connections, dual camera support and integrated microphone for easy collaboration













# Components

| Base unit                                    | STYLISTIC Q555  |  |
|--|---|--|
| Operating systems                            |   |  |
| Operating system                             | Windows 8.1 Pro 64-bit<br>Windows 8.1 Pro 64-bit  |  |
| Operating system compatible                  | Windows 8.1 Pro 64-bit<br>Windows 8.1 Pro 64-bit  |  |
| Processor                                    | Intel® Atom™ processor Z3795 () *   |  |
| Hard disk drives (internal)                  | SSD eMMC, 128 GB<br>SSD eMMC, 64 GB   |  |
| Hard disk notes                              | One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Up to 20 GB of HDD space is reserved for system recovery Accessible capacity may vary, also depending on used software.  |  |
| Interface add on cards/components (optional) |   |  |
| 3G/4G (optional)                             | UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)  NO NFC  NFC  LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)  |  |
| Display                                      | 25.7 cm (10.1-inch), LED backlight, (WUXGA), Glare with dual digitizer, compound, 1,920 $\times$ 1,080 pixel, 800:1,400 cd/m <sup>2</sup> 25.7 cm (10.1-inch), LED backlight, (WUXGA), Anti-glare dual digitizer, compound, 1,920 $\times$ 1,080 pixel, 800:1,400 cd/m <sup>2</sup> |  |
| Multimedia                                   |   |  |
| Camera                                       | Front camera 2.0 megapixel, rear camera 8.0 megapixel with autofocus and light  |  |

## Base unit

| Base unit                       | STYLISTIC Q555   |  |
|---------------------------------|--|--|
| General system information      |  |  |
| Processor                       | Intel® BayTrail-T™ SoC, Quad Core Intel® Atom™ Processor Z3795   |  |
|                                 | (2.4 GHz, 2 MB)  |  |
| Chipset                         | Intel® BayTrail-T™ SoC   |  |
| Supported capacity RAM          | 4 GB   |  |
| Memory slots                    | LPDDR3-1067 (1066MHz)  |  |
| Memory notes                    | Disclaimer: Up to 1 GB may not be available with 32-bit operating systems due to system resource requirements system is preinstalled with 4 GB RAM |  |
| LAN notes                       | GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification.   |  |
| Integrated WLAN                 | WLAN 802.11 a/b/g/n MITSUMI DWM-W095A  |  |
| BIOS features                   | BIOS Flash EPROM Unified Extensible Firmware Interface (UEFI)  |  |
| Audio codec                     | Realtek ALC5642  |  |
| Audio features                  | 2x internal microphones, 2x built-in speakers (stereo)   |  |
| S26391-K406-V100 STYLISTIC Q555 |  |  |
| Display                         | 25.7 cm (10.1-inch),IPS dual digitizer,(WUXGA),Anti-glare display,1,920 x 1,200 pixel,800:1,400 cd/m²  |  |

Page 2 / 7 www.fujitsu.com/fts/tabletpc

| 626201 WAS MAD STWUSTIS OFFE     |  |
|----------------------------------|--|
| S26391-K406-V100 STYLISTIC Q555  | Tarakanadalara ang Gararata sangkan 200 annahada   |
| Display notes                    | Toughened glass, anti fingerprint surface, 256 grey shade.<br>ISO 9241-307 Pixel class II      |
|                                  | Viewing angle: Left/Right 89°, Top 89°, Bottom 89°, 25ms response time.                        |
|                                  | Integrated ambient light sensor for automatic backlight adjustment to the working environment. |
| Sensors                          | 3-axis Accelerometer   |
|                                  | Compass  |
|                                  | Gyroscope  |
|                                  | Ambient Light Sensor<br>Proximity  |
| Aspect ratio                     | 16:10  |
| Brightness - typical             | 400 cd/m <sup>2</sup>  |
| Contrast - typical               | 800:1  |
| Digitizer / Touch Technology     | Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen                      |
| Ambient light sensor             | Integrated   |
| Ambient light sensor notes       | While enabled, the ambient light sensor automatically adjusts the display backlight            |
| Viewing angle (h/v) - typical    | 160°/160°  |
| Graphics                         |  |
| Base unit                        | STYLISTIC Q555   |
| TFT resolution (HDMI)            | up to 1,080p (1,920 x 1,080 pixel) via cradle or optional cable accessory                      |
| Max. resolution external display | up to 1,080p (1,920 x 1,080 pixel) via cradle or optional cable accessory                      |
| Max. resolution display port     | up to 1,080p (1,920 x 1,080 pixel)   |
| Graphics features                | Dual Display support (1x external, 1x internal)  |
| alapines reacares                | DirectX® 11 support  |
|                                  | Open GL® 3.2   |
| Interfaces                       |  |
| DC-in                            | 1  |
| Audio: line-out / headphone      | 1 (combo port with Audio line-in)  |
| Audio: line-in / microphone      | 1 (combo port with Audio line-out)   |
| Internal microphones             | 2 (digital)  |
| USB 2.0 total                    | 1  |
| USB 3.0 total                    | 1  |
| VGA                              | 1 (via optional cradle or optional adapter cable accessory)                                    |
| micro HDMI                       | 1  |
| Ethernet (RJ-45)                 | 1 (via optional cradle or optional adapter cable accessory)                                    |
| Memory card slots                | 1 MicroSD (SD up to 2GB / SDHC up to 32GB / SDXC up to 64GB)                                   |
| SmartCard slot                   | optional   |
| SIM card slot                    | 1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)                        |
| Interface Module notes           | LAN, HDMI, DisplayPort and VGA available via conversion cable.                                 |
| Cradle (Charging or Functional)  |  |
| DC-in                            | 1 (19V)  |
| Audio: line-in                   | 1  |
| Audio: line-out                  | 1  |
| USB 2.0 total                    | 3 (if used with STYLISTIC Q555)  |
| USB 3.0 total                    | 3 (if used with STYLISTIC Q775/Q665)   |
| DisplayPort                      | 1  |
| VGA                              | 1  |
| Ethernet (RJ-45)                 | 1 (10/100/1000)  |
| Kensington Lock support          | 1  |
| Interface Module notes           | If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.        |
| Wireless technologies            |  |
| Antennas                         | 2x dual band WLAN/BT, 2x UMTS, 1x GPS for dedicated module, 1x NFC for dedicated module        |
| Bluetooth                        | Bluetooth 4.0 LE   |
| Integrated WLAN                  | WLAN 802.11 a/b/g/n MITSUMI DWM-W095A  |
|                                  |  |

Page 3 / 7

| Wireless technologies               |   |
|-------------------------------------|---|
| WLAN notes                          | Import and usage according to country-specific regulations.   |
| LTE/UMTS/GPS notes                  | Including GPS functionality Import and usage according to country-specific regulations.   |
| NFC                                 | optional  |
| GPS                                 | Embedded in 3G/4G module if configured with WWAN. WLAN only configurations have an option for a dedicated Mitsumi SPG-SF101(BCM4752) module.  |
| Power supply                        |   |
| AC adapter                          | 12V / 36W (3A)  |
| Rated voltage range                 | 100 V - 240 V (AC Input)  |
| Rated frequency range               | 50 Hz - 60 Hz   |
| 1st battery                         | Lithium Polymer battery 3-cell, 38 Wh, 9900 mAh   |
| Runtime 1st battery                 | Up to 10h   |
| Battery charging time               | Around 3.8h   |
| Battery notes                       | Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct produc comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime. |
| Dimensions / Weight / Environmental |   |
| Dimensions (W x D x H)              | 265.5 x 188.8 x 10.2  |
|                                     | 10.42 x 7.43 x 0.40 inch  |
| Weight                              | From 655 g  |
| Weight (lbs)                        | 1.46 lb lbs   |
| Weight notes                        | Weight may vary depending on actual configuration (including battery pack)  |
| Operating ambient temperature       | Running: 5 - 35 °C; Packed -15 - 60 °C  |
| Operating relative humidity         | Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)   |
| Compliance                          |   |
| Product                             | STYLISTIC Q555  |
| Germany                             | GS (only for premium anti-glare touchscreen display)  |
| Europe                              | CE!<br>EN 60950   |
| Global                              | IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)   |
| Compliance link                     | http://globalsp.ts.fujitsu.com/sites/certificates   |
| Additional Software                 |   |
| Additional software (preinstalled)  | Microsoft® Office McAfee Internet Security and Antivirus Software (60 days trial version) Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Intel® SBA (manageability suite for local administration) Fujitsu LIFEBOOK Application Panel Power Saving Utility Fujitsu Display Manager Fujitsu Plugfree Network (network management utility) Fujitsu System Manager (Tablet Button Utility) Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery)                              |
| Additional software (optional)      | Connection manager (optional with 4G/LTE or 3G/UMTS) Drivers & Utilities DVD (DUDVD) Recovery DVD   |

| Manageability  |   |
|--|---|
| Manageability technology                                       | DeskUpdate Driver management Wake up from S5 (off mode) Intel® Standard Manageability PXE boot supported (x64 EFI only) PXE 2.0 Boot code     |
| Manageability software   | DeskView Client<br>DeskView Instant BIOS Management<br>DeskView Integration for Symantec Management Platform                                  |
| DeskView components  | Inventory Management BIOS Management Driver Management Security Management Alarm Management   |
| Manageability link   | http://www.fujitsu.com/fts/manageability  |
| Security   |   |
| System and BIOS Security                                       | Computrace® enabled BIOS<br>Trusted platform module (TPM 1.2)   |
| User Security  | BIOS security Embedded fingerprint sensor (supported only by Windows 8 integrated functionality) User and supervisor BIOS password            |
| Warranty   |   |
| Warranty period  | 2 years (depending on country)  |
| Warranty type  | Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations) |
| Warranty Terms & Conditions Product Support Services - the per | http://support.ts.fujitsu.com/warranty<br>fect extension  |

9x5, Onsite Response Time: Next Business Day

3 years (depending on country) htttp://ts.fujitsu.com/Supportservice

## Recommended Accessories

Cradle STYLISTIC Q555 / Q665 / Q775

**Recommended Service** 

Spare Parts availability

Service Weblink



Boosted efficiency, desktop experience, flexibility, expandability - these are only some of the benefits of the cradle for the STYLISTIC Q555, Q665 or Q775.

Order Code: S26391-F1467-L100

USB 3.0 Hub 4 Ports



Connecting all of your USB peripherals is quick and easy with the Fujitsu USB 3.0 Hub 4 Ports. SuperSpeed USB 3.0 makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically.

Order Code: S26391-F6099-L304

S26391-F2613-L610

Car/Truck Power Adapter 90



People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car/Truck Power Adapter 90 will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available.

Order Code:

NEW: The Car/Truck Power Adapter 90 now charges 19V and 12V devices.

Page 5 / 7 www.fujitsu.com/fts/tabletpc

| Sleeve Case M                             |   | Order Code:<br>S26391-F1192-L312                  |
|---|---|---|
| Shoulder Strap STYLISTIC                  | The Fujitsu Shoulder Strap is the perfect addition to your STYLISTIC Q555,  | Order Code:<br>S26391-F1193-L13                   |
| VESA Mount Plate STYLISTIC<br>Q555 / Q775 | 7   | Order Code:<br>S26391-F1419-L900                  |
| Hand Strap STYLISTIC                      | The Fujitsu Hand Strap makes handling and carrying your tablet easier. It comes with screws that allow you to attach it to the threaded inserts on the Sback of your tablet to provide a secure grip. The adjustable Velcro makes this hand strap easy to adjust for any size hand.  (Picture shows a different STYLISTIC model for illustration only.) | Order Code:<br>S26391-F1419-L930                  |
| USB 3.0 Gigabit LAN Adapter               | The Fujitsu USB 3.0 Gigabit LAN Adapter allows you to connect your computer to a 10/100/1000 Mbps network simply by a USB port. It provides an additional system independent network controller and is ideal for any environment lacking wireless availability.   | Order Code:<br>S26391-F6055-L520                  |
| USB to VGA Conversion Cable               | ,   | Order Code:<br>S26391-F1418-L810                  |
| USB to LAN (RJ45) Conversion<br>Cable     |   | Order Code:<br>S26391-F1418-L840                  |
| Bluetooth Mouse BT3                       | <i>y</i> , ,  | Order Code:<br>S26381-K445-L100                   |
| External Super Multi Drive                | For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you. Supprade your notebook or PC with this external drive and use it wherever you are.  | Order Code:<br>S26341-F103-L135                   |
| Slice Keyboard STYLISTIC Q555             |   | S26391-F1288-L2**<br>(**country specific version) |

### More information

#### Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet STYLISTIC Q555, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Tablet STYLISTIC Q555, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/tabletpc

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



#### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2015 Fujitsu Technology Solutions GmbH

#### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2015-10-28 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2015 Fujitsu Technology Solutions GmbH