

# peerless-AV<sup>®</sup>



## Professional Mounts & Solutions

Digital Signage



Corporate



Education



Transportation



Control Room



Restaurants/QSRs












































Hospitality



Retail & Commercial



	FLAT	TILT	PIVOT	ARTICULATING
<b>SMALL</b> 10-29" LCD VESA® 75, 100	SF630P 	ST630P 	NEW DESIGN SP730P 	NEW DESIGN SA730P 
	SF632P 	ST632P 	NEW DESIGN SP740P 	NEW DESIGN SA740P 
<b>MEDIUM</b> 22-40" LCD VESA® 75, 100, 200x100, 200	SF640P 	ST640P 	NEW DESIGN SP746PU 	NEW DESIGN SA746PU 
	SF650P 	ST650P 	NEW DESIGN SA752PU 	37-55" screens Up to VESA® 600x400mm
<b>MEDIUM-LARGE</b> 32-50" LCD Up to VESA® 400x400mm	SF660P 	ST660P 	NEW DESIGN SA761PU 	39-75" screens Up to VESA® 600x400mm
	SF670P 	ST670P 	NEW DESIGN SA771PU 	Up to VESA® 800x400mm
<b>LARGE</b> 39-75" LCD/Plasma Up to 700x400mm	SF680P 	ST680P 		
	SF660P 	ST660P 		
<b>X-LARGE</b> 39-80" LCD/Plasma Up to VESA® 800x400mm	SF670P 	ST670P 		
	SF680P 	ST680P 		
<b>XX-LARGE</b> 46-90" LCD/Plasma Up to 900x500mm	SF680P 	ST680P 		
	SF680P 	ST680P 		
<b>XXX-LARGE</b> 60-95" LCD/Plasma Up to 1100x700mm	SF680P 	ST680P 		
	SF680P 	ST680P 		

Part No	Screen sizes	Max. weight	Tilt	Swivel	Roll	Arm extension	Mounting pattern
SF630P	10-29"	36kg (80lbs)	-	-	-	-	VESA® 75 & 100
ST630P	10-29"	36kg (80lbs)	+15/-5°	-	-	-	VESA® 75 & 100
SP730P	10-29"	11kg (25lbs)	±35°	±90°	±5°	251mm	VESA® 75 & 100
SA730P	10-29"	11kg (25lbs)	±35°	±90°	±5°	432mm	VESA® 75 & 100
SF632P	22-40"	52kg (115lbs)	-	-	-	-	VESA® 75, 100, 200x100, 200
ST632P	22-40"	52kg (115lbs)	+15/-5°	-	-	-	VESA® 75, 100, 200x100, 200
SP740P	22-40"	36kg (80lbs)	+15/-5°	±90°	±5°	301mm	VESA® 75, 100, 200x100, 200
SA740P	22-40"	36kg (80lbs)	+15/-5°	±90°	±5°	554mm	VESA® 75, 100, 200x100, 200
SF640P	32-50"	68kg (150lbs)	-	-	-	-	Universal up to 400x400mm
ST640P	32-50"	68kg (150lbs)	+15/-5°	-	-	-	Universal up to 400x400mm
SP746PU	32-50"	36kg (80lbs)	+15/-5°	±90°	±5°	312mm	Universal up to 400x400mm
SA746PU	32-50"	36kg (80lbs)	+15/-5°	±90°	±5°	564mm	Universal up to 400x400mm
SF650P	39-75"	79kg (175lbs)	-	-	-	-	Universal up to 742x405mm
ST650P	39-75"	79kg (175lbs)	+15/-5°	-	-	-	Universal up to 742x405mm
SA752PU	37-55"	42kg (90lbs)	+15/-5°	±90°	±5°	672mm	Universal up to 600x400mm
SF660P	39-80"	91kg (200lbs)	-	-	-	-	Universal up to 824x405mm
ST660P	39-80"	91kg (200lbs)	+15/-5°	-	-	-	Universal up to 824x405mm
SA761PU	39-75"	57kg (125lbs)	+15/-5°	±90°	±5°	676mm	Universal up to 600x400mm
SF670P	46-90"	113kg (250lbs)	-	-	-	-	Universal up to 908x503mm
ST670P	46-90"	113kg (250lbs)	+15/-5°	-	-	-	Universal up to 915x503mm
SA771PU	46-90"	68kg (150lbs)	+15/-5°	±90°	±5°	676mm	Universal up to 800x400mm
SF680	60-95"	158kg (350lbs)	-	-	-	-	Universal up to 1111x745mm
ST680	60-95"	136kg (300lbs)	+15/-5°	-	-	-	Universal up to 1119x745mm

# Video Wall Solutions

Designed to reduce installation time by up to 60%, with custom screen spacers and 8-point micro adjustment, Peerless-AV video wall mounting solutions offer more convenience, more versatility and more features for a hassle free experience.



## Full-service quick release wall mount - Landscape/Portrait

Part No.	Screen Size	Colour	Max. weight	Mounting pattern	Features
DS-VW755S	40 - 65"	Black	36kg (80lbs)	Up to VESA® 400 x 400mm	8 point Adjustment
DS-VW795-QR	65 - 98"	Black	102kg (225lbs)	Up to VESA® 600 x 600mm	8 point Adjustment

### DS-VW755S



- Ultra slim design, at only 48mm overall depth from the wall
- Quick release pop out mechanism provides convenient display access in recessed applications
- Easy hang keyhole wall plate speeds up mount positioning and allows for a single person install
- Accommodates displays in both landscape and portrait orientation

### DS-VW795-QR




- Easy-to-use pop out mechanism provides quick service access, even for in-wall applications, while spring loaded mechanism securely clicks the display back into place
- Supports large format displays up to 98" in both portrait and landscape orientation
- Tool-less micro adjustment at 8-points to seamlessly align display

## Full-Service Video Wall Mount- Landscape/Portrait

Part No.	Screen Size	Colour	Max. weight	Mounting pattern
DS-VW765-LQR	46 - 65"	Black	57kg (125lbs)	Up to VESA® 700 x 400mm
DS-VW765-PQR	42 - 65"	Black	57kg (125lbs)	Up to VESA® 400 x 600mm
DS-VW765-LAND	40 - 65"	Black	57kg (125lbs)	Up to VESA® 700 x 400mm
DS-VW765-POR	42 - 65"	Black	57kg (125lbs)	Up to VESA® 400 x 600mm

### DS-VW765-LQR/PQR



- Pull-out/prop-open mechanism provides quick service access
- Modular mount for unlimited video wall display configurations
- Easy hang keyhole wall plate speeds up mount positioning and allows for a single person install
- Available in both Landscape (LQR) and Portrait (PQR)
- Carriage extension force can be adjusted to accommodate the weight

### DS-VW765-LAND/POR



- Displays and mounts sit flush against the wall for a clean side appearance
- Modular mount for unlimited video wall display configurations
- Tool-less micro-adjustments at 8 points seamlessly align the displays
- Pull-out/prop-open mechanism provides quick service access
- Integrated cable management tie-backs

## Mobile Video Wall Trolleys & Stands for all configurations

Part No.	Screen Size	Max. weight	Mounting pattern	Configuration
DS-C560-2x2	46 - 60"	227kg	Up to VESA® 600 x 400mm	2x2
DS-C555-3X2	46 - 55"	272kg	Up to VESA® 600 x 400mm	3x2, 2x2
DS-C555-4X2	46 - 55"	363kg	Up to VESA® 600 x 400mm	4x2, 3x2, 2x2
DS-C560-1X3	46 - 60"	171kg	Up to VESA® 600 x 400mm	1x3
DS-C555-3X3	46 - 55"	409kg	Up to VESA® 600 x 400mm	3x3, 3x2, 2x2
DS-C555-4X3	46 - 55"	540kg	Up to VESA® 600 x 400mm	4x2, 3x3, 3x2, 2x2

- Free standing mobile digital signage solution for 4, 6 or 9 screens in 2x2, 3x2 and 3x3 configurations
- Tool-less micro adjustment at 8-points seamlessly align the displays
- Vertical height adjustment for ideal screen placement and positioning
- Base cover with internal media

player shelf hides wires for a clean appearance

- Additional mounting patterns supported with adaptor plates
- Converts from trolley to stand with Peerless-AV foot accessory ACC310
- Cable management through stand uprights to conceal all unsightly wires



DS-C555-3X3



DS-S555-3X2




# Modular Series

The Peerless-AV Modular System is designed for versatility, durability and safety. All products are tested to the highest UL safety standards and include a number of innovative features and benefits for both flat panel and projector mounting, making them the most adaptable and easy to install products available.

Part No.	Screen Size	Pole Length	Tilt/ Swivel	Max weight	Mounting pattern
MOD-FPSKIT100-CPF	32 - 75"	1000mm	+20°/-5° TILT	60kg	up to 600 x 400
MOD-FPSKIT150-CPF	32 - 75"	1500mm	+20°/-5° TILT	60kg	up to 600 x 400
MOD-FPSKIT200-CPF	32 - 75"	2000mm	+20°/-5° TILT	60kg	up to 600 x 400
MOD-PRSSKIT100-CPF	N/A	1000mm	+5°/-20° TILT	22kg	up to 448mm
MOD-PRSSKIT150-CPF	N/A	1500mm	+5°/-20° TILT	22kg	up to 448mm

## MOD-FPSKITxxx-CPF Flat panel ceiling mount kits



**MOD-FPSKITxxxCPF**

*includes:*  
**MOD-CPF**  
Heavy duty flat ceiling plate

**MOD-P100/ MOD-P150/ MOD-P200**  
1m / 1.5m/ 2m extension pole

**MOD-UNL**  
Universal screen adaptor

**MOD-FPMS**  
Flat panel mount

## MOD-PRSSKITxxx-CPF Projector ceiling mount kit



**MOD-PRSSKITxxx-CPF**

*includes:*  
**MOD-CPF**  
Heavy duty flat ceiling plate

**MOD-P100 / MOD-P150**  
1m / 1.5m chrome extension pole

**MOD-ATA**  
Modular Threaded Coupler

**PRSS-UNV**  
Projector mount

# Mobile Trolley

Peerless-AV's stylish trolleys are designed to provide the ideal display viewing position in a range of applications - boardrooms, training rooms, lobbies, classrooms, auditoriums or exhibition halls

## Trolley for 32-75" flat panel displays



**SR560M/G**

- Display and shelf can be located anywhere along column for ideal placement and viewing height up to 1.5m (60") at screen centre
- 5° of negative tilt keeps the display level
- Available with metal shelf (SR560M) or toughened safety glass shelf (SR560G)
- Manoeuvres easily on 102mm (4") swivel casters, two locking

## Trolley for 55" to 98" displays



**SR598**

- Display can be located anywhere along column for ideal placement and viewing height up to 1.5m (60") at screen centre
- Optional shelf (ACC-MS) can be positioned anywhere on either column
- 5° of negative tilt keeps the display level
- Manoeuvres easily on 102mm (4") swivel casters, two locking

Part No.	Screen Size	Tilt/ Swivel	Max weight	Mounting pattern
SR560M/G	32 - 75"	-2, /-5° TILT	Display: 68kg (150lb)   Per shelf: 22kg (50lb)	Up to 600x400mm
SR598	55 - 98"	-2, /-5° TILT	102kg (225lbs)	Up to 900x600mm

**peerless-AV**

Unit 3, Colonial Way, Watford, Hertfordshire, WD24 4WP, United Kingdom  
T: 01923 200 100 F: 01923 200 101 E: info.eu@peerless-av.com W: www.peerless-av.com

© 2015 Peerless Industries, Inc. All rights reserved. E&OE

Selected photography is courtesy of Home Waves Inc. All brands, product names and taglines are trademarks or registered trademarks of their respective owners.  
BBG Distribution Ltd trading as Peerless-AV UK and Peerless-AV Europe

PLS-LIT-RES-0414-SD