



OTG Card Readers Smart Reader RDC2

Transcend's RDC2 is an OTG (On-The-Go) smart reader specifically designed for next-generation USB Type-C computers and mobile devices that support the OTG function. It works with Android smartphones and tablets that come with the USB Type-C port and with iPad Pro 2018. In addition to an SD card slot and a microSD card slot, Transcend's RDC2 also has a standard USB Type-A port that allows you to connect accessories such as USB flash drives, keyboards, or mice to said Android smartphones, tablets, or iPad. Download the free Transcend Elite App to easily manage digital files on your Android smartphone or tablet.



Reversible USB Type-C connector

Transcend's RDC2 smart reader comes with a reversible USB Type-C connector for greater ease of use. In addition to Android smartphones and tablets with a USB Type-C port and iPad Pro 2018, Transcend's RDC2 smart reader can also be used on new laptops with a Type-C port.



Dual card slots for easy expansion

Transcend's RDC2 smart reader is equipped with both an SD card slot and a microSD card slot. The SD card slot supports UHS-I SDXC and SDHC memory cards, while the microSD card slot offers your Android device an alternative way to expand its storage capacity. Note: The reader does not support simultaneous insertion of two cards.



An accessory to connect your life

Equipped with a USB Type-A port, Transcend's RDC2 smart reader allows for simultaneous connection to a USB flash drive or PCs when an Android smartphone or tablet is connected with the Type-C cable. You can also plug in a mouse or keyboard to control your Android device.



OTG Card Readers

Smart Reader RDC2

Features

- USB Type-C connector
- Multifunctional smart reader with SD and microSD card slots and a USB port
- Connects to a mouse or keyboard to control your Android device
- Compact design and pocket portable size
- Download the Transcend Elite app from Google Play



Transcend Elite app

Featuring File Management, File Encryption, and One-touch Backup functions, the Transcend Elite app allows you to easily explore files on the inserted memory card or USB flash drive. Transfer files with 256-bit AES Encryption, share to a variety of cloud storage services, and quickly back up photos, videos, documents, and other important content stored on your Android devices.

Specifications

Appearance

Dimensions (Max.)	40.8 mm x 40.8 mm x 10.4 mm (1.61" x 1.61" x 0.41")
Weight (Max.)	17 g (0.60 oz)
Color	Black

Interface

USB Type	USB Type-C
Connection Interface	USB 2.0

Hardware

Card Reader Slot(s)	SD/microSD/USB
---------------------	----------------

Operating Environment

Operating Temperature	0°C (32°F) ~ 70°C (158°F)
Note	Please make sure that your device supports USB OTG function before purchasing. Simultaneous insertion of two cards not supported.

Warranty

Certificate	CE/FCC/BSMI/KC
Warranty	Two-year Limited Warranty

Compatibility

Memory Card Supported	SDHC (UHS-I)/SDXC (UHS-I) microSDHC (UHS-I)/microSDXC (UHS-I)
Note	This card reader will work with UHS-II cards, but only operates at UHS-I speeds.

Ordering Information

TS-RDC2K	Black
----------	-------

OTG Card Readers Comparison



Smart Reader RDA2



Smart Reader RDC2



Smart Reader RDP9

Appearance

Dimensions (Max.)	40.8 mm x 40.8 mm x 10.4 mm (1.61" x 1.61" x 0.41")		
Weight (Max.)	17 g (0.60 oz)		
Color	White	Black	Black

Interface

USB Type	-	USB Type-C	micro USB
Connection Interface	Lightning	USB 2.0	USB 2.0

Hardware

Card Reader Slot(s)	SD/microSD	SD/microSD/USB	SD/microSD/USB
---------------------	------------	----------------	----------------

Warranty

Warranty	Two-year Limited Warranty		
----------	---------------------------	--	--

Compatibility

Memory Card Supported	SDHC (UHS-I)/SDXC (UHS-I)/microSDHC (UHS-I)/microSDXC (UHS-I)		
SD UHS-II	-	-	-
SD UHS-I and below	✓	✓	✓
microSD UHS-I and below	✓	✓	✓
CompactFlash UDMA5 and below	-	-	-
CompactFlash UDMA7 & UDMA6	-	-	-
CFast 2.0 and below	-	-	-

Note: Please make sure that your device supports USB OTG function before purchasing.
Simultaneous insertion of two cards not supported.