

INTEGRATORS CHOICE Reference Guide

MARCH 2015

Projectors



SH963

- Native Full HD (1920x1080) Resolution
- 6,000 ANSI Lumens, 8,300:1 Contrast Ratio
- Throw Ratio 1.54-1.93
- Lens Shift Vertical & Horizontal
- Dual Lamp Design
- H+V Keystone, 1.5x Zoom
- HDMI x2, RJ45 (LAN Control)
- Spare Lamp Kit #1 P/N: 5JJ8C05.001
- Spare Lamp Kit #2 P/N: 5JJ8C05.002
- Standard Lens Included
- Ceiling Mount CM00G4 5JJCY10.001
- 3 Year Advance Replacement



SU917

- Native WUXGA (1920x1200) Resolution
- 5,000 ANSI Lumens, 13,000:1 Contrast Ratio
- Throw Ratio 1.37-2.05
- Dual HDMI with MHL
- H+V Keystone with Corner Fit
- Vertical Lens Shift
- LAN Control and Display
- Optional Wireless Display
- Ceiling Mount CM00G2 5JJ4N10.001
- 3 Year Advance Replacement

Projectors: Interchangeable Lens



TH963

- Native Full HD (1920x1080) Resolution
- 6,000 ANSI Lumens, 8,300:1 Contrast Ratio
- Throw Ratio 1.62-2.43
- Lens Shift Vertical & Horizontal
- Dual Lamp Design
- H+V Keystone, 1.5x Zoom
- HDMI x2, RJ45 (LAN Control)
- Spare Lamp Kit #1 P/N: 5JJ8C05.001
- Spare Lamp Kit #2 P/N: 5JJ8C05.002
- Short Throw and Long Throw optional lens
- Ceiling Mount CM00G4 5JJCY10.001
- 3 Year Advance Replacement

Long Throw Lens	1.93 - 2.9	P/N: 5JJ8C14.001
Short Throw Lens	T/R 0.77	P/N: 5JJ8C14.002



PW9500

- Native WXGA (1280x800) Resolution
- 5,700 ANSI Lumens; 2,800:1 Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Tile Projection
- Dual Color Wheel
- LAN Control
- Spare Lamp Kit P/N 5JJAM05.001
- Ceiling Mount CM00G4 5JJCY10.001
- 7 Optional Lenses - Throw Ratio (see chart below)
- 3 Year Advance Replacement

STD Lens	1.81~2.38:1	P/N: 5JJAM37.001
Wide Fix	0.8:1	P/N: 5JJAM37.011
Wide Zoom	1.31~1.87:1	P/N: 5JJAM37.021
Long Zoom 1	3.76~5.64:1	P/N: 5JJAM37.031
Long Zoom 2	5.56~8.57:1	P/N: 5JJAM37.041
Semi Long Zoom	2.33~3.86:1	P/N: 5JJAM37.051
Ultra Wide Zoom	0.75~0.93:1	P/N: 5JJAM37.061



PX9600

- Native XGA (1024x768) Resolution
- 6,500 ANSI Lumens; 2,800:1 Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Tile Projection
- Dual Color Wheel
- LAN Control
- Spare Lamp Kit P/N 5JJAM05.001
- Ceiling Mount CM00G4 5JJCY10.001
- 7 Optional Lenses - Throw Ratio (see chart below)
- 3 Year Advance Replacement

STD Lens	1.81~2.38:1	P/N: 5JJAM37.001
Wide Fix	0.8:1	P/N: 5JJAM37.011
Wide Zoom	1.31~1.87:1	P/N: 5JJAM37.021
Long Zoom 1	3.76~5.64:1	P/N: 5JJAM37.031
Long Zoom 2	5.56~8.57:1	P/N: 5JJAM37.041
Semi Long Zoom	2.33~3.86:1	P/N: 5JJAM37.051
Ultra Wide Zoom	0.75~0.93:1	P/N: 5JJAM37.061

BenQ America Corp.
www.BenQ.us

BenQ is a registered trademark of BenQ Corp. All rights reserved. Product names, logos, brands, and other trademarks featured or referred to in this material are the property of their respective trademark holders. Specifications subject to change without notice.



Because it matters

Projectors: Interchangeable Lens (cont.)



PU9730

- Native WUXGA (1920x1200) Resolution
- 7,000 ANSI Lumens; 2,800:1 Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Tile Projection
- Lens Memory
- Dual Color Wheel
- LAN Control
- Spare Lamp Kit P/N 5JJAM05.001
- Ceiling Mount CM00G4 5JJCY10.001
- 7 Optional Lenses - Throw Ratio (see chart below)
- 3 Year Advance Replacement

STD Lens	1.81~2.38:1	P/N: 5JJAM37.001
Wide Fix	0.8:1	P/N: 5JJAM37.011
Wide Zoom	1.31~1.87:1	P/N: 5JJAM37.021
Long Zoom 1	3.76~5.64:1	P/N: 5JJAM37.031
Long Zoom 2	5.56~8.57:1	P/N: 5JJAM37.041
Semi Long Zoom	2.33~3.86:1	P/N: 5JJAM37.051
Ultra Wide Zoom	0.75~0.93:1	P/N: 5JJAM37.061



PW9620

- Native WXGA (1280x800) Resolution
- 6,700 ANSI Lumens; 2,800:1 Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Tile Projection
- Lens Memory
- Dual Color Wheel
- LAN Control
- Spare Lamp Kit P/N 5JJAM05.001
- Ceiling Mount CM00G4 5JJCY10.001
- 7 Optional Lenses - Throw Ratio (see chart below)
- 3 Year Advance Replacement

STD Lens	1.81~2.38:1	P/N: 5JJAM37.001
Wide Fix	0.8:1	P/N: 5JJAM37.011
Wide Zoom	1.31~1.87:1	P/N: 5JJAM37.021
Long Zoom 1	3.76~5.64:1	P/N: 5JJAM37.031
Long Zoom 2	5.56~8.57:1	P/N: 5JJAM37.041
Semi Long Zoom	2.33~3.86:1	P/N: 5JJAM37.051
Ultra Wide Zoom	0.75~0.93:1	P/N: 5JJAM37.061



PX9710

- Native XGA (1024x768) Resolution
- 7,700 ANSI Lumens; 2,800:1 Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Tile Projection
- Lens Memory
- Dual Color Wheel
- LAN Control
- Spare Lamp Kit P/N 5JJAM05.001
- Ceiling Mount CM00G4 5JJCY10.001
- 7 Optional Lenses - Throw Ratio (see chart below)
- 3 Year Advance Replacement

STD Lens	1.81~2.38:1	P/N: 5JJAM37.001
Wide Fix	0.8:1	P/N: 5JJAM37.011
Wide Zoom	1.31~1.87:1	P/N: 5JJAM37.021
Long Zoom 1	3.76~5.64:1	P/N: 5JJAM37.031
Long Zoom 2	5.56~8.57:1	P/N: 5JJAM37.041
Semi Long Zoom	2.33~3.86:1	P/N: 5JJAM37.051
Ultra Wide Zoom	0.75~0.93:1	P/N: 5JJAM37.061



Best of all, BenQ's projectors are

COLORIFIC™

with accurate, crisp and long-lasting color!

BenQ America Corp.
www.BenQ.us

BenQ is a registered trademark of BenQ Corp. All rights reserved. Product names, logos, brands, and other trademarks featured or referred to in this material are the property of their respective trademark holders. Specifications subject to change without notice.



Digital Signage – P Series



Designed with super narrow bezels in mind, the P series are the go-to-models for your digital signage solution. With the capability of creating up to a 10x10 array in either a landscape or portrait orientation, these video wall models can create an unbeatable viewing experience.

PRODUCT NAME	PH550
Size	55"
Backlight	LED
Resolution	1920 x 1080
Brightness	800 nits
Contrast Ratio	1,400:1
Response Time	10ms
Viewing Angle	178° / 178°
Warranty	3-Year On-site

Digital Signage – BH Series



The BH series' sleek & slim design is perfect for stand alone video wall signage. Whether you have a big or small space these displays can be used for practically any application, venues, restaurants, transit stations, etc. The BH displays can support both portrait & landscape orientation for greater flexibility.

PRODUCT NAME	BH280	BH380
Size	28"	38"
Resolution	1920 x 358 (16:3)	1920 x 545 (32:9)
Brightness	700 nits	800 nits
Contrast Ratio	3,000:1	4,000:1
Panel Response Time	6.5 ms	9 ms
Viewing Angle	178° / 178°	178° / 178°

Digital Signage – D Series



Suspended or free-standing these dual side displays will be sure to capture the public eye. Play a video on one side & have a different image on the other; the dual side displays can do this at the same time. With a thickness less than the width of your thumb, these displays not only draw your audience to the content, but gives you the ultimate flexibility in how the content is played.

PRODUCT NAME	DL550F	DH550F	DH550C	DL550C	NEW!	NEW!
					DH551F	DH551C
Size	55"	55"	55"	55"	55"	55"
Backlight	LED	LED	LED	LED	LED	LED
Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9
Brightness	450 nits / 450 nits	450 nits / 700 nits	450 nits / 700 nits	450 nits / 450 nits	700 nits / 700 nits	700 nits / 700 nits
Contrast Ratio	3,000:1	3,000:1	3,000:1	3,000:1	3,000:1	3,000:1
Response Time	6.5ms	6.5ms	6.5ms	6.5ms	6.5ms	6.5ms
Viewing Angle	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°
Warranty	3-Year On-site	3-Year On-site	3-Year On-site	3-Year On-site	3-Year On-site	3-Year On-site

BenQ America Corp.
www.BenQ.us

BenQ is a registered trademark of BenQ Corp. All rights reserved. Product names, logos, brands, and other trademarks featured or referred to in this material are the property of their respective trademark holders. Specifications subject to change without notice.



Digital Signage – TL Series



The TL320C is designed to address a growing niche in the commercial signage business. Transparent Box Display is an even more rarity in the market today with its duo-display function. Consumers can see the actual product inside the box, and simultaneously watch the advertisement of the product on the outside screen.

PRODUCT NAME	TL320C
Size	32"
Backlight	LED
Resolution	1,366 x 768
Aspect Ratio	16:9
Brightness	250 nits
Contrast Ratio	3,000:1
Response Time	6.5ms
Viewing Angle	178° / 178°
Warranty	3-Year On-site

Interactive Flat Panels - IL Series



Implementing an open system dubbed as an agnostic panel system, which allows seamless integration with various interactive software, BenQ delivers a future proof system with the IL-series. The IL-series commercial grade large-screen display utilizes LED backlighting to deliver environmental and functional benefits. Featuring a full-HD model built with two 12W speakers and up to 6-point touch recognition, the IL-series enhances the interactive experience.

PRODUCT NAME	IL650
Size	65"
Backlight	LED
Resolution	1920 x 1080
Brightness	360 nits
Contrast Ratio	4,000:1
Touch Technology	Up to 2-points
Response Time	8ms
Viewing Angle	178° / 178°
Supported Operating System(s)	WinXP, Vista, Win7, Win8, Mac OS 10.4~10.10, Linux (Kenerl v3.9.2)
Warranty	3-Year On-site

Interactive Flat Panels – RP Series



Adopting an open system coupled with interactivity, BenQ delivers a future proof system with the RP-series. The RP-series' large-screen display utilizes LED backlighting to deliver environmental and functional benefits. Featuring 4K and Full-HD models, each are equipped with speakers and multi-touch recognition, the RP-series enhances the interactive experience.

PRODUCT NAME	RP55I+	RP700+ <small>Limited Supply</small>	RP702 <small>NEW!</small>	RP790 <small>NEW!</small>	RP840G <small>NEW!</small>
Size	55"	70"	70"	79"	84"
Backlight	LED	LED	LED	LED	LED
Resolution	1920 x 1080	1920 x 1080	1920 x 1080	3840 x 2160	3840 x 2160
Brightness	350 nits	350 nits	350 nits	430 nits	350 nits
Contrast Ratio	1,400:1	4,000:1	4,000:1	1,400:1	1,600:1
Touch Technology	Up to 6-points	Up to 6-points	Up to 10-points	Up to 10-points	Up to 10-points
Response Time	8ms	6 ms	8 ms	5 ms	8 ms
Viewing Angle	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°
Supported Operating System(s)	Windows XP, Windows Vista, Win7, Win8, Linux, Mac OS X, 10.6~10.10, Chrome OS	Window XP, Window Vista, Win 7, Win 8, Mac OS X, 10.6~10.10, Linux, Chrome OS	WinXP, WinVista, Win7, Win8, Mac OS X, 10.6~10.10, Linux, Chrome OS	WinXP, WinVista, Win7, Win8, Mac OS X, 10.6~10.10, Linux, Chrome OS	Window XP, Window Vista, Win 7, Win 8, Mac OS X, 10.6~10.10, Linux, Chrome OS
Warranty	3-Year On-site	3-Year On-site	3-Year On-site	3-Year On-site	3-Year On-site

BenQ America Corp.
www.BenQ.us

BenQ is a registered trademark of BenQ Corp. All rights reserved. Product names, logos, brands, and other trademarks featured or referred to in this material are the property of their respective trademark holders. Specifications subject to change without notice.

