# **EB-L210SW**



# **DATASHEET / BROCHURE**























Versatile laser projector combined 3LCD technology is ideal for delivering quality HD content in meeting rooms and classrooms.

The EB-L210SW delivers quality images and a host of features as standard to give users more for value, producing a bright and vibrant HD image up to 120". Its compact and light weight design makes this a perfect mobile display solution for meetings, or it can be wall or ceiling mounted for a permanent solution, freeing up workspace.

The EB-L210SW's short throw lens allows close positioning of the projector to the display, ideal for small rooms and reducing the risk of shadows cast onto the display.

Unlike some other brand projectors, EB-L210SW features 3LCD technology, enabling 4,000 lumens Colour and White Light Output levels for a bright and vibrant display. The experience is immersive and user-friendly.

Scalable from 53-120", display sizes can be optimised for each room with one product and at a fixed cost, and produce a large display up-to 125", clearly visible from all angles and at a distance.

The EB-L210SW can be portable, and there is no glass flat panel to create disruptive, reflected blind spots at certain angles.

Versatile wired and wireless connectivity options, including Miracast™ screen mirroring, ensures effortless, multi-device content sharing, and with a connected optional Epson visualiser, documents, presentations or 3D objects can be projected in incredible detail to the whole room. With USB 2A power output, HDMI streaming sticks can also be connected to open futher possibilities.

#### **KEY FEATURES**

- Scalable, portable HD display 53-120" ST display for unrestricted viewing without reflections
- Bright and energy efficient laser
   4,000lm CLO with 3LCD technology for brighter colours at only 201W
- Effortless connectivity options
   Auto-on, wired / wireless display with
   USB 2A output for smart sticks
- Simple to use and built to last Virtually maintenance free with 5-year, 12,000hr warranty
- Document camera compatibility
   Create and record a live, totally immersive lesson or presentation





#### PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology, Consists of LCD/Back lighting

LCD Panel 0.59 inch with C2 Fine

IMAGE

Color Light Output 4,000 Lumen - 2,800 Lumen (economy)
White Light Output 4,000 Lumen - 2,800 Lumen (economy)

Resolution WXGA 2
High Definition HD ready
Aspect Ratio 16:10

Contrast Ratio Over 2,500,000 : 1

Light source Laser

Laser Light source 20,000 hours Durability High, 30,000 hours Durability Eco

Keystone Correction Auto vertical:  $\pm$  15 °, Manual horizontal  $\pm$  15 °

Colour Video Processing 10 Bits
2D Vertical Refresh Rate 100 Hz - 120 Hz
Colour Reproduction Upto 1.07 billion colours

OPTICAL

Throw Ratio 0.48 - 0.65:1

Zoom Digital, Factor: 1 - 1.35

Lens Optical

Screen Size 55 inches - 120 inches

Projection Lens Focal Length 9.5 mm

CONNECTIVITY

Interfaces USB 2.0, USB 2.0 Type B (Service Only), RS-232C, Ethernet Interface (1000 Base-T/ 100-Base

TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI

in (2x), Miracast, Jack plug out, Jack plug in (2x), Microphone input

Epson iProjection App Ad-Hoc / Infrastructure

Network Protocol HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink

ADVANCED FEATURES

Security Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless

LAN unit lock, Wireless LAN security, Password protection

2D Colour Modes Dynamic, Cinema, Presentation, sRGB, Blackboard

Other features Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital

zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre-setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Instant on/off, Long light source life, Mail notification function, Microphone input, Network administration, Network projection, OSD copy function, Quick Corner, Screen Mirroring, Set-up wizard, Split-Screen-

Function, Web Control, Web Remote, Wireless LAN capable, iProjection App

Interactivity No

Video Color Modes Blackboard, Cinema, Dynamic, Presentation, sRGB

Projector control via: AMX, Crestron, Extron, Crestron (RS-232c only), Crestron Integrated Partner, Crestron

RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device

Discovery Protocol

#### EB-L210SW

### WHAT'S IN THE BOX

- HDMI Cable 1.8m
- Quick Start Guide
- Remote control incl. batteries
- Power cable





### PRODUCT SPECIFICATIONS

**GENERAL** 

Power consumption 201 Watt - On mode power consumption (Normal)

260 Watt (Peak), 191 Watt (Eco), 0.5 Watt (Energy saving standby)

Heat Dissipation 884 BTU/hour (max)

Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions 325 x 337 x 90 mm (Width x Depth x Height)

Product weight 4.6 kg

Noise Level Normal: 37 dB (A) - Economy: 27 dB (A)

Supported Temperature Storage -10° C - 60° C

Supported Humidity Operation 20% - 80%, Storage 10% - 90%

Included Software EasyMP Multi PC Projection, Epson Projector Content Manager, Epson Projector Management Options Ceiling mount, Connection and control box, External Speaker, Visualiser camera, Wall mount

Loudspeaker 16 Watt

Room Type / Application Meeting room / Classroom

Positioning Ceiling Mounted, Table Mounted, Wall Mounted

Colour White

OTHER

Warranty 60 months Carry in or 12,000 h

### **EB-L210SW**

# WHAT'S IN THE BOX

- HDMI Cable 1.8m
- Quick Start Guide
- Remote control incl. batteries
- Power cable



# **OPTIONAL ACCESSORIES**

**EB-L210SW** 

- Soft Carry Case ELPKS71 V12H001K71
- Wall Mount ELPMB45
- V12H706040
- Adapter ELPAP11 Wireless LAN (5GHz) V12H005A01
- Air Filter ELPAF60 EB-7XX / EB-L2xx Series V13H134A60
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Control and Connection Box ELPCB03 V12H927040DA
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA

### LOGISTICS INFORMATION

SKU	V11HA76080
EAN code	8715946715209
Country of Origin	Philippines
Layer	2 Units
Layer Block	4 Units

For more information please contact:

Home users: 0343 90 37766 Business users\*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus
\* 10p per minute plus network extras.



Web: www.epson.co.uk