# FUJITSU

## Data Sheet Fujitsu Mobile Thin Client LIFEBOOK E5512

### The powerful Mobile Thin Client - A modern business device

The FUJITSU Mobile Thin Client LIFEBOOK E5512 is a powerful device for companies that need flexible end-points with an optimal mix of industry leading OS, Thin Client device management consoles with mobile & flexible hardware options to provide secure client cloud computing and full productivity choices for your employees.

Modern and robust design

Reliable mobility, ease of use and modern good looks for everyday business demands

- Mobile Thin Client starting at 1.65 kg with a solid design
- Enjoy an ergonomic viewing experience with a 15.6-inch anti-glare FHD display

#### eLux® RP 6 Thin Client OS and Scout Enterprise Management Suite® 15

Enables you to save on costs upfront and keep your IT infrastructure secure and up-to-date with continuous security patch releases

Unicon offers a flexible licensing model that includes the eLux OS and Scout Enterprise Management Suite with long term support for the latest updates

### Enterprise-grade security

Enables you to provide a secure end-point device that helps prevent unauthorized access to sensitive enterprise data completely independent of your location

Centralized administration and granular access controls coupled with built-in BIOS security, write Filter Protection and Kensington lock support with additional security options like finger print sensor, camera shutter, SmartCard reader and TPM 2.0

### Full productivity and connectivity

Enables your mobile workforce to be more productive with UC&C and multiple display options and multiple connectivity options that can get work done faster and more efficiently

- Full set of ports with a full-sized HDMI and LAN connector
- Modern Workplace ready with USB Type-C alternate mode (DisplayPort & Power Delivery)

### Investment protection

Helps you run your Thin Clients on the latest and most secure versions of the eLux RP and Scout Enterprise Management Suite

Scout Subscription helps provide perpetual updates and upgrades to eLux RP 6 and Scout Enterprise Management Suite 15









### Components

Base unit	LIFEBOOK E5512/MTC	
Operating systems		
Operating system pre-installed	eLux® RP	
	Windows® 10 IoT Enterprise 2021 LTSC	
Microsoft OS support information	Windows 11 requires for first device setup:	
	- Internet connectivity - Microsoft account for Home editions or organizational account (e.g. ADD) for Pro editions	
	After product end of life, Fujitsu continues to test and support new Windows releases for max. 5 years, depending on	
	extension of hardware services through warranty top ups.	
	For more details please visit our Fujitsu Service Statement under https://support.ts.fujitsu.com/IndexProdSupport.	
	asp?lng=com&OpenTab=	
Operating system notes	The use of Windows Operating System is subject to acceptance of the End User License Agreement of Microsoft as applicable under the relevant Microsoft program.	
Operating system and software (Linu:	x)	
Operating system	eLux® RP	
Notes	eLux® is a hardware-independent operating system for cloud computing environments. eLux ensures hardware independence and migration ability. An existing license can simply be transferred via Scout Enterprise whenever the hardware is upgraded. New updates and upgrades are always built modular – only the changed parts (delta) of the software are transferred to the device and implemented into the existing installation. Software updates and upgrades are always built modular – only the changed parts (delta) of the software are transferred to the device and implemented into the existing installation. Software updates and upgrades are always built modular – only the changed parts (delta) of the software are transferred to the device and implemented into the existing installation. Software updates and upgrades are always are always built modular – only the changed parts (delta) of the software are transferred to the device and implemented into the existing installation. Software updates and upgrades are always are always are always by the changed parts (delta) of the software are transferred to the device and implemented into the existing installation. Software updates and upgrades are always are al	
Functions	eLux® RP 6	
	Citrix Workspace App	
	VMware® Horizon Client Updates and optional software packages are available at www.myelux.com	
Manageability	Scout Enterprise, flash memory management, embedded operating system update and system monitoring,	
	managing devices by location, group or user, individual operating system composition with ELIAS (eLux and Scout Enterprise Management Suite license required)	
Operating system and software (Wind		
Operating system	Windows® 10 IoT Enterprise 2021 LTSC	
Functions	Internet Explorer VMware® Horizon Client	
	Citrix Workspace App	
Processor	Intel <sup>®</sup> Core™ i5-1235U processor (10C, up to 4.4 GHz) *, ***	
Trocessor	Intel® Core™ i3-1215U processor (6C, up to 4.4 GHz) *	
	Intel® Celeron® processor 7305 (5C, 1.1 GHz) *	
	* Processor only for retail, SMB, education and government	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM	
memory modules	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM	
Hard disk drives (internal)	PCIe-SSD, 256 GB M.2 NVMe module, SED	
Hard disk drives (internal)	PCIe-SSD, 230 GB M.2 NVMe module, SED PCIe-SSD, 128 GB M.2 NVMe module, SED	
Hard disk notes	Accessible capacity may vary, also depending on used software.	
	Accessible capacity may vary, also depending on used software.	
Interface add on cards/components (optional)		
4G/ LTE (optional)	Quectel EM120R-GL (4G Cat.12) (Downlink speed 600 MB/s, Uplink speed 150 MB/s)	
	Quectel EM05-G (4G Cat.4) (Downlink speed 150 MB/s, Uplink speed 50 MB/s)	
Display	39.6 cm (15.6-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 250 cd/m <sup>2</sup> (FHD), 700:1 (FHD)	
Multimedia		
Multimedia Camera	Built-in webcam (HD) with Status LED	
Multimedia Camera Camera notes	Built-in webcam (HD) with Status LED 720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter	

### Base unit

Base unit	LIFEBOOK E5512/MTC			
General system information				
Chipset	Integrated in CPU			
Supported capacity RAM (min.)	4 GB			
Supported capacity RAM (max.)	16 GB			
Memory slots	2 SO DIMM (DDR4, 3200 MHz)			
Memory notes	Dual channel support			
LAN	10/100/1.000 MBit/s Intel® I219LM			
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD cat. 2			
BIOS version	UEFI Specification 2.8			
BIOS features	InsydeH2O BIOS			
Audio type	On board			
Audio codec	Realtek ALC257			
Audio features	2x built-in speakers (2 W each), Stereo audio			
MIL-STD tested	Yes, selected MIL-STD-810H tests passed.			
	MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.			
Graphics				
Base unit	LIFEBOOK E5512/MTC			
Graphics brand name	Intel <sup>®</sup> UHD Graphics (with Single channel memory)			
Graphics notes	Shared memory depending on main memory size and operating system			
Interfaces (Base unit specific)				
Audio: line-in / line-out	1			
USB 3.2 Gen1 (5 Gbps) total	3x Type-A (1 with Anytime USB charge functionality)			
USB 4.0 Gen3 (20 Gbps) total	2x Type-C Intel <sup>®</sup> Thunderbolt <sup>™</sup> 4 (40 Gbps), Power Delivery (15W), DP out			
HDMI	1 Supports 4k@60Hz as specified in HDMI 2.0b			
Ethernet (RJ-45)	1 (with status LED)			
Memory card slots	1 microSD 3.0 Standard			
	microSD card			
	microSDHC card			
	microSDXC card Speed Class: up to UHS-I			
SmartCard slot	1 (optional)			
SIM card slot	1 (Nano-SIM, only for models with configuration WWAN ready or with 4G LTE modules)			
eSIM card	eSIM integrated in 4G LTE module			
Docking connector for Port Replicator	1			
Kensington Lock support	1			
Port Replicator interfaces (optional)				
	Thunderbolt™ 4 PR	Mechanical PR Model: NPR50		
DC-in	1 (20V/170W required)	1 (19V/90W required)		
Power on switch	1 1			
Audio: line-in / line-out	1 1			
Audio: comments	Combo jack for headset usage Combo-Port			
USB 3.2 Gen1 (5 Gbps) total		4x Type-A 2x Type-C		

Port Replicator interfaces (optional)				
USB 3.2 Gen2 (10 Gbps) total	2x Type-A - 5 V/0.9 A, 4.5 W			
	1x Type-A - 5 V/2.4 A, 12 W			
	2x Type-C - 5 V/1.5 A, 4.5 W charging port			
USB 4.0 Gen3 (20 Gbps) total	1x Type-C - TBT4 up to 60 W (PD v2.0-1.1), 5-20 V/3. 0A upstream (PC), Intel AMT support (vPRO) to client			
	1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5 V/3.0 A downstream, power output to peripheral			
DisplayPort	2x v1.4++	2 (up to 2x 3840x2160 60Hz)		
VGA		1 (up to 1920x1200 6Hz)		
HDMI text	1 - supports 4k@60Hz as specified in HDMI 2.0b	1 -Supports 4k@60Hz as specified in HDMI 2.0b		
Interface Notes	1x USB Type-C to Client - Thunderbolt <sup>™</sup> 4 up to 60 W (PD v2.0-1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO)			
Kensington Lock support	1	1 (lock Portrep only)		
Ethernet (RJ-45)	1 (10/100/1000 Mbit/s, 2,5 Gbps)	1 (10/100/1000)		
Notes	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type. Please consult always also the manual of the connected client.			
Keyboard and pointing devices				
	Spill-resistant keyboard with number block, Available wit	h standard keyboard or backlit keyboard		
	Number of keyboard keys: 106, Keyboard pitch: 18.4 mm,			
	Multi gesture touchpad with two mouse buttons			
Wireless technologies				
Antennas	2 Dual band WLAN antennas, 2+2 LTE antennas optional			
Bluetooth	v5.2			
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD cat. 2			
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)			
WLAN notes	Import and usage according to country-specific regulatio	ns.		
Integrated LTE or UMTS	(4G) LTE Quectel EM05-G (Cat.4) - eSIM integrated - UMTS	,LTE		
LTE/UMTS/GPS notes	Optional			
NFC	No			
GPS	Embedded in 4G module if configured with WWAN			
Power supply				
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (gro	ounded) Type-C AC-Adapter standard		
1st battery	Lithium polymer battery 4-cell, 65 Wh, 4,280 mAh			
Battery features	Quick Charge: 80% in 1h			
Noise emission				
Noise emission	Please refer to the Eco Declaration			
Dimensions / Weight / Environmental				
Dimensions (W x D x H)	357.4 x 230 x 20.1 mm			
	14.07 x 9.06 x 0.79 inch			
Weight	starting from 1.65 kg			
Weight (lbs)	starting from 3.64 lbs			
Weight notes	Weight may vary depending on actual configuration			
Operating ambient temperature	5 - 35 °C (41 - 95 °F)			
Operating relative humidity	20 - 80 %			
Compliance				
Product	LIFEBOOK E5512 Mobile Thin Client			
Model	5E15A3			
Germany	GS (planned)			
rope CE				
	CB			

Compliance				
USA/Canada	FCC (depending on configuration) (planned)			
Global	TCO Certified 9.0 ENERGY STAR® 8.0			
Durada	EPEAT® Gold (dedicated regions)			
Russia	EAC in progress			
China Compliance link	CCC (planned)			
Compliance link	https://sp.ts.fujitsu.com/sites/certificates			
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.			
Manageability				
DeskView components	BIOS Management			
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)			
Manageability link	https://www.fujitsu.com/global/products/computing/pc/manageability/			
Security				
Physical Security	Kensington Lock support			
User Security	Access protection via internal SmartCard reader (optional) Embedded fingerprint sensor (optional) Hard disk password			
Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this produc is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practice and/or general product operation.			

Warranty		
Warranty period	1 year (for countries in EMEIA)	
Warranty type	Bring-in Service / Collect & Return Service (depending on country)	
Warranty Terms & Conditions	http://www.fujitsu.com/warranty	
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patche for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.	
Product Support - the perfect extension		
Recommended Service	9x5, Onsite Response Time: Next Business Day	
Service Lifecycle	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/	
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/	

### **Recommended Accessories**

Prestige Backpack 17 (2021)



The Fujitsu Prestige Backpack 17 (2021) protects notebooks with up to 17-inch displays. It contains three large compartments, an elastic mesh side pocket and a front bay. The padded back compartment provides protection for your notebook, while the other sections store power adaptors and office supplies. Padded shoulder straps and back cushions provide comfort on the move.

Order Code: S26391-F1120-L135

Prestige Case 15 (2021)



The Prestige Case 15 protects notebooks with up to 15.6-inch screens. The Order Code: front compartment provides space for your power cord and office supplies. S26391-F1120-L60 The large compartment is devided for your notebook and a tablet.

Prestige Trolley 17

Notebook Mouse M420NB



The Fujitsu Prestige Trolley 17 protects and transports notebooks with up to 17 inch screens, along with clothes and toiletries. It is the perfect companion in a city environment or for overnight stays with four spacious compartments. Smooth running wheels and a telescopic handle ensure convenience, while the central section protects your notebook with shockabsorbing foam.

The Notebook Mouse M420NB is the perfect optical notebook mouse for

Order Code: S26391-F1194-L130

Order Code:

	busy professionals on the road. It is compact enough that it easily slips into a notebook bag or briefcase without getting in the way. It features two buttons and a scroll wheel which can also be used as a third button.	S26381-K454-L100
Mouse M520 black	The Fujitsu Accessory Mouse M520 black is an essential input device for PCs that works on nearly every surface and follows your hand movements smoothly and precisely. It features two buttons and a scroll wheel which also can be used as third button.	Order Code: S26381-K467-L100
Mouse M530 black	The black Fujitsu Mouse M530 provides modern laser technology and allows you to work on almost any surface. Comfortable tilt and scroll wheel technology and three buttons as well as the precise 1,200 dpi sensor guarantee maximum comfort for the user. – You can also choose between PS/2 and USB connection.	Order Code: S26381-K468-L100
Wireless Mouse WI860 BTC	The Wireless Mouse WI860 BTC can be paired with up to 3 different clients, 2x Bluetooth and 1x wireless USB Type-C dongle. With the blue optical sensor, it works on nearly all surfaces with an 3-step adjustable DPI selector (800/1600/2400). The mouse charges wirelessly through Qi or by USB Type-C cable. A utility button on the side is programmable. The default functions are optimized for Teams calls.	Order Code: S26381-K474-L100
Keyboard KB955	The KB955 is a very flat keyboard with extra low keys and spill-resistant protection. The elegant design and top-quality construction makes the KB955 the ideal input device for any PC or Notebook user. If you accidently spill some water or coffee onto the keyboard, this special construction helps the liquid to flow away.	S26381-K955-L4** (**: Country specific variation)

### More information

#### Fujitsu products, solutions & services

In addition to FUJITSU Mobile Thin Client LIFEBOOK E5512, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/ computing/

Software www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Mobile Thin Client LIFEBOOK E5512, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/FUTRO

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/ global/about/resources/terms/ Copyright 2023 Fujitsu Technology Solutions GmbH

### Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2023-10-02 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/ Copyright 2023 Fujitsu Technology Solutions GmbH