


CHAIN SAW ACCESSORIES

GUIDE BAR & SAW CHAIN REFERENCE CHART

ECHO bars and chains are specifically matched to get the most out of every saw. The chart is sorted by model name and includes the appropriate length bar and chain along with the link count, gauge and pitch.



Model	Gauge (in)	Pitch (in)	GUIDE BAR					SAW CHAIN				
			Length (cm)	Mount type	Type	Part number	Bar type	Nose type (Replaceable nose)	Drive links	Saw chain	Part number	Carlton type
DCS-2500T	0.043	1/4	20	C	C20HA4-52CL- ED	X100-000070	Solid	Hard	52	A4S	X200-000020	-
	0.043	1/4	25		C25HA4-60CL- ED	X101-000210			60		X201-000020	
	0.050	3/8	25		C25S91-40SL- ET	X121-000003	Laminate	Sprocket	40	91PX	X221-000100	N1C-BL
CS-2511TES	0.050	3/8	20	C	C20S91-35SA- ET	X120-000021	Laminate	Sprocket	35	91PX	X220-000020	N1C-BL
			25		C25S91-40SL- ET	X121-000003			40		X221-000100	
			30		C30S91-47ML- ET	X122-000073			47		X222-000140	
CS-2511TES C	0.043	1/4	20	C	C20HA4-52CL- ED	X100-000070	Solid	Hard	52	A4S	X201-000020	-
			25		C25HA4-60CL- ED	X101-000210			60		X200-000000	
	0.050	25	C20H25-52CL- ED		X100-000060	25AP			X200-000000	-		
	0.050		C25H25-60CLD ED		X101-000200				60		431610-10030	
CS-260TES	0.050	3/8	20	C	C20S91-35SA- ET	X120-000021	Laminate	Sprocket	35	91PX	X220-000020	N1C-BL
			25		C25S91-40SL- ET	X121-000003			40		X221-000100	
			30		C30S91-47ML- ET	X122-000073			47		X222-000140	
CS-280T CS-280TES	0.050	3/8	20	C	C20S91-35SA- ET	X120-000021	Laminate	Sprocket	35	91PX	X220-000020	N1C-BL
			25		C25S91-40SL- ET	X121-000003			40		X221-000100	
			30		C30S91-47ML- ET	X122-000073			47		X222-000140	
CS-280TES C	0.050	1/4	25	C	C25H25-60CL- ET	X101-000011	Solid	Hard	60	25AP	431610-10030	-
					C25L25-60CA- ED	X101-000171	Laminate					
CS-3000	0.050	3/8	30	C	C30S91-47ML- ET	X122-000073	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL
			35		C35S91-53ML- ET	X123-000133			53		X223-000130	
CS-303T	0.050	3/8	30	C	C30S91-47ML- ET	X122-000073	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL
			35		C35S91-53ML- ET	X123-000133			53		X223-000130	
CS-350TES	0.050	3/8	30	C	C30S91-47ML- ET	X122-000073	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL
			35		C35S91-53ML- ET	X123-000133			53		X223-000130	
CS-360TES (RUS)	0.05	3/8	30	C	C30S91-47ML- EC	X122-000341	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL
CS-362TES	0.050	3/8	35	C	C35S91-53ML- EC	X123-000551	Laminate	Sprocket	53	91PX	X223-000130	N1C-BL
			30		C30H25-68CL- ED	X102-000071			Solid		Hard	
	0.050	1/4	35		C35H25-76CL- ET	X103-000111	Solid	Hard	76	25A 25AP	X203-000000 431612-10030	-
CS-2511WES	0.043	1/4	25	C	C20SA4-52CL-ED	X120-000090	Solid	Sprocket	52	A4S	X200-000020	-
	0.050	3/8	30		C30S91-47ML- EC	X122-000341			Laminate		47	
CS-281WES	0.050	3/8	20	C	C20S91-35SA- ET	X120-000021	Laminate	Sprocket	35	91PX	X220-000020	N1C-BL
			25		C25S91-40SL- ET	X121-000003			40		X221-000100	
		30	C30S91-47ML- ET		X122-000073	47	X222-000140					
		1/4	30		C30H25-68CL- ED	X102-000071	Solid	Hard	68	25AP	431611-10030	-
CS-361WES/ CS-362WES	0.050	3/8	30	C	C30S91-47ML- ET	X122-000073	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL
					35	C35S91-53AL- ET			430219-38733	53	91VXL	
			35		C35S91-53ML- ET	X123-000133			53	91PX	X223-000130	
					91VXL	X223-000080						
			40		C40S91-58AA- ET	430211-13433			58	91PX	X224-000070	
					91VXL	X224-000030						
CS-362WES	0.050	1/4	30	C	C30H25-68CL- ED	X102-000071	Solid	Hard	68	25AP	431611-10030	-
			35		C35H25-76CL- ET	X103-000111			76	25AP 25A	431612-10030 X203-000000	

Model	Gauge (in)	Pitch (in)	GUIDE BAR					SAW CHAIN					
			Length (cm)	Mount type	Type	Part number	Bar type	Nose type (Replaceable nose)	Drive links	Saw chain	Part number	Carlton type	
CS-310ES	0.043	3/8	30	C	C30S90-45SA- ET	X122-000181	Laminate	Sprocket	45	90PX	X222-000150	NC4-BL	
			35		C35S90-52SA- ET	X123-000231					52		91VXL
	0.050		30		C30S91-47ML- ET	X122-000073			47	91PX	X222-000140	N1C-BL	
			35		C35S91-53ML- ET	X123-000133				53	91VXL		X223-000080
CS-352AC	0.043	3/8	35	C	C35S90-52SA- ET	X123-000231	Laminate	Sprocket	52	90PX	X223-000150	NC4-BL	
	0.050				C35S91-53ML- EC	X123-000551			53	91VXL	X223-000080	N1C-BL	
CS-352ES	0.043	3/8	30	C	C30S90-45SA- ET	X122-000181	Laminate	Sprocket	45	90PX	X222-000150	NC4-BL	
			35		C35S90-52SA- ET	X123-000231					52		91VXL
	0.050		30		C30S91-47ML- ET	X122-000073			47	91PX	X222-000140	N1C-BL	
			35		C35S91-53ML- ET	X123-000133				53	91VXL		X223-000130
CS-353ES (RUS)	0.050	3/8	35	C	C35S91-52SL- EC	X123-000531	Laminate	Sprocket	52	91VXL	X223-000090	N1C-BL	
			35		C35S91-53ML- EC	X123-000551			53		X223-000080		
CS-353ES (BASIC)	0.050	3/8	35	C	C35S91-53ML- ET	X123-000133	Laminate	Sprocket	53	91VXL	X223-000080	N1C-BL	
CS-353ES (KOR)	0.050	3/8	40	C	C40S91-58AA- ET	430211-13433	Laminate	Sprocket	58	91VXL	X224-000030	N1C-BL	
CS-350WES	0.050	3/8	30	C	C30S91-47ML- ET	X122-000073	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL	
					91VXL	X222-000130							
			35		C35S91-53AL- ET	430219-38733			53	91PX	X223-000130		
					91VXL	X223-000080							
40	C35S91-53ML- ET	X123-000133	53	91PX	X223-000130								
	91VXL	X223-000080											
CS-3700ES (RUS)	0.050	0.325	40	C	C40S20-66AA- ET	430511-17833	Laminate	Sprocket	66	95TXL	X243-000090	-	
					C40S20-66AA- ET	430511-17833							
CS-370ES	0.050	3/8	35	C	C35S91-53ML- ET	X123-000133	Laminate	Sprocket	53	91VXL	X223-000080	N1C-BL	
			40		C40S91-58AA- ET	430211-13433					58		X224-000030
	0.058		0.325		33	C33S21-56AA- ET			430513-16634	56	21BPX	431713-30231	K2L
					38	C38S21-64AA- ET			430521-37334			64	
DCS-1600	0.043	3/8	35	C	C35S90-52SA- ET	X123-000231	Laminate	Sprocket	52	90PX	X223-000150	NC4-BL	
CS-390ESX (EU)	0.050	0.325	33	V	Y33S20-56ML- ED	X122-000410	Laminate	Sprocket	56	95TXL	X242-000010	-	
			38		Y38S20-64ML- ED	X123-000670					64		X243-000020
CS-390ESX (RUS)	0.050	0.325	38	V	V38S20-64MA- ED	X123-000581	Laminate	Sprocket	64	95TXL	X243-000020	-	
CS-4200ES (RUS)	0.050	0.325	40	C	C40S20-66AA- ET	430511-17833	Laminate	Sprocket	66	95TXL	X243-000090	-	
CS-420ES (EU)	0.058	0.325	38	C	C38S21-64AA- ET	430521-37334	Laminate	Sprocket	64	21BPX	431721-30231	K2L	
			45		C45S21-72AA- ET	430527-37334					72		431717-30231
CS-420ES (BASIC)	0.058	0.325	38	C	C38S21-64AA- ET	430521-37334	Laminate	Sprocket	64	21BPX	431721-30231	K2L	
			45		C45S21-72AA- ET	430527-37334					72		431717-30231
CS-420EMS	0.058	0.325	38	C	C38S21-64AA- ET	430521-37334	Laminate	Sprocket (X160-000130)	72	21LPX	X245-000011	-	
			45		C45S21-72AA- ET	430527-37334					72		21BPX

CHAIN SAW ACCESSORIES

Model	Gauge (in)	Pitch (in)	GUIDE BAR					SAW CHAIN					
			Length (cm)	Mount type	Type	Part number	Bar type	Nose type (Replaceable nose)	Drive links	Saw chain	Part number	Carlton type	
CS-421ES (KOR)	0.058	0.325	45	V	V45R21-72AA- ET	430517-30134	Solid	Sprocket (X160-000130)	72	21LPX	X245-000011	K2L	
CS-4510ES (EU)	0.058	0.325	33	Y	Y33S21-56ML- ED	X122-000390	Laminate	Sprocket	56	21BPX	431713-30231	K2L	
					Y38S21-64ML- ED	X123-000620	Sprocket						
			38	Y	Y38R21-64AA- ET	X123-000650	Solid	Sprocket (X160-000150)	64				431721-30231
					Y45S21-72ML- ED	X125-000390	Laminate	Sprocket					
			45	Y	Y45R21-72AA- ET	X125-000420	Solid	Sprocket (X160-000150)	72				431717-30231
	Y50S21-80AL- ED	X126-000300			Laminate	Sprocket							
	50	Y	Y50R21-80AA- ET	X126-000320	Solid	Sprocket (X160-000150)	80	431712-30231					
			Y33S20-56ML- ED	X122-000410	Laminate	Sprocket							
	0.050	0.325	0.325	Y	Y38S20-64ML- ED	X123-000670	Laminate	Sprocket	95TXL	72	X245-000060	X242-000010	-
					Y45S20-72ML- ED	X125-000440							
Y50S20-80AL- ED					X126-000350								
Y50R21-80AA- ET					X126-000320								
CS-4510ES (RUS)	0.058	0.325	38	Y	Y38S21-64ML- ED	X123-000620	Laminate	Sprocket	64	21BPX	431721-30231	K2L	
CS-452ESX (RUS)	0.058	0.325	38	C	C38S21-64AA- ET	430521-37334	Laminate	Sprocket	64	21BPX	431721-30231	K2L	
CS-510	0.058	0.325	38	V	V38R21-64AA- ET	430521-30134	Solid	Sprocket (X160-000130)	64	21BPX	431721-30231	K2L	
					V45R21-72AA- ET	430517-30134							
			45	V	V50R21-80AA- ET	430512-30134	80	431712-30231					
					V50R21-80AA- ET	430512-30134							
CS-525	0.058	0.325	45	V	V45R21-72AL- ED	X125-000311	Solid	Sprocket (X160000090)	72	21BPX	431717-30231	K2L	
CS-490ES	0.058	0.325	38	V	Y38S21-64ML- ED	X123-000620	Laminate	Sprocket	64	21BPX	431721-30231	K2L	
					Y45S21-72ML- ED	X125-000390							
			50	V	Y50S21-80AL- ED	X126-000300	80	431712-30231					
CS-501SX	0.058	0.325	40	V	V40R21-68AA- ED	X124-000691	Solid	Sprocket (X160000090)	68	21BPX	431711-38331	K2L	
					V45R21-72AA- ED	X125-000351							
			50	V	V50R21-80AA- ED	X126-000291	80	431712-30231					
CS-590	0.058	3/8	40	S	S40S73-60AA- ED	X124-000481	Laminate	Sprocket	60	73LGX	X264-000040	A2LM	
					S45R73-64AA- ET	430217-30835	Solid	Sprocket (X160-000140)					
			45		S45S73-64AA- ED	X125-000171	Laminate	Sprocket	64				431017-30831
					S50R73-72AA- ET	430212-30835	Solid	Sprocket (X160-000140)					
			50		S50S73-72AA- ED	X126-000141	Laminate	Sprocket	72				431012-30831
					S60R73-84AA- ET	430213-30835	Solid	Sprocket (X160-000140)					
			60		S60S73-84AL- ED	X128-000041	Laminate	Sprocket	84				431013-30831

Model	Gauge (in)	Pitch (in)	GUIDE BAR					SAW CHAIN					
			Length (cm)	Mount type	Type	Part number	Bar type	Nose type (Replaceable nose)	Drive links	Saw chain	Part number	Carlton type	
CS-600S	0.058	3/8	40	S	S40R73-60AA- ET	430211-30835	Solid	Sprocket (X160-000140)	60	73LPX	X264-000060	A2LM-BL	
					S40S73-60AA- ED	X124-000481	Laminate	Sprocket					
			45		S45R73-64AA- ET	430217-30835	Solid	Sprocket (X160-000140)	64				X265-000060
					S45S73-64AA- ED	X125-000171	Laminate	Sprocket					
			50		18D8TW3866	X105-000050	Solid	Hard	66				X265-000030
					S50R73-72AA- ET	430212-30835	Solid	Sprocket (X160-000140)					
					S50S73-72AA- ED	X126-000141	Laminate	Sprocket					
					20D8TW3872	X106-000050	Solid	Hard					
			60		S60R73-84AA- ET	430213-30835	Solid	Sprocket (X160-000140)	84				X266-000060
					24D8TW3884	X108-000020	Solid	Hard					
S70R73-96AA- ET	430215-30835	Solid		Sprocket (X160-000140)	96	X270-000060							
28D8TW3892	X110-000000			Hard			92	X270-000050					
CS-620SX (BASIC, RUS)	0.058	3/8	45	S	S45R73-64AA- ED	X125-000261	Solid	Sprocket (X160-000080)	64	73LPX	X265-000060	A2LM-BL	
					S50R73-72AA- ED	X126-000191							
					S60R73-84AA- ED	X128-000051							
CS-620SX (TUR)	0.058	3/8	50	S	S50H73-72AA- ED	X106-000061	Solid	Hard	72	73LPX	X266-000060	A2LM-BL	
CS-621SX	0.058	3/8	45	S	S45R73-64AA- ED	X125-000261	Solid	Sprocket (X160-000080)	64	73LPX	X265-000060	A2LM-BL	
					S50R73-72AA- ED	X126-000191							
CS-680	0.058	3/8	45	S	S45R73-64AA- ET	430217-30835	Solid	Sprocket (X160-000140)	64	73LGX	431017-30831	A2LM	
					S50R73-72AA- ET	430212-30835							
			60		S60R73-84AA- ET	430213-30835			84				431013-30831
CS-7310SX	0.058	3/8	50	U	U50R73-72AA- ED	X126-000390	Solid	Sprocket (X160-000080)	72	73EXL	X266-000090	A2LM-BL	
					U60R73-84AA- ED	X128-000110							
			70		U70R73-92AA- ED	X130-000040			84				X268-000060
									92		X270-000080		

CHAIN SAW ACCESSORIES

Model	Gauge (in)	Pitch (in)	GUIDE BAR					SAW CHAIN				
			Length (cm)	Mount type	Type	Part number	Bar type	Nose type (Replaceable nose)	Drive links	Saw chain	Part number	Cariton type
CS-680S	0.058	3/8	40	S	S40R73-60AA- ET	430211-30835	Solid	Sprocket (X160-000140)	60	73LPX	X264-000060	A2LM-BL
					S40S73-60AA- ED	X124-000481	Laminate	Sprocket				
			45		S45R73-64AA- ET	430217-30835	Solid	Sprocket (X160-000140)	64		X265-000060	
					S45S73-64AA- ED	X125-000171	Laminate	Sprocket				
			50		18D8TW3866	X105-000050	Solid	Hard	66		X265-000030	
					S50R73-72AA- ET	430212-30835	Solid	Sprocket (X160-000140)				
					S50S73-72AA- ED	X126-000141	Laminate	Sprocket				
					20D8TW3872	X106-000050	Solid	Hard				
					S60R73-84AA- ET	430213-30835	Solid	Sprocket (X160-000140)	84		X268-000040	
					S60S73-84AL- ED	X128-000041	Laminate	Sprocket				
			24D8TW3884		X108-000020	Solid	Hard					
			70		28D8TW3892	X110-000000	Solid	Hard	92		X270-000050	
S70R73-96AA- ET	4302153-0835	Solid		Sprocket (X160-000140)	96	X270-000060						
CS-1201	0.063	0.404	90	G	G90H59-04AA- ET	X114-000001	Solid	Hard	104	27	431135-16432	B3EP

