\$2.00 September/October, 1980 Vol. 1, Issue 6

The Resource Magazine For Apple, Atari, and Commodore


Teaching Basic Academic Skills-Can Micros Make A Difference?

Mixing Atari Graphics Modes

Thesus Versus
The MinotaurPASCAL Visits
Ancient Greece

RS-232 Communications

TelePET



MordPre Solve Your Paperwork Problem . . . Let WordPro Software Do The Work

Using standard typing methods, hundreus of valuable hours are spent erasing, revising, and retyping letters and documents as you work towards a final draft copy. The second, third, or fourth drafts take just as long to type as the first!

With WordPro word processing software you can transform your Commodore computer into a "state of the art" word processing machine with sophisticated word processing features at an affordable price.

There are four versions of WordPro, ranging from the simple to the sophisticated. WordPro 1 on cassette will give computer enthusiasts a full range of text editing capabilities with cassette file storage. WordPro 2 is disk based and allows fast and easy file handling and manipulation. WordPro 3 was designed for professionals and contains the many features required in a business environment such as global search and replace, headers, footers, decimal tabulation, repagination, merging capabilities, and much, much more. WordPro 4 is our best. WordPro 4 runs on the new Commodore 8032, 80-column display computer. WordPro 4 has all the features of WordPro 3, plus additional features usually found only on the most sophisticated and expensive word processing equipment.


WordPro is a new breed of word processing software. Powerful, sophisticated, and easy to use, WordPro was field-tested by dozens of attorneys and commercial customers during 1979. WordPro is now installed and is saving its owners valuable time and money in hundreds of offices nationwide.

WordPro was designed with the user in mind. WordPro's unique "STATUS LINE" constantly interacts with the user by displaying the status of the system. Editing, storing documents, recalling letters, even the most sophisticated comands, are accomplished by a few, easy to remember, keystrokes.

You may find that WordPro alone is reason enough to own a computer. WordPro can be found at most Commodore dealers worldwide. Call us for the number of the dealer nearest you. If you cannot locate a stocking WordPro dealer you may place an order with Professional Software via check or VISA/MasterCharge.



"WordPro is the most sophisticated Word Processing Software package available for the Commodore Computer line."



Actual Photograph of WordPro on CBM Model 8032 The many features of WordPro 1 - 4:

WordPro 1 - Cassette based • Status line • Text Editing • Insert/Delete • Screen Scroll Auto Repeat • String Search • Erase Functions . Link Files . Margin Controls . Tab Functions • Justification • Page Length

WordPro 2 - Most WordPro 1 Functions Plus + Disk Based • Paragraph Indent • Centering • Text Transfer • Hyphenation • Appending • Margin Release • Variable Blocks (Form Letters) • Multiple Copies • Automatic Disk Commands • Complete Disk File Handling

WordPro 3 - Commercial Disk Version for 40 Columns • WordPro 2 Functions Plus + Global Functions (Search/ Replace/Copy) • Merging Disk File Linkage • 10 or 12 Pitch • Repagination • Duplicate Lines • Auto Delete Word/Sentence/Range • Numeric Mode • Underlining • Continuous Print • Headers/Footers • Auto Page Numbering • Proportional Justification • Forced Paging • Non-Print Comments • BASIC Language File Compatibility

WordPro 4 - Commercial Disk Version for 80 Columns • WordPro 3 Functions Plus + Displays and Formats Text to Screen for Review

WordPro 1 — For 8K RAM units. Requires C2N Peripheral/integrated cassette drive -

WordPro 2 - For 16K RAM units with 40 column screen. Requires 2040 disk drive -\$99.95

WordPro 3 - For 32K RAM units with 40 column screen. Requires 2040 disk drive -\$199.95

WordPro 4 — For Model 8032 with 80 column screen. Requires 2040 or 8050 disk drive -

All four versions of WordPro are written in 6502 machine code.

Professional Software Inc. 166 Crescent Rd., Needham, MA 02194 7) 444-5224

WordPro Dealer Inquires Invited WordPro was developed by Steve Punter of Pro-Micro Software Ltd., and is marketed exclusively by Professional Software Inc.

WordPro is a registered trademark of Professional Software Inc. CBM is a registered trademark of Commodore Business Machines.

METAMORPHOSIS!



ow you can add high resolution graphics to your Commodore PET computer. The MTU K-1008-6 GRAPHIC INTERFACE can be used with either old, new, or business PET computers. It is simple to use, and fits inside the PET for protection.

The GRAPHIC INTERFACE gives you easy control over each dot in a matrix which is 320 wide by 200 high for a total of 64,000 dots. Because each dot can be controlled, either graphic images, text lines, or any mixture of the two can be displayed. Since each dot is controlled from software you can even design your own special character font or graphic

even design your own special character font or graphic image set (logic, chemical, architectural).

INTERFACE TO ALL PETS - With separate connector boards for each style PET (K-1007-2 for OLD PETS, K-1007-3 for NEW). The K-1008-6 can be used with either.

THREE TYPES OF VIDEO - You can select either normal PET video, graphic video, or the COMBINED image of both video signals simultaneously!

8K RAM MEMORY EXPANSION - The graphic matrix requires 8K RAM which is supplied onboard. This memory can be used for program or data storage when not being used for graphics (or see your program in binary on the display!).

OLD OR NEW PETS CAN NOW HAVE HIGH RESOLUTION GRAPHICS

FLEXIBLY ADDRESSED ROM SOCKETS - Five ROM sockets are included on the board. They can be set at the same or different addresses, with you controlling which sockets are enabled at any time through software control. You also choose the sockets to be enabled when the PET is turned on.


EXTERNAL EXPANSION - This board also creates the KIM memory expansion bus supported by all MTU products. This allows insertion into our K-1005-P card file for expansion up to 4 other boards outside the PET case.

LIGHT PEN - The board has been designed to work with an optional light pen which MTU will be announcing soon.

SOFTWARE INTERFACED TO BASIC - MTU also has available machine language software to allow you to plot points, draw lines, and display characters at high speed.

Call or write for our full line catalog of products.

MICRO TECHNOLOGY UNLIMITED P.O. Box 12106 2806 Hillsborough Street Raleigh, N.C. 27605 (603) 627-1464



Micro Technology Unlimited
P.O. Box 12106
2806 Hillsborough Street
Raleigh, N.C. 27605
As of June 1, 1980

Professional Business Software

For The Commodore 32K Microcomputer System With 2040 Dual Drive Disk & 2022 Tractor Feed Printer









General Ledger

- · Holds Up To 300 Accounts.
- Accepts Up To 3000 Transactions Per Month.
- Cash Disbursements Journal, Cash Receipts Journal, and Petty Cash Journal for simplified data entry.
- Maintains Account Balances For Present Month, Present Quarter, Present Year, Three Previous Quarters, And Previous Year.
- Complete Financial Reports Including Trial Balance, Balance Sheet, Profit & Loss Statement, Cash Receipts Journal, Cash Disbursements Journal, Petty Cash Journal and more.
- Accepts Postings From External Sources Such As Accounts Payable, Accounts Receivable, Payroll, Etc. \$295.00

Accounts Payable

- Interactive Data Entry With Verified Input And Complete Operator Prompting.
- Automatic Application Of Credit And Debit Memos.
- Maintains Complete Purchase Records For Up To 200 Vendors.
- Invoice File Accepts Up To 400 Invoices.
- Random Access File Organization Allows Fast Individual Record Updating.
- Multiple Reports Provide A Complete Audit Trail.
- Check Printing With Full Invoice Detail.
- Full Invoice Aging
- Automatic Posting To General Ledger \$195.00

Accounts Receivable

- Maintains Invoice File For Up To 300 Invoices.
- Accomodates Full Or Partial Invoice Payments.
- Customer File Maintains Purchase Information For Up To 1000 Customers.
- Allows For Automatic Progress Billing.
- Provides For Credit And Debit Memos As Well As Invoices.
- Prints Individualized Customer Statements.
- Interactive Data Entry With FullOperator Prompting.
- Complete Data Input Verification And Formating.
- Automatic Posting To General Ledger \$195.00

Payroll

- Maintains Monthly, Quarterly, And Yearly Cumulative Totals For Each Employee.
- Payroll Check Printing With Full Deduction And Pay Detail.
- Sixteen Different Reports Including W2 And 941.
- Interactive Data Entry With Easy Correction Of Entry Errors.
- Automatic Data Verification.
- Complete Job Costing Option With Cumulative Totals And Overhead Calculations.
- Random Access File Organization For Fast Updating Of Individual Records.
- Automatic Posting To General Ledger...\$350.00

Structured around the time tested and reliability proven series of business software systems developed by Osbome and Associates, these programs have been designed to fill the need of a comprehensive accounting package for the new Commodore PET micro computer system. Each program can either stand alone, or be integrated with the others in a total software system.

Designed with the first time user in mind, these programs lead the operator through step by step, verified data entry. It is impossible to 'crash' a program due to operator error or invalid data input. Design consistency has been maintained from program to program to greatly increase operator familiarity and confidence.

Documentation, normally a problem for small systems users, is provided by the comprehensive series of Osborne

and Associates user manuals. These three manuals together total over 800 pages of detailed step by step instructions written at three levels for DP Department Managers, Data Entry Operators, and Programmers. You don't have to worry about getting 'promises' instead of documentation because the documentation was written before the programs were developed. A second set of manuals details any changes required during conversion. Each program provided on disk with complete documentation. Packaged in a handsome three ring binder with pockets and twelve monthly dividers for convenient storage of reports.

See your nearest Commodore dealer for a demonstration of this outstanding business software system.

Table of Contents

September/October 1980. Volume 1. Issue 6


The Editor's Notes	Robert Lock, 4
Reader's Feedback	ert Lock and Readers, 6
Computers and Society David D. Thornb	urg and Betty J. Burr, 10
Teaching Basic Academic Skills	
Can Micros Make A Difference? Tory Esber	isen and Doug Hed, 18
Basically Useful BASIC Marvin L. DeJor	ng and Robert Lock, 22
RS232 Communications	Michael E. Day, 26
Solving Equations With A Computer	Marvin L. DeJong, 32
Computers and The Handicapped	
	irva Computer Club, 41
Let Your PET Play Politics With HAT IN THE RING	Ton (Falancia 10)
A Presidential Election Game	Tory Esbensen, 42
The First Annual Programming	FO Carr 16
Contest (of Herkimer, NY)	E. Q. Carr, 40
Apple and Atari	Al Rakar 50
Fun With the 6502:	Albakel, 02
Atari Software Reviews	Len Lindsay 56
The Apple Gazette	50
Randomize for The APPLE II	Sharm Ostrowsky 50
Screendump	
Thesus Versus The Minotaur:	
PASCAL Visits Ancient Greece	. Joseph H. Budge 64
Some Routines from Applesoft Basic;	
Applesoft Memory Map (Page O)	Jim Butterfield, 68
The Atari Gazette	
Designing Your Own Atari Graphics Modes	
What To Do If You Don't Have Joysticks	
Screen Print From Machine	
Language On The Atari	Larry Isaacs, 76
Graphics of Polar Functions	. Henrique Veludo. 80
Reading The ATARI Keyboard On The Fly	James L. Bruun, 81
The PET Gazette	82
User's Report: Waterloo Structured	
BASIC For The PET	P. T. Spencer, 82
TelePET	Jim Butterfield, 86
Word Pro Converter	Robert W. Baker, 89
Multitasking On Your PET? Quadra-PET	Charles Brannon, 90
Oops! A Crucial Update to DISK ID CHANGER	Rene W. Poirier, 92
Variable-Field-Length Random	5 1 0
Access Files On The 2040 Disk Drive	
Flexible GET for the PET	Elizabeth Deal, 98
ROM-antic Thoughts	Language I Language 100
Converting ASCII Files to PET BASIC	Harvey B. Herman, 102
Compactor	Lim Puttorfield 110
A Few Entry Points: Original/Upgrade/4.0 Rom	
Feed Your PET Some APPLESOFT	
Advertiser's Index	
VOACH 1901 9 11 100V	



Page 26



Page 64



Page 71



Page 86

COMPUTE. The Journal for Progressive Computing is published six times each year by Greensboro, NC 27403 USA. Phone: (919) 275-9809. Editorial Offices are located at 200 East Bessemer Ave., Greensboro, NC 27401. Domestic Subscriptions: 12 issues, \$16.00. Send subscription orders or change of address (P.O. Form 3579) to Circulation Dept., COMPUTE. Magazine, P.O. Box 5406, Greensboro, NC 27403. Controlled circulation postage paid at Greensboro, NC 27403. Entire contents copyright © 1980 by Small System Services, Inc. All rights reserved. ISSN 0194-357X.

Robert C. Lock, Publisher/Editor Joretta Klepfer, Associate Editor Carol Holmquist Lock, Circulation Manager J. Gary Dean, Art Direction/Production Assistance

COMPUTE receives continuing editorial assistance from the following persons: Harvey Herman, University of North Carolina at Greensboro
Jim Butterfield, Toronto, Canada
Larry Isaacs, Raleigh, NC

The following writers contribute on a regular basis as Contributing Editors:

Al Baker, 2327 S. Westminster, Wheaton, IL 60187

Gene Beals, 115 E. Stump Road, Montgomeryville, PA 18936 Len Lindsay, 1929 Northport Drive #6, Madison, WI 537O4 Roy O'Brien, P.O. Box 426, Beaumont, CA

Subscription Information (12 Issue Year): COMPUTE. Circulation Dept. P.O. Box 5406 Greensboro, NC 27403 USA

U.S. \$16.00

Canada \$18.00 (U.S. funds) Europe: Surface Subscription, \$20.00 (U.S. funds) if ordered direct, or available in local currency from the following distributors:

United Kingdom

Contact L. P. Enterprises, 8-11 Cambridge House Cambridge Road Barking, Essex England IG1 18NT

Germany, Switzerland, Austria

Contact Ing. W. Hofacker GMBH 8 Munchen 75 Postfach 437

West Germany

Canadian Retail Dealers should contact: Micron Distributing 409 Queen Street West

Toronto, Ontario M5V 2A5 (416) 363-6058

Authors of manuscripts warrant that all materials submitted to COMPUTE, are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTE, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of Small System Services, Inc. Programs developed and submitted by authors remain their sole property, with the exception that COMPUTE reserves the right to reprint the material, as originally published in COMPUTE, in future publications. Unsolicited materials not accepted for publication in COMPUTE, will be returned if author provides a self-addressed, stamped envelope. Program listings should be provided in printed form (new ribbon) as well as machine readable form. Articles should be furnished as typed copy (upper and lower case, please) with double spacing. Each page of your article should bear the title of the article, date and name of the author.

COMPUTE. assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTE.

PET is a trademark of Commodore Business Machines, Inc. Apple is a trademark of Apple Computer Company. Atari is a trademark of Atari, Inc.

The Editor's Notes

Robert Lock, Publisher/Editor

Atari Marches On But Where Is Southern California?

It appears that the Atari machines have really picked up in sales. Southern California notwithstanding, the feedback I'm getting is that dealers ranging from the bigger mail order houses to the local corner store are seeing a great deal of buying interest in the hardware. Now I'm talking about US sales only, in as much as Atari's not really cranked up yet outside the US. And it honestly looks as if there's movement. Certainly makes the dealers happy, and COMPUTE also for that matter, in as much as we've been supporting the Atari since our beginning. It appears that the upsurge in buying began in mid to late June, and hasn't let up. Okay, so why all this ballyhoo from here? I'm setting the stage for some comments on Southern California:

The Background

Southern California, as we all know, has long been a focal point for the state of the art in small computing activity. There's much activity elsewhere of course, but Southern California has been active in developing what I would describe as a more advanced market. If you look at the number of major firms based out there you'll see a bit of what I mean.

The Apple Phenomena

This area enjoys an extremely active Apple market. In the LA area for example there must be dozens of dealers who are first and foremost Apple dealers.

It appears that some of the dealers have absolutely refused to carry the Atari, even to the point of occasionally calling it bad names and describing it in perjorative terms. And with an area of such tremendous Apple loyalty, that seems understandable. But on with the story.

The Feedback Cycle

Given the nature of the small computer market, all of us who are involved in any way with the activity of marketing a productr or service to users and buyers of these small computers rely on various means of marketplace feedback to develop and maintain marketing plans.

From here, I rely on numerous inputs, including those from dealers and subscribers all over the US. I've run into several advertisers in the last few weeks who have traditionally relied on their dealer contacts in that area to provide some portion of their planning feedback. In each of these cases, both advertisers had

the clear and imminent opinion that the Atari machine was struggling, being clobbered by the Apple, etc., etc., and so on. Now mind you, this isn't the immediate concern. Everyone expects a new market (e.g. software or hardware for Atari) to be slow going at first. Their concern was the *future* of the machine, and by all tried and tested, locally valid, channels of feedback it appeared that Atari was in fact looking at a long up-hill struggle.

But all of this was totally inconsistent with my feedback. Not only were dealers all over the country telling me the machines were really starting to move, but our Atari subscriber base has been growing at a faster and faster rate. Clearly somebody's buying the machines, and if it wasn't the forefront, the vanguard, of Southern California, then who was it?

Aha!

What I finally decided, and I welcome some comment, is that Atari is selling to the market they've said all along they wanted to sell to. The (frequently) non-technical, new consumer of computing equipment. That's the market the machines are designed for and targeted at. The hobbyist market hotbed, Southern California with users with different needs, and dealers with different expectations, is not supplying good feedback on that market because Atari's successfully reaching the one they're aimed at. I think we may, after all, be achieving a new generation in consumer computing.

You May Be Expiring...

or Renewing Your Subscription To COMPUTE!

If you're an early COMPUTE! subscriber, your subscription may be running out. If your mailing label bears the code "11/80" or "12/80" then Issue #7, the November/December issue, is your last one.

Don't Miss An Issue

Renew now by sending us your check or money order for your 1980 subscription. Please follow these simple guidelines. Mail your renewal check to COMPUTE! P.O. Box 5406, Greensboro, NC 27403 USA. Mark the envelope "Attention: Subscription Renewal". Include your current mailing label. If you've thrown your envelope away, please make sure that you include your name and address (especially your address) the same way you've been receiving the magazine. Check the new price schedule and include a check, money order or Master Charge/Visa number with your renewal.

COMPUTE! Goes Monthly First Monthly Issue is January, 1981

We're going monthly, by popular demand, and expanding the scope of COMPUTE! We're adding a special Gazette for Ohio Scientific machine owners, and a Gazette for the Single-Board AIM, KIM and SYM Owners.

We'll maintain the same high quality, the same resourceful standards, that have taken our paid circulation from less than 2,000 at the beginning of this year (Issue 2) to over 11,000 for this issue (Issue 6)!

New Pricing (COMPUTE!'s Still A Bargain)

A one-year (twelve issue) subscription to COMPUTE! is now \$16.00 in the US. Canadian subscriptions are now \$18.00 (in US funds). Surface mail subscriptions, to everywhere else in the world, are now \$20.00 in US funds.

See The Reader's Feedback In This Issue for More Information

The Reader's Feedback

Robert Lock, Publisher/Editor, and Readers

In case you missed it in the Editor's Notes, we're going monthly. Check there for a full timetable and information on keeping your subscription current.

Votes for **Best Article in Issue 5** indicate that lots of readers like the current range of material in COMPUTE. Jim Butterfield took the honors with Mixing Basic and Machine Language. Second place went to Plotting With the 2022, closely followed by How to Program in BASIC with the Subroutine Power of FORTRAN and Assembly Language Programming with UCSD PASCAL.

And now for the rest of the feedback ...

Author Note

A Commodore user makes this request: You should indicate on all machine language listings the ROM version...

I agree. You should also indicate what machine you're using, e.g. keyboard, etc. We're already having review problems trying to keep machine configurations matched up with software design, so when you send software for review, please indicate what it will run on.

One More Author Plea

Please present machine language programs with fluent explanations. If one now uses "BASIC" to program, how would one enter this program into PET using machine language? Please do not be afraid to offend us with simple explanations.

On Merging Our Two Magazines

What happened to Nuts and Volts?

Include OSI in COMPUTE. My C2-4PMF has more in common with the Apple or PET than with a SYM...

First of all, Nuts and Volts moved to compute II when we established that single-board computer magazine. Secondly, I admit that compute II wasn't necessarily the place for OSI machines.

Our ability to go monthly has in part been defined by the merger of our two magazines. We announced in the August/September issue of compute II that we were merging the two magazines effective with the November/December issue of COMPUTE. In that issue, you'll find the return of the Single-Board Computer Gazette (covering the 6502 based KIM, SYM, and AIM systems), and the addition of an OSI Gazette. You OSI owners will in part determine the stability of the OSI Gazette by your submissions, so get writing!

Issue 7 of COMPUTE! (November/December) will be one united issue again, and in January you'll receive the first monthly issue of COMPUTE!

And Coming Next Issue (Ouch! Groan!)

I learned my lesson last time. Please understand that one of the advantages of waiting 'till the last minute to write my columns is keeping you as current as possible on "coming attractions". The disadvantage is that I got carried away in my enthusiasm last time round. Looking back, I must have said "And next issue we'll have..." 10 times in the first three pages. I blew it. I hereby officially announce that you should read such comments on my part as "And in a future issue we'll have...". That way if my enthusiasm gets ahead of our collective abilities here you won't be disappointed.

In a future issue, we'll have those promised business reviews. I am very pleased to report that over 50 business users have signed up to review professional software. What we're trying to do is get things rolling so that reviews will be the balanced opinion of several reviewers rather than the hasty overview of one. I apologize for my over enthusiastic promises last time.

On The Quality of COMPUTE!

I was fascinated to see that the most prevalent comment regarding our going monthly was "Yes, do it, but only if you can maintain your current quality." We pride ourselves on the quality of COMPUTE!, both in editorial quality and physical quality. That's been our goal since we started the magazine in the Fall of 1979, and we're committed to maintaining that quality. As always, keep me posted on our progress. R.C.L.





8

NEECO

Your complete source for all CBM Hardware and Software Products"

PROUDLY ANNOUNCES OUR **NEW ONE YEAR WARRANTY** ON ALL CBM COMPUTERS!

"All CBM Computers purchased between June 15th and Sept. 15th will automatically carry a full one year NEECO warranty"

The 8032 CBM Computer is now available!







CBM™ 8000 SERIES BUSINESS COMPUTERS

The new Commodore 8000 series computers offer a wide screen display to show you up to 80-character lines of information. Text editing and report formatting are faster and easier with the new wide-screen display. The 8000 series also provides a resident Operating System with expanded functional capabilities. You can use BASIC on the 8000 computers in both interactive and program modes, with expanded commands and functions for arithmetic, editing, and disk file management. The CBM 8000 series computers are ideally suited for the computing needs of the business marketplace.

CBM™ 8050 DUAL DRIVE FLOPPY DISK

The CBM 8050 Dual Drive Floppy Disk is an enhanced version of the intelligent CBM 2040 Disk Drive. The CBM 8050 has all of the features of the CBM 2040, and provides more powerful software capabilities, as well as nearly one megabyte of online storage capacity. The CBM 8050 supplies relative record files and automatic diskette initialization. It can copy all the files from one diskette to another without copying unused space. The CBM 8050 also offers improved error recovery and the ability to append to sequential files.

HARDWARE SPECIFICATIONS

Dual Drives Two microprocessors 974K Bytes storage on two 5.25" diskettes (single sided) Tracks 70 Sectors 17-21 Soft sector format IEEE-488 interface Combination power (green) and error (red) indicator lights Drive Activity indicator lights Disk Operating System Firmware (12K ROM)

FIRMWARE

DOS version 2.1 Sequential file manipulation Sequential user files Relative record files Append to sequential files Improved error recovery Automatic diskette initialization Automatic directory search Command parser for syntax validation Program load and save

CBM	BM PRODUCT DESCRIPTION	
4008N	8K RAM-Graphics Keyboard-40 col.	\$ 795.00
4016N	16KN RAM-Graphics Keyboard-40 col.	\$ 995.00
4016B	16K RAM-Business Keyboard-40 col.	\$ 995.00
4032N	32K RAM-Graphics Keyboard-40 col.	\$1295.00
4032B	32K RAM-Business Keyboard-40 col.	\$1295.00
8016	16K RAM-80 Col4.1 O/S	\$1495.00

8032

2023

8K RAM-Graphics Keyboard-40 col. 16KN RAM-Graphics Keyboard-40 col. 16K RAM-Business Keyboard-40 col. 32K RAM-Graphics Keyboard-40 col. 32K RAM-Business Keyboard-40 col. 16K RAM-80 Col4.1 O/S 32K RAM-80 Col4.1 O/S Friction Feed Printer	\$ 795.00 \$ 995.00 \$ 995.00 \$1295.00 \$1295.00 \$1495.00 \$1795.00 \$ 695.00	All cu produ comp now co opera 4.1/Di
Friction Feed Printer Tractor Feed Printer	\$ 695.00 \$ 795.00	4.1/D

NOTE:	į
All current CBM	ı
production	ı
computers/disks	1
now contain	ı
operating system	1
4.1/DOS 2.1	

Disk Bu	ffer (4K RAM)		
	СВМ	PRODUCT DESCRIPTION	PRICE
4 CRM	2040	Dual Floppy-343K-DOS 1.0	\$1295.00
nt CBM	4040	Dual Floppy-343K-DOS 2.0	\$1295.00
n	8050	Dual Floppy-974K-DOS 2.0	\$1695.00
rs/disks	C2N Cassette	External Cassette Drive	\$ 95.00
The facility of the same of the same of	CBM to IEEE	CBM to 1st IEEE Peripheral	\$ 39.95
ain	IEEE to IEEE	CBM to 2nd IEEE Peripheral	\$ 49.95
system	8010	IEEE 300 Baud Modem	\$ 395.00
21	2.0 DOS	DOS Upgrade for 2040	\$ 50.00
Salvin Birling	4.0 O/S	O/S Upgrade for 40 Column	\$ 100.00
A STATE OF THE PARTY OF THE PAR	*Asterisks indica	ate fall delivery—all others are immedi	ately available

SPECIAL OFFER ON CBM COMPATIBLE BUSINESS SOFTWARE!

Purchasing software has always been difficult due to the "you buy it - you own it" attitude of most vendors. We at NEECO, recognize this problem and can now, on all of the Software Packages listed, offer a full 30 day refund policy to NEECO's customers. Now you can purchase with confidence. Buy it - try it; if the program package is not suitable for any reason, send it back to us within 30 days and we will refund the full purchase price-less shipping charges!

	c				
SOFTWARE	APPLICATION	REQUIRES	AUTHOR	AVAILABILITY	PRICE
Word Pro I	Word Processing	8K + cassette	Pro Micro	Immediate	\$ 29.95
Word Pro II		10K + 2040	"	**	99.95
Word Pro III	**	32K + 2040	**	**	199.95
Word Pro IV	**	8032 + 2040/8050	**	**	299.95
BPI Integrated G/L	Business	32K/8032 + 2040	BPI	**	360.00
BPI Inventory	**		"	**	T.B.A.
BPI Payroll		**		**	,,
BPI Enhanced A/R	**	**	"		"
CMS G/L	**	**	CMS Software	**	295.00
CMS A/R	**		"	**	195.00
CMS A/P		**	"	**	195.00
CMS Customer Mail L	ist "	**	"	**	195.00
CMS Payroll		**	**	**	350.00
BMB Database	All Business	32K/8032 + 2050/8050	BMB	August/Sept.	295.00


*Wordprocessing Software requires output printer. We recommend the NEC Spinwriter (\$2995) for letter quality. PET is a registered trademark of Commodore Business Machines. Small Keyboard PETS require a ROM Retrofit Kit. Multi-Cluster is available in Canada from BMB Compu Science, P.O. BOX 121, Milton, Ontario, L9T2Y3
All prices and specifications are subject to change without notice.

679 HIGHLAND AVE. NEEDHAM, MA 02194 **NEW ENGLAND ELECTRONICS CO., INC.**

"NEW ENGLAND's Largest Computer Showroom"

MASTERCHARGE OR VISA ACCEPTED TELEX NUMBER 951021, NEECO MON-FRI, 9:00-5:30

HEWLETT-PACKARD PLOTTER for CBM SYSTEMS



THE 7225A GRAPHICS PLOTTER WITH PERSONALITY MODULE \$2800.00

Interconnect Cables

2 meters (6.6 ft) 4 meters (13.1 ft)

\$75.00 \$85.00

The Hewlett-Packard 7225A is a compact and efficient graphics plotter that provides a cost effective solution to the need for professional hard-copy graphics. With the 7225A, publication quality graphics can be drawn with clean and visually continuous ink lines.

The HP 7225A can be user-adapted to a wide range of systems. By changing a "plug-in" unit, called a Personality Module, the 7225A will provide the appropriate interface, language, and graphics capabilities for a variety of desktop computers, computer systems, personal computers, terminals and intelligent instrument systems. This interface flexibility makes the 7225A the ideal plotter for many present and future configurations.

OPTIONS:

Opt. 007 (15 pads of 81/2 × 11 in. paper, assortment of pens, pen holder \$ 75.00 Opt. 010 (vinyl carrying case) \$125.00 4-Color Pen Pack (Red, Blue, Green, Black) 6.00 Plotter Paper (100 sheets 81/2 × 11 in. grid) 7.00 Plotter/Printer ROM Handbook \$ 10.00

ORIGINAL 8K PET 2001* OWNERS TAKE NOTE!

The following peripherals and accessories are IN STOCK AT NEECO:

1. AXIOM PRINTER



- Complete PET graphics
- Plug compatible
- Electrostatic paper 40 or 80 columns

\$349.00

2. 16 or 24K EXPANDAMEM



INTERNAL MEMORY EXPANSION UNIT

- Plug compatible
- Dynamic low heat memory 16K \$299.00
- Proven reliability
- 24K 379.00
- No adaptor needed

3. FULL SIZE KEYBOARD



- Complete PET graphics
- Separate keypad
- Plug compatible
- With cover

\$99.95

*8K-2001 with original keyboard and built-in cassette

NEEDHAM, MA 02194

679 HIGHLAND AVE.

NEW ENGLAND ELECTRONICS CO., INC.

"NEW ENGLAND's Largest Computer Showroom"

MASTERCHARGE OR VISA ACCEPTED TELEX NUMBER 951021, NEECO MON-FRI. 9:00-5:30. E.S.T.

Computers And Society

David D. Thornburg and Betty J. Burr Innovision P.O. Box 1317 Los Altos, CA 94022

This month we want to bring you up to date on two shows we attended. One of us (BB) attended the American Society for Training and Development national convention in Anaheim, and the other (DT) attended the summer International Consumer Electronics Show (CES) in Chicago. Both of these shows had many small computer systems on display. By looking at these products at trade shows and conventions, we get to see developments before they become available at the corner computer store. We were sufficiently excited by what we saw to want to share our perspectives with you.

The following report presents Betty's view of the ASTD convention:

Does anyone remember CAI? The darling child of the late 60's and early 70's, computer assisted instruction has been struggling for its life for the past decade. Suffering from high costs as school budgets became increasingly tight, CAI never quite justified its existence or fulfilled the promises of early dreamers. In the latter part of the 70's the big guns in CAI turned to the adult education market and aimed at big business and industrial training. (Training is that skills-increasing activity engaged upon by people within a business or industry. Adult education may cover some of the same subjects, but it is conducted in a school or university.) Control Data Corporation took its successful Plato-for-schools and created Plato-for-industry. Boeing's Computer Services division offered training in all computer related subjects.

The applications still seemed limited. The CAI offered by these companies required either that the learner go to a centrally-located learning center to use a time-sharing terminal, or install such a terminal at company facilities. In my opinion, CAI, with all its promises, was just limping along.

A few months ago, I found out that CAI is indeed alive and well, and living in the personal computer industry. General applications in industrial training may be as close as tomorrow.

At the end of April I attended the national convention of the American Society for Training and Development, held in Anaheim, California. Among the more than 700 vendors of training hardware and software were several who displayed very exciting uses of personal computers in training for business

and industry.

I am excited about what I saw because I wear at least two hats in this world. I am a computer enthusiast who has spent over three years in a research center watching people playing with CAI and playing with it myself. I am also a training director who is concerned with helping people learn and retain knowledge in the most efficient way. Until my April trip, I did not believe that the computer was efficient or cost effective. I may now be wrong.

What follows in this column is a brief description of what I saw and some caveats. I should point out that what I saw is not all that is available in the world for CAI for industry. Some vendors may not have attended this convention. I may have walked right by others. To all left out, my apologies. Write to me at Innovision and I'll be glad to take a look at your product and include it in a later column.


Let's start with a look at some of the hardware, because there was more of that than software. (One of the major problems I see with the use of computers in business training is that canned programs are not widely available.)

One of the exciting applications of the microprocessor was created by Videodetics (Anaheim, California). They have harnessed the technology by marrying it to videotape to create programmable video tape. Providing automatic searchout and playback of specific sections of tape, the controller-indexor system creates an interactive learning situation. The lesson creator programs in a series of questions, the answers to which lead the learner down various videotape paths. The learner is either praised or corrected (or both), as the lesson progresses. The unit makes possible such activities as reciprocating multiple-choice tests, reinforcement of correct responses, and remediation of incorrect choices.

With this product trainers can upgrade videotape equipment (if compatible) to allow learner control for a very low cost (between \$550 and \$700). The company is currently polishing a random access version of the controller, which should lend even greater flexibility to the system. The developers point out that the unit has also been used very successfully in point-of-purchase sales presentations, so it may serve a dual function in some businesses. In addition, the videotape visual display has the advantage of interest and color over the standard monochrome CRT normally associated with the CAI environment.

Recognizing the value of the videotape medium when compared to CRT only, Comco Creative Industries has interfaced an Apple (obtained from Bell and Howell) with a 3/4 inch video cassette to present an answer to the problem of boredom without loss of the advantages of conventional CAI. The box which accomplishes the jumping and linking of tape and computer units will cost, I am told, something around \$1000.

Judge this character generator for yourself



Regular PET Graphics

HAL GRAPHICS

Exciting games are now that Exciting games are now the HAL PCG available for the Lander, Super Slot Night Driver, \$19.95 each.

Compare the two Snoopys and you'll begin to see why the new HAL PCG 6500 is attracting so much attention. It's the programmable character generator for your PET that gives sharp, detailed graphics.

Important features include:

- Storage for 64 new characters
- Built-in CB2 sound amplifier that produces all tones in the human hearing range
- PCG Manual and demo program
- Interface to PET/CBM with 24 pin character generator ROMS. (If your PET uses 28 pin ROMS, Conversion Kits are available for \$45. To simplify ordering, please indicate memory RAM #2114 or #6550.)

The HAL PCG 6500 is available exclusively at Systems Formulate \dots

Only \$200 (plus \$5 shipping & handling)
Add \$45 for 28 pin Conversion Kit

MIPLOT: the right plotter at the right price



MIPLOT by Watanabe Corporation

Designed for straight forward interface to any microcomputer that outputs the ASC11 code, MIPLOT can even be used by operators with no plotter experience.

- Incorporates pre-programmed "intelligent" functions required for producing graphs and drawings
- Solid and broken line types can be specified
- Built in character generator for letters, numbers and symbols
- Characters can be enlarged and rotated to four orientations
- Special printer mode outputs character data as-is
- · Uses commonly available hard fiber-tip pens
- Maximum plot speed approximately 2 inches per second
- Built in self-test mode

Only \$1,200 at Systems Formulate Corporation

(plus shipping & handling)

ADCOM Light Pen (with sound) ... Only \$3495

(plus \$2 shipping & handling)

Unlike many light pens, the ADCOM interfaces with PET through the second cassette port rather than the parallel port. The result? Sound!

- Ready to plug in, no assembly necessary.
- Faster than many other light pens designed for PET.
- Built-in sensitivity control.
- Machine language and demo program included for ease of programming.

Expand with the finest in micro peripherals, systems and software from Systems Formulate. Call today for more information or to place your phone order: (415) 326-9100

We honor Master Charge, Visa, check or money order. (California residents add 6.5% tax)



SYSTEMS FORMULATE CORPORATION

39 Town & Country Village ● Palo Alto, California 94301

The Bell and Howell system (designed around their version of the Apple II) comes with their own variety of PILOT (Mark-PILOT) as the CAI language. It contains both authority and presentation systems. Authors may use color graphics and animation with this system. Representatives at the convention were talking about a price of between \$5,000 and \$7,000 for the whole package.


The advantege of this system over the interactive video tape lies precisely in the greater variety of teaching techniques possible with the computer programs. While the system does require the instructor to spend some development time on-line with the lesson, it may be no more than that required for development of in-house training materials. But all such efforts are very time consuming. I remember a figure of 40 hours development time for each one hour of student program given to me several years ago by the Plato people at the University of Illinois.

Is this effort cost effective? Paper programs also take many hours, but the equipment is cheaper. I believe, however, that the potential impact upon the learner may be great enough to warrant the additional costs. Also, with this new generation of CAI equipment, costs are plummeting and the machines are becoming multi-purpose. After all, if you're going to have a personal computer in your home or office, you might as well use it to learn something.

While the personal computer based CAI units

such as the Camco system are the logical competitors to the Plato and Boeing time-shared learning systems, other, more powerful, stand-alone systems are also being offered. One interesting-looking unit was shown by Regency Carroll of Champaign, Illinois (the home of Plato). It's language, USE, allows judging, help sequence branching, selective erase, and animation. They do not, I believe, have a video tape interface. My recollection of their system is that it is considerably more expensive than the Camco system, albeit more powerful. While the developers may claim an apples and oranges comparison, I believe that training people will go for the lower end machines because of the lower initial costs, especially if they are able to interface these systems with existing video tape equipment.

With all of the systems I saw, however, I felt the same frustration. After spending two years as a one-person training department, I know the enormous value of canned programs. I would much rather buy something than spend the time developing it inhouse. So I look for quality programs. My search through the convention exhibit hall for quality programs for the computer systems led to very little. I found only one company, Educational Programming System, of St. Louis, who offered CompuCourse programs. These combine text and automated activities such as using the computer to set up an actual budget in a budgeting course. Their diskettes will be



available for the Apple II or II + and for the TRS-80, and will be sold in retail stores in October. Their first available program will be in Personal Financial Planning, costing \$95. Other titles they plan include: Managing Corporate Cash; Long Range Planning; Advertising: Strategy and Design; Writing for Successful Management; and How to Build Memory Skills.

These subjects are included in the curriculum for many companies. It will be interesting to see whether other software suppliers jump on the bandwagon to prepare materials for industrial-placed personal computers. Right now it seems to be a wide open field. Only the manufacturers of the computers themselves and a few software companies have provided any learning programs. Atari and SRA have agreed to develop software for schools, pre-school through university. But specific "training" programs are yet to come. I believe that if the personal computer is to make an impact on the world of business and industrial training, software developments must keep up with hardware developments. I'm hoping that they will. CAI will really have come of age then.

While educational and industrial applications for personal computers are growing at a rapid pace, we have yet to see the true "home computer" market open up. Most people who have computers in their homes use them for business applications, or as a hobby. The Consumer Electronics show is an in-

teresting showcase of technology for the home. The presence of personal computers at this show indicates a feeling that someday soon the true consumer market for computers will become a reality. It is worthwhile for computer vendors to plan for this market, since, once the market develops, personal computer sales might rival those of color televisions. With the view of someone looking at incipient computer sales of several million units a year, let's look at Dave's perspectives on the CES:

The June CES is the second of two international consumer electronics shows presented in the United States every year. While exhibited products included almost any entertainment item which uses silicon, it is interesting to see how this show is becoming a showcase for Personal Computers. Since the birth of the "appliance grade" personal computer in 1977, attendees of these consumer electronics extravaganzas have had to include computers in the list of products which are capturing the hearts and minds, if not the pocketbooks, of a growing fraction of consumers all over the world.

While the time has not yet arrived for the computer to be considered a common household appliance, the incipient emergence of several well supported information utilities suggests that it will not be long before computer sales exceed 1,000,000 units per year, and the long-awaited emergence of "home" computing becomes a generally accepted phenomenon.



As in past shows, Texas Instruments continued to stress the versatility of their 99/4 computer in applications including speech output and connections to the Source and MicroNet information utilities. However, TI apparently has not received the market acceptance they had hoped for, and it will be interesting to see how effective they are at surviving in an industry which has seen several fine products withdrawn from the market. According to several cottage industry people interviewed at the show, a major frustration with the TI computer arises from the lack of a way to generate and call machine language subroutines from BASIC. From a human factors point of view, I found it distressing to see lower-case characters properly displayed on the screen (from a Source data base) while there is no provision for the entry of lower-case letters from the computer keyboard.

The APF Imagination Machine remained unchanged in the past year, with their emphasis being placed on peripherals on marketing schemes. While many of the characteristics of this 6800-based computer are quite nice (single keystroke BASIC keywords, excellent keyboard feel, etc.), the excessively large size of the computer combined with an indistinct display makes this computer less appealing than it might otherwise be.

Ohio Scientific presently provides one of the widest product lines available, ranging from a small personal computer to a conventionally packaged minicomputer. The 6502-based C-1P and C-1P/MF computers have been given a new plastic housing in apparent preparation for their presence in Montgomery Wards' stores all over the country. At a little over \$1000, the C-1P/MF is probably the lowest price computer with a floppy disk.

At the other extreme in cost, the HP-85 desk-top computer with built-in 5" CRT was well displayed by Hewlett-Packard in a booth which, to my eyes, was sparsely attended. It may be that the CES is the wrong place to show a \$3250 computer whose features seem not too far removed from those of computers selling for thousands of dollars less.

The Compucolor disk-based computer system from Intelligent Systems Corp. has perhaps suffered from styling problems - especially when compared to the more expensive Intecolor computers also manufactured by ISC. However, through the miracles of modern packaging, the Compucolor computer has been given a face lift and now looks amazingly like its larger brother.

As in the past shows, the Atari 400 and 800 computers continue to draw large crowds. The use of dedicated display and sound processors serves to extend the power of the 6502B microprocessor to give these computers the finest color and sound capability shown at the CES. While much of the Atari display was devoted to their ability to connect to home information utilities and to play very sophisticated

animated games, they did introduce a light-pen attachment and also demonstrated some educational software developed for Atari by SRA, a division of IBM.

Among the several new computers introduced at the June CES, one of the most interesting entries was the Sinclair ZX-80. This Z-80-based computer (which weighs only slightly more than its instruction manual (320 g vs. 250 g)) contains a full typewriterlike keyboard (membrane type), 1 KB of RAM and a 4 KB BASIC. Keywords are entered with single keystrokes, and the syntax of each line entry is continuously monitored. It is almost impossible to get the computer to accept a syntactically invalid line of code. The ZX-80 connects to the UHF input on a black and white TV and displays 24 lines of 32 characters. As an indicator of the attention paid to low-cost design, conversion of the ZX-80 from the European PAL to the U.S. NTSC TU standard is accomplished by the addition of a single diode. Since power (9 V DC) is provided from an outboard plugmounted power supply, the ZX-80 can be used almost anywhere. Rather than sell this product through stores, the initial Sinclair marketing plan is to sell the ZX-80 from England, fully assembled, for \$199. Presently, the ZX-80 only supports an integer BASIC, but an 8 KB floating point BASIC is in development. Since external RAM can be added to bring the computer to 16 KB, the ZX-80 may create a totally new market. Since new markets appear to be Mr. Sinclair's forte, this product bears watching.

An even smaller computer was introduced by Panasonic: the HHC hand held computer. The central unit (which will retail for about \$400) is about the size of the Craig translator. This unit contains a 6502 microprocessor, 1 KB of RAM and slots for up to four ROM cartridges. In addition to preprogrammed functions (information terminal, language translator, etc.), ROM packs will be available for languages such as FORTH and EASIC. The main unit contains a full complement of keys (although with the wrong spacing for easy typing) and has a liquid crystal one line display (24 characters, upper and lower case dot matrix). The addition of myriad peripherals. Among the peripherals demonstrated at the show, I saw the TV adaptor which buffers and displays a screen full of information in color. A small printer, a modem/acoustic coupler, and RAM expansion units were also shown. RAM units contain their own battery backup thus allowing users to create their own "firmware" for this sytem. While the main unit is nicely packaged, the expanded system has an "Erector Set" quality to it that detracts from its overall appearance. Nonetheless, the emergence of this product along with the Sinclair ZX-80 shows that there is still room for experimentation in the personal computer market.

Commodore's exhibit stressed their watches and

calculators, with one 80-column CBM computer on display. Hidden behind a smoked plastic screen, however, was the Commodore VIC - an as-yet experimental computer designed to connect to a color TV. If VIC becomes a product soon (and I hope that it will), this compact 6502-based machine is certain to capture the hearts of thousands of users. Sized only slightly larger than the Sinclair computer (and using the "old" PET keyboard), VIC is designed to sell, with 4 KB of RAM, in the \$400 range. If it uses nearly the same BASIC used in the rest of the CBM world, strong cottage industry support is virtually guaranteed in advance. Through products of this type, Commodore is retaining their commitment to the low-end market while broadening their product line to compete with machines such as the IBM 5120.

In June of 1979, Casio showed their versatility as a company by introducing the Casiotone professional music synthesizer. This departure from their traditional watches and calculators was followed this year by the introduction of the FX-9000P, an 8080A-based computer whose packaging closely resembles that of the HP-85. A crisp built-in high resolution 5" CRT display (32 characters by 16 lines, 256 by 128 pixels) is capable of mixed text and graphics applications. When this computer comes to market early next year, it is expected to retail for \$900 with a ROM BASIC. The built-in 8 KB RAM can be supplemented with plug-in modules. The user can choose between 16 KB dynamic RAM cartridges or 4 KB RAM cartridges with battery back-up. As with the Panasonic entry, programs can be written into removable RAM cartridges and treated like ROM-based firmware. A tape cassette interface is available along with a real-time clock with calendar and alarm. Several parallel and serial interfaces are available to allow connection to printers, disk drives and modems. In other words, the FX-9000P is a serious small computer priced to sell by the thousands. The physical resemblance of this computer to the HP-85 is striking. At a \$2600 price advantage over the HP entry, the Casio FX-9000P was the recipient of much well deserved attention.

While the Mattel Intellivision has been shown with a full keyboard attachment for more than a year, there has been much speculation regarding the reasons this portion of the product has not been introduced commercially. Early plans were to not make the Intellivision user programmable. As of the June CES, a new philosophy is apparent. The Intellivision keyboard unit (designed to retail for \$500) will contain a 6502 microprocessor with 16 KB of RAM and running what appears to be a full extended Microsoft BASIC. Since the display portion of this product (housed in the video game unit) contains a 16-bit GI computer and the "Teleview" information utility chip set, this new product may leverage its way into a broad share of the market.

Several companies who have personal computers

ACCOUNTING SOFTWARE FOR YOUR APPLE

GENERAL LEDGER

If you are a business person who is looking for ultimate performance, take a look at this outstanding General Ledger package from Small Business Computer Systems.

Our package features six digit account numbers, plus thirtyone character account names. We have ten levels of subtotals,
giving you a more detailed income statement and balance
sheet with up to nine departments. Either cash or accrual
accounting methods may be used. The cash journal allows a
thirty-three character transaction description and automatically calculates the proper offsetting entry. You may print the
balance sheet and income statement for the current month,
quarter, or any of the previous three quarters. Also, this
year's or last year's total are included on the income
statement, depending on the current month.

There is virtually no limit on entries, since you may process them as often as you like. Two thousand (1,000 from G/L. 1,000 from any external source) can be processed in one session.

ACCOUNTS RECEIVABLE

Sound business management requires you to keep up-to-date reports regarding the status of your accounts receivable.

Now, from the same company that revolutionized accounting on the Apple II computer, with their conversion of the Osborne/McGraw-Hill Geleran Ledger program, you may now obtain the Accounts Receivable package you have been waiting for.

Our package allows you to assign your own alphanumeric customer code up to six characters. Date of the last activity, as well as amounts billed this year and last year are maintained. This Accounts Receivable system maintains six digit invoice numbers, six digit job numbers, invoice amount, shipping charges, sales tax (automatically calculated), total payments as well as progress billing information. You may enter an invoice at any time; before it's ready for billing, after you have billed it, and even after it's paid. This package also prints reports which list the invoices you have not billed yet, open items paid items, and an aging analysis of open items.

In the final analysis making your bookkeeping easier is what our software is all about. With our General Ledger package you can format your own balance sheet and income statement. Department financial statements may be formated diferently. You have complete freedom to place titles and headings where you want them, skip lines or pages between accounts and generate subtotals and totals throughout the reports — up to ten levels if you need them. Accounts Receivable is designed to provide you with complete up-to-date information. The program will print customer statements as well as post invoice amounts to any of the accounts maintained by our General Ledger package. These packages will support any printer/interface combination. General Ledger requires one hundred ten columns, Accounts Receivable requires one hundred thirty columns.

Suggested Retail:

 Individually
 \$180.00

 Together
 \$330.00

Available from your local Apple Dealer or contact SBCS SMALL BUSINESS COMPUTER SYSTEMS

4140 Greenwood Lincoln, Nebraska 68504 (402) 467-1878 on the marketplace chose to not display their wares at the CES. For example, since Radio Shack computers are not available for sale through non-Radi Shack stores, they do not display their wares at the CES.

Apple Computer, however, has used the CES as a showcase for their products. This June, Applicatelied on full page advertisements in the trade dailies, and did not have an exhibit on the floor. One could conjecture that the recent introduction of the \$4,000 + Apple III at the National Computer Conference (NCC) was considered to be adequate exposure, especially since this new product is probably not geared towards the type of markets addressed by the majority of the buyers who attended the CES. Judging from their advertising, however, it is clear that Apple is planning to maintain their strong position in the \$1,000 personal computer marketplace.

The Exidy Sorcerer was not on display either, although this was probably due in part to the forthcoming acquisition of this product line by another company.

Another computer which was not displayed was the Sharp PC-1211 hand held computer. This \$200 CMOS computer has a complete keyboard and 24 character liquid crystal display. While the product is available in Japan and Europe, it is rumored that Sharp has elected to not introduce this product in the U.S., but to wait until a later version is ready, perhaps by next year. Since the Sharp PC-1211 sup-

ports a serial I/O port, an attachment is available for storing data and programs on a conventional tape cassette. Unlike Panasonic, however, Sharp is apparently not ready to introduce the communications and printer options which are probably very important selling points for these machines. I have received one of these computers from Japan and have found it to be very nice to operate, both from a hardware and software point of view. The resident BASIC is well designed for scientific calculations, although string operations are quite limited. It will be interesting to see if another vendor picks this product up as a private label item, thus gaining income for Sharp without forcing their hand too early.

What message, if any, can one glean from all this information? For one thing we know that computer manufacturers have a long way to go before their products will appeal to the average consumer. The trends towards simpler and easier to use computers are evident. Communications (in the form of connections to information utilities such as the Source and MicroNet) are perceived as being of paramount importance to consumers, and the development of high quality software is becoming more evident. It may take a year or so, but before the end of this decade, the personal computer revolution will come home. You, as a personal computer enthusiast, have a head start on what promises to be a most exciting future.

Computer House Div.

Announces

Programing Tools For the Commodore/Disk "SCREEN DUMP/REPEAT" — \$35.00

In Machine Language, Dumps anything on CRT to Printer. Repeat Simulates Repeat on 8032 for 8K, 16K & 32K #2001.

"VARI-PRINT" - \$25.00

Prints a Listing of all variables and every line number where each occurs.

"DOCU-PRINT" - \$20.00

Similar to Screen Dump except in Basic for use within your own program.

"FET/RECOVER" - \$65.00

File Editing Tool; Examine Data Files, Fix Destroyed Pointers, Sectors may be read, Modified, Displayed or Written — Also Files may be Re-chained.

"SUPER RAM" — \$20.00

Diagnostic Routine Checks Every Possible RAM Address on 8K, 16K & 32K CBM Computers.

Available on Diskette right now.....

"SCRUNCH" - \$36.00

For Apple II or Apple II Plus. Compacts Basic Programs up to 20%.

Programs for Commodore / Apple

"Legal Accounting"	\$1200.00
"A/R, A/P, Job Est. & Job Cost	310.00
"Political Party Mailing List"	150.00

ENGINEERING & MACHINE SHOP

"Machine Part Quoting"	280.00
"Trig & Circle Tangent"	
"Bolt Circle"	25.00
"Spur Gears"	35.00
"Beams; Stress & Deflection"	145.00
"Tank Thickness"	
For Filament Winding	85.00

All 6 for only \$495.00


And many others coming soon — including Report Gen. for Commodore — Ask for Catalog #80-C2.

COMPUTER HOUSE DIV.

1407 Clinton Road Jackson, Michigan 49202 Phone: (517) 782-2132

Twice the capacity of anything available.

NEW! 2 MEGABYTE DISK DRIVE FOR COMMODORE CBM/PET.



Now you can quickly, easily and economically expand the capacity, capability and versatility of your Commodore CBM/Pet computer. Just with the addition of our all new, exceptionally fast (5,000 bytes per second—including verify) dual head, quad density disk drive

Its 2 megabyte unformatted capacity is over twice the size of any Commodore compatible drive from any manufacturer.

This on-line drive includes DOS operating system plus 17 additional BASIC commands and random or indexed sequential access.

It's completely plug compatible with the dynamic RAM Pet. Backed by comprehensive 90 day factory warranty. 500k and 1.0 megabyte on-line drives are also available.

Make your Pet twice as good. Return the order blank today!

Immediate Delivery, Order Today!

Comi	YUTHINK		
965 W. Ma	rude, Sunnyvale, CA 9	94086. (408) 245-40)33
Please ser	nd me the following:		
Pet Drive:	□ 2.0 Mb @ \$2495	□ 1.0 Mb @ \$1695	□ 500k @ \$1295
☐ TRS-80	500k Disk Drive @ \$12	295	
□ Name (of nearest Computhin	k dealer	
Total encl	osed: \$		
	Money Order only. Co e-paid in continental		
Dealer Ind	quiries Invited.		
Name			
Address_			
20200	1702504		5000

Teaching Basic Academic Skills Can Micros Make A Difference?

Tory Esbensen, Coordinator of Elementary Curriculum and Instruction Doug Hed, Supervisor of Media Services, Edina Public Schools, Edina, Mn.55435

As microcomputers become more visible in school settings, they may be increasingly asked to present their teaching credentials. This report is a preliminary attempt to respond to that likely development.

In the fall of 1979, the Iowa Tests of Basic Skills were given to all of the 3rd and 5th graders in the Edina Public Schools. Students who scored poorly on these tests in capitalization, punctuation, and usage, were singled out to take advantage of microcomputer programs written for the PET in these academic areas by MICRO-ED, INC. (Box 24156, Minneapolis, Minnesota, 55424).

Although every elementary school in the Edina system uses microcomputers, and although microcomputer programs are readily available to any classroom teacher wishing to employ them, for the purpose of this project special instructional arrangements were made with student support centers that had been established in four of our elementary schools. Briefly, in those schools where support centers existed, 3rd and 5th grade students who scored in the bottom quartile of the Iowa Tests in capitalization, punctuation, and usage, were targeted to receive additional instruction from microcomputers. This selection procedure was based on local norms which are higher than national norms.

It is important to emphasize that no attempt was made to handle this as a pure research project. No students were used as a control group. In the four schools in which the project was formally carried out, we tried to provide microcomputer instruction to every student who seemed to need it. In those schools which had no support centers, microcomputers were also used by individual teachers to provide additional instruction to students. No attempt was made to restrict this in any way.

Above all, great care was taken to avoid giving any impression that microcomputers are somehow preferable to other modes of instruction. In our opinion, it is important to have micros viewed as the instructional allies of teachers, not as competitors.

Therefore, what this report will provide is information concerning what happened to a group of students when microcomputers were used to play a major role in furnishing certain kinds of remedial instruction. No comparison with other instructional practices or results is intended or implied.

We shall begin by considering a group of 59 fifth grade students who scored the lowest in the Iowa Tests in the area of English usage. In the fall of 1979, based on national norms, the median score

for this group placed it at the 37th percentile for a grade equivalent score of 4.4.

When this group was re-tested in the spring of 1980, its median score for English usage placed it at the 58th percentile for a grade equivalent score of 6.4. Academically, this group of students gained a total of 20 months over a period of 7 months.

Next we shall look at a group of 67 fifth grade students who scored the lowest in the Iowa Tests in the area of punctuation. In the fall of 1979, based on national norms, the median score for this group placed it at the 36th percentile for a grade equivalent score of 4.5.

When this group was re-tested in the spring of 1980, its median score for punctuation placed it at the 62nd percentile for a grade equivalent score of 6.5. Academically, this group of students also gained a total of 20 months over a period of 7 months.

Then we shall consider a group of 73 fifth grade students who scored the lowest in the Iowa Tests in the area of capitalization. In the fall of 1979, based on national norms, the median score for this group placed it at the 35th percentile for a grade equivalent score of 4.5.

When this group was re-tested in the spring of 1980, its median score for capitalization placed it at the 70th percentile for a grade equivalent score of 7.0. Academically, this group of students gained a total of 25 months over a period of 7 months.

Now we shall consider a group of 43 third grade students who scored the lowest in the Iowa Tests in the area of capitalization. In the fall of 1979, based on national norms, the median score for this group placed it at the 25th percentile for a grade equivalent score of 2.4.

When this group was re-tested in the spring of 1980, its median score for capitalization placed it at the 59th percentile for a grade equivalent score of 4.2. Academically, this group of students gained a total of 18 months over a period of 7 months.

Next we shall look at a group of 35 third grade students who scored the lowest in the Iowa Test in the area of English usage. In the fall of 1979, based on national norms, the median score for this group placed it at the 33rd percentile for a grade equivalent score of 2.4.

When this group was re-tested in the spring of 1980, its median score for English usage placed it at the 72nd percentile for a grade equivalent score of 5.1. Academically, this group of students gained a total of 27 months over a period of 7 months.



Skyles Electric Works

Your students are gathering around the several PET computers in your classroom. And they all are hungry for hands-on turns at the keyboards. Some students are just beginning to understand computers; others are so advanced they can help you clean up the programs at the end of the period. How do you set up a job queue, how do you keep the beginners from crashing a program, how do you let the advanced students have full access? And how do you preserve your sanity while all this is going on?



A. With the Regent.

Q. What is the Regent?

The ultimate in classroom multiple PET systems. A surprisingly inexpensive, simple, effective way to have students at all levels of computer capability work and learn on a system with up to 15 PETs while the instructor has complete control and receives individual progress reports.

Up to 15 PETs, one dual disk drive and as many as five printers can interface with the Regent, and do all those good things we promised. It's designed to operate with 8K, 16K, 32K PET/CBM models and with the Commodore disk drives and new DOS.

Five levels of user privilege, from the Systems Level, through Levels One and Two, Student; Levels One and Two, Operator. From only the use of system commands to complete control for the exclusive use of the instructor.

There's complete system protection against the novice user crashing the program; the instructor has total control over, and receives reports concerning, usage of all PETs.

A complete set of explanations for all user commands is stored on the disk for instant access by all users. And a printout of the record of all usage of Regent is available at the instructor's command.

The Regent includes a systems disk with 100,000-plus bytes for program storage, a ROM program module, together with a Proctor and a SUB-it . . . and complete instructor and student user manuals.

Q. SUB-it? Proctor? What are they?

The SUB-it is a single ROM chip (on an interface board in the case of the original 2001-8 models) that allows up to 15 PETs to be connected to a common disk via the standard PET-IEEE cables. The Commodore 2040, 2050 or 8050 dual disks and a printer may be used.

(The SUB-it has no system software or hardware to supervise access to the IEEE bus. The system is thus unprotected from user-created problems. Any user even a rank novice - has full access to all commands

and to the disk and bus. This situation can, of course be corrected partially by the Proctor, completely by the

The SUB-it prevents inadvertant disruption when one unit in a system is loading and another is being used.

The Proctor takes charge of the bus and resolves multiple user conflicts. Each student can load down from the same disk but cannot inadvertently load to or wipe out the disk. Good for computer aided instruction and for library applications, offering hundreds of programs to beginning computer users.

A combination of hardware and software protects the disk from unexpected erasures and settles IEEE bus usage conflicts. Only the instructor or a delegate can send programs to the disk. Yet all the PETs in the system have access to all disk programs. Available for all PET/CBM models. SUB-it and PET intercontrol module and DLW (down-loading software) are included.

O How expensive are these classroom miracles?

We think the word is inexpensive. The Regent A system is \$250 for the first PET; \$150 for each additional PET in the system. The SUB-it is \$40. (Add an interface board at \$22.50 if the PET is an original 2001-8.) And the Proctor is \$95.

There are cables available, too: 1 meter at \$40 each; 2 meter, \$60 each: 4 meter, \$90 each.

Phone or write for information. We'll be delighted to answer any questions and to send you the complete information package.



Skyles Electric Works | Mountain View, CA 94041

231 E South Whisman Road (415) 965-1735

Finally, we shall report on a group of 39 third grade students who scored the lowest in the Iowa Tests in the area of punctuation. In the fall of 1979, based on national norms, the median score for this group placed it at the 20th percentile for a grade equivalent score of 2.2.

When this group was re-tested in the spring of 1980, its median score for punctuation placed it at the 80th percentile for a grade equivalent score of 5.3. Academically, this group of students gained a total of 31 months over a period of 7 months.

Inasmuch as our elementary student support centers played such a central role in the shaping of this microcomputer instructional project, it would seem appropriate to explain something about the operation of these centers.

During the 1979-80 school year, our Concord, Cornelia, Creek Valley, and Wooddale elementary schools housed student support centers. By the fall of 1980, all of our elementary schools will have them. Here is how these centers function:

Each one is supervised by a paraprofessional, and instruction there is not necessarily remedial in nature. Students are scheduled into the center according to specific instructional needs as determined by their classroom teachers. A student may begin work in the center at any time during the year, and continue until a designated sequence of lessons has been completed.

Different kinds of instructional materials and equipment (kits, tape recorders, etc.) are available in the center. Nevertheless, the microcomputer has been the major engine of instruction. It is not hard to understand why.

Unlike many other machines, the microcomputer is not a special function device. The typical piece of hardware is dedicated to perform a specific function. Thus, a motion picture projector shows films, a record player plays records, and so on. Not so with the computer. Sometimes called a "smart" machine, this sophisticated device needs only to be told what to do in order to carry out a broad range of tasks. It can help manage a business enterprise, assist doctors in diagnosing illnesses, and play a strong game of chess. As our present study shows, it can help students learn effectively.

What sets the microcomputer apart from its more ponderous ancestors? The expression computer-on-a-chip tells the story. The ability of modern technology to miniaturize its creations means that something small can nevertheless be incredibly powerful. A microcomputer such as the PET weighs only about forty pounds, uses no more energy than a 150-watt light bulb, and can be plugged into an ordinary electrical outlet as you would a radio or phonograph. Although it costs no more than a good television set, its versatility, for all practical purposes, is limited only by the skill and imagination of those who know how to

use it. Within the field of education, its capabilities are only just beginning to be explored.

What do students think of the microcomputer? Our student support center personnel are unanimous in their verdict: The students love it! Indeed, never was remedial instruction sought with such eagerness as when it was offered by way of the microcomputer.

Teachers, too, for the most part, have been supportive of this mode of instruction - increasingly so as time has gone on. Several have commented favorably on the tangible benefits they have observed as a result of their students having worked with micros.

Although parents have not been queried formally as to their views on the matter, a number of them have voluntarily expressed their enthusiasm for the use of microcomputers as an additional aid to learning.

So where do we go from here? Let us tentatively offer these concluding thoughts:

The education establishment (of which we are bona fide members) will take most kindly to microcomputers when these wonderful instruments are seen as supplemental to other forms of instruction, not as replacements for them. This means that manufacturers and publishers alike would be well advised to promote micros as being particularly useful to teachers in the areas of remediation, enrichment, special education, and homebound instruction. Implication: Any comprehensive and relatively expensive arrangement requiring full-scale classroom participation may be a difficult package to sell to educators.

Mastery learning, including competency-based teaching and testing, may very well be an idea whose time is rapidly coming if, indeed, it is not already here. Implication: It is possible that as school people generally begin to grasp some of the implications of microcomputers for education, it will be seen tht micros may be fundamental to the successful application of mastery learning on a broad scale.

No one, of course, can clearly foresee what is going to happen. But all of us who are impressed by the mighty potential of the microcomputer would do well not to repeat the mindless optimism of the 1960's when (do you remember?) teaching machines first blossomed. In those halcyon days, equipment vendors rushed to market with hardware that needed only programs in order to teach anything. Teachers, it was cheerfully assumed, would quickly fill this need by creating instructional hearts for tin woodsmen. Alas, this did not happen. Implication: We should carefully avoid making this mistake again. Finally, this observation:

A famous educator once said, "Madam, we guarantee results - or we return the boy!"

In our dawning new age of customer-oriented education, what is more likely to be returned now is the machine.

Basic In A Nutshell

Name: Step-By-Step

Vendor: Program Design, Inc., 11 Idar Court, Greenwich CT 06830

Price: \$49.95

Purpose: Teaches how to program

a TRS-80 using BASIC

Documentation: Outstanding Loading: OK – Level 6, not critical Implementation: This is a case of a BASIC program that teaches BA-SIC programming. It starts out with the assumption that the student only knows how to turn the TRS-80 on. Three cassette tapes are mounted in the cover of a looseleaf notebook that also contains supplementary information frames. The course is divided into ten twopart lessons. From a simple PRINT "HI" through arrays and graphics to complex programs, all of the Level Il commands and statements are exercised

The instruction method consists of explanation, example, trial and testing. Commands and statements are presented and explained, examples are shown both on the screen and in the notebook, and then the student is presented with some problems to solve using the BASIC elements under discussion. If an incorrect answer is given,

two more tries are allowed, and then the correct answer is displayed. Each lesson ends with a test that is administered and scored by the computer. The results are then entered into the student's progress chart. More comprehensive examinations are given at the end of Lesson 5 and at the end of the course.

Suitability: This is the kind of educational programming that personal computing needs more of. The student (my teenage son) learned much more quickly than I could have taught him, and at his own pace. However, this course isn't just for youngsters but for anyone who wants to be able to program effectively using the BASIC language. In a household where there isn't anyone to do the teaching, this course would be especially useful. I'd like to see a similar course for assembly-language programming.

Other software available from the same vendor: IQ Builders (four different kinds), Memory Builder and Story Builder.


Reprinted with permission: 80 Microcomputing, February 1980

Step by Step also available for Apple II and Pet Apple II version also available on disks for \$59.95. Available at Computerland and other fine computer dealers. Or, use the coupon below.




Program Design, Inc. 11 Idar Court Greenwich, Conn. 06830 203-661-8799

	ORDER FORM		
Quantity	Title	Computer	Price
	STEP BY STEP		
Please send me a list of dec Check or m.o. enclosed \Box	alers in my area 🗆		5% 7%
BankAmericard/VISA # Mastercharge #	Name: Address:	TOT	AL
MC 4 digits over name EX date Phone	City:	* Foreign	orders: U.S. funds 0.



A Problem Solving Computer Software Program

Colupad™ is a unique computer tool which allows you to create, store, selectively retrieve and perform math operations upon data and then generate reports using that data. Colupad™ can best be visualized as the typical columnar accounting pad found in most offices. Powerful, but simple to use, **Colupad™** has such features as:



- 24 columns and 40 rows for data manipulation
- Space for row and column descriptions
- Ability to store 24 constants per page
- Ability to reference decimal places for each column
- Ability to perform math functions on one column and store in another
- Ability to add, subtract, multiply, etc., one column to another and then place resulting data in a different column
- Print a whole page, selective columns or rows
- Save whole pages to disk Retrieve whole pages, selective rows, or columns from disk
- Plus much, much, more

One page of the pad, the worksheet, is in computer memory. The pad consists of worksheets stored on disk and linked by name. Pad size is only limited to diskette capacity.

If you find yourself spending hours (or days) copying, adding, subtracting, or whatever one column by another or just compiling data on a columnar pad then **Colupad™** can save you time, and in your business time is money.

Colupad™ requires a 32K PET, Disk, and printer. - \$150.00.

TO PLACE YOUR ORDER CALL (919) 362-4200 or (919) 362-5671 LOOK FOR MORE PROBLEM-SOLVING SOFTWARE FROM

tcetera Internationa

Software Marketing Division of

P.O. Box G-Old NC 42 ||||||| Apex, North Carolina 27502 919-362-4200

DEALER INQUIRIES INVITED

Finally...Serious Expansion for the AIM-65



Introducing Memory-Mate*, the AIM-65 expansion board that lets you spend your time on application solutions, not hardware hassles. Add Memory-Mate to your AIM-65 and make quick work of development and process control projects.

In its primary function, the Memory-Mate board provides 16-48K of RAM expansion assignable in 4K blocks anywhere in the system. Memory-Mate's parity check circuitry insures system RAM integrity (including AIM's 4K on-board RAM) for high reliability applications. The programmable write protect feature eases software development chores. This compact board, which fits directly **beneath** the AIM, also includes four programmable I/O ports, a tone generator for audible warnings, and sockets for 4K of PROM.

I/O intensive applications are accommodated with Memory-Mate's STD BUS interface option. Use off-the-shelf STD BUS cards to solve your biggest I/O problems.

The Memory-Mate with 16K RAM is priced at \$475, with 16K expansion chip sets (including parity chip) costing \$100 each. With 48-hour active burn-in and warranty for a full year, you won't have to worry about reliability either.

First of the complete AIM-Mate* series, Memory-Mate will be joined shortly by the Video-Mate*, Floppy-Mate* and the AIM-Mate case. For further information on the entire AIM-Mate series, write 'Attn: AIM-Mate Series' at the address below.

*TM Forethought Products

Forethought Products

87070 Dukhobar Rd., Eugene, OR 97402 (503) 485-8575

RS232 COMMUNICATIONS

Michael E. Day 2590 DeBok Road West Linn, OR 97068

As more computer equipment is purchased by the small systems user, connecting this equipment together becomes a bigger problem, particularly when the equipment is made by different manufacturers.

One of the more common methods of connecting data communications equipment together is by way of the RS232 standard. However, even this has been cause for confusion, as there are various levels of implementation within the standard.

The purpose of this article is to provide sufficient information concerning the RS232 standard to allow proper implementation at the desired level.

The minimum level of RS232 consists of:
Pin 2 TXD (Transmitted Data -OUT-)
Pin 3 RSD (Received Data -IN-)
Pin 7 Logic Grnd

The 2nd level consists of the minimum level plus:
Pin 6 DSR (Data Set Ready)
Pin 8 DCD (Data Carrier Detect)

Pin 20 DTR (Data Terminal Ready)

The 3rd level consists of the other two levels plus:
Pin 4 RTS (Request to Send)
Pin 5 CTS (Clear to Send)

Pin 1 Protective Ground should be used at all levels; however, it is not required for proper operation.

Pin 22 RI (Ring Indicator)

Level 1 is normally used with equipment tied directly to each other, such as a terminal tied directly to a computer. Level 2 is normally used where some degree of handshaking is required, and is often found on accoustic couplers. The third level is used where a more detailed control of the information flow is required. This level will usually be found with auto answer modems.

This is a generalization of what will be encountered by the small systems user, and in no way implies that all equipment will follow these rules. Some equipment will need other special signals, or not use all of the signals within a specific level. Synchronous transmission will normally require additional special lines and will be described in detail later.

There have been three standards of RS232 produced--A, B, & C. RS232A is obsolete, and equipment using this standard is almost non-existent. RS232B is also obsolete; however, there is still some old equipment around that uses this standard. RS232B is basically the same as RS232C except that the Transmit Data and Receive Data signal levels

are inverted; that is, a marking condition is a positive level rather than a negative level.

The following is a description of the full RS232C standard. It is not required that all signals be provided, and it may be implemented in part or in full.

Each data set has a standard 25-pin connector (Cinch or Cannon chassis-mount, female type DB-25S). The table below has the pin number, the circuit mnemonic, and description for each signal in the RS232-C interface. Unassigned pin may have a different function in each type of data set, so check the technical manual for pin assignments for each data set.

Pin Number Mnemonic Description

1	AA	Protective Ground
2	BA	Transmitted Data
3	BB	Received Data
4	CA	Request to Send
5	CB	Clear to Send
6	CC	Data Set Ready
7	AB	Signal Ground (Common Return)
8	\mathbf{CF}	Received Line Signal Detector
9		(Reserved for Data Set Testing)
10		(Reserved for Data Set Testing)
11		Unassigned
12	SCF	Sec. Rec'd. Line Sig. Detector
13	SCB	Sec. Clear to Send
14	SBA	Secondary Transmitted Data
15	DB	Transmission Signal Element
		Timing (DCE Source)
16	SBB	Secondary Received Data
17	$\mathbf{D}\mathbf{D}$	Receiver Signal Element Timing
		(DCE Source)
18		Unassigned
19	SCA	Secondary Request to Send
20	CD	Data Terminal Ready
21	CG	Signal Quality Detector
22	CE	Ring Indicator
23	CH/CI	Data Signal Rate Selector
		(DTE/DCE Source)
24	$\mathbf{D}\mathbf{A}$	Transmit Signal Element Timing
		(DTE Source)
25		Unassigned
		3

For timing and control interchange signals, the function will be ON when the voltage is more positive than plus three volts and OFF when the voltage is more negative than minus three volts. The table below illustrates the signal function voltage relationships.

INTERCHANGE VOLTAGE

	NEGATIVE -3 to -25	POSITIVE + 3 to + 25
Binary State	1	0
Signal Condition	Marking	Spacing
Function	OFF	ON

HAYDEN SOFTWARE...

New!

DATA MANAGER: A Data Base Management System and Mailing List

(Lutus) Do what the big machines do with your Apple II! This all-machine language program stores up to 96,000 alphanumeric characters on just one floppy disk. Powerful cursor-based editor facilitates easy information alteration in the data base. Program permits the user to sort on any key and subfiles on any search. Retrieve data in any combination of categories from up to 32,000 characters within one-half second. Choose between screen display or serial printout (via the game paddle connector). Ideal for mailing lists, data banks, index files, or any other facts, files, or statistics that are begging to be organized. #04909, Apple II Disk Version, \$49.95.

New!

APPLE ™ ASSEMBLY LANGUAGE DEVELOPMENT SYSTEM

(Lutus) Enter the world of machine language programming with this brand new, winning, utility program. This very capable Assembler/ Editor/Formatter allows you to write and modify your language programs quickly and easily. Features a cursor-based editor, local and global labels, and disk-based macros which permit you to incorporate frequently used subroutines into any program. Formprint program lets you print a formatted listing of source and object files. #04609, Apple II Disk Version, \$39.95.

Available at your local computer store!

Hayden Book Company, Inc. 50 Essex Street, Rochelle Park, NJ 07662

or Call Toll Free, 24 hours a day, (1-800-827-3777, ext. 302)* TO CHARGE YOUR ORDER TO Master Charge or Visa! Minimum order is \$10.00; Customer pays postage and handling From Missouri, call 1-800-892-7655, ext. 302.

New!

MICROCOMPUTER CIRCUIT ANALYSIS PROGRAM


(Savon) Minimize your time calculating the frequency response of a circuit with this new program. MCAP performs a linear voltage, impedence, or transfer impedence analysis of an electronic circuit. Enter the circuit description in a systematic nodal notation and the program then calculates, lists and plots the circuit's frequency response. MCAP readily analyzes circuits with up to 15 nodes — larger circuits can be divided into subsections for individual analysis. And, the circuits analyzed can contain any or all of the six types of components: resistors, capacitors, inductors, bipolar transistors, FETs, and Op-Amps. Educators in particular will find this a strong applications program for circuit analysis. #04504, Apple II; #04501, PET; each Cassette \$24.95.



For those who prefer their ready-to-run programs

WELL DO

The figure below illustrates a 2-wire, point-to-point, half duplex, and a telephone leased line which is always available to the customer.



Assume that the computer needs to transmit a message to the terminal. The computer's software brings up the "data terminal ready line" to its data set. If the data set is "ON" it will return "Data Set Ready" (interlock it) to the computer. When the computer wants to transmit, it raises the "request to send" level which tells the data set to turn on the carrier wave. The carrier wave is sent from the computer's data set over the telephone circuit to the terminal's data set. The terminal's data set, upon detecting the carrier, will raise the "Received Line Signal Detector" level to inform the terminal, in effect, that a message is about to be received. After a fixed delay time (strappable in some data sets) and after raising "Request ToSend," the computer's data set will return, "Clear To Send." The computer upon receiving the "Clear To Send" signal, can now start transmitting the message, as marks and spaces, on the "Transmitted Data" line to its data set. The data set converts the digital signals into frequency or phase-- shifted signals for transmission over the leased line to the terminal's data set.

Most data sets contain a clamp circuit which clamps the "Received Data" line. "Received Line Signal Detector" level is not generated until after the carrier is detected. The clamp delay masks out all the possible noise on the line which occurs during the switching from either transmit to receive or receive to transmit.

If this was a synchronous operation, the clocking or synchronization of each bit would be done by the computer's data set. So that the computer knows when each bit must be placed on the "Transmitted Data" line, the data set sends clock to the computer on the "Transmission Signal Element Timing" line. This clock will be coincident with the leading adge of each data bit on the "Transmitted Data" line.

At the terminal end of the system, the computer's data set turns on its carrier; the terminal's data set detects it and sends "Carrier Detected" level to the terminals. Several milliseconds later (length determined by the "Clear To Send" delay in the transmitting data set), the first message bits arrive and are converted to a digital signal, which is passed from the data set to the terminal on the "Received Data" line. In synchronous operation, clocking for the data is generated by the receiving data set and is passed to the terminal on the "Receiver Signal Element Timing: line in order that the terminal can correctly clock the bits into its

buffer or memory as they arrive. The clock pulse is timed to occur at the center of the data bit on the "Received Data" line.

The following is a list of the definitions of the RS232-C signals which are listed in order of pin number. To simplify the definitions, the transmitter of the message will be identified as the "transmitting terminal" and the receiver as the "receiving terminal."

PROTECTIVE GROUND PIN 1: This ground is electrically connected to the equipment frame. It may be connected to external grounds, as required.

TRANSMITTED DATA PIN 2: This signal is generated by the transmitting terminal and is transferred to the local transmitting data set for transmission of data to the receiving terminal. The transmitting terminal will hold "Transmitted Data" in marking condition during the intervals between characters or words, and at all times when no data are being transmitted.

In all systems, the transmitting terminal will not transmit data unless an ON condition is present on all of the following four signals:

- 1. Request To Send
- 2. Clear to Send
- 3. Data Set Ready
- 4. Data Terminal Ready

RECEIVED DATA PIN 3: This signal is generated by the receiving data set in response to data signals received from transmitting terminal via the transmitting data set. "Received Data" will be held in the binary one (marking) condition at all times when "Received Line Signal Detector" is in the OFF condition. This is called clamping the line.

On a half-duplex channel, "Received Data" signal will be held in the binary one (marking) condition when "Request To Send" is in the ON condition and for a brief interval following the ON to OFF transition of "Request To Send" signal to allow for the completion of transmission and the decay of line reflections. This is called squelch.

REQUEST TO SEND PIN 4: This signal is used to condition the data set for data transmission. On simplex channels or duplex channels, the ON condition maintains the data set in the transmit mode. The OFF condition maintains the data set in a non-transmit mode.

On a half-duplex channel, the ON condition maintains the data set in the transmit mode and inhibits the received mode. The OFF condition maintains the data set in the receive mode.

A transition from OFF to On instructs the data set to enter the transmit state which turns on the carrier. The data set responds by taking such action as may be necessary and indicates completion of such actions by turning ON "Clear To Send," thereby indicating to the terminal that data may be transferred on the interchange signal "Transmitted Data."

A transition from ON to OFF instructs the data set to complete the transmission of all data which was previously transferred on the interchange signal "Transmitted Data" and then assumes a nontransit mode or a receive mode, as appropriate. The data set responds to this instruction by turning OFF "Clear To Send" when it is prepared to again respond to a subsequent ON condition "Request To Send."

When "Request To Send" is turned OFF, it will not be turned ON again until circuit "Clear To Send" has been turned OFF by the data set.

An ON condition is required on "Request To Send" as well as on "Clear To Send," "Data Set Ready" and, where implemented, "Data Terminal Ready" whenever the transmitting terminal transfer data on the interchange signal "Transmitted Data."

It is permissible to turn "Request To Send" ON at any time when "Clear To Send" is OFF, regardless of the condition of any other interchange circuit.

CLEAR TO SEND PIN 5: A signal generated by the data set to indicate whether or not the data set is ready to transmit data.

The "Clear To Send" ON condition together with the ON condition of interchange signals "Request To Send," "Data Set Ready" and, where implemented, "Data Terminal Ready" will be transmitted to the communication.

The OFF condition is an indication to the transmitting terminal that it should not transfer data across the interface on interchange "Transmitted Data."

The ON condition of "Clear To Send" is a response to the occurrence of a simultaneous ON condition on "Data Set Ready" and "Request To Send" delayed as may be appropriate to the data set for establishing a data communication channel to a remote terminal (including the removal of the MARK HOLD clamps from the received data interchange circuit of the remote data set).

Where "Request To Send" is not implemented in the data set with transmitting capability, "Request To Send" shall be assumed to be in the ON condition at all times and "Clear To Send" will respond accordingly.

DATA SET READY PIN 6: This signal is used to indicate the status of the local data set. The ON condition of this signal is presented to indicate

SECONDARY RECEIVED DATA PIN 16: This circuit is equivalent to "Received Data" except that it is used to receive data on the secondary channel.

When the secondary channel is useable only for circuit assurance or to interrupt the flow of data in the primary channel, "Secondary Received Data" is normally not provided. See interchange "Secondary Received Line Signal Detector."



■ 18 Computers can <u>share</u> disk drives, printers or other devices on the IEEE bus.

■ Includes RS-232 and terminal programs. (Hardware will soon be available for approximately \$50.)

Auto-boot. You can even initialize disks and run "Hello" program.

■ Modify your basic commands for restricted access (better security).

■ RUN/STOP key. Disabled, or modified to "Return to menu."

- Chain disk programs automatically.
- Auto clear.
- All keys repeat (adjustable).
- Low cost. 2 ROM and 1 disk set (one set required for each computer).

For PET/CBM users. Schools, banks, laboratories and businesses can greatly multiply their capabilities at an unbelievably low cost.

MasterCard, VISA and C.O.D. orders accepted. 15-day return privileges. Specify N or B keyboard. Dealer inquiries invited.



LIMITATIONS WHILE ON THE SUPERBUS: 1) THE CASSETTES CANNOT BE WRITTEN TO. 2) ONLY THE SECOND CASSETTE CAN BE READ FROM. 3) ONLY ONE USER CAN BE USING THE SYSTEM RESOURCES AT ONE TIME, BUT ANY NUMBER CAN BE WAITING.

RECEIVER SIGNAL ELEMENT TIMING PIN 17:

Signals on this circuit are used to provide the terminal with received signal element timing information. The transition from ON to OFF condition shall normally indicate the center of each signal element "Received Data." Timing information on "Receiver Signal Element Timing" shall be provided at all times when circuit "Received Line Signal Detector," is in the ON condition. It may, but need not, be present following the ON to OFF transition of "Received Line Signal Detector."

UNASSIGNED PIN 18: This pin may be used by the manufacturer for any purpose desired.

SECONDARY REQUEST TO SEND PIN 19:

This signal is equivalent to "Request To Send" except that it requests the establishment of the secondary channel instead of requesting the establishment of the primary data channel.

Where the secondary channel is used as a backward channel, the ON condition of "Request To Send" will disable "Secondary Request To Send" and it will not be possible to condition the secondary channel transmitting data set to transmit during any time interval when the primary channel transmitting data set is so conditioned. Where system considerations dictate that one or the other of the two channels be in transmit mode at all times but never simultaneously, this can be accomplished by permanently applying an ON condition to "Secondary Request To Send" and controlling both the primary and secondary channels, in complementary fashion, by means of "Request To Send." Alternatively, in this case, "Secondary Clear To Send" need not be implemented in the interface.

When the secondary channel is useable only for circuit assurance or to interrupt the flow of data in the primary data channel, "Secondary Request To Send" will serve to turn ON the secondary channel carrier. The OFF condition of "Secondary Request To Send" will turn OFF the secondary channel carrier and thereby signal an interrupt condition at the remote end of the communication channel.

DATA TERMINAL READY PIN 20: This signal is used to control switching of the data set to the communication channel. The ON condition prepares the data set to be connected to the communication channel.

SIGNAL QUALITY DETECTOR PIN 21: Signals on this circuit are used to indicate whether or not there is a high probability of an error in the received data.

As ON condition is maintained whenever there is no reason to believe that an error has occurred.

An OFF condition indicates that there is a high probability of an error. It may, in some instances, be used to call automatically for the retransmission of the previously transmitted data signal. Preferably the response of this circuit shall be such as to permit identification of individual questionable signal elements on "Received Data."

RING INDICATOR (CE) PIN 22: The ON condition of this signal indicates that a ringing signal is being received on the communication channel.

DATA SIGNAL RATE SELECTOR PIN 23:

Signals on this circuit are used to select between the two data signaling rates in the case of dual rate synchronous data sets or the two ranges of data signaling rates in the case of dual range non-synchronous data sets.

An ON condition shall select the higher data signaling rate or range of rates.

The rate of timing signals, if included in the interface, shall be controlled by this circuit as may be appropriate.

TRANSMIT SIGNAL ELEMENT PIN 24: Signals on this circuit are used to provide the transmitting data set with signal element timing information.

The ON to OFF transition shall nominally indicate the center of each signal element on "Transmitted Data." When "Transmit Signal Element Timing" is implemented in the data set, the data set shall normally provide timing information on "Transmit Signal Element Timing" whenever the data set is in a power on condition. It is permissible for the data set to withhold timing information on this signal for short periods provided "Request To Send" is in the OFF condition.

UNASSIGNED PIN 25: This pin may be used by the manufacturer for any purpose desired.

Although the "EIA" publishes an interface standard, some data set manufacturers do not conform to the standard in all cases. *CHECK* the specifications on each data set to determine which signals are on each pin.

D & R 2nd-Cassette System FEATURES: Sanyo Recorder M2544A. Digital Counter. Compatible with EASTERN HOUSE Software's High Speed Cassette Routines – Loads 8K in 38 seconds. Includes Interface Module and all Plugs & Cables. \$83.00 Check or Money Order. Add \$3.00 for Shipping and Handling. Canada (U.S. Funds). \$6.00 S & H. Mich. 4% Tax. Charge Card Customers add 5%. CREATIVE SYSTEMS PEATURES: YES! You Can Have Your PET™ And Counter Too.

313 - 771-1392

DEALERS WRITE

P.O. BOX 402C

ST. CLAIR SHORES, MI 48080

INTRODUCING THE NEW IMPROVED

BUSINESS ENHANCEMENTS COMPUSERVICE BUSINESS SOFTWARE

Micro Mini Computer World Inc. is an execlusive distributor for the BUSINESS SOFT-WARE developed by Business Enhancements Compuservice of Escondido, California.

B.E.C. VALUE ADDED BENEFITS • Total commitment to the development of excellent business software for the puter systems.

If you are selling or using the COMMODORE BUSINESS MACH-INES or the APPLE computer systems, then you should provide yourself and your customers with the MOST COST EFFECTIVE and COMPREHENSIVE business software for a business computer system.

CURRENT B.E.C. SOFTWARE

- General Ledger--Master File 1000 Accounts and Journal File 4400 Entries
- Accounts Receivable--Master File 1170 Accounts and Invoice File 1430 Entries
- Accounts Payable--Master File 1170 and Invoice File 1430 Entries
- Payroll--440 Employees
- Job Costing--1100 Items Per Disk
- Inventory-1100 Items Per Disk
- Mail List/Customer Information--1000 Entries Per Disk

Above figures apply to CBM 2001 computer system with 32K CPU and 2040 dual disk. With the new CBM 8050 Megabyte disk the volumes will be increased significantly.

B.E.C. SOFTWARE FEATURES:

- Complete and total documentation
- Step by step walk through on every program operation, with examples
- Each package is MENU driven and uses dynamic load and overlay once the initial menu is loaded.
- Examples are provided for all reports and other printed forms. All forms are available from New England Business Services Inc. (NEBS).
- All input/output operations use random access
- Sorts are machine language sorts
- Programs are interactive with the General Ledger and update the GL automatically.

COMMODORE and APPLE com-At reasonable rates Micro Mini

Computer World Inc. will provide software modifications to meet customer require ments. (Call MMCWI for further information)

 EXTENDED WARRANTY which entitles users to any enhancements to accounting software during the year of coverage. (Cost is \$100 per year)

Dealers and Interested Parties may obtain a copy of the B.E.C. software documentation for \$25. If after review you are not interested, send the documentation back, in re-saleable condition, for a full refund or apply the \$25 toward your first software purchase.

The NEW B.E.C. BUSINESS SOFTWARE requires a special ROM chip for proper operation.

Suggested Retail Prices are:

- 1. Rom chip \$70 (required on any software package)
- Individual software package \$150
- 3. All seven software packages \$995 (save

DEALER INQUIRIES ARE INVITED



74 ROBINWOOD AVE. COLUMBUS, OHIO 43213 (614) 235-5813 (614) 235-6058

Solving Equations With A Computer

Marvin L. De Jong Department of Mathematics-Physics The School of the Ozarks Pt. Lookout, MO 65726

INTRODUCTION

There is a large body of knowledge, known as "Numerical Analysis," that is used to solve problems that would be either too difficult or too inefficient to solve with either hand calculations or an electronic calculator. The problems generally attacked with numerical analysis techniques require either a computer or a programmable electronic calculator. The purpose of this article is to show how a few techniques from numerical analysis can be used to solve difficult equations. These techniques do not require any extraordinary mathematical skills; a first course in high-school algebra will suffice.

To begin, we will assume you can solve equations of the type,

$$2x + 5 = -3 \tag{1}$$

This type of equation is solved using the rules: **RULE** (1) The same number (or algebraic expression) can be added or subtracted from both sides of an equation.

RULE (2) Both sides of an equation can be multiplied or divided by any non-zero number (or algebraic expression).

Thus, in Equation (1), we would first subtract five from both sides of the equation and next both sides of the equation would be divided by two, giving x = -4 as the answer. Any equation of the form

$$Ax + B = C (2)$$

has a solution x = (C - B)/A, which is very easy to program in BASIC or FORTRAN. The program in Listing 1 does this. Listing 1. Program to solve a linear equation.

10 INPUT A, B, C 20 X = (C - B)/A 30 PRINT X 40 END

Clearly in this case the problem could just as well have been done with pencil and paper. We are interested in more difficult problems, but RULES (1) and (2) above describe how equations may be modified to get the unknown "x" by itself on one side of the equation, and we will need these rules in what follows.

To these rules we add a third, namely

RULE (3) In certain cases both sides of an equation may be operated on by the same function and the results are still equal.

To illustrate, if $x^2 = 9$, then we may operate on both sides of this equation with the square root function (SQR in BASIC) to get x = 3. Note that this technique misses the answer x = -3, but it illustrated the fact that taking the square root of both sides of an equation (usually) yields a valid result. Likewise, one can take the logarithm (LOG in BASIC) of both sides of an equation provided we are dealing with positive numbers, and we can take the exponential function (EXP in BASIC) of both sides of an equation, using RULE (3).

The type of equations that are of interest in the present context can best be illustrated by some examples. How would you solve for x in the following equations:

$$x^2 = \cos(x) \tag{3}$$

$$e^{X} - 4x = 0 \tag{4}$$

$$\log(x) - \cos(x) = 0 \tag{5}$$

These so-called non-linear equations cannot be solved by a simple application of the rules given so far. In fact, you may be disappointed to know that no single technique will solve all possible non-linear equations. Many people like mathematics because it seems to follow simple, hard-and-fast rules that lead to answers that are either right or wrong. On the contrary, mathematics requires creativity and the ability to view a problem from many angles. Furthermore, more often than not, the answers are only approximately correct rather than absolutely correct. In any case, let us examine two techniques that may be used to solve these difficult looking equations.

The Method Of Successive Substitutions

The method of successive substitutions is one of the simplest techniques used to solve these equations. It comes with no guarantee that it will work, but because it is simple it is frequently worth trying.

The first step is to take the equation to be solved and using the three rules given in the Introduction, put the equation in a form with x on the left-hand side and everything else on the right-hand side of the equation. For example, the equation $x^2 = \cos(x)$, Equation (3) above, becomes either $x = (\cos(x))/x$ or $x = \sqrt{\cos(x)}$. It is typical to find several possible forms. This step is usually described in textbooks by telling you to put your equation in the form

$$\mathbf{x} = \mathbf{f}(\mathbf{x}) \tag{6}$$

In our example, f(x) is either $\cos(x)/x$ or $\sqrt{\cos(x)}$ depending on whether we are using $x = (\cos(x))/x$ or $x = \sqrt{\cos(x)}$. In any case, the equation is modified so that x is all by itself on one side of the equation and everything else is on the other side.

The second step is to *guess* at a value of x that will satisfy the equation. This is an important step

because it may determine the success of the method. If you cannot make a reasonable guess by inspection of the equation or from some other source of information, then you can always have your computer print a table of x and f(x) to see where they are (almost) equal. For example, if you are trying to solve $x^2 = \cos(x)$ and you have completed the first step by transforming the equation to $x = \sqrt{\cos(x)}$, then use your computer to make a table of x and $\sqrt{\cos(x)}$. A few simple statements will suffice, as Listing 2 indicates. Be sure to be available to break the program because it has an infinite loop. The numbers in Table 1 were obtained with the program.

Listing 2. Program to compare x with f(x) for $x = \sqrt{\cos(x)}$.

10 X = 0 20 FX = SQR(COS(X)) 30 PRINT X, FX 40 X = X + .1 50 GO TO 20

Table 1.	X SQ	QR(COS(X))	
	0.0	1.00	
Output of the	0.1	.99	
program in	0.2	.98	
Listing 2.	0.3	.97	
	0.4	.95	
	0.5	.93	
	0.6	.90	
	0.7	.87	
	0.8	.83	
	0.9	.78	
	1.0	.73	

The values of SQR(COS(X)) in Table 1 have been truncated to two decimal places. Note in particular that at X = 0.8 the function f(x) = SQR(COS(X)) is 0.83 which is larger than X, while at X = 0.9 the function is .78 which is smaller than X. Thus, somewhere in between 0.9 and 0.8 the function will be equal to X, and the equation x = f(x) will be satisfied, giving us the answer. Thus, a good initial guess at a solution is either 0.8 or 0.9; either one will do.

The next step in solving the equation by the method of successive substitutions is to iterate. What this means is that we substitute our guess into f(x), getting a new value for x. If we call our first guess x_0 then our next guess is obtained from the equation

$$x_1 = f(x_0)$$
 and successive guesses (or approximations) are obtained from the following equations:

 $x2 = f(x_1),$ $x3 = f(x_2),$

etc. All of this is handled in the program in Listing 3. Study this program to see how the process is done.

Listing 3. Program to iterate $x = \sqrt{\cos(x)}$.

10 X = 0.8 20 FX = SQR(COS(X)) 30 PRINT FX 40 X = FX 50 GO TO 20 The results obtained from running the program in Listing 3 are given in Table 2. After three iterations (three times through the infinite loop) the answer (with a starting guess of 0.8 radians) is correct to two decimal places. After 15 times through the loop the answer is correct to six decimal places, namely 0.824132. Obviously one could build an "end" condition into the program. Suppose you want an answer correct to six decimal places. Inserting the statements:

35 IF ABS(X - FX) < .000001 THEN 60: 60 END

would do the trick.

To illustrate the problems you can have, try solving the same equation using the form $x = (\cos(x))/x$. Simply replace statement 20 in Listing 3 with

20 FX = (COS(X))/X

and run the program. Remember, this is the same equation that we are solving, but with a starting value of 0.8 radians you obtain the results given in Table 3. In this case, the answers do not get closer and closer to a solution, but the process diverges. Your luck has run out, but you were warned that the method does not always work. A way to tell if the method is going to work is available, but its explanation is beyond the scope of this article. Consult the reference at the end of this article.

Table 2. Results obtained with the form $x = \sqrt{\cos(x)}$.	Table 3. Iteration results from $x = (\cos(x))/x$
0.8 = starting value 0.834689589 0.819394751 0.826234596 0.823194739 0.824549519 0.823946477 0.824215052 0.824095467 0.824148719 0.824125007 0.824135566 0.824130864 0.824132958 0.82413240 0.82413240 0.82413245	0.8 = starting value 0.870883387 0.739652527 0.998715996 0.542078343 1.58028501 -6.00432032E-03 -166.543742 5.99978489E-03 166.669642

One other illustration should suffice before we move to another technique. Consider Equation (4). It is not in the form x = f(x), but if we use RULE (1) and add 4x to both sides we get $4x = 3^x$. Using RULE (2) we divide both sides of the equation by four to get our required form, namely $x = (e^x)/4$. Replace statement 20 in Listing 3 with FX = EXP(X)/4 and pick a starting value of say X = 0. In 15 iterations you will have found a solution good to six decimal places; X = 0.3574029 (the trailing 9 may be uncertain). However, the flush of success

may drain from your rosy cheeks when you realize that this equation has two answers, and the method of successive substitutions will not work to find the other answer.

How do we know that the equation has two answers? If you write a short program to print the value of e^x -4x for some values of x, you obtain the results in Table 4. Note that the function e^x -4x is positive at x=0.2 while it is negative at x=0.4. That means that somewhere between 0.2 and 0.4 the function e^x -4x went through zero, and at that point the equation was satisfied. That is the answer we found above, namely x=0.3574029. Note also that at x=2 the function is negative, while at x=2.2 the function is positive, indicating that another answer is to be found between 2.0 and 2.2. Try to find this answer with successive substitutions.

Table 4. The value of e^x -4x versus x.

X	EXP(X) - 4*X	
0.0	1.00	
0.2	0.42	
0.4	-0.11	
0.6	-0.58	
0.8	-0.97	
1.0	-1.28	
1.2	-1.45	
1.4	-1.54	
1.6	-1.44	
1.8	-1.15	
2.0	-0.61	
2.2	0.22	
2.4	1.42	

The Method Of Interval Halving

The failure of the method of successive substitutions to converge to an answer in certain situations is reason enough to look for another method. The method of interval halving is particularly attractive because you are (almost) guaranteed that it will find an answer if you know that the answer lies between two numbers. Refer again to our problem of finding the solution to the equation $e^x - 4x = 0$ and Table 4. Table 4 indicates that one answer is between 0.2 and 0.4 and another answer is between 2.0 and 2.2, because the function $e^x - 4x$ changes sign on these intervals. The first step in the interval halving method is to put the equation to be solved in the form

$$f(\mathbf{x}) = 0 \tag{7}$$

and to find two values of x (call them x_L and x_R , L and R for left and right) such that the function f(x) is positive for one of these values of x and it is negative for the other.

Suppose we deal with our example, $e^x - 4x = 0$. It already is in the form f(x) = 0. Furthermore, let us concentrate for the moment on the solution that we could not find with the method of successive substitutions. That solution we know to be between x = 2.0 and x = 2.2. Thus, $x_L = 2.0$ and $x_R = 2.2$

The second step is to try a value of x half-way between x_L and x_R . This is where the name "interval halving" originates. This value of x, call it x_M (M for middle) is given by the simple expression,

$$x_{\mathbf{M}} = (x_{\mathbf{L}} + x_{\mathbf{R}})/2 \tag{8}$$

Now comes the tricky part. Suppose f_L is the value of the function when x_L is substituted (plugged in) into f(x), and suppose f_M is the value of the function when x_M is plugged into the function f(x). If the product (f_L . f_M) is positive, then x_M lies to the left of the answer just like x_L . We know this because the product can only be positive if f_L and f_M have the same sign. In this case, we replace x_L with a new value, namely x_M . On the other hand, if the product (f_L . f_M) is negative, then f_L and f_M have opposite signs, and x_M is to the right of the answer. In that case we replace x_R with x_M , giving a new value for x_R . In either case, we have bracketed the answer in an interval half as wide as the interval we started with.

Repeating this process allows us to bracket the answer in as small an interval as we wish, with the answer as accurate as we wish. Each time we calculate a new x_M we must test the sign of the product (f_L . f_M) to see if x_M is to the right or left of the answer. If the answer was originally known to be in an interval of width w, where w is the difference between our first x_R and x_L , then after n iterations or repetitions of the interval halving process, the error in the answer is $w/2^n$. Thus, after 10 iterations the error in the answer is about 1/1000 of the original uncertainty in the answer.

A program to solve the equation $e^{x} - 4x = 0$ with the method of interval halving is given in Listing 4. With little modification, this program can be used for other equations as well. The variables in the program in Listing 4 are closely related to our previous discussion, so no further explanation will be given. I expect that most people can understand BASIC about as well as algebra. Table 5 shows the answers we obtain for both of the solutions to this equation. A total of 20 iterations are done in the program, giving an error of less than 0.00000096 if the distance between the original xL and xR were less than one. The roundoff error in many machines will exceed this.

Listing 4. Interval halving used to solve $e^{x} - 4x = 0$.

10 INPUT XL, XR 20 FOR I = 1 TO 20 30 XM = (XL + XR)/2 40 FL = EXP(XL) -4*XL 50 FM = EXP(XM) = 4*XM 60 IF FL*FM <0 THEN 90 70 XR = XM 80 GO TO 100 90 XR 5 XM 100 PRINT XM 110 NEXT I

Are there any practical applications of these techniques for ordinary citizens? The answer is yes. Sup-

Hard Working Software for PET/CBM™ Micros

MATRIC

PRO-GRESS™

TEXTCAST II[™]

MATRIC expands Commodore BASIC with fourteen new commands for handling arrays.

Display a matrix on the screen and change its values. Transfer data between matrices or fill a matrix with a constant. Transpose. Transfer diagonals between matrices, or from a matrix to a vector, or from a vector to a matrix, or fill a diagonal with a constant. Do vector or matrix addition, subtraction, multiplication; elementwise multiplication, multiplication, squares, and square roots. Inversion. Determinant. Eigenvalues and eigenvectors of a square, symmetric matrix.

Algebraic style syntax, checks for conformability, extended error messages.

The 5K machine language program comes on tape or disk with a 32-page manual. Specify size and ROM set of your machine. Price: \$125.

This multiple regression program reads data from tapes or CBM disk. Concatenates files. Selects records. Deletes cases with missing data. Transforms variables Generates new variables. Allows keyboard input of means, standard deviations, correlations. Names variables.

Provides means, standard deviations, correlations; R, R-square, F, degrees of freedom; constant and coefficients, betas, Student's t's. Output to screen, or to ASCII or CBM printer.

Analyzes 10 predictors in 8K; 25 in 16K; 45 in 32K. No limit on number of records. Approximate timing: ¼ minute per 100 records with one predictor; 30 minutes per 100 records with 45 predictors.

You get two programs and a manual. Program I has elaborated instructions, requires 16K or 32K. Program II has abbreviated instructions, runs in 8K or more. Cassette tape: \$45. Disk: \$50.

A word processor for 8K and larger machines, old or new ROMs. All in machine language.

Edit with tapes or disks in any combination. Produces ASCII files that can be used by other programs.

Unfinished words at the end of a line leap to the next line while you type. Powerful screen editor with full control over visible cursor. Repeat action on all keys and commands.

Use printer in typewriter mode. Prints files with centering (enhance on PET printer), underlining (reverse on PET printer), right justification, page numbers at top or bottom. Set left margin and line length. Transmits all NEC Spinwriter characters and commands.

You get old and new ROM versions of the program, and revised manual. On tape: \$75; on diskette, \$80.

Order your WorkerWare from:

COGNITIVE PRODUCTS, P.O. Box 2592, Chapel Hill, NC 27514

COMPUTE! HAS MOVED

Our New Telephone Number is 919 275-9809

We Are Now Located At 200 East Bessemer Avenue, Greensboro, NC 27401

Our Mailing Address Is Unchanged P.O. Box 5406 Greensboro, NC 27403

0

pose you are paying on a loan whose balance is BAL, using equal monthly payments called PMT, and you have N payments yet to make. What is the equivalent simple interest rate, called the APR, of your loan? The equation relating these quantities is

BAL = PMT((1 - (1 + I)-N)/I)

Table 5. Results of the program in Listing 4.

XL = 0.3, XR = 0.4	XL = 2.0, XR = 2.2
XM	XM
0.35	2.1
0.375	2.15
0.3625	2.175
0.35625	2.1625
0.359375	2.15625
0.3578125	2.153125
0.35703125	2.1546875
0.357421875	2.15390625
0.357226563	2.15351563
0.357324219	2.15332032
0.357373047	2.15322266
0.357397461	2.15327149
0.357409668	2.15329590
0.357403565	2.15328369
0.357400513	2.15328980
0.357402039	2.15329285
0.357402802	2.15329132
0.357403183	2.15329209
0.357402993	2.15329247
0.357402897	2.15329228

Note that in Equation (9), I is the monthly interest rate, and it must be multiplied by 1200 to convert it to an annual rate expressed in a percent form. In any case, I challenge you to solve Equation (9) by straightforward, direct techniques. Refer to the July/August issue of COMPUTE. for a solution of this equation by interval halving.

I would like to conclude this article by saying that you have only seen the tip of the iceberg as far as numerical analysis is concerned. One of the best elementary texts on this subject is Peter A. Stark's

INTRODUCTION TO NUMERICAL

METHODS, Macmillian, 1970. Note that many techniques require a knowledge of calculus. You may want to check your library for textbooks on the subject. One last plea: if you are a high school student who is planning a career in computer science, please get all of the courses in mathematics that your school offers. Although you do not have to be a mathematical genius to work in the computer field, every tool in the old toolbag will be helpful.

Appendix A.

The method of successive substitutions is guaranteed to converge to an answer if

$1F'(x)l_71 < 1$

where x is any number in the interval between the first guess and the answer.

Appendix B.

The method of interval halving will not work in the somewhat unusual case of a double root to a polynomial equation. For example, if a factor of a polynomial equation

$$(x-1)^2 = x^2 - 2x + 1 = 0$$

then the solution at x = 1 cannot be found with interval halving.

Appendix C.

One of the most popular iterative techniques is known as Newton's method or the Newton-Raphson method. It was not mentioned here because it requires a knowledge of calculus. The iterative formula is:

$$x_i + 1 = x_i - F(x)/F^1(i)$$

where it is assumed that the equation is initially in the form F(x) = 0.

PET and APPLE II Users

PASCAL

ABACUS Software makes available its version of TINY PASCAL for the users of two of the most popular personal computers.

TINY PASCAL is a subset of the standard PASCAL as defined by Jensen and Wirth. It includes the structured programming features: IF-THEN-ELSE, REPEAT-UNTIL, FOR TO/DOWN TO-DO. WHILE-DO, CASE-OF-ELSE, FUNC and PROC. Now you can learn the language that is slated to become the successor to BASIC.

TINY PASCAL is a complete package that allows you to create, compile and execute progams written in the PASCAL language. You can save source and object code on diskette or cassette (PET version only). Comprehensive user's manual included. The manual can be examined for \$10 (refundable with software order).

REQUIREMENTS


PET 16K/32K New ROMS cassette PET 16K/32K New ROMS diskette Apple II 32K Applesoft ROM w/DOS Apple II 48K Applesoft RAM w/DOS TINY PASCAL User's Manual 6502 Interpreter Listing

\$40 \$35 **\$**35 \$35 \$10 \$20





FREE postage in U.S. and CANADA All orders prepaid or COD



ABACUS SOFTWARE

Grand Rapids, Michigan 49510

P. O. Box 7211

An Introduction to Small Business Software for the PET*. II.

Can DR. DALEY's offer a better **Mailing List Maintenance System?**

You've seen them all! Every software supplier offers a mailing list system of some sort or another. Each of them has some advantages and some disadvantages over the others.

So when DR. DALEY's decided to offer a mailing list we felt that it had to offer some other advantages over all of the others. We have offered-and sold some-mailing list systems before, but these offer few things that makes them unique.

SERIOUS BUSINESS

When you wish to purchase a software system for any business purpose you need to give it serious and thorough consideration. What do you wish to accomplish with the software? What are your needs? How can a computer assist you in filling these needs? We have asked these questions numerous times to people who do mailings with lists in the size range of 500 to 15,000 names. The result was unanimous: everyone has different information needs. This, of course, means that everyone who buys a mailing list system, or any other business software, must find a program that comes closest to his needs. This is a time consuming, expensive task. We've talked with businessmen who have become frustrated with this process and are ready to throw in the towel. Another option is to hire a programmer to write the software for you or to write your own. This can cost more than the cost of the computer.

The last option is to find prepackaged software which each individual user can easily configure to his own needs. This would allow each business to customize its own computer maintained mailing list files to, as closely as is possible, parallel the current mailing list operation. Until now, this option has been virtually impossible to fulfill, from any software publisher.

IMPLEMENTATION

Our computerized mailing list system is designed to be easy for you, the user, to be able to easily configure your files to contain information in much the same way as you currently are doing. This means less of the pain and anguish that frequently accompanies computerization.

During the programming the author was in frequent contact with potential end users. The main thought during the development phase was to make the operation easy to understand, yet powerful enough to handle the job. Give the user as many options as is feasible, with the flexibility to make the greatest possible use of the file information. Finally, be sure that

the capacity of the system is sufficient to allow most any business to make use of it.

The final version will allow records of 117 USABLE characters in length with a maximum of 15 fields within each record. It also allows reasonably large capacity with multiple diskette (maximum of 100 diskettes on a 32K PET or CBM) files and up to 1340 records per diskette.

WHAT ABOUT SORTING?

We hear this question most frequently from you. This is because sorting is the operation that divides the MAILING LIST system from any mailing list system. Why sorting? Well it is the way that the user can do such things as selective mailings to groups with common characteristics. This could include regional mailings, mailings to customers of a particular product, mailings to purchasers or to prospective customers, etc., etc. Or you might wish to make any possible combination of these categories.

Try to do this on most ordinary mailing list programs. You simply can't do it with most of the offerings on the market today.

This sorting is done by a "wild card" type of sort. This means that you can specify the contents of any portion of a field for a match and the computer will take any match for the rest of the field. This type of sort is best illustrated with the following

A sort key can be: **R**1 Matches with FORT#1 and T4R321 and %/R@31

Our system allows this type of sorting using up to three fields within each record. Thus you should be able to retrieve almost any conceivable subset of the files.

File organization is done using two of the fields as sort keys. This again is user selectable. You could, for example, specify that you wish the file to be in ZIP CODE sequence or in alphabetical sequence and all records within the file will be sequenced with that field. There is also a second sort field which is used to sequence the file where the first field is the same.

WHAT ABOUT LABELS?

We hear this one almost as often as the

Charge to your MC/VISA





sorting. Well, here this is up to you. You can, at the time you print labels, choose the layout of the labels, you can also choose the number of labels per line. If you wish to have a four line address and printed four records wide you can do it.

WHAT ABOUT EDITING?

Editing is accomplished at several points in the program. These are at the time of entry, before saving the records to the file and from the disk file. You can easily modify any record at any of these points.

This does not really cover all of the operations on the files. Space simply does not allow a more complete description of the user oriented approach of the program.

We asked the question: Can we offer a better mailing list system? You bet we can! It's here now.

HARDWARE REQUIREMENTS

At present this requires a Commodore PET or CBM computer with a dual disk drive and a printer. It is set up to work with the Commodore printer or with most any other printer. Watch for these programs to be introduced for use with other types of popular microcomputers. The APPLE II version will be available about June 1, 1980. Watch for it!

ORDERING

At the present time many Commodore dealers do not carry our software. Thus you will most likely need to either persuade them to order for you or calling us directly at (616) 471-5514 anytime between noon and 9 p.m. Eastern time Sunday through Thursday. For only \$99.95 plus four percent tax in the state of Michigan, you get this powerful, field tested, fully documented program packaged in a convenient three-ringed binder.

INVENTORY

We must add this note. There is too little space to allow us to describe the INVEN-TORY system adequately here. It offers the same flexibility as does the MAILING LIST described above, but we can't tell you much more. Write or call for details. It also is priced at \$99.95.

DR. DALEY's Software

425 Grove Ave., Berrien Springs, MI 49103 Phone (616) 471-5514 Sun.-Thurs. noon to 9 p.m., Eastern Time



All programs work with any 8K PET, old or new. PET is the registered trademark for Commodore Business Machines. Santa Clara, CA.

MICRO-ED has educational software for the PET microcomputer. We specialize in programs with these features:



- •They have been written by professional educators. Our main author is Thorwald Esbensen, named in 1980 as one of North America's top school executives by Executive Educator magazine.
 - •Our tapes are independent modules, each one a complete lesson in itself.
- · Every instructional lesson ends with a summary of student performance.
- •Our programs are attractive and motivating to students.
- •We will gladly replace any tape that fails to load or run properly.

Unless otherwise specified, each tape can be purchased for \$7.95

MUSIC (these tapes use sound)

- •MU-1 Lines and Spaces of the Treble Clef (elementary)
- •MU-2 Higher, Same, Lower (elementary)
- •MU-3 Matching Rhythms (elementary)

REFERENCE SKILLS

- Dictionary Guide Words (elementary)
- •RS-2 Library Terms (elementary)
- •RS-3 Making an Outline (elementary)
- •RS-4 Putting Fiction Books in Alphabetical Order (elementary)

VOCABULARY

- VO-1 Synonym Series (high school and adult) 3 tapes\$21.00 VO-2 Vocabulary Series (upper elementary and high school) 24 tapes\$168.00 VO-3 Antonum Machine
- (elementary) VO-4
- Homonym Machine (elementary)

You may wish to order tapes by the MICRODOZEN. Any twelve \$7.95 tapes can be purchased for \$84.00.

Also from

MATHEMATICS

•MA-1	Math Bid	(elementary)
-------	----------	--------------

- •MA-2 Count 'Em (kindergarten and first grade)
- Story Problems in Addition and •MA-3 Subtraction (elementary)
- •MA-4 What Number is Missing? (kindergarten and first grade)
- •MA-5 Target Math (elementary)
- •MA-6 Adding with Objects (primary grades)
- MA-7 Subtracting with Objects (primary grades)
- Working with Basic Addition • MA-8 Facts (primary grades)



- •MA-9 Working with Basic Multiplication Facts (elementary)
- •MA-10 Adding or Subtracting Twoand Three-place Numbers in (elementary)
- •MA-11 Math Shootout (elementary)
- •MA-12 Bar Graph (elementary)
- •MA-13 Which Number Comes Next? (uses a 3G Light Pen) (first grade)

MICRO-ED

- •MA-14 Locomotive (uses a 3G Light Pen) (kindergarten and first grade)
- •MA-15 Math symbols: Greater Than, Less Than (elementary)
- •MA-16 Math symbols: Greater Than, Less (uses a 3G Light Pen) (elementary)
- •MA-17 Addition with Carry (by Don Ross) (elementary) \$20.00
- •MA-18 123 Digit Multiplication (by Don Ross) (elementary) \$20.00
- •MA-19 Long Division (by Don Ross) (elementary) \$20.00

SPELLING

WORD DEMONS

•SP-1	Guess That Word
	(elementary and up)
•SP-2	Level A

- (second grade) 7 tapes\$49.95 •SP-3 Level B
- (third grade) 7 tapes \$49.95
- •SP-4 Level C (fourth grade) 7 tapes\$49.95
- •SP-5 Level D (fifth grade) 7 tapes \$49.95
- •SP-6 Level E (sixth grade) 7 tapes\$49.95
- Compound Words •SP-7 (elementary)
- •SP-8 Hard and Soft C (elementary)
- •SP-9 Hard and Soft G (elementary)
- •SP-10 Dropping the Final E (elementary)

- •WD-1 To/Too/Two (elementary)
- •WD-2 There/Their/They're (elementary)
- •WD-3 Its/It's Your/You're (elementary)
- •WD-4 Sit/Set (elementary)
- •WD-5 Lay/Lie (elementary)
 - GRAMMAR
- •GR-1 Agreement of Subject and Verb (elementary and up)
- The Noun • GR-2 (elementary and up)
- •GR-3 The Verb (elementary and up)
- •GR-4 The Adverb (elementary and up)
- GR-5 The Adjective (elementary and up)

- READING
- •RE-1 **Tachistoscope** (elementary)
- Reading Racer One •RE-2 (elementary)
- **Matching Capital Letters** •RE-3 (pre-school and kindergarten)
- Matching Capital Letters •RE-4 (uses a 3G Light Pen) (pre-school and kindergarten)
- Which Letter Comes Next? •RE-5 (primary grades)
- Which Letter Comes Next? •RE-6 (uses a 3G Light Pen) (primary grades)
- Matching Words •RE-7 (kindergarten and first grade)
- •RE-8 Matching Words (uses a 3G Light Pen) (kindergarten and first grade)
- Identifying Complete •RE-9 Sentences (elementary)
- •RE-10 Make a Sentence (uses sound) (first grade)

PUNCTUATION

- •PU-1 Run-on Sentences (elementary)
- •PU-2 The Apostrophe (elementary and up)
- PU-3 **End Punctuation** (elementary)

OTHER

- Trail West • OT-1 (elementary through adult)
- •OT-2 Direction and Distance (primary grades)
- •OT-3 Haiku (elementary and up)
- •OT-4 Pet Counselor (adult)

- •OT-5 Clock
- (primary grades) U.S. Time Zones •OT-6
- (elementary and up)
- •OT-7 States and Capitals (elementary and up)
- •OT-8 Answer Box (teacher in-service)
- Hat in the Ring •OT-9 (A Presidential Election Game) (elementary and up) \$9.95

USAGE

•US-1 **Usage Boners** (elementary and up) 15 tapes \$99.00

Send for free catalogue:

MICRO-ED, Inc. • P.O. Box 24156 • Minneapolis, MN 55424

Computers and The Susan Semancik Handicapped

Updates to Issue #5's Computers And The Handicapped Column:

Programs 2 and 3, written for the use of the Prestodigitizer Board with the handicapped, have been updated so that they will both run on either Old or New ROM PET Computers. In addition, they have both been expanded to allow punctuation to be entered, to allow the user to stop the programs without turning the computer off, to allow a space to be entered in order to separate letters or words in the messages appearing on the PET's screen, to allow individual letters to be deleted, and to allow the clearing of the entire screen - all from codes entered from the Prestodigitizer Board!

The last four modifications each required specialized codes to be developed in both Braille and Morse Code. Since program 3 uses only Level I Braille capital letters and punctuation, the four necessary codes were taken from Level II Braille and should pose no contradictions in this usage. They are illustrated below:

STOP	SPACE	DELETE	CLEAR
. •	3.0	. •	. •
. •			. •
. •	. •		

The changes to program 3 are described below: The directions in Lines 1-8 reflect the above mentioned changes.

- 1 REM *** PROGRAM 3 DIGITIZER BRAILLE ***
 2 REM
- 3 REM WILL ACCEPT LETTERS, COMMA, PERIOD, AND QUESTION MARK.
- 4 REM USE REGIONS 1-6 FOR THE BRAILLE CELL INPUTS; REGION 7 TO END AN INPUT
- 5 REM FOR A SPACE, USE DOT 6
- 6 REM TO DELETE A CHARACTER, USE DOT 4
- 7 REM TO CLEAR THE SCREEN, USE 4 & 5
- 8 REM TO STOP THE PROGRAM, USE 4,5, & 6

Lines 9, 300, and 310 are necessary to determine the proper zero page locations for either an Old or New ROM PET.

9 P = PEEK(50003):Q = P*160:L = 200*P + 6 300 POKEQ,161:POKEQ + 1,3:POKEL,221:POKEL + 1,3 310 POKE863,L:POKE909,Q

Line 80 enters the end of the assembly language program into memory, storing the ASCII value in memory location 922 just before the character is printed.

80 DATA192,0,16,3,76,63,3,177,0,141,154,3,32,210,255, 96.-1

The disassembled listing would then be changed as follows:

910: STA 922 JSR 65490 RTS

By returning to the BASIC program after printing, line 410 will check to see if location 922 contains a 96, which will end the program. Since 96 represents a shifted space, this will not affect the appearance of what has been printed on the screen.

400 PRINT""

410 SYS(826):IFPEEK(922)₇₈96THEN410 420 END

Lines 130 and 140 contain the ASCII of space, delete, clear, and shifted space in the appropriate locations.

130 DATA0,65,20,67,44,66,73,70,0,69,147,68,0,72,74,71, 0,75,0,77,76,83,80,0

140 DATA79,0,78,0,82,84,81,32,0,0,0,0,0,0,0,0,0,96,0,46, 0,87,0,0,85,0,88,63,86

The four new necessary Morse codes were taken from specialized vowels that would not ordinarily be used in this type of communication program. They are listed as follows:

STOP SPACE DELETE CLEAR

The changes to program 2 are described below: The directions in Lines 1-8 reflect the above mentioned changes.

- 1 REM *** PROGRAM 2 DIGITIZER MORSE ***
- 2 REM
- 3 REM WILL ACCEPT LETTERS, COMMA, PERIOD, AND QUESTION MARK.
- 4 REM USE REGION 1 TO INPUT A DOT; REGION 2 FOR A DASH, REGION 7 TO END INPUT
- 5 REM FOR A SPACE, USE
- 6 REM TO DELETE A CHARACTER, USE ..--
- 7 REM TO CLEAR THE SCREEN, USE .-.-
- 8 REM TO STOP THE PROGRAM, USE ---.

Lines 9 and 130 are necessary to determine the proper zero page locations for either an Old or New ROM PET.

9 P = PEEK(50003):Q = P*160 130 POKE5254,4:POKE5255,5:POKEQ,136:POKEQ + 1,19: POKE917,Q:POKE937,Q

Lines 60-80 enter the end of the assembly language program into memory, with the look-up table pointing to the character with the lowest ASCII value used, which is 20 for the Delete key.

60 DATA76,76,3,169,20,141,216,3,160,0,174,215,3,177 ,0, 205,215,3,240,12,200,200

70 DATA238,216,3,192,0,240,17,76,145,3,200,177,0,205, 213,3,208,237

80 DATA173,216,3,32,210,255,96,-1

This changes the disassembled listing:

906: LDA# 20

Since location 984 is keeping track of the ASCII value of the character pointed to in the table, it

needs to be increased everytime the pointer moves up in the table. Also, adding more table values affects the table limit to be checked.

925: INC 984 CPY# 0 BEQ + 17

Since the ASCII values have kept up with the pointer, adding is no longer needed. The ASCII value of the character is placed in the accumulator for printing.

943: LDA 984 ISR 65490 RTS

By returning to the BASIC program after printing, Line 140 will check to see if location 984 contains a 96, which will end the program. Since 96 represents a shifted space, the appearance of the screen has not been affected.

135 PRINT" ":

140 SYS(826):IFPEEK(984)7896THEN140

Lines 110 and 123 insure all the unused table values will be set to zero.

110 READOP:IFOP = -1THEN123 123 FORI = 5000TO5255:POKEI.0:NEXTI

Lines 125 and 126 set the alphabetic characters in the proper place in this expanded table.

125 I = 5090

126 READOP:IFOP = -1THEN128

Lines 128-130 set the punctuation characters and the four special characters in the proper table locations.

128 POKE5000,4:POKE5001,3:POKE5024,5:POKE5025,4: POKE5048,6:POKE5049,51 129 POKE5052,6:POKE5053,21:POKE5086,6:POKE5087, 12:POKE5152,4:POKE5153,14

These programs were also tried out at the Marine Science Center's Communication's Workshop for the handicapped. The blind students in particular were excited about the digitizer pad and were able to communicate to the deaf through messages entered on the PET's screen. Using these programs in conjunction with some other equipment we've been experimenting with gave us some fascinating results that we hope to be able to share with you in the next issue of COMPUTE!

The Delmarva Computer Club P.O. Box 36 Wallops Island, VA 23337

PET-APPLE-KIM-TRS-80 Computer Interfacing

PET - Bidirectional Serial and Parallel interface. (SADI) \$295.00 Microprocessor based. Talk to another computer and a printer at the same time. Transfer programs between PETs, 32 character buffer. RS-232 in and out. Centronics compatible. Much more. Packed with features.

PET - RS-232 Addressable Printer interface (ADA 1400) \$179.00
Complete with cables, case and power supply. Cassette with programs included.

PET - Centronics or NEC 553OP SPINWRITER (ADA 1600) \$129.00
Complete with case, cables and connectors. Three position switch for upperflower case, reverse case and upper case only. Works with WORDPRO and BASIC.

PET Word Processor. On tape - \$39.50, On disk - 49.50 Compose and print letters, flyers, ads, manuscripts, etc. Uses disk or tape. 30 page manual included.

Analog to Digital Conversion Systems

16 inputs · 8 bits · 0 to 5 volts · 80 usecond conversion time. Read temperature, light levels, voltages, etc. Cabling, power supplies, software included.

PET, APPLE, TRS-80 \$295.00

KIM, AIM65, SYM \$285.00

Clock, Calendar, Remote Controller (Super X10) for your computer. \$295.00
Transmits to all the BSR X10 remote control modules (up to 255 devices).
Stores sequences of control commands that can be initiated by time or an external even such as a switch closure. Maintains a month, date, day of week, and year calendar. Stays on when your computer is off. Complete with cable and connectors. PET, APPLE, TRS-80 (specify).

RS-232 to current loop adapter (ADA 400), \$29,50
Two circuits - 1 each direction. Run an RS-232 device off a computer's teletype port or vice versa. Optoisolated.

All our products are assembled and tested with a 30 day money back guarantee. 120 day limited warranty. VISA, Mastercard or check. Add \$3.00 S&H. Foreign orders add 10%. Mention this magazine and deduct 3%.



Connecticut microComputer, Inc.

34 Del Mar Drive, Brookfield, CT 06804 203 775-4595 TWX: 710 456-0052

DISK DRIVE WOES? PRINTER INTERACTION? MEMORY LOSS? ERRATIC OPERATION? DON'T BLAME THE SOFTWARE!





Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our unique ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash. *ISOLATOR (ISO-1A) 3 filter isolated 3-prong sockets; integral Surge/Spike Suppression; 1875 W Maximum load, *ISOLATOR (ISO-2) 2 filter isolated 3-prong socket banks; (6 sockets total); integral Spike/Surge Suppression; 1875 W Max load, 1 KW either bank \$56.95 *SUPER ISOLATOR (ISO-3), similar to ISO-1A except double filtering & Suppression \$85.95 *ISOLATOR (ISO-4), similar to ISO-1A except unit has 6 individually filtered sockets \$96.95 *ISOLATOR (ISO-5), similar to ISO-2 except unit has 3 socket banks, 9 sockets total . . *CIRCUIT BREAKER, any model (add-CB) Add \$ 7.00

> Add \$14.00 PHONE ORDERS 1-617-655-1532

*CKT BRKR/SWITCH/PILOT any model

Electronic Specialists, Inc. 171 South Main Street, Natick, Mass. 01760

Dept. C

Let Your Pet Play Politics with HAT IN THE RING A Presidential Election Game

Thorwald Esbensen

Here is a timely social studies game that readers of COMPUTE have permission to copy for their own personal use. The program will run on any 8K PET, old or new.

HAT IN THE RING is a two-player exercise designed to acquaint students with some of the political considerations involved in running a presidential campaign. Each player assumes the role of a presidential candidate - one for the Republicans, the other for the Democrats. Throughout the exercise, each candidate makes decisions intended to result in a successful campaign.

At the outset, each candidate has 9 units of priority resources that can be assigned as needed in order to bolster the campaign in any of the states. The overall campaign ends after each candidate has made, in alternating turns, 10 decisions.

Within each state, the outcome of the campaign hinges upon four factors:

- Media Exposure
- Personal Campaigning
- Domestic Issues
- International Issues

Although the weight of these four factors is randomly determined by the computer, the probabilities are that Media Exposure and Domestic Issues will prove to be substantially more powerful in their impact than will the factors of Personal Campaigning and International Issues. The political situation in each state keeps changing as the game progresses.

As the campaign begins, the computer randomly chooses the candidate who will have the first turn. The computer may be commanded to do one of six things:

- 1. Raise funds (increase resources).
- 2. List the states in which the Republican candidate leads.
- 3. List the states in which the Democratic candidate leads.
- **4.** List the current probable electoral count for each candidate.
- 5. List each candidate's remaining resources.
- **6.** Get ready to display the political situation in state.

The 9 resource units that each candidate has at the beginning of the game are the maximum allowed. So

there is no point in asking the computer to raise more funds (resources) until some of these units have been used up. However, when the computer *does* try to raise funds, it will yield a result of from 0 to 3 additional resource units.


Let us say that the candidate chooses Command Number 6. The computer now asks the candidate for the name of a state, and then displays the political situation in that state. The number immediately following the name of a state represents the number of electoral votes that the state can cast for a presidential candidate. The candidate with the highest total of political points in a state (the combined points for Media Exposure, Personal Campaigning, Domestic Issues, and International Issues) will win all of that state's electoral votes at the end of the game.

The candidate can affect the political situation in any state by committing some resource units to that state. When resources are committed, they have a multiplier effect on the category to which they are committed. For example, if the strength of Media Exposure is a given state is 15, and if 3 resource units are then committed to that category in this state, the new Media Exposure strength in the state becomes 15 x 3, or 45. If a candidate commits more resources than the candidate has, this blunder automatically results in the election of the opponent.

The fifty states, plus the District of Columbia (abbreviated D.C.), have 538 electoral votes in all. At the end of the game, the candidate with a majority of these electoral votes (270 or more) wins the game.

Readers who do not wish to spend their time copying the following program listing may spend \$9.95 for a copy of the program tape itself from MICRO-Ed, Inc., P.O.Box 24156, Minneapolis, Minnesota, 55424.

```
85 DIMT%(51), TT%(51), I%(51), II%(51):R=9:
       ¬RR=9:FORZ=1TO2000:NEXTZ:TU=1
100 PRINT" htt"
102 PRINT"r>>>*******************
      ¬***
103 PRINT"r>>>* O#P
      -0#P
104 PRINT"r>>> * $L$: $- HAT IN THE RING -
      -$L$:$ *
105 PRINT"r>>>*
106 PRINT"r>→> * A PRESIDENTIAL ELECTION ¬
      ¬GAME *
107 PRINT"r>>>*
108 PRINT"r>>>*******************
      ¬***
110 PRINT"r ++>>> READ PRINTED INSTRUCTIONS -
      ¬FIRST."
120 GOSUB19000
130 FORZ=1TO51:READST$(Z), EL%(Z):NEXTZ:
      ¬READM$,P$,D$,I$
¬SITUATION"
200 FORZ=1TO51:M%=INT(RND(TI)*10)+1
207 \text{ M% (Z)} = \text{M% (Z)} + \text{M%}
210 P%=INT(RND(TI)*5)+1
212 P%(Z) = P%(Z) + P%
220 D%=INT(RND(TI)*10)+1
222 D%(Z) = D%(Z) + D%
225 I%=INT(RND(TI)*5)+1
227 I%(Z) = I%(Z) + I%
235 MM%=INT(RND(TI)*10)+1
237 MM% (Z)=MM% (Z)+MM%
240 PP%=INT(RND(TI)*5)+1
242 PP% (Z) = PP% (Z) + PP%
245 DD%=INT(RND(TI)*1\emptyset)+1
247 DD%(Z)=DD%(Z)+DD%
250 II%=INT(RND(TI)*5)+1
252 II%(Z)=II%(Z)+II%
260 T%(Z) = M%(Z) + P%(Z) + D%(Z) + I%(Z)
265 TT%(Z)=MM%(Z)+PP%(Z)+DD%(Z)+II%(Z):
      ¬NEXTZ
280 K=\emptyset:T1=\emptyset:T2=\emptyset
285 IFY1+Y2=20THENTU=10:GOTO4000
290 IFC=2THENC=0
300 C=C+1:IFC=1THENPRINT"nr";N1$:Y1=Y1+1
310 IFC=2THENPRINT"hr"; N2$:Y2=Y2+1
315 TN=TN+1:IFTN=3THENTU=TU+1:TN=1
320 PRINT"rCANDIDATE'S TURN NO."; TU:
      ¬PRINT"r(CHOOSE NUMBER BELOW)"
325 PRINT"EEEEEEEEEEEEEEEEEEE":
      ¬PRINT"rlr RAISE FUNDS (INCREASE ¬
      ¬RESOURCES)"
335 PRINT" r2r LIST THE STATES IN WHICH ¬
      ¬THE":PRINT"♥>>";N1$;" CANDIDATE ¬
      ¬LEADS."
340 PRINT" r3 LIST THE STATES IN WHICH ¬
      ¬THE":PRINT"♥>>";N2$;" CANDIDATE ¬
      ¬LEADS."
345 PRINT" r4r LIST CURRENT ELECTORAL ¬
      ¬COUNT FOR":PRINT"♦→ EACH CANDIDATE."
350 PRINT" $\frac{1}{2}$\hat{r}$ LIST CANDIDATES' REMAINING -
      ¬RESOURCES."
355 PRINT" 16 GET READY TO DISPLAY -
      ¬SITUATION":PRINT"♦>>FOR A CERTAIN ¬
      ¬STATE."
357 GETG$: IFG$<>""THEN357
360 GETG$: IFVAL(G$) < lORVAL(G$) > 6THEN360
365 IFG$="1"THEN1000
370 IFG$="2"THEN2000
375 IFG$="3"THEN3000
380 IFG$="4"THEN4000
385 IFG$="5"THEN5000
390 IFG$="6"THEN6000
```



It reteaches the 4 basic arithmetic operations step-by-step.

PET PROFESSOR includes 71 programs that reteach the four fundamental arithmetic operations for whole numbers, fractions and decimals by providing more than just practice drills. Each program includes a complete tutorial sequence that takes a problem apart, then leads the student step-by-step through solving it.

Each program covers a single objective to allow the teacher to select the skill to be reinforced. It states the objective, supplies vocabulary, displays an example, then leads the student step-by-step through other examples. When the student is ready, a quiz requiring writing is given, then scored by the computer. Every program has been carefully selected. All problems were written by teachers and tested in classrooms.

Use PET PROFESSOR to supplement classroom instruction in individualized or traditional programs. Available for PET 2001 Series. Will run within 8K on any PET.

- Whole numbers 26 programs @ \$190.00
- Fractions—24 programs @ \$140.00
- Decimals—21 programs @ \$125.00

Buy all 3 for \$399.00. Save \$56.00!

Send \$5.00 for more info, sample tape & shipping (deducted from total purchase).

List of other educational programs available on request.

Melad Associates, Inc.

P.O. Box 159, Milltown, N.J. 08850 • (201) 828-3682

0

```
1000 PRINT" n": NR=INT(RND(TI)*4)
                                                6330 IFG$="N"THEN150
1017 IFC=1THENR1=R:R=R+NR
                                                6335 PRINTPL$:PRINTSP$
1020 IFC=2THENR2=RR:RR=RR+NR
                                                6350 PRINTPL$:PRINT"TO WHICH CATEGORY? ¬
                                                       ¬(rM>P>D>rOR rIr)"
1030 IFR>9THENR=9:NR=R-R1
                                                6360 GETC$:IFC$<>"M"ANDC$<>"P"ANDC$<>"D"AN
1035 IFRR>9THENRR=9:NR=RR-R2
                                                       ¬DC$<>"I"THEN6360
1040 PRINT"r♥♥♥INCREASE IN YOUR RESOURCE ¬
                                                6365 PRINTPL$:PRINTSP$
      ¬UNITS: î"; NR
                                                6370 PRINTPL$:PRINT"HOW MANY? (rlf TO -
1060 GOSUB19000:GOTO150
2000 PRINT"n"; N1$; " CANDIDATE LEADS: ♥":
                                                       ¬r9î)"
                                                6380 GETR$: IFVAL(R$) < 1THEN6380
      ¬FORZ=1TO51
2020 IFT%(Z)>TT%(Z)THENPRINT"r";ST$(Z);EL%
                                                6400 IFC=1THENR=R-VAL(R$)
      \neg (Z) : CT = CT + 1
                                                6410 IFR<0THEN8000
2030 IFCT=20THENGOSUB19000:CT=0:PRINT"A"
                                                6420 IFC=2THENRR=RR-VAL(R$)
                                                6430 IFRR<0THEN8500
2040 NEXTZ
2050 CT=0:GOSUB19000:GOTO150
                                                6450 IFC=2THEN6700
                                                6500 IFC$="M"THENM%(K)=M%(K)*VAL(R$)
3000 PRINT"ĥ";N2$;" CANDIDATE LEADS:♥":
                                                6510 IFC$="P"THENP%(K)=P%(K)*VAL(R$)
      ¬FORZ=1TO51
3020 IFT%(Z)<TT%(Z)THENPRINT"r";ST$(Z);EL%
                                                6520 IFC$="D"THEND%(K)=D%(K)*VAL(R$)
                                                6530 IFC$="I"THENI%(K)=I%(K)*VAL(R$)
      \neg(Z):CT=CT+1
3030 IFCT=20THENGOSUB19000:CT=0:PRINT"A"
                                                6550 GOTO150
                                                6700 IFC$="M"THENMM%(K)=MM%(K)*VAL(R$)
3040 NEXTZ
                                                6710 IFC$="P"THENPP%(K)=PP%(K)*VAL(R$)
3050 CT=0:GOSUB19000:GOTO150
4000 PRINT" n": FORZ=1TO51
                                                6720 IFC$="D"THENDD%(K)=DD%(K)*VAL(R$)
4020 IFT%(Z)>TT%(Z)THENT1=T1+EL%(Z)
                                                6730 IFC$="I"THENII%(K)=II%(K)*VAL(R$)
                                                6750 GOTO150
4025 IFT%(Z)<TT%(Z)THENT2=T2+EL%(Z)
4030 NEXTZ
                                                7000 DATA ALABAMA, 9, ALASKA, 3, ARIZONA, 6,
4032 IFY1+Y2<>20THEN4040
                                                       ¬ARKANSAS, 6
4035 IFTU=10ANDT1>T2THENPRINT"ĥ♥♥r";N1$;">
                                                7010 DATA CALIFORNIA, 45, COLORADO, 7,
                                                       ¬CONNECTICUT, 8
      ¬CANDIDATE WINS!!":END
4037 IFTU=10ANDT1<T2THENPRINT"nvvr";N2$;">
                                                7020 DATA DELAWARE, 3, D.C., 3
      ¬CANDIDATE WINS!!":END
                                                7030 DATA FLORIDA, 17, GEORGIA, 12, HAWAII, 4
4040 PRINT"rt"; N1$:PRINT"tCURRENT ¬
                                                7050 DATA IDAHO, 4, ILLINOIS, 26, INDIANA, 13,
      ¬ELECTORAL COUNT:";Tl
                                                       JIOWA, 8
                                                7060 DATA KANSAS, 7, KENTUCKY, 9
4050 PRINT"r v v v "; N2$: PRINT" v CURRENT ¬
      ¬ELECTORAL COUNT:"; T2
                                                7070 DATA LOUISIANA, 10
4060 PRINT"♥♥":GOSUB19000:GOTO150
                                                7080 DATA MAINE, 4, MARYLAND, 10, MASSACHUSETT
5000 PRINT"ĥ*"; N1$; " RESOURCES: "; R:
                                                       ¬S,14,MICHIGAN,21,MINNESOTA,10
      ¬PRINT" * * "; N2 $; " RESOURCES: "; RR
                                                7090 DATA MISSOURI, 12, MISSISSIPPI, 7,
5010 PRINT"♥♥":GOSUB19000:GOTO150
                                                       ¬MONTANA, 4
6000 PRINT" RWHICH STATE DO YOU WANT";
                                                7100 DATA NEBRASKA, 5, NEVADA, 3, NEW ¬
                                                       ¬HAMPSHIRE, 4, NEW JERSEY, 17, NEW ¬
6020 INPUT">>><u>?</u><<<";ST$
6030 IFST$="2"THEN6000
                                                       ¬MEXICO, 4
                                                7110 DATA NEW YORK, 41, NORTH CAROLINA, 13,
6040 K=K+1
                                                       ¬NORTH DAKOTA, 3
6050 IFST$(K)=ST$THEN6070
                                                7120 DATA OHIO, 25, OKLAHOMA, 8, OREGON, 6
6060 IFK>51THENK=0:PRINT"♥♥NO SUCH STATE. ¬
                                                7130 DATA PENNSYLVANIA, 27
      ¬TRY AGAIN.♥♥":GOTO6020
                                                7140 DATA RHODE ISLAND, 4
6065 GOTO6040
                                                7150 DATA SOUTH CAROLINA, 8, SOUTH DAKOTA, 4
6070 PRINT"ĥ"
                                                7160 DATA TENNESSEE, 10, TEXAS, 26
6080 PRINT": N1$
6085 PRINT" SITUATION IN"
                                                7170 DATA UTAH, 4
6090 PRINT"r +"; ST$; EL%(K)
                                                7180 DATA VIRGINIA, 12, VERMONT, 3
                                                7190 DATA WASHINGTON, 9, WEST VIRGINIA, 6,
6100 PRINT"EEEEEEEEEEEEEE
6110 PRINTM$; M% (K): PRINT" | "; P$; P% (K):
                                                       -WISCONSIN, 11, WYOMING, 3
                                                7200 DATA "rMrediat < < < Exposure....",
      ¬PRINT"♥";D$;D%(K):PRINT"♥";I$;I%(K)
                                                       ¬"rPrersonalv++++++Campaigning.."
6120 TP$="r♥♥TOTAL POINTS "
6125 PRINTTP$; "r"; T% (K)
                                                7205 DATA "rDrOMESTIC V ←←←←←←← ISSUES......
                                                      ¬."
6170 PRINT"h":PRINTTAB(20);"r"; N2$:
                                                ¬PRINTTAB(20); "♥SITUATION IN":
                                                       ¬SUES....."
      ¬PRINTTAB(20);
                                                6190 PRINT"rt"; ST$; EL% (K)
6195 PRINTTAB(20);
                                                8010 PRINT"r∜RESOURCES. THE ";N2$;" ¬
6200 PRINT"EEEEEEEEEEEEE
                                                      ¬CANDIDATE WINS"
6205 PRINTTAB(20); M$; MM%(K)
                                                8020 PRINT"♥♥→>→>→>→rEND→OF→GAME":END
6210 PRINTTAB(20); " * "; P$; PP%(K)
                                                8500 PRINT"ĥr∜∜∜→→→SORRY. YOU HAVE ¬
6220 PRINTTAB(20); " * "; D$; DD%(K)
                                                      -OVER-COMMITTED YOUR"
6230 PRINTTAB(20); " * "; I$; II% (K)
                                                8510 PRINT"r∜RESOURCES. THE ";N1$;" ¬
6232 PRINTTAB(20);
                                                      ¬CANDIDATE WINS"
6235 PRINTTP$; "r"; TT% (K)
                                                19000 PRINT"♦>>>> PRESS rSPACE>BARÎ TO ¬
6305 PRINTPL$
                                                       ¬CONTINUE"
6310 PRINT"WILL YOU COMMIT RESOURCES? ¬
                                                19010 GETG$: IFG$<>" "THEN19010
      ¬(rYr̂ OR rNr̂)"
                                                19020 RETURN
```

6320 GETG\$: IFG\$<>"Y"ANDG\$<>"N"THEN6320



PLEXI — VUETM SOLAR SCREEN

DRAMATIC IMPROVEMENT?

YOU BE THE JUDGE!

SOLAR SCREEN

We urge you to read this and consider our PLEXI-VUE High Contrast SOLAR SCREEN. You will see it is a small price to pay for a big improvement! Some consider it as an Rx for tired eyes! As you will see from our offers, you can even get one FREE!

CONTRAST ENHANCEMENT IS IT FOR YOU?

We have all experienced the eyestrain acquired from sitting in front of the computer for too many hours playing games or working. That is now a thing of the past due to recent developments in the area of CONTRAST ENHANCEMENT. First. the construction of most home computers is such that generally the CRT screens are of a phosphor light gray in color, which makes it difficult to distinguish between the white letters and gray background. The former method was to turn the CRT brightness up which increased contrast but also increased GLARE. This is where the eyestrain comes in. What you need is something that will INCREASE the CONTRAST while DECREASING the GLARE. Several products on the market will accomplish this but to different degrees of success and a drastic difference in cost, as you will see.

OUR PRODUCT

We produce the PLEXI-VUE High Contrast SOLAR Screen from General Electric LEXAN which is unbreakable. It is neutral in color and will work with all phosphor screens including green. This SOLAR LEXAN is a sixteenth of an inch thick and mounts to your computer within a minute after you receive it. You do not need tools of any kind. you just strip off the masking from the foam adhesive and apply the unit to the front of the computer! Then you are ready to enjoy the DRAMATIC difference in viewing WHITE letters on a BLACK screen. Or if you have a GREEN phosphor screen you will see GREEN letters contrasted against BLACK as you do on the expensive WANG and IBM computers! You will also notice that long periods of activity at the computer will not bring on the resultant eyestrain that normally accompanies GLARE. You've been driving into the sun and noticed the difference when you put on a pair of polarizing sunglasses; this is the kind of change you will see by installing PLEXI-VUE!

SATISFIED USERS!

We have been producing and selling the PLEXI-VUE for about a year and a half and have quite a following among users. We have sold to a large number of Colleges, Universities, Schools, Lawyers, C.P.A.'s, Doctors, Hospitals and Laboratories. We know they are pleased because they immediately re-order more PLEXI-VUEs for other computers. Testimonials from users range from, "AMAZING!" to "... really like it, enter my order for another!" Don't take our word for it, ask somebody who owns one!

THE COMPETITION

The SUN-FLEX Optical Filter at \$20.00 for the smallest version, consists of a fine screening material with a plastic border. It increases contrast but creates a moire effect on the screen if your program has animation. It will also bother you if you have any degree of astigmatism. You can blow through the fine screening material, and have to be very careful not to damage it.

The POLAROID CP-70 Polarization Filter also increases contrast and decreases glare. It costs from \$26.00 for a formed plastic filter or from \$68.00 for laminated glass versions. Brackets are provided for mounting.

The GLARE-GUARD by Optical Coating Laboratory sells for \$95 for certain computers only. It is a very high quality circular polarization material laminated between two pieces of reflection cancelling coated glass. It's thick and heavy, and requires special mounting. Used in some expensive terminals. Material can be purchased for custom fabrication for small computers. As with the SUN-FLEX AND POLAROID versions the screens look "added on" due to the way they are mounted.

SOME OTHER COMPANIES PRODUCE A MYLAR FILM THAT YOU WET AND APPLY TO THE CRT TO DARKEN THE SCREEN. WE WILL NOT MENTION THEM ANY FURTHER THAN TO SAY THEY ARE A RIP-OFF!

DRAWBACKS

We, like other manufacturers of contrast enhancement devices do not recommend their use if you intend to use a light pen. Since the screens cut GLARE, they also reduce light intensity which is needed by the photocell in the pen. Our screen works with some pens, but we would rather caution you than disappoint you after you purchased it.

FREE TRIAL OFFER

We urge you to test the PLEXI-VUE Screen now. Order one for our 30-day no obligation trial. See the dramatic difference it makes on your computer. See how much easier it is to read text with the higher contrast, and how much more you enjoy your computer. Your friends will notice the new appearance as the above photos show. We can make this offer because we have a QUALITY PRODUCT, at a REASONABLE PRICE that we feel will meet with your approval, if you will GIVE IT A TRY!

After you have used it, decide if you want to keep it. If you do you'll own the most affordable contrast enhancement device on the market. If for any reason you're not completely satisfied, simply return your screen with-in 30 days for a prompt and courteous refund. You can't lose!

To order your PLEXI-VUE for our free trial, simply send your personal check or money order for \$14.95 + \$1.00 Shipping. We accept MASTERCHARGE or VISA! Give ACCOUNT NUMBER, INTERBANK NUMBER, EXPIRATION DATE, AND SIGN your order. Give Model Number needed from CHART:

PXI = PETs/CBMs with METAL CRT Cases.
PX2 = PETs/CBMs with PLASTIC CRT Cases.

PX3 = NEW 80 Character CRT CBMs.

★★ FREE PLEXI-VUE! ★★

Order a SOFTPAC-1 at the Regular price of \$34.95 + \$1.00 Shipping and we'll GIVE you the PLEXI-VUE FREE! The 30 day TRIAL OFFER applies to both! (You must return BOTH for a refund.)

SOFTPAC-1 contains 17 programs on DISC or TAPE (SPECIFY) in a Notebook with Back-up copies, printed instructions & program listings! GAMES W/SOUND too!

ORDER FROM:

COMPETITIVE

SOFTWARE 21650 Maple Glen Drive Edwardsburg, MI 49112

THE FIRST ANNUAL COMPUTER PROGRAMMING CONTEST (of Herkimer, NY)

E. Q. Carr Planetarium Director Herkimer BOCES Planetarium Herkimer, NY 13350

They came from 40 miles away. Some brought their own PET's with large keyboards because they wanted no part of our little keyboards. The lone Apple II arrived and fortunately we had planned a second one for them. These kids were confident, a big short of cocky, quite determined and planned to win a timed problem solving contest. Three-and-a-half hours later they left, confident, determined to win the next contest, perhaps in college.

And during that time, the 31 contestants did warm-up exercises, engaged in a two problem contest, polished off 90 hamburgers, listened enthusiastically to lectures on Fortran and a slide shown on the history of digital computer technology, received their prizes and visited a minimicrocomputer faire set up by local computer vendors. The actual time schedule appears in Table I.

Why Programming Contests

I do not know of research which indicates the mind increases its power and capacity by competition. It is obvious however, that a system of proper instruction and training with competition produces desirable results. The programs for the athletically apt are a paradigm worthy of imitating. Athletics produces very little in the export market to aid in the balance of payments however. But computer technology and software has income value to the country in terms of billions of dollars over a long period of time.

Moreover, discipline, challenge and association with peers n a competition is a tool for self-calibration. Then, there is the exhilaration of stretching to the limit of one's inherent capabilities. In a contest, the kids grow in stature and self-esteem, and that's obvious from even a cursory observation.

The practice and training for competition is, of course, the most valuable part of it all. All the basics

must be in place, techniques studied and reviewed, some of the simple algorithms FOR-NEXT loops, IF-THEN, logic statements AND, OR, NOT must be ready tools, used without hesitation.

Organization

The idea of a contest appealed to the experienced computer teachers in our areas who responded to a phone call sampling 15 schools known to have

microcomputers, or terminals accessing a mainframe. A mailing for organization went out three months before the expected contest date. Six teachers and two community college students attended that first meeting. They were the nucleus for sample problems demonstrating the potential skill of contestants. A member of this group decided there should be prizes for the winners and undertook getting contributions. The college students offered to generate a range of problems for the contest. The residue of tasks consisted of the physical facilities, speakers, publicity, registration, the mini-faire organization, correspondence, refreshments, contest rules, judging, selecting a final date, arranging computers and contacting suppliers for literature.

Of course, we had two months for all that.


Registration

With a date selected, a Saturday in April, there was a hope that there would be no student events in conflict. It proved an unfortunate choice. We lost a number of local schools' contestants to a track meet. Which may demonstrate something about the nature of a number of kids involved. They are also athletes. Within a week, all but 2 teams had sent the registration forms, and the final pre-contest registration was 32 students.

Sudden Death

The committee agreed that contestants would be paired as teams. There were several reasons, but fundamentally, the purpose was to assure that the maximum





PET and the IEEE 488 Bus (GPIB)

by E. Fisher and C. W. Jensen

This is the only complete guide available on interfacing PET to GPIB. Learn how to program the PET interface to control power supplies, signal sources, signal analyzers and other instruments. It's full of practical information, as one of its authors assisted in the original design of the PET GPIB interface.

#31-4 \$15.00



NEW PET edition

Some Common **BASIC Programs**

by L. Poole, M. Borchers, C. Donahue

76 Programs you can use even if you don't know BASIC. This book gives you a variety of math power including personal finance, taxes and statistics as well as other programs you'll want like Recipe Cost and Check Writer. All programs can be run on a PET or CBM with 8K



PET owners can purchase the programs readyto-run on cassette or disk. Use the book as a manual for operating instructions and programming options

Disk #33-0 \$22.50 Cassette #25-X \$15.00

Practical BASIC Programs ed. Lon Poole

These are 40 easy to use programs that each do something useful.

Income averaging, checkbook reconciliation, statistics, factorials, temperature conversion and musical transposition are just a few. It offers a wealth of practical computing power. Includes write-ups, program notes and instructional examples to help you realize the potential uses of each program.

#38-1 \$15.00

6502 **Assembly Language Programming**

by L. Leventhal

Increase the capabilities and performance of PET (and other 6502-based computers) by learning to program in assembly language.

#27-6 \$12.50

New for your PET

from




PET Personal Computer Guide

by C. Donahue and J. Enger

Everything you always wanted to know about PET/CBM computers . . . but don't.

This book is a step-bystep guide to the PET computer.

Assuming no prior knowledge of computers this PET guide contains a wealth of information that you'll need in training your PET to perform.



#30-6 \$15.00

Book/Cassette/Disk	Price	Quantity	Amount
27-6 6502 Assembly Language Programming	\$12.50		
30-6 PET Personal Computer Guide	\$15.00		
31.4 PET and the IEEE 488 (GPIB) Bus	\$15.00		
40-3 Some Common BASIC Programs PET/CBM ed. (book	\$12.50		
25-X Some Common BASIC Programs PET Cassette	\$15.00		
33-0 Some Common BASIC Programs PET Disk	\$22 50		
38-1 Practical BASIC Programs	\$15.00		
lifornia residents add 6% sales tax BART residents add 6% sales tax	California re	Shipping	

All foreign orders \$4 00 per book for airmail

S0 45 per book 4th class in the U.S. (allow 3-4 weeks)
 S0 75 per book UPS in the U.S. (allow 10 days)
 S1.50 per book uPS in the U.S. (allow 10 days)

Cassettes and Disk

No additional charge in the U.S.
 \$1.50 each foreign airmail

OSBORNE/McGraw-Hill 630 Bancroft Way, Berkeley, California 94710 (415) 548-2805 · TWX 910-366-7277

Address:____

ZIP:_ State:



J06

number of teams possible complete the problems, and to permit more students to participate. It was expected that the less confident students would be supported and decide to enter.

The sudden death aspects of a single problem contest prompted a two problem contest based on a winning team with the minimum accumulated solution time. Students were cautioned that while the contest was a timed power test, it was the first correct solution that drew a time mark. Incorrect answers meant a maximum time, that is, 20 minutes allotted to each problem.

The Mini-Microfaire

All four of our local computer stores agreed to participate. So did four local colleges and two large computer manufacturers' representatives. One of the vendors volunteered to contribute to the prizes. There was no charge for vendors.

How the Contest Worked

About a third of the contestants arrived early, as did all the Faire vendors who participated. Two vendors and two college representatives failed to show however. The half hour "warm-up" period at the start is more correctly a "set-up period". Still, it was interesting to see kids set up their own exercises on the machines. One brought a memory test tape and nearly created a panic when he elaborated it would take 15 minutes to fully check the machine's memory, and how sorry he was no one else could be sure their computer was working. Another set up beautiful graphics of animated rain clouds that moved across the screen. Each team was moving in different and original patterns that reinforced confidence. This alone was an exciting phase of the contest for an observer.

One of the teachers had taken on the task of Contest Commissioner whose function was to run the actual programming contest. He distributed the test problems, face down to each of the 15 computer stations and on a signal, the student hit RETURN, starting the PET's internal clock. He supervised the master clock and acted as the referee of referees.

Referees were the teachers and sponsors of the contestants. They responded to the students who indicated they had solved the contest problem. Referees determined whether a solution within the question statement and rules had actually been achieved.

Analysis of Contest Problem Results


The first problem was selected to have a solution in approximately 12 single statement lines for an average student and a solution time of 5 minutes. The second problem was judged to be of greater difficulty. The questions, possible solution and requirements are given in Table II. The scoring times are plotted in Table III for each problem. I believe the data indicates a wide range in student skills.

There may be other implications as well, but the paucity of data precludes generalizations.

The problems however met several contest design goals that included maintaining student confidence by permitting every student to complete the first problem. The first problem assumed fast students would complete the problem in 5 minutes or less. The second problem was designed for approximately a 10 minute solution time. These goals were met.

Reprise

The contest was an exciting event for students, vendors and teachers alike. The lessons we learned will make it a better contest for the kids. Indeed the Contest Committee is already at work!



FIRST ANNUAL COMPUTER PROGRAMMING CONTEST (of Herkimer, NY)

CONTEST RULES (1980)

- A maximum of twenty (20) teams can be accommodated on a First Registered, First Served Basis. A maximum of three (3) teams, but to accommodate the greatest number of schools we may limit a school to two (2) teams.
- A Team consists of two (2) members. Each team will be given two (2) problems to solve. The winning team will have the lowest accumulated total time to problem
- Solutions will be checked by Referees with data entry on spearate lines. Please use line numbers spaced by tens of units (10, 20, 30 ...).
- Contestants will have thirty (30) minutes beginning at 10 a.m. for familiarization with the PET 2001s.
- 5. The programs are limited to the following list of BASIC statements, commands, etc.

Α.	INPLIT	F.	DIM	Κ.	ON	Р.	TI, TIS
В.	READ	G.	PRINT	L.	ON GOTO	Q.	AND
C.	DATA	н.	GOTO	M.	GO SUB	R.	OR
D.	REM	1.	IF THEN	N.	RETURN	S.	NOT
F	LET	1	FOR NEXT	0	END		

NO OTHER COMMANDS WILL BE ALLOWED

- When you have reached a solution and have checked it carefully, print the statement PRINT TIS, hit RETURN and call a Referee.
 Remember, once you've hit RETURN, you can no longer change the program.
- 7. Schools are encouraged to use local contests to select their teams.

PROBLEM #1

THE FOLLOWING SCHEDULE OF LICENSE FEES IS PROPOSED TO PERSUADE PEOPLE TO SAVE GASOLINE BY USING SMALLER ENGINES IN CARS.

HORSEPOWER		LICENSE FEE	
Up to 20 HP	\$	0	
More than 20 HP, but 40 HP or less	\$	50	
More than 40 HP, but 60 HP or less	\$	200	
More than 60 HP, but 80 HP or less	\$	800	
More than 80 HP	\$1	0,000	

THE SOLUTION SHOULD BEGIN:

- Prompt an input of AUTO HP?
- 2. Print an output such as THE LICENSE FEE IS \$50
- 3. Return to the original prompt.

3 PRINT"3" 3 FKIN '3" 10 INPUT INPUT AUTO HORSE POUER";P 20 IF P<=20 THEN 200 30 IF P<=40 THEN 300 40 IF P<=60 THEN 400 50 IF P<=80 THEN 500 60 IF P>80 THEN 600

A POSSIBLE SOLUTION

200 F=0 210 6010 1000 300 F=50 310 GOTO 1000

400 F=200 410 GDTD 1000 500 F=800 510 GOTO 1000 600 F=10000

1000 PRINT"LICENSE FEE IS \$";F 1010 GETA\$:IF A\$=""THEN 1010 1020 GOTO 3

Solution Requirements:


Equivalent of Lines 10, 1000, and 1020 are required. The equivalent of Line 3 is a tie breaker. Return to Line 10 from 1020 is acceptable.



PROBLEM #2

WRITE A PROGRAM THAT WILL TAKE THE COORDINATES OF TWO POINTS IN A PLANE, COMPUTE THE DISTANCE BETWEEN THEM, GIVE THE COORDINATES OF THE MIDPOINT AND THE SLOPE OF THE LINE SEGMENT. THE PROGRAM SHOULD USE THE COORDINATES DESIGNATIONS SHOWN.

DEFINITIONS FOR LINE OF COORDINATES X1, Y1, X2, Y2 ARE:



- 2. The Program should print out:

DISTANCE = MIDPOINT SLOPE = $(0, \pm M, Undefined)$

3. Use Data Lines for at least 3 coordinate sets containing an Undefined Slope, a Zero Slope and a Negative Slope.

A POSSIBLE SOLUTION

600 DATA1.6.9.1

10 READX1,Y1,X2,Y2 20 LET D=(((X1-X2)^2+(Y1-Y2)^2))^.5 30 PRINT"DISTANCE =";D 30 PRINT'DISTANCE = ";0
40 LET x=(x1+x2)/2
50 LET y=(y1+y2)/2
60 PRINT'MIDPOINT:x=";x;"y=";y
70 IFX:x=2 THEN 110
80 LET N=(y1-y2)/(x1-x2)
90 PRINT'SLOPE=":H
100 GDIDIO
110 PRINT'X1-x2, SLOPE IS NOT DEFINED" 120 GOTO10 500 DATA3,5,7,8,-3,5,4,5,-3,6,-3,-8

SOLUTION REQUIREMENTS:

- 1. Lines 30, 60 and 90 or their equivalents are required
- 2. Referee must insert Data Lines 500 and 600 to get answers

17 18 19 20




TABLE II

SOLUTION TIME - MINUTES

21 27 23



From Livermore Data Systems

€ IEEE 488 MODEM SALE \$

> RS232 MODEM **SALE \$139**

The STAR modem from Livermore represents a significant breakthrough in the development of acoustic modems. The small, lightweight case houses a high-performance modern that competes with the highest quality standard-sized couplers available. Yet, because of its costs effective design. the STAR has become the price/performance leader in the industry

CIRCUITRY

6502

6502A

6522VIA

The switchable, four-section bandpass filter provides the user with excellent out-of-band rejection to assure accurate processing of the received carrier, even at signal levels of less than -47 dBm. Further, the proven soft limiter and phase lock loop discriminator yields data that is essentially iitter free

The oscillator is built using highly stable, statevariable circuitry that delivers a nearly harmonic free, phase coherent sine wave to the telephone network, assuring compatibility with all other 103 type modems. Because of the pureness of the sine wave, the STAR modem exceeds even the stringent harmonic requirements of all CCITT countries.

CARRIER DETECT

To assure accurate teleprocessing connections. the carrier detect circuitry prevents the modem from attempting to operate when excessive noise would produce errors or cause marginal operation. The circuitry also has a special amplitude sensor that prevents chatter when the received signal

EXCLUSIVE ACOUSTIC CHAMBERS

The exclusive triple seal of Livermore's new flat mounted cups locks the handset into the acoustic chamber yielding superior acoustic isolation and mechanical cushioning. Designed to adapt to most common handsets used throughout the world (also fits GTE handsets), the STAR offers the utmost in flexibility and transmission reliability.

SELF TEST

The self test feature on the STAR allows the user to verify total operation of the acoustic modem by using the terminal in the full duplex mode. No need for remote assistance in diagnosing terminal or modem products.

Utilizing the experience gained from building high quality couplers for over twelve years. Livermore has designed a coupler superior to any it its class for cost efficiency in industrial, commercial, business or home situations. You can see why we call it the

SPECIFICATIONS

Data Rate. 0 to 300 baud.

Compatibility. Bell 103 and 113; CCITT. Transmit Frequencies.* Originate - 1070 Hz/Space.

1270 Hz/Mark; Answer - 2025 Hz/Space, 2225 Hz/Mark

Receive Frequencies.* Originate - 2025 Hz/Space. 2225 Hz/Mark; Answer - 1070 Hz/Space, 1270 Hz/Mark

Frequency Stability. ±0.3 percent.

Receiver Sensitivity. -50 dBm ON, -53 dBm OFF. Transmit Level. -15 dBm.

Modulation. Frequency shift keyed (FSK).

Carrier Detect Delay, 1.2 seconds ON; 120 msec OFF. EIA Terminal Interface. Compatible with RS 232 specifications

Interface. IEEE 488.

Optional Interfaces, 20 ma:

*International (CCITT) frequencies available.

Switches. Originate/Off/Answer: Full Duplex/Test/ Half Duplex.

Indicators. Transmit Data, Receive Data, Carrier Ready, Test.

Environmental. Ambient operating temperature 5°C. to 50°C. Relative humidity 10 to 90 percent (noncondensing).

Power. Supplied by 24 VAC/150 MA UL/CSA listed wall-mount transformer. Input 115 VAC, 2.5 watts (220 VAC, 50 Hz adaptor available on request).

Dimensions. 10" x 4" x 2" Weight 1.7 lbs. (2.2 lbs. shipping weight including

AC adaptor.) Warranty. Two years on parts and labor.

745 10 a 695 50 a 655 100 a 615 840 10 a 795 50 a 735 100 a 690 6520 PIA 5 15 10 a 4 90 50 a 4 45 100 a 4 15 6.90 10 @ 6.50 50 @ 6.10 100 @ 5.70

6532 790 10 a 740 50 a 700 100 a 660 2114-1450 465 20 a 435 100 a 415 2114-L300 595 20 a 545 100 a 510 2716 FPROM 21 00 5 a 19 00 10 a 17 00 4116-200 ns RAM 7.00 8 a 625

6550 RAM (PET 8K) 1270 S-100 Wire Wrap 265 Solder Tail 215

CASSETTES-AGFA PE-611 PREMIUM

High output, low noise, 5 screw housing, labels C-10 10/5 65 50/25 00 100/48 00 C-20 10/6 45 50/29 50 100/57 00

C-30 10/7 30 50/34 00 100/66 00

All other lengths available. Write for price list

ATARI 800 SPECIAL \$799 All Atari Modules 20% OFF **ATARI**


DISKS

(write for quantity prices)



10/3 10	50/285	100/275
10/3 15	50/2.95	100/285
10/365	50/3.40	100/3 15
10/4 10	50/3.95	100/380
10/2.40	50/2.35	100/2.30
10/2.45	20/235	100/230
10/250	20/2.45	100/235
	1	0 for 3.95
8.	- 2.85	5" - 215
	10/3 15 10/3 65 10/4 10 10/2 40 10/2 45 10/2 50	10/3 10 50/2 85 10/3 15 50/2 95 10/3 65 50/3 40 10/4 10 50/3 95 10/2 40 50/2 35 10/2 45 20/2 35 10/2 50 20/2 45 8" - 2 85

Commodore CBM-PET SPECIALS



Used PETs (limited quantities)

ζ.	following CBM-PET /		1
	items:	F	REE
8032	32K-80 column CRT	\$1795	235
8016	16K-80 column CRT	1495	205
8050	Dual Disk Drive-950,000 bytes	1695	220
CBM	Modem-IEEE Interface	395	50
CBM	Voice Synthesizer	395	50
8N fu	Il size graphics keyboard	795	100
16K F	ull Size Graphics or Business Keyboard	995	145
32KF	ull Size Graphics or Business Keyboard	1295	205
2040	Dual Disk Drive-343,000 bytes	1295	205
2022	Tractor Feed Printer	795	100
2023	Pressure Feed Printer	695	90
C2N I	External Cassette Deck	95	12

**** EDUCATIONAL DISCOUNTS **** Buy 2 computers, get 1 FREE

95 12

Call

VISICALC for PET (CBM/Personal Software)	\$128
CBM Assembler/Editor (disk)	89
CBM General Ledger, A/P, A/R NEW!	270
CBM Full Size Graphics Keyboard	\$ 74
WordPro I-for 8K PET	25
WordPro II-16 or 32K, 2040, Printer	72
WordPro III-32K, 2040, Printer	178
WordPro IV for 8032	268
PASCAL Compiler for PET	75
Programmers Toolkit-PET ROM Utilities	\$ 44.90
PET Spacemaker Switch	22.90
Dust Cover for PET	7.90
IEEE-Parallel Printer Interface for PET	79.00
IEEE-RS232 Printer Interface for PET	149.00

Centronics 737 Proportional Spacing Printer NEC Spinwriter-parallel	\$800 2450	
SYM-1 \$209 with 4K RAM	\$ 238	
SYM BAS-1 BASIC in ROM	85	
SYM RAE-1/2 Assembler in ROM	85	
MDT 1000 Synertek Development System	1345	
KTM-2/80 Synertek Video Board	349	
KIM-1 (add \$34 for power supply)	159	
Seawell Motherboard-4K RAM	195	
Seawell 16K Static RAM-KIM, SYM, AIM	320	
S-100 Static RAM kit SALE	198	
Leedex Video 100 12" Monitor	129	
Zenith Z19 Terminal (factory asm.)	770	
KL-4M Four Voice Music Board for PET	\$34.90	
Visible Music Monitor (4 Voice) for PET	2990	
SPECIAL—KL-4M with Visible Music Monitor	5990	
MICROTHELLO for PET by Michael Riley Machine language version—you can't win at L		
PAPER MATE 60 Command PET Word Processor	\$29.95	

A P Products 15% OFF


Full-featured version by Michael Riley

All Book and Software Prices are D	scounted
PET Personal Computer Guide (Osborne)	\$12.75
PET and the IEEE-488 Bus (Osborne)	12.75
6502 Assembly Language (Osborne)	9.45
Programming the 6502 (Zaks)	10.45
6502 Applications Book (Zaks)	10 45
Programming a Microcomputer 6502	7.75
6502 Software Bookbook (Scelbi)	9.45

115 E. Stump Road Montgomeryville, PA 18936

215-699-5826

A B Computers WRITE FOR CATALOG Add \$1.25 per order for shipping. We pay balance of UPS surface charges on all prepaid orders.



FOUR PART HARMONY FOR THE PET

A-B Computers announces a combination system consisting of the KL-4M DAC Board and the Visible Music Monitor for Commodore PET-CBM computers. The package enables PET users to easily create and play musical compositions of up to 4 parts.

The KL-4M Board includes an 8-bit Digital to Analog Converter, a low pass filter to eliminate high frequency computer generated hiss, and an on-board audio amplifier. An RCA-type jack is also included for quick attachment of your speaker. Amplification of the 6522 CB2 generated single note sound is incorporated as well, so that no additional hardware (other than a speaker) is required. Connection is made via the parallel and cassette ports. Both ports are extended with duplicate connectors (with keyways) so I/O capabilities are not reduced in any way. Board orientation is parallel to the back of the PET so additional table space is not required. The KL-4M is compatible with any of the 4 part music monitors, for which a number of precoded songs are available.

The Visible Music Monitor is intended to support 4-part harmony systems such as the KL-4M. Visible Music Monitor is written entirely in 6502 machine language. VMM provides an easy way to enter 4-part music. The user can see the notes on the screen as they are entered, and can make changes both with the insert and delete keys, and by using cursor up and down to "move" notes on the screen. Other features include "record changer" mode to load successive songs without intervention, user definable keyboard, and entry of whole notes through 64ths including dotted and triplet notes. Additionally, you can specify or change tempo, set key signature, and transpose at any time. Wave form modification makes it possible to create new instrument sounds. Voices can switch from one instrument to another or gang up on one instrument during the course of the song. Music can be played either with note display (useful for debugging songs), or with no display

KL-4M Music Board & Visible Music Monitor Program

PAPER-MATE 60 COMMAND WORD **PROCESSOR**



Paper-Mate is a full-featured word processor for \$29.00 by Michael Riley. Paper-Mate incorporates 60 commands to give you full screen editing with graphics for all 16k or 32K PETs, all printers, and disk or tape drives. It also includes most features of the CBM WordPro III, plus many additional features

For writing text. Paper-Mate has a definable keyboard so you can use either Business or Graphics machines Shift lock on letters only, or use keyboard shift lock. All keys repeat.

Paper-Mate text editing includes floating cursor, scroll up or down, page forward or back, and repeating insert and delete keys. Text Block handling includes transfer, delete, append, save load and insert

All formatting commands are imbedded in text for complete control. Commands include margin. control and release, column adjust, 9 tab settings, variable line spacing, justify text, center text, and auto print form letter (variable block). Files can be linked so that one command prints an entire manuscript. Auto page, page headers, page numbers, pause at end of page, and hyphenation pauses are included

Unlike most word processors. PET graphics as well as text can be used Paper-Mate can send any ASC11 code over any secondary address to any printer

Paper-Mate works on 16K or 32K PETs with ROM, cassette or disk, and CBM or non-CBM printers. An 8K version is in the planning. To order Paper-Mate, specify machine and ROM type

On Tape (with manual)	\$29.95
On Disk (with manual)	\$32.95
Manual Separate	\$ 1.00

BET YOU CAN'T BEAT IT! MICROTHELLO

by Mike Riley

There are five levels of play in this PET machine language program. Level four is for experts only and is designed for tournament level play. So far no one has been able to heat level four. Level five takes several minutes to move and is used for exhaustive analysis of specific moves.

There are several features to help in the analysis of a game. Any position on the board can be recalled and replayed. Both the level of difficulty and the position of the pieces can be changed at any time. You can play against the machine, against another person, or watch the machine play itself. You and the machine can switch sides during the game. Moves are selected with the cursor rather than by For all PETS: \$9.95 coordinates.

TUNNEL VISION & KAT AND MOUSE NOW IN MACHINE LANGUAGE

By Riley and Levinson

This program was so popular that several other versions have appeared on the market. In order to keep ahead of the competition, the program has been re-written in machine language for fast graphics.

The program includes two excellent maze games. In Tunnel Vision, you view the maze from inside in perspective. If you get lost, the program provides a map showing your trail. In Kat and Mouse, you must find your way through the maze before the hungry Kat finds you. Each maze has only one solution, and each is unique. For all PETS \$7.95

KMMM PASCAL for PET

A subset of standard Pascal (Jensen, Wirth) for PET

Includes following standard identifiers:

Types: INTEGER, BOOLEAN, CHAR, TEXT Procedures: RESET, READ, READLN, REWRITE, WRITE, WRITELN



div, mod, or, and, not, if, then, else, case, of, repeat, until, while, do, for, to, downto, begin, end, const, var, array, function, procedure.

Sequential I/O supported (both disk and tape)

Memory can be manipulated as an array (MEM) % sign allows hex values in literals and I/O

Floating Point available in 4th quarter 1980 (nominal upgrade charge)

Included in package

- Machine Language Pascal Source Editor
 Machine Language Compiler (generates P-Code)
- P-Code to machine language translator (produces optimized machine language object code not just a P-Code interpreter).
- P-Code Interpreter (for debugging and learning)
 Run-time package
- User Manual
- Sample programs

Versions available for ROMs 2.0 (cassette only), 3.0, 4.0. Requires 16K minimum.

KMM PASCAL on tape or disk	
(with User Manual)	\$75
User Manual Only	\$15

EARL FOR PET

Editor, Assembler, and Relocator/Linker Disk File Based for PET

Editor can edit files larger than memory.

Assembler features:

- 2 Pass Assembler
- Generates Relocatable Object Code
- -Uses standard MOS Technology mnemonics
- Disk file input
- Listing output to screen or printer

Relocator/Linker capabilities:

- Relocates assembler output to desired memory location
- Resolves symbols declared external in
- Links multiple object programs as one memory load

EARL for PET (with User Manual) .. \$65 User Manual Only \$15

ATARI Computer Systems

BASE UNITS	SALE
400 Computer System	\$ 419
800 Computer System (with 16K RAM)	800
ACCESSORIES	
8K RAM Memory Module	95
16K RAM Memory Module	155
CX70 Light Pen	59
CX30-04 Paddle Controller Pair	16
CX40-04 Joystick Controller Pair	16
CX81 I/O Data Cord (5 feet)	12
	THE STATE OF

PERIPHERALS 410 Program Recorder 69 Disk Drive 539 815 Dual Disk Drive (Double Density) 1195 820 Printer (40 Column Impact) 399 822 Thermal Printer (40 Column) 358 825 Printer (80 Column Impact) 795 830 Acoustic Modem 159 850 Interface Module 175 PERSONAL INTEREST AND DEVELOPMENT CX4101 Invitation to Programming 1 (tape) 16 CXL4007 Music Composer (cartridge) 48 ENTERTAINMENT CXL4004 Basketball (cartridge) uses Joysticks 32 CXL4009 Computer Chess (cartridge) - Joystick 32 CX4111 Space Invaders (tape) uses Joysticks 16 CXL4011 Star Raiders (cartridge) - Joystick 48 CXL4006 Super Breakout™ uses Paddles 32 CXL4010 3-D Tic-Tac-Toe (cartridge) - Joysticks 32 CXL4005 Video Easel (cartridge) uses Joysticks PROGRAMMING LANGUAGES CXL4003 Assembler Editor (cartridge) 48 EDUCATION-Talk & Teach " Courseware (4 tapes per course, use with CXL4001) CXL4001 Education System Master (cartridge)

20 CX6001 U.S. History CX6002 U.S. Government 24 CX6003 Supervisory Skills 24 CX6004 World History (Western) 24 CX6005 Basic Sociology 24 CX6006 Counseling Procedures 24 CX6007 Principles of Accounting 24 CX6008 Physics 24 24

CX6009 Great Classics CX6010 Business Communications 24 CX6011 Basic Psychology 24 CX6012 Effective Writing 24 CX6014 Principles of Economics 24 CX6015 Spelling

A B Computers WRITE FOR COMPLETE CATALOG Add \$1.25 per order for shipping. We pay bala of UPS surface charges on all prepaid orders.

115 E. Stump Road Montgomeryville, PA 18936

215-699-5826

Al Baker's Programming Hints: APPLE and ATARI

More on Menu Selection

The Apple is a programmer's computer. It has many strengths and few weaknesses. However, using its strengths often requires the very best from a programmer. This issue we are going to explore effective use of the Apple's paddle controllers in menu selection. Next issue we'll continue this exploration with an even more powerful application of the paddles. But we're getting ahead of ourselves.

Last Issue: Atari

I left the Atari readers with a problem last time: condense the number selection routine as much as possible and use it in a program. If you'd like to share your solution with the rest of us, send me a listing. My solution is in Listing 1. The program is the old favorite "Guessing Game".

The routine is condensed into lines 1000 to 1050. I made a few changes in it to accommodate the game. The main change was to remove the setup of the variable "A". The rest of the program is the standard number guessing program. Lines 7 through 23 initialize the variables, including "A", and lines 30 through 80 pick out a random number and ask the player to guess it.

Line 90 calls the joystick number selection routine. If the player makes a correct guess, then lines 200 to 220 tell him so and loop back for another game. Otherwise lines 117 to 140 give him a Bronx cheer, tell him how he was wrong, and loop back for another guess.

```
1 REM GUESS A NUMBER
2 REM
3 REM
5 REM SET UP THE JOYSTICK DATA
6 REM
7 A=10
```

```
10 LOW=1
20 HIGH=20
21 X=17
22 Y=12
23 PLAYER=1
27 REM
            PLAY THE GAME
28 REM
29 REM
30 GRAPHICS 0
40 POSITION 2,5
50 ? "I AM THINKING OF A NUMBER BETWEEN"
60 ? LOW; " AND "; HIGH; ".
70 ? "WHAT IS YOUR GUESS:"
80 GUESS=INT(RND(0)*20)+1
82 REM
84 REM
           GET THE PLAYER'S ANSWER
86 REM
90 GOSUB 1000
100 FOSITION 14,20
110 IF A=GUESS THEN 200
112 REM
114 REM
             WRONG GUESS
116 REM
117 SOUND 0,200,10,15
118 FOR I=1 TO 50:NEXT I
119 SOUND 0,0,0,0
120 IF AKGUESS THEN ? "TRY HIGHER"
130 IF A>GUESS THEN ? "TRY LOWER "
140 GOTO 90
170 REM
189 REM
             CORRECT GUESS
190 REM
2010 ? "YOU GOT IT"
210 FOR I=1 TO 500: NEXT I
220 G0TO 30
960 REM
970 REM
           JOYSTICK NUMBER SELECT
980 REM
           (DISCUSSED LAST ISSUE)
990 REM
1000 POKE 752,1
1010 POSITION X,Y:? A;" ";:FOR SND=0 TO
15:SOUND 0,100-A,10,15-SND:NEXT SND
1020 IF (STICK(PLAYER-1)=11)*(A)LOW) THE
N A=A-1:GOTO 1010
1030 IF (STICK(PLAYER-1)=7)*(A(HIGH) THE
N A=A+1:GOTO 1010
1040 IF STRIG(PLAYER-1) THEN 1020
1050 RETURN
```

The Apple Paddle

The Apple hand controller has two inputs: a paddle and a button. The combination is called "the paddle". We are going to use the paddle to make menu selections in programs which do not otherwise use the Apple keyboard. If one or more players are playing a game which exclusively uses the paddles for game inputs, it is poor design to force them to use



MICROSOFT ADVENTURE

The original of ADVENTURE written for the DEC-10 systems is now available for the APPLE. Explore Colossal Cave for treasures while avoiding the dangers hidden within its many passages. 130 different rooms. 15 treasures, and characters ranging from helpful to deadly await you within the cave. Be careful where you step, and also who's behind you! 32K disk machine language \$29.95

ANDROID NIM

by Leo Christopherson The game that made Leo Christopherson famous is now available for the APPLE! The improved graphics and color of the APPLE make the game even better. Try to be the last one to shoot the androids on the screen. If you do, you win! Also includes realistic sound effects. 24K cassette machine language.. \$14.95

MAGIC PAINT BRUSH

Hi-Res graphics package plus! Draw Hi-Res pictures using all APPLE's colors. Connect any points on screen, fill areas, plot, rotate, and scale shape, or 'paint' with a set of 9 brushes. Also comes with Shape Table Designer and 2 demo programs. Slot Machine and Applesoft Invaders. 32K disk Applesoft-ROM \$29.95

THREE-D

You don't have to be an engineer or scientist to have high resolution graphics for your computer! This program permits rotation, scaling, shift, distortion, and combination of three dimensional graphics on the screen. MP Software. 48K disk Applesoft-ROM \$29.95

STAR RAIDERS

The best! A ROM cartridge holds the game. A fast-paced full-color, space battle in which you must defeat the enemy Zylon ships while protecting your home bases. Real-time action and effects make this game the best space game available. Sixty levels of rating from Garbage Scow 4th Class to Commander make for continuously exciting play. ROM cartridge

3D GRAPHICS

by Tim Haves

High quality graphics program for the ATARI computer allows you to rotate, distort, shrink, and combine three dimension graphic projections on the screen. With the high resolution abilities of the ATARI, one of the finest graphics packages available anywhere! 16K cassette \$29.95

WALL STREET CHALLENGE 6402

A computer simulation of the Stock Exchange is easy to play and always challenging. Invest in stocks, and try to make it big!

8K and 16K version on one cassette

ALL STAR BASEBALL 6401

Two players face each other, one at batand the other pitcher and outfield. Innings, balls, strikes, and a variety of plays make for an exciting game. Joysticks are optional. 8K and 16K versions on one cassette.

STARFLEET ORION

Command a starfleet! 2 player game system includes rule book, battle manual, control sheets. Two programs. 22 space ship types and 12 play tested scenarios.

RESCUE AT RIGEL

Search the moon base and rescue Delilah Rookh from the High Tollah. Automatic Simulations.

MORLOC'S TOWER

Match wits with the evil wizard and try to defeat him! Automated Simulations.

TIME TREK

by Brad Templeton from Personal Software, Real time action, Star Trek type game with sound effects. There are no 'turns'. The action continues whether you move or not. You and the Klingons can move, steer, and fire at the same time.

This is only a very small sample of our product line. For a complete selection, send \$1 for our catalog of hardware, software, and publications and receive a \$2 credit toward your first order.

APPLE, ATARI, and PET are trademarks of Apple Computer Co., Warner Communications, and Commodore, respectively

The Software Exchange 6 SOUTH ST., MILFORD, NH 03055

To order: Call Toll-Free 1-800-258-1790 (In NH call 673-5144)

The Software Exchange & Hardside (Div. of Robitaille & Sons, Enterprises, Inc.), SoftSide Publications





the keyboard when making menu or other choices between or during games. Let's avoid the keyboard.

Listing 2 is a sample program that uses paddle 0 to make a menu selection. It puts up a list of five selections. Turn the paddle until the selection you want is highlighted and push the button. That selection is yours. Push the button again to make another selection. This sounds simple enough and, for the user, it is.

For the programmer the problem is anything but simple. There are several problems that must be solved. First, the paddle must "feel" right. This means that it must have fluidly -- no jerkiness. Also, pushing the button must feel like an "event" similar to pressing a keyboard key. The button was designed to feel like a continuous "state" where holding it down creates a continuous input until released.

The Program

Lines 60 to 90 initialize the sample program and define the five selections on the menu. Lines 100 to 106 clear the screen and bypass the user's input. This is done to get the menu on the screen to start with. PR contains the menu item pointed to by the paddle. The menu display routine on lines 220 through 280 print the five selections. The menu entry that matches PR is shown in inverse video.

Now let's sturdy closely the input routine on lines 140 to 185. Line 145 picks up the value from paddle 0 and converts it into a number between 0 and 5*50-1. This is done so that line 150 will always assign a value to the variable PA between 1 and 5. If line 145 allowed values of PA greater than 249 then line 150 would let PA equal as much as 6, a menu item which doesn't exist.

Now the program checks the status of the button in line 160. If PEEK(-16287) is greater than 127 then the button is pressed and the user has made his choice. Otherwise the program checks to see if the new value from the paddle is unchanged. As long as PA equals PR the program will continue to monitor the paddle and button by looping back to line 145. If they are not the same, the user has moved the paddle. The program sounds the bell in line 184 and BEGINS to change the menu display to match the new paddle position.

If line 185 was PR = PA then rapid changes of the paddle would create jerky changes in the display. Spinning the paddle from left to right might cause the menu to change from a highlighted first selection to a highlighted fifth selection, for example. This doesn't feel right to the user, especially the non-programmer. He usually thinks there is almost a mechanical linkage between what he does and what happens on the screen. Having a smooth paddle motion create jerky screen changes violates this sense and feels wrong.

Instead of setting PR equal to PA, line 185 moves PR closer to the value of PA. If PA is bigger

than PR, then it adds 1 to PR. If PA is less than PR than it subtracts one from PR. Finally, lines 220 to 280 reprint the menu and go back for more user input.

```
10
    REM
               PADDLE MENU SELECT
20
    REM
30
    REM
40
    REM
50
    REM
          DEFINE THE OPTIONS
60
    DIM OP$(5)
70
    FOR I = 1 TO 5: READ OF $(I): NEXT
     Ι
80
    DATA
           THE MAGICIAN, THE DETECT
      IVE, THE SOLDIER
90
    DATA
           THE COWBOY, THE POLITICI
     AN
100 PR = 0
105
     CALL
            - 936
106
     GOTO 220
110
     REM
120
     REM
           WAIT FOR PADDLE MOVE
130
     REM
140
     CALL
            - 936
145 PA =
          PDL (0): IF PA > 249 THEN
     PA = 249
150 PA =
           INT (PA / 50) + 1
160 BU =
           PEEK ( - 16287)
170
     IF BU > 127 THEN 320
180
     IF PA = PR THEN 145
184
     PRINT
             CHR$ (7);
185 PR = PR +
                SGN (PA - PR)
190
     REM
200
     REM
           DISPLAY MENU
210
     REM
220
     FOR I = 1 TO 5
     IF PR = I THEN
230
                       INVERSE
240
     HTAB 10: VTAB 5 + 2 * I
250
     PRINT OF $(I)
260
     NORMAL
270
     NEXT I
280
     GOTO 145
290
     REM
     REM
          SELECTION HAS BEEN MADE
300
310
     REM
320
           - 936
     CALL
330
    VTAB 5
340
             CHR$ (7); "YOU SELECTE
     PRINT
     D ";OP$(PA)
341
     REM
          WAIT FOR BUTTON TO BE R
342
     REM
     ELEASED
344 BU =
          PEEK ( - 16287)
345
     IF BU > 127 THEN 344
346
     REM
          WAIT FOR BUTTON TO CONT
347
     REM
     INUE
```

0

348	REM
350	VTAB 15
360	PRINT "PRESS BUTTON TO CONTI
	NUE" \$
370	BU = PEEK (- 16287)
380	IF BU < 128 THEN 370
385	CALL - 936
386	PRINT CHR\$ (7);
390	REM
400	REM WAIT FOR BUTTON TO BE R
	ELEASED
410	REM
420	BU = PEEK (- 16287)
430	IF BU > 127 THEN 420
440	GOTO 100

The remainder of the program handles the user's menu choice. Lines 320 to 340 display the choice and lines 344 and 345 wait for him to release the button. Remember that he pressed the button to make the selection. The program shouldn't reread the button until the user has let it go. Once the button is released, lines 350 and 386 request that the user press the button, wait for the button press, and sound the bell. Then lines 420 to 440 wait for the button to be released before going back to the menu.


Conclusion

We've explored one use of the Apple paddle. Next time we are going to simulate a joystick for such games as Space Invaders. The actual arcade game uses a joystick to control sun motion. Most Apple versions treat the paddle as direct input to position the sun. This tends to frustrate Space Invader fans who are used to the real thing.

Here is your problem for next time. How can you simulate a two way joystick (left <-center-> right) with the Apple paddle without needing to know at any time how far the paddle is from its center position?



FULL SELECTION OF APPLE COMPUTERS AND ACCESSORIES.



For Personal - Business - Educational applications and more, there's only one place to come for all your APPLE needs.

OFF THE SHELF DELIVERY.

HOUSE of COMPUTERS Inc.

368 EGLINTON AVE. W. (at Avenue Rd.) TORONTO, ONTARIO M5N 1A2 (416) 482-4336

CRAE

A fast co-resident Applesoft editor for Applesoft programmers. Now perform global changes & finds to anything in your Applesoft program. Quote (copy) a range of lines from one part of your program to another. A fully optimized stoplist command that lists your program to the screen with no spaces added and forty columns wide. Append Applesoft programs on disk to program in memory. Formatted memory dump to aid debugging. Powerful renumber is five times faster than most available renumber routines. Auto line numbering. CRAE need be loaded only once and changes your Applesoft program right in memory. 48K Apple II or Plus & Applesoft ROM & disk.

MCAT

MCAT is a binary program which creates a master catalog report. The first list is sorted by file names and the second by volume number with sectors used indicated, provisions for duplicate volume numbers. 600 file names capacity on 48K system. 200 for a 32K system.

SINBAD

SEE YOUR LOCAL DEALER OR SEND CHECKS TO

HIGHLANDS COMPUTER SERVICES

14422 S.E. 132nd Renton, Washington 98055 (206) 228-6691

Washington residents add 5.3% sales tax. Applesoft and Apple registered trademarks of Apple computers Inc.

Fun With the 6502 Atari Software Reviews

Atari 3 Dimensional Graphics

Len Lindsay

Sebrees Computing (456 Granite Ave., Monrovia, CA) is marketing a sophisticated software package that will help you create your own three dimensional pictures on your Atari screen, and even have them moving in any direction you would like. The software package costs \$29.95 plus \$1.50 postage and handling.

I have referred to this software as a package, rather than as a program, because you receive four separate programs on the tape. Along with the tape comes a manual explaining how to use the programs and how they work. The last pages of the manual contain complete listings of each of the programs.

I received a preliminary version of **3D Computer Graphics** for the ATARI, and was impressed. For example, the first program mixes all three types of TEXT MODES on the screen at one time which is very interesting. The final version will use more colors in Graphics mode 8 than the default maximum set by BASIC.

The programs allow you to set up the three dimensional coordinates of any object you wish drawn on the screen (using X, Y, Z axes). It takes quite some time to figure out all the coordinates and enter them into the program. (This is a serious program; plan on spending some time with it.) Once you have all the coordinates entered, you can have the object drawn on your screen. This sounds simplistic, but you can vary the place that you are viewing the object from; vary the field of view; and "vary" the viewing position you are looking at the object from. And you can draw the object, or erase it, all under program control. Thus you can actually create a three dimensional animated scene.

The final manual will have a complete chapter on examples. The last program on the tape is an example of animation all ready to RUN. You can watch an animated SPACE SHUTTLE. A plastic model of the Space Shuttle was used along with graph paper to identify its outline coordinates.

If you are set for some serious fun with your ATARI, and have the time to enter coordinates of your object into the program's data base, then you should enjoy this package.

The Video Easel Cartridge from Atari

This is one of ATARI's plug-in cartridges. It is an amazing cartridge, showing off some of the ATARI's amazing capabilities. It uses joysticks to control many of its functions. The more you use it the more things you find you can do.

Painting (demo mode)

There are 6 different dynamic paintings preset for your instant use. Simply hit P (for Painting), then hit a number 1 - 6 for the painting number, then hit RETURN and the painting begins. My favorite paintings are numbers 1, 3, and 6. You can switch from one painting to another at any time. The screen is not cleared when you transfer unless you want it to clear. To clear the screen, hit C (for Clear) and RETURN. The paintings are constantly changing, creating beautiful displays. And it is FAST. You can even control the speed if you wish. Simply use joystick #1. Push it forward and the painting speeds up. Pull it back and it slows down. Slow it down to a snails pace and watch how the video magic is performed (it is extremely interesting). You can control colors used with joystick #2. Push it forward or right or left to change the color registers. Hold the RED button down at the same time and you change the luminance levels.

Drawing

Now for the exciting news. You can create your own custom dynamic painting sets. It is very simple and provides a great sense of accomplishment and satisfaction.

Hit **D** (for Draw) and RETURN and you are in the DRAW "set-up" mode. Use joystick #1 to set up the master pattern. Your master pattern can both DRAW and ERASE lines. To set up a DRAW hold the RED button down as you move a small dot around the screen with your joystick (leaving a trail). To erase, don't hold the RED button down. When you are ready simply hit **S** (for Start) and RETURN and ZAP, the computer starts drawing your pattern over and over rapidly filling the screen with your instant masterpiece. You can control the speed and colors as for PAINTING mentioned above.

This DRAW mode can easily be used for trivial fun. But, it can just as easily be used for some serious fun. However, to create some well-designed, thoughtful, dynamic paintings, you will have to spend some time experimenting. See if you can

PET ATARI APPLE SYM

INTRODUCING PET RABBIT CASSETTE

The PET RABBIT contains high-speed cassette routines, auto-repeat key feature, memory test, decimal to hex, hex to decimal, and other features. Coexists with the BASIC PROGRAMMERS TOOLKIT. Works with 2.0 ROMS (New) and new style cassette deck.

Cassette versions configured for \$1800, \$3000, \$3800, \$7000, and \$7800.

Cassette and manual — \$29.95

ROM version configured to plug into P.C. board at \$A000.

ROM and manual - \$49.95

FREE ROM RABBIT with purchase of 8K PET and tape

SPECIAL — ROM RABBIT and cassette deck — only \$134.95

MACRO ASSEMBLER TEXT EDITOR

Macro and conditional assembly, string search and replace, 10 char./label, AUTO line numbering, MOVE, COPY, DELETE, NUMBER, and much more. 20+ commands, and 20+ pseudo ops.

PET cassette version (ASSM/TED) — \$49.95 PET disk version (MAE) — \$169.95

ATARI cassette version with machine language monitor - \$53.95

FREE ASSM/TED and ROM RABBIT with purchase of 32K PET and cassette deck.

FREE MAE with purchase of 32K PET and disk drive.

TINY-C FOR PET

An adaptation of the TINY-C interpreter sold by Tiny-C Assoc. Useful for learning a modern structured programming language. Diskette - \$45.00. Owners manual - \$40.00

FREE MAE and TINY-C with purchase of 32K PET, disk drive, and printer.

COMPILERS

Graphics Drawing Compiler for PET and SYM. Works with Macro ASSM/TED. The GDC is composed of a number of macros which emulate a high-level graphics drawing language. In addition to the macros, GDC provides some very useful enhancements to the ASSM/TED. Manual and Cassette — \$29.95

Music and Sound Composer for PET. Works with Macro ASSM/TED. The MSC is composed of a number of macros which emulate a high-level computer music language. In addition to the macros, MSC provides some very useful enhancements to the ASSM/TED. Manual and Cassette — \$29.95

I/O KIT

PET I/O Experimenters Kit. Allows easy access to IEEE or user port for the construction of external circuits. Kit — \$39.95

ORDERING TERMS

Send check or money order in U.S. dollars. Add 2% for postage for CBM orders. Overseas software orders add \$5.00. All software mailed free in USA and Canada. Purchase orders acceptable.

EHS IS NOW A COMMODORE DEALER

EHS offers a number of software products for PET, ATARI, APPLE, and other 6502 computers. Now we sell CBM hardware. If you're in the market for PET products, be sure to look for our FREE software offers.

CBM	PRODUCT DESCRIPTION	PRICE
2001-8KN	8K RAM-Graphics Keyboard	\$ 795.00
2001-32KN	32K RAM-Graphics Keyboard	\$1295.00
2001-32KB	32K RAM-Business Keyboard	\$1295.00
8032	32K RAM-30 Col4.0 O/S	\$1795.00
2023	Friction Feed Printer	\$ 695.00
2022	Tractor Feed Printer	\$ 795.00
2040	Dual Floppy-343K-DOS 1.0	\$1295.00
2050	Dual Floppy-343K-DOS 2.0	\$1295.00
8050	Dual Floppy-974K-DOS 2.0	\$1695.00
C2N Cassette	External Cassette Drive	\$ 95.00
CBM to IEEE	CBM to 1st IEEE Peripheral	\$ 39.95
IEEE to IEEE	CBM to 2nd IEEE Peripheral	\$ 49.95
8010	IEEE 300 Baud Modem	\$ 395.00
2.0 DOS	DOS Upgrade for 2040	\$ 50.00
4.0 O/S	O/S Upgrade for 40 Column	\$ 100.00

EDUCATIONAL DISCOUNTS BUY 2 — GET 1 FREE

TRAP 65

TRAP 65 prevents the 6502 from executing unimplemented instructions. Have you ever had your system to crash on a bad upcode? This is a real machine language debugging tool and time saver. Also useful for teaching trap vectoring and extension of instruction set in schools. $3\frac{1}{2}$ x $4\frac{3}{4}$ printed circuit board which plugs into 6502 socket of any PET, APPLE, SYM. Only \$149.95

ATARI M.L. MONITOR

Load and save binary data on cassette. Display and change 6502 registers.

Monitor uses the screen editing capabilities of the ATARI to allow easy use. Cassette and manual — \$9.95 (specify memory size).

ATARI MEMORY TEST

When you purchase a new ATARI or add on new RAM modules, you need to be sure that the memory is working properly. (Remember, you only have a short guarantee on your memory!) Cassette and manual - \$4.95

APPLE PRODUCTS

Macro ASSM/TED - includes manual, on cassette -

\$49.95, on disk — \$55.95 Apple MAE — similar to PET MAE. A powerful assembly development system on diskette. (Requires license agreement) — \$169.95

PIG PEN - 100% M.L. word processor for use with Apple ASSM/TED. Fast text formatting, vertical and horizontal margins, right and left justification, centering, titles, foots, shapes, etc. Manual and source included. on cassette - \$40.00, on diskette - \$45.00

Apple Mail List System. Provides sorting on zip code or last name. Approximately 1000 names/diskette. Manual and Diskette — \$34.95

EASTERN HOUSE SOFTWARE

3239 Linda Drive, Winston-Salem, N.C. 27106 Ph. Orders — 9-4 EST (919) 924-2889 or 748-8446 Send SASE for free catalog

figure out just what the computer does when it duplicates your pattern. You may find that the screen fills up too fast, and then looks like garbage. AHA. Your master pattern should include some ERASE lines, to help keep the screen from filling up. There are other tricks to creating long-lasting dynamic art, but I won't spoil your fun by telling you what they are.

Quad Drawing

If you like DRAWing, you will have four times the fun with QUAD DRAWing. This divides the screen into four quadrants, focusing on the center. Now you draw in all four quadrants at once (symmetrically of course). This is a fast way to create interesting designs.

Who and Why

Children as young as 6 years old can control the VIDEO EASEL. It will encourage experimenting and exploration, as well as allow creative play and aid visual thinking. It can be used at very simple levels, but can be much more sophisticated for use by high school students. It was with more sophisticated use in mind that LIFE was included.

Life

This is a population simulation. Although it is referred to as the game of LIFE, there really are no opponents or winning strategies. A whole article could be devoted just to explaining the significance of this famous "game", in fact many such articles already have been published. A partial bibliography is included with the VIDEO EASEL manual. There is even a newsletter dealing with this computer simulation. It basically deals with a population of "cells" that you set up. Once you START it, it follows set rules:

- 1) Law of Survival each cell with 2 or 3 neighbor cells survives to the next generation. Each cell with 4 or more neighbors will die from "overcrowding". Each cell with one or less neighbors will doe from "isolation".
- 2) Law of Birth each empty space with exactly 3 neighbors will create a new cell for the next generation.

ATARI's LIFE is very fast, and has many fancy "extras" built in to make it easier to use for fun and recreation. You can put the cells on the screen one at a time if you wish, but that takes time. So ATARI gives you several options to put many cells up at one time.

- a) BIG X puts an X on the screen
- b) LINE puts lines (horizontal or vertical) on the screen of any length
- c) DIAGONAL puts diagonal lines on the screen
- d) IBEAM puts a large I on the screen

Each of the above can be used with the others. Once you have the screen set up with all your "cells" you simply hit S (for Start) and watch the generations go

by. Some very interesting patterns are created. For more advanced use, you can automatically put GLIDERS and FACTORIES on the screen. Factories create Gliders. They both are fully explained in the manual.

September/October, 1980. Issue 6

Final Remarks

Video Easel may appear to be simply a glorified drawing program, but it is much more. I am very satisfied with it, and my daughter enjoys it as well, even though she is only three years old. In several years it should prove thought provoking for her. It can be used successfully in grade schools (for the patterns and drawing) and in high schools (for the game of LIFE simulation).



- □ Software. Lists 400 programs on 70 tapes and disks. For education, recreation, and personal use.
- ☐ Books. Lists 100 books, games, records, prints, etc. for educational and personal users of small compu-
- ☐ Peripherals. (ALF music synthesizer and Versa-Writer for the Apple II).

Send 3 15¢ stamps for either catalog or 5 for both. Or send \$2.00 for a sample issue of Creative Computing and both catalogs.

creative compating

> DEPT. CPJG P.O. Box 789-M Morristown, NJ 07960



Randomize For The Apple II

Sherm Ostrowsky 291 Salisbury Avenue Goleta, CA 93017

When you play games on your Apple II, do things start looking familiar after a while? Does the game get boring because you know just what is going to happen next, even though the random number generator in the program is supposed to make each event unexpected? There is a simple, one-line statement in BASIC which can remedy this problem; you can use it in your own programs, or even insert it into commercial programs after loading them.

The problem arises because the random numbers generated by the RND(1) function are part of a pseudo-random sequence which is always the same whenever you turn on the computer. You can select a different pseudo-random sequence by first entering a seed, S, and using a statement like:

X = RND(-S)

before any of the calls to RND(1). But this sequence, too, will always be the same very time you run your program with the same seed. What is really needed is a way to generate a starting seed which is different every time you run the program, and which is unknown to you.

Some versions of BASIC have a command ("RANDOMIZE") which does just this. Apple BASIC and APPLESOFT, unfortunately, do not have this command. A method which has been used by many Apple programmers to get around this dif-

ficulty is to ask for a starting seed from the user at the beginning of the program run, e.g.,

10 INPUT "SEED: "S: X = RND(-S)

This will indeed start a different sequence of random numbers for that run, but it has some undesirable features. It may not be compatible with the ambience of the game ("Welcome to the space world of the twenty-third century' please enter a seed."). The user may not know enough about computers to understand what is wanted. And in any case, it is best if the seed is not known to the user, so each game can come as a complete surprise.

A somewhat more sophisticated approach, which I have seen used in at least one elegant program, uses a sequence such as

20 PRINT"HIT ANY KEY WHEN READY TO PROCEED";

30 X = RND(1): X = PEEK(-16384): IF X < 128 GOTO 30

This does the job: while waiting for the key to be pressed, the repeated calls to RND place the system at an unknown and unpredictable location in the random number sequence. It is, however, not necessary to program this so directly, because the Apple monitor has a built-in routine which does the same thing.

The Apple's pseudo-RANDOMIZE function works as follows: whenever the cursor is blinking at you while awaiting some kind of input, a little machine-language loop is rapidly and repeatedly incrementing a two-byte integer stored at decimal locations 78 (low byte) and 79 (high byte). No matter how fast you respond by typing some input, this loop will have gone around so many times that the number stored in those locations will be quite random and unknown. Now, in order to get your program into the computer, it must obviously have been necessary either to type it in or read it in from tape or disk; either way, the blinking cursor must have appeared for you, even if only to await the LOAD command. Therefore, there will always be a random number waiting there to be your seed.

A simple way to use this pseudo-RANDOMIZE function is just to put the following statement near the beginning of your program:

10 X = RND(-PEEK(78) - 256 * PEEK(79))
Thereafter, any uses of RND(1) will get numbers out of a completely unpredictable sequence of random numbers.

SCREENDUMP

Jeff Schmoyer

Screendump is a machine language utility program which prints the contents of an Apple II text screen to any printer. It is executed by pressing a control-Z on the keyboard in response to any input. Its uses include printing the catalog without having to specifically start the printer, getting a hardcopy printout of instructions from programs, and selectively preserving information on the screen. Screendump will run on any size Apple II computer with or without a disk drive. It will work from Applesoft, Integer BASIC, or the Monitor.

Throughout this article control characters are printed in the format control-Z. This means press the Control key, and while holding it down, type Z or whatever other character is requested. Control characters are not displayed on the Apple's screen. All the addresses shown with dollar signs (\$) in front are hexadecimal addresses.

When activated, Screendump replaces the system's standard character input hooks with its own. Normally when the computer wants a character, it goes to the Monitor keyboard input routine which waits for one to be typed and then passes it on. When Screendump is on, the computer goes to it for a character. It then checks to see if the character typed was a control-Z. If not, it passes it on just like the normal routine. If the character was a control-Z, it prints out the screen.

To accomodate different types of printers and interfaces, Screendump has its own output hooks at \$2FE and \$2FF. These should be set to the address of the printer driver routine which prints one character. On each of Apples' and most other manufacturers printer cards resides a ROM containing a printer driver routine to make the card work. After a PR#1 (if the card is in slot 1) is executed, the computer jumps to that driver whenever it wants to print a character. It does this by setting the systems output hooks to the appropriate driver address. For an Apple parallel card in slot 1 this address is \$C102. If a different card is to be used, this address may be discovered through the following procedure. Go to the Monitor by pressing Reset on a standard Apple II or by CALL -151 on an Apple II Plus or an Apple II containing a Language System.

Type control-P control-K and Return to disconnect

Type the slot number that the printer card is in followed by a control-P and Return. For slot 1 this would be 1 control-P Return.

Type 36.37 Return. This will display the printer address in reverse order. For \$C102 it would show 36:02 C1.

These need to be placed in Screendump in reverse order also. For \$C102, \$2FE should get \$02 and \$2FF should get \$C1.

One other change is required for systems without disk drives. The value at locations \$2B7 needs to be changed from \$4C to \$60.

To use Screendump from the Monitor type 2AFG and Return or from either BASIC type CALL 687 and Return. Now any time control-Z is pressed, the current screen will be printed. Screendump may be used anytime up to the next Reset or IN# command.

To save Screendump to tape, from the Monitor type 2AF,2FFW. To save it to disk type BSAVE SCREENDUMP,A\$2AF,L\$51. To reload it from tape, go to the Monitor and type 2AF.2FFR. To reload it from disk enter BLOAD SCREENDUMP or alternatively BRUN SCREENDUMP. The latter would both load Screendump and activate it.

Some printer cards, such as Apples' parallel card, need to be initialized before they can be used. This initialization must be done each time the computer is turned on, or with some cards, each time Reset is pressed. For a parallel card in slot 1 the sequence would be

PR#1 control-I 40N control-I K PR#0.

After Screendump is activated, through the execution of a CALL 687 or one of the other previously described turn-on procedures, it may be utilized by typing a control-Z in response to any input. For example if the catalog is being displayed and the computer is waiting for any key to be pressed before showing more, control-Z can be entered and what is on the screen will be printed. The catalog will not advance until some other key is pressed. As another example, assume you are playing your favorite adventure game and it is waiting for you to enter a command. Typing control-Z will print the current screenful of information describing your whereabouts for future reference.

In some cases the control-Z character may need to be used by other programs or devices such as the Micromodem II, for their own purposes. If Screendump is active, it will never let a control-Z go through he system. To make a different use of control-Z, Screendump may be deactivated through an IN#0 or Reset, or the Screendump execution character can be changed to something other than a control-Z. This is accomplished from Applesoft by typing POKE 702, CHR\$("newchar"). The character in quotes, newchar, may be any character the system is not using for something else. For example, an A would not be a good character to use since everytime an A was typed the printer would start.

The operation of Screendump is as follows. SDINIT is the startup routine. It takes SCREEN-DUMPs address and puts it in the input hooks so that Screendump is called to get each character. If a disk is being used, the DOS is jumped to, passing the input address information along to it.

As previously outlined, when the system wants a



: ASM

character it goes to SCREENDUMP which in turn looks to the Monitor routine KEYIN for a character. It then checks to see if the character entered was a control-Z. If not, it returns the character to the caller, your adventure program or whatever.

DUMPIT is the routine that actually prints the screen. First it saves the CPU registers and the current screen pointers. This is so that when it is finished, the cursor position and other information will still be intact.

Next it zeros the X register which will serve as the screen line counter. The Y register will contain the character position on that line. The X register (the line) is then transferred to the accumulator (the A register) and the Monitor routine GBASCALC is called. This routine translates the line number in the accumulator into the actual location of where that

line starts in computer memory.

The forty characters for that line are now printed followed by a carriage return. The routine then goes to the next line and so on until it has done 24 lines.

After it finishes the screen, it restores the saved screen pointers and registers. Finally it goes to get a new character. It does this instead of passing the control-Z on to the system and causing a probable SYNTAX ERROR.

Screendump resides in memory at the end of the keyboard buffer area. These locations are generally not used by other programs but if a very long line is typed in, over 170 characters, Screendump will be destroyed. If it was active at the time of destruction, the computer will stop or do strange things. Hit Reset to recover.

```
0000:
                     1 : SCREENDUMP
0000:
                     2 ;
0000:
                     3;
                           DUMP SCREEN TO PRINTER WHENEVER
0000:
                     4
                          CONTROL-Z IS PRESSED.
0000:
                     5;
0000:
                     6
                              BY JEFF SCHMOYER 5/80
0000:
                     7
                       ;
00000:
                     8
                       ;
0000:
                     9 KSWL
                                    EQU $38
                                                          CHAR IN HOOKS
0000:
                    10 KSWH
                                    EQU KSWL+1
0000:
                    11 DOSSET
                                    EQU $3EA
                                                          DOS SET HOOK ROUTINE
00000:
                    12 CH
                                    EQU $24
                                                          CURSOR HORIZONTAL
0000:
                    13 GBASL
                                    EQU $26
                                                          BASE LINE ADDRESS
0000:
                                    EQU GBASL+1
                    14 GBASH
0000:
                    15 GBASCALC
                                                          CALCULATE BASE ADDRESS ROUTINE
                                    EQU $F847
00000:
                    16 PRINT
                                    EQU $C102
                                                          PRINTER CARD CHAR OUT ADDRESS
0000:
                    17 RDKEY
                                    EQU $FDOC
                                                          MONITOR IN
0000:
                    18 KEYIN
                                    EQU $FD1B
                                                          GET ONE PRESS
                    19 CR
                                    EQU $8D
                                                          CARRIAGE RETURN
0000:
                    20 :
                    21
                                    ORG $28F
                                    0BJ $2AF
                    23
028F:
                    24
                           INITIALIZE THE INPUT HOOKS
                    25
                           TO POINT TO OUR ROUTINE.
02AF:
028F:
                                    LDA #SCREENDUMP
     89
                                    STA KSWL
02B1: 85
                    28
                                    LDA #SCREENDUMP/256
0285: 85
                                    STA KSWH
                          AND CHECK FOR CONTROL-Z.
                    35
                           IF NOT THEN RETURN CHAR TO CALLER,
                                    JSR KEYIN
                                                          GET A CHAR
                                                          IS IT A CTRL-Z?
                                    CMP ##9A
028D: C9 9A
02BF: F0 01
                                    BEQ DUMPIT
                                    RTS
                                                          NO, SEND BACK CHARACTER
                    40
0201: 60
```

```
0202:
                    41 ;
                    42 ; SAVE CURRENT POINTERS AND
0202:
                    43 ; PRINT THE SCREEN.
0202:
                    44 ;
0202:
                                                          SAVE REGS
02C2: 8A
                    45 DUMPIT
                                    TXB
0203: 48
                    46
                                    PHA
0204: 98
                    47
                                    TYA
                    48
                                    PHA
0205: 48
                                                         SAVE CURRENT SCREEN POINTERS
                                    LDA GBASL
                    49
02C6: A5 26
                                    PHA
0208: 48
                    50
                                    LDA GBASH
02C9: R5 27
                    51
                                    PHA
                    52
02CB: 48
                                    LDA CH
                    53
02CC: A5 24
                                    PHA
02CE: 48
                    54
                                                          LINE COUNTER
                                    LDX #0
                    55
02CF: R2 00
                                                          ZERO CURSOR HORIZONTAL
                    56
                                    STX CH
02D1: 86 24
                                                          COLUMN COUNTER
02D3: A0 00
                    57 NEXTLINE
                                    LDY #0
                                                          A GETS LINE
                                    TXA
                    58
02D5: 8A
                                                          TRANSLATE IT
02D6: 20 47 F8
                    59
                                    JSR GBASCALC
                                                          GET A CHAR
                                    LDA (GBASL),Y
                    60 NEXTCHAR
02D9: B1 26
                                                          OUT WITH IT
                                     JSR PRINTONE
                    61
02DB: 20 FD 02
                                                          MOUE TO NEXT CHAR
                    62
                                     INY
02DE: 08
                                                          LINE DONE?
                                     CPY #40
                    63
02DF: C0 28
                                                          NO
                                     BNE NEXTCHAR
02E1: D0 F6
                     64
                                     LDA #CR
02E3: A9 8D
                     65
                                     JSR PRINTONE
                     66
02E5: 20 FD 02
                                                          HEXT LINE
                                     INX
                     67
 02E8: E8
                                                          ALL DONE?
                                     CPX #24
                     68
 02E9: E0 18
                                                          NO.
                                     BNE NEXTLINE
                     69
 02EB: D0 E6
                                                          PUT OLD LINE STUFF BACK
                     70
                                     PLA
 02ED: 68
                                     STA CH
                     71
 02EE: 85 24
                     72
                                     PLA
 02F0: 68
                                     STA GBASH
 02F1: 85 27
                     73
                                     PLA
 02F3: 68
                     74
 02F4: 85 26
                     75
                                     STA GBASL
                                     PLA
 02F6: 68
                     76
                                     TAY
                                                           RESTORE REGS
                     77
 02F7: A8
                                     PLA
 02F8: 68
                     78
                     79
                                     TAX
 02F9: AA
                                                          GET NEW KEYPRESS
 02FA: 4C 0C FD
                     80
                                     JMP RDKEY
                     81 ;
 02FD:
                           JUMP TO ACTUAL PRINTER DRIVER
                     82 :
 02FD:
                           CHARACTER OUTPUT ROUTINE.
                     83 ;
 02FD:
                     84 ;
 02FD:
                                     JMP PRINT
 02FD: 4C 02 C1
                     85 PRINTONE
```

Thesus Versus The Minotaur: PASCAL Visits Ancient Greece

Joseph H. Budge 2507 Elderwood Lane Burlington, NC 27215

In ancient Crete there was a monster called the Minotaur who lived in an impossible maze, the Labyrinth. The Minotaur was a magical creature, half-man and half-bull. Once a year he demanded a human sacrifice. In return for the sacrifice he would protect the rest of the citizens from the evils of their enemies and nature. Appropriately enough, this was called the Minoan civilization. As time went on, the Minoans grew tired of the yearly sacrifices. After all, it was a drain on the population. Not only that, but people forgot how valuable their protection was. Eventually, the Minoans actually had to force people to sacrifice themselves. Imagine that! The victim would be thrown into the labyrinth, get lost, and eventually bump into Minotaur, with predictable consequences.

One day your basic Greek Hero type showed up, a dude named Theseus. Since it was sacrifice day, the Minoans grabbed Theseus and threw him in the Labyrinth. Being a Greek Hero and all, Theseus had his trusty battle-ax and a ball of string. He unwound the string until he found the Minotaur, slew the beast, and then followed his string back out. Through the marvels of modern science we are able to take you back in time to the very time and place of this epic event. Theseus is just stepping off his boat...

Suddenly a Minoan guard on the city wall challenges him: "Who goes there?"

"Tis I, Theseus, son of fair Hebride and mighty warrior, I come in peace."

Well, before he knows what's happening, a platoon of soldiers emerges from the city, grabs Theseus, and drags him off to the King's Palace. The King, of course, is delighted to see Theseus. So delighted, in fact, that he pulls out all the stops and orders a State Banquet be prepared in the field right out in front of the Labyrinth. But once dinner is ready, the platoon shows up again while the Great High Priest Mumbo-Jumbo explains the fate that has befallen Theseus: he's about to become bull fodder. Our Hero mutters the ancient Greek equivalent of "Sure, no sweat, baby!" before he grabs his pack and marches off through the great front doors of the Labyrinth. This is what he does:




Figure 2: Labyrinth after the first search plusses indicate where Theseus checked.

Theseus comes out of the maze, squinting in the sunlight. A roar from the angry crowd washes over him. The High Priest explains that the Minotaur must be either slain or fed. To emphasize his point, the Minotaur gives a big roar from inside the labyrinth! This sends the crowd scattering and leaves Our Hero quavering in his sandals. Mustering up his courage, once more he enters the labyrinth. While he wasn't looking, the Minotaur moved some of the walls around, so now he's just as lost as the first time he went in. Here's what happens this time:




Figure 3: The re-arranged Labyrinth.




Figure 4: Theseus' trail out of the Laberin'

Well, the Minoans are just delighted! They make Theseus a Prince of the Realm, heap rewards on him, and throw a huge party in his honor. Many of the guests want to know how he did it, but Theseus keeps on saying "Aw, shucks, it was nothing.". Finally the King comes over; he's dying of curiosity too. So Theseus stoops over and draws the following program in the sand:

THEORY OF OPERATION

This is a maze search program written in Standard Pascal for the Apple II. It does not use any of the special Pascal functions unique to UCSD Pascal, therefore it should be portable to other Pascal machines.

The labyrinth is read into an array, the size of which is set by the constants M & N. In the array a '*' indicates wall, a '.' indicates passageway, a '+' means we've been on that passage before, and 'M' means Minotaur. The labyrinth is placed in an array surrounded by a circle of spaces and a circular wall. By placing Theseus inside this circle of sentinels, he can search out the entrance to the maze in the same way as he searches the maze. The search itself is straightforward. At any given square Theseus looks north, and then on around the compass. He takes the first available passageway that he hasn't taken before. If there's no passage, he back's up until he finds one or gets back to his starting point. Theseus himself is merely a stackpointer. He points to the end of his string, which is really the stored information on the status of each point he has traversed. To advance, a new node is pushed onto the stack, while retreat is performed by a pop. When the stack is empty, Theseus is back outside the maze. If Theseus finds the Minotaur he will slay him (M becomes W), and leave his string behind (a trail of 'T's).

```
program maze;
        m = 9:
                                 (* rows in maze *)
const
                                 (* rows + 1 *)
        m1 = 10;
        m2 = 11;
                                 (* rows + 2 *)
                                 (* columns in maze *)
        n = 12;
                                 (* columns + 1 *)
        n1 = 13;
                                 (* columns + 2 *)
        n2 = 14;
        stackptr = ^thissquare;
                                                  (* pointer to stack nodes *)
type
        direction = (north, northeast, east,
                     southeast, south, southwest,
                                                  (* legal directions *)
                     west, northwest);
                                                  (* one stack node *)
        thissquare = record
                         row : integer;
                                                  (* row in maze *)
                                                    column in maze *)
                         column : integer;
                                                   (* direction looking here *)
                         looking : direction;
                         string : stackptr
                                                  (* pointer to next node *)
                      end;
        map = array [-1..m2, -1..n2] of char;
                                                  (* Theseus's world *)
                                                    states of existence *)
        vitality = (alive, dead);
                                                  (* a range for indexing *)
        validmove = -1..1;
        index = array [north..northwest] of validmove;
                                                  (* array of indexes *)
        table = record
                hmove : index;
                vmove : index
                end:
                                                  (* used for input testing *)
        markers = set of char;
                                                  (* the labyrinth *)
var
        maze : map;
                                                     top of stack = Our Hero *
        Theseus : stackptr;
                                                  (* how's the beast feeling? *)
        Minotaur : vitality;
                                                  (* look-up table of moves *)
        compass : table;
                                                  (* flag for exit display *)
        done
                : boolean;
```

```
"" is put in. The array is larger
than the maze will be. The extra
room, two squares on all sides, are
the sentinels which are used to
search for entrances. The compass
is initialized as a look-up for moving
in an indicated direction.
```

```
procedure ARRAYSTART (var maze:map; var compass:table);
                                             (* iteration variables *)
       i : integer;
       j : integer;
       d : direction;
begin
  (* initialize the labyrinth *)
 for i := -1 to m2 do
   begin
     for j := -1 to n2 do
       begin
         maze[i, j] := '.';
                                             (* set to dots *)
         end;
  (* now set the compass *)
 with compass do
   begin
     for d := north to northwest do
       begin
         if (d=east) or (d=west) then vmove[d] := 0
         else if (d>east) and (d<west) then vmove[d] := 1
         else vmove[d] := -1;
         if (d=north) or (d=south) then hmove[d] := 0
         else if (d<south) then hmove[d] := 1
         else hmove[d] := -1
       end
   end
end;
```

end;

```
procedure PRINTMAZE (maze:map);
           i : integer;
                                                            (* iteration variables *)
           j : integer;
 begin
                                                                    Printmaze steps through the two-
    for i := 1 to m do
                                                                    dimensional array containing the
      begin
                                                                    maze and prints out its contents. In
        for j := 1 to n do write (maze[i,j], ' ');
                                                                    normal operation the sentinels are
        writeln
                                                                    omitted, but that may be changed by
 end:
                                                                    placing the appropriate values into
                                                                    the for-loops.
procedure READMAZE (var maze:map);
          i : integer;
 var
                                                           (* iteration variables *)
          j : integer;
          x : char:
                                                              scratch for input *)
          legals : markers;
                                                              set of legal inputs *)
begin
   legals := ['*','.','M'];
                                                           (* what's allowed on input *)
   for i := 1 to m do
     begin
        for j := 1 to n do
                                                                   Readmaze is the general input
          begin
                                                                   routine which gets the maze from the
            read (x);
                                                                   keyboard. This particular version
            if x in legals then maze [i,j] := x
                                                                   shows the deficiencies of Standard
            else maze [i,j] := '.
          end;
                                                                   Pascal. No string hadling is allowed,
          readln
                                                                   therefore the data must be read in
     end
                                                                  one character at a time. The lack of
end:
                                                                  string handling also makes elegant
                                                                  user prompting difficult. If the maze
                                                                   is not found in the proper format (eg
                                                                  m lines of n chars) then the program
                                                                  will terminate with a run-time error.
                                                                   Erroneous characters in the data will
                                                                  be turned into passageways ('.').
                                       procedure POP (var Theseus:stackptr);
                                                                                                  (* scratch pointer *)
                                                 p : stackptr;
                                       var
This procedure Pop's a node off the
                                       begin
stack. In effect this moves Theseus
                                          if Theseus = nil then writeln ('UNDERFLOW ON STACK')
back one square. If underflow, then
                                          else
procedure returns with no change, it
                                            begin
just prints an error (he's at end of
                                               p := Theseus;
                                               Theseus := Theseus .string;
the trail...
                                               dispose (p)
                                            end
                                        end:
procedure PUSHON (var Theseus:stackptr; var maze:map; compass:table);
                                                           (* scratch pointer *)
          p : stackptr;
var
begin
                                                                   Procedure PUSHON pushes
  new (p);
with Theseus do
                                                                   Theseus's current location onto the
     begin
                                                                   stack, saving his current coordinates
       p^.row := row + compass.vmove [looking];
p^.column := column + compass.hmove [looking];
                                                                   and the direction he was looking.
                                                                   Then it moves Our Hero onto the
     end;
  p^.looking := north;
p^.string := Theseus;
                                                                   next square in the direction he was
                                                                   looking and set's that to a '+' in the
                                                                   maze (drops a pebble) before return-
   Theseus := p;
  maze [Theseus^.row, Theseus^.column] := '+';
                                                                   ing to the calling routine.
```

procedure SEARCH (var Theseus:stackptr; var maze:map; var minotaur:vitality;

8

```
compass:table);
                                                                                     (* temp row *)
                                       tr : integer;
                               var
                                                                                     (* temp column *)
                                        tc : integer;
                                                                                     (* what he finds *)
                                        seewhat : char;
                                                                                     (* what he's allowed to see *)
                                        legals : markers;
                              begin
                                 legals := ['*','.','M','+'];
                                                                                     (* what he may see *)
Procedure Search has Theseus look
                                 with Theseus do
around him to see what's there.
                                   begin
                                                                                     (* figure where he's *)
Depending on what he finds, he then
                                     tr := compass.vmove [looking] + row;
                                     tc := compass.hmove [looking] + column;
                                                                                     (* looking *)
takes appropriate action. If he finds
                                   end;
an illegal character he will get con-
                                                                                     (* aha, he sees it! *)
                                 seewhat := maze [tr,tc];
fused and go back out to the en-
                                 if seewhat in legals then
trance for instructions. Otherwise he
                                   begin
                                                                                     (* where he's been is same *)
                                      if seewhat = '+' then seewhat := '*';
starts looking north and takes the
                                                                                     (* as a wall: can't go there *)
first passageway he finds. If he finds
                                      case seewhat of
the Minotaur he will, of course,
                                        '*':
                                                 if Theseus . looking = northwest then POP (Theseus)
fight. But if he finds no unexplored
                                                 else Theseus . looking := succ (Theseus . looking);
                                                 (* that was a wall or someplace he's been before *)
passage and no Minotaur, then he
figure's he's at a dead-end and
                                                 PUSHON (Theseus, maze, compass); (* a passage! *)
retreats. Once the search for this par-
                                        ٠.٠:
ticular square is over, the procedure
                                                                                     (* fight the Minotaur! *)
                                        'M' .
                                                 begin
returns to its caller.
                                                   minotaur := dead;
                                                   maze [tr,tc] := 'W'
                                                                                     (* it keels over... *)
                                                 end
                                      end
                                   end
                                 else
                                   begin
                                      writeln ('What is that?');
                                      POP (Theseus)
                                   end
                               end;
begin
  (* Initialize *)
  done := false;
  ARRAYSTART (maze, compass);
  new (Theseus);
                 do
  with Theseus<sup>^</sup>
    begin
      row := 0;
       column := -1;
                                             (* start out, 1st push moves to 0,0 *)
       looking := east;
       string := nil
    end:
  PUSHON (Theseus, maze, compass);
  READMAZE (maze);
  writeln:
  writeln ('Original maze: ');
  PRINTMAZE (maze);
                                                                            Here's the main program...
  (* now go chase Minotaurs *)
  repeat
   begin
    if Minotaur = dead then with Theseus do
       begin
         if (row<1) or (row>m) or (column<1) or (column>n) then
           done := true;
         if not done then
           begin
             maze [row, column] := 'T'
                                                              (* leave string *)
           end;
         POP (Theseus)
       end
    else SEARCH (Theseus, maze, Minotaur, compass)
   end
  until Theseus .string = nil;
  writeln;
  if Minotaur = dead then writeln ('Theseus has slain the Minotaur')
  else writeln ('Theseus is a jerk. The Minotaur lives.');
writeln ('Here is where he went:');
  writeln;
  PRINTMAZE (maze)
                                                                                                                   0
end.
```

Some routines from Applesoft

Routines were identified by examining specific memory dumps. There may well be other versions of Basic; the user is urged to exercise caution.

The addresses given identify the start of the area in which the described routine lies. This may not be the proper program entry point or calling address.

DISK ROM Description

68

```
0800 D000 Action addresses for primary
             keywords
0880 D080 Action addresses for functions
08B2 D0B2 Hierarchy and action addresses for
            operators
08D0 D0D0 Table of Basic keywords
OA60 D260 Basic messages, mostly error messages 1E51 E65A Perform LEFT$
OB65 D365 Search the stack for FOR or GOSUB 1E7D E686 Perform RIGHT$
            activity
OB93 D393 Open up space in memory
OBD6 D3D6 Test: stack too deep?
OB23 D3E3 Check available memory
OC10 D410 Send canned error message, then:
OC3C D43C Warm start; wait for Basic command
OC5C D45C Handle new Basic line input
OD0F D50F Rebuild chaining of Basic lines
OD2E D52E Receive line from keyboard
OD59 D559 Crunch keywords into Basic tokens
OE1A D61A Search Basic for given line number

OE49 D649 Perform MEU
OE49 D649 Perform NEW
OE6A D66A Perform CLEAR
OE99 D697 Reset Basic execution to start
OEA7 D6A5 Perform LIST
OF68 D766 Perform FOR
102A D828 Execute Basic statement
104B D849 Perform RESTORE
1070 D86E Perform STOP or END
1098 D896 Perform CONT
10B2 D8B0 Perform SAVE
10CB D8C9 Perform LOAD
1114 D912 Perform RUN
1123 D921 Perform GOSUB
1140 D93E Perform GOTO
116D D96B Perform RETURN/POP, then:
1197 D995 Perform DATA: skip statement
11A5 D9A3 Scan for next Basic statement
11A8 D9A6 Scan for next Basic line
11CB D9C9 Perform IF, and perhaps:
11DE D9DC Perform REM: skip line
11EE D9ED Perform ON
120E DAOC Input fixed-point number
1248 DA46 Perform LET
12D1 DACF Perform PRINT
133D DB3A Print string from memory
135A DB57 Print single format character
1374 DB71 Handle bad input data
13A3 DBAO Perform GET
13B5 DBB2 Perform INPUT
13E5 DBE2 Perform READ
14E2 DCDF Canned Input error messages
14FC DCF9 Perform NEXT
1558 DD55 Check type mismatch
157E DD7B Evaluate expression
16B5 DEB2 Evaluate expression within parentheses 252B ED34 Convert floating-point to ASCII
16BB DEB8 Check parenthesis, comma
```

```
16CC DEC9 Syntax error exit
16D8 DED5 Setup for variables
1713 DF10 Set up function references
1752 DF4F Perform OR, AND
                                                                                      1768 DF65 Perform comparisons
17D0 DFCD Perform PDL
17DC DFD6 Perform DIM
17E6 DFE3 Get variable name, location
Basic Jim Butterfield, Toronto


18FB E102 Evaluate integer expression
1917 E11E Find or make array
1AD7 E2DE Perform FRE, and:
                                                                                      1AEB E2F2 Convert fixed-to-floating
                                                                                      1AF8 E2FF Perform POS
1AFF E306 Check not Direct
1BOC E313 Perform DEF
                                                                                   1B3A E341 Check FNx syntax
                                                                                     1B4D E354 Evaluate FNx
                                                                                      1BBE E3C5 Perform STR$
1BCC E3D5 Do string vector
                                                                                      1BDE E3E7 Scan, set up string
                                                                                      1C49 E452 Build descriptor
                                                                                      1C7B E484 Garbage collection
1D8E E597 Concatenate
                                                                                      1DCB E5D4 Store string
                                                                                    1DF4 E5FD Discard unwanted string
                                                                                      1E2C E635 Clean descriptor stack
                                                                                      1E3D E646 Perform CHR$
                                                                                     1E88 E691 Perform MID$
                                                                                     1F72 E77B Perform POKE
1F7B E784 Perform WAIT
                                                                                     1F97 E7A0 Add 0.5
                                                                                 1F9E E7A7 Perform subtraction
                                                                                    1FBO E7B9 Perform addition
2095 E89E Complement accum#1
20CC E8D5 Overflow exit
                                                                                     20D1 E8DA Multiply-a-byte
                                                                                     210A E913 Constants
                                                                                     2138 E941 Perform LOG
                                                                                     2179 E982 Perform multiplication
                                                                                    21DA E9E3 Unpack memory into accum#2
                                                                           2205 EAOE Test & adjust accumulators
2222 EA2B Handle overflow and underflow
2230 EA39 Multiply by 10
2247 EA50 10 in floating binary
224C EA55 Divide by 10
2257 EA60 Perform divide-by
225D EA66 Perform divide-into
22F0 EAF9 Unpack memory into accum#1
2315 EB1E Pack accum#1 into memory
234A EB53 Move accum#2 to #1
235A EB63 Move accum#1 to #2
2369 EB72 Round accum#1
2379 EB82 Get accum#1 sign
2387 EB90 Perform SGN
23A6 EBAF Perform ABS
23A9 EBB2 Compare accum#1 to memory
23E9 EBF2 Floating-to-fixed
241A EC23 Perform INT
                                                                                    2205 EAOE Test & adjust accumulators
                                                                                     241A EC23 Perform INT
                                                                                     2441 EC4A Convert string to floating-point
                                                                                     24CC ECD5 Get new ASCII digit
                                                                                      2501 EDOA Constants
                                                                                      2510 ED19 Print IN, then:
                                                                                      2517 ED20 Print Basic line #
                                                                                      265B EE64 Constants
```

```
2A69 F262 Perform SPEED=
2684 EE8D Perform SQR
                                                  2A74 F26D Perform TRACE, NOTRACE
268E EE97 Perform power function
                                                  2A7A F273 Perform NORMAL, INVERSE
26C7 EEDO Perform negation
                                                  2A87 F280 Perform FLASH
26D2 EEDB Constants
                                                  2A8D F286 Perform HIMEM:
2700 EF09 Perform EXP
                                                  2AAD F2A6 Perform LOMEM:
2753 EF5C Series evaluation
                                                  2AD2 F2CB Perform ONERR:
279D EFA6 RND constants
                                                  2B1F F318 Perform RESUME
27A5 EFAE Perform RND
                                                  2B38 F331 Perform DEL
27E1 EFEA Perform COS
                                                  2B8C F390 Perform GR
27E8 EFF1 Perform SIN
                                                  2B95 F399 Perform TEXT
2831 FO3A Perform TAN
                                                  2B9B F39F Perform STORE
285D F066 Constants
                                                  2BB8 F3BC Perform RECALL
2895 F09E Perform ATN 28C5 F0CE Constants
                                                  2BD4 F3D8 Perform HGR2, HGR
                                                  2COD F411 Varous graphics subroutines
2902 F10B CHRGET sub for zero page
                                                  2EE5 F6E9 Perform HCOLOR=
291F F128 Basic cold start
                                                   2EFA F6FE Perform HPLOT
29DC F1D5 Perform CALL
                                                  2F1A F721 Perform ROT=
29E5 F1DE Perform IN#
                                                   2F20 F727 Perform SCALE=
29EC F1E5 Perform PR#
                                                   2F62 F769 Perform DRAW
2A2C F225 Perform PLOT
                                                   2F68 F76F
                                                            Perform XDRAW
2A39 F232 Perform HLIN
                                                   2F6E F775 Perform SHLOAD
2A48 F241 Perform VLIN
                                                   2FEO F7E7 Perform HTAB
2A56 F24F
          Perform COLOR=
2A5D F256 Perform VTAB
```


Applesoft 000D 000E 000F 0010 0011 0012 0013 0014 0015 0016 0024 0050-0052-

```
Description
           Decimal
  Hex
           13
                       Search character
000D
                     Scan-between-quotes flag
Input buffer pointer; # of subscripts
Defa ult DIM flag
             14
000E
             15
16
000F
            17
                     Type: FF=string, 00=numeric
                    Type: 80=integer, 00=floating point Flag: DATA scan; LIST quote; memory Subscript flag; FNX flag 0=INPUT; $40=GET; $98=READ Comparison Evaluation flag Position on print line
            18
            20
             21
             22
36
0016
0024
           80-81 Integer value (for GOTO etc)
0050-0051
                     Pointers for descriptor stack
0052-0054 82-84
0055-005D
              85-93
                      Descriptor stack(temp strings)
            94-97
                      Utility pointer area
005E-0061
            98-102 Product area for multiplication
0062-0066
0067-0068
           103-104
105-103
                      Pointer: Start-of-Basic
                       Pointer: Start-of-Variables
0069-006A
           107-108
006B-006C
                     Pointer: Start-of-Arrays
006D-006E 109-110 Pointer: End-of-Arrays
006F-0070
             111-112
                       Pointer: String-storage(moving down)
            113-114 Utility string pointer
0071-0072
0073-0074
            115-116
                     Pointer: Limit-of-memory
            117-118 Current Basic line number
119-120 Previous Basic line number
0075-0076
0077-0078
            121-122 Pointer: Basic statement for CONT
0079-007A
            123-124 Current DATA line number
007B-007C
007D-007E
            125-126
                       Current DATA address
            127-128
007F-0080
                      Input vector
0081-0082
            129-130
                     Current variable name
            131-132
                       Current variable address
0083-0084
            133-134 Variable pointer for FOR/NEXT
0085-0086
            135-143 Work area, pointers, etc
0087-008F
            144-146
0090-0092
                       Jump vector for functions
             147-156 Misc numeric work area
0093-009C
009D
             157
                       Accum#1: Exponent
            158-161
009E-00A1
                     Accum#1: Mantissa
             162
                       Accum#1: Sign
00A2
             163
                       Series evaluation constant pointer
00A3
                      Accum#1 hi-ordeer (overflow)
             164
00A4
00A5-00AA 165-170 Accum#2: Exponent, etc.
             171
                       Sign comparison, Acc#1 vs #2
Accum#1 lo-order (rounding)
OOAB
OOAC
             172
OOAD-OOAE
           173-174
                       Series pointer
00B1-00C8
            177-200 CHRGET subroutine; get Basic char
                       Sub entry: get prev character
Basic pointer (within subrtn)
00B8-00B9
           184-185
00C9-00CD
           201-205
                       Random number seed.
0200-02FF
             512-767
                      Input buffer
```

Exciting, entertaining software for the Apple II and Apple II Plus*



If you liked "Invaders", you'll love ASTEROIDS IN SPACE by Bruce Wallace. Your space ship is traveling in the middle of a shower of asteroids. Blast the asteroids with lasers, but beware — big asteroids fragment into small asteroids! The Apple game paddles allow you to rotate your space ship, fire its laser gun, and give it thrust to propel it through endless space. From time to time you will encounter an alien space ship whose mission is to destroy you, so you'd better destroy it first! High resolution graphics and sound effects add to the arcade-like excitement that this program generates. Runs on any Apple II with at least 32K and one On diskette - \$19.95




FRACAS" by Stuart Smith. A fantastic adventure game like no other up to eight players can participate in FRACAS at the same time. Journey in the land of FAROPH, searching for hidden treasure while warding off all sorts of unfriendly and dangerous creatures like the Ten Foot Spider and the Headless Horseman. You and your friends can compete with each other or you can join forces and gang up on the monsters. Your location is presented graphically and sound effects enliven the battles. Save your adventure on diskette or cassette and continue it at some other time. Requires at least 32K Cassette: \$19.95 Diskette: \$24.95

BATTLESHIP COMMANDER™ by Erik Kilk and Matthew Jew. A game of strategy. You and the computer each start out by positioning five ships of different sizes on a ten by ten grid. Then the shooting starts. Place your volleys skillfully — a combination of logic and luck are required to beat the computer. Cartoons show the ships sinking and announce the winner. Sound effects and flashing lights also add to the enjoyment of the game. Requires at least 32K of RAM.

Cassette: \$14.95 Diskette: \$19.95





FASTGAMMON™ by Bob Christiansen. Sound, hi res color, and cartoons have helped maked this the most popular backgammon-playing game for the Apple II. But don't let these entertaining features fool you — FASTGAMMON plays serious backgammon. Requires at least 24K of RAM.


Cassette: \$19.95 Diskette: \$24.95



6660 Reseda Blvd., Suite 105, Reseda, CA 91335

WHERE TO GET IT: Call us at (213) 344-6599 for the name of the Quality Software dealer nearest you. If necessary, you may order directly from us. MasterCharge and Visa cardholders may place orders by telephone and we will deduct \$1 from orders over \$19 to compensate for phone charges. Or mail your order to the address above. California residents add 6% sales tax. SHIPPING CHARGES: Within North America orders must include \$1.50 for first class shipping and handling. Outside North America the charge for airmail shipping and handling is \$5.00 — payable in U.S. currency

*"Apple II" and "Apple II Plus" trademarks of Apple Computer, Inc.



Designing Your Own Atari Graphics Modes

Craig Patchett Program Design, Inc. 11 Idar Court Greenwich, CT 06830

The graphics modes that Atari supplies with their 400 and 800 computers are nice, but what if you want a little more? For example, how about a large-type heading, with a smaller-type sub-heading below it, all over a graphics display? Terrific, you say, but you're not an Atari engineer? Don't worry about a thing. With this article, a little concentration, and some time in front of the keyboard, you'll have Atari graphics modes performing at the snap of your fingers.

First, a simple explanation of what we'll be doing. In a series of memory locations deep inside your Atari rests a special list of numbers that tell the computer which graphics mode it's in. Each time you change graphics modes, this list also changes. But wait a minute. Why a list of numbers instead of just one? Because there is one number for each graphics row on the screen. For example, in graphics mode 2 + 16 (no text window) there are twelve graphics rows, so there would be twelve numbers in the list. For graphics mode 7 + 16, there would be ninety six rows, or ninety six numbers. The table labeled

Modes and Screen Formats in your Atari BASIC reference manual shows the number of rows in each graphics mode. We'll be referring to it again later.

As I said before, when you change graphics modes, using the GRAPHICS command, the list changes. It may become longer or shorter, depending on the mode, and the numbers in it will change. But the numbers will all be the same. Obviously, since they stand for the graphics mode of each row on the screen, if half of them were one number and the other half another, then half of the screen would be one mode and the other half another. This is not how Atari BASIC was designed. It is, however, what we want. So what we're going to be doing is changing the numbers in the list to make the screen behave the way we want it to. Let's take a look at exactly how it's done.

How Much of Each Mode Should I Have?

The first thing we have to do is figure out exactly how we want the screen to look. Let's take the example from the beginning of the article-a large-type heading (mode 2), with a smaller-type sub-heading below it (mode 1), all over a graphics display (mode 3). Unfortunately, we can't just decide to have, for instance, four rows of mode 2, two rows of mode 1, nd nine rows of mode 3. There's a simple rule we have to follow in deciding how many rows of each mode we're going to have.

You may already know that your television picture is made up of hundreds of little lines going across the screen from top to bottom (if you don't you know now!) If you look closely at the screen, you can probably see them. These lines are formed by a single beam of light that scans the screen very quickly (sixty times a second) to make the picture, so we'll call them scan lines. The part of the screen that your Atari lets you use for graphics has 192 of these lines.

Each graphics row is a certain number of scan lines "high". In mode 1, for example, each row is eight scan lines high. If you look at the **Table of Modes and Screen Formats** that I mentioned before, you'll see that there are twenty-four rows in mode 1 (remember, we're only interested in "full screen"). Surprise! Twenty-four rows, each eight scan lines high, means 8 x 24 = 192 scan lines in all. To figure out how many scan lines high the rows in other modes are, just look at the table and divide

192 by the number of rows in a full screen.

The reason we need to know all this is because we must make our new mode so that it has a total of 192 scan lines. No more, no less. This means you have to do a little bit of juggling around with the different modes you want to use, but it's really not all that difficult. I'll demonstrate with our example. Let's suppose we need three rows of mode 2 and two rows of mode 1. All we need to do is figure out how many rows of mode 3 we should have to make a total of 192 scan lines. We look at the table and figure out that in mode 2, each row is sixteen (192 scan lines/12 rows) scan lines high. Since we want three rows of mode 2, that makes fourty-eight scan lines so far. Similarly, we want two rows of mode 1, which uses eight (192 scan lines/24 rows) scan lines for each row. So that makes another sixteen scan lines, or sixty-four all together, which leaves us 192 - 64 = 128 scan lines still left over. We'll use these for mode 3. We look at the table again and see that mode 3 uses eight scan lines for each row also, so how many rows do we need? 128 leftover scan lines/8 scan lines per row of mode 3 = 16 rows of mode 3.

So now we know that our graphics mode is going to have three rows of mode 2, two rows of mode 1, and sixteen rows of mode 3. Let's tell the computer.

How Do I Tell The Computer?

We have to start by putting the Atari in a graphics mode it understands. Of course, we can't use just any mode, but this time the rule is a lot easier. Out of the modes you're going to be using, take the one that uses the most memory (look at the table under "RAM required"). In our example, mode 1 uses the most memory, so the first line in our program is:

10 GRAPHICS 1

The next step is to find out where the list of numbers begins. Since it isn't always in exactly the same place, we must PEEK into the computer's memory at two locations that tell us where it is. Since we'll need to use the number that tells us where the list begins later, we'll give it a name:

20 BEGIN = PEEK(500) + PEEK(561) * 256 + 4

This line will always be the same no matter what modes you are going to be mixing.

The third step can be ignored if the mode you want at the top of the screen is the same as the one that uses the most memory. If not, as in our example (mode 2 is at the top of the screen, mode 1 uses the most memory), then we have to change the number in the memory location right before the beginning of the list. The table below shows what number to use for the mode at the top of the screen.

MODE 0 1 2 3 4 5 6 7 8 NUMBER 66 70 71 72 73 74 75 77 79

So, for our example, we would need:

25 POKE BEGIN-1,71

Remember, only do this step if the first graphics row is *not* the same mode as the one that uses the most memory.

Now we just have to go down the list and change the numbers that need to be changed. The numbers for the graphics mode with the most memory are already correct, since we start in that mode. Therefore, all we have to change are the other numbers. In our example, that would be the numbers for mode 2 and mode 3. To make the necessary changes, we simply POKE BEGIN + row number with the correct number for the mode we want in that row. What are the correct numbers? Just subtract sixty-four from the numbers in the table I gave above. That would mean, for example, seven for mode 2, and eight for mode 3. So we have:

30 POKE BEGIN + 2,7:POKE BEGIN + 3,7

which takes care of mode 2. Note that we didn't POKE BEGIN + 1. This was automatically taken care of when we POKEd BEGIN-1 in line 25. Remember that we also don't have to worry about the numbers for mode 1, since they are already correct. Therefore, all that's left is to change the numbers for mode 3. Since we want sixteen rows of mode 3, which means changing sixteen numbers, we'll use a FOR/NEXT loop to make life easier:

40 FOR ROW = 6 TO 21:POKE BEGIN + ROW, 8:NEXT ROW

Now the list has the correct mode numbers in it. There's still one more thing we must do. Since there may be a fewer number of rows now than there were in the mode we told the computer to start with, we have to tell the computer where the new end of the list is. We do this by POKEing the number sixty-five into the row number right after the last one we used. This tells the Atari to go back to the beginning of the list. We also tell it where the beginning is. For our example:

50 POKE BEGIN + 22,65:POKE BEGIN + 23, PEEK(5 60):POKE BEGIN + 24, PEEK(561)

And now we're done. Note that the only changes that you would need to make in line 50 when designing your own modes is in the numbers 22, 23, and 24. These are just the three row numbers after the last one you use on the screen.

How Often Do I Have To Do All This?

This whole procedure must be repeated whenever you want to use a specially designed graphics mode. You can't skip any of the steps except for the third one, and then only under the condition I already described.

So Now What Do I Do?

The last thing I'm going to cover, briefly, in this article is how to print and draw in your new mode. This only applies if the row you want to print or plot on is within the normal range for whatever mode it is. In simpler terms, if we had put the sixteen rows

The ATARI® Tutorial


COMPUTER Calligraphy?

FONTEDIT FONTEDIT

FOXTEDIT

Well, not really! But with the FONTEDIT program in **IRIDIS #2** you can design your own character sets (or fonts) for the ATARI. For example, you can create a Russian alphabet, or APL characters, or even special-purpose graphics symbols. These special *fonts* can be saved on disk or tape for later use by your programs. FONTEDIT is a friendly, easy-to-use program: just grab a joystick and start designing.

With our KNOTWORK program, you can design patterns of *Celtic interlace*, (a technique used by 7th century Irish monks to illuminate manuscripts). After you have produced a pretty pattern on the screen of your ATARI, you can save it on disk or tape. As you might expect, KNOTWORK uses custom graphics characters that were created with FONTEDIT.



FONTEDIT and KNOTWORK are available *now* in **IRIDIS** #2, the second of our ATARI tutorial program packages. You get a C-30 cassette or an ATARI diskette with our excellent programs ready to load into your ATARI. Best of all, **IRIDIS** #2 comes with a 48-page *User's Guide*, which gives clear instructions on how to use the programs. The *Guide* also provides detailed, line-by-line descriptions of how the programs work. (IRIDIS programs are written to be studied as well as used.) Our *Hacker's Delight* column explains many important PEEK and POKE locations in your ATARI.

The *User's Guide* also includes *Novice Notes* for the absolute beginner. We don't talk down to you, but we do remember how it feels to be awash in a sea of *bytes* and *bits* and other technical jargon. If you are new to programming, **IRIDIS** is one of the easiest ways you can learn how to get the most out of your ATARI. If you are an old hand, you'll be delighted by the technical excellence of our programs. (We are the people who have published **CURSOR** for the Commodore PET since July, 1978.)

ATARI is a trademark of ATARI, Inc.

Published By:



Box 550 Goleta, CA 93017 805-967-0905 Dealer Inquiries Invited

RIDIS #2 - Fontedit and Knotwo ☐ \$15.95 Cassette		
IRIDIS #1 - Clock, Zap, Logo, P ☐ \$9.95 Cassette		
Name		
City	State	Zip
□ Visa □ MC Card No		
Expires	Signature	

of mode 3 at the top of the screen, and mode 2 at the bottom, then mode 2 would have been in rows 19,20, and 21. But mode 2 usually only has twelve rows, so if you tried to print on line 19 you would get an error message. Now, there is a way around this, but it's somewhat complicated so I'm going to leave it for a future article. For now, however, you can use the following rules as long as you stay within the normal range of the mode you're working with.

The first thing you have to do is POKE location eighty-seven with the number of the graphics mode for the row you want to PRINT or PLOT in. Next, POSITION the cursor and PRINT, or PLOT and DRAWTO. When you tell the Atari to POSITION X,Y or PLOT X,Y, the X value is still the number of spaces in from the left that you want to go. The Y value is still the number of rows down from the top that you want to go, but you may have to experiment with different values to get it exactly where you want it. Just make sure that you remember to POKE 87 with the mode number you're going to PRINT or PLOT in.

To help you understand what I just said, and to show off the example mode we've been working on, try entering these lines, as well as the other ones that are included throughout the article. When you've entered them in, just RUN the program, and BREAK it when you're done. Notice that the commands for colors are the same in the new mode; that is, you can still print different color letters and use the COLOR command for graphics points, etcetera. The one difficulty that might arise is when you mix mode 0 with other modes. Since mode 0 has a different background color (blue) than the other modes (black) you will have to use the SETCOLOR command to make the mode 0 rows invisible. Otherwise, you should have no problems whatsoever.

60 SETCOLOR 4,4,2:REM BACKGROUND
70 POKE 87,2:POSITION 6,0:PRINT #6;"THIS
IS":POSITION 3,1:PRINT #6;"GRAPHICS MOD
E":POSITION 8,2:PRINT #6;"TWO"
80 POKE 87,1:POSITION 6,3:PRINT #6;"this
is":POSITION 1,4:PRINT #6;"sraphics mod
e one"
90 POKE 87,3:COLOR 3:FOR LINE=1 TO 3:PLO
T 15,LINE*5+8:DRAWTO 22,LINE*5+8:NEXT LI
NE:PLOT 22,13:DRAWTO 22,23
100 GOTO 100:REM KEEP GRAPHICS ON SCREEN

Look Ma, New Modes!

That's all there is to making your own graphics modes on your Atari computer. The easiest way to make sense of everything I've covered here is to **experiment**. Start off by changing the example program and watching what happens, and then try designing your own modes. Just a little practice and in no time you'll be an expert. Above all, have fun doing it; after all, the Atari works for you, not the other way around.

SOFTWARE FOR THE ATARI® 400/800

Quality Software™ offers important software to owners of ATARI 400 and 800 computers. All programs are on cassette.

ASSEMBLER by Gary J. Shannon. Create your own 6502 machine language programs with this easy-to-use in-RAM editor/assembler. Requires 16K or more of RAM to operate. Look at all the features you get for less than \$25!

- · Insert, delete, edit source code lines
- · Save source code on cassette
- · Save object code (any part of memory) on tape
- · Print out assemblies
- · View and modify memory
- Pseudo Ops: ORG, OBJ, EQU, HEX, ASC, DA, DS, END
- · Printer and video control (PON, POF, VON, VOF)
- · All 6502 mnemonics plus BLT, BGE
- · Commenting allowed
- · Error checking
- Documentation includes notes on interfacing machine language to BASIC
- · Price -\$24.95

6502 DISASSEMBLER by Bob Rierce. This neat 8K BASIC program allows you to disassemble machine code and print out the disassembled listing. If you have more than 8K of memory, programs in RAM can be disassembled. Operating System ROM and the BASIC ROM can be disassembled on any size ATARI. Also works as an ASCII interpreter, translating machine code into ASCII characters. \$11.95

FASTGAMMON"

by Bob Christiansen. The most popular backgammon-playing program for personal computers is now available for the Atari. This is the best-playing version so far, and includes the option to enter your own dice rolls. Set the display speed to your liking—play fast or slow. Beginners find.it easy to learn



backgammon by playing against the computer, and even very good players will find it a challenge to beat FASTGAMMON. Includes 12 pages of instructions that include the rules of the game. Written in machine language. Requires only 8K of RAM.



WHERE TO GET IT: Ask your nearest Atari dealer to see *Quality Software*'s Atari programs. Or, if you prefer, you may order directly from us. MasterCharge and Visa cardholders may telephone their orders and we will deduct \$1 from orders over \$19 to compensate for phone charges. Or mail your order to the address above. California residents add 6% sales tax. *Shipping Charges*: Within North America orders must include \$1.50 for first class shipping and handling. Outside North America the charge for airmail shipping and handling is \$5.00, payable in U.S. currency.

ATARI, ATARI400, and ATARI800 have been trademarked by Atari Personal Computer Systems, a Warner Communications Company


What To Do If You Don't Have Joysticks

Steven Schulman

Use of joysticks with the ATARI computer can add excitement to your programs. But what do you do if you don't have joysticks yet and aren't ready to buy them? Are you out of luck? Do you have to type in numbers to select from a menu of answers? Does it mean you can't use games like *IRIDIS*' ZAP or the latest from your computing magazines? No! There's another way.

In amongst the bits and bytes that make up the memory of your ATARI, any time you press a key on your keyboard the value of the 764th word changes. By taking a peek at what number is there you can find out which key it was. Listing I shows you how to find out what the value will be when any key is pressed. Try running it and pressing different keys, shifted and unshifted, reverse video, etc. When you finish use the break key to stop the program.

"How does this help solve my problem of not having joysticks?" you may ask. To see this you have to know what happens when you use the joysticks. If your program has a line I = STICK(1), the value of I will be one of 9 possible values depending on the position of the joystick when that line is reached. The values will be



where the value of I = 15 means that the joystick is in the upright position. In addition, J = STRIG(1) will have a value J = 0 if the fire button is pressed

and a value of J = 1 if the fire button is not pressed.

Returning to what we know about the value of the last key pressed, we found that the values for the arrows were:

$$= 14 = 7$$

 $= 15 = 6$

and the values for the shifted arrows were

Finally, the value for the space bar is 33.

We can therefore have the same results as we would get from using a joystick by using the arrows, shift arrows and space bar. The shift bar will be our firing button, the arrows will be the obvious up, down, left and right, and the shift up will be to the upper left, the shift down will be to the upper right, the shift left will be to the lower left, and the shift right will be to the lower right. Any other key or no key at all being pressed is equal to the joysticks being in an upright position.

The routine in listing II will play the part of a joystick. After calling the subroutine the value of 1 will be the same as would have been returned by I = STICK(1) and the value of J will be the same as what would have been returned by J = STRIG(1). When you do buy your joysticks, simply replace the subroutine call and remove the subroutine from your program. Happy computing!

Listing I

100 I = PEEK (764)
110 ? "I = ";I : REM PRINT THE VALUE OF THE KEY
PRESSED
120 POKE 764,255 : REM TELL THE COMPUTER
THAT NO KEY WAS PRESSED
130 FOR PAUSE = 1 to 500 : NEXT PAUSE : REM
SLOW DOWN THE MACHINE SO YOU CAN READ
THE RESULTS
140 GOTO 100

Listing II

100 JOYSTICK = 1000 : REM LOCATION OF SUBROUTINE 110 GOSUB JOYSTICK: REM CHECK THE 'JOYSTICK' 120 ?"THE 'JOYSTICK' HAS VALUE = ";I 130 ?"THE 'FIRE BUTTON' HAS VALUE = ";J 140 FOR PAUSE = 1 TO 500 : NEXT PAUSE 150 GOTO 110 1000 REM JOYSTICK SUBROUTINE 1010 I = PEEK (764)1020 J = 11030 POKE 764, 255 1040 IF I = 14 THEN I = 14 : RETURN 1050 IF I = 79 THEN I = 6 : RETURN 1060 IF I = 7 THEN I = 7: RETURN 1070 IF I = 70 THEN I = 5: RETURN 1080 IF I = 15 THEN I = 13 : RETURN1090 IF I = 71 THEN I = 9 : RETURN 1100 IF I = 6 THEN I = 11 : RETURN 1110 IF I = 78 THEN I = 10 : RETURN1120 If I = 33 THEN I = 15 : J = 0 : RETURN :REM FIRE BUTTON 1130 I = 15 : RETURN

Screen Print From Machine Language On The Atari

Larry Isaacs

If you are doing machine language programming on the ATARI, it can be very advantageous to know where some of the operating system subroutines can be found. I can provide you with only one at this time, but it's one of the handier ones. This is the output subroutine for the Editor device. It accepts the full ATASCII character set, printing the displayable character on the screen, or executing the control characters. To use the routine, simply load the character into the accumulator and execute a JSR \$F6A4 instruction. The only other fact needed is that the X and Y registers aren't preserved by this subroutine.

To illustrate the use of this subroutine, the DUMP program is provided. This program also illustrates one way of using machine language with BASIC. The program asks for starting and ending addresses, which should be given in hex. Then the requested memory is dumped on the screen by a machine language program executed by the USR command.

Naturally, before the machine language can be executed, it must be placed in memory. This is done by the BASIC subroutine in statements 10200-10430. This subroutine loads machine code found in DATA statements, which begin at line 20000 in this program. The first thing the subroutine does is read the number of bytes in the machine language program. It then dimensions DYM\$ to length 1 and an array called STORAGE of sufficient size to hold the machine code.

The subroutine then starts reading the data as strings and POKEing the appropriate code. If the string read doesn't start with a special character (".",""," +"," = ", or "!") then the string is assumed to be two hex characters which are stored in the next available byte. If the string begins with a ".", then the string is assumed to be a comment and is ignored. If it begins with an "*", the subroutine assumes the rest of the string is four hex characters which form a two byte address. This address is

POKE'd low byte first, then the high byte. If the string begins with a "+", the rest of the string is assumed to be four hex characters which form a two byte displacement from the beginning location of the code. This displacement is added to the beginning location of the code to form a two byte address. This address is also POKE'd low byte first, followed by high byte. If the first character is an "=", then the rest of the string is assumed to be a displacement as with "*". However, once the address is computed, the current poke location plus one is subtracted from this address to form a one byte displacement which is POKE'd into the next location. Finally, if the first character of the string is an "!", the subroutine stops loading machine code. The rest of the string is assumed to be a two byte displacement as with the "", and the computed address is checked with the current poke location to see if it matches. If they don't match, it's likely that you've miscounted some bytes and that some of the displacements given by strings starting with the "*" or " = " character are in error.


This may seem somewhat complicated, but it really makes it fairly simple to write relocatable code. This relocability is necessary because you don't know where the code will be loaded until the program is running. Relative addresses used by branch instructions may be given as a hex byte or as an "=" followed by the displacement from the beginning of the program. Internal absolute addresses should be given with a "+" followed by the displacement. And finally, external addresses can be specified by giving two hex bytes, or by an "*" followed by the address.

Once the code is loaded, ADR(DMY\$) gives the first location. This also happens to be the entry point of the machine language dump program. Now the dump routine can be executed by calling for the USR function to be executed with ADR(DMY\$) as its address. This is done on line 80 of the BASIC program.

It is important to note that the dump routine can only be executed while the BASIC program is running. Trying to execute it by a direct command will not work because the direct command gets inserted in between the end of the program and where the machine code has been poked. This will cause the machine code to be moved; and since it contained some internal absolute addressing, it will not execute properly any more. If the code contains no internal absolute addressing, it can be executed by a direct command.

The machine code is fairly simple, so you should be able to understand what it is doing. Upon entry, the machine code first checks to see if the right number of parameters are present. If not, the parameters are pulled off the stack and the program returns to BASIC. If the correct number (2) is present, the machine code will dump the requested memory, printing 8 bytes per line.

Hopefully you will find some of the techniques used in this program useful, as well as the program itself.



On the west coast contact Micro Distribution, Inc. 2612 Croddy Way, Santa Anna, CA 92704 714-641-0205

Atari is a trademark of Atari, In-

1 DIM CARCAN FARCAN	OGGIG DATA GOOD IN LOCKS BUT OTART
1 DIM SA\$(4),EA\$(4) 10 GOSUB 10200 20 PRINT "INPUT STARTING ADDRESS"; 25 INPUT SA\$ 30 PRINT "INPUT ENDING ADDRESS"; 35 INPUT EA\$ 40 WORD\$=SA\$:GOSUB 10100 50 SA=NWORD 60 WORD\$=EA\$:GOSUB 10100 70 EA=NWORD 80 DUMMY=USR(ADR(DMY\$),SA,EA) 90 GOTO 20 10000 REM COMPUTE NBYTE FROM HEX\$ 10010 I=1:GOSUB 10040:NBYTE=X\$16 10020 I=2:GOSUB 10040:NBYTE=NBYTE+X 10030 RETURN 10040 X=ASC(HEX\$(I,I))-ASC("0") 10050 IF "0"(=HEX\$(I,I)) AND HEX\$(I,I)<="9" THEN RETURN 10060 IF "A"(=HEX\$(I,I)) AND HEX\$(I,I)<="F" THEN X=X-7:RETURN 10070 STOP :REM ERROR 10110 HEX\$=WORD\$(1,2):GOSUB 10000:NWORD= NBYTE*256 10120 HEX\$=WORD\$(3,4):GOSUB 10000:NWORD=	20016 DHTH .0006,46,70036,.UNF 5(HK)
20 PPINT "INDIT CTARTING ARREST.	20020 KEN INCHMIK 20070 DATA - 0007 C2 D4 - THE DATE
25 TAIDLET COS.	20030 DHIH .00037667D47. INC. FMIR 20040 DATA .0005 D0 -0000 SWE 61
ZO PRINT "IMPHIT EMPINE APPROPRIES".	20050 DATA 2000-JUD/E009-J.CAE 01 20050 DATA 2007 E2 DE THA DIFFER
75 TADIT FAX	COSCIO DEM DI
48 MARDA=SA\$ CASHD 10100	20000 REN EL 20070 DATA 0000 20 DTC
50 S∆=NUNDF	PARAGA DEM DODVED
AA UNAPOK±FAK:COSUR 10100	20000 KENTIKOTIE 20090 DOTO 0000.48. PUO
70 F4=Ni/0₽0	20180 DATA .000A/40/. 10A
80 DIMMY=HSP(ADP(DMY&),SA,FA)	20100 EATA .000D/4A). LON A
90 GOTO 20	20110 BATA .0005/4A). LON A
1888 REM COMPLITE NBYTE FROM HEXS	20170 NOTO 000F.46. 19P A
19010 I=1:GOSUB 10040:NBYTE=X%16	20140 04T4 000E.20.+0015. ISP PRNYRLE
10020 I=2:GOSUB 10040:NBYTE=NBYTE+X	20150 DATA 9012.68. PLA
10030 RETURN	20160 DATA 0013.29.0E. AND ##0F
10040 X=ASC(HEX\$(I,I))-ASC("0")	20170 REM PRNYBLE
10050 IF "0"(=HEX\$(I,I) AND HEX\$(I,I)<="	20180 DATA 0015.09.0A. CMP #\$04
9" THEN RETURN	29190 DATA .0017.30.=001B. BMT 02
10060 IF "A"<=HEX\$(I,I) AND HEX\$(I,I)<="	20200 DATA 0019,69,06, ADC #\$06
F" THEN X=X-7:RETURN	20210 REM 02
10070 STOP :REM ERROR	20220 DATA .001B,69,30, ADC #\$30
10100 REM COMPUTE NWORD FROM WORD\$	20230 DATA .001D,20,%F6A4, USR OUTCHR
10110 HEX\$=WORD\$(1,2):GOSUB 10000:NNORD=	20240 DATA .0020,60,. RTS
NBYTE#256	20250 REM TSTPNTR
10120 HEX\$=WORD\$(3,4):GOSUB 10000:NWORD=	20260 DATA .0021,38,. SEC
NMORD+NBYTE	20270 DATA .0022,AD,+002D,.LDA EA
10130 RETURN	20280 DATA .0025,E5,D4, SBC PNTR
10200 REM PUT THE CODE	20290 DATA .0027,AD,+002E,.LDA EA+1
10210 READ N:REM NUMBER OF BYTES	20300 DATA .002A,E5,D5,. SBC PNTR+1
10120 HEX\$=WORD\$(3,4):GOSUB 10000:NWORD= NWORD+NBYTE 10130 RETURN 10200 REM PUT THE CODE 10210 READ N:REM NUMBER OF BYTES 10220 DIM CODE\$(40),HEX\$(2),WORD\$(4),DMY	20300 DATA .002A.E5.D5 SBC PNTR+1 20310 DATA .002C.60 RTS
10210 READ N:REM NUMBER OF BYTES 10220 DIM CODE\$(40),HEX\$(2),WORD\$(4),DMY \$(1),STORAGE(N/6+1)	20300 DATA .002A,E5,D5,. SBC PNTR+1 20310 DATA .002C,60,. RTS 20320 REM EA
10210 READ N:REM NUMBER OF BYTES 10220 DIM CODE\$(40),HEX\$(2),WORD\$(4),DMY \$(1),STORAGE(N/6+1) 10230 PC=ADR(DMY\$)	20300 DATA .002A,E5,D5,. SBC PNTR+1 20310 DATA .002C,60,. RTS 20320 REM EA 20330 DATA .002D,00,00,WORD
10210 READ N:REM NUMBER OF BYTES 10220 DIM CODE\$(40),HEX\$(2),WORD\$(4),DMY \$(1),STORAGE(N/6+1) 10230 PC=ADR(DMY\$) 10240 READ CODE\$	20300 DATA .002A,E5,D5,. SBC PNTR+1 20310 DATA .002C,60,. RTS 20320 REM EA 20330 DATA .002D,00,00,WORD 20340 REM COUNT
10210 READ N:REM NUMBER OF BYTES 10220 DIM CODE\$(40),HEX\$(2),WORD\$(4),DMY \$(1),STORAGE(N/6+1) 10230 PC=ADR(DMY\$) 10240 READ CODE\$ 10245 IF CODE\$(1,1)="." THEN GOTO 10240	20300 DATA .002A,E5,D5,. SBC PNTR+1 20310 DATA .002C,60,. RTS 20320 REM EA 20330 DATA .002D,00,00,WORD 20340 REM COUNT 20350 DATA .002F,00,BYTE
10210 READ N:REM NUMBER OF BYTES 10220 DIM CODE\$(40),HEX\$(2),WORD\$(4),DMY \$(1),STORAGE(N/6+1) 10230 PC=ADR(DMY\$) 10240 READ CODE\$ 10245 IF CODE\$(1,1)="." THEN GOTO 10240 10250 IF CODE\$(1,1)="*" THEN GOTO 10300	20300 DATA .002A,E5,D5,. SBC PNTR+1 20310 DATA .002C,60,. RTS 20320 REM EA 20330 DATA .002D,00,00,WORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START
10210 READ N:REM NUMBER OF BYTES 10220 DIM CODE\$(40),HEX\$(2),WORD\$(4),DMY \$(1),STORAGE(N/6+1) 10230 PC=ADR(DMY\$) 10240 READ CODE\$ 10245 IF CODE\$(1,1)="." THEN GOTO 10240 10250 IF CODE\$(1,1)="*" THEN GOTO 10300 10260 IF CODE\$(1,1)="+" THEN GOTO 10310	20300 DATA .002A,E5,D5,. SBC PNTR+1 20310 DATA .002C,60,. RTS 20320 REM EA 20330 DATA .002D,00,00,WORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68,. PLA
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318	20310 DATH .002C,60, RTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318	20310 DATH .002C,60, RTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318	20310 DATH .002C,60, RTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX
\$(1),STORAGE(N/6+1) 18230 PC=ADR(DMY\$) 18240 READ CODE\$ 18245 IF CODE\$(1,1)="." THEN GOTO 18248 18250 IF CODE\$(1,1)="*" THEN GOTO 18388 18260 IF CODE\$(1,1)="+" THEN GOTO 18318 18265 IF CODE\$(1,1)="=" THEN GOTO 18358 18270 IF CODE\$(1,1)="!" THEN GOTO 18418 18280 HEX\$=CODE\$(1,2):GOSUB 18888 18290 POKE PC,NBYTE:PC=PC+1:GOTO 18248	20310 DATH .002C,60, KTS 20320 REM EA 20330 DATA .002D,00,00,NORD 20340 REM COUNT 20350 DATA .002F,00,BYTE 20360 REM START 20370 DATA .0030,68, PLA 20380 DATA .0031,F0,=0009,.BEQ @1 20390 DATA .0033,C9,02, CMP #\$02 20400 DATA .0035,F0,=003E,.BEQ CONTINUE 20410 DATA .0037,AA. TAX

```
20580 DATA .004E,20,%F6A4,.JSR OUTCHR
20590 DATA
           .0051, A9, 24,
                            LDA #'$
20600 DATA
           .0053,20, *F6A4, USR OUTCHR
           .0056,A5,D5,.
20610 DATA
                            LDA PNTR+1
20620 DATA
           .0058,20,+000A, USR PRBYTE
20630 DATA .005B,A5,D4,.
                            LDA PHTR
20640 DATA .005D,20,+000A,.JSR PRBYTE
20650 DATA
           .0060, A9, 20,
                            LDA #1
20660 DATA
           .0062,20, %F6A4, USR OUTCHR
20670 DATA .0065.A9.08..
                            LDA #$08
20680 DATA .0067,8D,+002F,.STA COUNT
20690 REM LOOP
20700 DATA .006A.A9.20.
20710 DATA
           .0060,20,*F6A4,.USR_OUTCHR
20720 DATA
           .006F,A0,00,.
                            LOY #$00
20730 DATA
           .0071,B1,D4,.
                            LDA (PNTR)Y
           .0073,20,+000A, USR PRBYTE
20740 DATA
20750 DATA
           .0076,20,+0003, USR INCPNTR
20760 DATA .0079,CE,+002F,.DEC COUNT
20770 DATA .007C,D0,=0069,.BME LOOP
20780 DATA .007E,20,+0021,.USR TSTPNTR
20790 DATA
           .0081,10,=0048, BPL DUMP
20800 DATA .0083,A9,9B,.
                           IDA #FOL
20810 DATA .0085,20,%F6A4,.JSR OUTCHR
20820 DATA
           .0088,60,.
20830 DATA 10089
                                        0
```

COMPUTE needs you! Let us know what interesting applications you're coming up with for your Atari

Star Fleet to All Cruisers...

Who's the current champ of Star Raiders? Send in your best score, comments and playing strategies to COMPUTE, P.O. Box 5406, Greensboro, NC 27403.

Attn: "Atari Gazette"

Announcing Astrana

software

from the authors of An Invitation to Programming

exciting games
and educational programs
for kids,
teenagers
and
adults
featuring sound
and color graphics.

available on
guaranteed-to-load
cassettes
at fine
computer dealers in your
area or,
write us directly for
descriptive materials




Program Design, Inc. Department CA 11 Idar Court Greenwich, CT 06830

203-661-8799

Graphics Of Polar Functions

Henrique Veludo 353 West 56th Str. #116 NYC NY 10019

This program will plot polar functions such as roses, spirals, polygons, on the high resolution screen of the ATARI 800, with input from the programmer. The general equations for converting the polar coordinates to rectangular coordinates are as follows:



First the program will display a function menu (line 100), then ask the user to input which function to display, together with its parameters, INCR(ement) and SC(ale). The INCR(ement) is the interval in degrees that the computer uses to "increment" the angle T from 0 to 360. One must decide whether the speed of execution or accuracy in plotting is preferable. A small INCR(ement), e.g. 0.1, will draw a very accurate graph very slowly. A larger IN-CR(ement), e.g. 5.0, will draw much faster and less accurately. An INCR of 1.0 is a good compromise. The SC(ale) is included to allow the graph to fill most of the screen. Without it, some functions will appear too small, others will be too large to plot. A SC(ale) between 10 and 100 should do for most functions. Lines 220 to 226 check for a 0 input that might confuse the program and display an error message. Line 230 asks if the x-y axes are to be displayed and lines 390-395 display them. Lines 300-370 will select random colors and intensities (with enough separation to be visible). Lines 400-690 contain the calculation and plotting routines for x,y. In line 410 the variable U is included for use with the spiral function and dictates how many revolutions the spiral will have; it can be changed at line 222. Line 420 converts degrees to radians (in this context the program seems to work better with radians but it could be converted to degrees, with the DEG function, and changing the values of the functions). Line 430 will direct the program to the proper function chosen in the input. Lines 610-620 calculate the x,y coordinates. Line 630 will check for an out-of-range cursor, stop the drawing, and avoid an error message. Line 670 will activate the buzzer to signal that the plotting is over. Lines 680-690 wait for a key to be pressed to clear the screen and return to the menu. If the buzzer sounds without anything being plotted, it means that the function is too large to plot. (Decrease the SC(ale) value to continue.) I chose to use random-selected colors. They could be chosen by the user in an input statement as well (where you input the parameters after the menu display).

Here are some values for the functions that work beautifully:

```
R = Q:SC = 4:INCR = 60

R = 2(I-SIN(Q)):SC = 20

R = COS(2 SIN(6 (Q))):SC = 90

R = SIN(COS(IOO Q)):SC = 90

R = COS(2 SIN(2 Q)):SC = 90

R = I:INCR = 45:SC = 60 polygon

R = 2(I + COS(Q)):SC = 20

R = SIN(3(Q)):SC = 80

R = SIN(4COS(2Q)):SC = 90

R = COS(3SIN(Q)):SC = 90

R = COS(SIN(IOO Q)):SC = 90

R = I:INCR = I20:SC = 80 triangle
```

```
10 REM PROGRAM TO PLOT POLAR FUNCTIONS
20 REM BY HENRIQUE VELUDO FOR ATARI 800
80 DIM A$(1)
90 ? ">"
100 POSITION 7,1:? "GRAPHS OF POLAR FUNC
TIONS"
110 POSITION 2,3:? "FUNCTION MENU:":?
120 ? "
                                    SPIRAL
             1)R=B%Q
130 ? "
             2R=A*(1+COS(Q))
                                    CARDIO
ID"
140
             3)R=A*(1-SIN(Q))"
    ? "
150
                                    R03E"
             4 )R=A%SIN(B*Q)
   \gamma a
160
             5)R=A*COS(B*Q)"
179 ? "
             6)R=C0S(A*SIN(B*0))"
180 ? "
             7)R=SIN(AXCOS(BXQ))"
190 ? "
                                    POLYG0
             8)R=A
Mil
200 ? :? :? "IMPUT:":?
210 ? "FUNCTION #, A, B, INCR., SC. "; : INPUT
N.A.B. INCR. SC
220 IF N=0 THEN N=1
222
   IF N=1 THEN U=4
224
    IF A=0 THEN A=1
226
    IF B=0 THEN B=1
230 ? :? :? "DO YOU WANT THE X-Y AXES DI
SPLAYED";
240 IMPUT As: IF As(1,1)="Y" THEN W=1
300 COLOR 1:GRAPHICS 24
310 I=INT(RND(1)%16)
320 L1=INT(RND(1)*8)*2
330 L2=INT(RND(1)*8)*2
```

340 IF ABS(L1-L2)X4 THEN 320 350 SETCOLOR 4, L, L1 360 SETCOLOR 2,1,L1 370 SETCOLOR 1,I,L2 380 IF WK>1 THEN 410:REM --DISPLAY AXES? 390 FOR I=0 TO 319 STEP 4:PLOT 1,96:NEXT 395 FOR I=0 TO 191 STEP 3:PLOT 160,1:NEX TI 400 REM ----PLOTTING CALCULATION 410 FOR T=0 TO 360*U STEP INCR 420 G⊨T757.3 430 ON N GOTO 510,520,530,540,550,560,57 0.580500 REM ----EQUATIONS FOR R 510 R=B*Q:GOTO 610 520 R=A*(1+COS(Q)):GOTO 610 530 R=A*(1-SIN(Q)):GOTO 610 540 R=A*SIN(B*Q):G0T0 610 550 R=A*COS(B*Q):GOTO 610 560 R=COS(AXSIN(BXQ)):GOTO 610 570 R=SIN(A*COS(B*Q)):GOTO 610 580 R=A:G0TO 610 600 REM PLOTTING X,Y 610 X=INT((R*COS(Q))*SC) 620 Y=INT((R*SIN(Q))*SC) 630 IF ABS(X)>159 OR ABS(Y)>95 THEN 670 640 IF T=0 THEN PLOT 160+X,96-Y 650 DRAWTO 160+X,96-Y 660 NEXT T 670 FOR I=1 TO 75:POKE 53279,0:NEXT I 680 L=1:OPEN #1,4,0,"K:":GET #1,X:CLOSE 690 PUT #6,125:GOTO 90

Reading the ATARI Keyboard on the fly

James L. Bruun

For most programs the normal method of using the INPUT statement to get keyboard characters into a program is perfectly satisfactory. There are times, however, when we need to get a keystroke without stopping the program to wait for a key to be struck.

The ATARI computer has all the features needed to enable the programmer to check the keyboard

without waiting for an INPUT statement to get the character. Memory location 764 retains a key code for the last key pressed. Further, when the RUN command is executed, that cell is set to 255 to indicate that no key has been pressed. During the running of a program, that location can be POKEd with a 255 to indicate that we've checked it since the last key was pressed.

The following program illustrates the use of these features in a subroutine. First, initialize an I/O buffer and string variable.

10 OPEN #1,4,0,"K:"
20 DIM CHAR\$(1)

Then build the subroutine. Always precede your block of subroutines with an END statement to prevent accidental execution.

30 PRINT "(ESC) (CLEAR)"

40 POKE 752,1

50 GOSUB 5000

60 IF CHAR = 0 THEN 50

70 POSITION 5,5

80 PRINT "CHARACTER = (";CHAR\$;")

90 GOTO 50

Most programs that would need this feature would perhaps be doing complex things if the keystroke has not occurred, but in this one we have chosen to 'do nothing' until a key is pressed.

PRESCHOOL FUN (16K BASIC) This readiness program

has two parts with several individual modules. Part one reinforces color, shape and number recognition. Part two has units on upper and lower case letters and directions. No reading required. Full color graphics and sound. cass. \$15.00

MATH FACTS - LEVEL 1

CRIBBAGE

(24K BASIC) Play cribbage with the computer at two different levels. As a beginner, the computer will point out your errs without penalizing you. But watch out! At the intermediate level, the computer will peg your points if you don't cass. \$15.00

CASINO I


*ATARI is a trademark of Atari, Inc.

亢H.E.S.I.S.

P.O. Box 147

Garden City, MI 48135 WRITE for FREE FLYER or call (313)595-4722 for C.O.D. DEALER INQUIRIES WELCOME

Please add \$1.50 for shipping Mich. residents add 4% tax WRITE for FREE FLYER DEALER INCLIBES WELCOME



User's Report: Waterloo Structured Basic for the PET

P. T. Spencer 7 Brightside Drive West Hill, Ontario Canada M1E 3Y8

Waterloo Structured Basic comes in the form of an EPROM which sits at address hex 9000. After SYS'ing to 9*4096, you have all of standard PET basic, plus the following statements: IF (without THEN or GOTO), ELSE, ENDIF, ELSEIF, IF-THEN-QUIT, LOOP, ENDLOOP, WHILE, UNTIL, PROC, ENDPROC, and CALL. You also can insert as many blanks as you wish at the beginning of each basic line.

The EPROM chip comes with a serial number, complete instructions for installation, a 161 page manual aimed at beginners to structured programming, and a purchaser's registration card. Future updates to the chip are said to be free to registered purchasers, provided the chip is returned for reburning. The list price for this package is stated to be \$150, with substantial discounts for educational institutions and bulk orders from users' clubs. For example, I purchased mine as part of a group of about twenty at the Toronto PET Users' Club for \$61.50.

The idea behind the Waterloo structured approach is apparently that a program should be readable to someone else, or to the programmer himself after one or two years. To aid comprehension, you are supposed to indent freely, any use of GOTO's hither and thither.

After installing my chip and reading the instruction manual, I sat down to redo a routine that I had written in standard PET Basic the week before (see figures 1 and 2). The subroutine is one for a general file management program I have.

The file management program itself allows me to create a file, with the number of fields per file record set at startup. For example, I have a house inventory with the fields set as description, replacement value, date, and insurance category. Another file is a class list with the fields as student name, marks for N tests, and average mark, where N is generally different for each different class. Numeric fields are stored as strings (saves space) until calculations, if any, need to be done.

The subroutine shown in figures 1 and 2 allows me to change output format to the printer, so that the file can be printed as a table without my having to stop the program and manually change the printer formatting line each time I want to print a different file table. There are probably better ways to do this than the one shown here, but this method illustrates the difference between Waterloo and standard basic quite nicely.

Figure 1, the standard basic version, is not imcomprehensible, but neither does it go out of its way to be clear. However, it does have the advantage of being only 528 bytes long, whereas the Waterloo version is 831 bytes long. The Waterloo version, however, looks nicer and probably will be considerably esier to understand six months down the road.

The first, and most important, disadvantage of Waterloo basic that I ran into in writing the code in figure 2 is that when Waterloo Basic is enabled, you can't use Basic Aid, Brett Butler's Trace, or Programmer's Toolkit. I missed the convenience of being able to race the cursor around the screen at high speed, being able to trace execution to find bugs, being able to renumber when there was no space between lines and I had to add a line, and having the next available line number automatically appear on the screen.

Since figure 2 gives the same results as figure 1, it presumably must be a correct, if perhaps not particularly elegant, use of Waterloo basic. Lines 6000 to 6380 are the Waterloo equivalent of GOSUB-RETURN, the difference being that a procedure can have a name, the name may be as long as you wish, and thus can be much more informative.

Lines 6090 to 6130 illustrate the use of the IF-ELSE-ENDIF construction. I found it quite difficult to break out of the IF-THEN GOTO habit. I had become so used to this in the two years I have had a PET that it had become almost automatic.

The WHILE-ENDLOOP construction in lines 6190 to 6230 is handy, as the WHILE condition is evaluated first, unlike the standard FOR-NEXT construction, which goes through the loop once regardless of what value the index variable has.

The Basic Switch

Attention "Old" Pet™Owners:

Not sure about the ROM Retrofit Kit from Commodore?

Now you can use **both** sets of Commodore ROMs and others as well.

The Basic Switch allows switch selection of either ROM set (your original set or your retrofit set) from Commodore. Plus, Model 15-A includes an additional zero insertion force socket allowing easy use of ROMs like the BASIC Programmer's Toolkit... concurrently.

Model 15-A The Basic Switch plus ...
includes expanded cable
assembly and zero insertion
force socket. Your 15th ROM
simply plugs in ... enabled
while either ROM set is selected. Socket 15 may be re-

addressed by the user for additional flexibility.

The Basic Switch is sold in assembled form only. All models are designed for easy attachment to your Pet with a convenient cable assembly. No soldering or drilling is required. The Basic Switch mates with a cable assembly at your primary board, and does not use the physical connectors of any Pet ports. Model 15-A allows you to use the BASIC Programmer's Toolkit without the need for the additional \$25.00 board or tying up your ports. And since we've designed the 15th socket to be readdressable, to take advantage of available ROM software.

Price Schedule: Effective June 1, 1980

Model 15-A-24 15-A-28

The Basic Switch:_____\$129.95

With **Installed** ROM

Retrofit Kit from

Commodore: ______\$214.95

With BASIC

Programmer's Toolkit* _____\$179.95

Model 15-A-24 or **28** with installed ROM Retrofit and Basic Programmer's

Toolkit: \$259.95

Model 15-A-24 or **28** with installed ROM Retrofit and both BASIC Programmer's Toolkits: **\$304.95**

- 1. "Old Pets were shipped with 24 or 28 pin ROMs. You must check which you have, and specify at time of order.
- 2. *The BASIC Programmer's Toolkit is available in versions for "Old" Pets and retrofitted Pets. Order both from us with **The Basic Switch** and save the \$25.00 Board cost plus an additional \$10.00. At the "package" price, you end up with both versions of the BASIC Programmer's Toolkit for \$90.00.
- 3. The Basic Switch line carries a repair/replacement warranty, F.O.B. South Bend, IN. This warranty does not cover any ROMs, but does cover all materials and workmanship in The Basic Switch and harness assembly.
- 4. Ordering Information: We do not ship C.O.D. Please include payment with order, or wait for your local dealer to carry The Basic Switch line. Visa/Master Charge accepted. For mail order enclose address, name, account number, and expiration date. Dealer inquiries invited.

marketed by:

COMPUTER CENTER OF SOUTH BEND 51591 U.S. 31 North South Bend, Indiana 46637 (219) 277-4655

Indiana residents add 4% sales tax. All orders add \$2.50 shipping.
Warning: Removal and insertion of ROMs is a precise task. We encourage users to seek professional assistance for installation. We assume no responsibility for damage caused during insertion or removal.

PetTMis a trademark of COmmodore Business Machines, Inc. of Santa Clara, Calif. The BASIC Programmer's Toolkit is a product of Palo Alto IC's, A Division of Nestar Systems, Inc. Delivery times may vary subject to availability of various ROMs, etc. Prices and specifications subject to change without notice. Lines 6270 and 6280 could probably have been integrated as one, but I liked the symmetry with line 6220. The IF-THEN-QUIT construction is much more convenient than the standard IF-THEN-set index variable to maximum and GOTO NEXT that must be used to keep the stack clean. The short cut in lines 6120 and 6160 of figure 1 is not particularly recommended, as sooner or later it will probably cause an ?OUT OF MEMORY ERROR because of stack problems.

Lines 6040, 6330, and 6340 took some advance thinking, as I find it much easier to let it all happen at the end as an INPUT S2\$: IF S2\$ "Y" THEN 6050 construction, especially when in Waterloo basic I faced the prospect of having to go back and change the identation of most of what had been written. In fact it was this that first decided me to sit down and write out the Waterloo code before hacking away at the keyboard, a blessing in disguise, as the code in figure 2 worked with much less debugging that that in figure 1, which WAS composed at the keyboard.

In summary, I would recommend Waterloo basic if you usually write programs longer than 4K, if your friends call your efforts pathologically complicated, or if you have already been trained in structured programming. On the other hand, I would not recommend it if you are addicted to machine language utilities such as Toolkit, Trace, or Basic Aid, or if you have less than 16K of RAM (structured programming trades space for readability). Another consideration is that if Waterloo basic gains the same acceptance as their WATFOR and WATFIV did with Fortran, it may not be long before it becomes the industry standard, in which case you will HAVE to have it unless you plan to use only your own programs.

Figure 1: Standard Basic Coding

```
10 GOSUB 6000
  6000 PRINT" #DYNAMIC FORMATTING■
        MPETER SPENCER"
 6010 INPUT"HOW MANY COLUMNS";CL%
 6020 S2$="":EC(0)=-1
 6030 FORI=1TOCL%
 6040 PRINT"MCOLUMN"; I; :INPUT"TO START
AT SPACE"; SC(I)
 6050 INPUT"AND END AT SPACE"; EC(I)
 6055 IFSC(I)<=(EC(I-1)+1)THEN PRINT
"#NOT POSSIBLE**TRY AGAIN":GOTO6040
 6060 NEXTI
6070 W$="":K=1
 6090 FORJ=1TOCL%
 5699 FORJ=1ANDSC(1)=1THEN6150
6100 FOR1=KTO(SC(J)-1)
6120 W$=W$+" ":K=K+1:IFK>S0THEN6195
 6140 NEXTI
 6150 FORL=SC(J)TOEC(J)
 6160 W$=W$+"A":K=K+1:IFK>80THEN6195
 6180 NEXT
 6190 NEXTJ
 6195 PRINT"MACOLUMN FORMAT IS"
 6200 PRINTW≸
 6210 INPUT"#OK5";S2$
 6220 IFS2$<>"Y"THEN6030
6230 OPEN3,4,2:PRINT#3,W$:CLOSE3
6240 RETURN
READY.
```

Figure 2: Waterloo Basic Coding

```
10 CALL DYNAMIC FORMATTER
20 STOP
 6000 PROC DYNAMIC FORMATTER
 S010 PRINT"#OYNAMIC FORMATTING® #PETER SPENCER"
5020 INPUT"HOW MANY COLUMNS"/CL%
5030 S2‡="":EC(0)=-1
 6040 WHILE S2≸⇔"Y"
 5050
 6969
          WHILE IC=CL%
             PRINT'MOOLUMN"; I::IMPUT"TO START AT SPACE",SO(I)
IMPUT"AND END AT SPACE";EC(I)
 6979
 6080
             IF SC(I)(=(EC(I-1)+1)
PRINT" #NOT POSSIBLE**TRY AGAIN"
 5090
 6100
 6110
 6120
                 I = I + 1
             ENDIF
 6130
 5140
          ENDLOOP
 6150
          ₩‡=""
 6160
6170
 6180
              WHILE (K<SC(I) AND K>EC(I-1))
W#=W#+" "
 6190
 6200
 6210
6220
6230
                 K = K + 1
                 IF KOSØ THEN QUIT
              ENDLOOP
 6249
              WHILE KD=SC(I)
 6250
6260
6270
                 ₩$=₩$+"A'
                 K=K+1
                 IF KOSØ THEN QUIT
 6280
6290
              UNTIL KOECCIO
              I = I + 1
 6300
                  IDCL% THEM QUIT
 6310
          PRINT" MACOLUMN FORMAT IS"
 6320
          PRINT W#
          INPUT"期間(YZN)") 82#
 6330
 6340 ENDLOOP
 6350 OPEN3,4,:
 6360 PRINT#3,W≇
 6370 CLOSE3
  6380 ENDPROC
                                                                        0
READY.
```

PET/CBM SOFTWARE SPECIAL - BUY 2, GET 1 FREE!

Below items are \$7.95 each, any three for \$15.90 — WE PAY POSTAGE —

NEW! JOYSTICK CONNECTION KIT contains all parts and instructions to connect an ATARI joystick (\$10 at Sears) to your PET.

 $\begin{tabular}{ll} \textbf{SPACED-OUT JOYSTICK GAMES W/CB2 SOUND Galacti Target, Space Race.} \end{tabular}$

PROVIDENCE/RI 02906

OTHER SOFTWARE:

Billboard - Display messages in one-inch scrolling letters on screen. Letter Squares - Tile-sliding alphabet puzzle. Hangman - Animated with the PET's excellent graphics. Card Sharks - Card game inspired by the TV show.

Programmatics

High Rollers - Dice game similarly prompted

SARGENT AVE

Orders shipped within one week when payed by money order or cashier's check

R I residents add 6% tax

ΩMEGA SALES CO.

"WHOLESALE COMPUTER PRICES" DIRECT TO THE PUBLIC

12 Meeting St., Cumberland, R.I. 02864



PRODUCT SPECIAL OF THE MONTH!!



Products are NOW IN STOCK AT ΩMEGA Sales Co.







Epson TX-80 - \$745

Atari 800 \$749.00





CALL TOLL FREE FOR ΩMEGA'S PRICE!

ΩMEGA OFFERS THE BEST DELIVERY AND PRICE ON:
 APPLE • ATARI • TRS•80 MODEL II • INTERTEC •
 T.I. 810 • HEWLETT-PACKARD-85 • SOROC •
 COMMODORE • NEC • QUME • CENTRONICS

 Ω MEGA sells only factory fresh, top quality merchandise to our customers. Ω MEGA will try to match any current advertised price with similar purchase conditions. Before you buy anywhere else - be sure to call Ω MEGA Sales Co. 1-401-722-1027 or

TOLL FREE

1-800-556-7587

ΩMEGA ships via UPS, truck, or air. COD's, VISA, Mastercharge accepted. "A member in good standing of the better business bureau."





TelePET

Jim Butterfield, Toronto

This is the age of computers talking to other computers. There's no reason why your PET can't join in the conversation, too. New communications interfaces for the PET are being announced fairly often these days. What's involved in the hookup?

Most commercial offerings give you the whole package to enable you to hook up and be "on the air" fairly quickly. But since their technical approaches are different, it's worth while to look at what a communications interface needs to do.

Interface elements

There are several problems that need to be addressed in order to hook your PET to a telephone line. Starting at the telephone end, they are:

1. The telephone company gets annoyed if you wire things directly to the telephone line, unless they are "approved" devices. The small user should also worry about the dangers to his PET: some hefty voltages can come from the telephone exchange.

The easiest solution to this is an acoustic coupler. You fit your telephone handset into one of these, and it arranges to make noises into the transmitter and to listen to the earpiece with a microphone. No electrical connection - sound power does the whole job.

2. The telephone system was designed to carry voice, or sounds in a certain frequency range. The PET signal needs to be changed to an audible signal in order to be transmitted; at the other end, the sound frequencies need to be changed back into bits - the ones and zero that the PET needs.

This problem is solved by a device called a Modem. A Modem consists of two parts: a modulator, which changes bits to tone frequencies for sending; and a demodulator, which changes the tones back to bits.

3. You can normally send and/or receive only one bit at a time. PET handles eight bits at a time. Something has to take the eight bits from the PET (the "parallel" signal, since eight bits come out together) and fire them off one bit at a time (creating a "serial" signal, with one bit after the other). In the other direction, you must collect the eight bits, one at a time, pack them together and deliver them to the PET as a parallel eight-bit byte.

Tied into this problem of parallel-to-serial conversion is a related job. Much of the time PET will have nothing to send. We must distinguish between an idle connection, where nothing is being sent, and an active connection which has a character under way.

This last task is usually effected by a signal called a *start bit*. The start bit is sent before the PET's information bits; it says, "here comes a character".

If you don't use a start bit, you know that the line is idle

All of the above tasks can be performed in machine-language programs, or in a rather clever chip called a UART. Either way, you must arrange to send a start bit, then the eight data bits, one at a time, and then a brief pause (sometimes called a *stop bit*) before you start the next character. Coming the other way, the receiving PET must wait for a start bit and then collect the eight data bits into a single byte.

4. If you're communicating with a non-PET at the distant end, the other computer will probably want to receive a standard code called ASCII, and will send that code back to you. PET does not store characters in ASCII format, so that a little translation will be needed in both directions.

PET has characters that don't exist in ASCII. For example, most of the PET graphic characters don't have any corresponding ASCII characters. You'll have to give them up.

There are a few ASCII characters that don't have any counterpart in the PET. Most of these are called *control* characters. You'll probably need a few of these for a good communications interface. Most commercial packages make them available with a two-key combination from the PET. For example, the keys Reverse, semicolon often generate the character known as ESC or Escape in ASCII; this character usually tells the distant computer to stop whatever it's doing and wait for a new command from you. It's a very handy character to know when the distant computer has started to send out a massive amount of data which you realize you really don't want.

5. The physical connection at the PET is either the IEEE-488 bus or the Parallel User Port. If it's the IEEE-488 bus, the connected device will have to obey the protocols - recognizing when it's selected, receiving and delivering characters to the bus, etc.

If it's the Parallel User Port, PET will need to contain a machine language program which is called by the user's program any time it is desired to receive or send.

The IEEE-488 bus is simple to use - a normal PRINT# command will send data - but since the bus is shared with other devices, careful design is needed.

Tracing the Flow

Let's put the above together and track a character from the PET to the line, and vice-versa.

- 1. PET decides to send a character. If the interface is via the IEEE bus, PET might simply issue the command PRINT#7, "A"; or if the interface is via the parallel user port, the program might say, SYS 30456, "A" There are many possible variations.
- 2. The character- in this case, the letter A which is represented in PET text mode as hexadecimal C1-must be translated to true ASCII. This might be



Skyles Electric Works

"If you could own only one peripheral for your PET, it should be this. It opens the whole world to your PET."

The Cat: Switches for mode selection and operation. LEDs display unit status. Acoustic self-test is standard. Compact powerpack plugs directly into wall socket.

Now \$325.00* complete with membership The Source*, Skyles cable/interface to the PET user port, together with Skyles cassette program in machine language and in BASIC. (If bought separately: \$180.00, modem; \$80.00, cable/interface and program; \$100.00, membership in The Source*)



The Cat and D-Cat have been specially prepared by Skyles for interfacing to the PET user port (not to the IEEE port) and with a special cassette program, allowing communication

- ...from modem to disk and disk to modem
- ...from modem to terminal; read on screen, save on disk
- ...from disk to printer through IEEE
- ... from disk to screen



The D-Cat: FCC-approved for handset jack connection with any modular phone, either single or multi-line. No need for adapters. Can fit under phone; installs in seconds. Mode switch to monitor voice or data transmission. Special "hold" function; complete self-test. Power pack plugs directly into wall socket.

Now \$350.00* complete with membership in The Source*, Skyles six-foot cable/interface to the user port and Skyles cassette program in machine language and in BASIC.

(If bought separately: \$210.00, the modem; \$80.00, cable/interface and program; \$100.00, membership in The Source*)

*What About the Source?

Sometimes called "The Information Utility," it's a telecomputing network that gives you, through your Cat or D-Cat modem, thousands of programs and data bases and allows you to communicate with other users interactively and through electronic mail.

*California residents: please add 6% or 6.5% sales tax as required

VISA, MASTERCHARGE ORDERS CALL (800) 538-3083 (except California residents) CALIFORNIA ORDERS PLEASE CALL (408) 257-9140



Skyles Electric Works Mountain View, CA 94041

231 E South Whisman Road (415) 965-1735

done in either program or in hardware; in either case, the result is hexadecimal 41.

- 3. The parallel to serial translation now takes place. Once again, this may be done within a program or by hardware (a UART chip). A start bit is generated followed by the eight bits of data; each is sent at the appropriate time.
- 4. Each bit, as it is generated, is translated by the modem into an appropriate tone frequency. One frequency represents a zero bit, another represents a one bit.
- 5. The tones generated by the modem are fed into a small speaker which is very close to the telephone handset transmitter. The sound from the speaker is picked up by the telephone and sent to the line. It's on the way...

At the receiving end:

- 6. The telephone earpiece has been making a whining sound from the tone received from the line. The sound is picked up by a small microphone close to the earpiece.
- 7. The signal reaches the modem which examines the tone and classifies it as either a logic zero or a logic one. It passes along the logic state zero or one to the serial to parallel translator.
- 8. The serial to parallel translator waits patiently for a start bit (logic zero) to be received. When it sees this, it carefully collects the eight data bits at the appropriate times. This might be done either in a program or in hardware (again, with a UART).
- 9. The eight-bit character might be placed into a buffer or might just be held for pickup by the PET. In either case, the received character will need to be translated from ASCII into PET format.

The Modem/Acoustic Coupler

The modem and acoustic coupler are invariably packaged together. Speeds up to 30 characters per second are generally available; lower speeds will work, but the highest rate of 30 cps is a virtual standard now.

The Commodore interface packages everything into the modem/coupler case: IEEE bus interface, UART, the whole thing. Other suppliers use standard commercially available modem/couplers and supply extra hardware and/or programs to complete the interface.

The commercially available modems use an interface known as RS-232. It's nice to have this interface available, since you cannect other things besides modems to it. Various types of terminals, both video or hard copy, will hook up with no problems.

Parallel/Serial interfaces and Buffering

It's economical and flexible to use a program to do your parallel/serial interface, and buffering can be provided quite easily. It does take up memory space, however, and it can keep the PET rather busy: bits move in and out at a rate of one every three

milliseconds or so. Your interface from Basic will be rather more tricky, too: PRINT# or GET# won't make the connection too easily.

Hardware costs more, but helps with some of these problems. You may not be liberated from the need for special programs, though. The mighty UART chip can only catch or send one character at a time. Unless you have buffering, PET will have to wait before the next character can be sent or received.

The GPIB bus

The IEEE-488 bus is ideal for sending or receiving characters from Basic. As always, however, there's a catch or two. If the device you're sending to is busy and can't catch the character you want to send it, it will probably hang up the bus so that everything stops until it's ready. The same thing may happen if you try to INPUT or GET a character or value that hasn't arrived yet; you'll either time out or wait.

This isn't new. Many devices hold up the IEEE bus - the printer and the disk do it, for example. But with a communications interface, waiting time becomes a serious problem. You might lose a character if the bus is hung up waiting for something else to happen. It becomes more important to use the bus in a more sophisticated way.

Looking them Over

All of the above problems have been solved in a variety of ways by the various suppliers. A remarkable amount of ingenuity has been called into play, and the user has considerable choice.

Check out the units available to see which ones fit your style. How much of the package is hardware, and how much software? How easily can you interface with your own Basic programs? Can you attach devices other than a modem? Does the unit contain buffering? How is the translation to and from ASCII accomplished? Can you abandon ASCII if you choose and send directly from PET to PET, for graphics or program transfer? How much memory will you need in the PET? Will you need disk? And, of course, how much money will it all cost?

There's no single answer. Find out what suits you.

Communications interfaces are here. You'll see more of them used in the PET community. One of these days, you'll be tempted to join the network.

Program Variables

Word Pro Converter

Robert W. Baker, BAKER ENTERPRISES, 15 Windsor Drive, Atoo, NJ 08004

An ever increasing number of programs make use of Commodore's Word Pro program with its excellent editing facilities to generate files for their own use. However, disk files created by Word Pro 3 are not fully compatible with those created or used by Word pro 4 on the 8016/8032.

If you create any files on a 2001 series PET/CBM using Word Pro 3, you will have to do some editing to be able to use the same file on an 8016/8032 CBM with its 80 column screen. This simple utility program will eliminate the boring task of editing the file, and do all the necessary changes for you automatically. It will run on either a 2001 PET/CBM or an 8016/8032 CBM; using a 2040 disk. Remember, though, that the 2040 disk must have the DOS 2.0 ROMs if you are using an 8016/8032 CBM.

The Word Pro Converter program is very straight forward in operation and no fancy frills or options are included. The file to be converted must be on the diskette in Drive #0. The new file created will be written on the diskette on Drive #1 with the same name. If the file all ready exists on Drive #1, it will be deleted first. The only input to the program is the name of the file to be converted. It should be very simple to add an output file name option along with drive number selections if desired. During program execution, any disk error will be displayed and terminate the program.

In theory, the program simply copies the file byte-by-byte while counting characters and looking for a RETURN within each original 40 character line. Straight text that continues over several 40 character lines is copied as-is, creating new 80 character lines. If a RETURN is detected in any line, an extra 40 spaces are added at the end of the line whenever required to make the line 80 characters long.

Files stored by Word Pro 3 contain 40 characters per display line regardless of content. Thus, if you have a single FP command on a line, there is a 37 byte overhead with Word Pro 3. Word pro 4, on the other hand, stores 80 characters per display line regardless of content. The same FP command in Word Pro 4 will then have a 77 byte overhead! While Word Pro 4 has its advantages with the 80 column screen, the disk files created will be generally bigger than those created by Word Pro 3 for the same text. This is especially true when there are a large number of formatting commands or blank lines.

```
input file status, 64 = end-of-file
N
     #characters in input file line, 40 max
P
     #characters in output file line, 80 max.
R
     RETURN character flag: 0 = no 1 = yes
B$
     character (byte) being copied
 100 REM ***************
 110 REM
 120 REM
             SIMPLE UTILITY PROGRAM
              TO CONVERT DISK FILES
 130
     REM
             CREATED BY WORD PRO III
 140
     REM
           FOR LOADING BY WORD PRO IV
 150
     REM
 160
     REM
 170 REM
 180
     REM
 190
               BY: ROBERT W. BAKER
     REM
 200
     REM
                BAKER ENTERPRISES
 210
     REM
 220 REM 15 WINDSOR DR., ATCO, NJ 08004
 230 REM
         *********
 240 REM
 250
 260
                                  CONVE¬
 270 PRINT"Â WORD
                          PRO
        \neg R T E R
 280 PRINT"♥♥THE FILE TO BE CONVERTED MUST ¬
        ¬BE ON
 290 PRINT"ON THE DISKETTE IN DRIVE #04
 300 PRINT"THE NEW FILE GENERATED WILL BE ¬
        ¬WRITTEN
 310 PRINT"ON THE DISKETTE IN DRIVE #1,
 320 PRINT"WITH THE SAME FILE NAME. **
     INPUT"FILE NAME
                         . <<<"; FI$
 340 IF FI$="." THEN 330
 350 PRINT" rCONVERTING FILE, PLEASE ¬
        ¬WAIT...
 360 OPEN 15,8,15
 370 OPEN 5,8,8,"0:"+FI$+",P,R"
 380 GOSUB 560
 390 PRINT#15, "S1: "+FI$
 400 OPEN 6,8,9,"1:"+FI$+",P,W"
 410 GOSUB 560
 420 GET#5,A$,B$:GOSUB 560
 430 PRINT#6, A$; B$; : GOSUB 560
  440 P=0
  450 N=0:R=0
  460 GET#5,B$:E=ST:GOSUB 560
  470 PRINT#6,B$;:GOSUB 560
  480 P=P+1:IF P=80 THEN P=0
     IF E=64 THEN PRINT" VIDONE !!! V":
        ¬GOTO 610
  500 N=N+1
  510 IF ASC(B$)=31 THEN R=1
  520 IF N<40 THEN 460
  530 IF R=0 OR P=0 THEN 450
  540 FOR N=1 TO 40: PRINT#6," ";GOSUB 560:
        ¬NEXT
  550 GOTO 440
  560 INPUT#15, EN, EM$, ET$, ES$
  570 IF EN=0 THEN RETURN
  580 PRINT" TDISK ERROR !!! +
  590 PRINT EN; EM$, ET$, ES$
  600 PRINT" VOPERATION ABORTED!
  610 CLOSE 5: CLOSE 6: CLOSE 15
 READY.
```

Multitasking On Your PET? QUADRA-PET

Charles Brannon

QUADRA-PET is a machine language program that lets you partition the memory of an upgrade ROM PET or CBM into four 8K blocks. Each block is an independent program workspace. Programs existing in each 8K partition can be selected and then used and modified without affecting any of the other programs. You can jump to any other of the programs at any time.

After initialization with SYS 926, PET displays the question:

WHICH PET? [1-4]

Perhaps Mary, an avid computer-games buff, types in "1" and loads STARTREK. She plays it for a while and then leaves to eat lunch. Meanwhile, Bob goes to the PET, sees that someone is using PET #1, and switches to PET #2 to write a business program. After nearly "perfecting" it, he leaves to see what Mary is up to. Now the kids come in, and after arguing for a half-hour agree to share the PET, one using PET #3 and the other PET #4. Fortunately for Bob and Mary, nothing the kids do can harm their programs.

How To Use QUADRA-PET

- 1. Load or type in one of the versions of QUADRA-PET. (Basic or hex)
- 2. Enter NEW
- 3. SYS 926 to initialize.
- 4. PET will respond with WHICH PET? (1-4)
- 5. Select the one you wish to use.
- 6. Before loading or typing in a program for the first time, type in **NEW**.
- 7. To select another PET, **SYS 826** and follow instructions 4-7.

Now comes the fun part -- how does it work? Many memory locations in zero-page (0-256) are *pointers* QUADRA-PET works with three of those pointers.

On power-up, PET determines the end of memory by writing a character to every memory location and then reading it back. PET then increments a memory location until a failure in reading that character occurs. This indicates that the end of available memory has been reached. Physically, this pointer is at location 52 decimal. (\$34). The second pointer is at the start of memory, stored in location 41. Originally, this points to the actual start of user memory, 1024. The last pointer is the end of text pointer. As you write your program it changes.

QUADRA-PET partitions the memory by changing these pointers to point to successively

higher memory locations, depending on which PET is in use. Since the end of text pointer changes, it must be saved before we move to a new PET and restored on return. QUADRA-PET, as it is in machine language, does all these things seemingly instantaneously.

HOW TO SAVE A PROGRAM PRODUCED WITH QUADRA-PET:

- 1. SYS 1024 to go to the Monitor.
- 2. Enter: .M 0028 002B and type RETURN.
- 3. You will get a display something like: .: 0028 01 04 3E 04
- 4. We will use only the first four bytes. Write down the first pair in reverse order on paper, for example: 0401
 - Do the same with the second pair. (e.g. 043E)
- 5. Enter: .S "PROG NAME",01,XXXX,YYYY where "PROG NAME" is the name of your program, XXXX is the first number you wrote down, and YYYY is the second. For example, to save the example program which we will call "PET #1, you would enter: .S "PET #1", 01,0401,043E
- Press RETURN and press play and record to save your program.
- To load this saved program into a space prepared by QUADRA-PET, just SYS 1024 and enter .L "PROG NAME" where "PROG NAME" is the name of your program.

HOW TO LOAD A PRE-EXISTING PROGRAM INTO A SPACE PREPARED BY QUADRA-PET:

I could tell you how to do this on the old ROM PET but quite frankly, I can't find the memory locations for this procedure in the new PET. All you PET experts -- HELP!

If you can figure it out, please send in the procedure to COMPUTE.

A little imagination will create many uses for QUADRA-PET.

For education, it is the perfect way to keep four students' programs in the PET at the same time. Each program can be worked on and modified in any way without affecting any other of the programs.

In business, four different business programs can exist simultaneously in PET's memory, ready to use. For the small penalty of loading the programs into the program workspaces at the start of the day, all four are within reach of a carriage return -- faster than any disk drive.

Machine language programmers can fill partitions with useful routines, leaving one or more partitions for BASIC. QUADRA-PET itself is short and easily relocatable.

I would be interested to find out what novel and useful applications for QUADRA-PET *you* can think up!

Happy QUADRA-PETing!

References

CBM User Manual 2001-32, First Edition. Commodore Business Machines, Inc., Palo Alto, CA (1979)

Havery B. Herman, "Memory Partition of BASIC Workspace". COMPUTE, pp. 18-20 (Jan., Feb. 1980)

Jim Butterfield, "PET in Transition (memory map) COMPUTE, pp. 68-70 (Fall, 1979)

```
Ø REM***************
1 REM
                QUADRA PET
  REM****************
 2
  REM: BY CHARLES BRANNON 06/07/80
            826 TO 941
10 FOR I =
20 READ A
 30 POKE I, A
 40 NEXT
50 SYS926
 60 END
1000 DATA174,126,3,165,42,157,131,3,165
1010 DATA43,157,135,3,169,143,160,3,32
1020 DATA28, 202, 32, 228, 255, 41, 15, 240, 249
1030 DATA201,5,176,245,170,202,142,126,3
1040 DATA169,1,133,40,189,127,3,133,41
 1050 DATA189,131,3,133,42,189,135,3,133
 1060 DATA43,169,0,133,52,189,139,3,133
1070 DATA53,32,119,197,96,0,4,32,64
 1080 DATA96,3,3,3,4,2,64,96
 1090 DATA32,64,96,128,87,72,73,67,72
 1100 DATA32,80,69,84,63,32,40,49,45
 1110 DATA52,41,0,169,0,141,0,32,141
 1120 DATA0,64,141,0,96,76,58,3
READY.
```

Why Is CURSOR So Good?

Maybe it's because we've always had high standards. Beginning with our first issue in July, 1978, we've published some 100 programs for the Commodore PET in our first 20 issues, plus 20 animated graphic "Front Cover" programs. Each program has been extensively edited by Glen Fisher, our Editorial Director. The result is obvious: Cursor programs reflect professional standards. We're proud of every program we publish.

But there's something else, too.

It's imagination. Our subscribers continue to be delighted with the new, fresh programming ideas that Cursor provides. Some of the best graphic animations for the Pet have appeared in Cursor. Teachers love us! They use Cursor as an example of what can be done on a PET, with some skill and imagination.

Finally, there's service. Orders for single issues are almost always shipped within 24 hours. New subscriptions are pro-cessed within five working days. Should you get one of our rare defective tapes, just return it for an immediate replacement. And of course you can cancel your subscription at any time and we'll gladly refund all remaining issues.

Cursor: Quality. Imagination. Service.

For only \$4.95 you can buy a sample issue and judge for yourself. Or send \$27 for a six-issue subscription. You'll get six C-30 cassettes, each with five programs and a Front Cover ready to LOAD and RUN on your PET. With each issue you also get our Cursor Notes, a lively commentary on the industry, as well as documentation for the programs.

□ Sample issue of Cursor — \$4.95 (CA. Res. add 6% tax) ☐ 6 issues for \$27.00 (U.S. & Canada)

Published By:

The Code Works

Box 550 Goleta, CA. 93017 Phone 805-967-0905

THE FLOPPY DISK ALTERNATIVE

PET

- transfers at 4800 baud
- 500K storage per drive
- complete hardware and software system

Meca's digital tape provides the features of disk plus gives you more storage and costs less.

LOAD AND SAVE AT HIGH SPEED

Eliminate those piles of cassettes cluttering up your life. Organized on a single cassette, your present collection of programs becomes a named program library. You load and save any program in seconds, instead of minutes. In addition to fast, convenient reliable program storage, huge amounts of textual and numeric data can be accessed quickly and easily. With up to two megabytes on line, programs for mailing lists and business records are practical.

This is a complete system. Just plug it in and go. Additional software is available.

BETA-1 DRIVE, PET/BETA-1 OPERATING SYSTEM, MANUAL . . . \$525.00**



SPEED Loads and saves at 4800 baud. Seeks at 100"/sec

heta-1

STORAGE Each BETA-1 drive stores 525,000 bytes or 126 named programs or files on a single cassette. Expands to four drives-two megabytes

OPERATING 24 commands, 27 error messages, 2 user-defined commands-fully compatible with PET BASIC. Resides in only 4K-abbreviated 2K

version, bootstrap loader, all romable

FILE Named files, directories, program chaining and merging, sequential and CONTROL random access files, field and record definitions, and more . . .

software small

computers P.O. Box 8403 Austin, Texas 78712

* FES IS AN AUTHORIZED MECA INC. DEALER
***TEXAS RESIDENTS ADD SN SALES TAX
PET IS A REGISTERED TRADEMARK OF COMMODORE INC

SYSTEM

PET/BETA-1

1903 Rio Grande Austin, Texas 78705

1-512-477-2207

OOPS! A Crucial Update to Disk ID Changer, Issue #5, COMPUTE

Rene W. Poirier

DISK ID CHANGER was intended to change the ID on diskettes to prevent having diskettes with duplicate ID characters. Information has surfaced to the effect that ID Changer does not accomplish its goal. Though it successfully changes the characters on Track 18 Sector O, those characters are purely cosmetic and for display in the directory only. The actual ID characters are deeply imprinted on each of the sectors of the diskette.

The bulletin mentioned in the previous article did not specify the DOS to which it was referring. It now appears that the actual reference was to the new DOS which auto-initializes a diskette when it recognizes a change in the sector ID characters. In this case, swapping diskettes with identical ID characters will fool the new DOS and it will not auto-initialize and create a new Block Availability Map.

This can cause *real problems*. DISK ID CHANGER, though intended to prevent this, fails to do so. In fact, it can compound the problem, since the true ID is lost to the user.

Thanks to Jim Butterfield for bringing this error to my attention and directing me onto a course toward a solution. The program, ID CORRECTOR checks the diskette for the actual, or original, ID characters inprinted on the sectors, and compares those characters to the cosmetic characters on Track 18 Sector 0. If they match properly, it so informs you. If they do not, it can replace the erroneous ID with the actual characters, returning the changed diskette to its original configuration. If use of the ID CORRECTOR on drive 0 is desired, change the variable DV in line 7.

This will not solve the original problem of more that one disk having identical original ID characters, such as backup diskettes. Care will have to be taken when using these diskettes. It would seem advisable to include forced initialization commands in programs to force creation of a new BAM when diskettes are changed. The real solution to the problems would lie in a command to duplicate, but with a change in ID characters on the copy diskette, but alas....

The portion of DISK ID CHANGER for changing the name on a diskette for library naming purposes is valid and safe. To prevent accidental use of the portion which changes ID characters, I have included another version called DISK NAME CHANGER which will alter only the ID NAME of a diskette. It appeared easier to build a new program than to try to extract the appropriate sections from DISK ID CHANGER.

```
1 REM *** DISK ID CORRECTOR
2 REM *** BY RENE W POIRIER
3 REM *** BERLIN, N.H.
  REM *** WITH THE HELP OF JIM BUTTERFIELD
7
 DV=1:REM SET DRIVE NUMBER (1/0)
8:
9
10 OPEN9,0,0:OPEN15,8,15
  PK=PEEK(59468):POKE59468,12
30 MD$="h":FORI=1TO20:MD$=MD$+"v":NEXT
40 FORI=1TO39:BL$=BL$+" ":NEXT
50 PØ$="ĥ♥♥
                     ID CHECKER/CORRECTOR
60 RE$="PRESS rRETURN? TO CONTINUE
99 GOTO1000
100 INPUT#15, ER: IFER=0THENRETURN
110 INPUT#15, ER, EM$, ET$, ES$
120 PRINTMD$"rDISK ERROR! f#"ER" "EM$"
-"ET$", "ES$
130 END
200 INPUT#9,Q$:PRINT:Q1$=LEFT$(Q$,1):
      ¬RETURN
300 CLOSE15: POKE59468, PK: PRINT" h": END
1000 PRINTP0$:PRINT" →PLACE DISKETTE TO BE ¬
      ¬CHECKED IN DRIVE" DV "♥♥"
1010 PRINTRE$:GOSUB200
1020 AD$="":ID$=""
1030 PRINT#15,"I"+STR$(DV):GOSUB100
1040 OPEN2,8,2,"#0":GOSUB100
1050 PRINT#15, "U1:2"; DV; ", 18, 0": GOSUB100
1060 FORJ=33TO34
1070 PRINT#15, "M-R"; CHR$(J); CHR$(16):
      \neg GET#15,Z$
1080 AD$=AD$+Z$:NEXTJ
1090 PRINT#15, "B-P:2,162":GET#2,A$,A1$:
      ¬ID$=A$+A1$
1100 PRINT" ♦ ♦ ACTUAL ID RECORDED ON ¬
¬SECTORS IS: "AD$
1110 PRINT"♥FILE ID IS:
1120 IFAD$<>ID$THEN1200
1130 PRINT" $>>>>> rTHIS DISK IS OK!
1140 CLOSE2
1150 PRINTMD$BL$:PRINTBL$MD$"DO YOU WISH ¬
      ¬TO CHECK "
1160 PRINT"ANOTHER DISKETTE? (Y/N) r";:
      ¬GOSUB2ØØ
1170 IFQ1$="Y"THEN1000
1180 IFQ1$<>"N"THEN1150
```

1190 GOTO300

```
1200 PRINT"♥♥ACTUAL ID AND FILE ID DO NOT ¬
       ¬MATCH!
1210 PRINTMD$"SHALL I PROCEED TO CORRECT? ¬
¬(Y/N) r";:GOSUB200
1220 IFQ1$<>"Y"THEN1140
1230 PRINTMD$BL$MD$"BE PATIENT..
1240 PRINT#15, "B-P:2,162": GOSUB100
1250 PRINT#2, AD$;:GOSUB100
1260 PRINT#15, "U2:2"; DV; ", 18,0": GOSUB100
1270 PRINT#15, "I"+STR$(DV):CLOSE2
1280 PRINTMD$BL$"A"MD$"CHECKING DISK
1290 PRINTLEFT$ (MD$, 8);
1300 GOTO1020
1 REM *** DISK NAME CHANGER
2 REM *** BY RENE W. POIRIER
3 REM *** BERLIN, N.H. 03570
5
 :
6
 :
7
10 OPEN9,0,0:OPEN15,8,15
20 PK=PEEK(59468):POKE59468,12
30 MD$="h":FORI=1TO20:MD$=MD$+"\":NEXT
40 FORI=1TO39:BL$=BL$+" ":NEXT
                   DISK NAME CHANGER
50 PØ$="ĥ♥♥
60 RE$="PRESS rRETURN TO CONTINUE
70 DATA 2, OUT OF RANGE, TOO LONG
80 READ A:DIM EM$(A):FORI=lTOA:READEM$(I):
      ¬NEXT
99 GOTO1000
100 INPUT#15, ER: IFER=0THENRETURN
110 INPUT#15, ER, EM$, ET$, ES$
120 PRINTMD$"rDISK ERROR!î #"ER"
                                    "EMS"
               "ES$
      ¬"ET$",
130 END
200 INPUT#9,Q$:PRINT:Q1$=LEFT$(Q$,1):
      ¬RETURN
300 CLOSE2:CLOSE15:POKE59468,PK:PRINT"n":
      ¬END
400 PRINTLEFT$ (MD$, MD) BL$: PRINTBL$
410 PRINTLEFT$ (MD$, MD); : RETURN
500 MD=21:GOSUB400
510 PRINT"runacceptable entry -- "EM$(EM)
520 PRINTRE$:GOSUB200:GOSUB400
530 RETURN
1000 F=0:PRINTP0$
1005 PRINT"♥ON WHICH DRIVE SHALL WE ¬
      ¬PERFORM
1010 PRINT"THE CHANGES? (0/1) r";:GOSUB200
1020 DV=VAL(Q$):IFDV<0ORDV>1THENEM=1:
      ¬GOSUB500:GOTO1000
1030 IFDV=0ANDQ1$<>"0"THENEM=1:GOSUB500:
      ¬GOTO1000
1040 PRINTPØ$:PRINT"♥PLACE DISKETTE IN ¬
      1050 PRINTRE$:GOSUB200
1060 PRINT#15,"I"+STR$(DV):GOSUB100
1070 OPEN2, 8, 2, "#": PRINT#15, "U1:2"; DV; ",
      -18,0":GOSUB100
1080 PRINT#15, "B-P:2,144":GOSUB100:DN$=""
1090 FORI=1T016:GET#2,A$:DN$=DN$+A$:NEXT
1100 MD=10:GOSUB400:IF F THENRETURN
1110 PRINT"THE PRESENT DISK NAME IS:
1120 PRINTTAB(5) CHR$(34) DN$CHR$(34)
1130 MD=13:GOSUB400
1140 PRINT"DO YOU WISH TO CHANGE IT? ¬
¬(Y/N) r";:GOSUB200
1150 IFQ1$="N"THEN1350
```

```
1160 IFQ1$<>"Y"THEN1130
1170 MD=16:GOSUB400
1180 PRINT"ENTER NEW DISK NAME": PRINT"LIMI
      ¬T TO 16 CHARACTERS r"
1190 GOSUB200: IFLEN(Q$)>16THENEM=2:
      ¬GOSUB500:MD=18:GOSUB400:GOTO1190
1200 NDN$=LEFT$(Q$+BL$,16)
1210 MD=21:GOSUB400
1220 PRINT"SHALL I SEND r"NDN$
1230 PRINT"TO THE DISKETTE ON DRIVE"DV"? ¬
      ¬(Y/N) r";:GOSUB200
1240 IFQ1$="Y"THEN1270
1250 IFQ1$="N"THENGOSUB400:MD=18:GOSUB400:
       ¬GOTO117Ø
1260 GOTO1210
1270 MD=21:GOSUB400:PRINT"BE PATIENT...
1280 PRINT#15, "B-P:2,144": GOSUB100
1290 PRINT#2, NDN$;:GOSUB100
1300 PRINT#15, "U2:2"; DV; ", 18,0": GOSUB100
1310 PRINT#15, "I"+STR$(DV): GOSUB100: CLOSE2
1320 F=1:PRINTP0$:GOSUB1060:F=0
1330 PRINT"THE NEW DISK ID IS:
1340 PRINTCHR$(34) DN$CHR$(34)
1350 CLOSE2:MD=21:GOSUB400:PRINT"DO YOU ¬
       ¬WISH TO DO
1360 PRINT"ANOTHER DISKETTE? (Y/N) î";:
       ¬GOSUB200
1370 IFQ1$="Y"THEN1040
1380 IFQ1$="N"THEN300
                                             0
```

CBM Profiler

1390 GOTO1350

PET/CBM-16/32K

Profiler watches all your clients, distributors or customers important to your firm. Prints 3 reports, labels & sorts in 20 fields maintaining 1100 profiles per diskette.

Only \$99.95

Includes diskette, manual & source code.

INTERMOUNTAIN DATA

2321 East Mulberry #8 Ft. Collins, CO 80524

303-221-2059

Variable-Field-Length Random Access Files On The 2040 Disk Drive

Peter Spencer, 7 Brightside Drive, West Hill, Ontario, Canada M1E 3Y8

Do you have voluminous file storage needs, but hate to see a large fraction of each disk eaten up by the empty space that seems to be an inherent feature of most random access programs?

This program shows how to write variable field length random access files on the 2040 disk drive. The density of packing is truly amazing. Compare it to the density achieved by any fixed field length program you have, including the lengthy relative record program in the 2040 User's Manual.

The writing to disk is done in lines 41 to 77, and the retrieval from disk is in lines 82 to 106. The rest of the program is a driver routine patched on from a longer program of mine.

For this sample program, I have used the line number as the key for each field. You can easily use some other key, and have more than one field per key. In that case, you must change the output to the key file (lines 71-77) so that it contains the number of keys used, each key, the number of fields for that key (if variable), and the track, sector, and buffer pointers for each field within that key. Lines 88-95 would have to be similarly changed.

Yes, you read the above correctly, you can even have a variable number of fields per key! Such a variable field number, variable field length program can be of considerable use if you want to store abstracts, test questions, criterion-referenced test questions (using the criterion or instructional objective code "number" as the key), or parts inventory (you could use the machine name as the key, and each part as a field, with subfields for cost, price, onhand, backordered, and so forth).

The driver routine I have used can be considerably shorter if you wish to use regular input

rather than the bullet-proof and hyphenation-proof form provided in lines 118-133. There, a line-overrun on input from the keyboard (detected in line 125) results in the entire word being removed to the next consecutive line (accomplished in lines 128-133 and 119).

```
1 CLR
2 PRINT" nrVARIABLE FIELD LENGTH FILES ON ¬
       ¬THE 2040î
                             ♦PETER SPENCER"
3 GOSUB108:MK=0:LL=80
4 DIMPA(300):DIMTA(300):DIMSA(300)
  NLS=1:D=\emptyset:F=\emptyset:X=\emptyset:Y=\emptyset:T=\emptyset
6 SP$="
7 M$=CHR$(13)
8 S$="":Z$="":IN$="":DIMA$(300):OPEN15,8,
       715
9 REM: PROGRAM ENTRY
10 PRINT"RESTART NEW FILE, OR TWFORK ON -
       ¬OLD FILE? ";
11 GOSUB33
12 PRINT"NAME OF FILE ";:GOSUB119:
       \neg A\$(1) = IN\$
13 IFS$="S"THENGOTO22
14 GOTO83
15 REM:
          SHOW FILE ENTRIES
16 FORK=1TONLSSTEP15:F=K:D=K+14
17 FORI=FTOD:PRINTI; TAB(6); A$(I):NEXTI
18 PRINT"h"; SP$; SP$; SP$
19 PRINT"hrSfCROLL NEXT 15 LINES, OR ¬
       TETXIT? ";:GOSUB33:IFS$="E"THENK=NLS
20 PRINT"httv";:NEXTK
21 REM: SHOW MENU
22 PRINT"n";SP$;SP$;SP$
23 PRINT"hrRfEAD IN, rOfUTPUT, rTfYPE, "; 24 PRINT"rSfCROLL, ";
25 PRINT"rEfXIT?";:GOSUB33
26 IFS$="E"THEN79
27 IFS$="T"GOTO110
28 IFS$="O"GOTO42
29
   IFS$="R"GOTO83
30 IFS$="S"THENPRINT"ĥ\\";:GOTO16
31 GOTO22
32 REM:
         GET UTILITY
33 GETS$: IFS$=""THEN33
34 PRINTS$: RETURN
35 REM:
         READ ERROR CHANNEL
36 INPUT#15, EN$, EM$, ET$, ES$
37 IFEN$="00"THENRETURN
38 PRINT"ERROR ON DISK"
39 PRINTEMS; ENS, ETS, ESS
40 CLOSE6:CLOSE7:CLOSE15:END
41 REM:
         OUTPUT ROUTINE
42 IFMK<>ØTHEN46
43 PRINT"INSERT DISK IN LEFT DRIVE & TYPE ¬
      ¬GO";:GOSUB33
44 PRINT#15,"Il'
45 OPEN6, 8, 6, "#": GOSUB35
46 PRINT"THERE ARE"; NLS; "ENTRIES": MK=1
47 PRINT"STORE FROM ";:GOSUB119:X=VAL(IN$)
      ¬:PRINT"TO ";
48 GOSUB119:Y=VAL(IN$)
49 I=X
50 REM:
         ALLOCATE 1 BLOCK
51 T=1:S=0
52 PRINT#15, "B-A";1;T;S
53 INPUT#15, EN$, EM$, ET$, ES$
54 IFEN$="00"THEN57
55 IFEN$="65"THENT=VAL(ET$):S=VAL(ES$):
      ¬GOTO52
56 GOTO38
57 BP=1
```

Computer Supplies for Small Computer Systems



Our full line of supplies includes:

Dikettes (3M, basf)

Diskette retrieval devices

BPI Business Package for the Commodore

Tractor Printer Paper

Tractor Printer Labels

Printer Ribbons for NEC, Commodore and Xymec

Dust Covers

Adapters

Uncrashers

Computer Desks

NEC Spinwriters

Print Thimbles

Xymec Intelligent Printers

"New Dealer" Kits

Zeigler Electronic Products

DEALERS:

We no longer market COMMODORE Equipment, (Jerry Zeigler is with Commodore) but Connie and I have the computer supplies you need to support Commodore System Sales.

Give us a call:
Trudie Zeigler
or
Connie Rittenberry
(404) 289-1596 or 289-2265
3661 CALUMET RD.
DECATUR, GEORGIA, 33034

MICRO COMPUTER INDUSTRIES, LTD.

INVENTORY CONTROL WITH POINT OF SALE FOR CBM AND PET 32K

DISK VERSION INCLUDES: Storage of 2500 items per diskette, Accounts Receivable, Writes Purchase Orders, Invoices, Summaries, Post Income and will Sort by 10 fields.

\$100.00

INVENTORY CONTROL 8K

CASSETTE VERSION INCLUDES: Purchase Order program and Printing functions.

\$ 39.00

GENERAL LEDGER

DISK VERSION INCLUDES: The total functions of the Inventory Control programs plus; Accounts Payable, Notes Payable, Purchases, Expenses, it also issues complete Reports, Statements and Summaries.

\$350.00

Instruction Manual \$10.00 refundable with purchase.

MICRO COMPUTER INDUSTRIES, LTD.

1520 East Mulberry Suite 240 Fort Collins, Colorado 80524 1-303-221-1955

```
58 PRINT#15, "B-P: "6; BP: GOSUB35
59 PRINT#6, A$(I); M$; :GOSUB35: PRINTI; A$(I);
       ¬T;S;BP
60 PA(I)=BP:TA(I)=T:SA(I)=S
61 BP=BP+LEN(A$(I))+1
62 IF(LEN(A$(I+1))+1+BP)>255THEN67
63 I=I+1
64 IFI<=YTHEN58
65 PRINT#15, "U2: "6;1;T;S:GOSUB35
66 CLOSE6:GOTO72
67 PRINT#15, "U2: "6;1;T;S:GOSUB35
68 I=I+1
69 IFI <= YTHEN 50
70 CLOSE6
         OUTPUT KEY FILE, OVERWRITING OLD -
       ¬KEY FILE IF NECESSARY
72 OPEN7,8,7,"@1:"+LEFT$(A$(1)+SP$,
       -10)+".KEY01,S,W":GOSUB35
73 PRINT#7, NLS; M$;: GOSUB35
74 FORI=1TONLS
75 PRINT#7, TA(I); M$; SA(I); M$; PA(I); M$;:
       ¬GOSUB35
76 NEXTI
77 CLOSE7:GOSUB35
78 REM: EXIT PROGRAM
79 PRINT"SHUT DOWN?";:GOSUB33
80 IFS$="N"GOTO22
81 CLOSE6:CLOSE7:CLOSE15:END
82 REM:
83 PRINT"rREAD KEYS AND FILE FROM DISK"
84 IFMK<>ØTHEN87
85 PRINT"INSERT DISK IN LEFT DRIVE & TYPE ¬
       ¬GO";:GOSUB33
86 PRINT#15,"I1":MK=1
87 OPEN7,8,7,"1:"+LEFT$(A$(1)+SP$,
-10)+".KEY01,S,R":GOSUB35
88 INPUT#7, NLS:RS=ST:GOSUB35
89 PRINT" VNLS="; NLS
90 PRINT" # TR SE BP"
91 FORI=1TONLS
92 INPUT#7, TA(I), SA(I), PA(I): RS=ST: GOSUB35
93 PRINTI; TA(I); SA(I); PA(I)
94 NEXTI
95 CLOSE7:GOSUB108
96 REM: READ FILE
97 OPEN6, 8, 6, "#": GOSUB35
98 FORI=1TONLS
99 PRINT#15, "U1: "6;1; TA(I); SA(I): GOSUB35
100 PRINT#15, "B-P: "6; PA(I)
101 GOSUB35
102 INPUT#6, A$(I):GOSUB35
103 IFTA(I)=0THEN106
104 PRINTI; A$(I)
105 NEXTI
106 CLOSE6:GOSUB108
107 GOTO22
108 FORI=1TO1000:NEXTI:RETURN:REM:
         DELAY LOOP
TYPE ROUTINE
109 REM:
110 PRINT"LENGTH OF LINE (MAXIMUM=80)";:
      \negZ9$="80":GOSUB119:LL=VAL(IN$)
111 PRINT" RTYPE NEW LINES"; CHR$(13); "(TYP
      ¬E 'STOP' TO STOP))":PRINTSP$
112 D=NLS:IFD>=5THENF=D-4:GOSUB135:GOTO114
113 F=1:GOSUB135
114 PRINTNLS+1; CHR$(13); "1"; TAB(4)
115 GOSUB119:IFIN$="STOP"THEN22
116 A$(NLS+1)=IN$
117 NLS=NLS+1:GOTO111
118 REM: BULLET-PROOF INPUT
119 IN$="":IFZ9$<>""THENPRINT"? ";Z9$;:
```

¬POKE167,0:IN\$=Z9\$:Z9\$="":GOTO121

120 PRINT"? ";:POKE167,0 121 GETZ\$:IFZ\$=""THEN121

122 IFZ\$=CHR\$(13)THENPRINT" ":POKE167,1: ¬RETURN 123 IFZ\$=CHR\$(20) THENONSGN(LEN(IN\$))+1GOTO $\neg 121, 127$ 124 PRINTZ\$;:IN\$=IN\$+Z\$ 125 IFLEN(IN\$)>LLTHENGOSUB128:PRINT" ": ¬POKE167,1:RETURN 126 GOTO121 127 PRINTZ\$;:IN\$=MID\$(IN\$,1,LEN(IN\$)-1): ¬GOTO121 128 FORZ9=LEN(IN\$) TO1STEP-1 129 IFMID\$(IN\$,Z9,1)<>" "THEN133 130 Z9\$=RIGHT\$(IN\$, LEN(IN\$)-Z9) 131 IN\$=LEFT\$(IN\$, Z9-1) 132 29=1 133 NEXTZ9:RETURN 134 REM: SCREEN DISPLAY 135 FORI=FTOD: PRINTI; TAB(6); A\$(I): NEXTI: ¬RETURN 0 READY.

ATTENTION COMMODORE DISK OWNERS

Never sort another disk file!

With Creative Software's ISAM file handling routine, your files are always maintained in sorted order. 2K bytes of assembly language subroutines allow you to:

- CREATE a new ISAM file
- OPEN an existing file
- READ key and data from file
- WRITE key and data to file
- READNEXT key and data from file
- DELETE key and data from file
- · CLOSE file
- SUPPORTS up to 5 open ISAM files simultaneously

Available for 16K or 32K CBM computers and 2040 disk units

\$99.95 + \$2.50 shipping

Soon to be available for CBM 8016 and 8032 computers with 8050 disk drive. Manual available separately for \$15.00

Creative Software

P.O. BOX 4030, MOUNTAIN VIEW, CA 94040

CBM CERTIFIED In-House Maintenance ONEROOF

DOWNEY, CA. (213) 923-9361

29 years Serving Computer Centers

FAMILY OWNED & OPERATED (even "no-relation" associates are family)

Data Equipment Supply Corp. 8315 Firestone Blvd., Downey, CA 90241

(x commodore

\$OLID GOLD \$OFTWARE® DES's own-2 years preparation! Writing, testing and updating to be sure our software deserves this lable. ACC/SYS GA 104 (32K) 9 DISKS FULL ACC'T. PACKAGE (Sold locally only for now-to give customer full support) LAWYERS Package #1 (32K) Disk...\$1200.00 63 Attorneys, 5200 clients (200 matters ea) Prelim & Final Statements, Aging, Mgmt Rpts CHEMISTRY PROFILE (16K) \$350.00 A blood analysis program that yields a diagnosis based on 29 blood tests (high-normal-low)\$1200.00 analyst rpts, buyer & seller rpts, etc.) "GOLD PLATED \$OFTWARE"" **SPORTS** • HOCKEY #1 (Disk) . Compiler for hockey statistics—excellent for team and league managers. (When tested on a 17 team league SAVED 20 hours a week of record keeping) BASEBALL #1 (see Hockey) (Disk) \$29.95 BUSINESS MAILING LIST 1.0 (16K min.).....\$29.95 Maintains file and printout MAILING LIST 2.0 (16K min.)... More powerful plus file merging SUPER LIST (8K min.) \$19.95 (Advanced listing features) CALENDAR (8K min.). (Perpetual calendar with printout) PHONE MAIL SYSTEM (16K min.)... . \$49.95 CBM Printer (Word processing plus phone book) **EDUCATIONAL** FLASH CARDS (16K min.)...\$24.95 Multi "user input" quiz - great study aid MATHEMATICS (8K min.)...\$7.95 ea A) Add B) Subi C) Multi D) Div "BRANDI'S SPELLING BEE" (8K min.)...\$9.95 (SUPERB Aid Pre-School - 2nd) VISUAL PERCEPTION (8K min.)...\$7.95 Shapes & Sizes CONSONANT BLENDS (8K min) \$7.95 2 letter sound combinations COUNTING 1 to 9 (8K min). Visual - tutorial GAMES MAY 1941 (8K min.). Simulated tracking & sinking of the Bismarck GUESS?? (8K min.). Full graphic sound, guessing game

★ "The Finest Software Crew in the World" ★ Mike Richter/Norm & Brad Hanscom/Sy Elsayess David Schwartz/Donna Schlieper/Bob Johnson Dave Lundberg/Murat Kalinyaprak/Henry Kluka

SUPPLIES

(WE PLAN, WITH OUR PRICES, TO CORNER THE MARKET)!
DISKETTES (FLOPPIES)
BASF (514" & 8") \$2.90 ea.
MEMOREX (514" & 8")
WABASH (8")
DYSAN (514" & 8")
CASSETTES (Digital & Audio)
BASF(C3090¢; C60 - \$1.20;
C90 - \$1.50; C120 - \$1.75)
KEYLINE (Digital Only)
RIBBONS
CENTRONICS
101 & 301
TALLY (2100 & 2200)\$3.95
DIABLO
Hy Type I
Hy Type II
TELETYPE #2, #13 (use on CBM)\$2.95
QUME
PRINTRONICS\$10.25
DEC LA30 - \$4.25 / LA180 \$5.25
PRINTER PAPER (us for case prices)
9½ x 11 (perfs to 8½ x 11) 500 shts\$7.95
14% x 11 500 shts
14 /8 X 11 300 SHIS

Your Complete Computer Center

-SEND FOR DESCRIPTIVE BROCHURES-ALL AVAILABLE ENGLISH/ARABIC

DES DATA EQUIPMENT SUPPLY CORP. 8315 Firestone Blvd., Downey, CA 90241 (213) 923-9361
PAYMENT (Calif. Residents add 6% Sales Tax)
□ CHECK #
□ VISA
☐ MASTERCHARGE Exp. Date
Acct. #
Name
Address
City
State Zip

Flexible GET for the Pet

Flizabeth Deal Malvern, Pa.

This article describes a few ways to achieve a flexible GET routine that includes a flickering cursor, possible use of cursor keys other than left or delete and disabling of the Pet's quote mode, which is useful in several other applications.

The conceptual problem of substituting GET for INPUT has been solved by Pet users, most recently by Mr. Bruey (Compute #3) and Mr. Greenberg (Compute #4). It is a good idea to read those two articles before using GET. It is essential to use input edit routines for any math application as outlined by Mr. Bruey.

The program presented here is a simple one. REM lines describe how to expand it for a more complex use. It uses cursor left to make corrections and it permits all ASCII characters that are printable to be in a string in a non-graphic form. The program does not use the delete key, for it can disturb information already on the screen. Which other cursor keys are permitted to work and which, if any, are permitted to become part of a string depend on application. In some situations it may be desirable to permit the return key and cursor down to become part of a string — for instance in a multi-line input or in input in a tabular form. Those decisions are put around line 360. The instructions in REM lines show how to avoid passing the beginning of a string with the cursor going back or up and how to signal the end of input by a return key at the logical end of the string.

The program uses several pointers that the Pet updates with each PRINT for its own use. These pointers locate the cursor on the screen. The pointers are in locations 196-198 in the new Pet. Line 760 of the program shows an untested conversion for the old Pet. It is by use of the values of these pointers that we keep the cursor within desired limits. Comparison of the starting position, GS, with the current position, GP, can be performed in various ways depending on what sort of input one needs.

The same pointer is used to flicker the cursor during the time the Pet is waiting for input. Lines 390 and 400 show how it is done. (Line 400 shows an additional poke, more about it later). EXCLU-SIVE-OR operation on the contents of the position under the cursor with 128 done twice performs the necessary reversals. In case you provide no prompts to the user, a harmless PRINT"" is in this routine to flash the first position before the first character comes in. The advantage of using a method similar to the one Pet uses becomes obvious when one permits cursor controls to enter the strings. In such situation cursor-left, for instance, will ride over the string, flashing each character it encounters.


At this point we are about even with the IN-PUT statement. GET can do what INPUT can do. We are a bit better off in that we can go up and down with our fake cursor. We will be much better off when we disable Pet's quote mode with POKE205,0. Pet keeps track of an open quote in location 205, and causes several graphic characters to be printed when you want to quote something in reverse or use cursor keys. Pet also makes it very difficult to quote a quote. POKE 205,0 solves these problems. There is one restriction, however. The string must be printed on the screen one character at a time, as in line 290. It also must be input from tape using a GET# statement (see lines 670-700). Printing a string one character at a time solves another string work problem-that of strings containing comma or colon. At this point a string can contain anything, which INPUT cannot match.

POKE 205,0 and printing one character at a time are valuable tools in applications other than GET. For example, one can have a very decent screen image save and print back routine that duplicates every character in the least amount of tape or disk space.

```
170 REM ===INIT FOR GET ROUTINE=====
180 GX=255:G0=0:G1=1:G2=40:G7=128:G8=256:
      ¬G4=196:G5=197:G6=198:G0=205
190 GH=19:GL=GH+G7:GD=17:GT=GD+G7:GE=29:
      \neg GV = GE + G7 : GU = 20 : GM = GU + G7
200 GR=13:G=0:GA=0:GS=0:GP=0:GF=0
210 REM ===MAIN PRG-ILLUSTRATION======
220 PRINT"TYPE 'XX' TO QUIT OR A STRING + ¬
      ¬RETURN": PRINT: PRINT"FOR INSTANCE"
230 E$=CHR$(34)+"rRVS_IN QUOTESî"+CHR$(34)
-+CHR$(44)+" COLON"+CHR$(58)+" COMMA"
240 E$=E$+CHR$(44)+" QUOTE"+CHR$(34)+"**":
      ¬FORJ=1TOLEN(E$):PRINTMID$(E$,J,1);
250 POKE205,0:NEXT:PRINT
260
270 L=GX:GOSUB310:IFGG$="XX"THENEND
280 LL=LEN(GG$):IFLL>LTHENPRINT:PRINT"TOO ¬
      ¬LONG":GOTO270
290 PRINT: FORJ=1TOLL: PRINTMID$ (GG$, J, 1);:
      ¬POKE205,0:NEXT:PRINT:PRINT:GOTO270
300 REM ====GET ROUTINE========
310 GG$="":PRINT"";:GOSUB390:GS=GP
320 GETG$:IFG$=""THENGOSUB390:GOTO320
330 GA=ASC(G$):IFGA=GRANDGP>GSGOTO380
340 IFGA=GHORGA=GDORGA=GLOR(GA=GT)ORGA=GEO
      ¬RGA=GUORGA=GMORGA=GRGOTO320
350 GP=GP-G1*(-(GA=GV)):IFGP<GSGOTO320
360 PRINTG$;:IFGA=GVTHENGG$=LEFT$(GG$,
      ¬GP-GS):GOTO320
370 GG$=GG$+G$:GOTO320
380 RETURN
390 GP=PEEK(G4)+G8*PEEK(G5)+PEEK(G6):
      ¬GOSUB400:GOSUB400:POKEGQ,G0:RETURN
400 GF=PEEK (GP): POKEGP, (G7ORGF) AND (NOT (G7A
      ¬NDGF)):RETURN
420 REM
430 REM 1.FLASHING CURSOR AND DISABLE
          OF QUOTE MODE IS IN THE LAST
```

440 REM

2 LINES OF THE GET ROUTINE. 450 REM 460 REM 2.CURSOR LEFT CAN BE USED TO 470 REM MAKE CORRECTIONS IN INPUT 480 REM 3.ALL OTHER CURSOR KEYS ARE DISABLED , BUT THE ROUTINE 490 REM 500 REM CAN BE CUSTOMIZED TO USE 510 REM ANY DESIRED CURSOR KEYS LIS-520 REM TED IN THE INIT SECTION 530 GS = STARTING CURSOR POS REM GP = PRESENT CURSOR POS 540 REM 550 REM 4.FOR CURSOR LEFT OR DELETE: 560 REM STAY IN GET LOOP IF GP-1<GS 570 REM 5.FOR CURSOR UP: STAY IN GET 580 REM LOOP IF GP-40<GS 590 REM CURSOR MUST COME DOWN TO THE LAST CHARACTER ON THE LAST 600 REM 610 REM LINE IF IT WAS ABOVE IT, OR 620 REM SOME INFO WILL BE LOST 630 REM 6.YOU MAY USE QUOTES, RVS, 640 REM COMMA, COLON WHERE ALPHABE-650 REM TIC INFO IS PERMITTED 660 REM 670 REM 7.TO TAPE: PRINT#FF, GG\$ 680 REM FROM TAPE: 690 REM 2 GET#FF, V\$: CHECK STATUS: 4 PRINT V\$;:POKE205,0:GOTO2 700 REM 710 REM 720 REM 8.FOR OLD ROMS+SMALL KEYBOARD 730 REM SUBSTITUTE THESE VALUES IN 740 REM THE 1ST LINE (NOT TESTED !) 750 REM 760 REM G4=224:G5=225:G6=226:GQ=234 770 REM 780 REM====================



New 248-page book includes all the former TIS workbooks except "PET Graphics." Provides information for both ROMs and a comprehensive index. Only \$14.95.

WB-3 PET Graphics \$4.95

Software products on cassette or floppy disk with complete instruction manual. Each \$24.95 (cassette), \$29.95 (diskette).

> SW-1 MAIL B mailing list system SW-2 CHECKBOOK record

SW-3 ACCOUNTS keep track of who owes you how much

SW-4 MEDIT create and maintain date files

SW-5 CALENDAR appointments, meetings at-a-glance

TIS P.O. Box 921, Dept. C Los Alamos, NM 87544

Add \$2 (\$5 foreign orders) shipping and handling

PET and CBM are trademarks of Commodore Business Machines

SPECIAL INTRODUCTION ONLY 99.95

FOR THE FINEST PARALLEL INTERFACING ELEMENT FOR THE PET/CBM*

THE P.I.E.-C IS A VERY COMPLETE INTERFACE. IT COMES IN AN ATTRACTIVE CASE AND MOUNTS DIRECTLY TO THE COMPUTER, THUS ELIMINATING THE NEED FOR EXTRA SPACE IN THE BACK FOR BOXES AND MESSY PILES OF WIRE. YOUR SYSTEM CAN LOOK PROFESSIONAL. THE P.I.E.-C HAS COMPLETE ADDRESS SELECTABILITY OF DEVICE NUMBERS 4 THROUGH 30. AND. THERE'S NO NEED TO DISASSEMBLE YOUR UNIT TO CHANGE THE ADDRESS: IT'S AS SIMPLE AS SETTING THE DIP SWITCH. THIS SELECTABILITY ALLOWS BOTH YOUR LETTER-QUALITY PRINTER (NEC SPINWRITER, ETC.) AND YOUR GRAPHICS PRINTER TO BE CONNECTED AT THE SAME TIME BUT USED SEPARATELY BY ADDRESSING EACH WITH A DIFFERENT DEVICE#. Now THAT'S REAL EFFICIENCY!!

THE P.I.E.-C WILL CONVERT NON-STANDARD PET CODES TO TRUE ASCII CODE. IT CAN BE SWITCHED IN OR OUT OF SERVICE AS NEEDED. FOR INSTANCE, IF YOUR SOFTWARE DOES THE CONVERSION, JUST SWITCH THE CONVERTER OFF. IF YOU NEED THE CONVERSION FOR PRINTING FROM BASIC, JUST SWITCH IT ON.

OUR INTERFACE PROVIDES EXTENSION OF THE [EEE-488 PORT ON THE PET/C3M. YOU DON'T NEED TO BUY OTHER CABLES BECAUSE OUR INTERFACE USES THE SAME CARD EDGE TYPE AS THE COMPUTER. THUS THE CABLE FROM THE FLOPPY DISC TO THE PET/CBM WILL NOW CON-NECT INTO THE INTERFACE.

The P.I.E.-C is interconnected with, and powered by, the printer using a S' data cable supplied with the interface. This mean that there is no power supply necessary as with serial interfaces. The $\pm 5v$ is supplied on ± 1.00 for the con-NECTOR USED BY ALL TRUE CENTRONICS STANDARD INTERFACED PRINTERS. THIS INCLUDES THE CENTRONICS 779, P1, AND MANY OTHERS INCLUDING THE ANADEX PRINTERS.

Our interface goes beyond the Centronic's compatibility. Therefore, it will operate the Anderson-Jacobson AJ841 and the "Paper Tiger" by Integral Data SYSTEMS. IN FACT, IT WILL DRIVE ANY PARALLEL-INPUT PRINTER THAT USES 3 DATA BITS AND 2 HANDSHAKING LINES.

IF YOU ARE INTERESTED IN THE MOST INTERFACE FOR YOUR MONEY, THEN PLACE YOUR ORDER TODAY. OUR INTRODUCTORY PRICE FOR THE P.I.E.-C INTERFACE WON'T LAST LONG. SO, DON'T DELAY . . . YOU MAY HAVE TO PAY THE LIST PRICE OF \$119.95.

PLEASE SPECIFY YOUR PET/CBM TYPE (NEW OR OLD ROMS) AND THE BRAND AND MODEL OF THE PRINTER YOU WILL BE USING. WE ATTACH THE CORRECT CONNECTOR ON THE CABLE. ALL ORDERS MUST BE PREPAID OR COD CASH. ADD \$5 FOR SHIPPING AND HANDLING. MARYLAND RESIDENTS ADD 5% SALES TAX.

LEMDATA PRODUCTS. P.O. Box 1080, Columbia, Md. 21044

PHONE (301) 730-3257 *PET/CBM are trademarks of Commodore Business Machines

= Powerful PET Products from OPTIMIZED DATA SYSTEMS! – SOFTWARE – (Prices include Shipping) WORD PROCESSOR (PS-001) \$16.95 Makes documents a snap MAILING LIST (PS-002) \$16.95 Throw away your address book • SPACE EATER (PS-003) \$7.95 Gobbles spaces in BASIC programs CATALOG (PS-004) \$16.95 File stamp/coin collections SATELLITE TRACKER (PS-005) . \$24.95 Tracks OSCAR Ham Satellite MORSE CODE KEYER (PS-006) . . \$14.95 Sends code for real or practice - HARDWARE -(*Shipping \$1.50 per order) 2114 RAM ADAPTER Replaces up to 8-6550s w/2114s (See COMPUTE #5, p. 81) PHB-001 Bare PCB \$8.95* (PCB & Parts for two 2114 sockets only) .\$24.95* PH-001S Assembled\$22.95* (Assembled with eight 2114 sockets) WRITE FOR DETAILS - NOW! OPTIMIZED DATA SYSTEMS P.O. Box 595, Placentia, CA 92670

(PET is a trademark of Commodore Business Machines)

ROM-antic thoughts

Jim Butterfield, Toronto

Here comes another ROM set or two from Commodore, and once again the user will need to take the decision: should he upgrade?

It's a tough question. If he does, it will cost money, and some of his programs may cease to work until they have been modified. If he doesn't, he'll be left behind and won't have access to some of the new goodies.

Basic programs will, as always, remain compatible, so long as they don't bristle with obscure PEEKs and POKEs. Machine language itself doesn't change, but programs which use routines built into the ROMs will need changing since the routines will have moved to new locations. Some commercial machine language programs will survive transfer to new ROMs, but many won't.

A more subtle problem creeps in. As the machine is enhanced, programs will start to use the new built-in features, and users may find themselves having to retro-convert these so that they will run on older systems. A command such as DOPEN is convenient and compact, but users who haven't converted up will have to translate this to the appropriate OPEN 1,8,3 ... command. New disk features will be particularly noticeable for this. New systems, for example, won't need to initialize disk and will offer very simple disk error checking; older systems will need to add extra coding to do these. Some new disk features such as APPEND or Relative files have no counterpart on the old systems.

Some terminology

Commodore are currently referring to ROM sets by means of a numbering scheme. They translate roughly as follows:

- Basic 1.0 Original ROM, as fitted in the early 4K and 8K PETS. Not good for disk I/O; arrays limited to 256 elements; cassette tape files a little awkward.
- Basic 2.0 Upgrade ROM, fitted on more recent machines. Garbage collection still a problem. Keyboard/disk interface rather clumsy. Built-in Machine Language Monitor. Linefeed output to IEEE a minor problem.
- Basic 4.0 New ROM, currently being released. Disk commands built into Basic. Garbage collection fast, and Linefeed problem eliminated. Uses more ROM space. Available for both

40- and 80-column machines, but not for original PET 8K hardware.

Basic 5.0 Business ROM, not yet released. Rumoured to have many Basic enhancements, including high-precision decimal arithmetic.

Basic 2.0 and 4.0 have alternate versions for the two types of keyboard -- graphics or business.

Disk systems:

- Dos 1.0 Original 2040 disk system. INITIALIZE command needed; RENAME sometimes doesn't work.
- DOS 2.0 New system, currently being released.

 INITIALIZE not needed but allowed. Relative files and APPEND command implemented. Fast BACKUP command. Can be retrofitted to early 2040 units. The new 8050 disk system will have characteristics similar to DOS 2.0.

Printer ROM systems haven't settled down yet. There are two systems available, but both have minor problems; a third is rumoured.

Upgrading: the Options

Users who still have Basic 1.0 should upgrade, at least to Basic 2.0. There are too many good things available.

The original 8K machines cannot be readily upgraded beyond Basic 2.0; their hardware won't support Basic 4.0.

It's not necessary to upgrade both Basic and DOS ROMs at the same time, but it's probably a good idea. Basic 4.0 and DOS 2.0 work harmoniously together.

Switch to Basic 4.0 if you need any of the following:

- --to be up to date with the latest software;
- --to eliminate garbage collection delays;
- --to allow inexperienced users to use the disk with more natural, English-like commands.

Switch to DOS 2.0 if you want to take advantage of the new APPEND feature or the powerful relative file structure.

Summary

If you still have original ROMs (the ones that say*** COMMODORE BASIC *** upon power-up), plan to upgrade.

It's your option as to whether you want to switch to Basic 4.0 and DOS 2.0. If you like the new features, go ahead. But you'll still have a good, serviceable system if you stay with upgrade ROM (Basic 2.0).

Upgrading the disk file can be treated as a separate question. The original unit is excellent for program saving and loading. But if you plan to do a lot of work with data files, the new features of DOS 2.0 can look very attractive.

It's your choice.

PET, AIM, SYM, KIM OWNERS

- *Tired of waiting for your cassette?
- *Want versatile, inexpensive expansion?
- *Want IBM floppy disk compatibility?



THE IBM COMPATIBLE FLOPPY DISK SYSTEM WITH 51/4" or 8" DRIVES

- *Want professional, sophisticated file handling?
- *Want consistant, reliable operation?
- *Want simple, easy-to-use disk syntax?

CRS/PDOS

A NEW SOPHISTICATED DISK OPERATING SYSTEM

*Want a compatible disk-based Editor/Assembler?

CRS/ASM

NEW PET OWNERS PEDISK IS AVAILABLE FOR NEW PETS TOO!

AIM, SYM, KIM OWNERS PEDISK ADAPTOR IS NOW AVAILABLE!

PEDISK PACKAGE 1 \$799.95
5" DISK SYSTEM, CASE AND POWER SUPPLY
PEDISK PACKAGE 2\$895.00
5" DISK SYSTEM, S100 CARD CAGE, CASE AND POWER SUPPLY
PEDISK PACKAGE 2A\$495.00
ADDITIONAL 5" DISK DRIVE, CASE AND POWER SUPPLY
PEDISK PACKAGE 4
8" DISK SYSTEM S100 CARD CAGE, CASE AND POWER-SUPPLY

EXS100 DISK CONTROLLER BOARD \$49.95
BARE BOARD
EXS100 DISK CONTROLLER KIT \$225.00
AIM, SYM, KIM ADAPTOR KIT\$25.00
CRS/PDOS SOFTWARE SYSTEM\$75.00
SPECIFY OLD OR NEW ROMS, MEMORY SIZE 8K, 16K, 32K
CRS/ASM EDITOR/ASSEMBLER \$150.00
SOFTWARE AVAILABLE ONLY FOR EXS100, PEDISK OWNERS

*NEED MORE ROM ROOM?

Toolkit and Word Pro II occupy the same rom space in your PET! No problem for Spacemaker. Simply install both in the Spacemaker and switch back and forth. Add User I/O and you can switch under soft-

SPACEMAKER\$29.00
USER I/O\$12.95
CABLE ASSEMBLY AND SOFTWARE ON COMMODORE OR
PEDISK DISK
ROM DRIVER
PORT CONTROL BOARD WITH SOFTWARE LISTING
ROM I/O
ROM DRIVER SOFTWARE ON COMMODORE OR PEDISK DISK.
SEE YOUR LOCAL DEALER OR CONTACT:

The Spacemaker

ware control from the user port. User port occupiedthen get Romdriver, a built-in switch control port. Spacemaker can grow as your switching problems do. Don't get caught behind in the ROM RACE.

> MICROTECH P.O. Box 102 Langhorne, PA 19047 215-757-0284

PEDISK, Spacemaker is a trademark of CGRS Microtech Pet, Kim is a trademark of Commodore Aim is a trademark of Rockwell SYM is a trademark of Synertek Toolkit is a trademark of Palo Alto KS.

Converting ASCII Files to PET BASIC

Harvey B. Herman Chemistry Department University of North Carolina at Greensboro Greensboro, North Carolina 27412

Recently I have been experimenting with a program (not discussed here) which makes PET into a terminal (CompuMart T/C 2001 terminal option) which can communicate with remote computers. Normally, the characters that are received by the PET, when acting as a terminal, are displayed on the screen. I modified the program to optionally save the characters (ASCII Code) to a reserved area in high memory (approximately decimal 8192 and above). Obviously, this program required memory in this area and will need to be modified for an unexpanded 8K PET. The question one might ask is, "What can I do with an ASCII file in high memory?". This article is intended to answer that question.

Commodore's PET is not the first computer I have worked with and I suspect the same may be true for many readers. I have spent many hours developing BASIC programs on remote computers for use with my research and in my teaching. It would be advantageous if I could also use these programs (suitably modified) on the PET. I have no strong desire to retype all these programs again. If I could convert the ASCII file of a program listing made by a terminal program into a PET BASIC program it would save immense amounts of work. Any minor changes could then be done with the screen editor.

The program called ASCII shown in the figure, converts ASCII files in high memory into BASIC programs. It is intended for use with expanded PETs with "old" ROMs. The POKE locations in statement number 63290, 525-527-528, need to be changed to 158-623-624 for "new" ROMs. The program uses the dynamic keyboard idea of Mike Lauder (see Best of PET Gazette). It writes two lines on the screen and puts two carriage returns in the keystroke buffer. The first line is a BASIC statement taken from part of a program listing saved in high memory by the terminal program. The second line is an immediate mode statement which restores a memory position counter and jumps back into the main program again. It is necessary to remember the current position in high memory because all variables were

set to zero after the previous step. This is true whenever a new BASIC statement is added to a program, as in this case. All the new BASIC statements are added to the front of the main program which was purposely written with very large statement numbers. At the conclusion of this program, the statements belonging to the ASCII program can be deleted by hand or with The Programmer's BASIC Toolkit.

The ASCII program can be used to do a minor amount of editing "on the fly". Some of my original programs were done on a computer which uses "#" instead of ">" and I included a conversion in statement 63180. Also "[" and "]" were used in place of "(" and ")", in some places and this conversion is done in statements 63160 and 63170. I also removed "7 (bel character) from the programs. Besides giving a syntax error later when run on a PET program, the inclusion of "7 occasionally caused lines to be over 80 characters long. This stopped the ASCII program with a syntax error which then had to be manually restarted. All these programmed editing changes saved a lot of manual editing later.

The end of my ASCII files is signified by the ASCII character 4, otherwise the program might continue indefinitely, adding unwanted BASIC statements, or garbage. This check is done in statement 63200. It should reach this point and stop if each line begins with a number, is less than 80 characters long, and the counter in statement 63070 is positioned to the beginning of the ASCII listing in high memory. Conversion to PET syntax, if required, would begin here.

I have used the ASCII program to convert very large ASCII files to PET programs. The same program should be useful when I acquire CP/M ASCII files on 5-1/4" diskettes. The disk and operating system which I am using (PEDISK and Wilserv Software) can read CP/M files, and the ASCII program discussed here, will convert them to PET BASIC programs.

```
63000 REM PROGRAM CONVERTS AN ASCII FILE -
      \neg IN
63010 REM HIGH MEMORY TO A PET BASIC -
      ¬PROGRAM
63020 REM HIGH MEMORY BEGINS AT $2017(8215
      ¬ DEC)
63030 REM
63040 REM HARVEY B. HERMAN
63050 REM
63060 REM I IS MEMORY COUNTER
63070 I=8215
63080 REM THROW AWAY FIRST LINE
63090 A=PEEK(I):IFA<>13THENI=I+1:GOTO63090
63100 PRINT"ĥ\\\"
63110 I=I+1
63120 REM NEXT CHARACTER FROM ON HIGH
63130 A=PEEK(I)
63140 REM REPLACE [ & ] WITH ( & )
63150 REM REPLACE # WITH <>
```

63160 TE A-01 THEN A-40

OSTOR	IF A-91 INDIV A-40
	IF A=93 THEN A=41
63180	IF A=35 THEN PRINT"<>";:GOTO63110
63190	REM CHAR \$04 AT END OF FILE
63200	IF A=4 THEN STOP
63210	REM THROW AWAY '7
63220	IF A=39 THEN IF PEEK(I+1)=55 THEN ¬
	¬I=I+1:GOTO 63110
63230	REM PRINT BASIC LINE ON SCREEN. ¬
	¬AFTER CR
63240	REM PRINT NECESSARY VARIABLES AND ¬
	¬PUT CR
63250	REM IN KEYSTROKE BUFFER. END PROGRAM
63260	REM INCORPORATE LINE AND BEGIN AGAIN
63270	PRINT CHR\$(A);
63280	IF A=13 THEN PRINT"I=";I;":GOTO63100
	¬h♥"
63290	IF A=13 THEN POKE 527,13:POKE528,13:
	¬POKE 525,2:END
63300	GOTO63110 ©

commodore

Your Commodore Dealer in CANADA

We stock the full line of PET and CBM products and accessories. OFF THE SHELF DELIVERY

SOFTWARE — HARDWARE — SERVICE **Best Book Selection In Town BEST BOOK SELECTION IN TOWN**

Dust Covers: Pet Cover \$11.95 Floppy Cover 9.95 Printer Cover (old) 9.95 Printer Cover (new)9.95

Trade-in Your Old PET For The Latests Models

HOUSE OF COMPUTERS INC.

368 EGLINTON AVE. W. (at Avenue Rd.) TORONTO, ONTARIO M5N 1A2 (416) 482-4336

IEEE-488 BUS SYSTEM BUILDING BLOCKS

For Commodore PET/CBM and other computers...



TNW-2000

TNW-1000 Serial Interface: \$129

TNW-2000 Serial Interface: \$229

TNW-232D Dual Serial Interface: \$369

TNW-103

Telephone Modem: \$389

Auto answer/auto dial. Use with DAA

SOFTWARE

PTERM: A program that turns your PET into a terminal (Use with TNW-2000, TNW-232D or TNW 103)

SWAP: Allows storage of up to 8 programs in PET memory at once. Run them in any order. PLUS Most popular computers disks, printers, etc PAN: A sophisticated electronic mail program (use with TNW-103)

Write or call for information today:

TNW

TNW Corporation 3351 Hancock Street San Diego CA 92110

(714) 225-1040

NFW !!

Programs for Commodore's PET®

- \$50 Business Research Make better decisions with this high power MBA business tool. 16k.
- Home & Small Business \$15-\$40 •Addresser •Inventory Dinner's On!
 - Shopper Each has a built-in printer option.
- Games & Simulations \$15ea. •Fur Trapper •High Seas •Mansion! •Pentagon! •Museum!
- \$15 Education Pack High School sampler with geometry, algebra &chemistry.

Send for full catalog!



HARRY H. BRILEY

P.O. Box 2913 Livermore, CA 94550 (415) 455 - 9139

Compactor

Robert W. Baker, Baker Enterprises, 15 Windsor Drive, Atco, NJ 08004

This program is the result of several days of experimenting with BASIC program structures and the 2040 disk. In short, the program will read a BASIC program that was saved on disk and create a new, compacted copy. The program will delete all REMarks, unnecessary spaces, and leading colons. Much of this is similar to other utility programs currently available. However, this program goes one step further. It combines program lines whenever possible to eliminate the link, line number, and line-end-flag overheads normally associated with each line. It will make a program as small as possible, and most likely faster running.

While creating this program, I came across a few undocumented "quirks" of Commodore BASIC. Since many people are currently experimenting with the capabilities of having programs "write" programs on disk, this information may be of interest:

Zero Length Lines:

Normally, it is impossible to create a zero length line using the screen editor on the PET. By zero length line, I mean a line with a link, line number, and end-of-line flag; but no BASIC commands or text. If you were to type just a line number using the screen editor, you would actually delete a line instead of entering a zero length line. However, when writing a BASIC program on disk as a data file there is nothing stopping you from entering a zero length line. But if you want the program to run, you cannot have any zero length lines in the program. BASIC cannot link the program lines correctly whenever there is a zero length line in the program.

Long Lines:

At the other extreme, you cannot create a BASIC line that is longer than 255 bytes. Again, using the PET screen editor you could not create such a line. You are normally limited to a maximum of 78 bytes due to the line wrapping characteristics and at least a one digit line number. When writing a BASIC program on disk as a data file, be careful not to create a line greater than 255 bytes. Otherwise the program will usually not load from the disk. If it does load, the program will be totally destroyed and unuseable.

Printing Long Lines:

Here's a quick comment on the Commodore printers. If you list a program that contains lines longer than 80 characters, the printed listing may be incorrect. It appears that the printer occasionally switches out of listing mode and into print mode when a line exceeds 80 characters. At the start of the next line everything is ok again.

Program Description

When running the COMPACTOR program, the BASIC program to be compacted must be on the diskette inserted in drive #0. The new compacted version will be written on the diskette in drive #1 with the same filename, but with a "'/C" suffix. The program will read the program to be compacted as a sequential disk data file, and the file will be read twice.

The first pass checks for line numbers within the subject program that are the targets of: GOTO, GOSUB, or IF...THEN..(line#) statements. When a target line number is found, it is saved in matrix TL if not all ready saved. A check is also made for multiple target lines in ON..GOTO and ON.. GOSUB statements. Each target line will be displayed on the PET screen in the order found. This helps give some indication of the scanning progress since it can be rather slow.

During the second pass, each line is copied, deleted, or compacted as appropriate. The line number will be displayed as each line is processed to let you know how the program is progressing. The rules followed by the COMPACTOR are as follows:

Any leading colons and/or spaces on a line are deleted.

A line that has only REMarks is deleted if it is not a target line. The remark will be replaced with a single colon if the line is a target line and must be retained. This may produce a leading colon if the next line is not a target line and is combined with this line. The line cannot be reduced to a zero length line since BASIC cannot link a program correctly with a zero length line, as mentioned earlier.

If any line contains an IF...THEN or GOTO statement, another line cannot be combined with this line. Any line combined after these BASIC commands would never be executed, thus the program would not function properly.

Any spaces within a line, not enclosed in quotes, are deleted.

Any REMarks at the end of a BASIC line are deleted to the end of the line.


Anything within quotes is copied, untouched. If an ending quote is missing from the line, one is

PET SOFTWARE

LAS VEGAS CASINO SERIES:

These four programs were developed both as a tutorial for those planning to visit a Casino and wanting to learn to play correctly, and as a means for the serious gambler to develop and thoroughly test a gambling 'system' under actual Casino conditions. All betting odds and options available in the Casino of the MGM Grand Hotel in Las Vegas have been incorporated into these programs. Full screen graphics have been used to show the cards being dealt, the Roulette Wheel spinning, and the Dice being thrown in order to increase realism and heighten enjoyment.

1.	Casino Blackjack: For 1 to 5 players plus the dealer. Keeps track of winnings or losses for each player plus number of hands won, lost, and tied and the number of times the dealer and each player has busted. Play with 1, 2, or 4 decks. Change decks or reshuffle at any time. Split pairs, Double Down, or place an Insurance bet. Full Casino rules and many other options	\$ 7.95		
2.	Casino Roulette: Bet on one number, two numbers, odd, even, black, etc. Watch the numbers come up as the wheel spins. Twelve ways to bet	\$ 7.95		
3.	Casino Baccarat: James Bond's favorite game. Two games in on. Casino style and Blackjack style. Includes special features to help in developing a winning 'system'	\$ 7.95		
4.	Casino Craps: Bet the Dice to Pass or Fall Off. Bet the Hardway or Press with Double Odds. Ten ways to bet	\$ 7.95		
5.	Casino Package: All four Casino Programs above	\$24.95		
STRATEGIC GAMES:				
6.	Backgammon: Play Backgammon against your PET. Excellent graphics and doubling option make for a fast and exciting game	\$ 9.95		
	SP(*) INTRUDERS: (WITH SOUND) Written by COMMODORE-JAPAN. Performs exactly like the popular video arcade version being played all over the country. Machine language graphics and sound provide hours of entertainment	\$ 9.95		
	Play against the PET. PET plays a good, fast game according to International Checker Rules. Excellent graphics show the board and all checkers. Watch your PET move his man around the board. Clock shows elapsed time for each move	\$ 7.95		
9.	Qubic-4: This is three dimensional Tic-Tac-Toe played on four, 4 x 4 boards. PET plays a fast exciting game choosing one of three strategies for each game	\$ 7.95		
10.	Go Moku: Ancient Chinese board game played on a 9 x 9 board. Get 5 men in a row before your PET. A different strategy for each game.	\$ 7.95		
11.	Othello: English game known as Reversi. Try to capture the PET's men before he captures yours. Play against the PET or against your friends. Fast and fun.	\$ 7.95		
12.	Cribbage: An Excellent version of this favorite card game. All cards are shown using PET's excellent graphics. The PET plays a cool logical game difficult to beat even for the best players	\$ 7.95		
13.	Game Package: Any six of the above programs	\$34.95		







added if another line could be combined with this line. Therefore, if a line does not contain an IF.. THEN or GOTO statement, an ending quote is added.

When a colon is found within a BASIC line and not within quotes, the next non-space character is checked before copying the colon. If a REMark follows the colon, the colon and the rest of the line is deleted. Otherwise, the colon is copied and processing continues as normal.

At the end of each BASIC line, a check is made to see if the next line can be combined with this line. If there were no IF...THEN or GOTO commands, and the next line is not a target line, the lines are combined. When combining lines, the line and line number are discarded, a colon is written, and the next line is processed as part of the previous line.

If the next line cannot be combined with the current line, the end of line flag is copied along with a dummy link and the next line number. A dummy link is used to avoid excessive processing and working buffers necessary with calculating program links. Besides, the links are automatically corrected by PET BASIC with the RUN or CLR commands. As a standard operating procedure, the newly created program outputted by COMPACTOR should be loaded and re-linked, then re-saved onto disk. The program can be re-linked by issuing a CLR command after being loaded.

As mentioned previously, a BASIC program line cannot exceed 255 bytes in length. If it does, the program may not load from disk or it may be totally unuscable. To protect against this, the COMPACTOR program stops combining lines if more than 170 bytes have been written in a single BASIC line. Since any normal line cannot exceed 78 bytes in length, this should insure than no program generated lines are longer than the maximum length.

As an example of what this program will do, I included a listing of a compacted version of the COMPACTOR program itself. Since this program has many REMarks, compacting saves over 3000 bytes for about a 50% saving in memory space. On most programs the savings will be much smaller, depending on the programming style. A side benefit, however, is the increase in the operating speed of compacted programs. I should warn, though, that the compacting process can be rather slow. Compacting of the COMPACTOR program (a 6K program with all the REMarks) takes about 16 minutes. But all you have to do is start it off and then go get a cup of coffee while the PET does the work! And you only have to run it once for any given program!

For those too lazy to type in the program, I'll be happy to provide copies on tape at \$2 each.

```
10 REM ***************
20 REM *
           COMPACTOR
30 REM *
40 REM *
           BY: ROBERT BAKER
50 REM *
60 REM *
           BAKER ENTERPRISES
70 REM *
            15 WINDSOR DR.
80 REM *
           ATCO, N.J. 08004
90 REM
       **********
100:
110 CLR : DIM TL(1000)
120 :
130 REM **********
140 REM READY DISK FILES
150 REM **********
160
170 PRINT"ĥ"SPC(15) "rCOMPACTOR♥♥
180 PRINT" rINPUT FILE IN rDRIVE #04
190 PRINT"rOUTPUTF FILE IN rDRIVE #1
200 INPUT LINPUT FILE NAMEF"; FL$
210 PRINT" ASCANNING FILE
220 PRINT"
            FOR TARGET LINES.....
230 OPEN 15,8,15 : GOSUB 2370
240 OPEN 5,8,5, "Ø:"+FL$+",P,R"
250 :
260 REM *****************
270 REM READ LOAD ADR, LINK & LINE#
280 REM ****************
290 :
300 GOSUB 2370 : GOSUB 2310
310 GOSUB 2310 : IF V+V1=0 THEN 790
320 GOSUB 2310 : LN=V1+(256*V)
330
340 REM ****************
350 REM
              SCAN BASIC LINES
360 REM FOR GOTO, GOSUB & THEN TOKENS
370 REM *****************
380
390 GOSUB 2330
400 IF V=0 THEN 310
410 IF V=137 OR V=141 THEN 480
420 IF V<>167 THEN 390
430 :
440 REM **********
450 REM GET TARGET LINE#
460 REM **********
470 :
480 LT=0
490 GOSUB 2330 : IF V=32 THEN 490
500 IF V<48 OR V>57 THEN 580
510 LT=(10*LT)+VAL(C$)
520 GOSUB 2330 : GOTO 500
530 :
540 REM **************
550 REM CHECK IF ALL READY FOUND
560 REM *************
57Ø
580 FOR X=0 TO N
590 IF TL(X)=LT THEN 710
600 NEXT X
610 TL(N)=LT : N=N+1
620 PRINT LT.
630 IF N<1000 THEN 710
640 PRINT"♥♥TOO MANY TARGET LINES!
650 GOTO 2430
66Ø
670 REM ***************
680 REM CHECK FOR 'ON...GOTO/GOSUB'
690 REM ***************
700 :
710 IF V=44 THEN 480
720 IF V<>32 THEN 400
730 GOSUB 2330 : GOTO 710
740 :
```

1480 GOTO 1820

```
750 REM ***********
                                            1490 :
                                            1500 REM ***************
760 REM SORT TARGET LINES
770 REM **********
                                            1510 REM QUOTE -
                                            1520 REM COPY TILL NEXT OR LINE END
780 :
                                            1530 REM ***************
790 IF N<2 THEN 900
800 FOR X=0 TO N-1
                                            1540 :
810 FOR Y=0 TO N-2
                                            1550 IF V<>34 THEN 1690
820 IF TL(Y) < TL(X) THEN 840
                                           1560 PRINT#6,C$; : R=R+1
                                           1570 GOSUB 2330
830 V=TL(Y): TL(Y)=TL(X): TL(X)=V
                                            1580 IF V=34 THEN 1340
840 NEXT Y,X
                                            1590 IF V>0 THEN 1560
850:
860 REM ************
                                           1600 IF F THEN V=0 : GOTO 1050
                                           1610 PRINT#6, CHR$(34); : R=R+1
870 REM GET READY FOR COMPACT
880 REM ***********
                                            1620 GOTO 1820
890:
                                            1630 :
                                            1640 REM **************
900 PRINT "ĥCOMPACTING LINES....♥♥
                                           1650 REM IF COLON - CHK NEXT CHAR
910 CLOSE 5
920 OPEN 5,8,5,"0:"+FL$+",P,R"
                                           1660 REM ELSE COPY CHAR
                                           1670 REM **************
930 GOSUB 2370
940 FO$=LEFT$(FL$,14)+"/C"
                                            1680 :
                                            1690 IF V<>58 THEN 1340
950 PRINT#15, "S1:"+FO$
960 OPEN 6,8,6,"1:"+FO$+",P,W"
                                            1700 GOSUB 2330
                                            1710 IF V=32 OR V=58 THEN 1700
970 GOSUB 2370
                                            1720 IF V=143 THEN 1470
980:
990 REM *********
                                            1730 IF V=0 THEN 1820
                                            1740 PRINT#6,":"; : R=R+1
1000 REM COPY LOAD ADR
1010 REM *********
                                            1750 GOTO 1360
1020 :
                                            1760 :
                                            1770 REM *****************
1030 GOSUB 2310
                                            1780 REM END OF LINE -
1040 PRINT#6, CHR$(V1);
                                           1790 REM CAN WE COMPACT THESE LINES ?
1050 \text{ PRINT#6, CHR$(V)}; : R=0
                                            1800 REM ***************
1060:
1070 REM **************
                                            1810 :
                                            1820 IF F OR (R>170) THEN V=0:GOTO 1050
1080 REM COPY LINK & LINE NUMBER
                                           1830 GOSUB 2310
1090 REM **************
                                           1840 IF V+V1=0 THEN 2230
1100 :
                                           1850 GOSUB 2310 : LN=V1+(256*V)
1110 GOSUB 2310 : K1=V1 : K2=V
                                           1860 L1=V1 : L2=V : PRINT LN,
1870 :
1120 F=0 : IF V+V1=0 THEN 2230
1130 GOSUB 2310 : L1=V1 : L2=V
                                            1880 REM ***************
1140 LN=L1+(256*L2) : PRINT LN,
                                            1890 REM CHK IF LINE# IS A TARGET
1150 GOSUB 2330
                                            1900 REM **************
1160 IF V=32 OR V=58 THEN 1150
1170 IF V=0 THEN 1200
                                            1910:
                                            1920 FOR X=0 TO N
1180 IF V<> 143 THEN 1240
                                            1930 IF TL(X) < LN THEN NEXT X
1190 GOSUB 2330 : IF V>0 THEN 1190
                                            1940 IF TL(X)=LN THEN 2110
1200 F=1 : FOR X=0 TO N
                                            1950 :
1210 IF TL(X) < LN THEN NEXT X
                                            1960 REM ***********
1220 IF TL(X)=LN THEN 1240
                                            1970 REM NOT USED -
1230 GOTO 1110
                                            1980 REM DISCARD LINK & LINE#
1240 PRINT#6, CHR$(K1); CHR$(K2);
                                           1990 REM ************
1250 PRINT#6, CHR$(L1); CHR$(L2); : R=4
                                            2000:
1260 IF F THEN PRINT#6,":"; : R=5
                                            2010 GOSUB 2330 : IF V=143 THEN 1470
1270 F=0 : GOTO 1360
                                            2020 IF V=32 OR V=58 THEN 2010
1280 :
1290 REM ************
                                             2030 IF V=0 THEN 1830
                                            2040 PRINT#6,":"; : R=R+1 : GOTO 1360
1300 REM **** SCAN BASIC LINE ***
1310 REM **** & COMPACT PROGRAM ***
                                            2050:
                                            2060 REM **************
1320 REM ***************
                                            2070 REM LINE# NEEDED -
1330 :
                                             2080 REM WRITE LINE END, LINK & LINE#
1340 PRINT#6,C$; : R=R+1
                                             2090 REM **************
1350 GOSUB 2330
1360 IF V=137 THEN F=1
                                            2100 :
                                            2110 PRINT#6, CHR$(0); CHR$(1); CHR$(1);
1370 IF V=139 OR V=167 THEN F=1
                                            2120 PRINT#6, CHR$(L1); CHR$(L2); : R=4
1380 IF V=0 THEN 1820
                                             2130 GOSUB 2330
1390 IF V=32 THEN 1350
                                             2140 IF V=32 OR V=58 THEN 2130
1410 REM ***********
                                             2150 IF V=0 OR V=143 THEN PRINT#6,":";
                                            2160 F=0 : GOTO 1360
1420 REM 'REM' TOKEN -
                                            2170 :
1430 REM DISCARD REST OF LINE
                                            2180 REM ************
1440 REM *************
                                            2190 REM END OF COMPACT -
1450 :
                                             2200 REM WRITE END OF PROGRAM
1460 IF V<>143 THEN 1550
                                            2210 REM *************
1470 GOSUB 2330 : IF V>0 THEN 1470
                                             2220 :
```

```
2230 PRINT#6, CHR$(0); CHR$(0); CHR$(0);
   2240 PRINT"hrDONE **
   2250 GOTO 2430
   2260:
   2270 REM ****************
   2280 REM ***** SUBROUTINES *****
   2290 REM **************
   2300 .
   2310 GOSUB 2330 : V1=V
   2320 :
   2330 GET#5,C$ : GOSUB 2370
   2340 IF C$="" THEN V=0 : RETURN
   2350 V=ASC(C$) : RETURN
   2360 :
   2370 INPUT#15, EN, EM$, ET, ES
   2380 IF EN=0 THEN RETURN
   2390 .
   2400 PRINT : PRINT" V TDISK ERRORV
   2410 PRINT EN; EM$; ET; ES
   2430 CLOSE 5 : CLOSE 6 : CLOSE 15
  READY.
 110 CLR:DIMTL(1000):PRINT" 6"SPC(15)"rCOMPA
       ¬CTORVV":PRINT" rINPUTT FILE IN ¬
       ¬rDRIVE #04":PRINT"rOUTPUTT FILE IN ¬
       ¬rDRIVE #1 * V ": INPUT"
rINPUT FILE NAME?";FL$:PRINT" ASCANNING -
       ¬FILE":PRINT"
                      FOR TARGET LINES....
       ~44 "
 230 OPEN15,8,15:GOSUB2370:OPEN5,8,5,"0:
       ¬"+FL$+",P,R":GOSUB2370:GOSUB2310
 310 GOSUB2310:IFV+V1=0THEN790
 32Ø GOSUB231Ø:LN=V1+(256*V)
 390 GOSUB2330
 400 IFV=0THEN310
 410 IFV=1370RV=141THEN480
 420 IFV<>167THEN390
 480 LT=0
 490 GOSUB2330:IFV=32THEN490
 500 IFV<480RV>57THEN580
 510 LT=(10*LT)+VAL(C$):GOSUB2330:GOTO500
 580 FORX=0TON:IFTL(X)=LTTHEN710
600 NEXTX:TL(N)=LT:N=N+1:PRINTLT,:
       ¬IFN<1000THEN710
640 PRINT"♥♥TOO MANY TARGET LINES!":
       ¬GOTO243Ø
710 IFV=44THEN480
720 IFV<>32THEN400
73Ø GOSUB233Ø:GOTO71Ø
79Ø IFN<2THEN9ØØ
800 FORX=0TON-1:FORY=0TON-2:IFTL(Y)<TL(X)T
       ¬HEN84Ø
830 V=TL(Y):TL(Y)=TL(X):TL(X)=V
840 NEXTY, X
900 PRINT"ACOMPACTING LINES....♦♦":CLOSE5:
       ¬OPEN5,8,5,"Ø:"+FL$+",P,R":GOSUB237Ø:
       ¬FO$=LEFT$(FL$,14)+"/C":PRINT#15,"S1:
       ¬"+FO$:OPEN6,8
,6,"1:"+FO$+",P,W":GOSUB2370:GOSUB2310:
       ¬PRINT#6, CHR$(V1);
1050 PRINT#6, CHR$(V);:R=0
1110 GOSUB2310:K1=V1:K2=V:F=0:IFV+V1=0THEN
      ¬223Ø
1130 GOSUB2310:L1=V1:L2=V:LN=L1+(256*L2):
      ¬PRINTLN,
1150 GOSUB2330:IFV=32ORV=58THEN1150
1170 IFV=0THEN1200
1180 IFV<>143THEN1240
1190 GOSUB2330:IFV>0THEN1190
```

```
1230 GOTO1110
 1240 PRINT#6, CHR$(K1); CHR$(K2); : PRINT#6,
        ¬CHR$(L1); CHR$(L2);:R=4:IFFTHENPRINT#
       ¬6,":";:R=5
 1270 F=0:GOTO1360
 1340 PRINT#6,C$;:R=R+1
 1350 GOSUB2330
 1360 IFV=137THENF=1
 1370 IFV=1390RV=167THENF=1
 1380 IFV=0THEN1820
1390 IFV=32THEN1350
 1460 IFV<>143THEN1550
 1470 GOSUB2330: IFV>0THEN1470
 1480 GOTO1820
 1550 IFV<>34THEN1690
 1560 PRINT#6,C$;:R=R+1:GOSUB2330:IFV=34THE
       ¬N134Ø
 1590 IFV>0THEN1560
 1600 IFFTHENV=0:GOTO1050
 1610 PRINT#6, CHR$(34);:R=R+1:GOTO1820
 1690 IFV<>58THEN1340
 1700 GOSUB2330: IFV=320RV=58THEN1700
 1720 IFV=143THEN1470
 1730 IFV=0THEN1820
 1740 PRINT#6,":";:R=R+1:GOTO1360
 1820 IFFOR(R>170) THENV=0:GOTO1050
 1830 GOSUB2310:IFV+V1=0THEN2230
 1850 GOSUB2310:LN=V1+(256*V):L1=V1:L2=V:
       ¬PRINTLN,:FORX=ØTON:IFTL(X) <LNTHENNEX
       \neg TX
 1940 IFTL(X)=LNTHEN2110
 2010 GOSUB2330:IFV=143THEN1470
 2020 IFV=32ORV=58THEN2010
 2030 IFV=0THEN1830
 2040 PRINT#6, ": ";: R=R+1:GOTO1360
 2110 PRINT#6, CHR$(0); CHR$(1); CHR$(1);:
       ¬PRINT#6, CHR$(L1); CHR$(L2);: R=4
 2130 GOSUB2330: IFV=320RV=58THEN2130
 2150 IFV=00RV=143THENPRINT#6,":";
 2160 F=0:GOTO1360
 2230 PRINT#6, CHR$(0); CHR$(0); CHR$(0);:
       ¬PRINT"nrDONE * * ":GOTO2430
 2310 GOSUB2330:V1=V
 2330 GET#5, C$:GOSUB2370: IFC$=""THENV=0:
       ¬RETURN
 2350 V=ASC(C$):RETURN
 2370 INPUT#15, EN, EM$, ET, ES: IFEN=0THENRETUR
 2400 PRINT:PRINT" * * TDISK ERROR * ":
       ¬PRINTEN; EM$; ET; ES
2430 CLOSE5:CLOSE6:CLOSE15
READY.
                                             0
```

1200 F=1:FORX=0TON:IFTL(X) <LNTHENNEXTX

1220 IFTL(X)=LNTHEN1240

BLACKJACK ANALYZER

PUT PET TO WORK

PLAYS 100,000 games in 24 minutes. Find the most advantageous method.

User defines player method by simple keyboard entry including when to hit and double on soft and hard hands, split pairs and take insurance. Then run simulator and see resulting gain or loss in 24 minutes run time.

Uses 4 Decks. Full casino rules. Countless permutations.

- OR -

Switch to visual play and watch your system in real time. 8K. Specify old or new ROM. 6502 ML

COUNTING TUTOR

Play Blackjack and win by keeping track of high and low cards. Program displays count on request if you lose track. A real time simulator.

8K. Specify old or new ROM. 6502 ML

Cassette tape\$6.00

Malco 54 Hesbeth Court Toronto, CANADA M4A 1M6

Oops! Our address was misspelled in the last issue. If your letter was returned, please try again.

☆ BUSINESS ☆ EXPERIMENTAL ☆ EDUCATIONAL
 ☆ TELECOMPUTING ☆ PERSONAL ☆ RENTALS



SPECIALIZING IN

Commodore Business Machines

PRODUCTS BY

CmC, NOVATION, TNW CORP., BIZCOMP, MICRO, CENTURY RESEARCH, TAB, POWR PROTECTR, systems, BASE 2, OSBORN, Eaton, SOURCE, MACTRONICS, MicroNet, Skyles, KILOBAUD, Dr. DALEY'S, INSTANT SOFTWARE, ASCRO, MICRO SOFTWARE SYSTEMS, COMPUTER FORUM, COMPETITATIVE SOFTWARE, HAYDEN, ATARI, NEECO, COMPUTE & COMPUTE II, DYSAN, CREATIVE COMPUTING, LIVERMORE RESEARCH, ROBOTICS AGE, SYBEX, KNIGHT ENTERPRISES.

Another Last Minute News Note: Commodore has announced that the three for two educational offer is on again.

Send For Our Free Catalog

Mail Orders To:

PETTED

P. O. BOX 21851 Milwaukee, Wisconsin 53221

PETTED micro systems

is located across from the SURFIN' TURF skate board park. Highway I-894 & Hwy 36 4265 W. Loomis Rd.

Milwaukee, Wisconsin



10047,101



Vendors Display Your Products With Us.



DB1B

DC9F

DCA9

DCAF

E3EA

E7DE

F0B6

FOBA

F12C

E7DE

F167

F17A

F17E

F187

F2C8

F2CD

F32A

F33F

na

na

na

DB55

DCD9

DCE3

DCE9

E3D8

E775

E7A7

E7B6

F156

F0B6

F0BA

F128

F156

F16F

F17F

F183

F18C

F2A9

F2AE

F301

F315

F322

CD7F

CF83

CF8D

CF93

E202

D722

D754

D763

F185

F0D2

FOD5

F143

F185

F19E

F1B6

F1B9

F1C0

F2DD

F2E2

F335

F349

F356

Completion of Fixed to

Print fixed-point value

Print floating-point value

Convert number to ASCII

Output byte as 2 hex digits

Input 2 hex digits to A

Input 1 hex digit to A

Print system message

Send Secondary Address

Send canned message

Send 'untalk'

Send 'unlisten'

Inpute from IEEE

Check for Stop key

LOAD subroutine

Close logical file in A

Send message if Direct

Close logical file

mode

Send character to IEEE

Send 'talk' to IEEE Send 'listen' to IEEE

Float conversion

Print a character

string

A few entry points, original/ upgrade/ 4.0 ROM

Jim Butterfield

Entry points seen in various programmer's machine language programs. The user is cautioned to check out the various routines carefully for proper setup before calling, registers used, etc.

cannig,	registers	usea, etc.		F3DB	F3E6	F425	?LOAD ERROR
				F3E5	F3EF	F42E	Print READY & reset Basic
ORIG	UPGR	4.0	DESCRIPTION				to start
C357	C355	B3CD	?OUT OF MEMORY	F3FF	F40A	F449	Print SEARCHING
C359	C357	B3CF	Send Basic error message	F411	F41D	F45C	Print file name
C38B	C389	B3FF	Warm start, Basic	F43F	F447	F486	Get LOAD/SAVE type
C3AC	C3AB	B41F	Crunch & insert line				parameters
C430	C439	B4AD	Fix chaining & READY.	F462	F466	F4A5	Open IEEE channel for
C433	C442	B4B6	Fix chaining				output.
C48D	C495	B4fB	Crunch tokens	F495	F494	F4D3	Find specific tape header
C522	C52C	B5A3	Find line in Basic				block
C553	C55D	B5D4	Do NEW	F504	F4FD	F53C	Get string
C567	C572	B5E9	Reset Basic and do CLR	F52A	F521	F560	Open logical file from input
C56A	C575	B5EC	Do CLR				parameters
C59A	C5A7	B622	Reset Basic to start	F52D	F524	F563	Open logical file
C6B5	C6C4	B74A	Continue Basic execution	F579	F56E	F5AD	FILE NOT FOUND.
C863	C873 ·	B8F6	Get fixed-point number	(77) (F. 15)(5)			clear I/O
			from Basic.	F57B	F570	F5AF	Send error message
C9CE	C9DE	BADB	Send Return, LF if in	F5AE	F5A6	F5E5	Find any tape header block
			screen mode	F64D	F63C	F67B	Get pointers for tape
C9D2	C9E2	BADF	Send Return, Linefeed				LOAD
CA27	CA1C	BB1D	Print string	F667	F656	F695	Set tape buffer start address
CA2D	CA22	BB23	Print precomputed string	F67D	F66C	F6AB	Set cassette buffer pointers
CA47	CA43	BB44	Print "?"	F6E6	F6F0	F72F	Close IEEE channel
CA49	CA45	BB46	Print character	F78B	F770	F7AF	Set input device from
CE11	CDF8	BEF5	Check for comma				logical file number
CE13	CDFA	BEF7	Check for specific character	F7DC	F7BC	F7DF	Set output device
CE1C	CE03	BF00	'SYNTAX ERROR'				from LFN.
CFD7	CFC9	C187	Find fl-pt variable, given	F83B	F812	F857	PRESS PLAY; wait
			name	F85E	F835	F87A	Sense tape switch
D079	D069	C2B9	Bump Variable Address	F87F	F855	F89A	Read tape to buffer
			by 2	F88A	F85E	F8A3	Read tape
D0A7	D09A	C2EA	Float to Fixed conversion	F8B9	F886	F8CB	Write tape from buffer
D278	D26D	C4BC	Fixed to Float conversion	F8C1	F88E	F8D3	Write tape, leader length
D679	D67B	C8D7	Get byte to X reg				in A
D68D	D68F	C8EB	Evaluate String	F913	F8E6	F92B	Wait for I/O complete
D6C4	D6C6	C921	Get two parameters				or Stop key
D73C	D773	C99D	Add (from memory)	FBDC	FB76	FBBB	Reset tape I/O pointer
D8FD	D934	CB5E	Multiply by memory	FD1B	FC9B	FCE0	Set interrupt vector
			location	FFC6	FFC6	FFC6	Set input device
D9B4	D9EE	CC18	Multiply by ten	FFC9	FFC9	FFC9	Set output device
DA74	DAAE	CCD8	Unpack memory variable	FFCC	FFCC	FFCC	Restore default I/O devices
•			to Accum #1	FFCF	FFCF	FFCF	Input character
DAA9	DAE3	CD0D	Copy Acc #1 to (X,Y)	FFD2	FFD2	FFD2	Output character
			location	FFE4	FFE4	FFE4	Get character

PET' MACHINE LANGUAGE GUIDE




Contents include sections on:

- Input and output routines.
- Fixed point, floating point, and Ascii number conversion.
- Clocks and timers.
- Built-in arithmetic functions.
- Programming hints and suggestions.
- Many sample programs.

While supply lasts: Guides for Old ROMS only \$5.00 inc. postage New ROMS order below

If you are interested in or are already into machine language programming on the PET, then this invaluable guide is for you. More than 30 of the PET's built-in routines are fully detailed so that the reader can immediately put them to good use.

Available for \$6.95 + .75 postage. Michigan residents please include 4% state sales tax. VISA and Mastercharge cards accepted - give card number and expiration date. Quantity discounts are available.



ABACUS SOFTWARE

P. O. Box 7211

Grand Rapids, Michigan 49510

PET/CBM UNCRASHER™

WHAT IS IT? — UNCRASHER™ is a two button device that allows PET/CBM users to regain control of a cursor that's been lost due to programming errors. BASIC programs may be recovered. Machine language programs in the second cassette buffer are not disturbed either.

WHICH PETs/CBMs? — UNCRASHER™ is for all PET/CBM computers that use the "NEW" Version 2 ROMs. (Older model PETs should use the ITS NEW-CURSOR™.)

DOES IT WORK? — You bet!!! See the detailed review of the types of crashes and the concept of recovery in the first issue of *Compute*.

INSTALLATION — Simple, completely illustrated instructions using only a Phillips screwdriver ensure installation in minutes. No soldering or modifications to the computer.

OPERATION — Just follow the simple steps—push the buttons and reset the stack pointer—and PRESTO . . . recovery!

And all this happens without powering the PET/CBM down and up.

WHY UNCRASHER™? — No first class computer such as the PET/CBM should be without this capability. Whether your fancy be programming, business, education, or hobby, hobby, UNCRASHER™ saves you time by uncrashing your slip-ups.

AVAILABILITY — Now in better computer stores, or order direct from ITS, made by the people who brought you NEW-CURSOR*.

INTERNATIONAL TECHNICAL SYSTEMS INC. P.O. BOX 264 WOODBRIDGE, VIRGINIA 22194

CUSTOMER SERVICES – RICHMOND, VIRGINIA (804) 262-9709



\$14.95



Specializing in peripherals and software for the PET

We offer the following new products

*Full IEEE-488 Bus Acoustic MODEM ...\$395.00 *Full IEEE-488 Bus to Centronics or NEC Spinwriter Interface COM-PLICATIONS Model C101 *Full IEEE-488 Bus to Watanabe Graphics Plotter Interface COM-PLICATIONS Model C102 \$295.00 *Watanabe MIPLOT Intelligent Graphics Plotter Watanabe Model WX4671\$1200.00 *VIEW-PLOT I Graphics Software packages: Runs on the PET connected to the Watanabe MIPLOT Plotter via the IEEE-488 Bus Interface Adaptor. C102 Graphics Package (No computer skills needed to use)\$65.00 Subroutines Package (16 Subroutines) . \$95.00 Combination of Both Packages\$145.00 *PET Computer Desk, designed for PET computer, disk and printer\$395.00

*ALL COMMODORE COMPUTERS, PERIPHERALS AND SOFTWARE

We will shortly announce the following new products:

*C301 PET to DIABLO Printer Interface

*C302 PET to QUME Printer Interface

*C231 Full IEEE-488 Bus to RS232C Uni-directional Interface

*C232 Full IEEE-488 Bus to RS232C Bi-directional Interface

ECX Co. offers technical support and fast in-house maintenance and service for all the products we sell. We know how to repair Commodore equipment! EXC Co. is owned and operated by COM-PLICATIONS, INC., a design and development corporation. Call us; we talk technical! ALL COM-PLICATIONS INC. products are manufactured to industrial quality standards. If you need to know more about the IEEE-488 Bus read our just-published Osborne/McGraw Hill new book, "The PET and The IEEE-488 (GPIB) Bus", authored by the president of COM-PLICATIONS, INC.; available from ECX Co. for \$18.00 (includes tax and shipping).

P.S. All of our IEEE-488 Bus interfaces meet ALL of the IEEE-488 Bus performance requirements!

ECX Co. 1372 N. Main Street #6 Walnut Creek, CA 94596 (415) 944-9277

Northern California's Fastest-Growing Exclusive Commodore Computer Dealer

Feed Your PET G. A. Campbell Some 36 Doubletree Road Willowdale, Ontario M2J 324 APPLESOFT

We all know that there is no such thing as compatibility in the world of personal computers. For example, the APPLE and the PET store programs on tape quite differently. However, by using the program in Listing 1, you can load programs from an APPLE directly into a PET. To be more specific, you can load APPLESOFT programs (cassette or ROM versions) into an upgrade-ROM PET. Conversion to original-ROM PET's is trivial.

Structure of an APPLESOFT tape

One of the things which make the process fairly easy is the simple way APPLE's save programs. A bit is stored as one full cycle on tape. A short cycle is a zero-bit, one about twice as long is a one-bit, and leader is slightly longer again. A byte is simply made up of eight bits, unlike the PET, which has a start-bit and a parity-bit. The high-order bit comes first.

A program is stored as two blocks. The first is a length block. It contains four bytes:

low-order half of program length high-order half of program length fixed hexadecimal '55' checksum of the above.

The checksum is formed by beginning with hexadecimal 'FF', then doing an exclusive-or on each byte of the block.

The second block contains the exact image of the program as it resides in memory. It is suffixed by two bytes, the second of which is a checksum formed the same way as for the length block. These two bytes are not counted in the program length.

Each block is preceded on tape by about ten seconds of leader (long bits) and one zero-bit, and followed by some tape which is effectively blank.

The other thing which makes the task easy is that both APPLESOFT and PET BASIC were written by Microsoft, and thus programs have exactly the same format in memory.

The APPLESOFT Loader

The program in listing 1 has many comments to point out the subtleties of how it operates. The major functions are:

Initialize everything upon entry so the program can be rerun if there is an error.

Time the cycles passing the head on the cassette.

Throw away the first 'bit'.

Wait for the 'start-bit'.

Make bytes out of the following bits.

Do the checksum on the length block, and set up to read the actual program.

Convert the statement pointers if the program was cassette APPLESOFT.

Translate the BASIC tokens.

Convert the statement pointers from beginning at hexadecimal 0801 to hexadecimal 0501.

Move the program down from 0801 to 0501. (The code to do this is at the start of the program, since part of the loader is overlaid.)

Memory Requirements

The loader reads programs into the same location as ROM-based APPLESOFT. This is hexadecimal 0801, which is just above the screen on an APPLE. However, by the time the process is completed, the program has shuffled down to 0401. Thus, on an 8K PET you can load 6K of program text. Ignoring memory differences due to conversion, you have an additional 1K available for variables. APPLESOFT is also available as a loadable program (as opposed to ROM), in which case the APPLE requires 11K more than the PET to hold the same program.

Program Operation

The steps to load an APPLESOFT program are:

From BASIC, load the 'APPLESOFT LOADER'.

Type RUN, but don't press RETURN.

Position the APPLE tape at the beginning of the tone for the program you want. For the first program on a tape, just do a rewind. Otherwise, you will need an audio cassette-player. The person who provided the APPLE tape should be able to show you how to position a tape, since they do it all the time.

Press PLAY and wait 3 to 9 seconds.

Press RETURN.

There are several possible results. The good one is that the PET displays 'OK' and 'READY.'. Stop the tape and type 0 (zero) and RETURN. This deletes line zero, which is the last remnants of the loader. this is safe even if the APPLE program has a line zero, since only the first one is deleted. The APPLE program is now available for any required conversion. (See below)

About half the time, a question-mark will print. This is followed by a 'BRK', which puts you in the machine-language monitor on the upgrade-ROM PET. Type 'X' to return to BASIC and try again. There was a checksum error on the length block. The error was possibly caused by the tape being positioned incorrectly. If you obtain the question-mark a couple of times, try changing the '3E' (decimal 62) which is stored at hexadecimal E811 by the routine named 'INIT' to '3C' (decimal 60). The APPLE is not consistent on whether a cycle is 'low-high' or 'high-low'. Since the loader only



Skyles Electric Works

Presenting the Skyles MacroTeA

Text Editor

To help you write your program, MacroTeA includes a powerful text editor with 34 command functions:

AUTO Numbers lines automatically.

NUMBER Automatically renumbers lines.

FORMAT Outputs text file in easy-to-read columns COPY Copies a line or group of lines to a new

Moves a line or group of lines to a new MOVE location.

DELETE Deletes a line or group of lines.

CLEAR Clears the text file.

Prints a fine or group of lines to the PET screen

PUT Saves a line or group of lines of text on the tape (or disc)

GET Loads a previously saved line or group of lines

DUPLICATE Copies text file modules from one tape ecorder to the other. Stops on specific modules to allow changes before it is dupli-

cated. This command makes an unlimited length program (text file) practical

HARD Prints out text file on printer.

Assembles text file with or without a listing. ASSEMBLE Assembly may be specified for the object code (program) to be recorded or placed in RAM

> PASS Does second pass of assembly. Another command that makes unlimited length text files (source code) practical.

RUN Runs (executes) a previously assembled

SYMBOLS Prints out the symbol table (label file).

Gives complete control of the size and location of the text file (source file), label file (symbol table) and relocatable buffer.

DISK Gives complete access to the eleven DOS commands; PUT GET NEW INITIALIZE DIRECTORY COPY DUPLICATE SCRATCH VALIDATE RENAME

ERROR REPORT Offers unbelievably powerful search and replace capability. Many large computer assemblers

lack this sophistication Searches text file for defined strings. Optionally FIND

prints them and counts them; i.e., this command. The conditional assembly pseudo-ops are: counts number of characters in text file. Eliminates line numbers on PRINT and HARD MANUSCRIPT

imand. Makes MacroTea a true and powe ful Text Editor.

Breaks to the Monitor portion of MacroTea. BREAK A return to Text Editor without loss of text is possible

Improves or tailors MacroTea's Text Editor to user's needs: "Do-it-yourself" command.

Fast...Fast Assembler

Briefly, the pseudo-ops are:

- Commands the assembler to begin placing assembled code where indicated.
- CE Commands the assembler to continue assembly unless certain serious errors occur. All errors are printed out.
- Commands the assembler to start listing source (text file) from this point on.
- Commands the assembler to stop list source (text file) from this point in the program
- CT Commands the assembler to continue that source program (text file) on tape.
- Commands the assembler to store the object code in
- · OC Commands the assembler to not store object code in
- MC Commands the assembler to store object code at loca tion different from the location in which it is assembling object code.
- SE Commands the assembler to store an external address.
- DS Commands the assembler to set aside a block of storage
- BY Commands the assembler to store data.
- SI Commands the assembler to store an internal address.
- DE Commands the assembler to calculate an external label
- Commands the assembler to calculate an internal label • DI
- Informs the assembler that this is the end of the
- Commands the assembler to eject to top of page on printer copy.
- SET A directive not a pseudo-op, directs the assemblers to redefine the value of a label.

Macro Assembler

The macro pseudo-ops include:

MD This is a macro beginning instruction definition. ME

Do not output macro-generated code in source EC

Do output macro-generated code in source

Conditional Assembler

assemble this block of source code (text file). If the label expression is not equal to zero assemble this block of source code (text file). If the label expression is positive, assemble this

IMI If the label expression is negative, assemble

this block of source code. This is the end of a block of source code.

Enhanced Monitor

... By having 16 powerful commands.

Automatic MacroTeA cold start from Monitor. Z Automatic MacroTeA warm start from Monitor.

Loads from tape object code program

S Saves to tape object code between locations specified.

Disassembles object code back to source listing.

Displays in memory object code starting at selected location. The normal PET screen edit may be used to change the object code.

Displays in register. Contents may be changed using PET screen edit capabilities.

н Hunts memory for a particular group of object

Allows you to walk through the program one step at a time.

passes past specified address

Start on specified address. Quit if STOP key or Q

Transfers a program or part of a program from one memory area to another.

Go!! Runs machine language program starting at selected location

Exits back to BASIC.

Display memory and decoded ASCII characters.

Pack (fill) memory with specified byte.

What are the other unique features of the MacroTeA?

- · Labels up to 10 characters in length
- 50 different symbols to choose from for each character
- 10¹⁶ different labels possible
- · Create executable object code in memory or
- · Text editor may be used for composing letters,
- Text may be loaded and stored from tape or disc
- Powerful two-cassette duplicator function
- String search capability
- Macros may be nested 32 deep
- 25 Assembler psuedo-ops
- 5 Conditional assembler psuedo-ops
- 40 Error codes to pinpoint problems
- 16 Error codes related to Macros
- Enhanced monitor with 16 commands

...a completely solid state firmware system ...all in ROM and RAM. No tapes to load. The system is available from the time you turn on your PET to

15 chips on a single high quality printed circuit board; interfaces with PET's parallel address and data bus or with Skyles Memory Adapter. A comprehensive 170 page manual is included

Truly, there is simply no other system of this magnitude at anywhere near this price.

*California residents: please add 6% or 6.5% sales tax as required

VISA, MASTERCHARGE ORDERS CALL (800) 538-3083 (except California residents) CALIFORNIA ORDERS PLEASE CALL (408) 257-9140



Skyles Electric Works | Mountain View, CA 94041

231 E South Whisman Road (415) 965-1735

notices one transition per cycle, catching the wrong one gives it half of that bit, and half of this bit. Garble is the result. Fortunately, the program block always seems to be consistent with the length block. The time spent establishing which way to go is slight, since the length block ends about 11 seconds in to the tape.

You may get the message 'TOO BIG' immediately after reading the length block, which means the program won't fit into available memory.

The worst result is that the PET displays 'BAD'. This means that there was a checksum error on the program block. It is necessary to reload the loader, and perhaps to reset the PET. I didn't see this result until I had succeeded in loading about 30 APPLE programs. The APPLE tends to like tapes which are a little 'quieter' than PET tapes, so you might try getting a louder copy of the program.

Now the Fun Begins

Unfortunately, cassette tape format is not the only difference between the PET and the APPLE. After deleting line 0, you have a program loaded. You can list it, change it, or save it. But will it run? The answer is maybe. It can happen. But some programs will be hopeless. The APPLE has a very fancy graphics system, and APPLESOFT supports it. All the graphics commands are translated into CMD (which the APPLE doesn't have). If there are any of these in the program you just loaded, you may have big trouble. Perhaps the person who gave you the APPLE tape can help you convert it, but it may not be worth the effort.

There are several other BASIC commands on the APPLE which are not available on the PET. The loader translates most of these into VERIFY, which is not supported by the APPLE. There are a few APPLE commands which are very easy to convert to the PET. The loader does 'phony' translations on these. And finally, there are commands which translate exactly, but do not give the same result. The worst part of trying to correct these differences is that a line of BASIC can be 239 characters long on the APPLE, versus 80 on the PET. The longer lines will run just fine, but can not easily be changed using the PET screen editor. Thus you have to split this type of line into multiple lines.

The whole process will be greatly helped if you have an extended BASIC which includes the commands FIND and RENUMBER. This allows you to FIND commands which could cause problems, and split program lines without concern about smearing existing lines.

Space does not permit a complete tutorial on converting APPLESOFT programs. However, ignoring graphics, here are some suggestions:

Commands with no PET equivalent

DEL - To delete program lines; unlikely to be imbedded in a program, since it also stops execution.

TRACE

NOTRACE - Usage obvious. Not needed in a working program.

POP - Cancel a GOSUB. This is an atrocious technique.

HIMEM - Set top of memory. Could be replaced with POKE's but is unlikely to be in a pure BASIC program which doesn't use graphics.

LOMEM - Set bottom of memory. Within a program it will probably cause the program to fail (even on the APPLE).

ONERR

RESUME - Replace with programmed editing.

SPEED = - Sets display rate. Replace with delay loops in key locations if necessary.

& - Does a jump to a machine-language routine which the user must establish. Not part of normal BASIC programs.

NORMAL

FLASH

INVERSE - Adjusts the video mode for subsequent PRINT statements. The equivalent to INVERSE is specified within the text on the PET.

Commands with phony translation

TEXT/CONT - TEXT sets the 'text window' to be the whole screen. CONT has no function within a program, so it is substituted. A program with multiple TEXT statements probably changes the size of the 'text window' with POKE statements in order to print headings once, and then change what appears under them with PRINT statements.

HTAB/NEW - NEW has no function within a program except to make it commit suicide. HTAB is like TAB, but does not appear in a PRINT statement. HTABn can be directly converted to PRINTTAB(n-1); although it can very often be moved into an adjacent PRINT statement.

HOME/OPEN - OPEN is not supported by APPLE-SOFT. HOME clears the 'text window', so it can usually be replaced with PRINT"clr'.

VTAB/CLOSE - CLOSE is not supported by APPLE-SOFT. VTABn positions the cursor on line 'n'. Programs which use VTAB usually have lots of them, so at the start of the program define a string, for example DN\$, containing a 'HOME' character followed by 24 'DOWN's. Then replace VTABn with PRINT LEFT\$(DN\$,n);

STORE/SAVE

RECALL/LOAD - It is assumed that you won't be converting programs with LOAD or SAVE in them. STORE and RECALL are used to dump matrices out to tape and read them back. Convert by putting in the appropriate OPEN, PRINT#, CLOSE or OPEN, INPUT#, CLOSE loops.

Commands which may give different results PR#/PRINT# - Used to do I-O to devices other than the screen and keyboard. Definitely not equivalent.

CALL/SYS - Used to invoke a machine-language program. Almost certainly will require change. Note that CALL, WAIT, PEEK, and POKE on the APPLE may specify negative numbers. The address used will be 65536 minus the amount specified. This convention is a carryover from integer-BASIC, and has no equivalent on the PET. The most popular CALL's on the APPLE are:

-936 - clear the text window. Replace by printing a screen-clear.

-958 - clear the text window from the current print position. More difficult to replace.

-868 - clear from the current print position to the end of the line.

WAIT - Wait for an external event. Will require rework, since it references an actual memory location.

POKE - Sets a specific memory location to a particular value. Usually will require substantial rework.

PEEK - Returns the value stored in a specific memory location. Will also require rework.

USR - Another way to invoke a machine-language routine.

RND - On the APPLE, RND(0) repeates the previous RND, unlike the PET, where it generates a truly random number.

GET - On the APPLE, this waits for a key to be pressed. On the PET, a null string is returned if no key has been pressed. To convert, make sure it is on a line by itself, and add a test like this: nnnn GET A\$: IF A\$ = "" THEN nnnn

In the APPLE program there may be a PEEK at location -16384 to see if a key is being pressed which can be combined with the GET.

= - (Horrors. If you can't trust '=', what can you trust!) If the result of a comparison is used as a number, it will give a different result. For example, N = A = B sets N to a value depending on whether A equals B. On the APPLE, an equal condition gives a value of 1, on the PET, equal gives -1.

ASC - Usually ASC of a letter is 64 greater on the APPLE than on the PET.

LIST - Terminates program execution on the PET, but not on the APPLE.

INPUT - APPLESOFT allows INPUT of a null string. You may encounter programs which invite you to 'PRESS RETURN TO CONTINUE'. On the PET, of course, you will obtain the 'READY.' prompt and you are out of the program. Change the prompt to 'PRESS A KEY TO CONTINUE', and replace the INPUT with a GET.

- INPUT generates a question-mark prompt on the PET but not on the APPLE.

BELL - On the APPLE, you can make the speaker beep by printing a control-G. No character appears on the screen. On the PET it prints as a reverse-G.

TAB - Use one position less on the PET.

PRINT - There are a number of detail differences. For example, tab-fields (invoked with commas) are 10 characters wide on the PET versus a sequence of 16,16,8,16,16,8. . . on the APPLE. A number is preceded by a space and followed by a skip on the PET, but not on the APPLE.

The Bottom Line

Does it work? It sure does! As long as you avoid graphics, you can have a program up and running in short order. I was able to load one Adventure-style game and have it completely running in less than half an hour. It sure beat keying in 16K of program text.

Many thanks must go to Keith Falkner of Toronto, who provided the description of what an APPLE tape looks like, many tapes to test with, and access to the manuals describing APPLESOFT.

Program Availability

If you wish to obtain the program on tape, please write me. Enclose \$10, and I will send you the loader in Upgrade-ROM and Original-ROM versions, as well as the source in a format suitable for Carl Moser's ASSM/TED. For 32K PETS, this will be the whole program, for 16K there is no room for comments.

```
.LS
                        APPLESOFT LOADER
                 0020
                 0030
                 0040
                        FOR USE ON THE COMMODORE PET/CBM
                 0050
                            COPYRIGHT (C) 1980
                 0060
                           GORD CAMPBELL
                 0070
                 0080
                           36 DOUBLETREE ROAD
                 0090
                           WILLOWDALE, ONTARIO
                 0100
                                        M2J 3Z4
                 0110
                        TO ASSEMBLE USING CARL MOSER'S
                 0120
                        ASSM/TED, REQUIRES 'SET' COMMAND
                 0130
                        AND A 32K MACHINE, SINCE THE SOURCE
                 0140
                        (INCLUDING COMMENTS) IS TOO LARGE
                 0150
                         TO FIT
                        INTO DEFAULT AREA, AND OBJECT
                 0160 ;
                        GOES INTO THE DEFAULT TEXT AREA.
                 0170
                 0180
                 0190 WHERE
                                   .DE 1
                 0200 ; USED FOR STORE INDIRECT
                 0210
                        THE ONLY PART OF PAGE ZERO
                        WHICH IS SMEARED. IT DOESN'T
                 0220
                        MATTER, BECAUSE THE 'USR'
VECTOR SHOULD BE SET UP BY
                 0230
                 0240
                 0250
                        ANY PROGRAM WHICH USES IT.
                      PGMEN
                                  .DE $2A
                 0260
                        BASIC 'END OF PROGRAM'
                 0270
                 0280
                 0290
                        CHANGE THIS TO $7C AND YOU
                 0300
                        ARE CONVERTED TO ORIGINAL ROM.
                 0310
                 0320 PRINT
                                   .DE $FFD2
                 0330 ; PRINT ROUTINE
                                  .BA $0400
                 0340
                                   .os
                 0350
                      ; HERE IS A BASIC PROGRAM.
                 0360
0400- 00 0D 04
                 0370
                                   .BY Ø $0D 4 Ø Ø $9E
0403- 00 00 9E
0406- 31 30 35
                 0380
                                   .BY '1056:' $80
Ø4Ø9- 36 3A 8Ø
040C- 00 00 00
040F- 00
                                   .BY Ø Ø Ø Ø
                 0390
                 0400 ;
                        IT READS '0 SYS1056:END'
                 0410
                 0420
                 0430
                 0440 ;
                        -- VARIABLES --
                 0450
0410- 00 00 00
                0460 LENGTH
                                  .BY 00 00 00 00
```

```
0470 ; APPLESOFT 'LENGTH' BLOCK
                                                                Ø471- AD 16 Ø4 137Ø
                                                                                                   LDA STLOC
                 0480 ; IS STORED HERE
0490 STLEN SI 0
0500 ; LENGTH OF CURRENT BLOCK
                                                                Ø474- 85 Ø1
                                                                                  1380
                                                                                                    STA *WHERE
0414- 00 00
                                                                0476- AD 17 04
                                                                                  1390
                                                                                                    LDA STLOC+1
                                                                0479- 85 02
                                                                                  1400
                                                                                                   STA *WHERE+1
0416- 00 00
                  0510 STLOC
                                 .SI Ø
                                                                                  1410
                  0520 ; WHERE IT GOES
                                                                                       ; END OF INITIALIZATION
                                                                                  1420
0418- 00
                  0530 CHAR
                                   .BY Ø
                  0530 CHAR .BY 0
0540; CURRENT CHARACTER
                                                                                  1430
                                                                Ø47B- AØ Ø8
                                                                                  1440 TNITTY
                                                                                                   LDY #8
                  0550 MODE .BY 0
0560; WHICH ACTIVITY NOW:
0419- 00
                                                                Ø47D- A2 ØØ
                                                                                  1450 INITX
                                                                                                   LDX #Ø
                                                                Ø47F- E8
                                                                                  1460 COUNT
                       ; Ø - SYNCHRONIZING
; l - LEADER
                                                                                                   TNX
                  0570
                                                                                  1470
                                                                                       ; COUNT HOW MANY TIMES
                  0580;
                                                                                  1480
                                                                                       ; THROUGH THE LOOP
                  0590
                           2 - DATA
                                                                0480- 2C 11 E8
                                                                                                   BIT $E811
                                                                                  1490
041A- 00
                  0600 BLOCK .BY 0
                                                                                  1500 ; HAVE WE A TRANSITION YET?
                  0610 ; WHICH BLOCK:
                                                                Ø483- 10 FA
                                                                                  1510
                                                                                                   BPL COUNT
                 0620 ; 0 - LENGTH BLOCK
0630 ; 1 - PROGRAM BLOCK
                                                                                  1520 ; BRANCH BACK IF NOT YET
                                                                Ø485- AD 10 E8
                                                                                                   LDA $E810
                                                                                  1530
041B- 42 41 44
041E- 4F 4B
                 0640 BAD .BY 'BAD'
0650 OK .BY 'OK'
                                                                                  1540 ; RESET THE 6520
                                                                Ø488- AD 19 Ø4
                                                                                  1550
                                                                                                   LDA MODE
                  0660 ; CHECKSUM MESSAGES
                                                                                  1560 ; WHAT WERE WE DOING?
                  0670 ;
                                                                Ø48B- FØ 2C
                                                                                  1570
                                                                                                   BEO STARTUP
                  0680; *** ENTRY POINT ***
                                                                Ø48D- C9 Ø1
                                                                                  1580
                                                                                                    CMP #1
                                                                Ø48F- FØ 2D
                  0690 ;
                                                                                  1590
                                                                                                   BEQ STARTBIT
                          MUST BE AT $0420
FOR THE 'BASIC' PROGRAM
                  0700 :
                                                                                  1600 ; REAL DATA NOW
                  0710 ;
                                                                0491- EØ 4Ø
                                                                                                   CPX #$40
                                                                                  1610
                                                                0493- 30 03
0495- 38
                  0720 ;
                                                                                  1620
                                                                                                   BMI ZEROBIT
Ø420- 4C 5Ø Ø4
                 0730
                                   JMP INIT
                                                                                  1630
                                                                                                   SEC
                  0740 ; SKIP PAST CODE WHICH MOVES
                                                                Ø496- BØ Ø1
                                                                                  1640
                                                                                                   BCS SETBIT
                                                                                  1650 ; ** ALWAYS GOES **
                  0750 ; THE PROGRAM DOWN FROM $0801
                  0760; TO $0501. THIS CODE IS NEEDED
                                                                0498- 18
                                                                                  1660 ZEROBIT CLC
                  0770 ; BECAUSE WHEN LINE ZERO (THE
                                                                                  1670 ; THE CARRY BIT NOW INDICATES
                 0780; PHONY BASIC PROGRAM) IS DELETED 0790; 'END OF PROGRAM' ETC ARE ONLY
                                                                                  1680 ; WHETHER WE GOT A ZERO OR ONE
                                                                Ø499- 2E 18 Ø4
                                                                                  1690 SETBIT
                                                                                                   ROL CHAR
                  0800 ; ADJUSTED BY ONE PAGE MAXIMUM.
                                                                                  1700 ; ROTATE IT INTO THE CHARACTER
                  0810;
                                                                Ø49C- 88
                                                                                  1710
                                                                                                   DEY
                  0820 ; MOVE PROGRAM DOWN 3 PAGES
                                                                                  1720 ; FINISHED THIS CHARACTER?
                 0830 ;
                                                                Ø49D- DØ DE
                                                                                  1730
                                                                                                   BNE INITX ; NO
Ø423- A9 Ø8
                 Ø84Ø MOVE
                                   LDA #8
                                                                Ø49F- AD 18 Ø4
                                                                                                   LDA CHAR
                                                                                  1740
0425- 85 02
                 0850
                                   STA *WHERE+1
                                                                04A2- 91 01
                                                                                  1750
                                                                                                   STA (WHERE), Y
Ø427- A9 Ø5
                 0860
                                   LDA #5
                                                                                  1760 ; STORE THE CHARACTER
0429- 85 2B
                 9879
                                   STA *PGMEN+1
                                                                04A4- CE 14 04
                                                                                  1770
                                                                                                   DEC STLEN
042B- AØ ØØ
                                   LDY #Ø
                 9889
                                                                                  1780 ; REDUCE CHARACTER COUNT
Ø42D- 84 Ø1
                                   STY *WHERE
                                                                Ø4A7- DØ Ø8
                 0890
                                                                                  1790
                                                                                                   BNE NEXTCHAR
Ø42F- 84 2A
                                   STY *PGMEN
                 9999
                                                                Ø4A9- AD 15 Ø4
                                                                                  1800
                                                                                                   LDA STLEN+1
0431- B1 01
0433- 91 2A
                 0910 MOVIP
                                   LDA (WHERE),Y
                                                                                  1810 ; FINISHED THIS BLOCK?
                                   STA (PGMEN), Y
                                                                Ø4AC- FØ 19
                 0920
                                                                                                   BEQ FINMODE
                                                                                  1820
                                                                04AE- CE 15 04
04BI- E6 01
Ø435- E6 2A
                 0930
                                   INC *PGMEN
                                                                                                   DEC STLEN+1
INC *WHERE
                                                                                  1830
Ø437- DØ Ø2
                 0940
                                   BNE MOVOK
                                                                                  1840 NEXTCHAR
Ø439- E6 2B
                                   INC *PGMEN+1
                 0950
                                                                                  1850 ; INCREMENT DATA POINTER
043B- A5 2A
                                   LDA *PGMEN
                 0960 MOVOK
                                                                Ø4B3- DØ C6
                                                                                  1860
                                                                                                   BNE INITY
Ø43D- C5 2C
                 0970
                                   CMP *PGMEN+2
                                                                04B5- E6 02
                                                                                  1870
                                                                                                   INC *WHERE+1
                                                                Ø4B7- DØ C2
043F- DØ 07
                 0980
                                   BNE INWHERE
                                                                                                   BNE INITY
                                                                                  1880
                                                                                         ** ALWAYS GOES **
Ø441- A5 2B
                 0990
                                   LDA *PGMEN+1
                                                                                  1890 ;
Ø443- C5 2D
                                   CMP *PGMEN+3
                                                                                  1900 STARTUP INC MODE
                 1000
                                                                Ø4B9- EE 19 Ø4
                                                                                  1910 ; THROW AWAY FIRST TRANSITION
0445- DØ 01
                 1010
                                   BNE INWHERE
0447- 60
                 1020
                                                                Ø4BC- DØ BF
                                                                                  1920
                                   RTS
                                       : FINISHED
                                                                                                   BNE INITX
                                                                                         ** ALWAYS GOES **
                                   INC *WHERE
Ø448- E6 Ø1
                 1030 INWHERE
                                                                                  1930 :
044A- DØ E5
                 1040
                                   BNE MOVLP
                                                                Ø4BE- EØ 4Ø
                                                                                  1940 STARTBIT CPX #$40
                                                                                  1950 ; IS IT A START BIT?
044C- E6 02
                 1050
                                   INC *WHERE+1
Ø44E- DØ El
                 1060
                                   BNE MOVLP
                                                                04C0- 10 BB
                                                                                  1960
                                                                                                   BPL INITX
                                                                                                                 ; NO
                 1070 ; ** ALWAYS GOES **
                                                                Ø4C2- EE 19 Ø4
                                                                                  1970
                                                                                                   INC MODE
                 1080;
                                                                Ø4C5- DØ B6
                                                                                  1980
                                                                                                   BNE INITX
                 1090 ; INITIALIZATION
                                                                                  1990 ; ** ALWAYS GOES **
                                                                                  2000 FINMODE
                 1100;
                                                                Ø4C7- AD 1A Ø4
                                                                                                   LDA BLOCK
                  1110 ; SET UP POINTERS ETC ON ENTRY
                                                                                  2010 ; WE JUST LOADED A BLOCK.
                                                                                  2020 ; WHICH ONE WAS IT?
                 1120 ; SO IF WE HAD A BAD LOAD, WE
                 1130 ; CAN TRY AGAIN BY ENTERING 'RUN'
                                                                Ø4CA- DØ 62
                                                                                  2030
                                                                                                   BNE LOADED
                 1140 ;
                                                                Ø4CC- A9 FF
                                                                                  2040
                                                                                                   LDA #$FF
                                                                04CE- 4D 10 04
Ø450- A9 Ø4
                 1150 INIT
                                   LDA #4
                                                                                  2050
                                                                                                   EOR LENGTH
0452- 8D 14 04
0455- 8D 17 04
                                   STA STLEN
                 1160
                                                                                  2060 ; CHECKSUM ON LENGTH BLOCK
                                                                04D1- 4D 11 04
04D4- 4D 12 04
                 1170
                                   STA STLOC+1
                                                                                  2070
                                                                                                   EOR LENGTH+1
Ø458- A9 1Ø
                 1180
                                   LDA #$10
                                                                                  2080
                                                                                                   EOR LENGTH+2
                                                                Ø4D7- CD 13 Ø4
045A- 8D 16 04
                 1190
                                   STA STLOC
                                                                                  2090
                                                                                                   CMP LENGTH+3
045D- A9 00
                 1200
                                   LDA #Ø
                                                                Ø4DA- FØ Ø7
                                                                                  2100
                                                                                                   BEQ NEXTBLK
Ø45F- 8D 15 Ø4
                                   STA STLEN+1
                 1210
                                                                04DC- A9 3F
                                                                                  2110
                                                                                                   LDA #$3F
Ø462- 8D 19 Ø4
                                   STA MODE
                                                                                  2120 ; BAD LOAD: PRINT QUESTION MARK 2130 ; AND QUIT WITH A 'BREAK'
                 1220
0465- 8D 1A 04
                 1230
                                   STA BLOCK
                                                                Ø4DE- 20 D2 FF
0468- 78
                  1240
                                   SEI
                                                                                                   JSR PRINT
                                                                                  2140
                                                                Ø4E1- 58
                  1250 ; DISABLE INTERRUPTS
                                                                                  2150
                                                                                                   CT. T
Ø469- AD 10 E8
                 1260
                                   LDA $E810
                                                                                  2160 ; QUIT NOW
                  1270 ; CLEAR 6520
                                                                Ø4E2- ØØ
                                                                                  2170
                                                                                                   BRK
Ø46C- A9 3E
                  1280
                                   LDA #$3E
                                                                04E3- AD 10 04
                                                                                  2180 NEXTRLK
                                                                                                   LDA LENGTH
Ø46E- 8D 11 E8 129Ø
                                   STA $E811
                                                                                  2190 ; INITIALIZATION FOR PROGRAM LOAD
                  1300 ; MAKE 6520 RESPOND TO
                                                                Ø4E6- 8D 14 Ø4
                                                                                  2200
                                                                                                   STA STLEN
                  1310 ; LOW TO HIGH TRANSITION
                                                                Ø4E9- AD 11 Ø4
                                                                                  2210
                                                                                                   LDA LENGTH+1
                                                                04EC- 8D 15 04
                  1320 ;
                                                                                  2220
                                                                                                   STA STLEN+1
                 1330 ; FOR SOME TAPES THE '3E'
                                                                Ø4EF- EE 14 Ø4
                                                                                 2230
                                                                                                   INC STLEN
                 1340 ; ABOVE MUST READ '3C'
1350 ; (IE. HIGH TO LOW TRANSITION)
                                                                                  2240 ; LOAD CHECKSUM TOO
                                                                                 2250; MUST GO TWO BYTES PAST
2260; THE END OF THE ACTUAL PROGRAM
                 1360
```

```
      0591-
      85
      02
      3170
      STA *WHERE+1

      0593-
      AD
      02
      08
      3180
      LDA $0802

      0596-
      C9
      08
      3190
      CMP #$08

      0598-
      F0
      16
      3200
      BEQ TRANS

                      2270 ;
                                           BNE LEN1
INC STLEN+1
INC STLEN
BNE LENOK
                      2280
04F2- D0 03
04F4- EE 15 04
04F7- EE 14 04
                      2290
                      2300 LEN1
                                                                                                      3220; IT'S CASSETE APPLESOFT
3230; ORIGINAL ADDRESS WAS $3001
3240 LDA (WHERE),Y
3250 BEO CASSREI.
                                                                                                       3210 CASSLP
04FA- DØ Ø3
                      2310
                                                                                                                             LDY #1
                                                                               059A- A0 01
04FC- EE 15 04
                                           INC STLEN+1
                      2320
                      2350; ALWAYS LOAD AT $0801 059C- B1 01 059E- F0 EB 2360; IF IT'S CASSETTE APPLESOFT 2370; CONVERT IT LATER 2380;
Ø4FF- A9 Ø8
                      2330 LENOK
                                           LDA #$08
                                                                                                       3260 ; ON THE SECOND PASS, IT LOOKS
                     3270 ; LIKE ROM APPLESOFT
3280 SEC
                                                                                                                             SBC #$28
                                                                                                       3290
0501- 85 02
                                                                                                                             STA (WHERE), Y
0503- A9 01
                                                                                                       3300
                     2420
2430
2440
2450
                                                                                                       3310
                                                                                                                             TAX
0505- 85 01
                                                                                                      332Ø
333Ø
334Ø
335Ø
336Ø
0507- A5 35
                                                                                                                             DEV
                                                                                                                             LDA (WHERE), Y
Ø5Ø9- CD 15 Ø4
                                                                                                                             STA *WHERE
STX *WHERE+1
050C- D0 13
                                                                                                                             JMP CASSLP
                                                                                                                             LDY #Ø
Ø5ØE- AD 14 Ø4 247Ø
                                                                                                       3370 TRANS
Ø511- C5 34
                                                                                                                             LDA (WHERE), Y
                                                                                                       3380
Ø513- 9Ø ØE
                                                                            05B4- A.
05B5- D0 08
05B7- C8
                                                                                                       3390
                                                                                                                             TAX
                                                                                                       3400
                                                                                                                             BNE NOTEN
Ø515- A2 Ø6
Ø517- BD 5F Ø6 2510 MEMCHR
                                                                                                                             INY
                                                                                                       3410
                     2540 BPL MEMCHR 05B8- B1 01
2550; MESSAGE DISPLAYED: QUIT NOW 05BC- 4C 12 06
2570 DIFFPAGE BCC MEMBAD 05C1- B1 01
2580 MEMOK LDA #$00 05C3- 8E 16 04
2590 STA MODE
2600 INC BLOCK 05C6- 8D 17 04
2610 JMP INITY
                                                                                                       3420 ; LAST LINE OF TOKENS DONE?
                                            JSR PRINT
Ø51A- 20 D2 FF 2520
051D- CA
051E- 10 F7
                                                                                                       3430 LDA (WHERE),Y
3440 BNE NOTEN
3450 JMP TOKDONE
                                                                                                                            LDY #1
LDA (WHERE),Y
0520- 60
                                                                                                       3460 NOTEN
                                                                                                       347Ø
348Ø
Ø521- 9Ø F2
Ø523- A9 ØØ
                                                                                                                             STX STLOC
0523- A9 00 2590
0525- 8D 19 04 2590
                                                                                                       3490 ; SET END OF CURRENT LINE
Ø528- EE 1A Ø4 26ØØ
Ø52B- 4C 7B Ø4 261Ø
                                                                            05C6- 8D 17 04 3500 STA STLOC+1
05C9- A0 04 3510 LDY #4
05CB- E6 01 3520 TOTXT INC *WHERE
                                                                                                       3510 LDY #4
3520 TOTXT INC *WHERE
3530 ; STEP PAST POINTER
3540 ; AND LINE NUMBER
Ø52E- 58
                      2620 LOADED CLI
2630 ; ALLOW INTERRUPTS NOW
                      2630 ; ALLOW INTERRUPTS NOW
2640 LDA *WHERE
2650 ; SET HIGH ADDRESS 05CD- D0 02 3550 BNE WHOK
2660 STA STLOC 05CF- E6 02 3560 INC *WHEI
2670 LDA *WHERE+1 05D1- 88 3570 WHOK DEY
2680 STA STLOC+1 05D2- D0 F7 3580 BNE TOTX'
2690 ; INITIALIZATION FOR CHECKSUM 05D4- B1 01 3590 TRLOOP LDA (WHEI
2700 ; AND PROGRAM LINKAGE 05D6- C9 22 3600 CMP #$22
3610 ; IS IT A QUOTE?
Ø52F- A5 Ø1
                                                                                                                              INC *WHERE+1
Ø531- 8D 16 Ø4
Ø534- A5 Ø2
                                                                                                       3580 BNE TOTXT
3590 TRLOOP LDA (WHERE),Y
Ø536- 8D 17 Ø4
                                           STA *WHERE+1
LDA #5
STA $0402
LDA #1
 Ø539- A9 Ø8
                       2720
                                            LDA #8
                                                                                 05D8- D0 0F
                                                                                                                              BNE NOO
                                                                                                       3620
3630
                       2730
 Ø53B- 85 Ø2
                                                                                 05DA- AD 19 04
05DD- F0 05
05DF- CE 19 04
                                                                                                                              LDA MODE
                     2740
2750
2760
2770
2780
2790
 Ø53D- A9 Ø5
                                                                                                      3640
3650
3660
                                                                                                                              BEQ MODEON
 Ø53F- 8D Ø2 Ø4
                                                                                                                              DEC MODE
 0542- A9 01
0544- 85 01
                                                                                 Ø5E2- FØ 12
                                                                                                                              BEQ NXTCHAR
                                           STA *WHERE
STA $0401
                                                                                                        3670 ; ** ALWAYS GOES **
 Ø546- 8D Ø1 Ø4
                                                                                 05E4- EE 19 04 3680 MODEON INC MODE
                       2790 STA MODE 05E4- EE 19 04
2800 ; NOW USE 'MODE' AS QUOTE-MODE FLAG
 Ø549- 8D 19 Ø4
                                                                                                                              BNE NXTCHAR
                                                                                                        3690 BNE NXTC
3700; ** ALWAYS GOES **
                       2810 ; VALUES ARE:
                       2820; 0 - CURRENTLY INSIDE QUOTES
2830; 1 - NOT IN QUOTES
2840:
                                                                                 05E9- AE 19 04 3710 NOQ LDX MODE
05EC- F0 08 3720 BEO NXTC
                                                                                 Ø5EC- FØ Ø8
                                                                                                        3720
                                                                                                                              BEQ NXTCHAR
                                                                                                        3730 ; BRANCH IF WE ARE IN QUOTES
                       2840 ;
                                                                                                        3740 TAX
3750 BPL
                                                                                 Ø5EE- AA
                                                                                                                              BPL NXTCHAR
 054C- A9 FF
                       2850
                                             LDA #SFF
                                                                               Ø5EF- 10 Ø5
                                                                            3760 ; ONLY TRANSLATE TOKENS
05F1- BD 00 07 3770 LDA $0700,X
                                             LDY #Ø
054E- A0 00
0550- 51 01
                       2860
                      2870 CHKLOOP EOR (WHERE), 2880; CHECKSUM CALCULATION INC *WHERE BNE CHKEND
                                                                                                       3780 ; TRANSLATE FROM TABLE
3790 STA (WHERE)
                                                                                                        STA (WHERE),Y
3800 NXTCHAR INC *WHERE
3810 BNE WHEOV
3820
 Ø552- E6 Ø1
                                                                                 05F4- 91 01
05F6- E6 01
 Ø554- DØ Ø2
                      Z910 INC *WHERE+1
2920 CHKEND LDX *WHERE
2930 CPX STLOC
2940
 Ø556- E6 Ø2
 Ø558- A6 Ø1
                                                                                 05FA- E6 02
05FC- A5 01
 Ø55A- EC 16 Ø4
                                                                                                        3830 WHEOK LDA *WHERE
 Ø55D- DØ F1
                                             BNE CHKLOOP
                       2940
                                                                                05FE- CD 16 04
                                                                                                                              CMP STLOC
                                                                                                        3840
 055F- A6 02
                       2950
                                             LDX *WHERE+1
                                                                                                        3850 ; HAVE WE FINISHED THIS LINE?
                                             CPX STLOC+1
BNE CHKLOOP
 Ø561- EC 17 Ø4
                       2960
                                                                                 0601- D0 D1
                                                                                                        386Ø
387Ø
                                                                                                                              BNE TRLOOP
                       2970
 0564- DØ EA
                                                                                  0603- A5 02
                                                                                                                              LDA *WHERE+1
 Ø566- D1 Ø1
                       2980
                                             CMP (WHERE), Y
                                                                                  0605- CD 17 04
                                                                                                        3880
                                                                                                                              CMP STLOC+1
                                             BEO CHKOK
 Ø568- FØ 15
                       2990
                                                                                 0608- D0 CA
060A- A9 01
060C- 8D 19 04
                                                                                                        3890
                                                                                                                              BNE TRLOOP
 Ø56A- AD 1B Ø4
                                             LDA BAD
                       3000
                                                                                                        3900
3910
                                                                                                                              LDA #1
                       3010 ; PRINT 'BAD'
                                                                                                                              STA MODE
                                          JSR PRINT
                       3020
                                                                                                        3920 ; RESET QUOTE MODE FLAG
                       3030
 0570- AD 1C 04
                                             LDA BAD+1
                                                                                 060F- 4C B0 05 3930
                                                                                                                            JMP TRANS
 Ø573- 20 D2 FF
                                             JSR PRINT
                       3040
                                                                                                        3940 ;
 Ø576- AD 1D Ø4
                       3050
                                             LDA BAD+2
                                                                                                        3950 ; FINISHED TOKEN TRANSLATION
 0579- 20 D2 FF
                                             JSR PRINT
                       3060
                                                                                                        3960 TOKDONE INC STLOC
3970; INCLUDE THE '00 00' (END OF
3980; PROGRAM) IN THE LENGTH
                                                                               Ø612- EE 16 Ø4
                      3070; DO THE REST ANYWAY
3080 JMP CASSR
                      3090 CHKOK T.D. O.
 Ø57C- 4C 8B Ø5
 Ø57F- AD 1E Ø4
                                                                                                        3990 ;
                       3100 ; PRINT 'OK'
                      3110 JSR PRINT
3120 LDA OK+1
3130 JSR PRINT
3140 CASSREL LDA #1
3150 STA *WHERE
3160 LDA #8
                                                                                 Ø615- DØ Ø3
                                                                                                        4000
                                                                                                                              BNE MORLOC
                                                                                 0617- EE 17 04
061A- EE 16 04
 Ø582- 20 D2 FF
                                                                                                        4010
                                                                                                                              INC STLOC+1
INC STLOC
 0585- AD 1F 04
                                                                                                        4020 MORLOC
 Ø588- 20 D2 FF
                                                                                 061D- D0 03
061F- EE 17 04
                                                                                                        4030
4040
                                                                                                                              BNE LOCDON
 Ø58B- A9 Ø1
Ø58D- 85 Ø1
                                                                                                                              INC STLOC+1
                                                                                 Ø622- AD 16 Ø4
                                                                                                        4050 LOCDON
                                                                                                                             LDA STLOC
 Ø58F- A9 Ø8
                                                                                 Ø625- 85 2C
                                                                                                        4060
                                                                                                                             STA *PGMEN+2
```

Ø7B1- 8E

\$8E

; RETURN

.BY

4940

```
Ø627- 85 2E
                   4070
                                     STA *PGMEN+4
                                                                   07B2- 8F
                                                                                     4950
                                                                                              .BY $8F
                                                                                                             ; REM
 Ø629- AD 17 Ø4
Ø62C- 38
                   4080
                                     LDA STLOC+1
                                                                   07B3- 90
                                                                                     4960
                                                                                              .BY
                                                                                                  590
                                                                                                               STOP
                   4090
                                     SEC
                                                                   07R4- 91
                                                                                     4970
                                                                                              .BY
                                                                                                  $91
                                                                                                               ON
 062D- E9 03
                   4100
                                     SBC #$Ø3
                                                                   Ø7B5- 92
                                                                                     4980
                                                                                              .BY
                                                                                                  $92
                                                                                                               WATT
 Ø62F- 85 2D
                   4110
                                     STA *PGMEN+3
                                                                   07B6- 93
                                                                                     4990
                                                                                              -BY
                                                                                                  593
                                                                                                               LOAD
 Ø631- 85 2F
                   4120
                                     STA *PGMEN+5
                                                                   07B7- 94
                                                                                     5000
                                                                                              .BY
                                                                                                  $94
                                                                                                               SAVE
                   4130
                                                                   07B8- 96
                                                                                              .BY
                                                                                     5010
                                                                                                  $96
                                                                                                               DEF
                   4140 ; SET UP PROGRAM LINKS FOR
                                                                   Ø7B9-
                                                                         97
                                                                                     5020
                                                                                              .BY
                                                                                                  $97
                                                                                                               POKE
                   4150
                        ; MOVE FROM $0801 TO $0501
                                                                   07BA-
                                                                         99
                                                                                     5030
                                                                                              - BY
                                                                                                  $99
                                                                                                               PRINT
                   4160
                                                                   Ø7BB- 9A
                                                                                     5040
                                                                                              .BY
                                                                                                  S9A
                                                                                                               CONT
 Ø633- A9 Ø1
                   4170
                                     LDA #1
                                                                   Ø7BC- 9B
                                                                                              .BY
                                                                                     5050
                                                                                                  SAB
                                                                                                               LIST
 Ø635- 85 Ø1
                   4180
                                     STA *WHERE
                                                                   07BD- 9C
                                                                                     5060
                                                                                              .BY
                                                                                                  SAC
                                                                                                               CLEAR
 Ø637- A9 Ø8
                   4190
                                     T.DA #8
                                                                   07BE- Al
                                                                                     5070
                                                                                              .BY
                                                                                                  SAT
                                                                                                               GET
 0639- 85 02
                   4200
                                     STA *WHERE+1
                                                                   07BF- A2
                                                                                     5080
                                                                                              . BY
                                                                                                  SA2
                                                                                                               MEW
 063B- A0 00
                   4210
                        RELLP
                                     LDY #0
                                                                   07C0- A3
                                                                                     5090
                                                                                              .BY
                                                                                                  SA3
                                                                                                               TAB (
 Ø63D- B1 Ø1
                   4220
                                     LDA (WHERE), Y
                                                                   07C1- A4
                                                                                     5100
                                                                                              . BY
                                                                                                  SA4
                                                                                                               TO
 Ø63F- 8D 14 Ø4
                   4230
                                     STA
                                         STLEN
                                                                   Ø7C2- A5
                                                                                     5110
                                                                                              . BY
                                                                                                  $A5
                                                                                                               FN
                                                                                                             :
 Ø642- C8
                   4240
                                     TNY
                                                                   Ø7C3- A6
                                                                                     5120
                                                                                              .BY
                                                                                                  $A6
                                                                                                               SPC
Ø643- B1 Ø1
                   4250
                                     LDA
                                         (WHERE),Y
                                                                   07C4- A7
                                                                                     5130
                                                                                              .BY
                                                                                                  SA7
 Ø645- FØ 15
                                                                                                               THEN
                   4260
                                     BEQ RELDONE
                                                                   Ø7C5- 9D
                                                                                     5140
Ø647- 8D 15 Ø4
                                                                                              .BY
                                                                                                  S9D
                                                                                                               *AT
                  4270
                                    STA STLEN+1
                                                                   Ø7C6- A8
                                                                                     5150
                                                                                              . BY
                                                                                                  SAR
                                                                                                               MOT
Ø64A- 38
                   4280
                                    SEC
                                                                   07C7- A9
                                                                                     5160
                                                                                              .BY
                                                                                                  SA9
                                                                                                               STEP
Ø64B- E9 Ø3
                   4290
                                    SBC
                                                                  07C8- AA
                                                                                     5170
                                                                                              .BY
                                                                                                  $AA
                                                                                                              +
Ø64D- 91 Ø1
                  4300
                                    STA (WHERE), Y
                                                                   Ø7C9- AB
                                                                                     5180
                                                                                              .BY
                                                                                                  $AB
Ø64F- AD 14 Ø4
                  4310
                                    LDA STLEN
                                                                   Ø7CA- AC
                                                                                     5190
                                                                                              .BY
                                                                                                  $AC
                                                                                                                 (TIMES)
Ø652- 85 Ø1
                   4320
                                    STA
                                         *WHERE
                                                                   Ø7CB- AD
                                                                                    5200
                                                                                              .BY
                                                                                                  $AD
Ø654- AD 15 Ø4
                  4330
                                    LDA STLEN+1
                                                                   07CC- AE
                                                                                    5210
                                                                                              .BY
                                                                                                  $AE
                                                                                                                (EXPONENTIATION)
0657- 85 02
                  4340
                                    STA
                                         *WHERE+1
                                                                   07CD- AF
                                                                                    5220
                                                                                              .BY
                                                                                                  $AF
                                                                                                               AND
Ø659- 4C 3B Ø6
                  4350
                                    JMP RELLP
                                                                   07CE- B0
                                                                                    5230
                                                                                              .BY
                                                                                                  SBØ
                                                                                                               OR
Ø65C- 4C 23 Ø4
                  4360 RELDONE
                                    JMP MOVE
                                                                   07CF- B1
                                                                                    5240
                                                                                              -BY
                                                                                                  SR1
Ø65F- 47 49 42
                  4370 TOOBIG
                                    -BY
                                         'GIB OOT'
                                                                   07D0- B2
                                                                                    5250
                                                                                              .BY
                                                                                                  $B2
Ø662- 2Ø 4F 4F
                                                                   07D1- B3
                                                                                    5260
                                                                                              .BY
                                                                                                  $B3
0665- 54
                                                                   07D2- B4
                                                                                    5270
                                                                                                  $B4
                                                                                              .BY
                                                                                                               SGN
                  4380 ; MESSAGE 'TOO BIG' REVERSED
                                                                   07D3- B5
                                                                                    5280
                                                                                              .BY
                                                                                                  $B5
                                                                                                               INT
                  4390
                                    .BA $0780
                                                                   07D4- B6
                                                                                    5290
                                                                                              .BY
                                                                                                  $B6
                                                                                                               ABS
                  4400
                                                                   07D5- B7
                                                                                    5300
                                                                                              .BY
                                                                                                  $B7
                                                                                                               USR
                       ; **** TOKEN TRANSLATION TABLE ***
                  4410
                                                                  07D6- B8
                                                                                    5310
                                                                                              .BY
                                                                                                  $88
                                                                                                               FRE
                  4420
                                                                  Ø7D7- 9D
                                                                                    5320
                                                                                              .BY
                                                                                                  $9D
                                                                                                               *SCRN(
                  4430
                       ; (SEE FOOTNOTES BELOW)
                                                                  Ø7D8- 9D
                                                                                    5330
                                                                                              .BY
                                                                                                  S9D
                                                                                                               *PDL
                  4440
                       ;
                                                                  07D9- B9
                                                                                              .BY
                                                                                    5340
                                                                                                  $89
                                                                                                               POS
0780- 80
                  4450
                             . BY $80
                                            ; END
                                                                  07DA- BA
                                                                                    5350
                                                                                              .BY
                                                                                                  $BA
                                                                                                               SOR
Ø781- 81
                  4460
                             .BY
                                  $81
                                              FOR
                                                                  Ø7DB- BB
                                                                                              .BY
                                                                                    5360
                                                                                                  SBB
                                                                                                              RND
Ø782- 82
                             .BY
                                  $82
                  4470
                                              NEXT
                                                                  Ø7DC- BC
                                                                                              .BY
                                                                                    5370
                                                                                                  SBC
                                                                                                              LOG
Ø783- 83
                  4480
                             .BY
                                  $83
                                              DATA
                                                                  07DD- BD
                                                                                              .BY
                                                                                    5380
                                                                                                  SRD
                                                                                                              EXP
Ø784- 85
                  4490
                             .BY
                                  $85
                                              TNPIIT
                                                                  07DE- BE
                                                                                    5390
                                                                                              .BY
                                                                                                  SRE
                                                                                                              COS
0785- 95
                  4500
                             .BY
                                  $95
                                              *DEL
                                                                  07DF- BF
                                                                                    5400
                                                                                              .BY
                                                                                                  SRF
                                                                                                              SIN
Ø786- 86
                  4510
                             .BY
                                 $86
                                              DIM
                                                                  07E0- C0
                                                                                    5410
                                                                                              .BY
                                                                                                  SCØ
                                                                                                              TAN
0787- 87
                  4520
                             .BY
                                  $87
                                              READ
                                                                  07E1- C1
                                            ;
                                                                                    5420
                                                                                              .BY
                                                                                                  $Cl
                                                                                                              ATN
Ø788- 9D
                  4530
                                              *GR
                             .BY
                                 S9D
                                            ;
                                                                  07E2- C2
                                                                                    5430
                                                                                              .BY
                                                                                                  SC2
                                                                                                              PEEK
Ø789- 9A
                  4540
                             .BY
                                  $9A
                                              *TEXT/CONT **
                                                                  07E3- C3
                                                                                    5440
                                                                                              .BY
                                                                                                  $C3
                                                                                                              LEN
Ø78A- 98
                  4550
                                 $98
                                              PR#/PRINT# *
                             .BY
                                                                  07E4- C4
                                                                                    5450
                                                                                              - BY
                                                                                                  SC4
                                                                                                              STRS
Ø78B- 84
                  4560
                             .BY
                                 $84
                                              IN#/INPUT# *
                                                                  Ø7E5- C5
                                                                                    5460
                                                                                              .BY
                                                                                                  $C5
                                                                                                              VAL
                                              CALL/SYS
Ø78C- 9E
                  4570
                             .BY
                                 $9E
                                                                  Ø7E6- C6
                                                                                    5470
                                                                                              .BY
                                                                                                  SC6
                                                                                                              ASC
078D-
      9 D
                  4580
                             . BY
                                 S9D
                                              *PI.OT
                                                                  Ø7E7-
                                                                         C7
                                                                                    5480
                                                                                              .BY
                                                                                                  $C7
                                                                                                              CHRS
078E-
      9D
                  4590
                             .BY
                                  $9D
                                              *HLIN
                                                                  07E8- C8
                                                                                    5490
                                                                                              .BY
                                                                                                  $C8
                                                                                                              LEFTS
078F-
                  4600
                             .BY
                                  $9D
                                              *VLIN
                                                                  Ø7E9- C9
                                                                                             .BY
                                                                                    5500
                                                                                                  $C9
                                                                                                              RIGHTS
0790- 9D
                  4610
                             .BY
                                 SAD
                                              *HGR2
                                                                  07EA- CA
                                                                                    5510
                                                                                              .BY $CA
                                                                                                            : MIDS
0791- 9D
                  4620
                             .BY
                                 $9D
                                              *HGR
                                                                                    5520
0792- 9D
                  4630
                                 SOD
                             .BY
                                              *HCOLOR=
                                                                                    5530
                                                                                            REMAINDER NOT IMPLEMENTED
Ø793- 9D
                  4640
                             .BY
                                 $9D
                                              *HPLOT
                                                                                    5540
                                                                                            SUBSTITUTE 'REM'
0794-
      9 D
                  4650
                                 $9D
                                              *DRAW
                             .BY
                                                                                    5550
Ø795- 9D
                  4660
                             .BY
                                 $9D
                                              *XDRAW
                                                                  07EB- 8F 8F 8F
                                                                                    5560
                                                                                            .BY $8F $8F $8F $8F $8F $8F
Ø796- A3
                  4670
                                              *HTAB/NEW
                             .BY
                                 $A3
                                                                  07EE- 8F 8F
0797- 9F
                  4680
                             .BY
                                 $9F
                                              *HOME/OPEN **
                                                                  07F1- 8F 8F 8F
                                                                                    5570
                                                                                            .BY $8F $8F $8F $8F $8F $8F
0798-
      9 D
                  4690
                                 $9D
                                              *ROT=
                             -BY
                                                                  Ø7F4- 8F
                                                                            8F
0799-
      9D
                  4700
                             .BY
                                 $9D
                                              *SCALE=
                                                                  Ø7F7- 8F 8F 8F
                                                                                    5580
                                                                                            .BY $8F $8F $8F $8F $8F
079A- 9D
                  4710
                             .BY
                                 $9D
                                              *SHLOAD
                                                                  Ø7FA- 8F 8F
                                                                               8F
Ø79B- 95
                  4720
                             .BY
                                 $95
                                              *TRACE
                                                                  07FD- 8F 8F 8F
                                                                                    5590
                                                                                            .BY $8F $8F $8F
079C- 95
                  4730
                             .BY
                                 $95
                                              *NOTRACE
                                                                                    5600
Ø79D-
      95
                  4740
                                 $95
                                              *NORMAL
                             .BY
                                                                                    5610
                                                                                            COMMANDS WHICH ARE PRECEEDED BY
Ø79E- 95
                  4750
                                              *INVERSE
                             . BY
                                 $95
                                                                                    5620
                                                                                            AN ASTERISK ABOVE ARE NOT
079F-
      95
                  4760
                                              *FLASH
                             .BY
                                 $95
                                                                                    5630
                                                                                            IMPLEMENTED ON THE PET. THE ONES
07A0- 9D
                  4770
                                 $9D
                                              *COLOR=
                             .BY
                                                                                    5640
                                                                                            WHICH DEPEND ON APPLE HARDWARE
07A1- 95
                  4780
                             .BY
                                 $95
                                              *POP
                                                                                    5650
                                                                                            (GRAPHICS AND PDL) ARE TRANSLATED
07A2- A0
                  4790
                                              *VTAB/CLOSE **
                             .BY
                                 SAØ
                                                                                            INTO 'CMD', THE OTHERS INTO
                                                                                    5660
Ø7A3- 95
                                              *HIMEM
                  4800
                             .BY
                                 $95
                                                                                            'VERIFY'
                                                                                    5670
07A4-
      95
                                 $95
                                              *LOMEM
                  4810
                             .BY
                                                                                    5680
07A5-
      95
                                 $95
                                              *ONERR
                  4820
                             .BY
                                                                                    569Ø
                                                                                            COMMANDS WITH AN ASTERISK TO
Ø7A6-
      95
                  4830
                                 $95
                                              *RESUME
                             .BY
                                                                                            THE RIGHT MAY TRANSLATE BADLY.
                                                                                    5700
07A7-
      93
                  4840
                             .BY
                                 593
                                              *RECALL/LOAD **
                                                                                    5710
Ø7A8- 94
                  4850
                             .BY
                                 $94
                                              *STORE/SAVE
                                                                                    5720
                                                                                            COMMANDS WITH TWO ASTERISKS ARE
      95
Ø7A9-
                  4860
                             .BY
                                 $95
                                              *SPEED=
                                                                                    5730
                                                                                            PHONY TRANSLATIONS FOR MANUAL
07AA- 88
                  4870
                             .BY
                                 $88
                                             LET
                                                                                    5740
                                                                                            CONVERSION.
Ø7AB- 89
                  4880
                             -BY
                                 $89
                                             GOTO
                                                                                    575Ø
07AC- 8A
                  4890
                                 $8A
                                             RUN
                             .BY
                                                                                    5760
                                                                                            SEE ARTICLE FOR DETAILS.
07AD- 8B
                  4900
                                             IF
                             .BY
                                 $8B
                                                                                    5770
07AE- 8C
                  4910
                                 $8C
                                             RESTORE
                             .BY
                                                                                            END OF PHONY BASIC PROGRAM
                                                                                    5780
07AF- 95
                  4920
                             .BY
                                 $95
                                              * &
                                                                                                      .BY Ø Ø Ø
                                                                  0800- 00 00 00
                                                                                    5790
07B0- 8D
                  4930
                             .BY
                                 SBD
                                             GOSUB
                                                                                    5800
                                                                                                      - EN
```

APPLESOFT LOADER - TAPE CONTENTS

File 1. "APP LOAD SOURCE"

- The source for the program in the format used by Carl Moser's ASSM/TED.
- Requires a 'SET' command due to size.
- SET \$4100 \$6FFF will leave some room.

File 2. "APP LOAD SOURCE" - second copy

FILE 3. "APP LOAD OBJ"

- The object program.
- Can be LOADed and SAVEd from BASIC. (ie. doesn't require machine-language monitor)
- The cassette must be moving before you type RUN.

File 4. "APP LOAD OBJ" - second copy

File 5. "APP LOAD IMAGE"

- Memory-image of source program saved using machinelanguage monitor
- Resides in \$4100 to \$6800

ASSEMBLE

Allows PRINT and ASSEMBLE to function with disk version of ASSM/TED. (I think that's all that will work). Use the following sequence of commands: SYS 4: get into machine-language monitor. L "APP LOAD IMAGE" (load the source) (load ASSM/TED).
 G 2000 - invoke the assembler SET \$4100 \$6800 HARD SET

File 6. "APP LOAD IMAGE" - second copy

QUALITY PRODUCTS FOR PET/CBM COMPUTERS

SOFTWARE BY MICRO SOFTWARE SYSTEMS

Hesory	Program name	Description	Price	
8k +	Cheque-check	Balance checkbook easily ("best")	\$ 9.95	
8k .	Math-calc	Extended math, tris functions	\$ 9.95	
8k .	Metric-calc	RPH calculator, conversions	\$ 9.95	
8k *	Finance-calc	Loams, savings, mortgage!	\$ 9.95	
16k *	Super-calc	Math, financial- all you need!	\$19.95	
32k *	Macro-calc	Math, finance, AND metric com-	\$29.95	
8 k	Bigital Clock	Attractive, bis, 12/24-hour	\$ 5.95	
8k	Billboard	"times square" display ("best")	\$19.95	
8k	Softool Kit I	Add utilities to your program	\$19.95	
8 k	Men-Explorer	See how your program is stored	\$ 9.95	
16k	Var-Dict/Xref	Variable dictionary, cross-ref	\$19.95	
8k *	Suee-Pins	Create patterns, test reactions	\$ 5.95	

For programs marked with *, please specify Uersion 1 (Basic 2.0) or Uersion 2 (Basic 3.0) ROMs. Write for availability of programs for Uersion 3 (Basic 4.0) ROMs and 80 column displays. MSS Disk programs available soon. Hore are on the way, write for latest list.

ACCESSORY INTERFACE DEVICES

All interfaces are assembled, tested, and waranteed. No software is required, simply plus in and use. Many satisfied customers know that our lower prices mean better smallty!

TU-65C Interface PET/CBM to Centronics, NEC, Xynec, or other industry standard parallel printers. Simply plus in to concuter and printer... no software required. Works with disk, other IEEE devices attached. \$129.95

TU-6514 Interface PET/CBM to RS-232 (serial) printers, such as the popular Heathkit H-14, 1200 baud (other rates available an resuest). No software resuired. Power pack included, \$79,95

TU-PUE Uideo Expansion for PET/CBM allows plus-connection of your convuter to an external video monitor or TU converter. Unisue connectors allow attachment of other cables, peripherals via contact extensions. \$29.95

TU-8014 Interface TRS-80 to RS-232 printers such as the Heathkit H-14. Plues into printer, Radio Shack expansion interface. No software required, allows printer to run at its maximum speed. Nothing else to buy! \$69.95

Virginia Micro Systems

1408 Idaho Street, Woodbridge, Virginia 22191 (703) 494-4057

UISA/MC UR add 4% Dealer inquiries invited

OTHER NEW PRODUCTS:

- -Screen formatting/editing
- -Printer drivers for NEC, TI-810, and other ASCII printers



YOUR COMMUNICATING PET

0

Your PET can now become an intelligent terminal: send and receive Word Pro files and programs. Your PETcan communicate with mainframes and other PETs. The PET can communicate simultaneously with another PET, or you can transmit entire files. This package can be incorporated into your programs, used for business applications or two player games. Works on new PETs with 40 or 80 column screens and comes with demonstration programs. Price: \$195.00

Features include:

- -Full and half duplex, also local echo.
- -Supports odd, even and mark parity.
- -CRC, error checking for PET to PET files.

Conpolete State Na

1825 MONROE STREET, MADISON, WI 53711 (608) 255-5552

Dealer Inquiries

Capute Wherein we acknowledge recent goofs. . .

This page brought to you by Robert Lock, Editor/Publisher and our (sometimes hostile) but always active readers.

Corrections for Larry's Atari Article on Input/Output

Here are some corrections to my article in the July/August COMPUTE on Input/Output on the ATARI. First of all, the listings are numbered incorrectly. Listings 1 through 3 are numbered ok. Listing 7 should be Listing 4. And, Listings 4 through 6 should be Listings 5 through 7, respectively.

In the text concerning the XIO9 and XIO5 commands, references are made to an EOF character. These should be EOL characters instead. Also in this section, just under Listing 5, the paragraph on the XIO5 command makes comparisons to the PRINT command several times. These comparisions should be to the INPUT command instead. Thanks to the folks at *Iridis* for pointing out these last corrections.

Program Listings for COMPUTE

Cursor control characters will appear in source listings as shown below:

h=HOME , ĥ=CLEAR SCREEN ψ=DOWN CURSOR , ↑=UP CURSOR ⇒=RIGHT CURSOR, ←=LEFT CURSOR r=REVERSE , r=REVERSE OFF

Graphics (i.e. shifted) characters will appear as the unshifted alphanumeric character with an underline. This does not apply to the cursor control characters. The Spinwriter thimble doesn't have a backarrow symbol, so a "~" is used instead.

The "¬" is used to indicate the beginning of a continuation line. It is also used to indicate the end of a line which ends with a space. This prevents any spaces from being hidden.

Advertiser's Index

Automoor o maox	
AB Computers	50.5
Abacus Software	24 11
Andreweda Computer Custome	
Andromeda Computer Systems	0
Harry H. Briley	103
Cognitive Products	35
Commodore	RC.
Competitive Software	15
Compute	25
Computer Content of Court Donal	
Computer Center of South Bend	
Computer House Div	16
Computhink	
Connecticut Microcomputer	/1
CMS Software Systems	2 105
Croative Computing	
Creative Computing	
Creative Software	97
Cursor	91
Cyberia, Inc.	29
Cyberia, Inc. Data Equipment Supply Co.	07
D&R Creative Systems	20
Dr. Delay's Coff.	
Dr. Daley's Software	
Eastern House Software	57
ECX Co	
Elcomp Books	100
Electronic Specialists, Inc.	۸۱
ETC Corporation	41
ETC Corporation	24
F.I. Electronics	12, 13
Forethought Products	
FFS	91
Hayden Publishing	27
Highlands Computer Services	
nightanas Computer Services	
House of Computers, Inc.	55, IO3
Intermountain Data	93
International Technical Services, Inc.	
IRIDIS	73
JACC, Inc.	77
Lomdata Products	
Lemdata Products	
Madison Computer	119
Malco	109
Melad Associates	//3
Micro Computer Industries, Ltd	05
Micro Technology Unlimited	1 100 040
Micro Technology Offill filled	I, IBC, DIVIC
Micro-Ed, Inc.	38, 39, DIVIC
Micro-Ed, Inc. Micro-Mini Computer World	
Microtech	101
Microphys Programs	21 22
NEECO	9.0
Omaga Computer Draducts	
Omega Computer Products	85
Optimized Data	
Osborne & Associates	47
Petted	109
Professional Software	IEC
Program Design, Inc.	
Programmatics	84
Quality Software	
Howard Sams & Co	
Sawver Software	21
Sawyer Software	10 87 113 DMC
Small Pusipose Computer Customs	17, 07, 110, 01010
Small Business Computer Systems	
The Software Exchange	53
Systems Formulate Corp	
TÍS	
T.H.E.S.I.S	
TNW Corporation	103
Virginia Mioro Customa	
Virginia Micro Systems	119
Zeigler Electronic Products	95

COMPUTE. The Journal For Progressive Computing. TM					
The Journal For Frogressi	ve Companing.				
My computer is: PET				SYM	KIM
☐ Please enter my 1 ☐ New subscription ☐ Renewal subscript		e) subscript	ion to CO	MPUTE.	
\$16.00 (U.S \$18.00 U.S.	. Mail Orde Funds (Co	er Subscri Inadian S	ption) Subscript	tion)	
My Name, Address:					
Charge my Visa Number COMPUTE and compute II are pub Greensboro, N.C. 27403 919-272-48	lications of Small Syst	E	xpires	/	_/
COMPUTE. The Journal For Progre	ssive Computin	ng. TM			
me Journal For Frogre	33170 0011111111111111111111111111111111	.9.			
My computer is: PET	APPLE _	ATARI	OSI _	SYM _	KIM _
☐ Please enter my☐ New subscription☐ Renewal subscri	1 year (12 iss				
\$16.00 (L \$18.00 U.	I.S. Mail Or	der Subsc Canadian	cription) Subscri	ption)	
My Name, Address:					
Charge my Visa Number	N	MC	Expires	/	
COMPUTE and compute II are Greensboro, N.C. 27403 919-27		System Services, In			
The Editor's Fe	PET/CBN	Λ Λ	ARI	_ APPLE	_ OTHER
My application is (Home/Perso Industrial	onal B	usiness	Educa	itional	
Comments:					
Content: Best Article This Iss	ue (page #,	title)			
I'd like to see more articles in COMPUT I'd like to see fewer					
articles in COMPUT Other suggestions:	E.				

COMPUTE./compute II
Post Office Box 5406
Greensboro, NC 27403

Place Stamp Here

COMPUTE./compute IIPost Office Box 5406
Greensboro, NC 27403

Place Stamp Here

COMPUTE./compute IIPost Office Box 5406
Greensboro, NC 27403

Dear Mic	ro Technology Unlimited:
	sh me the Fall 1979 catalog of 6502 expansion and on products.
I have th	e following computer(s):
Old PET_	, New PET, AIM-65, KIM-1, SYM-1
Thank yo	ou for expediting.
	Sincerely,
NAME: _	
STREET:	
CITY/STAT	TE/ZIP:
	COMPUTE
_	
	MICRO-ED:
l wou	ıld like further information on
your	educational programs
Name	
Addres	ss
0.4	
City _	State Zip
Λ	
S	kyles Electric Works
5 v	YES, I WANT MORE INFORMATION ABOUT: PET PERIPHERALS
	8, 16, 24 K bytes of PET Memory Expansion Systems
	Full sized PET Keyboard with numeric pad
	PAL-40 (40 column), PAL-80 (80 column) PET Printers
PET PR	OGRAMMING AIDS
	BASIC PROGRAMMERS TOOLKIT
	MacroTeA 6502 Software Development System
Name	
Address_	

☐ Please send name of local Skyles Electric Works dealer.

City/State/Zip_____

Place Postage Stamp Here

Micro Technology Unlimited P.O. Box 12106 2806 Hillsborough St. Raleigh, NC 27605

> PLACE STAMP HERE

MICRO-ED, INC. P.O. Box 24156 Minneapolis, MN 55424



NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

First Class


Permit No. 503

Cupertino, CA

Postage will be paid by addressee:

Skyles Electric Works 10301 Stonydale Drive P. O. Box 574 Cupertino, CA 95015





The Great American Solution Machine.

More than 50,000 students, teachers and administrators solve problems with this reliable Commodore computer.

You're looking at the Number One computer in education today.

In fact, you've probably already used it.

The Commodore.

You know it teaches. Guides. Challenges. Analyzes. Organizes. Simplifies. But did you know it has capabilities that are far beyond its price range?

You can accomplish tasks with The Commodore at a price/performance ratio that leads the field.

You can also count on The Commodore showing up for class every day.

It's a remarkably sophisticated, remarkably reliable machine. Around

the world in

schools—and businesses too—there are more than 100,000 Commodore computers now at work.

If you sense a snag in the flow of knowledge in your classes, we think you should challenge The Commodore.

Compare it against any computer in—or above—its field.

See if it won't raise the level of interest and accomplishment among your students.

And simplify the complex in your administrative duties.

All at a price that makes it stand alone.

For the name of your nearest authorized Commodore dealer, just write to: Commodore Business Machines, Inc., 3330 Scott Blvd., Santa Clara, CA 95051

Call now toll-free. Ask for operator 973:

800-824-7888

(In Calif., 800-852-7777) (In Alaska and Hawaii, 800-824-7919)

(commodore

