# HP LaserJet Managed MFP E52645 series



Handle business solutions securely, plus help conserve energy with HP EcoSmart toner.

Choose an HP LaserJet Enterprise MFP designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer you can rely on.<sup>a</sup>

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies

-

HP LaserJet Managed Flow MFP E52645c



HP LaserJet Managed MFP E52645dn

#### The world's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

#### Low costs, low energy use

- Stay productive with reliable cartridges, and help save energy while printing with HP EcoSmart black toner.\*
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.<sup>2</sup>
- Enhanced energy savings —up to 29% over prior products8 plus save with Auto-on/Auto-off technology.<sup>3</sup>
- This MFP fits in tight places to boost performance in almost any workspace.

#### Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin<sup>4</sup>—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloud-based printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.<sup>5</sup>
- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.<sup>7</sup>

#### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 100 pages into the automatic document feeder for fast, unattended scanning.

<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThat/Protect. For more information: http://www.hp.com/go/printersecurity/daims<sup>2</sup> High Yield Black Original LaserLet Toner Cartridges not included; please purchase separately.<sup>3</sup> HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.<sup>4</sup> HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.<sup>5</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager.<sup>6</sup> Can speeds massured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>7</sup> To enable HP Ream, some devices may required learn more information accessory to add Bluetooth® Low Energy BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam.<sup>8</sup> HP calculations based on Energy Star normalized TEC data comparing the HP LaserJet 500 series monodrrome printers introduced in spring 2019 HP 894/X/Y compared to HP 874/X.

## Product walkaround

- 1. 250-sheet ADF with single-pass, two-sided scanning and HP  $\ensuremath{\mathsf{EveryPage}}^1$
- 2. 2nd generation Hardware Integration Pocket<sup>2</sup>
- 3. Easy-access USB port<sup>3</sup>
- 4.250-sheet output bin
- 5. Top cover (access to Original HP JetIntelligence toner cartridge)
- 6. 100-sheet multipurpose tray 1 supports media sizes up to  $8.5 \times 14$  inches (216 x 356 mm)
- 7. 550-sheet input tray 2 supports media sizes up to  $8.5 \times 14$  inches (216 x 356 mm)
- 8.8.0-inch (20.3 cm) pivoting color touchscreen
- 9. Pull-out keyboard<sup>1</sup>
- 10. Convenience stapler<sup>4</sup>
- 11. Automatic two-sided printing
- 12. HP High-Performance Secure Hard Disk<sup>5</sup>
- 13. Slot for cable-type security lock
- 14. Gigabit Ethernet
- 15. Hi-Speed USB 2.0 printing port
- 16. USB port for connecting external USB devices




## Series at a glance



## Front view





| Functions  | HP LaserJet Managed Flow MFP E52645c                            | HP LaserJet Managed MFP E52645dn                                |
|--|---|---|
| Print speed (black)®   | Up to 45/43 pages per minute (ppm) (letter/A4)<br>(both models) | Up to 45/43 pages per minute (ppm) (letter/A4,<br>(both models) |
| First page out (from ready) <sup>,</sup>   | As fast as 6.0/6.0 seconds (letter/A4) (both models)            | As fast as 6.0/6.0 seconds (letter/A4) (both models)            |
| 250-page ADF with single-pass, two-sided scanning  | $\checkmark$  | $\checkmark$  |
| 100-sheet multipurpose tray 1, 550-sheet<br>input tray 2                                 | $\checkmark$  | $\checkmark$  |
| Optional 550-sheet input tray  | Add up to three   | Add up to three   |
| Optional printer cabinet   | $\checkmark$  | $\checkmark$  |
| Input capacity (standard/maximum®)   | Up to 650/2,300 sheets  | Up to 650/2,300 sheets  |
| Advanced workflow features, including<br>pull-out keyboard and HP EveryPage <sup>1</sup> | $\checkmark$  | Not available   |
| Convenience stapler4   | $\checkmark$  | Not available   |
| HP High-Performance Secure Hard Disk <sup>5</sup>  | $\checkmark$  | Optional  |
| Recommended monthly page volume <sup>®</sup>   | 4,000 to 15,000 pages   | 4,000 to 15,000 pages   |
| Managed Cartridge yields   | Black: ~23,000 pages10  | Black: ~23,000 pages™   |
| Optional wireless printing <sup>11</sup> /NFC<br>touch-to-print <sup>12</sup>            | $\checkmark$  | $\checkmark$  |

<sup>1</sup> Advanced workflow features are available on the Flow MPP E52645c model only and include IMP EveryPage, a pull-out keyboard, embedded capture functionality, built-in OCR, plus automatic page orientation, cropping, and tone adjustment. <sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP LaserJet Managed MPP E52645c model. <sup>6</sup> The encrypted IMP High-Pefromance Secure Hard (Disk key policinal on the HP LaserJet Managed MPP E52645c model. <sup>6</sup> Measured autographical control of the Hardware Integration Software application, drive; and document complexity. <sup>7</sup> Measured and standard on the HP LaserJet Managed for MMP E52645c model. <sup>6</sup> Measured autographical control of the HP LaserJet Managed Control of the HP LaserJet Managed MPP E52645c model. <sup>6</sup> Measured autographical control of the HP LaserJet Managed Month? <sup>9</sup> Pactrase do policinal page representation, see have configuration, see have configuration, software application, drive; and document complexity. <sup>8</sup> Aurithase of optional page represented managed Fragment of the HP LaserJet Managed Control optimet darge for optimum device performance, based on findators including supplices replacement intervals and device life over an extended warmany period. <sup>10</sup> Average black declared yields based on SOIICE 1975.2 and continuous printing Actual yields war considerably based on mages printed and other factors. For details see have, period to take spendent on the Supplication, drives purchase spentates, "<sup>11</sup> Wieless networking requires purchase of the HP Jedirect 2900m Print Server. Wreless performance is dependent on distance from access point and distance from access point and distance from access point and distance from rances. <sup>12</sup> Duot-to-print capability requires purchases spentates. <sup>11</sup> Wieless Accessors, Molio divini strus support N

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

#### For carepack availability visit: hp.com/go/cpc

#### Accessories

2NR12A HP Removable Hard Drive Enclosure 2NR09A HP 2GB 144-Pin DDR3 TAA Version DIMM E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM 5EL03A HP TAA Version Secure Hard Disk Drive B5L29A HP High-Performance Secure Hard Disk 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory J8030A HP Jetdirect 3000w NFC/Wireless Accessory J8031A HP Jetdirect 2900nw Print Server 2EH31A HP MFP Analog Fax Accessory 700 F2A72A HP LaserJet 550-sheet Paper Tray 1PV95A HP Internal USB Ports Qty 100 for M507 and M528 B5L28A HP Internal USB Ports 2MU47A HP Accessibility Assistant 2TD64A HP Accessibility Kit F2A73A HP LaserJet Printer Cabinet B5L31A HP Foreign Interface Harness 4QL32A HP Legic Secure USB Reader CC543B HP SmartCard NIPRNet Solution for US Government X3D03A HP Universal USB Proximity Card Reader Y7C05A HP HIP2 Keystroke Reader

#### Supplies

CF289A HP 89A Black Original LaserJet Toner Cartridge CF289X HP 89X High Yield Black Original LaserJet Toner Cartridge CF289Y HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge W5U23A HP 200 ADF Roller Replacement Kit Q7432A HP Staple Cartridge Pack

#### Services

UB7D2E - HP 3 years Next Business Day w/DMR LaserJet E52645 MNGD SVC UB7D3E - HP 4 years Next Business Day w/DMR LaserJet E52645 MNGD SVC UB7D4E - HP 5 years Next Business Day w/DMR LaserJet E52645 MNGD SVC UB7D5E - HP 3 years 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7D6E - HP 4 years 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7D7E - HP 5 years 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7D8E - HP 3 years ChnlPartsOnly LaserJet E52645 MNGD SVC UB7D9E - HP 4 years ChnlPartsOnly LaserJet E52645 MNGD SVC UB7D9E - HP 4 years ChnlPartsOnly LaserJet E52645 MNGD SVC UB7EPE - HP 5 years ChnlPartsOnly LaserJet E52645 MNGD SVC UB7EPE - HP 1 year PW Next Business Day w/DMR LaserJet E52645 MNGD SVC UB7E2PE - HP 2 years PW A hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7E3PE - HP 1 year PW Next Business Day w/DMR LaserJet E52645 MNGD SVC UB7E3PE - HP 1 year PW A hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7E4PE - HP 1 year PW 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7E4PE - HP 1 year PW 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7E4PE - HP 1 year PW 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7E4PE - HP 1 year PW 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7E5PE - HP 1 year PW ChnlPartsOnly LaserJet E52645 MNGD SVC

<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/Printers/ThalProtect For more information: http://www.hp.com/go/printersecurityclaims<sup>2</sup> High Yield Black Original Laser.let Toner Cartridges not included; please purchase separately, <sup>3</sup> HP Auto-OnfAuto-Off Technology capabilities are subject to printer and settings. <sup>4</sup> HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin <sup>5</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager <sup>6</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>7</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/readvallation sbased on Energy Star normalized TEC data comparing the HP LaserJet 500 series monochrome printers introduced in spin 2019 HP 93/J/X compared to HP 87A/X.

### Top features

HP printers have the industry's strongest security' because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP LaserJet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 60 ipm<sup>6</sup>—and avoid extra steps with a Flow MFP designed for maximum productivity.













## HP LaserJet Managed MFP E52645 series

| Technical Specifications             | HP LaserJet Managed Flow MFP E52645c(1PS55A)  | HP LaserJet Managed MFP E52645dn(1PS54A)  |  |
|--------------------------------------|---|---|--|
| AIO functions                        |   | and optional fax  |  |
| Print speed                          |   | 5: Up to 65 ppm <sup>15</sup> ; First Page Out Black: As fast as 6 sec; <sup>14</sup>   |  |
| Duplex Print speed                   |   | Letter: Up to 36 ipm black  |  |
| Print resolution                     |   | o 1200 x 1200 dpi   |  |
| Print Technology                     |   | ii, 600 dpi, HP FastRes 1200, HP ProRes 1200  |  |
| Print Cartridges Number              |   | lack)   |  |
| Standard Print Languages             |   | postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™  |  |
| Printer Smart Software Features      |   | , 6, 9, 16), collation, watermarks, store print jobs, easy-access USB   |  |
| Printer Management                   | HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver employment Utility - Managed Printing Administrator)   |   |  |
| Scan Type / Technology               | Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)  |   |  |
| Scan Resolution                      | Hardware: Up to 600 × 600   | D dpi; <b>Optical:</b> Up to 600 dpi  |  |
| Scan File Format                     | Digital Send: PDF, JPEG, TIFF, MTIFF, xPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR),<br>Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, xPS, PDF/A, TEXT<br>(OCR), Unicode TEXT (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print<br>from easy access USB: PDF, PS, Print Ready files (prn, ,pd, .cht)  | PDF, JPEG, TIFF, MTIFF, xPS, PDF/A  |  |
| Scan Input Modes                     | Front panel applications: Copy, E-mail, Save to Network Folder, Save to U   | SB, Save to Device Memory, Open Extensibility Platform (OxP) applications   |  |
| Scan Size                            | ADF: 216 x 864 mm; 8.5 x 34.0 in Maximum; 101.6 x 148 mm; 4 x 5.8 in Minimum; Flatbed: 216 x 356 mm; Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color)   | ADF: 216 x 864 mm; 8.5 x 34.0 in Maximum; 101.6 x 148 mm; 4 x 5.8 in Minimum; Flatbed: 216 x 356 mm; Up to 4<br>ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color)   |  |
| Scan Speed                           | Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color) <sup>13</sup> ; <b>Duplex:</b> Up to 64 ipm (b&w), up to 58 ipm (color)  | Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color) <sup>13</sup> ; <b>Duplex:</b> 43 ipm (b&w), up to 38 ipm (color)  |  |
| Scanner Advanced Features            | Optimize text/picture; Image adjustments; Job build: Output quality setting; Selectable scan resolution 75 to 600 dp;<br>Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto<br>orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone  | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dp<br>Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets  |  |
| Bit depth / Grayscale levels         | 24-bit/ 256   |   |  |
| Digital Sending Standard<br>Features | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send<br>to Internet Fax; OCR; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto<br>Crop To Content; Compact PDF; Auto Tonescale; Auto Ortaniation; Multi-Pick Detect; Auto Straighten; Auto Crop To<br>Page; OCR   | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book;<br>SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF   |  |
| Copy Speed                           | Black (A4): Up  | b to 43 cpm; <sup>17</sup>  |  |
| Copy Resolution                      | Black (text and Graphics): Up to 600 x 600 dpi; Color (text and Graphics): Up to 600 x 600 dpi  |   |  |
| Maximum Number of Copies             | Up to 99  | 99 copies   |  |
| Copier Resize                        | 25 to 400%  |   |  |
| Copier Settings                      | Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); N-up: Nor Z-ordering; content orientation; collation; booklet; job build; edge-to-edge job storage; ID Copy; Book Copy; A-to-B C (different media sizes)   |   |  |
| Fax Speed                            | Up to: 33.6 kbps  |   |  |
| Fax Resolution                       | Black (best): Up to 300 × 300 dpi (400 × 400 dpi for received faxes only); Black (standard): 203 × 98 dpi   |   |  |
| Fax Features                         | Fax Memory: Up to 500 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No;<br>Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No;<br>Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No; Junk Barrier Supported: Yes;<br>Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes;<br>Remote Retrieval Capability Supported: No; Telephone Handset Supported: No   |   |  |
| Standard Connectivity                | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Hos   | st; 1 Gigabit Ethernet; 1 Hardware Integration Pocket   |  |
| Network Capabilities                 |   | ; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking<br>Ethernet port.  |  |
| Wireless Capability                  | Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 3000w Print Server J8031A  |   |  |
| Mobile Printing Capability           | Apple AirPrint™; Google Cloud Print™; HP ePrint; M  | Mopria™ Certified; Roam capable for easy printing <sup>6</sup>  |  |
| Memory                               | Standard: 1.25 GB (printer); 512 MB (Scanner); Maximum: 3.75 GB MAX memory, when Accessory DIMM is installed  |   |  |
| Processor Speed                      | 1.2 GHz / <b>Hard disk:</b> Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware<br>encryption or greater)   | 1.2 GHz / Hard disk: 16 GB EMMC   |  |
| Duty Cycle                           | Monthly, A4: Up to 150,000 pagesRecommended Monthly Page Volume: 4000 to 15000 <sup>8</sup>   |   |  |
| Paper Handling                       | Input Capacities: 100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing; Up to 650<br>sheets standard; Up to 10 envelopes labels legal; Output Capacities: 250-sheet output bin, convenience stapler; Up to<br>250 sheets standard labels legal; Output Options: Automatic (standard); Auto Document Peeder Capacity: Standard,<br>100 sheets; Envelope Feeder: No; Standard Paper Trays: 2; Media Types Supported: Paper (bond, colo, letterhead,<br>plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined; Media<br>Weight Supported: Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb; Media Sizes Supported: Tray 1: 1etter, legal, executive,<br>statement, 3 x S in, 4 x S in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; optional S50-sheet tray. letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional S50-sheet Tray: 1.1 kers; legal, executive; statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional S50-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in;<br>N 5 x 8 in, 8.5 x 13 in; Optional Automatic Duplexer: letter, legal, 8.5 x 13 in; Media Sizes Supported;<br>x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in; | Input Capacities: 100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing: Up to 650<br>sheets standard; Up to 10 envelopes labels legal; Output Capacities: 250-sheet output bin; Up to 250 sheets<br>standard labels legal; Duplex Options; Automatic (standard); Auto Document Feeder Capacity; Standard, 100 sheets<br>Envelope Feeder: No: Standard Paper Trays: 2; Media Types Supported: Paper (bond, color, letterhead, plain,<br>preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined; Media Weight<br>Supported: Tray 1: 16 to 53 bi; Tray 2+: 16 to 32 bi; Media Sizes Supported: Tray 1: letter, legal, executive,<br>statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; optional 550-sheet tray; letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional Automatic Duplexer: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in; |  |

## HP LaserJet Managed MFP E52645 series

| Technical Specifications                | HP LaserJet Managed Flow MFP E52645c(1PS55A)   | HP LaserJet Managed MFP E52645dn(1PS54A)  |  |
|---|--|---|--|
| Product Dimensions                      | W x D x H: 18.98 x 19.52 x 19.55 in; 482 x 496 x 497 mm Maximum: 19.96 x 24.83 x 19.55 in; 507 x 631 x 497 mm  |   |  |
| Product Weight                          | 49.16 lb <sup>3</sup> ; 22.13 kg <sup>3</sup>  | 47.56 lb <sup>3</sup> ; 21.41 kg <sup>3</sup>   |  |
| What's in the box                       | HP LaserJet Managed E52645c MFP; HP Original LaserJet Introductory Toner Cartridge (~ 7,500 pages); CDs; User<br>Guide; Support Flyers; Warranty Cards; Required Erratas; Fax cable (AP only) <sup>2</sup>   | HP LaserJet Managed Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty<br>Cards; Support flyers/phone number list <sup>2</sup> |  |
| Replacement Cartridges                  | HP Black Managed LaserJet Toner Cartridge (~23,000 pages) W9008MC <sup>18</sup>  |   |  |
| Warranty Features                       | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service an support options in your region. (wty code 4G; wty ID A001)  |   |  |
| Energy Star Certified                   | Ye   | 25  |  |
| Energy Efficiency Compliance            | EPEAT® Gold; ENERGY STAR® qualified; CECP; Blue Angel DE-UZ-205  | ENERGY STAR <sup>®</sup> qualified; EPEAT <sup>®</sup> Silver; CECP; Blue Angel DE-UZ-205   |  |
| Control Panel                           | 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Integrated Keyboard   | 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)                         |  |
| Display Description                     | 8.0 in (20.3 cm) touchscreen (1024x768) LCD (color graphics); smooth gesture enabled touchscreen   |   |  |
| Software Included                       | No software solutions are included in the Box, only on http://hp.com, http://123.hp.com  |   |  |
| Fonts and Typefaces                     | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri,<br>Cambria);additional font solutions available via third-party flash memory cards; HP Laser/et Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts   |   |  |
| Compatible Operating Systems            | Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High<br>Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter yo<br>product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems seet on www.hp.com/go/upd <sup>11</sup>  |   |  |
| Compatible Network Operating<br>Systems | Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal serve 2008 R2, Remote Desktop server 2012 R2, Clitrix Server 6.5, Clitrix senApp & xenDesktop 7.6, Novell iPrint server, Clitrix Ready KII Certification - Up to Clitrix Server 7.18 for more information see http://clitrixeady.clitrix.com, Linux-For more information see http://hp.com/gd/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating syste please see http://hp.com/gd/upd  |   |  |
| Minimum System Requirements             | PC: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; MAC: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com  |   |  |
| Power                                   | Power Supply Type: Built-in 115V or 220V Power Supply; Power Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (<br>3Hz), 4 A; Power Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.28 watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off) <sup>4</sup> ; Typical electricity consumption (TEC) number; 1.4'<br>kWh/Week (Blue Angel); 0.446 kWh/Week (Energy Star 3.0) <sup>9</sup>  |   |  |
| Acoustics                               | Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 54 dB(A) <sup>12</sup>  |   |  |
| Operating Environment                   | Operating Temperature Range: 10 to 32.5°C; Recommended Operating Temperature: 15 to 27°C; Storage Temperature Range: -20 to 40°C; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH   |   |  |
| Security Management                     | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Kerberos authentication; Supports W/A-10 IPsec configuration Plug-in; 802.1x authentication (EAP-PEAP, EAP-TLS); SMMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (Less FIN); Supports W/A-10 IPsec configuration Plug-in; 802.1x authentication (EAP-PEAP, EAP-TLS); SMMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (Less FIN); Supports W/A-10 IPsec configuration Plug-in; 802.1x authentication (EAP-PEAP, EAP-TLS); SMMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (Less FIN); Supports W/LS Bort disablement; hardware integration pocket for security solutions; Intrusion Detection with Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot = BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, ExEs,); Connection Inspect helps ensure network connections to device are safe, Security management: Compatible with HP JetAdvantage Security Manager, HP Printer Security Plugin for Microsoft SCCM, Device Security Syslog Messages processed and acce in ArcSight, Splunk, and McAfedESM) SIEMS |   |  |

<sup>1</sup> EPERT\* registered where applicable. EPERT registration varies by country. See http://www.epeat.net for registration status by country. <sup>2</sup> In box cartridge yields 7,500 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/laemaboutsupplies. <sup>3</sup> With print cartridge <sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. <sup>5</sup> To soll Benetoth\*<sup>2</sup> Constant to build based on images printing and other factors. For more information, visit: http://www.hp.com/go/laemaboutsupplies. <sup>5</sup> To soll Benetoth\*<sup>2</sup> Constant to build based on images printing and other factors. For more information, visit: http://www.hp.com/go/laemaboutsupplies. <sup>5</sup> To soll Benetoth\*<sup>2</sup> Constant to build based on images printing and other factors. For more information, visit: http://www.hp.com/go/laemaboutsupplies. <sup>5</sup> To soll Benetoth\*<sup>2</sup> Constant to build based on images printing and other factors. For more information, visit: http://www.hp.com/go/laemaboutsupplies. <sup>5</sup> To soll Benetoth\*<sup>2</sup> Constant to a priority constraint to build based on images printing and other factors. For more information, visit http://mware to build based on images printing and other factors. For more information, visit http://mware to build based on factors including supplies replacement of 150 device. <sup>10</sup> Best TEC is not applicable to ES 20 TEC. This measurement of a space and a notice life over an extended waranty printing. <sup>40</sup> Power requirements are based on the contrely/epide the printer is advalued to and other carces. See mode with the printer configuration optimized for energy efficiency. Minimum sleep delay was used, Wi-Fi Direct was disabled and Active 10<sup>-</sup> Energy Efficient Element - was used. <sup>11</sup> Solution software application optimized for energy efficiency. Minimum sleep delay was used, Wi-Fi Direct was disabled and Active 10<sup>-</sup> Energy Efficient Element - w

#### Learn more at hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.