


#### Overview

HP sets the new standard for performance and value in the enterprise with the new 10000 G2 Series Rack family. This new enterprise-class rack combines unparalleled structural integrity, cooling, and cable management; ease of use capabilities and a wide choice of rack, power and switching options to deliver a best in class product. The new rack is designated as HP's universal rack, ideal for all HP rack mounted server and storage products, complementing and protecting your investment in technology. Specifically designed to ensure outstanding cooling and cable management, the 10000 G2 Series Rack is the best choice to enterprise racks.

In addition to the universality of the new racks, important improvements have been made from the previous version, including improved and updated front door design with bright-aluminum finish; improved front and rear door handles and latches, and easier to handle three section side panels.







HP Rack 10000 G2 Series - top view



#### Overview

#### At a Glance

- The HP Rack 10000 G2 Series is the first universal rack compatible with all HP rack mounted products including ProLiant, Integrity, Nonstop, HP 9000 and Alpha servers as well as StorageWorks products. This effort simplifies the HP rack product line consolidating all previous rack offerings into a single universal rack for all HP server and storage platforms.
- The HP Rack 10000 G2 Series also offers many improvements over the HP Rack 10000 Series racks:
  - Front door with updated design
  - O Front and rear door handles and lock bars for improved security
  - O Side panels come in 3 parts for easier manageability and mounting
  - O Cable management accessories
  - O Improved CTO pallet with offload metal ramp included
  - Improved mounting of stabilization feet with expanded offering to include regular and heavy-duty stabilization feet in 600 mm and 800 mm wide
  - O Expanded offering of rack configurations including:
    - 36U and 42U Rack with rear extension kit included, mounted on a shock pallet for CTO
    - New rack tie-down kit and new grounding kit
- New rack tie-down kit and new gro
   Three year limited warranty, parts only (3/0/0)



#### Models

#### HP Rack 1000 G2 Series

10642 G2 (42U) Rack Cabinet - Pallet	AF001A
10642 G2 (42U) Rack Cabinet - Shock Pallet*	AF002A
10642 G2 (42U) Rack Cabinet - Crated	AF003A
10642 G2 (42U) Rack Cabinet, with Extension - Shock Pallet*	AF004A
10636 G2 (36U) Rack Cabinet - Pallet	AF011A
10636 G2 (36U) Rack Cabinet - Shock Pallet*	AF012A
10636 G2 (36U) Rack Cabinet - Crated	AF013A
10636 G2 (36U) Rack Cabinet, with Extension - Shock Pallet*	AF014A

<sup>\*</sup>NOTE: It is mandatory to use a shock pallet when shipping racks with equipment installed.

**NOTE:** 0D1 will appear after the above selected part numbers on yours sales order if factory integration is indicated.



#### Standard Features

**Product Description -** HP sets the standard for industry standard racks in the enterprise with the HP 10000 G2 Series **10642 G2 and 10636 G2** Rack family and rack options. This enterprise-class rack system combines unparalleled design and performance for rack durability, cooling, cable management and flexibility of configuration.

#### The HP 10000 G2 Series Rack System Compatibility

The following HP products are compatible with the HP Rack 10000 G2 Series:

- HP ProLiant servers
- HP Integrity servers
- HP BladeSystem
- HP NonStop
- HP StorageWorks MSA, EVA and XP
- All third party equipment designed to mount on industry standard 19" wide racks

### Industry Standard Support

The HP Rack 10000 G2 Series racks are industry standard 19 inch RETMA standard and will support third-party equipment designed to mount on 19 inch wide

**UL/CES Certification** 

The HP Rack 10000 G2 Series conforms to EIA-310D Type A cabinet per section 4.1.1

UL/CES Certification
WEEE

No Yes

RoHS compliant

**EIA** 

Yes

### Innovative Breakthroughs

- The 2 meter form factor of the 42U HP 10000 G2 Series rack allows the rack to be pushed upright through most standard doorways for easy door clearance
- HP is the only IT rack provider to offer a complete line of options and accessories that are designed to support HP products.
- Configurable at HP CTO (Configure to Order) facilities with dynamic weight up to 2000 lbs.

#### Service and Support Offerings (HP Care Pack Services)

Care Pack services provide a range of life cycle support options that let you choose the service levels that meet your business requirements, from basic to mission-critical.

A full range of HP Care Pack hardware and software services are available including:

- Installation and start up
- Education courses
- Extended onsite hardware coverage hours from same business day 13 hours, 5 day to 24 hours, 7 days call window with options including 4-hour response or 6-hour Call To Repair
- Comprehensive range of software technical support for Microsoft, Linux, ProLiant Essentials and VMware-based IT solutions helping to deliver high level of application availability.
   Response times range from 30 mins for critical problems to 2 hours.
- System Management, Performance Services and Mission Critical Support Solution

**NOTE:** For more information on HP Care Pack services, contact any of our worldwide sales offices or resellers or visit our worldwide Web site on the internet at: http://www.hp.com/hps/carepack

**NOTE:** For more complete information on HP Services offerings, customers and resellers, please visit us at: http://www.hp.com/hps

**NOTE:** Additional information regarding worldwide limited warranty and technical support is available at: http://h18004.www1.hp.com/products/servers/platforms/warranty/index.html **NOTE:** For more information regarding the Blade service portfolio visit our worldwide web site on the internet at: http://h20219.www2.hp.com/services/cache/81725-0-0-225-121.html

NOTE: The information contained herein is subject to change without notice and is provided "as



### Standard Features

is" without warranty of any kind.

**NOTE:** The warranties for HP products and services are set forth in the express limited warranty statements accompanying such products and services.

**NOTE:** Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



### Rack Options

Several options allow for quick and easy expansion of the HP Rack 10000 G2 Series racks to create a custom solution. NOTE: This is only a sampling of the many HP Rack options available. See the HP rack products Web site for more complete information at http://www.hp.com/products/rackoptions. Contact your nearest HP Authorized Reseller or Service Provider for information about ordering HP parts. In the United States, HP can make arrangements to have your rack system installed by qualified Guaranteed Service Providers. This installation service covers the entire hardware installation sequence, from unpacking the components to routing cabling and running a test of the system.

HP 10636 G2 Front Door ALL AF019A

**NOTE:** Kits may be retro-fitted to 10000 Series Racks.

Rack Light Kit 110V/220V Rack Light Kit 361589-B21

> NOTE: Supports HP Rack 10000 Series and HP Rack 10000 G2 series. This neon light kit is mounted on the rack roof and used to provide light to the rear

section of the rack.

**Securing Kit** 600W 10000 G2 Rack Tie Down AF076A

NOTE: For HP 10000 G2 Series only. The tie down kit is used to secure the rack

to the datacenter floor.

**Rack Coupling Kit** Rack Coupling Kit (Carbon) 248929-B21

> **NOTE:** Supported by both the Rack 10000 and Rack 10000 G2 series. Supports 24 in and 600 mm floor tile spacing. The kit is used to join two or more 10000 series racks of the same height together in minutes to create a multi-bay

configuration.

9000/10000 Offset 9000/10000 Offset Baying Kit (42U)

**Baying Kit** 

NOTE: This kit can be used to connect 9000 and 10000 series racks of the same U height

together. Kit contents include hardware for connecting racks and a panel to cover the 100mm gap

at the rear of the two racks.

Side Panels 10642 G2 (42U) Side Panels (set of two) (Graphite Metallic) AF054A

10636 G2 (36U) Side Panels (set of two) (Graphite Metallic)

AF056A NOTE: The lightweight, locking side panels for the 10642 G2 and 10636 G2 racks come in 3

sections for better handling. Side panels are included with the 22U and 14U racks.

Stabilization Kits **Ballast Option Kit** 120672-B21

> NOTE: The Ballast Option Kit is designed to provide additional stability and support when used with the Stabilizer Kit. It is typically used when very heavy equipment is routinely installed,

removed or accessed within the rack.

600mm G2 Stabilizer Option Kit (Graphite)

AF062A

600mm G2, Heavy Duty Stabilizer Option Kit (Graphite) AF064A

NOTE: The anti-tip stabilizer kits provide stability and support when equipment is installed, removed or accessed within the rack. Heavy Duty stabilizer kits should be used when a single

racked component exceeds 200 lbs.



248931-B21

$\Box \circ \circ $	$\sim$	nnt	iana	•
Raci	K U	μι	IOHS	>

**Grounding Kit** HP Rack Grounding Kit (Carbon)

AF074A

NOTE: Supported by the Rack 10000 and Rack 10000 G2 series.

NOTE: 0D1 will appear after the above selected part numbers on yours sales order if factory

integration is indicated.

Cable Management "D" Ring (10 pack)

168233-B21

**NOTE:** This kit consists of 10 "D" rings that can be used in addition to the rings that ship standard in the 10000 series and 10000 G2 series racks for cable

management.

HP Hook and Loop Strips (50 pack)

379820-B21

NOTE: 0D1 will appear after the above selected part numbers on yours sales order if factory

integration is indicated.

Blanking Panels (Carbon Graphite)

1U Universal Blanking Panel kit (10 panels)

AF072A

1U Universal Blanking Panel kit (100 panels)

AF073A

NOTE: The blanking panels are made from high grade molded plastic, and are

designed to be installed without tools. The use of blanking panels is

recommended to ensure proper airflow.

NOTE: 0D1 will appear after the above selected part numbers on yours sales

order if factory integration is indicated.

**Locking Drawer** 

HP 2U Universal Locking Drawer (WW)

361591-B21

**NOTE:** This product mounts on HP 10000 Series and HP Rack 10000 G2 series racks with sliding rails and is used to store CD's, Instruction manuals, tools, and any other item that is frequently used at the rack. Drawer includes lock.

NOTE: 0D1 will appear after the above selected part numbers on yours sales

order if factory integration is indicated.

**Rack Cable Trays** 

Rack Top Cable Tray, 600W Rack Top Cable Tray, 800W 383982-B21 383983-B21

Rack to Rack Adjustable Cable Tray, Aisle Transfer Bridge

383984-B21

**NOTE:** The Aisle Transfer bridge allows for cabling trays to be connected even

across different aisles in the datacenter.

NOTE: These kits mount on the top of the 9000 and 10000 Series rack (except

the S10614 rack). Kit color is graphite.

383984-B21

Fan Kits HP Roof Mounted Fan Kit 110V

257413-B21

HP Roof Mounted Fan Kit 220V

257414-B21

NOTE: 0D1 will appear after the above selected part numbers on yours sales

order if factory integration is indicated.

**Rear Extension Kits** 

10636 G2 Rear Extension Kit (155mm)

AF060A

10642 G2 Rear Extension Kit (155mm)

AF058A

**NOTE:** Compatible with 10000 and 10000 G2 Series racks. Extends the rack 155mm for ideal cable management and adding Dual Rack Mounted PDU.



### HP Rack 10000 G2 Series

# **QuickSpecs**

Rack Options

Service and Support Offerings (HP Care Pack Services) Hardware Installation (Electronic)

U2871E



### Technical Specifications

### 10642 Rack G2 (42U)

**Dimensions** (HxDxW) **Total Cabinet Area** 78.7 x 39.691 x 24 in (200 x 101.5 x 59.7 cm)

**Shipping** (with 86.22 x 48 x 32 in (219 x 121.92 x 81.28 cm)

packaging materials)

Weight Operating 253 lb (114.84 kg)

**Shipping** 284 lb (129 kg)

**Load Static** 2000 lb (908 kg)

**Dynamic** 2000 lb (908 kg) **Doors** Graphite Metallic

Frame Carbon

### 10636 Rack G2 (36U)

Color

**Dimensions** (HxDxW) **Total Cabinet Area** 68.6 x 39.691 x 24 in (173.5 x 101.5.x 59.7 cm)

**Shipping** (with 75.25 x 48 x 32 in (191.14 x 121.92 x 81.28 cm)

packaging materials)

Weight Operating 220 lb (100 kg)

 Shipping
 272 lb (123 kg)

 Static
 2000 lb (908 kg)

**Load Static** 2000 lb (908 kg) **Dynamic** 1520 lb (690 kg)

Color Doors Graphite Metallic

Frame Carbon

The information contained herein is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



<sup>©</sup> Copyright 2006 Hewlett-Packard Development Company, L.P.