DIAMONDBACK 360° PERIPHERAL PRODUCT PRODUCT REFERENCE GUIDE





DIAMONDBACK 360° PERIPHERAL ORBITAL ATHERECTOMY SYSTEMS

The CSI® Peripheral Orbital Atherectomy System utilizes an eccentrically mounted diamond-coated crown to sand away arterial calcium. As the crown rotates and orbit increases, centrifugal force presses the crown against the lesion, removing or reducing occlusive tissue with each orbit.

PERIPHERAL ORBITAL ATHERECTOMY SYSTEM

PHERAL ONDITAL ATT	TENECTOWN STSTEW				
	MODEL NUMBER	CROWN SIZE	SHAFT LENGTH	QUANTITY	SHEATH SIZE COMPATIBILITY
	DIAMONDBACK 360° CLASS	SIC CROWN			
	DBP-150CLASSIC145	1.50 mm	145 cm	1 each	5 Fr
	DBP-200CLASSIC145	2.00 mm	145 cm	1 each	6 Fr
	DIAMONDBACK 360° SOLID	CROWN			
	DBP-125SOLID145	1.25 mm	145 cm	1 each	4 Fr
	DBP-125SOLID200	1.25 mm	200 cm	1 each	5 Fr
	DBP-150S0LID145	1.50 mm	145 cm	1 each	5 Fr
	DBP-150S0LID200	1.50 mm	200 cm	1 each	5 Fr
	DBP-175SOLID180	1.75 mm	180 cm	1 each	5 Fr
	DBP-200S0LID145	2.00 mm	145 cm	1 each	6 Fr
	DIAMONDBACK 360° MAX (CROWN			
	DBP-200MAX145	2.00 mm	145 cm	1 each	6 Fr
	DIAMONDBACK 360° MICRO	CROWN with G	lideAssist®		
	DBP-125MICRO145	1.25 mm	145 cm	1 each	4 Fr

DIAMONDBACK 360° PERIPHERAL ORBITAL ATHERECTOMY SYSTEM (EXCHANGEABLE SERIES



OHANTITY							
DBP-EX-150CLA145 DBP-CART-150CLA145 1.50 mm 145 cm 1 each 5 Fr DBP-EX-200CLA145 DBP-CART-200CLA145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series SOLID CROWN with GlideAssist° DBP-EX-125S0L75 DBP-CART-125S0L75 1.25 mm 75 cm 1 each 4 Fr DBP-EX-125S0L145 DBP-CART-125S0L145 1.25 mm 145 cm 1 each 4 Fr DBP-EX-125S0L200 DBP-CART-125S0L200 1.25 mm 200 cm 1 each 5 Fr DBP-EX-150S0L145 DBP-CART-150S0L145 1.50 mm 145 cm 1 each 5 Fr DBP-EX-150S0L200 DBP-CART-150S0L200 1.50 mm 200 cm 1 each 5 Fr DBP-EX-175S0L180 DBP-CART-175S0L180 1.75 mm 180 cm 1 each 5 Fr DBP-EX-200S0L145 DBP-CART-200S0L145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP-CART-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each	0.0.0.					QUANTITY	SHEATH SIZE COMPATIBILITY
DBP-EX-200CLA145 DBP-CART-200CLA145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series SOLID CROWN with GlideAssist° DBP-EX-125S0L75 DBP-CART-125S0L75 1.25 mm 75 cm 1 each 4 Fr DBP-EX-125S0L145 DBP-CART-125S0L145 1.25 mm 145 cm 1 each 4 Fr DBP-EX-125S0L200 DBP-CART-125S0L200 1.25 mm 200 cm 1 each 5 Fr DBP-EX-150S0L145 DBP-CART-150S0L145 1.50 mm 145 cm 1 each 5 Fr DBP-EX-150S0L200 DBP-CART-150S0L200 1.50 mm 200 cm 1 each 5 Fr DBP-EX-175S0L180 DBP-CART-175S0L180 1.75 mm 180 cm 1 each 5 Fr DBP-EX-200S0L145 DBP-CART-200S0L145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP-EX-200MAX145 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DIAMONDBA	CK 360° E	xchangeable Series CLAS	SIC CROW	N with GlideAssis	†®	
DIAMONDBACK 360° Exchangeable Series SOLID CROWN with GlideAssist° DBP-EX-125SOL75 DBP-CART-125SOL75 1.25 mm 75 cm 1 each 4 Fr DBP-EX-125SOL145 DBP-CART-125SOL145 1.25 mm 145 cm 1 each 4 Fr DBP-EX-125SOL200 DBP-CART-125SOL200 1.25 mm 200 cm 1 each 5 Fr DBP-EX-150SOL145 DBP-CART-150SOL145 1.50 mm 145 cm 1 each 5 Fr DBP-EX-150SOL200 DBP-CART-150SOL200 1.50 mm 200 cm 1 each 5 Fr DBP-EX-175SOL180 DBP-CART-175SOL180 1.75 mm 180 cm 1 each 5 Fr DBP-EX-200SOL145 DBP-CART-200SOL145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP-EX-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DBP-EX-15	OCLA145	DBP-CART-150CLA145	1.50 mm	145 cm	1 each	5 Fr
DBP-EX-125SOL75 DBP-CART-125SOL75 1.25 mm 75 cm 1 each 4 Fr DBP-EX-125SOL145 DBP-CART-125SOL145 1.25 mm 145 cm 1 each 4 Fr DBP-EX-125SOL200 DBP-CART-125SOL200 1.25 mm 200 cm 1 each 5 Fr DBP-EX-150SOL145 DBP-CART-150SOL145 1.50 mm 145 cm 1 each 5 Fr DBP-EX-150SOL200 DBP-CART-150SOL200 1.50 mm 200 cm 1 each 5 Fr DBP-EX-175SOL180 DBP-CART-175SOL180 1.75 mm 180 cm 1 each 5 Fr DBP-EX-200SOL145 DBP-CART-200SOL145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP-EX-200MAX145 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DBP-EX-20	OCLA145	DBP-CART-200CLA145	2.00 mm	145 cm	1 each	6 Fr
DBP-EX-125SOL145 DBP-CART-125SOL145 1.25 mm 145 cm 1 each 4 Fr DBP-EX-125SOL200 DBP-CART-125SOL200 1.25 mm 200 cm 1 each 5 Fr DBP-EX-150SOL145 DBP-CART-150SOL145 1.50 mm 145 cm 1 each 5 Fr DBP-EX-150SOL200 DBP-CART-150SOL200 1.50 mm 200 cm 1 each 5 Fr DBP-EX-175SOL180 DBP-CART-175SOL180 1.75 mm 180 cm 1 each 5 Fr DBP-EX-200SOL145 DBP-CART-200SOL145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP-EX-200MAX145 DBP-CART-200MAX145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MICRO CROWN with GlideAssist° DBP-EX-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DIAMONDBA	CK 360° E	xchangeable Series SOLII	D CROWN v	with GlideAssist®		
DBP-EX-125SOL200 DBP-CART-125SOL200 1.25 mm 200 cm 1 each 5 Fr DBP-EX-150SOL145 DBP-CART-150SOL145 1.50 mm 145 cm 1 each 5 Fr DBP-EX-150SOL200 DBP-CART-150SOL200 1.50 mm 200 cm 1 each 5 Fr DBP-EX-175SOL180 DBP-CART-175SOL180 1.75 mm 180 cm 1 each 5 Fr DBP-EX-200SOL145 DBP-CART-200SOL145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP-EX-200MAX145 DBP-CART-200MAX145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MICRO CROWN with GlideAssist° DBP-EX-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DBP-EX-12	25SOL75	DBP-CART-125SOL75	1.25 mm	75 cm	1 each	4 Fr
DBP·EX·150S0L145 DBP·CART·150S0L145 1.50 mm 145 cm 1 each 5 Fr DBP·EX·150S0L200 DBP·CART·150S0L200 1.50 mm 200 cm 1 each 5 Fr DBP·EX·175S0L180 DBP·CART·175S0L180 1.75 mm 180 cm 1 each 5 Fr DBP·EX·200S0L145 DBP·CART·200S0L145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP·EX·200MAX145 DBP·CART·200MAX145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MICRO CROWN with GlideAssist° DBP·EX·125MIC75 DBP·CART·125MIC75 1.25 mm 75 cm 1 each 4 Fr	DBP-EX-12	5SOL145	DBP-CART-125SOL145	1.25 mm	145 cm	1 each	4 Fr
DBP-EX-150S0L200 DBP-CART-150S0L200 1.50 mm 200 cm 1 each 5 Fr DBP-EX-175S0L180 DBP-CART-175S0L180 1.75 mm 180 cm 1 each 5 Fr DBP-EX-200S0L145 DBP-CART-200S0L145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP-EX-200MAX145 DBP-CART-200MAX145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MICRO CROWN with GlideAssist° DBP-EX-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DBP-EX-12	5SOL200	DBP-CART-125SOL200	1.25 mm	200 cm	1 each	5 Fr
DBP-EX-175SOL180 DBP-CART-175SOL180 1.75 mm 180 cm 1 each 5 Fr DBP-EX-200SOL145 DBP-CART-200SOL145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP-EX-200MAX145 DBP-CART-200MAX145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MICRO CROWN with GlideAssist° DBP-EX-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DBP-EX-15	0SOL145	DBP-CART-150SOL145	1.50 mm	145 cm	1 each	5 Fr
DBP-EX-200SOL145 DBP-CART-200SOL145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist° DBP-EX-200MAX145 DBP-CART-200MAX145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MICRO CROWN with GlideAssist° DBP-EX-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DBP-EX-15	0S0L200	DBP-CART-150SOL200	1.50 mm	200 cm	1 each	5 Fr
DIAMONDBACK 360° Exchangeable Series MAX CROWN with GlideAssist®DBP-EX-200MAX145DBP-CART-200MAX1452.00 mm145 cm1 each6 FrDIAMONDBACK 360° Exchangeable Series MICRO CROWN with GlideAssist®DBP-EX-125MIC75DBP-CART-125MIC751.25 mm75 cm1 each4 Fr	DBP-EX-17	5SOL180	DBP-CART-175SOL180	1.75 mm	180 cm	1 each	5 Fr
DBP-EX-200MAX145 DBP-CART-200MAX145 2.00 mm 145 cm 1 each 6 Fr DIAMONDBACK 360° Exchangeable Series MICRO CROWN with GlideAssist° DBP-EX-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DBP-EX-20	0SOL145	DBP-CART-200SOL145	2.00 mm	145 cm	1 each	6 Fr
DIAMONDBACK 360° Exchangeable Series MICRO CROWN with GlideAssist° DBP-EX-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DIAMONDBA	CK 360° E	xchangeable Series MAX	CROWN wi	th GlideAssist®		
DBP-EX-125MIC75 DBP-CART-125MIC75 1.25 mm 75 cm 1 each 4 Fr	DBP-EX-20	OMAX145	DBP-CART-200MAX145	2.00 mm	145 cm	1 each	6 Fr
	DIAMONDBA	CK 360° E	xchangeable Series MICR	O CROWN	with GlideAssist®		
DBP-EX-125MIC145 DBP-CART-125MIC145 1.25 mm 145 cm 1 each 4 Fr	DBP-EX-12	25MIC75	DBP-CART-125MIC75	1.25 mm	75 cm	1 each	4 Fr
	DBP-EX-12	5MIC145	DBP-CART-125MIC145	1.25 mm	145 cm	1 each	4 Fr

ACCESSORY PRODUCTS

Accessory products for use with the CSI Peripheral Orbital Atherectomy Systems to help in the fight against arterial calcium.

VIPERWIRE Advance PERIPHERAL GUIDE WIRE WITH FLEX TIP

Multiple enhancements offer improved tip flexibility, navigation, deliverability and trackability compared to our predicate wire. For use with CSI Peripheral Orbital Atherectomy Systems.



MODEL NUMBER	DESCRIPTION	SHAFT LENGTH	QUANTITY
VPR-GW-FLEX14	0.014"/0.014" Tip	335 cm	Box of 5
VPR-GW-FLEX18	0.014"/0.018" Tip	335 cm	Box of 5

VIPERWIRE Advance® PERIPHERAL GUIDE WIRE

For use with CSI Peripheral Orbital Atherectomy Systems.



MODEL NUMBER	DESCRIPTION	SHAFT LENGTH	QUANTITY
VPR-GW-14	0.014"/0.014" Tip	335 cm	Box of 5
VPR-GW-17	0.014"/0.017" Tip	335 cm	Box of 5
VPR-GW-EL14	0.014"/0.014" Tip	475 cm	Box of 5
VPR-GW-EL18	0.014"/0.018" Tip	475 cm	Box of 5

VIPERCATH™ XC The longest length exchange catheter available to guide and support guide wire access in the PERIPHERAL EXCHANGE CATHETER vasculature and allow for wire exchanges while providing a conduit for delivering saline and contrast. Designed for kink resistance, torquability and support during delivery. (0.035" guide wire compatible)



MODEL NUMBER	DESCRIPTION	SIZE	LENGTH
035-XC-200-0	Straight	5 Fr	200 cm
035-XC-200-1	30° Angled	5 Fr	200 cm

VIPERTRACK® RADIOPAQUE TAPE

A radiopaque tape to assist in measuring lesion lengths and marking lesion locations.



MODEL NUMBER	DESCRIPTION	QUANTITY
VPR-TRK	Radiopaque Tape (30 cm)	Box of 50
VPR-TRK-20	Radiopaque Tape (30 cm)	Box of 20
VPR-TRK-MM-20	Radiopaque Tape (500 mm)*	Box of 20

^{*}With mm markings



An exclusive lubricant designed for use with CSI Orbital Atherectomy Systems.



MODEL NUMBER	DESCRIPTION	QUANTITY
VPR-SLD2	Lubricant	Box of 10

OAS PUMP

Compact, portable OAS Pump to be used exclusively with CSI Orbital Atherectomy Systems.



MODEL NUMBER	DESCRIPTION	QUANTITY
SIP-3000	OAS Pump	1 System

ORDERING INFORMATION

Customer Service

Hours: 7:00 am - 5:00 pm CST Phone: 877.274.0901 Fax: 612.677.3355 Email: customerservice@csi360.com

The Diamondback 360° Peripheral Orbital Atherectomy System is a percutaneous orbital atherectomy system indicated for use as therapy in patients with occlusive atherosclerotic disease in peripheral arteries and stenotic material from artificial arteriovenous dialysis fistulae. The System is contraindicated for use in coronary arteries, bypass grafts, stents, or where thrombus or dissections are present. Although the incidence of adverse events is rare, potential events that can occur with atherectomy include: pain, hypotension, CVA/TIA, death, dissection, perforation, distal embolization, thrombus formation, hematuria, abrupt or acute vessel closure, or arterial spasm.

Caution: Federal law (USA) restricts this device to sale by, or on the order of, a physician.



1225 Old Hwy 8 NW **T:** 651.259.1600 **F:** 612.677.3355 St. Paul, MN 55112 877.274.0901 **www.csi360.com**

For more information, please contact your local CSI representative or call customer service at 1.877.274.0901.