SONY

BRAVIATM 8K Professional Displays

Displays designed for business

75"-98" ZH8/ZG9-series

FWD-75Z8H/T FWD-85Z8H/T FWD-98Z9G/T



























8K HDR picture quality

Bring the incredible depth and quality of 8K HDR resolution to your organisation with BRAVIA 8K Professional Displays, available in 75" – 98" screen sizes.

Superior displays designed for business

Advanced control, professional mode, optional interactive compatibility, an embedded HTML5 platform for easy digital signage creation; our BRAVIA 8K Displays are designed to suit all your professional needs so you always present a clear image.

Professional design

Our line-up offers all the technological performance and style you'd expect from BRAVIA, powered by the latest X1 enhanced processor. The 8K LCD panel produces sixteen times the pixels of Full HD for outstanding picture quality, while the ultra-slim design enhances any corporate or retail environment.

Do more with our BRAVIA built-in solutions

Look no further with BRAVIA. Our new range features a number of fantastic built-in and optional solutions to customise your BRAVIA exactly the way you want. From meeting room solutions, Manage for TEOS, Connect for TEOS, TDM Digital Signage, Smart Automation System to the Applications Store, without the need for any external devices or players.

Key Features

Recapture hidden details in 8K

Unique to Sony, 8K X-Reality™ PRO upscales images closer to true 8K quality using our exclusive database. Pictures are sharpened and refined in real time to reveal hard-to-see details.

8K image resolution (7680 × 4320 pixels)

8K offers sixteen times the pixels of Full HD, with an extraordinary resolution of over 33 million pixels bringing extra clarity to corporate display, education and digital signage applications.





Ultimate Picture Quality







Spectacularly lifelike 8K HDR images

Our most powerful ever Picture Processor X1™ Ultimate features Object-based Super Resolution, Object-based HDR remaster and Super Bit Mapping™ 8K HDR for exceptionally detailed, realistic pictures with rich colour and ultra-low noise.

Easily create digital signage

Integrated support for HTML5 makes it easy to produce compelling digital signage, with no extra hardware or prior training needed. Combine graphics, text, video and live web content to create attractive signage in minutes.

Experience greater contrast

Offering up to twenty times the contrast of conventional LED TVs, 8K X-tended Dynamic Range™ PRO unlocks details in shadow and highlights, ensuring dark scenes are darker and bright scenes brighter.



Installation friendly

The slim, stylish display offers a wide range of mounting options, is VESA compliant and integrates colour neatly into any corporate, retail or educational environment.

Automatic on/off feature

Easily programme your BRAVIA with the On Timer feature to automatically turn your BRAVIA on or off.

Do more with Android TV

Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.

Professional Mode

There is now more control to disable input or remote control, remove labels and block buttons; customise and store display settings and features, add security then copy them easily from display to display via USB flash memory.

The total touchscreen solution

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points or more for greater interaction. Contact your local Sony dealer for more information.



Bring the incredible depth and quality of 8K resolution to your business

Corporate presentations Digital signage Video conferencing **Education**

Do more with **BRAVIA** solutions

Built-in solutions

Meeting-Room solution

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There's no need for extra controllers in the room and settings stay exactly as they have been programmed.

Media player

Easily play images, videos and HTML content on your Pro BRAVIA from a USB flash drive.

Built-in Android Applications Store

Endless possibilities to display what you need, without external devices, through dedicated applications.

Optional Solutions

Connect for TEOS

Great for collaborative working, Connect for TEOS allows smooth, speedy wireless screen mirroring from laptops, directly to BRAVIA Professional Displays. It's available as an easy-to-install app, with no extra hardware needed.

Manage for TEOS

Sony BRAVIA Professional Displays are fully compatible with Manage for TEOS. Intelligent workspaces can now have complete control of all of their connected devices and content in boardrooms, meeting rooms, offices, public areas and other locations. Plus, there's no player required.

TDM Digital Signage

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.

















ZH8/ZG9-series Specifications

		FWD-75Z8H/T	FWD-85Z8H/T	FWD-98Z9G/T
	Screen Size (inch, measured diagonally)	75"(74.5")		98" (97.5")
	Display resolution (H x V, pixels)			
	Display resolution (n x v, pixels) Dimming type	7680x4320 Local Dimming		
Display	Display device			LCD
features	Backlight type			Direct LED (Backlight Master Drive)
	Operation time	18/7		
	· ·	16:09		
	Aspect Ratio Professional Hidden Mode	Yes		
	HDMI auto wake-up			
	Multicast/ IPTV	Yes		
Professional	Compatible with TDM Digital Signage/	Yes		
features	TEOS Solutions		Yes	
	Operating System	Android 9.0 F	ie	Android 9.0 Pie (via future Firmware update)
	On-board Storage (GB)	16GB		
	TV System (Digital Terrestrial)	DVB-T/T2		
	TV System (Digital Cable)	DVB-C		
Display System	TV System (Digital Sat)	DVB-S/S2		
	Number of Tuners (Terrestrial/Cable)	2(Digital)/1(Analog)		
	Number of Tuners (Sat)	2		
	Wi-Fi Direct	Yes		
	Wi-Fi Certified	Yes		
	Apple AirPlay	Yes*1		
Network	Chromecast built-in	Yes		
Network Features	Internet Browser	Vewd		
	Codec for Home Network	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotinJpeg/ASF(WMV):VC1/		
		MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG		
	Firmware update	Yes		
	Wireless LAN	Integrated		
	HDMI-CEC	Yes		
Convenience	i-Manual	Yes		
features	On Screen Clock	Yes		
	Sleep Timer	Yes		
	On/Off Timer	Yes		
Control specs	IP Control	Yes		
	Pro mode		Yes	7680x4320p(24,25,30Hz),
	HDMI Signal	7680x4320p(24,25,30,50,60Hz)*², 4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz)*³, 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p HDCP2.3(for HDMI1/2/3/4) 4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080p(30,50,60Hz), 720p(30,60Hz), 720p(30,60H		
	RF (Terrestrial/Cable) Connection Input(s)	1(Bottom)		
	IF (Satellite) Input(s)	2(Bottom)		
	Composite Video Input(s)	1(Side)		
Inputs & Outputs	HDMI inputs total	4(1Side,3Bottom)		
	USB ports	2 (Side) / 1 (Bottom)		
•	Ethernet inputs		1(Bottom)	
		640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits)		640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz),
	HDMI PC Input Format	1920x1080(67.5kHz,60Hz), 38	340x2160p(30Hz), z, 8bits)	1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz)
Audio	PCMCIA Slot(s)	1920x1080(67.5kHz,60Hz), 38	140x2160p(30Hz), , 8bits) 1 (Side)	1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz),
	PCMCIA Slot(s) Speaker Position	1920x1080(67.5kHz,60Hz), 38	140x2160p(30Hz), , 8bits) 1 (Side) Front	1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz),
	PCMCIA Slot(s) Speaker Position Audio Power Output	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz	140x2160p(30Hz), , 8bits) 1 (Side) Front .5W + 5W + 5W	1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 1920x1080(67.5kHz,60Hz)
	PCMCIA Slot(s) Speaker Position	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz	140x2160p(30Hz), , 8bits) 1 (Side) Front .5W + 5W + 5W	1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz)
specifications Video	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz	1 (Side) 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9	1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz)
specifications Video	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz	1 (Side) 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9	1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz)
specifications Video	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz 3840x2160p(50Hz) 12.5W + 12.5W + 1	1 (Side) 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor XI Ultimate	1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.5kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz) 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W
specifications Video	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatibity	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz	1 (Side) 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor XI Ultimate	1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz)
specifications Video Specifications	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz 3840x2160p(50Hz) 12.5W + 12.5W + 1	1 (Side) 1 (Side) Front 5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor X1 Ultimate by Vision)	1280x1024(64 0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz) 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W
specifications Video Specifications Design	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatiblity Cable Management	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz 3840x2160p(60Hz 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt	1 (Side) Front .SW + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor XI Ultimate by Vision) Yes	1280x1024(64.0KHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.5kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision)
specifications Video Specifications Design	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatiblity Cable Management Frame color Stand Design	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt	1 (Side) Front .5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor XI Ultimate by Vision) Yes	1280x1024(64 0KHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.5kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black
specifications Video Specifications Design	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatiblity Cable Management Frame color	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt	1 (Side) Front .5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor X1 Ultimate by Vision) Yes Stand Yes	1280x1024(64 0KHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.5kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black
specifications Video Specifications Design	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatiblity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt Dark Silver Premium Blade 9	1 (Side) Front .5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor X1 Ultimate by Vision) Yes Stand Yes	1280x1024(64 0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dollby Vision) Black Black
video Specifications Design Features	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatiblity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H)	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt Dark Silver Premium Blade 9	1 (Side) Front 1 (Side) Front 5 W + 5 W + 5 W Full/Zoom/14:9 Yes 8 K X-Reality PRO Picture Processor XI Ultimate by Vision) Yes Stand Yes	1280x1024(64 0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dollby Vision) Black Black
Jideo Specifications Design Features	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatibity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby)	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W +	1 (Side) Front 1 (Side) Front .5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor X1 Ultimate by Vision) Yes Stand Yes n 0.50W	1280x1024(64 0kHz,60Hz), 1152x864(67:SkHz,7SHz), 1600x900(55:9kHz,60Hz), 1680x1050(65:3kHz,60Hz), 1920x1080(67:5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black Black Black 60.0x40.0 cm
Jideo Specifications Design Features	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatibity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby) Peak luminance ratio for EU	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W +	1 (Side)	1280x1024(64 0kHz,60Hz), 1152x864(67:SkHz,7SHz), 1600x900(55:9kHz,60Hz), 1680x1050(65:3kHz,60Hz), 1920x1080(67:5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black Black Black 60.0x40.0 cm
pecifications /ideo specifications Design Features	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatiblity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby) Peak luminance ratio for EU Mercury content(mg)	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W +	1 (Side)	1280x1024(64.0kHz, 60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black Black Black 60.0x40.0 cm
pecifications /ideo Specifications Design Features Eco & energy saving	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatibity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby) Peak luminance ratio for EU Mercury content(mg) Power Saving Mode / Back Light Off Mode Display only (W x H x D)	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt Dark Silver Premium Blade 1 40.0x40.0 cr	1 (Side) Front 1 (Side) Front 5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor X1 Ultimate by Vision) Yes Stand Yes 0.50W 74% 0.0 Yes	1280x1024(64.0kHz, 60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black Black Black 60.0x40.0 cm
Video Specifications Design Features Eco & energy saving	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatiblity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby) Peak luminance ratio for EU Mercury content(mg) Power Saving Mode / Back Light Off Mode	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 412.5W + 12.5W + 12.5W + 12 4uto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt) Premium Blade 1 40.0x40.0 cr 40.0x40.0 cr 80% Approx. 168.0x97.7x8.4 cm Approx. 169.6(168.0)x98.6(98.9)x35.6(35.6) cm	1 (Side) Front 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor XI Ultimate by Vision) Yes Stand Yes 10.50W 74% 10.00 Yes Approx. 190.4x110.9x8.4 cm Approx. 192.0(190.4)x111.7(112.0)x42.8(42.8) cm	1280x1024(64 0kHz,60Hz), 1152x864(67:SkHz,7SHz), 1600x900(55:9kHz,60Hz), 1680x1050(65:3kHz,60Hz), 1920x1080(67:5kHz,60Hz), 1920x1080(67:5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black Black 60.0x40.0 cm 79% Approx. 220.2x131.1x11.1 cm Approx. 220.2(224.0)x139.5(172.5)x48.6(69.4) cm
pecifications //ideo Specifications Design Features Eco & energy Saving	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatibity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby) Peak luminance ratio for EU Mercury content(mg) Power Saving Mode / Back Light Off Mode Display only (W x H x D)	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W + 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt Dark Silver Premium Blade 9 40.0x40.0 cr 80% Approx. 168.0x97.7x8.4 cm Approx.	1 (Side) Front 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor XI Ultimate by Vision) Yes Stand Yes 10.50W 74% 10.0 Yes Approx. 190.4x110.9x8.4 cm Approx.	1280x1024(64 0kHz,60Hz), 1152x864(67:SkHz,7SHz), 1600x900(55:9kHz,60Hz), 1680x1050(65:3kHz,60Hz), 1920x1080(67:5kHz,60Hz), 1920x1080(67:5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black Black Black 60.0x40.0 cm 79% Approx. 220.2x131.1x11.1 cm Approx.
Video Specifications Design Features Eco & energy saving Dimensions Weights	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatibity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby) Peak luminance ratio for EU Mercury content(mg) Power Saving Mode / Back Light Off Mode Display only (W x H x D) Display with Stand (W x H x D)	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 412.5W + 12.5W + 12.5W + 12 4uto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt) Premium Blade 1 40.0x40.0 cr 40.0x40.0 cr 80% Approx. 168.0x97.7x8.4 cm Approx. 169.6(168.0)x98.6(98.9)x35.6(35.6) cm	1 (Side) Front 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor XI Ultimate by Vision) Yes Stand Yes 10.50W 74% 10.00 Yes Approx. 190.4x110.9x8.4 cm Approx. 192.0(190.4)x111.7(112.0)x42.8(42.8) cm	1280x1024(64 0kHz,60Hz), 1152x864(67:SkHz,7SHz), 1600x900(55:9kHz,60Hz), 1680x1050(65:3kHz,60Hz), 1920x1080(67:5kHz,60Hz), 1920x1080(67:5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black Black 60.0x40.0 cm 79% Approx. 220.2x131.1x11.1 cm Approx. 220.2(224.0)x139.5(172.5)x48.6(69.4) cm
Video Specifications Design Features Eco & energy saving Dimensions Weights	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatibity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby) Peak luminance ratio for EU Mercury content(mg) Power Saving Mode / Back Light Off Mode Display only (W x H x D) Display with Stand (W x H x D)	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt Dark Silver Premium Blade 9 40.0x40.0 cr 40.0x40.0 cr 80% Approx. 168.0x97.7x8.4 crm Approx. 169.6(168.0)x98.6(98.9)x35.6(35.6) cm Approx. 47.9 Kg	1 (Side) Front 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor X1 Ultimate by Vision) Yes Stand Yes 10.50W 74% 0.0 Yes Approx. 190.4x110.9x8.4 cm Approx. 192.0(190.4)x111.7(112.0)x42.8(42.8) cm Approx. 65.6 Kg	1280x1024(64 0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black Black 60.0x40.0 cm 79% Approx. 220.2x131.1x11.1 cm Approx. 220.2(224.0)x19x.5(172.5)x48.6(69.4) cm Approx. 94.2 kg
Video Specifications Design Features Eco & energy saving Dimensions Weights (Approx.) Optional	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatiblity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby) Peak luminance ratio for EU Mercury content(mg) Power Saving Mode / Back Light Off Mode Display only (W x H x D) Display with Stand (W x H x D) Display only Display with Stand	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt Dark Silver Premium Blade 9 40.0x40.0 cr 80% Approx. 168.0x97.7x8.4 cm Approx. 169.6(168.0)x98.6(98.9)x35.6(35.6) cm Approx. 47.9 Kg Approx. 49.9 Kg	1 (Side) Front 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor XI Ultimate by Vision) Yes Stand Yes 10.50W 74% 10.0 Yes Approx. 190.4x110.9x8.4 cm Approx. 4pprox. 4pprox. 67.8 (67.3) Kg Approx. 67.8 (67.3) Kg Approx. 81 kg	1280x1024(64 0kHz,60Hz), 1152x864(67:SkHz,7SHz), 1600x900(55:SkHz,60Hz), 1680x1050(65:SkHz,60Hz), 1920x1080(67:SkHz,60Hz), 1920x1080(67:SkHz,60Hz), 10W+10W+10W+10W+10W+10W+10W+10W+10W+10W+
Audio specifications Video Specifications Design Features Eco & energy saving Dimensions Weights (Approx.) Optional accessories Service	PCMCIA Slot(s) Speaker Position Audio Power Output Wide Mode 4:3 Default Video Processing 4K Processor HDR (High Dynamic Range) compatibity Cable Management Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Power Consumption (in Standby) Peak luminance ratio for EU Mercury content(mg) Power Saving Mode / Back Light Off Mode Display only (W x H x D) Display with Stand (W x H x D) Display only Display with Stand Package Carton(Gross)	1920x1080(67.5kHz,60Hz), 38 3840x2160p(60Hz) 3840x2160p(60Hz) 3840x2160p(60Hz) 12.5W + 12.5W + 12.5W + 12 Auto/Wide zoom/Normal/ Yes(HDR10,HLG,Dolt Dark Silver Premium Blade 1 40.0x40.0 cr 80% Approx. 168.0x97.7x8.4 cm Approx. 169.6(168.0)x98.6(98.9)x35.6(35.6) cm Approx. 47.9 Kg Approx. 49.9 Kg Approx. 64 kg	1 (Side) Front 1 (Side) Front 1.5W + 5W + 5W Full/Zoom/14:9 Yes 8K X-Reality PRO Picture Processor XI Ultimate by Vision) Yes Stand Yes 10.50W 74% 10.0 Yes Approx. 190.4x110.9x8.4 cm Approx. 4pprox. 4pprox. 67.8 (67.3) Kg Approx. 67.8 (67.3) Kg Approx. 81 kg	1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 1920x1080(67.5kHz,60Hz) 10W+10W+10W+10W+10W+10W+10W+10W+10W Wide zoom/Normal/Full/Zoom/14:9 Yes(HDR10, HLG, Dolby Vision) Black Black Black 60.0x40.0 cm 79% Approx. 220.2x131.1x11.1 cm Approx. 220.2(224.0)x139.5(172.5)x48.6(69.4) cm Approx. 94.2 Kg Approx. 101.8(113.2) Kg

Optional accessories



CAB-VGAHDMI1 VGA to HDMI cable



SU-WL450/PSE Wall Mount



Connect for TEOS license TEC-SC100



Manage for TEOS licenses TEM-CO10 TEM-MR10



TDM digital signage software licenses TDM-DS1Y: 1 year TDM-DS3Y: 3 years



Totems TOT-XXZ8H-IR10 TOT-XXZ8H-CA10



FC-XXZ8H/W FC-XXZ8H/WO



Touch overlays TO-XXZ8H-IR10 TO-XXZ8H-CA10




Kiosks KIO-XXZ8H-IR10 KIO-XXZ8H-CA10

*XX to be replaced by the display size. Please find more accessories on our website.

For full features visit pro.sony/products/professional-displays

© 2020 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony



PrimeSupport

All Sony BRAVIA Professional Displays sold into the EU, Norway and Switzerland come supplied with a 3 Year PrimeSupport pack, offering unique services and benefits, including:

- Freephone telephone helpdesk support (00 800 7898 7898) in 5 languages.
- A completely new replacement model rather than repair as standard.

In addition, optional PrimeSupport Plus packs can be purchased to add a 2 year extension of the standard 3 year PrimeSupport and to give long-term assurance of expert support, technical assistance for 5 years from purchase date.

PrimeSupport Pro

