ThinkPad T14s Gen 1 (Intel) 20T0001XIV

Product

ThinkPad T14s Gen 1 (Intel)

Region

WE

Country/Region

Israel

Machine Type

20T0

TopSeller

TopSeller

Processor

Intel Core i7-10510U (4C / 8T, 1.8 / 4.9GHz, 8MB)

Graphics

Integrated Intel UHD Graphics

Chipset

Intel SoC Platform

Memory

16GB Soldered DDR4-2666

Storage

512GB SSD M.2 2280 PCIe 3.0x4 NVMe

Display

14" FHD (1920x1080) IPS 500nits Anti-glare, Touch, ThinkPad Privacy Guard

Touchscreen

10-point Multi-touch

Card Reader

MicroSD Reader

Ethernet

100/1000M via Optional Adapter

Optical

None

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.1

WWAN

Fibocom L850-GL

SIM Card

None

Smart Card Reader

Smart Card Reader

Monitor Cable

None

Bundled Accessories

None

Camera

720p + IR with ThinkShutter

Microphone

2x, Array

Case Color

Black

Case Material

CFRP Hybrid (Top), Magnesium (Bottom)

Keyboard

Backlit, Hebrew

Fingerprint Reader

Touch Style, Match-on-Chip

NFC

None

Security Chip

Discrete TPM 2.0

Battery

Integrated 57Wh

Power Adapter

65W USB-C

System Management

None

Operating System

Windows 10 Pro 64, Hebrew / English

Bundled Software

None

Base Warrantv

3-year, Depot

Bundled Service

3Y Onsite upgrade from 3Y Depot/CCI (5WS0A23006)

EAN/UPC/JAN

0194778743679

End of Support

2026-12-05

Announce Date

2020-06-19

Recommended Services

Best

5Y Onsite upgrade from 3Y Onsite (5WS0A22893)

Bette

4Y Onsite upgrade from 3Y Onsite (5WS0A23136)

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.





ThinkPad T14s Gen 1 (Intel) Platform Specifications

Processor 4	Processor	10th Generation I	ntel® Co	roTM i5 / i7 D	·000000	<u></u>					Dimensions	MyDyU /	plack with EHD / EUD Taust	/ Privacy Guard):		
Number Cores Treasts Frequency Engagency Cores Treasts Frequency Cores Frequency Cores	r iocessor	10th Generation Intel® Core™ i5 / i7 Processor Processor # of # of Base Max Turbo Processor									Dimensions					
Procession Pro		Number Cores		Frequency F	Frequenc	cy Cacne	Memory	y Types			4	WxDxH (.			m x 16.1mm	
Tricestory 1		i5-10310U	' }				-		letel !	IHD	Weight	WxDxH (silver): 12.96" x 8.92" x 0.	.68"; 329.15mm x 226.45		
Intel UHD Graphics in processor: supports up to 3 independent displays via native display and two external monitors: supports external monitors via HDMI (up to 4968/2304 @60Hz)		i7-10510U 4	8	1.8 GHz	4.9 GHz	z 8MB	DDR4	-2666			vveignt		/ Privacy Guard	/ UHD		
supports yet of 3 independent displays via native display and two external monitors: Log flow (1942), uSB-C (up to 4096x2904 @001z) or Thunderboll (up to 4096x2904 @001z) or	Graphics		20 in		<u>⊎ UH.</u>	- I GINIR					Case color			2.81 lb / 1.27 kg	3.29 lb / 1.49 kg	
Intel Soc (System on Chip) platform Memory Sell 168 of Soc (System on Chip) platform Memory Sell 168 of Soc (System on Chip) platform Sell 168 of Soc 368 1686 o	·	supports up to 3 i supports external	independ I monitors	dent displays rs via HDMI ((up to 4	1096x216	60 [°] @24Hz	lz),			Case material	Display cover: CFRP Hybrid (black) or Aluminum (silver); Bottom: Magnesium				
Size Resolution Type Surface Total Sirght Size Resolution Size Size Resolution Size Resolution Size Resolution Size Size Resolution Size Size Resolution Size Size Size Size Resolution Size	Chipset	Intel SoC (System on Chip) platform 8GB, 16GB or 32GB / 2666MHz DDR4 / soldered to systemboard, no sockets									Media reader	MicroSD card reader Two USB 3.2 Gen 1 (one Always On), one USB 3.2 Type-C Gen 1 (with the function of Power Delivery and DisplayPort),				
Ha OF IHD (1920x1080) IPS Anti-glare 250 nist 16:9 700:1 45% 170*	Display	Size Resolution	Ту	/pe Surface	Touch	Bright- ness						HDMI 1.4	lb, Ethernet extension conn	nector, `	,,	
14.0° FHD (1920x1080) PS Anti-glave Multi- 16.9° 700.1° 45% 170° 170		14.0" FHD (1920x1)	080) li	PS Anti-glare	_						7	headphor	ne / microphone combo jacł	k, optional smart card rea		
Hat (14.0" FHD (1920x1)	080)	PS Anti-glare		300 nits	16:9	700:1	45%	170°		side dock	king connector, security keyl	vhole	•	
FHD (1920x1090) Gard (2014) FB Anti-glare Multi-Gard (2014)			080)	PS Anti-glare		400 nits	16:9	800:1	72%	170°		LenovoLenovo	HDMI to VGA Monitor Ada USB-C to VGA Adapter	apter		
Guerra (public (pub		14.0" Think Pad Priv	080) /acy	PS Anti-glare		500 nits	16:9 1	1000:1	72%	170°	Bundled Accy	 Lenovo Optional: 	USB-C to DisplayPort Ada ThinkPad Ethernet Extens	sion Adapter Gen 2		
Multi-touch (<i>opt</i>) On-cell touch, supports 10-finger gesture Native Intel Ethernet Connection 1219-V (<i>Non-vPro</i>) or 1219-LM (<i>vPro</i>) via optional ThinkPad Ethernet Exension Adapter Gen 2 WLAN + Bluetooth * Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card * Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card * Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card For <i>ron-WWM model</i> . It means the model is NOT WWAN upgradable SIM card (<i>opt</i>) Genalto e SiM Will card (<i>opt</i>) Genalto e SiM Will card (<i>opt</i>) Genalto e SiM Will card (<i>opt</i>) Multi-touch (<i>opt</i>) On-cell touch, supports 10-finger gesture Keyboard UltraNav™ Keyboard UltraNav™ Security Security Security Security Security Security Security chip Sec		UHD (3840x2 14.0" HDR400,	í li	PS Glossy		500 nits	16:9 1	1500:1	100% DCI-P3	170°	` '	IR came HD Audio	era and HD720p camera wi o, Realtek® ALC3287 codec	ith ThinkShutter camera p c / Dolby® Audio speaker s	orivacy, fixed focus system, 1W x 2 /	
Storage • M. 2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2 • M. 2 280 SSD / PCIe NVMe, PCIe 3.0 x 4 • Intel Optane™ Memory H10 with Solid State Storage, M. 2 280, PCIe NVMe 3.0 x 4 • Intel Optane™ Memory H10 with Solid State Storage, M. 2 280, PCIe NVMe 3.0 x 4 • Intel Optane™ Memory H10 with Solid State Storage, M. 2 280, PCIe NVMe 3.0 x 4 • Intel Optane™ Memory H10 with Solid State Storage, M. 2 280, PCIe NVMe 3.0 x 4 • Intel Report Mile Ethernet Connection I219-V (Non-vPro) or I219-LM (vPro) via optional ThinkPad Ethernet Extension Adapter Gen 2 WLAN + Bluelsoth™ Intel Wi-Fi 6 AV 201, Wi-Fi 2v2 802.11ax + Bluetooth 5.1 • Intel IMI-Fi 6 AV 201, Wi-Fi 2v2 802.11ax + Bluetooth 5.1 • Intel IMI-Fi 6 AV 201, Wi-Fi 2v2 802.11ax - Bluetooth 5.1 • Intel IMI-Fi 6 AV 10 teatures might be limited by country level restrictions • BT5.1 is supported on Windows 10 version 2004 or above (limited to BT5.0 on earlier version) WWAN (optional) WWreless WAN upgradable • Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card • Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card • Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card • For non-WWAN model, it means the model is NOT WWAN upgradable Gemalto eSIM • Wireless WAN upgradable Gemalto eSIM • Wireless WAN upgradable Gemalto eSIM • Wireless WAN upgradable Gemalto eSIM • Vireless WAN upgradable Gemalto eSIM • Vireles	Multi-touch (opt)			ว-finger gest	ure						Keyboard					
optical Dotane™ Memory H10 with Solid State Storage, M.2 2280, PCIe NVMe 3.0 x 4 None Ethernet Native Intel Ethernet Connection I219-V (Non-VPro) or I219-LM (VPro) via optional ThinkPad Ethernet Extension Adapter Gen 2 WLAN + Bluetooth™ Intel Wi-Fi 6 AX201, Wi-Fi 2x2 802.11ax + Bluetooth 5.1 Intel Wi-Fi 6 AX201, Wi-Fi 2x2 802.11ax + Bluetooth 5.1 Intel Wi-Fi 6 AX201, Wi-Fi 2x2 802.11ax + Bluetooth 5.1 Intel Wi-Fi 6 Mil features might be limited by country level restrictions BT-5.1 is supported on Windows 10 version 2004 or above (limited to BTs.0 on earlier version) WWAN (optional) Wireless WAN upgradable Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Mobile Mark 2014: 21 hr MobileMark 2014: 21 hr MobileMark 2014: 21 hr MobileMark 2014: 12 hr Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card 4 hr MobileMark 2014: 21 hr MobileMark 2014: 21 hr MobileMark 2014: 21 hr Jean Large Mobile MobileMark 2014: 21 hr Jean Large Mobile Mark 2014: 21 hr Jean Large M	Storage	• M.2 2242 SSD	/ PCIe N	IVMe, PCIe 3	3.0 x 2						'	optional L	_ED backlight	.,	,	
Optical None Ethernet Native Intel Ethernet Connection I219-V (Non-vPro) or I219-LM (vPro) via optional ThinkPad Ethernet Extension Adapter Gen 2 WLAN + Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Bluetooth™ Intel WiF-i 6 AX201, Wi-F-i 2x2 902_11ax + Bluetooth 5.1 Battery Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL,		 Intel Optane™ Memory H10 with Solid State Storage, 									Security	Power-on password, hard disk password, supervisor password, security keyhole chip Firmware TPM 2.0 integrated in chipset				
Native Intel Ethernet Connection 1219-V (Non-vPro) or 1219-LM (vPro) via optional ThinkPad Ethernet Extension Adapter Gen 2 WLAN + Bluetooth™ Intel Wi-Fi 6 AX201, Wi-Fi 2x2 802.11ax + Bluetooth 5.1 **Intel Wi-Fi 6 full features might be limited by country level restrictions **BT5.1 is supported on Windows 10 version 2004 or above (limited to BT5.0 on earlier version) WWAN (optional) **WWAN (optional) **WWAN (optional) **Wireless WAN upgradable Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L8	Optical	None									′ ′					
Bluetooth™ * InterWHT 9 Av201. Tax + Bluetooth™ * Intel WHT 6 full features might be limited by country level restrictions * BT5.1 is supported on Windows 10 version 2004 or above (limited to BT5.0 on earlier version) WWAN (optional) * Wireless WAN upgradable * Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card * Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card * Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card * For non-WWAN model, it means the model is NOT WWAN upgradable Gemalto eSIM Battery Integrated Li-Polymer 57Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter * MobileMark* 2018: 14.28 hr * MobileMark* 2018: 14.28 hr * Battery life varies significantly with hardware configurations, settings, usage, & other factors * 65W USB-C AC adapter * 1-year depot with 2-year system board repair service * 1-year depot with 2-year system board repair service * 1-year + 2-year/1-yr battery depot repair service * 1-year + 2-year/1-yr battery depot repair service * 1-year + 2-year/1-yr battery limited onsite service * 3-year/1-yr battery limited onsite service * 3-year/1-yr battery limited onsite service * 3-year/1-yr battery donsite s		via optional Think	Pad Ethe	ernet Extens	sion Ada	apter Ge	en 2	M (vPr	70)		Fingerprint readé	System Mgt (opt) Intel vPro Technology Fingerprint reader Optional: Touch style match on chip fingerprint reader on the palm rest				
* BT5.1 is supported on Windows 10 version 2004 or above (limited to BT5.0 on earlier version) WWAN (optional) * Wireless WAN upgradable Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card * Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card * For non-WWAN model, it means the model is NOT WWAN upgradable Gemalto eSIM * Sind card (opt) * Wireless WAN upgradable * Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card * For non-WWAN model, it means the model is NOT WWAN upgradable Gemalto eSIM * Operating system Operating system Operating system Optional: * 1-year depot with 2-year system board repair service * 1-year lepot with 2-year system board repair service * 1-year lepot with 2-year lepot repair service * 1-year lepot repair service * 1-year 1-yr battery depot repair service * 1-year 1-yr battery limited onsite service * 1-year 1-yr battery limited											I— ` '					
Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card For non-WWAN model, it means the model is NOT WWAN upgradable Gemalto eSIM AC adapter Gemalto eSIM AC adapter AC adapter AC adapter AC adapter AC adapter Gemalto eSIM AC adapter Gemalto eSIM AC adapter AC adapter Gemalto eSIM AC adapter Gemalto eSIM AC adapter AC adapter Gemalto eSIM AC adapter Gemalto eSIM AC adapter AC adapter Gemalto eSIM AC adapter Gewalto eSIM AC adapter Gewalto eVisionals, wasae, & other factors Gewaltors Gewaltors Gewaltors Gemalto eSIM AC adapter Gewaltors Gewaltors Gemalto eSIM AC adapter Gewaltors Gewaltors Gemalto eSIM AC adapter Gewaltors Gewaltor		* BT5.1 is supported	ed on Wind	dows 10 versio	n 2004 (or above (limited to	BT5.0 o	n earlier	version))	supports I	Rapid Charge (charge up to	o 80% in 1hr) with 65W A	C adapter	
SIM card (opt) Gemalto eSIM • 65W USB-C AC adapter • 65W USB-C slim AC adapter Operating system Optional: Windows® 10 Home 64 or Windows 10 Pro 64 Limited warranty (optional) • 1-year depot repair service • 1-year depot with 2-year system board repair service • 1-year limited onsite service • 1-year + 2-year/1-yr battery depot repair service • 1-year + 2-year/1-yr battery depot repair service • 1-year + 2-year/1-yr battery limited onsite service • 3-year/1-yr battery limited onsite service	() /	Integrated MobilIntegrated Mobil	ile Broad ile Broad	lband 4G LTE lband 4G LTE	E-A, Fik	bocom L8	860-GL,	, MIMO	ırd 2x2, M.2	2 card	1	MobileMa * Battery li	MobileMark 2018: 14.28 hr * Battery life varies significantly with hardware configurations, settings, usage, & other factors			
Limited warranty (optional) 1-year depot repair service 1-year depot with 2-year system board repair service 1-year limited onsite service 3-year/1-yr battery depot repair service 1-year + 2-year/1-yr battery depot repair service 1-year + 2-year/1-yr battery limited onsite service 1-year + 2-year/1-yr battery limited onsite service 3-year/1-yr battery limited onsite service Mil-Spec test Mil-STD-810G military testing Environment EPEAT™ Gold; ENERGY STAR® 8.0; RoHS-compliant	SIM card (opt)											 65W US 	65W USB-C AC adapter			
 (optional) 1-year depot with 2-year system board repair service 1-year limited onsite service 3-year/1-yr battery depot repair service 1-year + 2-year/1-yr battery depot repair service 1-year + 2-year/1-yr battery limited onsite service 3-year/1-yr battery limited onsite service Mil-Spec test MIL-STD-810G military testing Environment EPEAT™ Gold; ENERGY STAR® 8.0; RoHS-compliant 											Operating system			Windows 10 Pro 64		
Environment EPEAT™ Gold; ENERGY STAR® 8.0; RoHS-compliant											(optional)	1-year d1-year lii3-year/11-year +1-year +3-year/1	depot with 2-year system bo imited onsite service I-yr battery depot repair serven - 2-year/1-yr battery depot re - 2-year/1-yr battery limited I-yr battery limited onsite se	rvice repair service I onsite service		
											<u> </u>					
Note: The specifications above may not be available in all regions and might change by regions.											Environment	EPEAT™	Gold; ENERGY STAR® 8.0	; RoHS-compliant	Lenovo	

