ThinkPad X13 Gen 1 (Intel) 20T2003EIV

Product

ThinkPad X13 Gen 1 (Intel)

Region

WE

Country/Region

Israel

Machine Type

20T2

TopSeller

TopSeller

Processor

Intel Core i5-10210U (4C / 8T, 1.6 / 4.2GHz, 6MB)

Graphics

Integrated Intel UHD Graphics

Chipset

Intel SoC Platform

Memory

16GB Soldered DDR4-2666

Storage

512GB SSD M.2 2280 PCIe 3.0x4 NVMe

Display

13.3" FHD (1920x1080) IPS 300nits Anti-glare, Touch

Touchscreen

10-point Multi-touch

Card Reader

MicroSD Reader

Ethernet

100/1000M via Optional Adapter

Optical

None

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.1

WWAN

WWAN Upgradable

SIM Card

None

Smart Card Reader

Smart Card Reader

Monitor Cable

None

Bundled Accessories

None

Camera

720p + IR with ThinkShutter

Microphone

2x, Array

Case Color

Black

Case Material

PPS (Top), Magnesium / Aluminium (Bottom)

Keyboard

Backlit, Hebrew

Fingerprint Reader

Touch Style, Match-on-Chip

NFC

None

Security Chip

Discrete TPM 2.0

Battery

Integrated 48Wh

Power Adapter

65W USB-C

System Management

None

Operating System

Windows 10 Pro 64, Hebrew / English

Bundled Software

None

Base Warranty

3-year, Depot

Bundled Service

None

EAN/UPC/JAN

0194778773768

End of Support

2026-12-05

Announce Date

2020-05-22

Recommended Services

Best

5Y Onsite upgrade from 3Y Depot/CCI (5WS0A23078)

Better

4Y Onsite upgrade from 3Y Depot/CCI (5WS0A22852)

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.





ThinkPad X13 Gen 1 (Intel) Platform Specifications

Processor	10th Gener	10th Congration Intol® CorolM i2 / i5 / i7 Processor									Smart card reader Ontional: Smart card reader			
1 100033UI	10th Generation Intel® Core™ i3 / i5 / i7 Processor Processor # of # of Base Max Turbo Corbo Processor)eeo-	Media reader	Smart card reader Optional: Smart card reader Media reader MicroSD card reader, in the combo slot with nano-SIM card		
	Processor Number	# of Cores	# of Threads	Base Frequency	Max Turbo Frequency		Memory	y Types	s Proce Grapi		Ports	Two USB 3.2 Gen 1 (one Always On),		
	i3-10110U	2	4	2.1 GHz	4.1 GHz				- Grap		1	one USB 3.2 Type-C Gen 1 (with the function of Power Delivery and DisplayPort),		
	i5-10210U	<u> </u>	 	1.6 GHz	4.2 GHz		1					one USB 3.2 Type-C Gen 2 / Thunderbolt 3 (with the function of PD and DP), HDMI 1.4b, Ethernet extension connector,		
	i5-10310U	1		1.7 GHz	4.4 GHz		DDR4-	-2666	Intel U			combo slot of nano-SIM card (WWAN models) and microSD card reader,		
	i7-10510U	4	8	1.8 GHz	4.9 GHz]		Grap	JIIICS I		headphone / microphone combo jack, optional smart card reader,		
	i7-10610U			1.8 GHz	4.9 GHz	: 8MB						side docking connector, security keyhole * Depending on many factors, actual data transfer speed may be lower than theoretical speed		
Graphics	Intel UHD G	Graphi	cs in pro-	cessor:							Monitor cable	Monitor cable • Lenovo HDMI to VGA Monitor Adapter • Lenovo USB-C to VGA Adapter		
•	supports up	ıp to 3 i	independ	dent display	ys via nat	ive displ	ay and t	two ex	cternal mo	nonitors,				
	supports ex								@e∪ri-/		Bundled Accy	Lenovo USB-C to DisplayPort Adapter Optional: ThinkPad Ethernet Extension Adapter Gen 2		
Chinaat	USB-C (up					υσιι (up	10 4096.	<u>م</u> دع04	<u>- ⊌ υ∪HZ)</u>	'	<i>'</i>	,		
Chipset Memory	Intel SoC (System on Chip) platform 8GB, 16GB or 32GB / 2666MHz DDR4 / soldered to systemboard, no sockets									ts	Camera (optional)	 II)• HD720p camera with ThinkShutter camera privacy, fixed focus IR camera and HD720p camera with ThinkShutter camera privacy, fixed focus 		
ою у	* Installed me										Audio support	HD Audio, Realtek® ALC3287 codec / Dolby® Audio speaker system, 1W x 2 /		
Display									Color Vi	iewing	T	optional dual array far-field microphone, headphone / microphone combo jack		
. ,	Size Resolu		Тур		Touch	ness F	Ratio R	Ratio (Gamut A	Angle	Keyboard	6-row, spill-resistant, multimedia Fn keys with Unified Communications controls,		
	13.3" HD (13				_					170°	UltraNav™	optional LED backlight TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad		
	13.3" FHD (1	(1920x1		S Anti-glare		00 nits 1	16:9 80	800:1	72%	170°	Security	Power-on password, hard disk password, supervisor password, security keyhole		
	13.3" FHD (1	′1920x1	1080) IPS	S Anti-glare	e Multi- touch 30	00 nits 1	16:9 70	700:1	72%	170°	Security Security chip	Firmware TPM 2.0 integrated in chipset		
		(1920x1	1080)		touch	-+	-+		+	$\overline{}$, ,	Discrete TPM 2.0 TCG Certified		
	13.3" ThinkF	Pad Priv	vacy IPS	S Anti-glare	ə - 5ı	00 nits 1	16:9 10	000:1	72%	170°	System Mgt (opt)) Intel vPro Technology er Optional: Touch style match on chip fingerprint reader on the palm rest		
Multi-touch (ant)	On-cell tour		nnorto 10)-finger ==	sture							Proprional: Touch style match on chip fingerprint reader on the paim rest Near Field Communication		
	On-cell touch, supports 10-finger gesture • M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2										Battery	Integrated Li-Polymer 48Wh battery,		
	M.2 2242M.2 2280											supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter		
	 Intel Opta 	ane™ N	Memory I	H ₁₀ with S		Storage	Э,				Max battery life	<i>MobileMark® 2014:</i> 15.9 hr		
	M.2 2280, PCIe NVMe 3.0 x 4											MobileMark 2018: 10.45 hr * Battery life varies significantly with hardware configurations, settings, usage, & other factors		
Optical	None										AC adapter	AC adapter • 45W USB-C AC adapter		
Ethernet	Native Intel Ethernet Connection I219-V (<i>Non-vPro</i>) or I219-LM (<i>vPro</i>) via optional ThinkPad Ethernet Extension Adapter Gen 2										1	65W USB-C AC adapter 65W USB-C Ac adapter		
WLAN +	Intel Wi-Fi 6 AX201, Wi-Fi 2x2 802.11ax + Bluetooth 5.1										Operation	65W USB-C slim AC adapter Optional: Windows 10 Home 64 or Windows 10 Pro 64		
WLAN + Bluetooth™ <i>(opt)</i>	* Intel WiFi 6	6 full fea	atures mig	ght be limited	d by country	y level res	strictions				1	n Optional: Windows® 10 Home 64 or Windows 10 Pro 64		
	* BT5.1 is su	upporte	ed on Wind	dows 10 vers	sion 2004 o	r above (ı.	limited to	BT5.0	on earlier	r version,	Limited warranty	 1-year depot repair service 1-year depot with 2-year system board repair service 		
WWAN (optional)	• Wireless	WAN	upgradak	ole	TC ^		OF	N4 ~		_		1-year depot with 2-year system board repair service 1-year limited onsite service		
	IntegratedIntegrated	a Mopi	ile Broad	band 4G L	TF-A F:L	TEL FWOF	SCEFC,	M 2 C	ard			1-year + 2-year depot repair service		
	IntegratedIntegrated	d Mohi	ile Broad	band 4G L	TE-A, FIL	ocom I 8	360-GL,	, ivi.∠ C MIM∩) 2x2. M	2 card		1-year + 2-year limited onsite service		
	* For non-WV	/WAN m							, 141.	- mi U		 3-year/1-yr battery depot repair service 3-year/1-yr battery limited onsite service 		
SIM card (opt)	Gemalto eS	2IM									Mil-Spec test	MIL-STD-810G military testing		
Dimensions	Models	عري		HD Non-touc		HD/F	HD Multi-	i-touch /	/ Privacy G	Guard	Environment	EPEAT™ Gold; ENERGY STAR® 8.0; TCO Certified; RoHS-compliant		
	Carbon Fibe	er ,		x 217.0mm x 8" x 8.54" x 0			-							
	PPS	;	312.0mm	x 217.2mm	x 16.9mm	311.			nm x 16.9m	mm		1		
Weight		#		8" x 8.55" x 0				x 8.55"		Zuga-l				
Weight	Models Carbon Fibe		FHD Non-t		HD -	FI	יםר Multi-	-touch /	/ Privacy G	uard		1		
	Carbon Fibe		2.70 lb / 1.5 2.85 lb / 1.5		- .93 lb / 1.33	ka		- 84 lb / 1	1 28 kg	-		1		
Case color	Black	- 2	<u> ID / 1.</u>	v ny 2.	I.3t	- ny	2.8	<u>∪+ IU / 1</u>	،.دن ky			1		
Case color Case material	Display cov	ver: C	arbon Fi	iber (FHD	non-touch	າ only) ດເ	r PPS:				1	1		
	Bottom:	ì	<u>/lagnesiu</u>	ım/Aluminu	ım									
Note: The specifica	tions above	may no	at he avai	lable in all	regions an	d might	rhange k	by rogic	one			Lenovo		

