# SONY

# BRAVIA™ 4K HDR OLED Professional Displays

Innovative displays designed for business

### 42" - 83" A90K/A80K/ A90J/A95K Series

FWD-42A90K/UK

FWD-48A90K/UK

FWD-55A80K/UK

FWD-65A80K/UK

FWD-77A80K/UK

FWD-55A90J/UK







# Make an impressive statement with exquisite 4K HDR OLED images, effortless style and sound to match

Add unprecedented impact to your visual communications with the stunningly styled, fully featured BRAVIA OLED Professional Display. Combining bright, beautiful 4K HDR image quality with easy operation, it's an imposing addition to corporate boardrooms, lobbies, and reception areas.

Optimised for professional display applications, BRAVIA takes full advantage of cutting-edge OLED display technologies and our ingenious Cognitive Processor XR to ensure vibrant high-contrast 4K images.

The beautifully sleek, minimalist design of the A95K\*/A80J/A90J/A90K is sure to impress in any setting. And with Acoustic Surface Audio+, cinematic sound comes directly from the screen.

For even greater peace of mind there's the added reassurance of our 3 Years warranty with advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.

#### **Ultimate Picture Quality**











#### 4K image resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.

#### High contrast OLED screen technology

Each self-illuminating pixel is precisely and individually controlled so that you can enjoy breathtaking OLED contrast with pictures that feel deep, natural and real.

#### Wider Colour with XR TRILUMINOS Pro™ in A80K, A90J, A90K, and XR TRILUMINOS Max™ in A95K

Powered by our Cognitive Processor XR, the OLED series reproduce colour in a way that humans find beautiful. See a wider palette of colours with an enhanced range of hue and saturation, allowing natural shades and precise details to be seen, even in dark scenes.

#### Spectacularly real 4K HDR images

With XR HDR Remaster, this display can detect each object on screen, analyse its colour and adjust contrast for even more realistic pictures. Object-based processing, powered by BRAVIA XR™, takes precision to a whole new level by adding adjustment of hue, saturation, brightness, motion vector, bandwidth and more. The result is exceptionally real scenes with greater depth, lifelike textures and natural colours.

#### **Smoother movement**

With our XR OLED Motion, even fast action stays smooth and clear. Moving images are precisely controlled to minimise blur so that pictures remain true with less loss in brightness during high-speed scenes.

#### Sound from the screen

With our Acoustic Surface Audio+ technology, sound comes directly from the centre of the screen with powerful actuators behind the TV vibrating to create acoustics that move with the picture.

A95K has the new OLED (QD-OLED) screen and XR TRILUMINOS Max™



#### Do more with Google TV

Discover a world of apps and online content powered by Google TV. Use Voice Search to find content easily with no typing.

#### **Google Chromecast and Apple Airplay**

With Google Chromecast built-in, and Apple Airplay, easily mirror your content and enjoy it super-sized on your BRAVIA.

#### Flexible Mounting and Installation

BRAVIA Professional Displays offer flexible mounting options with VESA standard mounting for easy integration into a wide range of environments.

#### Greater peace of mind

There's the added reassurance of our 3 Years warranty with advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.

## **Specifications**

		FWD-42A90K/UK	FWD-48A90K/UK	FWD-55A95K/UK	FWD-65A95K/UK			
	Screen size (measured diagonally)	42"(41.5") 106 cm	48"(47.5") 121 cm	55"(54.6") 139 cm	65"(64.5") 164 cm			
Display features	Display resolution (H x V, pixels)	3840 x 2160						
reatures	Display device	OLED OLED(QD-OLED)						
Professional	Aspect Ratio Operating System		16 Andre					
features	On-board Storage (GB)		16	GB				
	TV System (Digital Terrestrial) TV System (Digital Cable)	DVB-T/T2 DVB-C						
Display System	TV System (Digital Sat)	DVB-S/S2						
	Number of Tuners (Terrestrial/Cable)	2(Digital) / 1(Analog)						
	Number of Tuners (Sat)	2						
	Wi-Fi Direct Wi-Fi Certified	Yes Yes						
Network	Wi-Fi Standard	a/b/g/n/ac						
	Apple AirPlay Chromecast built-in	Yes Yes						
Features	Internet Browser	Vewd						
	Codec for Home Network	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)						
	Wireless LAN	Integrated  MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/						
	USB playback codecs	MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/ JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)						
	HDMI-CEC i-Manual	Yes Yes						
Convenience features	On Screen Clock		Ye	es				
	Sleep Timer On/Off Timer	Yes Yes						
	Display Language	AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ,KAN,KOR,K IR, LAO,LIT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE, SWA,TAM,TEL,THA,TGL,TUR,UKR,URD,UZB,VIE, zh_CN,zh_HK,zh_TW,ZUL						
Control specs	IP Control	Yes						
·	Pro mode  HDMI Signal	No 4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p						
	HDCP	HDCP2.3(for HDM1/2/3/4)						
	RF (Terrestrial/Cable) Connection Input(s)		1(Bot	tom)				
	IF (Satellite) Input(s)	2(Bottom)						
Inputs & Outputs	Composite Video Input(s) HDMI inputs total	Hybrid w/S-Center Speaker Input x1(Side, Mini jack) 4(1Side, 3Bottom)						
Outputs	USB ports	2(Side) / 1(Bottom)						
	Ethernet inputs RS-232C Input(s)	1(Bottom) No						
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz),						
	PCMCIA Slot(s)	1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits*) 1(Side)						
Audio	Speaker Position	l(side) Front						
specifications	Audio Power Output Wide Mode	10W + 10	+ 10W + 10W					
	4:3 Default	Wide zoom/Normal/Full/Zoom/14:9,Normal/Full1/Full2 for PC  Yes						
	Video Processing	XR 4K Upscaling						
Video Specification	4K Processor	Cognitive Processor XR						
	Motion enhancer  HDR (High Dynamic Range)	XR OLED Motion, Auto mode						
	compatibility	Yes (HDR10, HLG, Dolby Vision)						
	Panel Refresh Rate (Native Hertz)  Cable Management	100Hz Yes						
	Frame colour	Titanium Black						
Design Features	Stand Design VESA® Hole Spacing	Aluminum Center Plate Full Edge Slate						
	Compatible	Yes						
	VESA® Hole Pitch (W x H) Rated Power Consumption	30.0 x 30.0 cm 201 W 235 W 348 W 417 W						
	Power Consumption (in Standby)	0.50 W						
Eco & energy saving	Mercury content (mg)	0.0						
	Power Saving Mode / Back Light Off Mode	Yes						
Dimensions	Display only (W x H x D)	Approx. 93.3 x 54.6 x 5.7 (2.05) cm	Approx. 106.9 x 62.4 x 5.9 (2.48) cm	Approx. 122.5 x 71.4 x 4.3 (2.17) cm	Approx. 144.4 x 83.7 x 4.3 (2.17) cm			
	Display with Stand (W x H x D)	Approx. 93.3 x 55.1 x 22.5 cm	Approx. 106.9 x 62.9 x 22.5 cm	-	-			
Weights (Approx.)	Display only Display with Stand	Approx. 13.3 kg Approx. 16.4 kg	Approx. 13.4 kg Approx. 16.5 kg	Approx. 21.2 kg	Approx. 27 kg			
	Package Carton (Gross)	Approx. 10.4 kg Approx. 21 kg	Approx. 16.5 kg Approx. 21 kg	Approx. 40 kg	Approx. 51 kg			
Supplied accessories	Camera Unit (Bundle)		-	CMU-	-BC1M			
		SU-WL450(Terminal access limitation, SU-WL450(Terminal access limitation, SU-WL450(Terminal access limitation,						
Optional accessories	Wallmount Bracket	SU-WL450(Terminal access limitation, refer to SU-WL450 product page)	refer to SU-WL450 product page), SU-WL850(Depends on usage of terminal)	refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart)	refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart)			
Service and Warranty	Standard Warranty	31	ears with advanced exchange handled l	oy local partner, on premise where possil	ble			
anu warranty	· · · · · · · · · · · · · · · · · · ·		<u> </u>	****				

		FWD-55A80K/UK	FWD-65A80K/UK	FWD-77A80K/UK	FWD-55A90J/UK	FWD-65A90J/UK	FWD-83A90J/UK		
	Screen size	55"(54.6")	65"(64.5")	77"(76.7")	55"(54.6")	65"(64.5")	83"(82.5")		
Disal	(measured diagonally)  Display resolution	139 cm	164 cm	195 cm	139 cm	164 cm	210 cm		
Display features	(H x V, pixels)			3840 >	¢ 2160				
	Display device			OL					
Danie i 1	Aspect Ratio Operating System			16 Andro					
Professional eatures	On-board Storage (GB)			160					
	TV System (Digital Terrestrial)	DVB-T/T2							
	TV System (Digital Cable)	DVB-C							
Display System	TV System (Digital Sat) Number of Tuners			DVB-	S/S2				
•	(Terrestrial/Cable)			2(Digital) /	1(Analog)				
	Number of Tuners (Sat)			2					
	Wi-Fi Direct Wi-Fi Certified	Yes Yes							
	Wi-Fi Standard	a/b/g/n/ac							
	Apple AirPlay	Yes							
Network	Chromecast built-in	Yes							
Features	Internet Browser	Vewd  MPEG1:MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/  MPEG1:MPEG1/MPEG2PS:MPEG2/ EG2TS(HDV,AVCHD):MPEG2,AVC/							
	Codec for Home Network	MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/ WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/ JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)			MP4(XAVC S):AVC, MPEG4, HEVC/AVI: Xvid, Motinipeg/ASF(WMV):VCI/ MOV:AVC, MPEG4, Motionipeg/MKV: Xvid, AVC, MPEG4, VP8. HEVC/ WEBM: VP8/3GPP: MPEG4, AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/ FLAC/JPEG				
	Wireless LAN	MDEC1-MDEC1/MDEC	ODC-MADECO /MADECOTS/LUDI	Integ		DDC-MDEG2/MDEG2TC/UDV	/ \\/CUD\-MBEG2 \\/C/		
	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/ MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/ WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/ JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)			MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/ MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,Motin/peg/ASF(WMV):VC1/ MOV:AVC, MPEG4,Motion/peg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/ WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/ FLAC//PEG				
Convenience	HDMI-CEC			Y€					
eatures	i-Manual On Screen Clock			Ye Ye					
	Sleep Timer			Ye					
	On/Off Timer			Y€					
	Display Language		L,MON,MAR,MAY,BUR,NOB,						
Control specs	IP Control Pro mode		Yes	N		es (requires authentication	1)		
	HDMI Signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p							
	HDCP	HDCP2.3(for HDM11/2/3/4)							
	RF (Terrestrial/Cable) Connection Input(s)	1(Side)			1(Bottom)				
Inputs &	IF (Satellite) Input(s) Composite Video Input(s)	2(Side) Hybrid w/S-Center Speake			2(Bottom) ter Input x1(Side, Mini jack)				
Outputs	HDMI inputs total	4(4Side)			4(1Side, 3Bottom)				
	USB ports		2(Side)		2(Side) / 1(Bottom)				
	Ethernet inputs RS-232C Input(s)	1(Side)			1(Bottom)				
		640x480(31.5kHz,60H	lz), 800x600(37.9kHz,60Hz)	, 1024x768(48.4kHz,60Hz), 1		152x864(67.5kHz,75Hz), 160	0x900(55.9kHz,60Hz),		
	HDMI PC Input Format	1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60H			Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits*)				
	PCMCIA Slot(s) Speaker Position	1(Top)			1(Side) Front				
Audio	_	40111 40111 40	Down firing + Front 20W + 10W + 10W +						
specifications	Audio Power Output	10W + 10W + 10W + 10W + 10W 10W 20W + 20W + 10W + 10W							
	Wide Mode 4:3 Default	Wide zoom/Normal/Full/Zoom/14:9,Normal/Full1/Full2 for PC							
	Video Processing	Yes XR 4K Upscaling							
/ideo	4K Processor	Cognitive Processor XR							
pecification	Motion enhancer	XR OLED Motion, Auto mode							
	HDR (High Dynamic Range) compatibility			Yes (HDR10, HL0	G, Dolby Vision)				
	Panel Refresh Rate (Native Hertz)	100Hz							
	Cable Management	No Yes							
	Frame color			Titaniur	n Black				
Design Features	Stand Design	Metal Slim Wedged Stand			Aluminum Center Plate				
cutures	VESA® Hole Spacing Compatible			Ye	es				
	VESA® Hole Pitch (W x H) Rated Power Consumption	362 W	460 W	30.0 x 30.0 cm 603 W	399 W	532 W	40.0 x 40.0 cm 817 W		
Eco & energy saving	Power Consumption	302 W	460 W			332 VV	017 VV		
	(in Standby)	0.50W							
	Mercury content (mg) Power Saving Mode / Back Light	0.0 Yes							
	Off Mode Display only						Approx.		
Dimensions	(W x H x D)	122.7 x 71.2 x 5.3 (0.69) cm	144.8 x 83.6 x 5.3 (2.62) cm	172.2 x 99.8 x 5.4 (2.79) cm	122.3 x 70.9 x 4.1(0.56) cm	144.4 x 83.3 x 4.1(0.56) cm	185.0 x 106.7 x 5.3 (0.73)		
	Display with Stand (W x H x D)	Approx. 122.7 x 73.8 x 33.0 cm	Approx. 144.8 x 86.2 x 33.0 cm	Approx. 172.2 x 102.4 x 38.9 cm	Approx. 128.2 x 70.9 x 31.7 cm	Approx. 150.2 x 83.4 x 31.7 cm	Approx. 188.0 x 107.2 x 42.8 cm		
	Display only	Approx. 17.9 kg	Approx. 23 kg	Approx. 34.8 kg	Approx. 18.6 kg	Approx. 22.5 kg	Approx. 42 kg		
Weights	Display with Stand	Approx. 19.5 kg	Approx. 24.6 kg	Approx. 37 kg	Approx. 20.3 kg	Approx. 24.6 kg	Approx. 43.5 kg		
Approx.)		Approx. 25 kg	Approx. 33 kg	Approx. 43 kg	Approx. 29 kg	Approx. 34 kg	Approx. 59 kg		
	Package Carton (Gross)			-					
Approx.)  Optional accessories  Service	Wallmount Bracket			nitation, refer to SU-WL450 p					



Bring the incredible depth and quality of 4K HDR OLED resolution to your business

#### Ideal for:

Corporate presentation
Digital signage
Video conferencing
Education

# For full features visit pro.sony/products/professional-displays

© 2022 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony

Distributed by							

#### **PrimeSupport**

Find your local telephone number to contact our *PrimeSupport Helpdesk* on our website **pro.sony/en\_GB/change-country-region-language** 

Monday - Friday 09:00 - 18:00 (Central European Time), excluding local national holidays. Support is available in English, French, Italian, German & Spanish

Prime Support Pro