

JTouch Interactive Displays

Touchscreens that enhance collaboration & captivate audiences



JTouch Features

Whether you're in a classroom or huddle space, a conference room or auditorium, there's a JTouch interactive display solution to fit your needs and engage your audience.

	40-inch	57-inch	65-inch	70-inch	85-inch
LightCast Wireless Display	With LightCast Key	Casting only with LiteShow 4	With LightCast Key (INF6502WB series only)	With LightCast Key	Casting only with LiteShow 4
Digital Whiteboard	4	With Android Whiteboard	(INF6502WB series only)	4	With Android Whiteboard
Internet Browser	With LightCast Key	-	With LightCast Key (INF6502WB series only)	With LightCast Key	-
Document Viewer*	4	-	(INF6502WB series only)	4	-
4K Resolution	1080p	1080p	1080p	✓	1
Display & Control	✓	✓	✓	4	4
Capacitive Touch	✓	Infrared	✓	✓	Infrared
Anti-Glare	-	-	✓	✓	1



	40-inch	57-inch	65-inch	70-inch	85-inch
Small Team Area	✓	✓			
Huddle Spaces	✓	✓			
Offices	✓	✓	✓		
Meeting Rooms		✓	✓	✓	
Large Meeting Rooms			✓	✓	1
Classrooms			✓	✓	✓
Lecture Halls				✓	✓

JTouch Interactive Displays

Connecting the JTouch touchscreen display to your notebook creates a bright, colorful touch computing experience that engages audiences in classrooms and beyond. It's the group-work device that fits your meeting room and your budget.





Key Features

- · Giant, high resolution touch display for a great price
- Incredibly sharp 4K resolution on 70 and 85-inch models
- 40-, 57-, and 65-inch models offer bright, vivid 1080p HD resolution
- Run all your apps, even the older ones, with touch
- Accurate and responsive touch overlay with multi-touch capability

Full Touch Control

Display your PC, Mac, or Chromebook via HDMI or VGA & control it from the display via touch using a USB cable.

- Extend the reach of your computer's USB ports with easilyaccessible USB ports on the display
- No calibration or special stylus means it's quick and easy to use with just your fingertips

High Brightness and HD Clarity

JTouch helps you get your message across and connect with your audience with incredible brightness, color and clarity. With 1080p and 4K resolution, your images, text and video will be seen and enjoyed even in large spaces with high ambient light.

Projected Capacitive Touch (PCAP)

The ultra-responsive and sleek bezel-less technology found in tablets and smart phones is now in most JTouch Whiteboard models. Get more touch points for fingers, styluses and even medical-grade gloves.

Bring Your Display to Life with 4K

Boost the impact of your content and make every meeting or presentation more engaging, informative, and memorable with 4K.

- More pixels mean more detail and depth for amazingly life-like images
- Enhanced color rendering
- Presenters benefit from crisp, clear images up close
- Audiences enjoy vibrant, detailed images, even from the back of a conference room



Interactive Whiteboard

Stop taking photos of your old dry-erase board & step up to a digital whiteboard. You'll never lose an idea & your meetings will be more efficient & productive.

Draw, Write, & Capture Notes

- Save whiteboard notes electronically
- Create a whiteboard on a multi-screen canvas, with room for free-form drawings, diagrams, and notes
- Use it with fingers or a stylus
- Write or draw with complete collection of digital pens, highlighters, shapes, lines and colors
- · Paste images on whiteboard
- No calibration required
- No lamps or filter to replace
- View and annotate over PowerPoint, images, Word and more.



Built into INF4030/p, INF6502WB/p, INF6502WBAG/p, INF7002e, INF7002WB, and INF7002WBAG

Easily Upgrade Standard JTouch Models to Whiteboard Functionality:

Android Whiteboard Module

With the Android Whiteboard Module (INA-AWB), your JTouch becomes a digital whiteboard that you can tailor to your organization's business, education or entertainment needs — including access to nearly endless applications in the Google Play store.

BigNote Whiteboard Software

Add BigNote software (INS-BIGNOTE) to your Windows notebook or tablet and your JTouch becomes a full-function interactive whiteboard.



"Overall the JTouch is a jack of all interactive trades – it has the ability to draw in a rainbow of colors, display smooth video and let you connect without needing a new app."

-Brian Nadel, Computerworld

Go Wireless with LightCast Technology

Enhance your presentation, teamwork, and content sharing capabilities when you unlock the built-in wireless connectivity of your JTouch display.

LightCast functionality is built into select JTouch models: INF4030/p, INF6502WB/p, INF6502WBAG/p, INF7002e, INF7002WB, and INF7002WBAG. Add the LightCast Key to unlock full wireless collaboration features.

Key Features

- Connect mobile devices and share content wirelessly
- Access the Internet with a built-in web browser
- View and present documents, videos, and photos

Wireless Casting

Adding the LightCast Key to your JTouch lets you easily connect and share content from nearly any computer or mobile device. You'll make meetings, lessons and teamwork more efficient, engaging and easy.

LightCast technology works seamlessly with all your device's native protocols – use AirPlay (Mirroring mode) for Apple, and Miracast for Android or Windows.**

Use the InFocus LightCast Sender to cast using Chrome extension (works on Apple, Windows, or Chrome OS.)

Browse the Web

Access your favorite web online content without a connected computer.

- Quickly access the web, curriculum, and file sharing platforms
- Easy access to favorites/bookmarks
- Connect the display to your network via LAN or WiFi
- Annotate over the web

Document Viewer

View and present your files directly from the JTouch.

- Display Office files, like PowerPoint, Word, and Excel, as well as most photo and video file formats
- Easily annotate on files with digital pens, highlighters, and shapes
- Save and share annotated files after a meeting
- Draw your audience's attention with a built-in laser pen

LightCast Key

The LightCast Key unlocks your JTouch's wireless casting, web browsing, document viewing and annotation, and wired LAN connectivity.





"I use my iPad to cast live camera feed of what students have created to the JTouch.

Accessories for JTouch Displays

Mobile Carts

- Move your JTouch around the room or around the building
- Integrated cable management with flexible covers to hide cables for a clean installation
- Smooth rolling casters for effortless positioning (2 locking casters)
- Height adjustment 4-6' (1.2-1.8 m)



Swivel Mount For 40-inch

Attach this heavy-duty mount to the 40-inch Floor Stand to rotate the JTouch display between portrait and landscape orientations.

- Up to 12 degrees of smooth pivot adjustment in any direction
- Includes 200x200 VESA adapter plate and tilt adapters that allow an additional 10 degrees of tilt
- Weight capacity: 50 lbs (22.7 kg)
- Black finish

Floor Stand For 40-inch

Easily display a 40-inch JTouch or other small thin display with this sturdy floor stand. Stabilizers prevent wobbling when using the touch screen.

- Three mounting heights
- Add optional swivel mount to rotate between portrait and landscape orientations
- Height adjustment: 4' 6' (1.2 1.8 m)
- 200 x 200 VESA mounting pattern



Lift Case

Easily store, transport, and use a 40″, 57″, 65″, or 70″ flat screen display. Set up displays with only one or two people and be ready for use in less than 5 minutes.

- · Full range of viewing heights
- Mounted multi-outlet surge protected power strip
- Shock-mounted lift mechanism
- Pivoting mount on 40" case enables portrait or landscape 40-inch display
- Integrated cable management system
- 2-piece clamshell locking lid
- Stable, yet portable with four heavy duty casters



LiteShow 4

Add the InFocus LiteShow 4 wireless presentation adapter to any base model display with a VGA or HDMI input to quickly and easily share data, audio, and HD video over a secure wireless connection

- Connect LiteShow 4 to your network to create a new, secure wireless access point
- On-board video decoding for fast, smooth playback
- · Guests quickly connect with LiteShow USB drive
- Compatible with Windows 7, 8 & 10, Mac & iOS and Android mobile devices
- Connect and display multiple computers at the same time



Whiteboarding Solutions

Android Whiteboard

Connect it to your JTouch and turn it into a digital whiteboard, and get access to nearly endless applications in the Google Play store.

- Capture and save notes on a digital whiteboard with pens, highlighters, shapes and lines in multiple colors
- Whiteboard on a canvas that can be extended 10x in any direction
- Paste images or add useful custom backgrounds, such as a grid or calendar
- Add your favorite Android apps from the Google Play store
- No stylus or calibration required
- Connect to your display via HDMI
- Connect to your network via RJ45 or WiFi
- · Add an optional wireless keyboard and mouse for extra convenience

BigNote Whiteboard Software

Add BigNote software to your Windows PC and your JTouch becomes a full-function interactive whiteboard.

- Pens, highlighters, shapes and lines in multiple colors
- Whiteboard on a canvas that can be extended 10x in any direction
- Annotate over any application and save the changes
- Capture all or part of your screen, then draw, save, and share
- Email files to meeting participants as JPG,
 PDF or BigNote's format
- Launch the BigNote feature you want to use with one click
- Files are interchangeable with InFocus Mondopad



Specifications*



Display	INF4030 INF4030p	INF5701 INF5701p	INF6500e INF6500eAG	INF6502WB INF6502WBp INF6502WBAG INF6502WBAGp	INF7002e	INF7002WB INF7002WBAG	INF8501	
Size	40" Diagonal	57" Diagonal		agonal	70" Diagonal		85" Diagonal	
Resolution		FULL HD 1	FULL HD 1920 × 1080			4K 3840 × 2160		
Anti-Glare	N	N/A		INF6502WBAG INF6502WBAGp	INF7002WBAG		Yes and Gorilla Glass	
Wireless Collaboration	LightCast ready	LiteShow 4 ready		LightCast ready			LiteShow 4 ready	
Mounting Orientation	Portrait / Landscape	Landscape						
Technology	LED Edge-Lit LCD		LED Edge-Lit LCD Direct WLED Backlight		LED Edge-Lit LCD			
Pixel Pitch	0.45mm	0.67mm	0.40mm	0.744mm	0.40)mm	0.46mm	
Response Time	8.5ms	9.5ms	8ms	6.5ms	6ms			
Contrast Ratio		00:1	4,000:1		5,000:1		3,000:1	
Brightness	300cd/m ²	370cd/m ²	300cd/m2		350cd/m ²		500cd/m ²	
Input Connections	HDMI × 4, VGA, component, composite, 3.5mm line-in audio (mono), RCA stereo audio, RS232, USB-B for touchscreen control, USB-A × 2 on panel, USB-A × 2 on bottom for embedded software	HDMI × 2, VGA, RS232, RCA stereo audio, 3.5mm line-in audio (mono), USB-B for touchscreen control	HDMI x 5, USB x 2 for touchscreen control (USB-A on front, USB-B on back), USB-A x 2 hub on front, USB-A for PC on front (reserved for future use), VGA, 3.5mm line-in audio (mono), component, composite, RS232	HDMI × 4, VGA (HD15 VESA), component, RS232, 3.5mm line-in audio (mono), RCA stereo audio, 3.5mm microphone, USB-B for touchscreen control, USB-A × 4 on panel, USB-A × 2 on bottom for embedded software	DisplayPort 1.2, HDMI 2.0 x 2, HDMI 1.4, VGA, component, 3.5mm line-in audio (mono), RCA stereo, RS232, USB-B for touchscreen control, USB-A x 4 on panel, USB-A x 2 on bottom for embedded software		DisplayPort 1.2, HDMI 2.0 × 2(Rear), HDMI 1.4, VGA, component, 3.5mm line-in audio (mono), RCA stereo audio, RS232 Serial, USB 3.0 Type-A ×4, USB 3.0 Type-B	
Output	RCA audio stereo		RCA audio stereo (L/R) out,					
Connections	(L/R) out		3.5mm Stereo Audio					
Touch Technology	PCAP	IR	PCAP			IR		
Touch Points	10	5	5 10 10			10		
Speakers Mount	Vesa standard 200 × 200mm M8 screws	10W × 2 Vesa standard 400 × 400mm M8 screws				Vesa 400 × 600mm M8 screws		
Accessories Included	Power cord, VGA & USB cable, tray, stylus, and documentation	Power cord, VGA cable, USB cable, remote control, and documentation	VGA cable, USB cable, power cord, remote, quick setup guide Power cord, VGA cable, USB cable, remote control, and doc			cumentation		
Product Weight	44lbs / 20kg	124lbs / 56kg	110.2 lbs / 50 kg	117.5lbs / 53.5kg	108lbs	/ 49kg	223.8lbs / 101.5kg	
Product Dimensions (H × W × D)	21.8 × 38.3 × 4.5in / 533 × 974 × 113mm	33.6 x 54.5 x 3.5 / 853 x 1384 x 89mm	38.3 x 59.9 x 3.3in / 972 x 1521 x 83mm	32.3 × 59.9 × 3.3in / 895 × 1520.5 × 83.1mm	37.9 x 64. 963.3 x 1629.		46.7 x 78.3 x 4.4 in / 1186 x 1988 x 112.1 mm	
Shipping Weight	56.4lbs / 25.6kg	153lbs / 69kg	136.7lbs / 62 kg	148.4lbs / 67.3kg	136.7lbs	/ 62 kg	264.6lbs / 120kg	
Shipping Dimensions (H × W × D)	28.1 × 41.9 × 7.9in / 715 × 1063 × 200mm	42.5 × 63.5 × 10in / 1080 × 1613 × 254mm	44.9 x 66.4 x 8.4in / 1141 x 1687 x 213mm	44 x 69 x 10.6in / 1128 x 1752 x 270mm	46.5 x 73.2 1180 x 1860		56.2 x 88.1 x 12.2 in / 1427 x 2239 x 311 mm	
Warranty				2 Years				

^{*}Product specifications, terms, and offerings are subject to change at any time without notice.

Additional Display Specifications

Refresh Rate: 120 Hz Viewing Angle: 176°

Computer Touch Compatibility (via USB): PC, Mac, Chromebook

Power: AC 100 to 240V, 50/60 Hz

Operating Conditions: 32° to 104° F at 0 to 10K feet / 0° to 40° at 0 to 3,048 m $\,$

Noise: <40dBA at 77 F / 25 C



Accessories

Wall Mount for 57-70 Inch Display (INF-WALLMNT2)

Mobile Carts for 57-70 Inch Display (INF-MOBCART, INF-MOBCARTPRO-B, INF-MOBCARTPRO-S)

Wall Mount for 85-Inch Display (INF-WALLMNT3)

Mobile Cart for 85-Inch Display (INF-MCART-PL)

Deluxe Mobile Cart with PTZ Mount and Accessory Shelf (INA-MCARTDX)

Lift Assist Mount for 57-70 Inch Display (INA-MNTBB70)

Floor Support for Lift Assist Wall Mount (INA-SUPPORTBB)

Mobile Cart for List Assist Mount (INA-CARTBB)

VESA Interface Bracket for Lift Assist Mount (INA-VESABB)

Floor Stand for 40-Inch DigiEasel (INA-STNDSM)

LiteShow 4 (INLITESHOW4)

LightCast Key (INA-LCKEY2, INA-LCKEY3 - selection is location dependent)

Touchscreen Stylus (INA-STYLUS)

Android Whiteboard Module (INA-AWB)

Extended Warranties: 40-Inch (EPW-40JT1, EPW-40JT2, EPW-40JT3) / 57-Inch (EPW-57JT1, EPW-57JT2, EPW-57JT3) / 65-Inch (EPW-65JT1, EPW-65JT2, EPW-65JT3) / 70-Inch (EPW-70JT1, EPW-70JT2, EPW-70JT3) / 85-inch (EPW-85JT1, EPW-85JT2, EPW-85JT3)

^{**}Check with your manufacturer for details

^{***}Available only in North America

