# 6 ft USB to Parallel Printer Adapter - M/M

Product ID: ICUSB1284

The ICUSB1284 6 ft USB to Parallel Printer Adapter - M/M allows USB capable PCs to print to any standard parallel printer, converting a USB port into a Centronics (male) connector for direct connection to a parallel printer.

The USB interface provides a much faster data transfer rate than standard parallel ports, thereby reducing the time spent waiting for a print job or data transfer to be sent.

A portable, space-saving solution, the USB to Parallel Printer Adapter is self-powered and provides Plug and Play installation on Windows® based, USB-compliant computers.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

## Certifications, Reports and Compatibility

**RoHS & REACH**
DOWNLOAD DECLARATION

CE

FC

## Applications

• Allows you to quickly add a parallel port to your Windows® computer

## Features

• High speed bi-directional parallel port compliant to IEEE-1284 industry standard
• Low power consumption as it draws power from the USB connection
• Fully Plug & Play for easy installation
• No IRQ required for installation

| | | |
|---|---|---|
| **Hardware** | Warranty | 2 Years |
| | Bus Type | USB 2.0 |
| | Chipset ID | Prolific - PL2305 |
| | Interface | Parallel |
| | Ports | 1 |
| **Connector(s)** | Connector A | 1 - USB Type-A (4 pin) USB 2.0 Male |
| | Connector B | 1 - Centronics (36 pin) Male |
| **Software** | OS Compatibility | Windows® 98SE, ME, 2000, XP, Vista, 7, 8, 8.1, 10<br>Windows Server® 2000, 2003, 2008 R2, 2012, 2012 R2, 2016, 2019<br>Mac OS X® 10.6 to 10.15<br>Linux 2.6.x to 4.11.x *LTS Versions only* |
| **Power** | Power Consumption (In Watts) | 0.9W |
| | Power Source | USB-Powered |
| **Environmental** | Humidity | 0~80% RH non-condensing |
| | Operating Temperature | 5°C to 40°C (41°F to 140°F) |
| | Storage Temperature | -20°C to 70°C (-4°F to 158°F) |
| **Physical Characteristics** | Cable Length | 1.8 m [6 ft] |
| | Enclosure Type | Plastic |
| | Product Height | 0.000 |
| | Product Length | 1.8 m [6 ft] |
| | Product Width | 0.000 |
| | Weight of Product | 128 g [4.5 oz] |
| **Packaging Information** | Package Height | 26 mm [1 in] |
| | Package Length | 22 cm [8.7 in] |
| | Package Width | 20 cm [7.9 in] |
| | Shipping (Package) Weight | 137 g [4.8 oz] |
| **What's in the Box** | Included in Package | 1 - USB to Parallel Converter Cable |

Product appearance and specifications are subject to change without notice.