



# **3ft (1m) USB C to DisplayPort 1.4 Cable 8K 60Hz/4K - Bidirectional DP to USB-C or USB-C to DP Reversible Video Adapter Cable -HBR3/HDR/DSC - USB Type-C/TB3 Monitor Cable**

Product ID: CDP2DP141MBD



This USB-C<sup>M</sup> to DisplayPort<sup>M</sup> 1.4 cable lets you connect your USB Type-C<sup>M</sup> (or Thunderbolt 3<sup>M</sup>) device to a DisplayPort display, or a DP device to a USB-C display with just one cable.

### **Unparalleled Performance with Support for 8K 60Hz**

Supporting four times the resolution of 4K, this 8K DP 1.4 adapter cable delivers the stunning quality of UHD at resolutions up to 7680×4320, and also features HBR3 functionality, providing a bandwidth of up to 32.4Gbps.

The video cable is backward compatible with 4K and 1080p displays, which makes it a great accessory for home, office or other work environments, while future-proofing for 8K implementation.

www.startech.com 1 800 265 1844



### **Data Sheet**

### Easy & Clutter-Free Installation

At 3.3 ft. (1 m) in length, this bi-directional adapter cable delivers a compact connection that eliminates excess adapters and cabling, ensuring a tidy, professional installation. For longer installations, we also offer a 6.6 ft. (2 m) USB-C to DP cable, enabling you to choose the right cable length for your custom installation needs.

### **Convenient, Bi-Directional Support**

Use this USB-C to DisplayPort adapter cable to output 8K video and audio to a DP display from the USB Type-C (or Thunderbolt 3) port on your laptop or mobile device. With bi-directional capabilities, this cable can also connect your DisplayPort-enabled devices to a display featuring USB-C input. For added convenience, the cable supports both Mac & Windows operating systems.

CDP2DP141MBD is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Note:

- Your USB-C device must support DP Alt Mode to work with this cable.
- To achieve 8K resolutions, your source and your destination must support DisplayPort 1.4.

www.startech.com 1 800 265 1844



# Certifications, Reports and Compatibility







### Applications

- Stream 8K video to a DisplayPort 1.4 screen or monitor
- Ultimate accessory for early adopters of 8K technology
- Deliver eye-catching presentations while you're on the go
- Perfect for creative professionals

#### Features

- HIGH PERFORMANCE: Reversible USB C to DisplayPort 1.4 cable or DP to USB-C cable supports 8K 60Hz/4K 120Hz/HDR/DisplayHDR/ HBR3/Display Stream Compression (DSC)/HDCP 2.2/1.4 | Thunderbolt 3 compatible
- REVERSIBLE CABLE: This 3.3ft/1m DisplayPort to USB C bidirectional cable works either way to connect your USB-C Laptop to a DisplayPort Monitor or connect a DisplayPort device to a USB Type-C display
- DP OR USB-C DP ALT MODE HOST COMPATIBLE: USB-C video cable for Dell XPS/Precision/Latitude, Lenovo ThinkPad X1 Carbon/Extreme, Surface Laptop 3/Pro, TB3 MacBook Pro/Air, HP EliteBook, Spectre, ZBook
- DP OR USB-C MONITOR COMPATIBLE: Use this DisplayPort to USB C cable to convert from a DP host to a USB-C monitor; supports USB-C 16:9 & ultrawide monitors from LG, Dell UltraSharp, Acer, Asus Pro Art
- INTEGRATED VIDEO ADAPTER CABLE: Supports driverless setup on any OS, minimizes failure points & signal loss, and features latching DP connector to ensure a reliable & consistent connection

# StarTechcom

Hard-to-find made easy\*

## **Data Sheet**

	Warranty	3 Years
Hardware	Active or Passive Adapter	Active
	Audio	Yes
	AV Input	USB-C
		DisplayPort - 1.4
	AV Output	DisplayPort
		USB-C
	Chipset ID	Chrontel - CH7213C-BF
		Texas Instruments - TUSB544
		VIA Labs - VL170
Performance	Audio Specifications	DisplayPort - 7.1 Channel Audio USB-C - 7.1 Channel Audio
	Bandwidth	HBR3
	Maximum Digital Resolutions	DisplayPort: 7680x4320 (8K) / 60Hz USB-C: 7680x4320 (8K) / 60Hz
	Video Revision	DisplayPort 1.4
	Wide Screen Supported	Yes
Connector(s)	Connector A	1 - USB-C (24 pin) DisplayPort Alt Mode Male Input
		1 - Thunderbolt™ 3 USB-C (24-pin) (40Gbps) Male Input
	Connector B	1 - DisplayPort (20 pin) Male Output
Special Notes / Requirements	System and Cable Requirements	Your USB-C device must support DisplayPort Alt Mode to work with this cable
		To achieve 8K resolutions, your source and your destination must support DisplayPort 1.4
Environmental	Humidity	10%-85% RH
	Operating Temperature	0°C to 45°C (32°F to 113°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
Physical Characteristics	Color	Black
	Material	Plastic
	Product Height	10.000
	Product Length	38.2 in [97 cm]
	Product Width	22.000
	Weight of Product	46.000



Hard-to-find made easy\*

-					
	-	-	Sh	-	-
•••					-
_	-		-	-	

Package Height	15.000
Package Length	125.000
Package Width	225.000
Shipping (Package) Weight	50.000
Included in Package	1 - 1 m USB-C to DisplayPort 1.4 Bi-Directional Adapter Cable
_	Package Length Package Width Shipping (Package) Weight

Product appearance and specifications are subject to change without notice.

www.startech.com 1 800 265 1844