

G83-6104/G83-6105



Models may vary from the image shown

Reliable standard keyboard, tried-and-tested a million times over

The CHERRY G83-6000 is the reliable standard keyboard, tried-and-tested a million times over – with soft operation of the keys and completely recyclable.

Key benefits

- Compact, corded standard keyboard
- Easy to clean keys with scratch-resistant inscriptions
- NTK technology for pleasantly soft operation of the keys
- Uniform switching characteristics (elastomer keys with membrane contact switches)
- 20 million operations for each key
- Can be recycled
- USB or PS/2 connection

Technical Data:

Layout (country or language):

Product dependant, see table "Models"

Housing colour:

Product dependant, see table "Models"

Key colour:

Product dependant, see table "Models"

Weight (product):

662 g

Total weight (with packaging):

810 g

Cable Length:

approx. 1.75 m

Storage Temperature:

-20°C to 60°C

Operating Temperature:

0°C to 50°C

Current Consumption:

typ. 16 mA

Interface:

Product dependant, see table "Models"

Product approvals:

- cURus 
- VDE GS 
- c-tick 
- CE 
- FCC 

System requirements:

Product dependant, see table "Models"

Delivery Volume:

- G83-6104/G83-6105
- Printed instructions

Dimensions (product):

approx. 458 x 170 x 42 mm

Packaging dimensions:

approx. 493 x 210 x 47 mm

Keyboard:

- Key technology: NTK
- Service life, standard key: > 20 million key operations
- Operation characteristics: Soft pressure point
- Inscription technology: Laser
- Inscription layout: Standard
- Number of Keys: Product dependant, see table "Models"

Packaging Unit:

- Number of products in the master package: 65
- Number of master packages per pallet: 2

Warranty:

2 years

Errors, technical changes and delivery possibilities excepted.
Technical information refers only to the specifications of the products. Features may differ from the information provided.

Models:

(possible country/layout versions, others available on request)

	Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
1	G83-6104	G83-6104LPNAR-0	4025112024863	English (US) / Arabic	light grey	light grey	PS/2	PS/2 connection	104
2	G83-6104	G83-6104LPNAR-2	4025112041754	English (US) / Arabic	black	black	PS/2	PS/2 connection	104
3	G83-6104	G83-6104LPNEU-0	4025112010248	US English with EURO symbol	light grey	light grey	PS/2	PS/2 connection	104
4	G83-6104	G83-6104LPNEU-2	4025112011887	US English with EURO symbol	black	black	PS/2	PS/2 connection	104
5	G83-6104	G83-6104LPNIL-0	4025112012174	English (US) / Hebrew	light grey	light grey	PS/2	PS/2 connection	104
6	G83-6104	G83-6104LPNJK-0	4025112054990	Japan (Katakana)	light grey	light grey	PS/2	PS/2 connection	104
7	G83-6104	G83-6104LPNRB-0	4025112044168	English (US) / Cyrillic	light grey	light grey	PS/2	PS/2 connection	104
8	G83-6104	G83-6104LPNRC-0	4025112055003	English (US) / Chinese	light grey	light grey	PS/2	PS/2 connection	104
9	G83-6104	G83-6104LPNRG-0	4025112010866	US / Cyrillic	light grey	light grey	PS/2	PS/2 connection	104
10	G83-6104	G83-6104LPNUS-0	4025112004728	US English	light grey	light grey	PS/2	PS/2 connection	104
11	G83-6104	G83-6104LRNBB-0	4025112027420	Bulgaria	light grey	light grey	PS/2	PS/2 connection	104
12	G83-6104	G83-6104LRNBB-2	4025112003363	Bulgaria	black	black	PS/2	PS/2 connection	104
13	G83-6104	G83-6104LRNEU-0	4025112010248	US English with EURO symbol	light grey	light grey	PS/2	PS/2 connection	104
14	G83-6104	G83-6104LRNGR-0	4025112068270	Greece	light grey	light grey	PS/2	PS/2 connection	104
15	G83-6104	G83-6104LRNRB-0	4025112044168	English (US) / Cyrillic	light grey	light grey	PS/2	PS/2 connection	104
16	G83-6104	G83-6104LRNRB-2	4025112003011	English (US) / Cyrillic	black	black	PS/2	PS/2 connection	104
17	G83-6104	G83-6104LRNRG-2	4025112005510	US / Cyrillic	black	black	PS/2	PS/2 connection	104

Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys	
18	G83-6104	G83-6104LRNRH-0	4025112011221	English (US) / Cyrillic	light grey	light grey	PS/2	PS/2 connection	104
19	G83-6104	G83-6104LRNRL-0	4025112014178	Lithuania (English (US) / Cyrillic)	light grey	light grey	PS/2	PS/2 connection	104
20	G83-6104	G83-6104LRNRL-2	4025112002960	Lithuania (English (US) / Cyrillic)	black	black	PS/2	PS/2 connection	104
21	G83-6104	G83-6104LUNAR-2	4025112056598	English (US) / Arabic	black	black	USB	USB connection	104
22	G83-6104	G83-6104LUNBB-0	4025112023804	Bulgaria	light grey	light grey	USB	USB connection	104
23	G83-6104	G83-6104LUNBB-2	4025112049965	Bulgaria	black	black	USB	USB connection	104
24	G83-6104	G83-6104LUNEU-0	4025112010880	US English with EURO symbol	light grey	light grey	USB	USB connection	104
25	G83-6104	G83-6104LUNEU-2	4025112028793	US English with EURO symbol	black	black	USB	USB connection	104
26	G83-6104	G83-6104LUNGR-0	4025112068287	Greece	light grey	light grey	USB	USB connection	104
27	G83-6104	G83-6104LUNIL-0	4025112056550	English (US) / Hebrew	light grey	light grey	USB	USB connection	104
28	G83-6104	G83-6104LUNRB-2	4025112064692	English (US) / Cyrillic	black	black	USB	USB connection	104
29	G83-6104	G83-6104LUNRC-0	4025112049927	English (US) / Chinese	light grey	light grey	USB	USB connection	104
30	G83-6104	G83-6104LUNRC-2	4025112076435	English (US) / Chinese	black	black	USB	USB connection	104
31	G83-6104	G83-6104LUNRG-0	4025112006876	US / Cyrillic	light grey	light grey	USB	USB connection	104
32	G83-6104	G83-6104LUNRG-2	4025112057915	US / Cyrillic	black	black	USB	USB connection	104
33	G83-6105	G83-6105LPNBE-0	4025112010262	Belgium	light grey	light grey	PS/2	PS/2 connection	105
34	G83-6105	G83-6105LPNCD-0	4025112063244	Canada	light grey	light grey	PS/2	PS/2 connection	105
35	G83-6105	G83-6105LPNCD-2	4025112063428	Canada	black	black	PS/2	PS/2 connection	105
36	G83-6105	G83-6105LPNCH-0	4025112010279	Switzerland	light grey	light grey	PS/2	PS/2 connection	105
37	G83-6105	G83-6105LPNDK-0	4025112036743	Denmark	light grey	light grey	PS/2	PS/2 connection	105

Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys	
38	G83-6105	G83-6105LPNEE-0	4025112044281	Estonia	light grey	light grey	PS/2	PS/2 connection	105
39	G83-6105	G83-6105LPNES-0	4025112010286	Spain	light grey	light grey	PS/2	PS/2 connection	105
40	G83-6105	G83-6105LPNES-2	4025112015236	Spain	black	black	PS/2	PS/2 connection	105
41	G83-6105	G83-6105LPNFA-0	4025112044151	French / Arabic	light grey	light grey	PS/2	PS/2 connection	105
42	G83-6105	G83-6105LPNFR-0	4025112010293	France	light grey	light grey	PS/2	PS/2 connection	105
43	G83-6105	G83-6105LPNFR-2	4025112078330	France	black	black	PS/2	PS/2 connection	105
44	G83-6105	G83-6105LPNGB-0	4025112010699	UK	light grey	light grey	PS/2	PS/2 connection	105
45	G83-6105	G83-6105LPNGB-2	4025112034466	UK	black	black	PS/2	PS/2 connection	105
46	G83-6105	G83-6105LPNHU-0	4025112045646	Hungary	light grey	light grey	PS/2	PS/2 connection	105
47	G83-6105	G83-6105LPNIT-0	4025112010682	Italy	light grey	light grey	PS/2	PS/2 connection	105
48	G83-6105	G83-6105LPNIT-2	4025112078347	Italy	black	black	PS/2	PS/2 connection	105
49	G83-6105	G83-6105LPNNL-0	4025112010675	Netherlands	light grey	light grey	PS/2	PS/2 connection	105
50	G83-6105	G83-6105LPNNL-2	4025112050596	Netherlands	black	black	PS/2	PS/2 connection	105
51	G83-6105	G83-6105LPNNO-0	4025112040665	Norway	light grey	light grey	PS/2	PS/2 connection	105
52	G83-6105	G83-6105LPNNO-2	4025112027390	Norway	black	black	PS/2	PS/2 connection	105
53	G83-6105	G83-6105LPNPL-0	4025112013195	Poland	light grey	light grey	PS/2	PS/2 connection	105
54	G83-6105	G83-6105LPNPO-0	4025112010668	Portugal	light grey	light grey	PS/2	PS/2 connection	105
55	G83-6105	G83-6105LPNRD-0	4025112021220	Germany / Cyrillic	light grey	light grey	PS/2	PS/2 connection	105
56	G83-6105	G83-6105LPNSF-2	4025112048524	Sweden / Finland	black	black	PS/2	PS/2 connection	105
57	G83-6105	G83-6105LPNSK-0	4025112059957	Slovakia	light grey	light grey	PS/2	PS/2 connection	105
58	G83-6105	G83-6105LRNBE-2	4025112017278	Belgium	black	black	PS/2	PS/2 connection	105
59	G83-6105	G83-6105LRNCH-0	4025112010644	Switzerland	light grey	light grey	PS/2	PS/2 connection	105
60	G83-6105	G83-6105LRNCH-2	4025112036965	Switzerland	black	black	PS/2	PS/2 connection	105
61	G83-6105	G83-6105LRNDE-2	4025112000034	Germany	black	black	PS/2	PS/2 connection	105
62	G83-6105	G83-6105LRNDK-0	4025112045837	Denmark	light grey	light grey	PS/2	PS/2 connection	105
63	G83-6105	G83-6105LRNDK-2	4025112047541	Denmark	black	black	PS/2	PS/2 connection	105
64	G83-6105	G83-6105LRNEE-2	4025112003080	Estonia	black	black	PS/2	PS/2 connection	105
65	G83-6105	G83-6105LRNES-0	4025112053801	Spain	light grey	light grey	PS/2	PS/2 connection	105
66	G83-6105	G83-6105LRNFA-0	4025112053818	French / Arabic	light grey	light grey	PS/2	PS/2 connection	105
67	G83-6105	G83-6105LRNFR-0	4025112010309	France	light grey	light grey	PS/2	PS/2 connection	105

Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys	
68	G83-6105	G83-6105LRNFR-2	4025112013638	France	black	black	PS/2	PS/2 connection	105
69	G83-6105	G83-6105LRNGR-0	4025112046476	Greece	light grey	light grey	PS/2	PS/2 connection	105
70	G83-6105	G83-6105LRNHU-2	4025112003134	Hungary	black	black	PS/2	PS/2 connection	105
71	G83-6105	G83-6105LRNIT-0	4025112057441	Italy	light grey	light grey	PS/2	PS/2 connection	105
72	G83-6105	G83-6105LRNIT-2	4025112011405	Italy	black	black	PS/2	PS/2 connection	105
73	G83-6105	G83-6105LRNPL-0	4025112053825	Poland	light grey	light grey	PS/2	PS/2 connection	105
74	G83-6105	G83-6105LRNPL-2	4025112003318	Poland	black	black	PS/2	PS/2 connection	105
75	G83-6105	G83-6105LRNPO-2	4025112001178	Portugal	black	black	PS/2	PS/2 connection	105
76	G83-6105	G83-6105LRNRD-2	4025112049088	Germany / Cyrillic	black	black	PS/2	PS/2 connection	105
77	G83-6105	G83-6105LRNRO-0	4025112066627	Romania	light grey	light grey	PS/2	PS/2 connection	105
78	G83-6105	G83-6105LRNRO-2	4025112066634	Romania	black	black	PS/2	PS/2 connection	105
79	G83-6105	G83-6105LRNSF-0	4025112029516	Sweden / Finland	light grey	light grey	PS/2	PS/2 connection	105
80	G83-6105	G83-6105LRNSK-2	4025112003264	Slovakia	black	black	PS/2	PS/2 connection	105
81	G83-6105	G83-6105LRNSL-0	4025112010316	Slovenia	light grey	light grey	PS/2	PS/2 connection	105
82	G83-6105	G83-6105LRNSL-2	4025112011733	Slovenia	black	black	PS/2	PS/2 connection	105
83	G83-6105	G83-6105LRNTS-0	4025112023682	Czech Republic	light grey	light grey	PS/2	PS/2 connection	105
84	G83-6105	G83-6105LRNTS-2	4025112003219	Czech Republic	black	black	PS/2	PS/2 connection	105
85	G83-6105	G83-6105LRPDE-0	4025112010002	Germany	light grey	light grey	PS/2	PS/2 connection	105
86	G83-6105	G83-6105LRPTS-0	4025112023682	Czech Republic	light grey	light grey	PS/2	PS/2 connection	105
87	G83-6105	G83-6105LUNBE-0	4025112010637	Belgium	light grey	light grey	USB	USB connection	105
88	G83-6105	G83-6105LUNBE-2	4025112043178	Belgium	black	black	USB	USB connection	105
89	G83-6105	G83-6105LUNCD-2	4025112063459	Canada	black	black	USB	USB connection	105
90	G83-6105	G83-6105LUNCH-0	4025112017308	Switzerland	light grey	light grey	USB	USB connection	105
91	G83-6105	G83-6105LUNCH-2	4025112047350	Switzerland	black	black	USB	USB connection	105
92	G83-6105	G83-6105LUNDE-0	4025112010330	Germany	light grey	light grey	USB	USB connection	105
93	G83-6105	G83-6105LUNDE-2	4025112026027	Germany	black	black	USB	USB connection	105
94	G83-6105	G83-6105LUNDK-0	4025112010620	Denmark	light grey	light grey	USB	USB connection	105
95	G83-6105	G83-6105LUNDK-2	4025112047329	Denmark	black	black	USB	USB connection	105
96	G83-6105	G83-6105LUNES-0	4025112010613	Spain	light grey	light grey	USB	USB connection	105
97	G83-6105	G83-6105LUNES-2	4025112046216	Spain	black	black	USB	USB connection	105

Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys	
98	G83-6105	G83-6105LUNFA-2	4025112067877	French / Arabic	black	black	USB	USB connection	105
99	G83-6105	G83-6105LUNFR-0	4025112010347	France	light grey	light grey	USB	USB connection	105
100	G83-6105	G83-6105LUNFR-2	4025112028779	France	black	black	USB	USB connection	105
101	G83-6105	G83-6105LUQGB-0	4025112010606	UK	light grey	light grey	USB	USB connection	105
102	G83-6105	G83-6105LUQGB-2	4025112047336	UK	black	black	USB	USB connection	105
103	G83-6105	G83-6105LUNGR-0	4025112056765	Greece	light grey	light grey	USB	USB connection	105
104	G83-6105	G83-6105LUNHU-2	4025112071966	Hungary	black	black	USB	USB connection	105
105	G83-6105	G83-6105LUNIT-0	4025112010590	Italy	light grey	light grey	USB	USB connection	105
106	G83-6105	G83-6105LUNIT-2	4025112046209	Italy	black	black	USB	USB connection	105
107	G83-6105	G83-6105LUNNL-0	4025112044717	Netherlands	light grey	light grey	USB	USB connection	105
108	G83-6105	G83-6105LUNNL-2	4025112050510	Netherlands	black	black	USB	USB connection	105
109	G83-6105	G83-6105LUNNO-0	4025112013249	Norway	light grey	light grey	USB	USB connection	105
110	G83-6105	G83-6105LUNNO-2	4025112042843	Norway	black	black	USB	USB connection	105
111	G83-6105	G83-6105LUNPL-0	4025112052781	Poland	light grey	light grey	USB	USB connection	105
112	G83-6105	G83-6105LUNPL-2	4025112071959	Poland	black	black	USB	USB connection	105
113	G83-6105	G83-6105LUNPO-0	4025112047398	Portugal	light grey	light grey	USB	USB connection	105
114	G83-6105	G83-6105LUNPO-2	4025112047343	Portugal	black	black	USB	USB connection	105
115	G83-6105	G83-6105LUNRD-0	4025112041990	Germany / Cyrillic	light grey	light grey	USB	USB connection	105
116	G83-6105	G83-6105LUNRD-2	4025112054082	Germany / Cyrillic	black	black	USB	USB connection	105
117	G83-6105	G83-6105LUNRO-0	4025112067853	Romania	light grey	light grey	USB	USB connection	105
118	G83-6105	G83-6105LUNSF-0	4025112047381	Sweden / Finland	light grey	light grey	USB	USB connection	105
119	G83-6105	G83-6105LUNSF-2	4025112042621	Sweden / Finland	black	black	USB	USB connection	105
120	G83-6105	G83-6105LUNSK-0	4025112063473	Slovakia	light grey	light grey	USB	USB connection	105
121	G83-6105	G83-6105LUNSL-0	4025112010583	Slovenia	light grey	light grey	USB	USB connection	105
122	G83-6105	G83-6105LUNTS-0	4025112022364	Czech Republic	light grey	light grey	USB	USB connection	105
123	G83-6105	G83-6105LUNTS-2	4025112040351	Czech Republic	black	black	USB	USB connection	105