





Reversible USB Type-C connector

Transcend's RDC2 smart reader comes with a reversible USB Type-C connector for greater ease of use. In addition to Android smartphones and tablets with a USB Type-C port, Transcend's RDC2 smart reader can also be used on new laptops with a Type-C port, such as Apple's 12-inch MacBook and Google's Chromebook Pixel 2.



or tablet. Download the Transcend Elite app to easily manage digital files on your Android smartphone or tablet.

Dual card slots for easy expansion

Transcend's RDC2 smart reader is equipped with both an SD card slot and a microSD card slot. The SD card slot supports UHS-I SDXC and SDHC memory cards, while the microSD card slot offers your Android device an alternative way to expand its storage capacity. Note: The reader does not support simultaneous insertion of two cards.



An accessory to connect your life

Equipped with a USB Type-A port, Transcend's RDC2 smart reader allows for simultaneous connection to a USB flash drive or PCs when an Android smartphone or tablet is connected with the Type-C cable. You can also plug in a mouse or keyboard to control your Android device.





OTG Card Readers

Smart Reader RDC2

Features

- · USB Type-C connector
- Multifunctional smart reader with SD and microSD card slots and a USB port
- Connects to a mouse or keyboard to control your Android device
- · Compact design and pocket portable size
- Download the Transcend Elite app from Google Play

Transcend

Transcend Elite app

Featuring File Management, File Encryption, and One-touch Backup functions, the Transcend Elite app allows you to easily explore files on the inserted memory card or USB flash drive. Transfer files with 256-bit AES Encryption, share to a variety of cloud storage services, and quickly back up photos, videos, documents, and other important content stored on your Android devices.

Specifications

| Α. | | | | | | | | | |
|---------------|------|------|---------------|-----------|---|-----------|--------------|--------|---------------|
| Α | n | n | | \supset | r | \supset | \mathbf{n} | \sim | \triangle |
| $\overline{}$ | 1. / | 1. / | $\overline{}$ | | | | | ١. | $\overline{}$ |

| Dimensions (Max.) | 40.8 mm x 40.8 mm x 10.4 mm (1.61" x 1.61" x 0.41") |
|-------------------|---|
| Weight (Max.) | 17 g (0.60 oz) |
| Color | Black |

Interface

| USB Type | USB Type-C | |
|----------------------|------------|--|
| Connection Interface | USB 2.0 | |

Hardware

Card Reader Slot(s) SD/microSD/USB

Operating Environment

| Operating Temperature | 0°C (32°F) ~ 70°C (158°F) |
|-----------------------|---|
| Note | Please make sure that your device supports USB OTG function |
| | before purchasing. |
| | Simultaneous insertion of two cards not supported. |

Warranty

| Certificate | CE/FCC/BSMI/KC |
|-------------|---------------------------|
| Warranty | Two-year Limited Warranty |
| | |

Compatibility

| Memory Card Supported | SDHC (UHS-I)/SDXC (UHS-I) microSDHC (UHS-I)/microSDXC (UHS-I) |
|-----------------------|---|
| Note | This card reader will work with UHS-II cards, but only operates |
| | at UHS-I speeds. |

Ordering Information

| TS-RDC2K | Black |
|----------|-------|

Product specifications are subject to change without notice. Pictures shown may differ from actual products. When used as a storage capacity unit, one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment.



OTG Card Readers Comparison







Smart Reader RDA2

Smart Reader RDC2

Smart Reader RDP9

| Annogranco | | | | |
|------------------------------|---|--|----------------|--|
| Appearance Dimensions (Max.) | 40.8 mn | n x 40.8 mm x 10.4 mm (1.61" x 1.61" x 0 |) 41") | |
| Weight (Max.) | 17 g (0.60 oz) | | | |
| Color | White | 17 g (0.00 02) Black | Black | |
| | vvince | Black | Black | |
| Interface | | | | |
| USB Type | - | USB Type-C | micro USB | |
| Connection Interface | Lightning | USB 2.0 | USB 2.0 | |
| | | | | |
| Hardware | | | | |
| Card Reader Slot(s) | SD/microSD | SD/microSD/USB | SD/microSD/USB | |
| | | | | |
| Warranty | | | | |
| Warranty | | Two-year Limited Warranty | | |
| | | | | |
| Compatibility | | | | |
| Memory Card Supported | ed SDHC (UHS-I)/SDXC (UHS-I)/microSDHC (UHS-I)/microSDXC (UHS | | | |
| Supported Device | iPhone 7 Plus/iPhone 7 | | | |
| | iPhone 6s Plus/iPhone 6s | | | |
| | iPhone 6 Plus/iPhone 6 | | | |
| | iPhone SE/iPhone 5s | | | |
| | iPhone 5c/iPhone 5 | | | |
| | iPad (4th generation) | - | - | |
| | iPad Pro (1st generation) | | | |
| | iPad Air 2/iPad Air | | | |
| | iPad mini 4/iPad mini 3 | | | |
| | iPad mini 2/iPad mini | | | |
| | iPod touch (5th generation) | | | |
| | iPod touch (6th generation) | | | |
| SD UHS-II | - | - | - | |
| SD UHS-I and below | ✓ | ✓ | ✓ | |
| microSD UHS-I and below | ✓ | ✓ | ✓ | |
| CompactFlash UDMA5 and below | - | - | - | |
| CompactFlash UDMA7 & UDMA6 | - | - | - | |
| CFast 2.0 and below | - | - | - | |

Note: Please make sure that your device supports USB OTG function before purchasing. Simultaneous insertion of two cards not supported.