

## **Data Sheet**

www.startech.com 1 800 265 1844

# 4-Port USB-C Hub - 4x USB-A - Black

Product ID: HB31C4AB



Expand the connectivity of your USB-C<sup>™</sup> laptop with this new-generation USB-C 10G hub. It plugs into your laptop's USB Type-C<sup>™</sup> or Thunderbolt<sup>™</sup> 3 port, adding four USB 3.1 Gen 2 Type-A ports, so you can quickly connect more USB devices. It's bus-powered, so there's no external power adapter required.

### **Connect Your USB Devices to Enhance Productivity**

This four-port USB Type-C hub enhances your productivity, giving you the connections you need while you work. Connect the latest USB devices, like flash drives, capture devices and external hard drives, with fast data transfer speeds of up to 10Gbps, to save time when transferring large files.

The USB-C hub also lets you extend the life of your existing USB devices - it's backward compatible with previous versions of USB devices.



## **Bus-Powered for Easy Portability**

The compact, lightweight USB-Type-C hub is a convenient and portable addition to your laptop. It's buspowered, so it draws its power directly from your computer's USB-C port, with no external power required. That means fewer cables to carry with you when you travel. It also has a built-in cable (9.8 in./25 cm) for convenient travel.

## **Universally Supported for Easy Installation**

The USB 3.1 hub works with a wide range of operating systems, including macOS, Windows® and Linux<sup>™</sup>. It installs automatically when you connect it to your laptop or desktop, so you can be up and running quickly.

HB31C4AB is backed by a StarTech.com 2-year warranty and free lifetime technical support.

www.startech.com 1 800 265 1844



## **Data Sheet**

# Certifications, Reports and Compatibility









### Applications

- Ideal for mobile workers, for use in the office and at home
- Compact size works well in small or shared workspaces such as hot desks

### Features

- Add four USB-A ports to your Mac, Windows, Linux or other USB-C laptop
- USB-C hub supports USB 3.1 Gen 2 data transfer rates up to 10Gbps
- USB bus-powered, with no external power required
- Compact, portable design with attached cable (9.8 in./25 cm)
- Save time with plug-and-play installation

### www.startech.com 1 800 265 1844



Hard-to-find made easy\*

# **Data Sheet**

	Warranty	2 Years
Hardware	Bus Type	USB 3.1 Gen 2
	Chipset ID	VIA/VLI - VL820
	Fast-Charge Port(s)	No
	Industry Standards	USB 3.1 Gen 2 - Backward compatible with USB 3.0, 2.0 and 1.1
	Interface	USB 3.1 Gen 2
	Ports	4
	USB-C Device Port(s)	No
	USB-C Host Connection	Yes
Performance	Maximum Data Transfer Rate	10 Gbps
	Type and Rate	USB 3.1 Gen 2 - 10 Gbit/s
	UASP Support	Yes
Connector(s)	Connector Type(s)	4 - USB 3.1 USB Type-A (9 pin, Gen 2, 10 Gbps) Female
		1 - USB Type-C (24 pin) USB 3.1 (10Gbps) Male
Software	OS Compatibility	OS Independent; No additional drivers or software required
Special Notes / Requirements	System and Cable Requirements	Available USB Type-C port - USB 3.1 (10Gbps)
		The total available power output of the HB31C4AB is based on the available input power and is shared between all downstream facing ports.
Indicators		
indicator 3	LED Indicators	1 - Power
Power	LED Indicators Power Source	1 - Power USB-Powered
Power	Power Source	USB-Powered
Power	Power Source Humidity	USB-Powered 20~80% RH (Non-condensing)
Power	Power Source Humidity Operating Temperature	USB-Powered 20~80% RH (Non-condensing) 0°C to 45°C (32°F to 113°F)
Power Environmental Physical	Power Source Humidity Operating Temperature Storage Temperature	USB-Powered 20~80% RH (Non-condensing) 0°C to 45°C (32°F to 113°F) -10°C to 70°C (14°F to 158°F)
Power Environmental Physical	Power Source Humidity Operating Temperature Storage Temperature Cable Length	USB-Powered 20~80% RH (Non-condensing) 0°C to 45°C (32°F to 113°F) -10°C to 70°C (14°F to 158°F) 9.8 in [250 mm]
Power Environmental Physical	Power Source Humidity Operating Temperature Storage Temperature Cable Length Color	USB-Powered   20~80% RH (Non-condensing)   0°C to 45°C (32°F to 113°F)   -10°C to 70°C (14°F to 158°F)   9.8 in [250 mm]   Black
Power Environmental Physical	Power Source Humidity Operating Temperature Storage Temperature Cable Length Color Enclosure Type	USB-Powered 20~80% RH (Non-condensing) 0°C to 45°C (32°F to 113°F) -10°C to 70°C (14°F to 158°F) 9.8 in [250 mm] Black Aluminum and Plastic
Power Environmental Physical	Power SourceHumidityOperating TemperatureStorage TemperatureCable LengthColorEnclosure TypeForm Factor	USB-Powered 20~80% RH (Non-condensing) 0°C to 45°C (32°F to 113°F) -10°C to 70°C (14°F to 158°F) 9.8 in [250 mm] Black Aluminum and Plastic Compact

www.startech.com 1 800 265 1844



		Data Sneet
	Product Width	0.6 in [15.8 mm]
	Weight of Product	2.2 oz [62 g]
Packaging Information	Package Height	1.2 in [30 mm]
	Package Length	6.7 in [17 cm]
	Package Width	5.6 in [14.2 cm]
	Shipping (Package) Weight	4.4 oz [124 g]
What's in the Box	Included in Package	1 - USB-C hub

Product appearance and specifications are subject to change without notice.

www.startech.com 1 800 265 1844

Data Chest