EPSON

SHAPING THE FUTURE OF BUSINESS PRINTING WITH HEAT-FREE TECHNOLOGY. **EPSON**

Powered by Heat-Free Technology, the Epson WorkForce Enterprise printers, WF-C20600, WF-C20750 and WF-C21000 provide consistent high-speed printing and consume less power which increases productivity while minimising running costs. Designed to suit the varying business needs, these printers offer printing speeds of up to 60, 75, and 100 pages per minute. Also, with fewer replacement parts, these printers are built to reduce environmental impact.

























Maximum productivity with consistent high speed printing of up to 100 pages per minute, even in duplex mode.

Environmentally Friendly

With Epson Heat-Free Technology, significantly less power consumption meets less frequent part replacements to reduce impact on the environment.

Enhanced Finishing

Enjoy greater flexibility with new finishing options that allow stapling, hole-punching and booklet printing.



Epson Service Center





EPSON

















Cibis Tower 9, 3rd Floor. CIBIS Business Park. Jalan TB Simatupang No.2, Jakarta 12560 Tel: [021] 808-66-766 Fax: [021] 808-66-799
ESS Bandung, ESS Batam, ESS Bogor, ESS Jakarta [Cilandak], ESS Jakarta (Mangga Dua), ESS Jakarta (Sudirman), ESS Makassar, ESS Manado, ESS Palu
ESS Purwokerto, ESS Semarang, ESS Surabaya (Gubeng), ESS Surabaya (Barat), ESS Tangerang
ESC Ambon, ESC Banjarmasin, ESC Cikarang, ESC Cirebon, ESC Denpasar, ESC Jember, ESC Madiun, ESC Medan, ESC Palembang, ESC Pekanbaru
ESC Pontianak, ESC Samarinda, ESC Serang, ESC Yoqyakarta

Switch to Epson Heat-Free Printers to Enjoy Unrivalled Benefits







LASER PRINTER





Save time with consistent high speed printing

No heat is required to warm-up, allowing the printer to print immediately. Consistent high speed printing up to 100 pages per minute is possible, even for high coverage documents.



Less power consumption saves energy and money

With no fuser unit to heat, reduce energy consumption by up to 85%* compared to laser printers, resulting in cost savings for electricity bills.



Fewer replacement parts, lower environmental impact

Uses up to 59% fewer replacement parts** than laser printers. No heat damage to the printhead.




Less intervention increases productivity

With fewer parts to replace and printheads that last longer, the amount of intervention is decreased, providing improved reliability and reduced downtime.

Less Intervention Increases Productivity

Epson WorkForce Enterprise

The Heat-Free structure of Epson inkjet printers means that there are fewer parts that can fail, which reduces the amount of intervention required. As a result, Epson inkjet printers offer improved reliability and significantly reduced downtime.



Note: After printing out more than 1.2 million addition to paper feed rollers










Amendment of the below clause is updated as of November 2022.



PrecisionCore Heat-Free Technology

PrecisionCore is the next-generation inkjet printhead technology driving Epson's inkjet resolution. It merges advanced key component technologies, state-of-the-art MEMS* fabrication and high-precision assembly processes honed over decades.

Epson's proprietary Micro Piezo inkjet technology doesn't use heat in the ink ejection process, and it's this Heat-Free Technology that separates our printers from the competition. Epson's Heat-Free printers does not require heat in the ink ejection process. Instead pressure is applied to the Piezo element, which flexes backwards and forwards firing the ink from the printhead.

*MEMS (Micro Electro Mechanical Systems): Devices possessing mechanically driven elements, manufactured through the application of semiconducto


PrecisionCore MicroTFP Print Chip

MicroTFP print chips are the core element of PrecisionCore Heat-Free Technology. By achieving higher precision and greater miniaturization in Epson's advanced thin film piezo (TFP) technology, the basic performance of this printhead module has been radically improved, and application to a wider range of uses made possible.

The thin film piezo element that drives ink ejection is approximately 1 micron thin (one-hundredth the thickness of a human hair). By closely controlling the voltage applied to such piezo elements, it is possible to fire up to 50,000 shots of ink per second from a single nozzle, to precise positions and in the necessary quantities.

PrecisionCore Linehead

By optimally arraying 36 of these MicroTFP print chips in a diagonal configuration, Epson has developed a compact linehead just 43 mm wide that boasts about 33,500 active nozzles. This size-conscious core device contributes to reduced space requirements of the product itself, and successfully enables high-speed performance of printing up to 100 pages per minute, within a compact design.



^{*} Testing was commissioned by Epson and conducted by Keypoint Intelligence. **One specific model was selected from color laser multi-function printers in the 65-70ppm class.** Epson WorkForce Enterprise WF-C21000 with 100ppm (equivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.

^{**} Testing was commissioned by Epson and conducted by Keypoint Intelligence. One competitor model was selected from worldwide best-selling vendor^ in the 65ppm and 70ppm colour laser multi-function printer. Epson Work Force Enterprise WF-C20600 with 60ppm (equivalent model in Europe was used during the evaluation). Consumables and periodic replacement parts required to print 1M pages. The weigh includes all used consumables, periodical replacement parts and their packaging. Test printed pattern used was ISO24712.

[^]Source: IDC's Worldwide Quarterly Hardcopy Peripherals Tracker 2020Q2, Units Share by Company.




Save Time With Consistent High-speed Printing


The WorkForce Enterprise is able to realise the same productivity level, in simplex and duplex printing of up to 100 pages per minute due to its shortest duplex route design.








Switchback paper path design ensures ultra-fast throughout even in duplex printing.





Thanks to Epson's efficient paper transport mechanism, enjoy reliable and consistently excellent image quality of up to 600 x 2400dpi (600 x 1200dpi as default)



Superb Print Quality With DURABrite[™] Pro Ink

Using high capacity ink cartridges, print up to 100,000 pages in black** or 50,000 pages in colour without interruption. This means fewer consumable changes, reducing waste and allowing for less user intervention.

The fast drying pigment ink is also water resistant, safeguarding your printouts from accidental spills.

*Based on Epson testing methodology
** Based on 2 cartridges

Consumables	Paper Yield *7	Order Code WF-C20600	Order Code WF-C20750	Order Code WF-C21000
Black*2	50,000 pages	C13T02Q100	C13T02S100	C13T02Y100
Cyan		C13T02Q200	C13T02S200	C13T02Y200
Magenta	50,000 pages Composite Yield	C13T02Q300	C13T02S300	C13T02Y300
Yellow	composite Held	C13T02Q400	C13T02S400	C13T02Y400
Maintenance Box	_		C13T671300	
Maintenance Roller (Main Unit)	-		C12C935961	
Maintenance Roller (Paper Cassette)	-		C12C935941	
Staple Cartridge for Staple Finisher	3 x 5,000 staples		C12C935401	
Staple Cartridge for Booklet Finisher	2 x 2,000 staples		C12C935411	

Low Power Consumption Saves Energy And Money

Epson Heat-Free Technology uses less power than laser technology because it does not use heat to warm up. As Epson inkjet printers have no fuser unit to heat, this results in significantly less energy consumption.




Epson Inkjet Printers Up to State Printers Up to State Printers



Reduce Power Consumption with Epson Heat-Free Printers

In today's offices, only central air conditioning and lighting consume more energy than office automation equipment, In fact, printers and MFPs account for as much as 10% of electric consumption. Replacing laser printers with Epson WorkForce Enterprise can cut printing-related energy significantly. Lower energy consumption also reduces environmental impact because it reduces CO₂ emissions.

How power is consumed at the office**



Amendment of the below clause is updated as of November 2022.

*Testing was commissioned by Epson and conducted by Keypoint Intelligence. **One specific model was selected from color laser multi-function printers in the 65-70ppm class.** Epson WorkForce Enterprise WF-C21000 with 100ppm (equivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.

**Epson research based on data from a commissioned survey conducted in March 2018 by SOMPO Risk Management & Health Care Inc.



Fewer Replacement Parts, Lower Environmental Impact

Thanks to Heat-Free Technology, Epson inkjet printers use fewer parts that need replacing than in a laser printer, and our printheads are not a consumable. This reduces the environmental burden of manufacturing and recycling the additional resources.

> **Epson** replacement Inkjet parts** **Printers** Up to **VS Laser Printers**







Comparison of supplies and packaging waste after 1 million prints.

VS

Certified Environmental Performance







Epson is committed to developing environmentally conscious products, which means that sustainability is considered from conception to completion. Our Epson WorkForce Enterprise Printers, WF-C20600, WF-C20750, and WF-C21000 comply with some of the world's most stringent environmental certification standards.

We offer sustainable innovations because we recognise that the choices we make as organisations, individuals or a society will be essential to our shared success.


Options And Software Solutions

Options	Order Code
Finisher Bridge Unit / LX3FBU1	C12C935101
Staple Finisher / LX3SF1	C12C935501
Staple Finisher-P2 / LX3SF2	C12C938251
Booklet Finisher / LX3BF1	C12C935071
Saddle Unit / LX3SU1	C12C935821
2/4 Hole Punch Unit / LX3HPU1	C12C935171
2/3 Hole Punch Unit / LX3HPU2	C12C935181
High Capacity Tray / LXA3LPU1	C12C933041
EpsonNet 10/100/1000Base Tx Int.	C12C934471
Super G3 Multi Faxboard	C12C934491
Paper Cassette Lock (set of 4)	C12C933231
Optional Paper Guide	C12C935901

Software Solutions Options	Order Code
Epson Print Admin	7110574
Epson Print Admin – Advanced Workflows	C12C938801
Epson Print Admin Serverless	7111310
Document Capture Pro – Enhanced OCR	C12C938761

Enhanced Finishing Capability

Increase productivity with expanded paper handling and a variety of finishing options for stapling, hole punching, folding and booklet making.



Staple Finisher-P2



Shift-sorting



- Finisher Tray
 Stacking (up to 2,000 sheets).
 Shift Sort
- Stapling



Booklet Finisher



Shift-sorting





Stapling



Saddle-stitching



Hole punching

Finisher Tray • Stacking (up to 1,700 sheets) • Shift Sort

· Hole Punch (Optional)

- Lower Tray



Capacity Tray

Friendly Operability

The WorkForce Enterprise simplifies it for large workgroups to print, copy, scan, to email and more at ultra-fast speeds. When it comes to replacing the ink, there are no messy toner cartridges to deal with and no waiting for parts to cool.



Enjoy impressive scan speeds of up to 60ppm/110ipm in duplex. The dual CIS technology allows convenient duplex scanning in a single pass



The intuitive 9" touchscreen panel with a user-friendly interface makes it simple to operate the printer.



Easy refill of paper with these cassette trays that can be opened smoothly and effortlessly.

Connectivity Features

Network Connectivity and Standalone Capability

Equipped with Ethernet, Wi-Fi, RJ-11 fax, Wi-Fi Direct and USB 3.0, the printer is apt for office environments. In addition, Wi-Fi Direct acts as an access point, allowing up to four devices to connect to the printer at a time.



Expandable Connectivity

The printer comes standard with a network port for shared usage across the network. Expand connectivity to multiple networks with the additional network option.

Up to 3 fax ports can be added for simultaneous communication.



Advanced Workflow Solutions

paper with easy-to-follow

Easy front access to maintenance box allows maximum printer uptime.

instructions from the printer

Take advantage of remote management, customise print options and enjoy seamless compatibility with the Epson WorkForce Enterprise. Integrate these into your existing IT infrastructure to improve productivity and increase efficiency. For more information, please visit www.epson.co.id/software-solutions.

Epson Solutions

Fleet Management

Wanagem

Epson Device Admin

Deploy and manage a fleet of devices with a single interface. Simplify deployment with the use of templates. Generate various customisable reports for cost saving activities and efficient deployment.

Epson Remote Service

Manage and monitor a fleet of devices from anywhere in the world with a cloud based web interface. Epson Remote Services provide vendors a platform to manage their devices and customers and to run managed print services. Support can be provided efficiently by Epson and partners with accurate diagnosis.

Print and Scan Management

Epson Print Admin

Manage print jobs and distribute documents securely thru authentication with server based solution. Reduce cost and improve security by setting printing rules and control the use of each feature for user. Fully customisable reports can be generated for audits.

Epson Print Admin - Advanced Workflows

Enhances the capability of document distribution functions of Epson Print Admin with OCR and automation features.

Epson Print Admin Serverless

Secures the printer with authentication function to improve document security and preventing misuse. Generate reports for accountability.

Epson Open Platform

Expand the capabilities of the devices by integrating with supported 3rd party software solutions. Software providers can develop with Epson Open Platform to create fully customised solutions for the customers.

Document Management

Document Capture Pro*

Use document workflows to easily manage and distribute documents by automation. Create searchable PDFs with built-in OCR capability and perform batch scanning with document separation by barcode, OCR and blank page detection.

* Document Capture Mac version has limited functionality.

Document Capture Pro - Enhanced OCR

Enhances OCR support of Document Capture Pro to support more languages and text recognition capabilities. Capture areas from a document by character or barcode recognition and export it to a file for processing.

Document Capture Pro Server

Centralise scanning and manage a fleet of up to 1,000 scanners without the need to install drivers on individual computers. Create and assign up to 30 job settings right to the panel with a single web interface. Process and distribute documents securely and track them with reports.

Cloud and Mobile Solutions

Print your documents from any part of the world wirelessly with Epson Connect's wide range of features:

- **Epson iPrint** Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email
 Print-enabled Epson printer from any devoie or PC
 with email access.
- Remote Print Driver Print to a compatible Epson printer anywhere in the world via the internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud Share your scans through email or store them online in cloud storage services.

Other solutions:

- Apple AirPrint
- Mopria Print Service
- Microsoft Universal Print

Robust Security Features

Confidential Job

Print confidential documents by setting a PIN to a print job for release on the printer panel.

IP Address Filter

Secure your documents by preventing unauthorised devices from connecting to the printer.

Panel Admin Mode

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

Access Control

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

LDAP Address Book

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient's email addresses.

SPECIFICATIONS

SPECIFICATIONS				
Model Number	WF-C20600 (C11CH86502)	WF-C20750 (C11CH87502)	WF-C21000 (C11CH88502)	
Printing				
Printing Technology	PrecisionCore™ Line Head Inkjet Technology			
Nozzle Configuration Maximum Resolution	8,676 nozzles each colour (Black, Cyan, Mag	enta, Yellow)		
Minimum Ink Droplet Volume	600 x 2,400 dpi 3.5 pl			_
Print Speed (Black and Colour) *1				
ISO 24734, A4, Simplex / Duplex	Approx. 60 ipm / 60 ipm	Approx. 75 ipm / 75 ipm	Approx. 100 ipm / 100 ipm	
ISO 24734.2, A3, Simplex / Duplex	Approx. 37 ipm / 21 ipm	Approx. 45 ipm / 25.4 ipm	Approx. 54 ipm / 36.3 ipm	Ц
First Page Out Time Printer Language	Approx. 5.7 sec / 5.7 sec ESC / P-R	Approx. 5.5 sec / 5.5 sec	Approx. 5.0 sec / 5.0 sec	
Printer Control Language Emulations	PCL5 / PCL6 / PostScript3 / PDF (ver1.7)			
HDD Capacity	320GB (Encrypted)			
Automatic 2-sided printing	Yes			
Copying				
Copy Speed (Black and Colour) 1 ISO 29183, A4, Simplex (Flatbed)	Approx. 60 ipm	Approx. 75 ipm	Approx. 100 ipm	
ISO 24735, A4, Simplex (ADF 1:1)	Approx. 60 ipm	Approx. 75 ipm	Approx. 100 ipm	
ISO 24735, A4, Duplex (ADF 1:2 / 2:2)	Approx. 60 ipm	Approx. 75 ipm	Approx. 100 ipm	
Maximum Copies from Standalone	9,999 copies			
Max Copy Resolution Reduction/Enlargement	600 x 1,200 dpi 25 - 400%, Auto Fit Function			
Copy Paper Size (Flatbed)		, A4, B5, A5, B6, A6, 16K, 8K, 13 x 18cm, HV 16:9	Wide. 10 x 15cm. Envelopes; #10. DL. C4. C6	
Maximum Copy Size	A3			
Scanning				
Scanner Type	Flatbed colour image scanner			
Sensor Type Optical Resolution	CIS 600 x 600 dpi			
Maximum Scan Area	297 x 431.8 mm (11.7 x 17")			
Scanner Bit Depth				
Colour	48-bit input, 24-bit output			
Grayscale Black & white	16-bit input, 8-bit output			
Scan Features	16-bit input, 1-bit output Scan to Memory Device, Scan to Network Folder/	TP Scan to Email Scan to Computer (Document Captu	re Pro / Document Capture Pro Server), Scan to Computer (WS	:D)
Scan Speed (Monochrome and Colour)	Source morner, Berney, courter to the morner diagram	Try Court to Errain, Sourt to Company, (2004) To the Capital	or to be sufficient to	
200 dpi Flatbed	A4 Landscape: 3.7 sec, A3: 4.7 sec			Ц
ADF (Simplex / Duplex)	A4: 60 ppm / 110 ipm			
(ISO17991, Scan to Folder) ADF Function	A3: 30 ppm / -			
Support Paper Thickness	38 - 128 g/m²			
Paper Capacity	150 pages (80 g/m²)			Г
Automatic 2-sided Scan / Copy / Fax	Yes (1-pass)			
Fax Function (Optional) Type of FAX	Walk-up black-and-white and colour fax capa	skility		
Receive Memory / Page Memory	6 MB, Page memory Up to 550 pages (ITU-T			
Error Correction Mode	ITU-T T.30	,		
FAX speed (data transfer rate)	Up to 33.6kbps, Approx. 3sec/page			
FAX Resolution	Otton double On all forms of OSS in a sefero Single	- I- / 7 7! / 0 Fi 0I- / 45	Aliana Jana - I likas Firm ACarda Jana - 45 Aliana Jana	
FAX Resolution Black & White		pels/mm x 7.7lines/mm, Super Fine: 8pels/mm x 15	.4lines/mm, Ultra Fine: 16pels/mm x 15.4lines/mm	_
FAX Resolution	Standard: 8pels/mm x 3.85lines/mm, Fine: 8p Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l		.4lines/mm, Ultra Fine: 16pels/mm x 15.4lines/mm	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger		.4lines/mm, Ultra Fine: 16pels/mm x 15.4lines/mm	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger		.4lines/mm, Ultra Fine: 16pels/mm x 15.4lines/mm	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3		.4lines/mm, Ultra Fine: 16pels/mm x 15.4lines/mm	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups			
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups	ines / mm		
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5 B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail,	ines / mm		
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Receively, Receively, Priction feed	ines / mm		
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard)	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5 B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail,	ines / mm		
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Receively, Receively, Priction feed	ines / mm		
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 15	ines / mm dial, One Touch Dial, Address Book, Transmit Reserve Memory Reception, Fax to Folder		
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes: 1 - 4: 550 x 4 + MP Tray: 15 Up to 5,350 sheets (80 g/m²)	ines / mm dial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 50 sheets)	ation (50 cases),Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5 B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 15 Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 15	dial, One Touch Dial, Address Book, Transmit Reserve Memory Reception, Fax to Folder 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet	ation (50 cases),Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7l A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes: 1 - 4: 550 x 4 + MP Tray: 15 Up to 5,350 sheets (80 g/m²)	ines / mm dial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 60 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet heets ³)	ation (50 cases),Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s	ines / mm dial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 60 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet heets ³)	ation (50 cases),Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal, A3+, 330 x 1200mm (12.95 x 47.24*)	ines / mm dial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 60 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet heets ³)	ation (50 cases),Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 s 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12.95 x 47.24*)	ines / mm dial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 60 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet heets ³)	ation (50 cases),Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal, A3+, 330 x 1200mm (12.95 x 47.24*)	ines / mm dial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 60 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet heets ³)	ation (50 cases),Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Parinter Interface USB Network	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 si A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12.95 x 47.24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct	ines / mm dial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 60 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet heets ³)	ation (50 cases),Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB Network Network Protocol Network Management protocols	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12:95 x 47:24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING,	ines / mm dial, One Touch Dial, Address Book, Transmit Reserve Memory Reception, Fax to Folder 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet neets 19 Letter, Envelopes: #10, DL, C6, C4	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12:95 x 47:24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING,	ines / mm dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception, Fax to Folder dial, One Touch Dial, Address Book, Transmit Reserving Memory Reception Rec	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Function	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12.95 x 47.24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, Access Control Function, LDAP Address Boo	ines / mm dial, One Touch Dial, Address Book, Transmit Reserve Memory Reception, Fax to Folder 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet neets 19 Letter, Envelopes: #10, DL, C6, C4	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12.95 x 47.24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, Access Control Function, LDAP Address Boot Memory Devices	ines / mm dial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet heets ³) Letter, Envelopes: #10, DL, C6, C4 DDNS, mDNS, SNTP, SLP, WSD, LLTD k, IP Address Filtering, Panel Admin Mode, Confide	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size Maximum Paper Size Minum Paper Size Minum Paper Size Minum Paper Size Minum Paper Size USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 states, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12.95 x 47.24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, Access Control Function, LDAP Address Boot USB Host (Scan to memory device / Storage)	ines / mm dial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet heets ³) Letter, Envelopes: #10, DL, C6, C4 DDNS, mDNS, SNTP, SLP, WSD, LLTD k, IP Address Filtering, Panel Admin Mode, Confide	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Cloud and Mobile Solutions	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12.95 x 47.24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, Access Control Function, LDAP Address Boot Memory Devices USB Host (Scan to memory device / Storage 10 x 15cm, 13 x 18cm, HV 16:9 Wide, A3, A4	idial, One Touch Dial, Address Book, Transmit Reserv. Memory Reception, Fax to Folder 50 sheets + High Capacity Feeder Unit: 3,000 sheet neets* Letter, Envelopes: #10, DL, C6, C4 DDNS, mDNS, SNTP, SLP, WSD, LLTD k, IP Address Filtering, Panel Admin Mode, Confider	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Cloud and Mobile Solutions Epson Connect	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 15 Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 15 700 sheets (Tray 1: 550 sheets, Tray 2: 150 x 43+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal, A3+, 330 x 1200mm (12.95 x 47.24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, Access Control Function, LDAP Address Booth Memory Devices USB Host (Scan to memory device / Storage 10 x 15cm, 13 x 18cm, HV 16:9 Wide, A3, A4 Epson iPrint, Epson Email Print, Remote Print	dial, One Touch Dial, Address Book, Transmit Reservements (Memory Reception, Fax to Folder) 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet neets (Memory Envelopes: #10, DL, C6, C4) DDNS, mDNS, SNTP, SLP, WSD, LLTD (Memory Envelopes) Letter, Envelopes: #10, DL, C6, C4	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB Network Network Printing Protocol Network Printing Protocol Network Management protocols Security Features USB Host USB Host Direct Print Paper Size Cloud and Mobile Solutions Epson Connect Other Solutions	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12.95 x 47.24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, Access Control Function, LDAP Address Boot Memory Devices USB Host (Scan to memory device / Storage 10 x 15cm, 13 x 18cm, HV 16:9 Wide, A3, A4	dial, One Touch Dial, Address Book, Transmit Reservements (Memory Reception, Fax to Folder) 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet neets (Memory Envelopes: #10, DL, C6, C4) DDNS, mDNS, SNTP, SLP, WSD, LLTD (Memory Envelopes) Letter, Envelopes: #10, DL, C6, C4	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Cloud and Mobile Solutions Epson Connect	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 15 Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 15 700 sheets (Tray 1: 550 sheets, Tray 2: 150 x 43+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal, A3+, 330 x 1200mm (12.95 x 47.24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, Access Control Function, LDAP Address Booth Memory Devices USB Host (Scan to memory device / Storage 10 x 15cm, 13 x 18cm, HV 16:9 Wide, A3, A4 Epson iPrint, Epson Email Print, Remote Print	dial, One Touch Dial, Address Book, Transmit Reservements (Memory Reception, Fax to Folder) 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet neets (Memory Envelopes: #10, DL, C6, C4) DDNS, mDNS, SNTP, SLP, WSD, LLTD (Memory Envelopes) Letter, Envelopes: #10, DL, C6, C4	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Cloud and Mobile Solutions Epson Connect Other Solutions Control Panel LCD Screen Printer Software	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 states, Tray 2: 150 states, Tray 2: 150 states, Tray 3: 150 sheets, Tray 1: 550 sheets, Tray 2: 150 states, Tray 3: 150 states	dial, One Touch Dial, Address Book, Transmit Reservements (Memory Reception, Fax to Folder) 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet neets (Memory Envelopes: #10, DL, C6, C4) DDNS, mDNS, SNTP, SLP, WSD, LLTD (Memory Envelopes) Letter, Envelopes: #10, DL, C6, C4	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Direct Printing USB Host Direct Printing USB Host Direct Print Paper Size Cloud and Mobile Solutions Epson Connect Other Solutions Control Panel LCD Screen	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 s A3+, A3, A4, B5, A5, A6, 5 x 7*, 4 x 6*, Legal A3+, 330 x 1200mm (12.95 x 47.24*) USB 3.0 Ethernet, Wi-Fi, Wi-Fi Direct TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, Access Control Function, LDAP Address Boothers (Scan to memory device / Storage 10 x 15cm, 13 x 18cm, HV 16:9 Wide, A3, A4 Epson iPrint, Epson Email Print, Remote Print Apple AirPrint, Mopria Print Service, Microsol 9.0 inch / 22.7cm TFT Colour LCD Windows XP / Vista / 7 / 8 / 8.1 / 10	idial, One Touch Dial, Address Book, Transmit Reserve Memory Reception, Fax to Folder 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet neets 19 Letter, Envelopes: #10, DL, C6, C4 DDNS, mDNS, SNTP, SLP, WSD, LLTD k, IP Address Filtering, Panel Admin Mode, Confident function) . A5, A6, Legal, Indian-Legal, Letter, B4, B5, B6, 8kd, Driver, Scan to Cloud 1t Universal Print	ation (50 cases), Broadcast Fax (Mono only),	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Output Capacity Paper Size Maximum Paper Size Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Direct Printing USB Host Direct Print Paper Size Cloud and Mobile Solutions Epson Connect Other Solutions Control Panel LCD Screen Printer Software	Fine: 200 x 200 dpi, Photo: 8pels / mm x 7.7i A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17*, A3 Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Rec Polling Reception, Fax Preview, Fax to E-mail, Friction feed 5 (Paper Cassettes: 4, MP Tray: 1) Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 1! 700 sheets (Tray 1: 550 sheets, Tray 2: 150 states, Tray 2: 150 states, Tray 2: 150 states, Tray 3: 150 sheets, Tray 1: 550 sheets, Tray 2: 150 states, Tray 3: 150 states	idial, One Touch Dial, Address Book, Transmit Reserve Memory Reception, Fax to Folder 50 sheets) 50 sheets + High Capacity Feeder Unit: 3,000 sheet neets 19 Letter, Envelopes: #10, DL, C6, C4 DDNS, mDNS, SNTP, SLP, WSD, LLTD k, IP Address Filtering, Panel Admin Mode, Confident function) . A5, A6, Legal, Indian-Legal, Letter, B4, B5, B6, 8kd, Driver, Scan to Cloud 1t Universal Print	ation (50 cases), Broadcast Fax (Mono only),	

Model Number	WF-C20600 (C11CH86502) WF-C20750 (C11CH87502) WF-C21000 (C11CH88502)
Electrical Specifications	400.040// leiture el
Rated Voltage	100-240V Universal
Rated Frequency	50 - 60 Hz
Typical Electricity Consumption (TEC) Value	0.41 kWh 0.50 kWh 0.50 kWh
Power Consumption	
Operating	160W 170W
Standby	76W
Sleep	1.7W
Power off	0.1W
Noise Level	
PC Printing/ Plain Paper Default 19	7.5 B(A), 60 dB(A)
Software Solutions	· (per c)
Epson Print Admin	7110574
Epson Print Admin Advanced Workflows	C12C938801
Epson Print Admin Serverless	7111310
Document Capture Pro Enhanced OCR	C12C938761
	C12C938761
Specs for Finisher Bridge	000 570 000 0001
Dimensions & Weight	366 × 573 × 632 mm, 38.0 kg
Specs for Staple Finisher	
Output Capacity	Stacker Tray: Up to 4,000 sheets *6 (A4, 80g/m²), 1,500 sheets (duplex / A3, 80g/m²)
	Tray 2 (for Fax output only): up to 200 sheets (A4, 80g/m²)
Finisher Functions	Shift Sorting, Staple
Staple Capability	up to 50 sheets *10 (60 - 90 g/m²)
Supported Paper Size for Staple	A5 - A3 / Legal / Letter
Supported Paper Weight	up to 250 g/m²
Staple Functions	3 positions (Corner / Opposite Corner / 2 points on side)
Maximum Power Consumption	170W
Dimensions & Weight (with Booklet Finisher)	
Specs for Staple Finisher-P2	
Output Capacity	Stacker Tray: Up to 2,000 sheets (A4, 80 g/m²), 1,500 sheets (A3, 80 g/m²).
Finisher Functions	Shift Sorting, Staple
Staple Capability	up to 50 sheets (60 - 90 g/m²)
Supported Paper Weight	up to 160 g/m²
Staple Functions	3 positions (Corner / Opposite Corner / 2 points on side)
One are four Develops E' 11	
Specs for Booklet Finisher	0. 1. 7. 11 700 1
Specs for Booklet Finisher Output Capacity	Stacker Tray: Up to 1,700 sheets ** (A4, 80g/m²), 1,500 sheets (duplex / A3, 80g/m²)
Output Capacity	Tray 2 (for Fax output only): up to 200 sheets (80g/m²)
Output Capacity Finisher Functions	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple
Output Capacity Finisher Functions Staple Capability	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹° (60 - 90 g/m²)
Output Capacity Finisher Functions	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple
Output Capacity Finisher Functions Staple Capability	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹° (60 - 90 g/m²)
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m²
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹0 (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side)
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *10 (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹0 (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side)
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets x 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets x 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13*
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets x 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m²
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets x 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13°
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher)	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets x 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater)
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets x 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m²
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹0 (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater)
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹0 (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Supported Paper Weight	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13° 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13° up to 250 g/m²
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Supported Paper Size Supported Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight Supported Paper Size Support Paper Weight Number of Holes	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹0 (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Supported Paper Weight	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m²
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Supported Paper Size Supported Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight Supported Paper Size Support Paper Weight Number of Holes	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m²
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Supported Paper Weight Mumber Of Holes 2/3 Hole Punch Unit	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *10 (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets x 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m² 2 or 4 holes, 80mm intervals
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Support Paper Weight Mumber of Holes 2/3 Hole Punch Unit Supported Paper Size	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *10 (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets x 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m² 2 or 4 holes, 80mm intervals A3, B4, A4, B5, Legal, Letter, 8.5×13*
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit Supported Paper Size Supported Paper Weight Number of Holes	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets **o* (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m² 2 or 4 holes, 80mm intervals A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m²
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit Supported Paper Size Support Paper Weight Number of Holes Specs for Optional High Capacity Tray	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *10 (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m² 2 or 4 holes, 80mm intervals A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m² 2 or 3 holes, 70mm intervals (US Specifications)
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit Supported Paper Size Support Paper Weight Number of Holes Specs for Optional High Capacity Tray Input Capacity	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m² 2 or 4 holes, 80mm intervals A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m² 2 or 3 holes, 70mm intervals (US Specifications) Up to 3,000 sheets (80 g/m²)
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Weight Number of Holes 2/3 Hole Punch Unit Supported Paper Weight Number of Holes Support Paper Weight Number of Holes Support Paper Weight Number of Holes Specs for Optional High Capacity Tray Input Capacity Support Paper Weight	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13° 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13° up to 250 g/m² 2 or 4 holes, 80mm intervals A3, B4, A4, B5, Legal, Letter, 8.5×13° up to 250 g/m² 2 or 3 holes, 70mm intervals (US Specifications) Up to 3,000 sheets (80 g/m²) 60 - 160 g/m² 60 - 160 g/m²
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Weight Number of Holes 2/3 Hole Punch Unit Supported Paper Weight Number of Holes Support Paper Weight Number of Holes Support Paper Weight Number of Holes Specs for Optional High Capacity Tray Input Capacity Support Paper Weight Support Paper Weight	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets **o (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13* 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m² 2 or 4 holes, 80mm intervals A3, B4, A4, B5, Legal, Letter, 8.5×13* up to 250 g/m² 2 or 3 holes, 70mm intervals (US Specifications) Up to 3,000 sheets (80 g/m²) 60 - 160 g/m² A4, Letter
Output Capacity Finisher Functions Staple Capability Supported Paper Size for Staple Supported Paper Weight Staple Functions Dimensions & Weight Specs for Saddle Unit Output Capacity Finisher Functions Booklet Paper Size Supported Paper Weight Maximum Power Consumption (with Booklet Finisher) Dimensions & Weight 2/4 Hole Punch Unit Supported Paper Size Supported Paper Weight Mumber of Holes 2/3 Hole Punch Unit Supported Paper Weight Number of Holes Support Paper Weight Number of Holes Support Paper Weight Number of Holes Specs for Optional High Capacity Tray Input Capacity Support Paper Weight	Tray 2 (for Fax output only): up to 200 sheets (80g/m²) Shift Sorting, Staple up to 50 sheets *¹⁰ (60 - 90 g/m²) A5 - A3 / Legal / Letter up to 250 g/m² 3 positions (Corner / Opposite Corner / 2 points on side) 666 × 686 × 1,228 mm, 107.5 kg Stacker Tray: Up to 7 booklets × 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) Fold, Saddle Stitch A3, B4, A4, Legal, Letter, 8.5×13° 60 - 105 g/m² 200W / 840W (with heater) 557 × 581 × 644 mm, 46.6 kg A3, B4, A4, B5, Legal, Letter, 8.5×13° up to 250 g/m² 2 or 4 holes, 80mm intervals A3, B4, A4, B5, Legal, Letter, 8.5×13° up to 250 g/m² 2 or 3 holes, 70mm intervals (US Specifications) Up to 3,000 sheets (80 g/m²) 60 - 160 g/m² 60 - 160 g/m²

- Disclaimers

 Black and colour print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. For more information, visit www.epson.co.id/printspeed.

 With 2 black ink cartridges: up to 100,000 pages in black.

 Energy used by the WorkForce Enterprise while copying is 180W (WF-C20590/WF-M20590) and 170W (WF-17590), compared to an average of competitor A3 laser/LED MFPs capable of 55-68ppm showing "Energy Used While Copying" data available in BLI database (Feb 2017).

 Based on Epson internal testing methodology.

 Max power used while copying for competitor colour A3 laser/LED MFPs capable of 45-58ppm showing "Energy Used While Copying" data as available in BLI database (Feb 2017).

 Royales printing only.

 Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer setup and a variable amount of ink remains in the cartridges after the "replace cartridge" signal. For more information, visit www.epson.com.sg/inkinfo.

 Finisher Tray 2 for Fax output only.

 Default mode in accordance with ISO7779.

Dimension & Weight WorkForce Enterprise (Main Unit only) Weight: 177.1kg / 390.4lb (Excluding Consumables)



WorkForce Enterprise with Optional Stapler Finisher and High Capacity Tray
Weight: 337.9kg / 744.9lb (Excluding Consumables)



WorkForce Enterprise with Optional Booklet Finisher and High Capacity Tray Weight: 396.5kg / 874.1lb (Excluding Consumables)



WorkForce Enterprise with Optional Stapler Finisher-P2 Weight: 249.8 kg / 550.7 lb (Excluding Consumables)



© 2023 PT Epson Indonesia. All Rights Reserved. © 2023 PT Epson Indonesia. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Selko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing Printed February 2023