## A3 COLOUR LASER PRINTER Epson AcuLaser<sup>™</sup> C9300N





## **High Performance A3 Laser Printing** for Growing Businesses

With class-leading 1200dpi resolution and superior cost efficiency



A3

Prints Up to A3

res (

Ethernet

Monthly Duty Cycle

1200<sub>dpi</sub>

Print

F

Optional

Duplex



With the Epson AcuLaser™ C9300N, superb printing quality and capabilities go hand-inhand with outstanding reliability

and lower running costs. Unique Epson technologies deliver stunning colour and black-&-white prints at 1200dpi while saving you more with its low power consumption.

• Uncompromised Print Efficiency and Reliability The C9300N warms up in just 16sec and delivers its first page in under 8.3/ 9.9sec (Bk/Cl). It prints at a speed of 30/17.3ppm (A4/A3) in colour or black-&-white, with a 100,000 page per month duty cycle.

- Extraordinarily Low Running Cost for Colour Printing High-capacity toner cartridges deliver up to 15,000 pages at a cost per page of as low as US\$0.012 for black<sup>#</sup>. Optional duplex unit reduces paper usage while
- the Deep Sleep mode greatly lowers power consumption. • Exceptional Print Quality with New Epson Technologies Meet the first A3 colour laser with 1200dpi standard resolution. Advanced AAM screen technology delivers superior sharpness and clarity when printing business documents and even web graphics.

<sup>#</sup>Refer to specifications page.



Fast Power Performance Savings

## IMAGING INNOVATION

The Epson AcuLaser<sup>™</sup> C9300N breaks new ground with its class-leading 1200dpi standard resolution for A3 colour laser printing. Together with its fast speed and high reliability, it packs superior performance in a cost efficient design that perfectly complements the needs of demanding workgroups.



## **Uncompromised Print Efficiency and Reliability**

The Epson AcuLaser<sup>™</sup> C9300N is always ready for action, warming up from Sleep Mode in just 16sec. It delivers its first page out in less than 8.3sec for black and 9.9sec for colour and achieves a top printing speed of 30ppm for A4 and 17.3ppm for A3. Gigabit Ethernet is built-in to ensure fast data transmission. A monthly duty cycle of 100,000 pages ensures maximum reliability for workgroups, while downtime is minimised by smart features such as auto switching to monochrome printing when colour toners are depleted – eliminating the need to re-send the data and also paper wastage from reprinting.



## Extraordinarily Low Running Cost for Colour Printing

Epson toner cartridges deliver amazingly low cost per page of just US\$0.015<sup>#</sup> (A4/Bk) and US\$0.028<sup>#</sup> (A4/Cl). Double Pack toner cartridges yield up to 15,000 pages and even lower cost per page of US\$0.012<sup>#</sup> (A4/Bk) and US\$0.02<sup>#</sup> (A4/Cl). Reduce your paper consumption with the optional duplex unit and save more with the following modes:

Deep Sleep Mode: sets the time for temporary power off to reduce power consumption to 0.90W or less.
Toner Save Mode: reduces toner consumption while maintaining superb print quality.

in photographs.

#Refer to specifications page.

## **Exceptional Print Quality with New Epson Technologies**

Be dazzled by the amazingly sharp text, smooth colours and crisp details in every print out. A host of unique technologies from Epson helps you get the most out of the C9300N's class-leading 1200dpi resolution.

#### Advanced Amplitude Modulation (AAM) Screen

Clearer reproduction of small-sized text, detailed graphics as well as web images.

#### **Dot Correction Tech**

Improves print quality of fine lines and details in photos and CAD drawings.

# 



Print wirelessly from anywhere to your network connected Epson AcuLaser<sup>™</sup> C9300N. Epson iPrint 2.0 makes it easy - just install the app and you're ready to print web pages, Microsoft<sup>®</sup> Office documents, photos and PDFs from your smartphone. You can even scan and save the file on your device, to send as an email or upload to a cloud service such as Box.net, Dropbox, Evernote<sup>®</sup> or Google<sup>®</sup> Docs.

**Colour Photo Graphics Improvement (C-PGI)** 

Colour Resolution Improvement (C-RIT)

Optimises balance between image detail and colour gradation

Reproduces text, slanted or curved lines smoothly and clearly.



### **Easier Management of Print Jobs**


With our new print management features, you can easily take control of your workgroup's printing workflow.

#### **Print Job Interruption**

Print jobs from different users can be prioritised for better workgroup efficiency. User can intercept and choose his or her print job to be printed, or even cancel his or her print job from the control panel even when printer is still printing its current print job.

#### Print Job Arranger

Users can customise and save the settings for every print job, even for individual pages in a multi-page document. Examples include landscape/portrait orientation, single/double-sided, change of paper size, page layout (up to 4-up), and re-arranging pages within a print job.



#### **Vertical-Horizontal Sorting**

When printing multiple sets of the same document, this function arranges the printouts in alternate vertical and horizontal sets for easy differentiation and sorting.



#### **Auto Detect Paper Size**

Eliminates the frustration of wrong default paper settings.

#### Auto Switching to Monochrome Printing

Gives users the option to continue printing in monochrome when colour toners are depleted.

#### **Favourites Tab**

Users can store and retrieve their most commonly used settings.

#### **Full Frontal Access**

Printer is fully accessible from the front without opening side covers for easy replacement of consumables.



#### Print and Media Flexibility

The Epson AcuLaser<sup>™</sup> C9300N is designed to grow with your needs. Easily increase your paper input from 405 sheets to 2,055 sheets with the addition of three optional 550-sheet cassettes. Printing banners or newsletters is a breeze with the C9300N's support for a wide range of media including paper, envelopes, labels and postcards from weights of 60gsm to 220gsm, and lengths of up to 1,200mm. Adding more users is also easily handled with the optional addition of 768MB of RAM, boosting memory capacity to 1024MB for faster processing of multiple print jobs.

#### Epson AcuBrite<sup>™</sup> Technology



Epson AcuBrite™ toners utilise highly uniform toner particle size and wax distribution for consistently impressive results. This unique printing technology gives you superb clarity with sharpness and outstandingly crisp and bold black text that lasts.

#### **Smaller Environmental and Office Footprint**

The Epson AcuLaser™ C9300N and its compactly-sized toner cartridges are made from recycled materials and ozone-free parts to reduce material wastage and environmental impact, and designed to take up less space in your office. It has numerous features to help you enjoy significant energy savings.

## **Partners in Perfection**

#### Epson GT-S55/S85 **Sheetfed Scanners**

A fast, compact and efficient partner for all your office document digitisation needs. Powerful features allow you to scan and archive 2-sided documents in a single pass, or share amazing quality images with accurate colour reproduction.



#### Epson MG-850HD Projector

With a dedicated dock for your portable Apple® device, this versatile projector harnesses Epson's latest 3LCD technology to deliver impeccable, high-quality images for superb presentations at work and HD movies for home entertainment.

> Made for 🗟 iPod 🗍 iPhone 🔲 iPad







## A3 Colour Laser Printer

## Epson AcuLaser<sup>™</sup> C9300N

SPECIFICATIONS			
	MODEL		C9300N
<ul> <li>Weight: 41kg (without consumables)</li> <li>Image: Additional system of the system</li></ul>	PRINTER TYPE PRINTING METHOD RESOLUTION PROCESSOR		Colour Laser Printer 1200 x 1200dpi 400MHz
	PRINT FEATURES PRINT SPEED		Up to 30ppm (colour and monochrome A4, LEF, simplex, 600dpi) Up to 17.3ppm (colour and monochrome A3, LEF simplex, 600dpi)
	FIRST PAGE OUT TIME WARM UP TIME MAXIMUM MONTHLY VOLUME		Less than 8.3sec (monochrome A4) / 9.9sec (colour A4) Less than 16sec (from Sleep Mode to Ready) Up to 100,000 pages/month
	PAPER HANDLING STANDARD PAPER INPUT		Up to 405 sheets* (155 sheets* from MP tray + 250 sheets* from standard paper cassette)
	PA WI	APER TYPE APER SIZE IDTH ENGTH	Plain paper (60 – 105gsm), Special paper (106 – 216gsm) A3, A4, A5, B4, B5, LT, LGL, B (Ledger), Custom: 148 x 210mm to 297 x 431.8mm 148 – 297mm 210 – 431.8mm
	PA WI LE	APER TYPE APER SIZE IDTH ENGTH APER WEIGHT	Plain paper ( 60 – 105gsm), Special paper (106 – 216gsm), Envelope A3, A4, A5, A6, B4, B5, LT, HLT, LGL, GLG, GLT, EXE, B (Ledger), F4, Monarch, Com-10, DL, C5, C6, ISO-B5, Custom: 75 x 98mm to 297 x 1200mm 75 – 297mm 98 – 1200mm 60 – 216gsm (A4 only: 60 – 220gsm)
	MAXIMUM PAPER INPUT		Up to 2,055 sheets (with 3 $\times$ 550 sheet optional paper cassettes)
	MAXIMUM PAPER OUTPUT		Up to 250 sheets (80gsm paper)
	PRINTER INTERFACE STANDARD		USB 2.0 Hi-Speed Ethernet (10Base-T/100Base-TX/1000Base-TX)
<ul> <li>*1 According to ISO/IEC 19798 yield measurements.</li> <li>*2 The number of printed pages on A4 in colour / monochrome at the 5% image occupation rate. Yield may vary depending on printing variables and conditions including toner and page coverage, continuous or intermittent.</li> </ul>	NETWORK PROTOCOLS		TCP/IP, IPv4, IPv6, IPSec, LPR, FTP, IPP, PORT9100, WSD, AppleTalk
	MEMORY STANDARD MAXIMUM		256MB 1024MB (with optional 768MB module)
	RE	PERATING EADY LEEP EEP SLEEP	458W or less 56W or less 3.5W or less 0.9W or less
*3 Common photoconductor among Yellow, Magenta and Cyan. Needs 3 colour photoconductor units for AL-C9300N.	HUMIDITY OF ST	PERATING FORAGE PERATING FORAGE	5 – 32°C 0 – 35°C 15 – 85% RH 15 – 85% RH
		RINTING EADY	53dB 25dB
	PRINTER DRIVER / UTILITIES OS REQUIREMENT		Windows 7 (32 bit/64 bit) / Windows Vista (32 bit/64 bit) / Windows XP (32 bit/64 bit) / Server 2008 (32 bit/64 bit) / Server 2008R2 (64 bit) / Server 2003 (32 bit/64 bit) Mac OS X 10.4.11 – 10.6.x (CUPS driver only) Linux CUPS Ver. 1.1.23, Ver. 1.2.4 Specific driver/utilities usage is applicable to Windows OS only. Citirix: XenApp 5.0 for Windows Server 2008 (32 bit/64 bit), Presentation Server 4.5
© 2019 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.	PRINTER CONTROL LANGUAGE EM Standard	IULATION	ESC/Page-Colour, ESC/Page, FX, ESC/P2, 1239X, PCL5C, PCL6, Adobe PostScript (Level 3), PDF 1.6
	OPTIONS 550-Sheet Paper Cassette Unit Duplex Unit Printer Stand Parallel Interface Card (Additional)		ORDER CODE           C12C802601           C12C802612           C12C847181           C12C824521
	CONSUMABLES Toner Cartridge Yellow Toner Cartridge Magenta Toner Cartridge Dack Double Toner Cartridge Pack Yellow Double Toner Cartridge Pack Kagenta Double Toner Cartridge Pack Kagenta Double Toner Cartridge Pack Black Photoconductor Unit (Gloun) <sup>+3</sup> Photoconductor Unit (Black) Waste Toner Collector		PAGE YIELD         ORDER CODE           7,500 pages*1         C13S050602           7,500 pages*1         C13S050603           7,500 pages*1         C13S050604           6,500 pages*1         C13S050605           2x 7,500 pages*1         C13S050606           2x 7,500 pages*1         C13S050606           2x 7,500 pages*1         C13S050606           2x 7,500 pages*1         C13S050607           2x 7,500 pages*1         C13S050609           24,000 pages*2         C13S051209           24,000 pages*2         C13S051210           24,000 pages*2         C13S050610