

logitech®

# SMALL GROUPS. BIG POTENTIAL.



## Logitech ConferenceCam BCC950

Small groups video conferencing deserves more than huddling around PC webcams or begging for time on overbooked conference room systems. The ConferenceCam BCC950 combines high quality HD videos and crystal clear audio in a simple, amazingly affordable

package, so small groups can run their own video conferences anywhere in the office.

### What makes the ConferenceCam Unique?

- First ever all-in-one video and audio conferencing device designed with small groups in mind

- Professional HD video lets small groups be seen
- Crystal clear audio lets small groups be heard
- Remote control and on-unit buttons help control the call from anywhere in the room



BlueJeans

lifesize

zoom



broadsoft



# Logitech ConferenceCam BCC950

## FEATURE SPOTLIGHT

### All-in-one design combines HD video with high-quality audio clarity

Business-grade video conferencing.

### The built-in, full duplex speakerphone and noise-cancelling microphone

Allows all meeting members to hear and be heard clearly up to 8 feet away from the base.

### Omni-directional mic pickup and echo cancellation audio

Makes it seem like conversations are happening in the same room.

### Remote control and base button control options

Quickly control camera pan, tilt and zoom and volume up/down, mute and answer/hang-up functions during call.

### 1080p HD up to 30 fps

Business-quality video.

### Broad application compatibility

Optimized for Microsoft® Lync™, Certified Skype for Business and Skype™ and works with most other popular video conferencing platforms.

### Plug-and-Play compatibility for both PC and Mac® with onboard H.264 encoding

Helps ensure plug-and-play functionality across many video conferencing platforms.

### High-quality webcam sensor and Logitech RightLight™ 2 technology

Improves visual quality in low light and backlit situations.

### Autofocus and ZEISS® lens certified

Allow detailed documents or visuals to be shared close up during calls.

### A 78-degree field of view and 180-degree video pan

Makes the ConferenceCam ideal for small group meetings.

### Camera height extender

Places camera focal point at eye-level for the most flattering video angles.

## TECH SPECIFICATIONS

### VIDEO SPECS

1080p

30fps

78-degree FOV

ZEISS® lens certified

H.264 UVC 1.1/AVC

PTZ

### AUDIO SPECS

Omnidirectional mic pickup

8ft mic pickup radius

Microphone bandwidth: 200Hz - 8kHz

Bandwidth: 220Hz - 20kHz

Max output level: 80dB SPL @ 1ft (0.30 meters)

### POWERED BY

USB-2 or AC adapter

### COMPATIBILITY

Because almost all video conferencing and web-conferencing applications are UVC compatible, Logitech video and audio products work across all applications without needing additional software drivers.

## PRODUCT SPECIFICATIONS

### ConferenceCam BCC950

Part #: 960-000866

## PRODUCT DIMENSIONS + WEIGHT

**Length** 6.07 inches (154.2mm)

**Width** 5.78 inches (146.9mm)

**Height** 13.57 inches (344.7mm)

**Weight** 1 lb, 4.03 ounce(s) (568g)

## INSIDE THE BOX

ConferenceCam

Remote

User documentation

AC adapter

## SYSTEM REQUIREMENTS

Windows® 7, Windows® 8 or Windows® 10  
Mac OS® X 10.7 and above

For full HD support, please check with your software application provider for system requirements.

## WARRANTY

2-year limited hardware

[www.logitech.com/BCC950](http://www.logitech.com/BCC950)

To order, contact your reseller or call us at 800-308-8666

Logitech Inc. 7700 Gateway Blvd., Newark, CA 94560

<sup>1</sup> Logitech AMR Webcam Usage Study 2012, n=510.

<sup>2</sup> Frost and Sullivan, Global Desktop Video Conferencing Market, Dec 2011.

© 2016 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered.

All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

logitech

# CONNECT THE UNCONNECTED.



## Logitech ConferenceCam Connect

The Logitech ConferenceCam Connect goes beyond its award winning design — video conferencing so simple to use that anyone can set it up and so affordable you can enable every meeting room with video. Designed for small groups of up to 6 people, this video conference solution offers a generous 90° field of view with digital pan and mechanical tilt, 4x digital HD

zoom, and a certified ZEISS® lens with autofocus making it easy to see everyone in the room.

Multi-device connectivity, a USB and Bluetooth® speakerphone, and wireless screen-mirror projection will take your small group collaboration to the next level. It even works with any video conferencing application — including the ones you already use.

With ConferenceCam Connect, you can also use the USB and Bluetooth® enabled mobile speakerphone for great-sounding audio calls. With true 360° sound, users can hear and be heard within a 12-foot diameter range while acoustic echo and noise-cancelling technology delivers life-like sound.



BlueJeans

lifesize


zoom



broadsoft



# Logitech ConferenceCam Connect



From: Wainhouse research, Anywhere Workplace, 2015

## 90° field of view

With digital pan/tilt and mechanical tilt control.

## 360° audio with 12-foot diameter range

The acoustics are tuned to provide a quality experience so that users can hear and be heard within a 12-foot diameter range.



## Omni-directional full duplex mics

Makes it seem like conversations are happening in the same room.

## HDMI connector

Connect the ConferenceCam through HDMI to a TV screen to wirelessly stream content from a mobile device\*.



## FEATURE SPOTLIGHT

### Portable All-in-One Design

Sleek, easy to carry, and a snap to set up and use to expand the collaborative potential of the Anywhere Workplace.

### Perfect for Small Workgroups

Optimized for teams of 1-6, experience HD 1080p video, 360° sound, and wireless screen-mirror projection in virtually any workspace—and watch productivity soar.

### See and Be Seen

Automatically focus on people and objects for razor-sharp resolution wherever the lens is pointed.

### Multi-Device Connectivity

Simply connect PC or Mac to conduct life-like meetings within own familiar computing environment, or use the convenience of wireless connectivity for screen mirroring and audio pairing from a compatible mobile device\*.

\* Compatible with Android and Windows 8.1 – see specifications for requirements.

### Interact with Everyone at the Table

The 90° field of view with digital pan, tilt, and 4x digital zoom in Full HD is ideal for small group meetings.

### Hear and Be Heard

The acoustics are tuned to provide a quality experience so that users can hear and be heard within a 12-foot diameter range.

### Conversations Sound Life-Like and Natural

Acoustic echo and noise-cancelling technology makes it seem like conversations are happening in the same room.

### USB Plug-and-Play Connectivity

With no special software, training, or maintenance required, launching an enterprise-quality video conference has never been easier.

### Wireless Screen Mirroring

Connect wirelessly to ConferenceCam to screen mirror presentations, spreadsheets, videos or Internet content from a mobile device\* to a TV screen.

\* Compatible with Android and Windows 8.1 versions – see specifications for requirements.

# Logitech ConferenceCam Connect

## FEATURE SPOTLIGHT

### H.264 UVC 1.5 with Scalable Video Coding (SVC)

Frees up laptop bandwidth by putting video processing within the camera, resulting in a smoother video stream in applications like Microsoft® Lync™ 2013 and Skype for Business.

### Professional-Grade Certifications

Optimized for Microsoft® Lync™, Certified for Skype for Business, and Cisco Jabber® and WebEx® compatible\* certified ensures an integrated experience with most business-grade video conferencing platforms.

\* See [www.logitech.com/ciscocompatibility](http://www.logitech.com/ciscocompatibility) for the latest version.

### Near Field Communication (NFC) Technology

Pair mobile devices\* to ConferenceCam Connect by simply bringing them close together.

\* With mobile devices equipped with NFC technology

### Bluetooth® Wireless Connectivity

Quickly and easily create a connection between any Bluetooth® device and the integrated speakerphone.

### Far-End Camera Control

Operate camera pan, tilt and zoom functions of another Logitech ConferenceCam or Webcam C930e in the other location\*.

\* With Microsoft® Lync™ deployments; requires plug-in download

### Dockable Remote Control

Easily operate camera pan/tilt/zoom and audio functions (call answer/end\*, volume, mute) during meetings. The remote covers the lens when the camera is not in use for added privacy.

\* With Skype for Business, Microsoft® Lync™, Skype™, and Cisco Jabber™

### Works with Most Video Conference Applications

Users are free to use the desktop video conferencing program of their choice.

### Kensington Lock-Enabled

The Kensington Security Slot offers a simple, built in security solution to help provide security from theft.

### Rechargeable Battery

Flexibility to leave the power cord behind: run video calls/screen mirroring for up to 3 hours or use the speakerphone for up to 15 hours with a fully charged battery (chargeable via USB or AC power).

## TECH SPECIFICATIONS

### CAMERA

Full HD 1080p video calling (up to 1920 x 1080 pixels); 720p HD video calling (up to 1280 x 720 pixels) with supported clients

H.264 UVC 1.5 with Scalable Video Coding (SVC)

Supports H.264 SVC 1080p for Skype for Business and Microsoft® Lync™ 2013, along with optimizations for best call performance in single or multiparty HD video

90° field of view with autofocus

4X digital zoom in Full HD

Rightlight™ 2 Technology for clear image in various lighting environments (even low light)

Digital Pan, Tilt and Zoom from remote control or optional downloadable app

Mechanical tilt

ZEISS® lens certification

Camera LED for active streaming indication

### SPEAKERPHONE

Integrated full duplex speakerphone with echo and noise cancellation

360° wideband audio with 12-foot diameter range

Bluetooth® and NFC enabled

LEDs for speakerphone streaming, mute, hold, and Bluetooth® pairing

Controls for call answer/end, volume, mute

Microphones (Tx)

Two omni-directional microphones supporting 12-ft diameter range

Frequency response: 100Hz – 16kHz

Sensitivity: -34dB +/- 3dB

Distortion: <1% @ 1KHz at 65dB

Speakers (Rx)

Frequency response: 140Hz – 16KHz

Sensitivity: 89dBSPL +/- 3dB at 1W/0.5M

Max output: 91.5dBSPL at 0.5M

Distortion: <5% from 200Hz

### REMOTE CONTROL

Dockable remote control for camera/speakerphone functions

10-foot range remote control

### WIRELESS SCREEN MIRRORING AND CONNECTIVITY FEATURES

Screen mirroring through WiFi connection to the device

Android or Windows 8.1 compatibility for screen mirroring

HDMI connector for TV output

Rechargeable Battery supports up to 3 hours video conferencing or screen mirroring time; 15 hours for Bluetooth® audio. Time to charge battery (from AC power, device idle): 3 hours

Battery rechargeable through AC Power or USB (not powered through USB)

6-foot detachable USB cable for PC or Mac-based video conferencing

Works with most video conferencing applications

Professional-grade certifications

Kensington Security Slot

# Logitech ConferenceCam Connect



## PRODUCT SPECIFICATIONS

### ConferenceCam Connect

Part #: 960-001013  
UPC Code: 097855111265

## SYSTEM REQUIREMENTS

Windows 7, 8.1, or 10  
Mac OS® X 10.7 or higher  
Google Chromebook Version  
29.0.1547.70, Platform 4319.79.0 with:  
2.4 GHz Intel® Core 2 Duo processor  
2 GB RAM or more  
Hard drive space for recorded videos  
USB 2.0 port (USB 3.0 ready)  
Screen mirroring  
Android 4.3 or higher  
Windows 8.1 or higher\*

## PRODUCT DIMENSIONS + WEIGHT

### Weight/Dimensions with clip

Width 2.95 inches (75 mm)  
Height 11.98 inches (304.2 mm)  
Depth 2.95 inches (75 mm)  
Weight 27.02 ounces (766 g)

### Remote

Width 1.6 inches (41 mm)  
Height 5 inches (128 mm)  
Depth .35 inches (9 mm)  
Weight 1.13 ounces (32 g)

### Packaging Dimensions

Width 3.6 inches (91 mm)  
Height 16.5 inches (419 mm)  
Depth 5.7 inches (145 mm)  
Weight 47.26 ounces (1340 g)

## INSIDE THE BOX

ConferenceCam Connect device, power adapter with plug, regional plugs, USB cable, documentation

## WARRANTY

2-year limited hardware

[www.logitech.com/CONNECT](http://www.logitech.com/CONNECT)

Logitech Inc. 7700 Gateway Blvd., Newark, CA 94560

To order, contact your reseller or call us  
at 800-308-8666

© 2016 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered.

All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.



logitech®

# DESIGNED FOR BIG ROOMS AND EVEN BIGGER IDEAS.



## Logitech GROUP

GROUP, the amazingly affordable video conferencing system for mid to large-size conference rooms, allows any meeting place to be a video collaboration space. It's as simple to use as a mobile phone and affordable as an office chair, now it's easier than ever to include anyone in the conversation.

USB plug-and-play connectivity makes GROUP a breeze to deploy and use. It even works within your own familiar computing environment with any video conferencing software application — including the ones you already use.

Razor sharp video and a beautifully designed full-duplex speakerphone deliver an outstanding collaboration experience that's so awesome everyone can be seen and heard. Simply connect a laptop and start a meeting, or use the state-of-the-art speakerphone with a Bluetooth® wireless technology enabled mobile device for great-sounding audio calls.



BlueJeans

fesize

zoom




broadsoft




# Logitech GROUP

## GROUP Room Set-up



## GROUP + Expansion Mics Room Set-up



### Video Conferencing Elevated.

GROUP, our video conferencing solution for groups of 14–20 people, delivers high quality HD video and crystal clear audio, allowing any meeting place to be a video collaboration space. With advanced features like acoustic echo cancellation, noise reduction technology, and intuitive controls now it's easier than ever to include anyone in the conversation.

### Video Collaboration Made Simple.

USB plug-and-play connectivity makes GROUP easy to use. Simply connect a laptop to conduct life-like meetings within your own familiar computing environment for use with any video conferencing software application — including the ones you already use. Plus, you can use the state-of-the-art speakerphone with a *Bluetooth* wireless technology enabled mobile device for great-sounding audio calls.

### Your Meeting Space. Your Way.

GROUP offers the flexibility to customize conference room set-up with multiple camera mounting options. Use the camera on the table or mount it on the wall with included hardware. The bottom of the camera is designed with a standard tripod thread for added versatility. Conference participants can also clearly converse within a 6m/20' diameter around the base, or extend the range to 8.5m/28' with optional expansion mics.



For razor sharp close-ups of objects and whiteboard content, the GROUP camera offers 10x lossless zoom enabling your team to see every detail with outstanding resolution and clarity.





# Logitech GROUP



## VIDEO

### HD 1080p video quality at 30 frames-per-second

Brings life-like full HD video to conference calls, enabling expressions, non-verbal cues and movements to be seen clearly.

### H.264 with Scalable Video Coding (SVC) and UVC 1.5

Preserves PC processing and battery power by putting video processing within the camera adjusting dynamically to the available bitstream. The result is a smoother video stream in applications like Microsoft® Lync® 2013, Skype for Business and in Windows® 8 and Windows® 10.

### 90° field of view with mechanical 260° pan and 130° tilt

The generously wide field of view and silky smooth pan and tilt controls enhance collaboration by making it easy to see everyone in the room.

### 10x lossless HD zoom

Zero in on close-ups of objects and whiteboard content with outstanding detail and clarity.

### Autofocus

High-precision lens automatically focuses on people and objects to deliver razor-sharp resolution wherever the lens is pointed.

### ZEISS® lens certification

Logitech designs and manufactures all ConferenceCam lenses to the highest technical standards to produce optical components of outstanding quality as certified by ZEISS.

### Far-end camera control

Operate camera pan, tilt and zoom functions<sup>1</sup> of another Logitech ConferenceCam or Webcam C930e in the other location.

### 5 camera presets

Multiple camera presets make it easy to frame and focus the lens on frequently used views — such as the conference table, whiteboard, and close-ups — and quickly return to each view at the touch of a button.

### Plug-and-play camera setup

Simply connect camera to powered hub with 4.9m/16' cable provided to get up and running in a snap.



## AUDIO

### Full-duplex speakerphone

Hear and be heard with life-like sound that's crisp, clear, and highly intelligible. Plus the cast metal base console is loaded with advanced audio features and intuitive controls.

### Spacious audio

Conference participants can converse within a 6m/20' diameter around the speakerphone and be heard so clearly by remote participants that it seems like conversations are happening in the same room.

### Optional expansion mics

Expand the conversation area from 6m/20' to 8.5m/28' so that even those away from the speakerphone can be clearly heard. Microphones, sold in pairs, are automatically recognized and configured by simply plugging them into the GROUP speakerphone.

### Beamforming technology with four omni-directional mics

Conversations sound realistic and natural by minimizing sound reflections (reverb) and distracting audio artifacts.

### Acoustic echo cancellation

Advanced acoustic engineering reduces echo, making calls sound more natural.

### Noise reduction technology

Ambient noises and other distracting tones are suppressed to support comfortable, natural-sounding conversation on both ends of the call.

### HD audio

High bandwidth audio reproduces vocal tones with exceptional quality, enabling people on both sides of the call to enjoy a life-like communication experience.

### Visual call status indicator

Onboard LEDs flash to provide visual alerts when on a call, when there's an incoming call and when an incoming call is muted.

### LCD displays Caller ID and other info

View call-related info<sup>2</sup> (Caller ID, call duration, etc.) and speakerphone/camera function indicators (volume control, etc.) on LCD display screen.

### Plug-and-play speakerphone setup

Simply plug the speakerphone into the powered hub with the supplied 4.9m/16' cable to get up and running in no time.



## CONNECTIVITY AND USAGE

### Tight integration with top cloud communication apps

Logitech partners with the top communication developers to ensure the most integrated and seamless experience when using GROUP.

### Compatible with Mac® and PC

Simply connect a PC or Mac® to conduct meetings within the user's own familiar computing environment.

### Works with most UC and video conferencing applications

Users are free to use the desktop video conferencing application of their choice.

### Bluetooth wireless technology and Near Field Communication (NFC) technology<sup>3</sup>

Connect the speakerphone to a Bluetooth wireless technology enabled device for great-sounding audio calls, or pair NFC-enabled mobile devices by simply bringing them close together.

### Professional-grade certifications

Leading business certifications (Optimized for Microsoft® Lync® 2013, Certified for Skype for Business, Cisco Jabber® and WebEx® compatible<sup>4</sup>) and enhanced integration with Logitech Collaboration Program (LCP) members<sup>5</sup> ensure an integrated experience with most business-grade video conferencing platforms.

### Multiple camera mounting options and device setup configurations

Set up the conference room the way you want with up to a 9.8m/32' range between camera and speaker. Use the camera on the table or mount it on the wall with included hardware. The bottom of the camera is designed with a standard tripod thread for added versatility.

### Dockable remote control

Operate camera pan, tilt and zoom, volume up/down and answer/hang-up<sup>6</sup> functions on the base speakerphone console or with remote control that docks in console when not in use.

### PTZ app

Control local camera pan, tilt and zoom functions from PC or Mac with simple-to-use software app.

# Logitech GROUP

## TECH SPECS

### CAMERA

Smooth motorized pan, tilt and zoom, controlled from remote or console

260°pan, 130° tilt

10x lossless HD zoom

90° Field of View

Full HD 1080p 30fps

H.264 UVC 1.5 with Scalable Video Coding (SVC)

Autofocus

5 camera presets

Far-end control (PTZ) of ConferenceCam products

ZEISS lens certification

Kensington security slot

LED to confirm video streaming

Standard tripod thread

### REMOTE CONTROL

Dockable

8.5m/28-foot range

### SPEAKERPHONE

Full-duplex performance

Acoustic echo cancellation

Noise reduction technology

Ultra-wideband audio

Bluetooth and NFC wireless technology

LCD for caller ID, call duration and other functional response

LEDs for speakerphone streaming, mute, hold, and Bluetooth wireless pairing

Touch controls for call answer/end, volume and mute, Bluetooth – plus camera PTZ, “home” preset and far-end control

Microphones (Tx)

Four omni-directional microphones supporting 20-foot diameter range

Frequency response: 100Hz – 11KHz

Sensitivity: -28dB +/-3dB

Distortion: <1% @ 1KHz at 106dB

Speakers (Rx)

Frequency response: 120Hz – 14KHz

Sensitivity: 83dB SPL +/-3dB at 1W/1M

Max output: 91dB SPL

Distortion: <5% from 200Hz

Kensington security slot

### HUB/CABLE

Central mountable hub for connection of all components

Included adhesive solution for under-table mounting

Two cables for connection between hub and camera/speakerphone (Length: 5m/16')

One USB cable for connection to PC/Mac (Length: 3m/9.8')

AC Power adapter (Length: 3m/9.8')

### MOUNT

Dual purpose mount for wall placement or for elevating the camera on a table

### COMPLIANCE AND TOOLS

USB 2.0 compliant

UVC-compliant video and audio for broad application compatibility

Optimized for Microsoft® Lync®, Certified for Skype for Business, Cisco Jabber® and WebEx® compatible. Enhanced integration with Logitech Collaboration Program (LCP) members.

Downloadable diagnostic tool

Field upgradeable firmware tool

Downloadable app plug-ins for advanced feature support

## PRODUCT SPECIFICATIONS

### Logitech GROUP

Part #: 960-001054  
UPC: 097855118462

### Expansion Mics

Price: \$299  
Part #: 989-000171  
UPC: 097855119551

### Logitech GROUP + Expansion Mics

Price: \$1,249  
Part #: 989-000171  
UPC: 097855119551

## SYSTEM REQUIREMENTS

Windows® 7, Windows® 8 or Windows® 10  
Mac® OS X 10.7 or higher  
Google Chromebook Version 29 or higher

Note: For full HD support, please check with your software application provider for system requirements

## PRODUCT DIMENSIONS + WEIGHT

### Camera

130 x 170 x 138 mm  
5.1 x 7 x 5.4"  
585g/21oz

### Speakerphone

240 x 65 x 240 mm  
9.5 x 2.5 x 9.5"  
1223g/43oz

### Hub

94 x 34 x 74 mm  
3.75 x 1.3 x 2.9"  
83g/3oz

### Remote

50 x 120 x 12 mm  
2 x 5 x 0.5"  
51g/2oz

### Package

500 x 152 x 310 mm  
19.75 x 6 x 12.25"  
4.1kgs/9lbs

### Wall/Table Mount

210 x 120 x 99 mm  
8.27 x 4.72 x 3.90"  
255g/8.99 oz

### Expansion Mics

83 x 83 x 21 mm  
3.3 x 3.3 x 0.83"  
230g/8oz

## INSIDE THE BOX

Camera, speakerphone, remote control, two 5m/16.4' cables for connection between speakerphone and hub and camera and hub, one 3m/9.8' meter cable between hub and PC, Velcro for cable management, Velcro for hub to table securing, powered hub, power adapter with regional plugs, mount, quick start guide, warranty card.

## WARRANTY

2-year limited hardware

[www.logitech.com/GROUP](http://www.logitech.com/GROUP)

To order, contact your reseller or call us at 800-308-8666

Logitech Inc. 7700 Gateway Blvd., Newark, CA 94560

<sup>1</sup> With Microsoft® Lync® 2010 and 2013, Skype for Business, and Logitech Collaboration Program (LCP) members, including Vidyo, Zoom and Lifesize Cloud (refer to [www.logitech.com/lcp](http://www.logitech.com/lcp) for the latest information)

<sup>2</sup> With Microsoft® Lync® 2013, Skype™ and Cisco Jabber®

<sup>3</sup> With NFC-enabled mobile devices

<sup>4</sup> See [www.logitech.com/ciscocompatibility](http://www.logitech.com/ciscocompatibility) for the latest version

<sup>5</sup> Includes Blue Jeans, BroadSoft, Lifesize, Vidyo, and Zoom. See [www.logitech.com/lcp](http://www.logitech.com/lcp) for full list and the latest information

<sup>6</sup> With Microsoft® Lync® 2013, Skype for Business, Skype™, Cisco Jabber® and LCP participants with completed integrations

© 2016 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

logitech®

# GREAT BIG GROUPS WANTED.



## Logitech PTZ Pro Camera

Logitech PTZ Pro Camera is a premium HD PTZ video camera for use in conference rooms, education, health care and other professional video workspaces.

Set-up is a snap with plug-and-play simplicity and a single USB cable-to-host connection. Leading business certifications — Certified for Skype for Business, Optimized for Microsoft® Lync™,

Skype® certified, Cisco Jabber® and WebEx® compatible<sup>2</sup>—ensure an integrated experience with most business-grade VC applications.



BlueJeans

lifesize

zoom



broadsoft



# Logitech® PTZ Pro Camera

## FEATURES

**Premium HD PTZ video camera for professional video collaboration**

**HD 1080p video quality at 30 frames per second**

**H.264 UVC 1.5 with Scalable Video Coding (SVC)**

**90° field of view with mechanical 260° pan and 130° tilt**

**10x lossless full HD zoom**

**USB plug-and-play**

**3 available camera presets**

## BENEFITS

Ideal for conference rooms of all sizes, training environments, large events and other professional video applications.

Delivers brilliantly sharp image resolution, outstanding color reproduction, and exceptional optical accuracy.

Advanced camera technology frees up bandwidth by processing video within the PTZ camera, resulting in a smoother video stream in applications like Skype for Business.

The generously wide field of view and silky-smooth pan and tilt controls enhance collaboration by making it easy to see everyone in the camera's field of view.

Zoom wide or zero in on close-ups to clearly view people, objects, whiteboard content, and other details.

With no special software, training, or maintenance required, launching an enterprise-quality video conference has never been easier.

Select up to three preset locations for the camera view and return to any of them with the push of a button on the remote control.

## PRODUCT SPECIFICATIONS

### PTZ Pro Camera

Part #: 960-001021

UPC Code: 097855112682

## PRODUCT DIMENSIONS + WEIGHT

### Camera

130 x 130 x 150 mm

5.12 x 5.12 x 5.91"

590g/20.81oz

### Remote

50 x 120 x 9.8 mm

1.97 x 4.72 x 0.36"

48g/1.69 oz

## TECH SPECS

### Camera

HD 1080p video quality at 30 frames/second

H.264 UVC 1.5 with Scalable Video Coding (SVC)

90° Field of View

Motorized 260° pan, 130° tilt and full HD 10X lossless zoom controlled from remote

3 camera preset positions + home position button

PTZ far-end camera control of ConferenceCam products in supported apps

ZEISS optics with autofocus

Kensington Security Slot

LED to confirm video streaming

Standard tripod thread

Camera mount, table or wall

### Remote Control

10-foot range

## SYSTEM REQUIREMENTS

Windows® 7, Windows® 8 or Windows® 10  
Mac OS® X 10.7 or higher  
Google Chromebook version 29.0.1547.70,  
Platform 4319.79.0 with:

2.4 GHz Intel® Core 2 Duo processor  
2 GB RAM or more  
Hard drive space for recorded videos  
USB 2.0 port (USB 3.0 ready)

For full HD support, please check with software application provider for system requirements.

## INSIDE THE BOX

Camera, remote control, 10-foot USB cable with power adapter connection, power adapter with regional plugs, mount, quick start guide, warranty card

## CERTIFICATIONS

Certified for Skype for Business, Optimized for Microsoft® Lync®, Skype® certified, Cisco Jabber® and WebEx® compatible<sup>2</sup>, Windows®, Mac®, ZEISS®

[www.logitech.com/ptzcamera](http://www.logitech.com/ptzcamera)

**To order, contact your reseller or call us at 800-308-8666**

Logitech Inc. 7700 Gateway Blvd., Newark, CA 94560

<sup>1</sup> With Skype for Business deployments; requires plug-in download

<sup>2</sup> See [www.logitech.com/ciscocompatibility](http://www.logitech.com/ciscocompatibility) for the latest version

© 2016 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered.

All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.



# SMARTER THAN THE AVERAGE DOCK.



## Logitech SmartDock

Logitech® SmartDock is an AV Control Console that revolutionizes the Skype® for Business collaboration experience. Simply walk into a conference room and start your meeting with one-touch join.

Designed in partnership with Microsoft®, SmartDock enables expanded I/O for Surface® Pro 4 that includes support for dual HDMI displays<sup>1</sup>, three USB 3.1 ports and Gigabit

Ethernet, allowing the IT administrator to connect recommended devices, such as Logitech ConferenceCams. An embedded motion sensor activates the system when anyone enters the room. Content sharing from a laptop is a snap with 1080p60 HDMI input and capture. With the optional extender box, a single 5m cable with HDMI, USB, LAN and power provides a clean and streamlined

installation on the conference table.

The pivoting, cast-metal base provides enhanced security for Surface Pro 4. The combination of tamper-resistant screws and a K-lock ensures the tablet is always in place and ready for your meeting.

With Smartdock, pure elegance meets total control to enable consistently remarkable Skype for Business collaboration.



# Logitech SmartDock




## Affordable, fully-integrated Skype for Business for the meeting space

Fully endorsed by Microsoft, SmartDock provides a complete Skype for Business solution for the meeting space that seamlessly works with your existing displays and Logitech ConferenceCams. With meeting solutions for small to large-sized rooms - now every room can be a video enabled Skype meeting place.

## HDMI input for automatic content sharing

SmartDock includes a 1080p60 HDMI input to enable fluid HD content sharing from a laptop—PowerPoint to streaming video (and everything in between!)

## Untangle your Video Meetings with SmartDock



## Clean and clutter free


The SmartDock Extender Box eliminates the need for a separate GROUP hub and power brick, providing a clutter free and clean conference table. The 5m cable with integrated HDMI, USB, power and LAN connectivity supports larger conference room deployments.

## Loaded with connectivity

SmartDock supports dual HD displays<sup>1</sup>, an HDMI input for 1080p60 content sharing, three USB 3.1 type A ports, Gigabit Ethernet, and a headset mini-plug, allowing users to bring multiple devices to a meeting.


## EXTEND SKYPE FOR BUSINESS TO EVERY MEETING SPACE

### Small/Huddle (up to 6 people)




ConferenceCam Connect & SmartDock

### Mid to Large-size Room (up to 14 people)



GROUP & SmartDock

### Larger Room (up to 20 people)



GROUP & SmartDock + Extender Box

# Logitech SmartDock



## FEATURES & BENEFITS

**AV console**  
SmartDock and Microsoft Surface Pro 4 optimize the Skype for Business collaboration experience in meeting spaces. Leave your laptop at your desk, walk into any meeting space, and start an optimized Skype for Business video conference with one-touch join.

**Powered, secure mount for Surface Pro 4**  
Tamper-resistant screws and a K-lock provide enhanced security and help ensure that Surface Pro 4 is always in place, charged, and ready for the most important meeting—yours!

**Pivoting, cast-metal support platform**  
The sturdy, elegantly designed base provides a premium mount for Surface Pro 4 with elegant industrial design.

**Extended I/O for Surface Pro 4**  
Supports a wide variety of deployments and device connectivity with dual 1080p display ports<sup>1</sup>, an HDMI input for 1080p60 content sharing, three USB 3.1 type A ports, Gigabit Ethernet, and a headset mini-plug.

**IR motion sensor**  
Conveniently wakes the system when motion is detected in the meeting space and enables energy saving hibernation mode when the room is empty.

**Streamlined deployment**  
An optional extender box combines HDMI, USB, LAN and power cords into a single 5m cable for a clean, clutter-free installation on the conference table.

**Integrated support for Logitech GROUP in optional Extender Box**  
When used with Logitech GROUP, SmartDock Extender Box eliminates the need for the GROUP hub, power supply and associated cables.

**Designed in partnership with Microsoft**  
Close collaboration between Logitech and Microsoft ensures full and seamless integration with Surface Pro 4 and Skype for Business.

**Plug-and-play camera setup**  
Simply connect camera to powered hub with 4.9m/16' cable provided to get up and running in a snap.

**SmartDock works with all Logitech ConferenceCams**  
SmartDock works with a wide range of meeting room AV devices. All Logitech ConferenceCams work with SmartDock.

**Optimized for Skype for Business**  
SmartDock provides a low-cost, high-quality Skype for Business collaboration experience in shared meeting spaces.

## FEATURES

SmartDock	Extender Box
Powered, secure mount for Surface Pro 4	Single cable streamlines deployment
Pivoting, cast-metal support platform	Integrated support for Logitech GROUP
Extended I/O for Surface Pro 4	VESA mount
IR motion sensor	Compact 5x5" footprint



# Logitech SmartDock



## PRODUCT SPECIFICATIONS

### SmartDock

Part #: 960-001093  
UPC: 097855125071

### Extender Box

Part #: 960-001094  
UPC: 097855125118

### Smartdock + Extender Box

Part #: 960-001094  
UPC: 097855125088

*For Bundle options with a Logitech ConferenceCam, Microsoft Surface Pro 4, and Skype for Business meeting room client, contact your channel reseller.*

## PRODUCT DIMENSIONS + WEIGHT

### SmartDock

239 x 334 x 209mm  
9.4 x 13.2 x 8.2"  
2738g/6.04lb

### Extender Box

34 x 128 x 128mm  
1.3 x 5.0 x 5.0"  
360g/0.79lb

### Cable Length

HDMI: 3m/9.8'  
Network: 3m/9.8'  
Power: 3m/9.8'  
Extender Box: 5m/16.4'

## INSIDE THE BOX

### SmartDock

Power Supply  
Ethernet cable  
Two HDMI cables  
Assembly tools  
Documentation  
Logitech SmartDock

### SmartDock Extender Box

5m/16ft Extender Cable  
VESA Mounting Plate 100x100mm  
Hook and loop pads  
Documentation  
Logitech SmartDock Extender Box

### SmartDock + Extender Box

All components included with Logitech SmartDock & Logitech SmartDock Extender Box

## SYSTEM REQUIREMENTS

Microsoft Surface Pro 4 with Skype for Business meeting room client  
Skype for Business Account  
Ethernet  
External Display with HDMI input  
100-240v AC Power

## CERTIFICATIONS

### SmartDock

Windows 10  
FCC  
UL

### Extender Box

Windows 10  
FCC  
UL

## WARRANTY

2-year limited hardware

[www.logitech.com/SmartDock](http://www.logitech.com/SmartDock)

To order, contact your reseller or call us at 800-308-8666

Logitech Inc. 7700 Gateway Blvd., Newark, CA 94560

<sup>1</sup> When supported by Microsoft

<sup>2</sup> Contact your channel reseller for pricing information.

<sup>3</sup> For bundle options with a Logitech ConferenceCam, contact your channel reseller.

© 2016 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.