Webex Board Pro






ſ

Contents

)4	Overview
)6	Webex Board Pro features and benefits
0	Webex Board Pro prominent features/ differentiators
1	Webex Board Pro support
1	Product specifications
8	Hardware specifications
20	Ordering information
24	Warranty information
24	Product sustainability
25	Cisco services and support
25	Cisco Capital
25	For more information



Webex[®] Board Pro is an all-in-one device that provides everything you need for hybrid teamwork: it brings your local and remote teams together to collaborate in a connected digital workspace. Board Pro is a purpose-built solution combining premium visual collaboration, video conferencing, ideation, and co-creation, allowing your teams to join video-first meetings, digitally whiteboard, wirelessly present, and share content.

Better still, it allows you to seamlessly connect with any third-party meeting service and use your go-to productivity tools to let your teams brainstorm, collaborate, and share ideas in one integrated and fluid workflow. Featuring stunning ultra HD video, built-in AI, a capacitive touch screen and spatial audio, the Webex Board Pro is designed for collaboration spaces of all sizes, including boardrooms, classrooms, open studios, huddle spaces, and conference rooms.



Figure 1. Two intuitive styluses with magnetic attachment to the Board Pro

Overview

In the hybrid workplace, teams need to work together both in the physical workplace and virtually, just as if everyone were in the same room. Webex Board Pro was designed to enable the future of work by giving your workforce the power to communicate, create, collaborate, and capture ideas with a connected collaboration device that extends beyond the boundaries of the meeting room. Board Pro revolutionizes the way we work by combining key requirements for team collaboration and conferencing and connecting it to the cloud for frictionless meeting experiences and workflows. It's a digital canvas, a video-first conferencing system, and a wireless presentation screen that allows your teams to draw, annotate, share, meet, and ideate, all in a single, beautifully designed device (Figure 2).



Figure 2. Webex Board Pro on floor stand "wakes up"

Available in 55-inch and 75-inch models, the Webex Board Pro helps your teams collaborate in a variety of meeting spaces and connect with remote members to become more productive. The Board Pro draws its power from the Webex platform, runs on RoomOS, and is fully optimized for Webex for the best collaboration experience.

At the same time, the Board Pro brings you optionality by seamlessly working together with your most common thirdparty meeting apps and productivity tools without the need to switch between devices and solutions. It can securely work with Microsoft Teams, Zoom, Google Workspace, and other external meeting solutions with the same best-ofbreed experience via one-button-to-push web apps powered by cloud video interoperability and Web RTC behind the scenes to take the stress out of getting connected. More exclusively, it allows you to effortlessly pair your laptop with Webex Board Pro, extending your portable device into a large studio and bringing your go-to applications to life on an intuitive touchscreen display while leveraging advanced room, camera, and collaboration intelligence.

The solution securely connects to your virtual teams through the Webex cloud service, via your Webex App or Webex App-enabled devices, so you can create a truly integrated and seamless collaboration environment. Register the touch board, either on your premises or to the Webex cloud service to store everything created on the Board Pro directly in the cloud. You can then associate it to a virtual Webex App space so your team can stay connected and get work done anywhere.



Figure 3. Webex Board Pro on floor stand

Webex Board Pro features and benefits

The Webex Board Pro is a fully self-contained system on a high-resolution 4K LED screen. With a built-in, intelligent dual 4K camera, embedded microphone array, and a capacitive touch interface, the board brings intelligence, style, and usability to small-to-large meeting rooms.

Webex Board Pro was built to power hybrid teamwork: high-quality, AI-powered meetings, consistent experiences, open integrations, and unified management were added to transform meeting spaces of all sizes in a simple way. With the Board Pro, your team can experience smart meetings, best-of-breed visual collaboration, and robust room, device, and software integrations. This level of feature innovation and premium experience can now be brought to every room and every team with a single, integrated unit. It is a purpose-built device that seamlessly supports:

 Real-time video collaboration – Unlike other collaboration displays, the Board Pro is designed to deliver a face-to-face experience that rivals in-person meetings. With high-quality video and audio, it turns your sessions into premium video conferencing to build connection and digital proximity among dispersed teams.

- Visual collaboration Empower your teams to generate ideas or problem-solve. The digital whiteboard lets teams brainstorm, draw, use stickies, and annotate in a freeform fashion on an infinite canvas. Use two dedicated stylus and touch-based pinch and zoom for details and precision.
- Continuous collaboration Every session is stored in a Webex space so you never lose an idea. Work can continue across time zones and teams can add to it any time. Share ideas and collaborate across distances without the fear of losing your work.
- Local collaboration Pair the device with your laptop, share wirelessly, and annotate on any content. Go from ideate, to create, to iterate–using one capacitive touchscreen.
- Agile workflows Agile teams can quickly access their preferred project management apps and collaboration tools through integrated web apps and draw, annotate, or share ideas seamlessly.

.

- Hybrid education Teachers can instruct in-room and remote students with the digital whiteboard, where files are saved and can be shared with the entire class after the session. Bring in experts from around the world to share their knowledge with students.
- Digital signage Webex Board Pro allows you to show custom content with the aim to provide information that is important to the workforce and guests, including upcoming town hall dates, company calendars, safety guidelines, and critical alerts in open spaces, hallways, and lobby areas.

Table 1. Webex Board Pro features and benefits

FEATURE	BENEFITS
Design features	 Beautiful to behold and effortless to use From backend to UX, it is all designed together The product is obvious: people can use it as they go with a minimum learning curve Fits every workspace design Flexible mounting options (wall mount, floor stand, and wheel-stand model for seamless portability) Two stylus with magnetic attachment to the Board Pro
Premium presentations	 Direct wireless sharing through the Webex App and Cisco[®] Proximity HDMI and USB-C input for 4K presentations (HDMI input supports HDCP) HDMI output to share content on any projector or secondary screen Touch redirect connection with the Board Pro transforms your PC into a board-size tablet USB-C connection charges your laptop's battery while presenting
Whiteboarding and visual collaboration	 With Annotate-All, users can immediately write on any content as your ideas flow, mark up changes, or iterate on projects Store whiteboards in the cloud on the Webex App, in OneDrive, or share them via email Write with up to two stylus pens at the same time and zoom with your fingers Easily move, add, and delete digital stickies Active stylus allows selection, erase, and other advanced features on canvas

•

Table 1. Webex Board Pro features and benefits

FEATURE	BENEFITS
Web apps	 Set up your team's most used web-based applications to run directly on the Board Pro; no computer is needed and apps are right where you need them. Add your most commonly used applications like Microsoft Office 365, Trello, Miro, or Mural with the option to share and annotate on the content during meetings and access third-party whiteboarding apps. WebRTC allows video call apps to natively use the board's microphone and camera. Web apps are contained and only active during use, ensuring safety on the device and privacy on the meetings.
Smart meetings	 Dual 4k Camera at 86- and 120-degree field of view allows for close and further participants to be seen clearly when they speak. Background noise removal helps to keep the meeting attention on the active speaker by eliminating background noise. A 12-element microphone array automatically modulates the active speaker so that clear, spatial audio is delivered to the far end, whether the speaker is close to or far away from the board. An advanced speaker tracking system ensures that the cameras always keep the speaker in focus. USB-C passthrough allows for computers to use the Webex Board Pro with any video client installed on the computer, with all the intelligence in camera and audio from the Board Pro. Enjoy crystal-clear, directional audio experience with integrated speakers. Automatic wake-up: the system "wakes up" when someone walks into the room, and recognizes them through their mobile device. Automatic power save allows the Board Pro to enter a low-power standby state upon inactivity. The Board Pro can be easily controlled by the Webex Room Navigator or with a Webex App-enabled device. Participate in native Webex whiteboarding sessions from the Webex App. The meeting-join experience is simple with One Button To Push (OBTP) Get end-to-end security and encryption in Webex meetings.

Table 1. Webex Board Pro features and benefits

FEATURE	BENEFITS
Digital signage	 A powerful web engine provides the ability to connect to a web-based backend to automatically display information when the Webex Board Pro is not in use. Content displayed in signage mode can be either static or interactive, giving users the option to interact with the content displayed.
Smart integrations	 Metrics: Count the people in the room via smart sensors, enabling analytics for better resource planning. Cognitive workspaces: measure temperature, humidity, noise, light, and TVOC in the rooms when paired with Webex Room Navigator. Access the information through full stack APIs. Supports Wi-Fi Easily control room peripherals such as lights, room dividers, and curtains directly from the Webex Room Navigator control unit through customizable APIs (requires external third-party control system processor).
Performance features	 Optimal resolution up to 4k p60 H.323/SIP up to 6 Mbps point to point Full duplex audio with high-quality stereo sound Full Application Programming Interfaces (APIs) Cisco Media Assure packet loss protection
Built for cloud and premises	 Flexibility to register on-premises or to the cloud through Webex Hardware is optimized to run on a cloud platform for great experiences in shared rooms and spaces, with easy access to hosted conferences
BYOD USB-C passthrough	 Access camera, microphones, speakers, and external screens through the USB-C port. Enjoy the meeting intelligence of Webex Board on any software from your computer. Charge your laptop while connected to the Webex Board Pro. Extra accessory: a 9-meter USB-C cable allows you to reach to the far end of the meeting space.



Figure 4. Digital whiteboarding on Webex Board Pro

Webex Board Pro prominent features/differentiators

The power of Webex enables continuous teamwork

The Webex Board Pro is revolutionary in its capability, usability, and design, and the ability to connect teams beyond the physical meeting room is due to the power of the Webex platform. The consistency, simplicity, and reliability your team can leverage when using the Webex Board Pro and the Webex App is made possible by these key features within the platform:

- Cloud-first, not cloud-only The Webex Board Pro can be simply and securely deployed on-premises, as a hybrid architecture or registered in the cloud and offered on a subscription basis, so you can add or update services automatically or on demand.
- App-enabled Once shared or created on the Webex Board Pro and associated with a Webex space, the whiteboard and shared content live persistently and can be accessed from any mobile device—laptop, smartphone, tablet—on the Webex App from wherever you are. This means work and knowledge can be transferred seamlessly from one team member to the next, from one time zone to another.

- Activity-based The capabilities you enjoy on the Webex Board Pro-meeting, calling, whiteboarding, and content sharing-are the same capabilities you will experience on the Webex App. You can start your work on the Board Pro and continue on your personal and mobile devices, or vice versa.
- Managed Controlled via the Webex Control Hub, the Board Pro can be deployed as a fully managed IT asset, thus providing a unified, secure, and comprehensive approach to administration, provisioning, analytics, and diagnostics that is superior to other solutions in the market.
- User Experience (UX) first Designed with minimal wires for simplicity and elegance, Webex's latest collaboration device allows wireless sharing and Wi-Fi connectivity to remove friction and let the ideas flow. The system is also touch-based for easy and rich team collaboration. Not only is the Board Pro beautiful to behold and effortless to use, it is also affordable to acquire and easy to install and deploy, so that it can be a fixture in all of your conference rooms.

Webex Board Pro support

Table 2. Platform support

PRODUCT FAMILY	PLATFORM SUPPORTED
Webex Board	Activation and connection to Webex
	Native registration with Cisco Unified Communications Manager (UCM) or Cisco Expressway™ (from version 10.5.2 or later with device pack)*
	Third-party H.323 gatekeepers and standards-based SIP proxies*

Product specifications

SPECIFICATION	DESCRIPTION
Software compatibility	 Cisco Collaboration Endpoint Software Version CE 10 or later, or Webex Room OS 10
Default components of the Webex Board Pro	 Fully integrated unit is delivered with: Multi-touch 55- or 75-inch 4k LED display 2 x 4K camera - wide and main field of view 12 element second generation microphone array Integrated speakers and woofer 2 active stylus pens Wall mount kit or floor stand Ethernet cable (16,4 feet/5 meters) Power cord according to country specified in order
Display	 55-inch/75-inch LCD monitor 4k resolution (3840x2160) /16:9) Display type: IPS LCD. Display size in inches: 55" or 75" Resolution: UHD 4k (3840 x 2160) Luminance Typ 350 cd/m2

SPECIFICATION	DESCRIPTION
Optional hardware components	 Cisco Table Microphones Webex Room Navigator Presentation cables BYOD USB-C 9m cable Floor stand, 55-inch version Floor stand, 75-inch version Wheel kit for floor stand, 55-inch version Wheel kit for floor stand, 75-inch version
User interface	 In-cell projected capacitive touch Optically bonded cover glass Multi-touch Active stylus-enabled
Firewall traversal	 Cisco Expressway technology H.460.18, H.460.19 firewall traversal
Video standards	 H.264 AVC, H.265 HEVC, H.263 compatibility with TANDBERG® MXP endpoints
Cameras	 Dual camera 2 x 4k Ultra HD Automatic best view and speaker tracking Automatic brightness and white balance 5x manual zoom Main camera: 85° horizontal field of view, 64° vertical field of view Dual f/1.7-f/2.4 aperture 12 MP image sensor, 30 fps 1/2.3" CMOS, PDAF technology Ultra-wide camera: 120° horizontal field of view, 80° vertical field of view f/2.0 aperture 12 MP image sensor, 30 fps 1/2.3" CMOS

SPECIFICATION	DESCRIPTION
Video inputs	 USB-C DisplayPort Alternate Mode up to 3840 x 2160p60 (4kp60) HDMI 2.0 type A input supports formats up to 3840 x 2160p30 (4kp30) with HDCP
Wireless sharing	 Webex App (up to 4kp15) Cisco Proximity (up to 4kp15) Direct wireless sharing (1080p30) - Not available on Non radio version Bluetooth 4.1 - Not available on Non Radio Version
Video outputs	 HDMI 2.0 type A up to 3840 x 2160p60 (4kp60)
Network	 1 x Ethernet (RJ-45) 100/1000 Mbps (external network) 1 x Ethernet (RJ-45) 100/1000 Mbps PoE port enabled (devices control) Wi-Fi 802.11a/b/g/n/ac (2.4 and 5 GHz) - not available in non-radio versions
	Note: Due to compliance regulations, it is required to enable 802.11d in the access point for the product to operate properly within 5725 MHz – 5875 MHz. A Wi-Fi connection can be used as a flexible option. Ethernet connection is always preferred for high performance.
	 IPv4 Dynamic Host Configuration Protocol (DHCP)/static IPv6 (both static and stateless address auto-configuration) Network Time Protocol (NTP) HTTP(S) proxy support (for signaling, not media) Inspecting TLS proxy supported Cisco Discovery Protocol (CDP) 802.1X network authentication (passphrase or X.509 client certificate) 802.1Q virtual LAN 802.1p (Quality of Service [QoS] and Class of Service [CoS])
Encode and decode	 Video stream: Full HD 1080p30 Content stream: 4K 2160p15

SPECIFICATION	DESCRIPTION
Audio standards	• G.711, G.722, G.722.1, G.729, AAC-LD, and Opus
Audio features	 Acoustic Echo Cancellation (AEC) Active Lip Synchronization Al-Powered Noise Removal Automatic Gain Control (AGC) Beamforming Microphones De-Reverberation Full Duplex Full-Band Audio Noise Reduction Self-Hear Spatial Audio Ultrasound Technology
Audio inputs	 2 analog microphone inputs 1 HDMI input
Audio outputs	 1 analog line out (stereo 3.5mm minijack) 1 HDMI output 1 USB-C output
Microphone and loudspaker system	 14-element beamforming microphone array for crystal clear speech pickup and speaker tracking Multi-channel loudspeaker system with high-quality full-range drivers and separate force-cancelling woofers Loudspeaker system frequency response: 75 Hz to 20 kHz [+/- 3dB] Max Output Sound Pressure Level: 94dB
Speaker tracking	Microphone array for accurate speaker tracking

SPECIFICATION	DESCRIPTION
USB-C BYOD	Ability to provide the following over one USB-C cable to a connected computer:
	 Extension of display (3840x2160 @60fps) (computer must support Alt-mode Display Port) Touch forwarding capabilities on supported operating systems Use Webex Board Pro camera, microphone, and speakers with any software client Laptop charging (60W maximum) Power output: 20V-3A (60W), o 9V-3A (27W). o 15V-3A(45W)
Protocols	 H.323 SIP Webex WebRTC
Embedded encryption	 H.323 and SIP point to point Standards-based: H.235 v3 and Advanced Encryption Standard (AES-128 or 256) Automatic key generation and exchange
IPv6 network support	 Single-call stack support for both H.323 and SIP Dual-stack IPv4 and IPv6 for DHCP, SSH, HTTP, HTTPS, DNS, DiffServ Support for both static and automatic IP configuration, stateless address auto configuration, and DHCPv6
Security features	 Management using HTTPS and SSH IP administration password Password to access administration features on Room Navigator controller Disable IP services Network settings protection

SPECIFICATION	DESCRIPTION
Certificate management	 Certificate Authority Proxy Function (CAPF) support for additional security Manufacturer-Installed Certificates (MIC) Locally Significant Certificates (LSC) X.509 digital certificates (DER encoded binary); both DER and Base-64 formats are acceptable for the client and server certificates; certificates with a key size of 1024, 2048, and 4096 are supported
Power	 100-240 VAC, 50/60 Hz Rated maximum power: Webex Board Pro 55: 3.5-2.5A 100-240V 50/60Hz, Class I Webex Board Pro 75: 4.5-3.5A 100-240V 50/60Hz, Class I
	Networked standby power: 6.5WStandby power: 1W
	* Power consumption under normal operating conditions is defined in IEC 60950-1
Operating temperature and humidity	 0°C to 35°C (32°F to 104°F) ambient temperature 20% to 90% Relative Humidity (RH)
Multipoint support	5-way embedded SIP/H.323 conferencing capability with MultiSite option
MultiSite features	 Adaptive SIP/H.323 MultiSite: 3-way resolution up to 1080 at 30 fps plus content up to 4K at 15 fp 4-way resolution up to 720 at 30 fps plus content up to 4K at 15 fps 5-way resolution up to 720 at 30 fps plus content up to 4K at 10 fps Full individual audio and video transcoding H.323, SIP, and VoIP in the same conference Support for presentation (H.239, BFCP) from any participant at resolutions up to 3840 x 2160p5 Best impression (automatic continuous presence layouts)

SPECIFICATION	DESCRIPTION
Approvals and regulatory compliance	 European directives: Directive 2014/30/EU (EMC Directive) Directive 2014/53/EU (Radio Equipment Directive) Directive 2014/35/EU (Low Voltage Directive) Directive 2011/65/EU (RoHS) Directive 2012/19/EU (WEEE)
	 European standards: Radio: EN 300 328, EN 301 893, EN 300 440 EMC: EN 301 489-1, -3 and -17, EN 55032 - Class A, EN 55035, EN 61000-3-2 and -3-3 Safety: EN 62368-1, EN 60950-1, EN 62479
	U.S. approvals:NRTL approved (product safety)FCC listed (radio equipment)
	 U.S. standards: UL 62368-1 FCC CFR 47 Part 15B (EMC) - Class A FCC CFR 47 Part 15C (RF) FCC CFR 47 Part 15E (R)
	The list above reflects the regulations applicable at the time of publishing this document. For an updated list of regulations applicable, see the Product Approval Status Database for approval documents per country.

Hardware specifications

Table 4. Hardware specifications for Webex Board Pro

ТҮРЕ	WEBEX BOARD PRO 55	WEBEX BOARD PRO 75
Product weight:		
Board only	40 kg	72 kg
Floor stand	27 kg	32.5 kg
Wheel upgrade kit	5.8 kg	5.5 kg
Wall mount	4.5 kg	5.8 kg
Assembled dimensions:		
Board Pro device only		027.9 Achve area 027.9 Achve area 1015 1071 07.1 07.1 0.015 07.1
With floor stand	1273 1273 1009.6 10	1719 100 100 100 100 100 100 100 1

Table 4. Hardware specifications for Webex Board Pro

ТҮРЕ	WEBEX BOARD PRO 55	WEBEX BOARD PRO 75
With wheel upgrade kit	1278	
With wall mount		
Main unit (spare)	Package size: • 60 x 9.5 x 39.4 in • 1508 x 242 x 1000 mm	Package size: • 77.7 x 9.5 x 51.3 in • 1974 x 242 x 1303 mm
Wall-mount kit	 Package size: Wall Mount Kit 55": 1282x233x117mm (50,47"x9,17"x4,61") Spare Wall Mount Kit 55": 1282x904x261mm (50,47"x35,59"x10,28") 	 Package size: Wall Mount Kit 75": 1658x223x117mm (65,28"x8,78"x4,61") Spare Wall Mount Kit 75": 1658x904x261mm (65,28"x35,59"x10,28")

Table 4. Hardware specifications for Webex Board Pro

ТҮРЕ	WEBEX BOARD PRO 55	WEBEX BOARD PRO 75	
Floor stand	Package size:	Package size:	
	 Floor Stand Kit 55": 1569x1151x189mm (61,77"x45,31"x7,44") Spare Floor Stand Kit 55": 1569x1151x333mm (61,77"x45,31"x13,11") 	 Floor Stand Kit 75": 1505x1064x199mm (59,25"x41,89"x7,83") Spare Floor Stand Kit 75": 1505x1064x343mm (59,25"x41,89"x13,5") 	
Wheel upgrade kit	Package size:	Package size:	
	 858x328x99mm (33,78"x12,91"x3,9") 	 858x328x99mm (33,78"x12,91"x3,9") 	

Ordering information

To place an order, contact your local Cisco representative and refer to Tables 3, 4, and 5.

 Table 5.
 Ordering information for Webex Board Pro 55

PRODUCT NAME	PART NUMBER	COMPLIANCE MODEL NUMBER
Webex Board Pro 55 (GPL)	CS-BRD55P-K9	TTC60-31
Webex Board Pro 55 - Non Radio	CS-BRD55P-NR-K9	TTC60-31
Webex Board Pro 55 - Non Radio - Non Encryption	CS-BRD55P-NR-K7	TTC60-31
Webex Board Pro 55 - TAA - Non Radio	CS-BRD55P-NR-K9++	TTC60-31
Webex Board Pro 55 - TAA	CS-BRD55P-K9++	TTC60-31
Webex Board Pro 55 - MM	CS-BRD55P-MM-K9	TTC60-31

 Table 5.
 Ordering information for Webex Board Pro 55

PRODUCT NAME	PART NUMBER	COMPLIANCE MODEL NUMBER
Webex Board Pro 55 - MM - Non Radio	CS-BRD55P-MM- NR-K9	TTC60-31
Webex Board Pro 55 - Non Radar	CS-BRD55P-ND-K9	TTC60-31
Webex Board Pro 55 - Non Radar (Spare)	CS-BRD55P-ND-K9=	TTC60-31
Stands		
Webex Board Pro 55 Wall Mount Kit	CS-BRD55P-WMK	
Webex Board Pro 55 Wheel Upgrade Kit	CS-BRD55P-WUK	
Webex Board Pro 55 Floor stand	CS-BRD55P-FS	
Spares		
Webex Board Pro 55 - Spare	CS-BRD55P-K9=	TTC60-31
Webex Board Pro 55 - Non Radio - Spare	CS-BRD55P-NR-K9=	TTC60-31
Webex Board Pro 55 - Non Radio - Non Encryption - Spare	CS-BRD55P-NR-K7=	TTC60-31
Webex Board Pro 55 Wheel Upgrade Kit - Spare	CS-BRD55P-WUK=	
Webex Board Pro 55 Wall Mount Kit - Spare	CS-BRD55P-WMK=	
Webex Board Pro 55 Floor stand - Spare	CS-BRD55P-FS=	

 Table 6.
 Ordering information for Webex Board Pro 75

PRODUCT NAME	PART NUMBER	COMPLIANCE MODEL NUMBER
Webex Board Pro 75 (GPL)	CS-BRD75P-K9	TTC60-32
Webex Board Pro 75 - Non Radio	CS-BRD75P-NR-K9	TTC60-32
Webex Board Pro 75 - Non Radio - Non Encryption	CS-BRD75P-NR-K7	TTC60-32
Webex Board Pro 75 - TAA -Non Radio	CS-BRD75P-NR-K9++	TTC60-32
Webex Board Pro 75 -TAA	CS-BRD75P-K9++	TTC60-32
Webex Board Pro 75 -MM	CS-BRD75P-MM-K9	TTC60-32
Webex Board Pro 75 -MM - Non Radio	CS-BRD75P-MM- NR-K9	TTC60-32
Webex Board Pro 75 - Non Radar	CS-BRD75P-ND-K9	TTC60-32
Webex Board Pro 75 - Non Radar -Spare	CS-BRD75P-ND-K9=	TTC60-32
Stands		
Webex Board Pro 75 Wall Mount Kit	CS-BRD75P-WMK	
Webex Board Pro 75 Wheel Upgrade Kit	CS-BRD75P-WUK	
Webex Board Pro 75 Floor stand	CS-BRD75P-FS	
Spares		
Webex Board Pro 75 - Spare	CS-BRD75P-K9=	TTC60-32
Webex Board Pro 75 - Non Radio -Spare	CS-BRD75P-NR-K9=	TTC60-32

 Table 6.
 Ordering information for Webex Board Pro 75

PRODUCT NAME	PART NUMBER	COMPLIANCE MODEL NUMBER
Webex Board Pro 75 - Non Radio - Non Encryption - Spare	CS-BRD75P-NR-K7=	TTC60-32
Webex Board Pro 75 - Wheel Upgrade Kit - Spare	CS-BRD75P-WUK=	
Webex Board Pro 75 - Wall Mount Kit - Spare	CS-BRD75P-WMK=	
Webex Board Pro 75 - Floor stand - Spare	CS-BRD75P-FS=	

 Table 7.
 Ordering information - Options for Webex Board Pro 55 and 75

PRODUCT NAME	PART NUMBER	COMPLIANCE MODEL NUMBER
Webex Room Navigator	CS-T10-TS-K9	TTC5-15
Webex Board Pro - Active Stylus	CS-BRDP-ACTSTYL	
Cisco Table Microphone	CS-MIC-TABLE-J=	
Extension cable for Table Microphone	CAB-MIC-EXT-J=	
Active Optical Cable, USB-C 3.1, 9M long, USB Charging	CAB-USBC-AC-9M	
Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)	CAB-HDMI-MUL4K-9M	
USB C - USB A Cable, 4 meters	CAB-USBC-4M-GR	
Presentation cable 8m GREY HDMI 1.4b (W/ REPEATER)	CAB-PRES-2HDMI-GR	

Table 7. Ordering information - Options for Webex Board Pro 55 and 75

PRODUCT NAME	PART NUMBER	COMPLIANCE MODEL NUMBER
Webex Board Pro Floor Stand Screws - Spare	CS-BRDP-FS-SCRW=	
Webex Board Pro Wheel Upgrade Kit Screws - Spare	CS-BRDP-WUK-SCRW=	
Webex Board Pro Wall Mount Kit Screws - Spare	CS-BRDP-WMK-SCRW=	
Webex Board Pro Active Stylus	CS-BRDP-ACTSTYL=	

Warranty information

Webex Board Pro has a 90-day limited liability warranty.

Product sustainability

Information about Cisco's environmental sustainability policies and initiatives for our products, solutions, operations, and extended operations or supply chain is provided in the "Environment Sustainability" section of Cisco's Corporate Social Responsibility (CSR) Report.

Reference links to information about key environmental sustainability topics (mentioned in the "Environment Sustainability" section of the CSR Report) are provided in the following table:

SUSTAINABILITY TOPIC	REFERENCE
Information on product material content laws and regulations	Materials
Information on electronic waste laws and regulations, including products, batteries, and packaging	WEEE compliance

Cisco makes the packaging data available for informational purposes only. It may not reflect the most current legal developments, and Cisco does not represent, warrant, or guarantee that it is complete, accurate, or up to date. This information is subject to change without notice.

Cisco services and support

Cisco and our partners provide a broad portfolio of smart, personalized services and support that can help you realize the full business value of your Cisco collaboration investment by increasing business agility and network availability. This portfolio of services accelerates business innovation by harnessing the network as a powerful business platform.

For more information about these services, visit: https://www.cisco.com/go/collaborationservices.

Cisco Capital

Flexible payment solutions to help you achieve your objectives

Cisco Capital[®] financing makes it easier to get the right technology to achieve your objectives, enable business transformation, and help you stay competitive. We can help you reduce the total cost of ownership, conserve capital, and accelerate growth. In more than 100 countries, our flexible payment solutions can help you acquire hardware, software, services, and complementary third-party equipment in easy, predictable payments. Learn more.

October 2021

C78-744993-00



For more information

Learn more about Webex Board Series Learn more about digital whiteboarding for remote teams Download the Webex App

© 2021 Cisco and/or its affiliates. All rights reserved. Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco. com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)