

EASY-KLEEN

PRESSURE SYSTEMS LTD.

MANUFACTURER OF HIGH PRESSURE CLEANING EQUIPMENT

The Longest Lasting Pressure Washers On The Market

OPTIONS & ACCESSORIES CATALOG



Canada's #1 Choice for
Pressure Washers



Proudly Canadian Made



CRN Boiler Approved Coils Available

31.MAY.2021

www.easykleen.com

1-800-315-5533

sales@easykleen.com



EXAMPLE: To help you size your Nozzle

- Pressure washer is 4000 PSI @ 3.5 GPM
- Tip size is 3.5

#1. START WITH YOUR MACHINE'S PSI UP HERE

STANDARD NOZZLE SIZE	HOLE SIZE	POUNDS PER SQUARE INCH (PSI)																
		500	750	1000	1250	1500	1750	2000	2250	2500	2750	3000	3250	3500	3750	4000	4500	5000
2.0	.034"/0.86mm	0.71	0.87	1.00	1.12	1.22	1.32	1.41	1.50	1.58	1.66	1.73	1.80	1.87	1.94	2.00	2.12	2.24
2.5	.042"/1.07mm	0.88	1.08	1.25	1.40	1.53	1.65	1.77	1.88	1.98	2.07	2.17	2.25	2.34	2.42	2.50	2.65	2.80
3.0	.043"/1.09mm	1.06	1.30	1.50	1.68	1.84	1.98	2.12	2.25	2.37	2.49	2.60	2.70	2.81	2.90	3.00	3.18	3.35
3.5	.048"/1.22mm	1.24	1.52	1.75	1.96	2.14	2.32	2.47	2.63	2.77	2.90	3.03	3.15	3.27	3.39	3.50	3.71	3.91
4.0	.052"/1.32mm	1.41	1.73	2.00	2.24	2.45	2.65	2.83	3.00	3.16	3.32	3.46	3.61	3.74	3.87	4.00	4.24	4.47
4.5	.055"/1.40mm	1.59	1.95	2.25	2.52	2.76	2.98	3.18	3.38	3.56	3.73	3.90	4.06	4.21	4.36	4.50	4.77	5.03
5.0	.057"/1.45mm	1.77	2.17	2.50	2.80	3.06	3.31	3.54	3.75	3.95	4.15	4.33	4.51	4.68	4.84	5.00	5.30	5.59
5.5	.060"/1.52mm	1.94	2.38	2.75	3.07	3.37	3.64	3.89	4.13	4.35	4.56	4.76	4.96	5.14	5.33	5.50	5.83	6.15
6.0	.062"/1.63mm	2.12	2.60	3.00	3.35	3.67	3.97	4.24	4.50	4.74	4.97	5.20	5.41	5.61	5.81	6.00	6.36	6.71
6.5	.064"/1.63mm	2.30	2.81	3.25	3.63	3.98	4.30	4.60	4.88	5.14	5.39	5.63	5.86	6.08	6.29	6.50	6.89	7.27
7.0	.067"/1.70mm	2.47	3.03	3.50	3.91	4.29	4.63	4.95	5.25	5.53	5.80	6.06	6.31	6.55	6.78	7.00	7.42	7.83
7.5	.070"/1.78mm	2.65	3.25	3.75	4.19	4.59	4.96	5.30	5.63	5.93	6.22	6.50	6.76	7.02	7.26	7.50	7.95	8.39
8.0	.072"/1.83mm	2.83	3.46	4.00	4.47	4.90	5.29	5.66	6.00	6.32	6.63	6.93	7.21	7.48	7.75	8.00	8.49	8.94
8.5	.074"/1.88mm	3.01	3.68	4.25	4.75	5.21	5.62	6.01	6.38	6.72	7.05	7.36	7.66	7.95	8.23	8.50	9.02	9.50
9.0	.076"/1.93mm	3.18	3.90	4.50	5.03	5.51	5.95	6.36	6.75	7.12	7.46	7.79	8.11	8.42	8.71	9.00	9.55	10.06
9.5	.078"/1.98mm	3.36	4.11	4.75	5.31	5.82	6.28	6.72	7.13	7.61	7.88	8.23	8.56	8.89	9.20	9.50	10.08	10.62
10.0	.080"/2.03mm	3.54	4.33	5.00	5.59	6.12	6.61	7.07	7.50	7.91	8.29	8.66	9.01	9.35	9.68	10.00	10.61	11.18
11.0	.083"/2.11mm	3.89	4.76	5.50	6.15	6.74	7.28	7.78	8.25	8.70	9.12	9.53	9.96	10.29	10.65	11.00	11.67	12.30
12.0	.087"/2.21mm	4.24	5.20	6.00	6.71	7.35	7.94	8.49	9.00	9.49	9.95	10.39	10.86	11.22	11.62	12.00	12.73	13.42
12.5	.098"/2.26mm	4.42	5.41	6.25	6.99	7.65	8.27	8.84	9.38	9.88	10.36	10.83	11.27	11.69	12.10	12.50	13.26	13.98
13.0	.091"/2.31mm	4.60	5.63	6.50	7.27	7.96	8.60	9.19	9.75	10.28	10.78	11.26	11.72	12.16	12.59	13.00	13.79	14.53
15.0	.096"/2.44mm	5.30	6.50	7.50	8.39	9.19	9.92	10.61	11.25	11.86	12.44	12.99	13.52	14.03	14.52	15.00	15.91	16.77
20.0	.109"/2.77mm	7.07	8.66	10.00	11.18	12.25	13.23	14.14	15.00	15.71	16.58	17.32	18.03	18.71	19.36	20.00	21.21	22.36
25.0	.125"/3.18mm	8.84	10.83	12.50	13.98	15.31	16.54	17.68	18.75	19.76	20.73	21.65	22.53	23.39	24.21	25.00	26.52	27.95
30.0	.141"/3.58mm	10.61	12.99	15.00	16.77	18.37	19.84	21.21	22.50	23.72	24.87	25.98	27.04	28.06	29.05	30.00	31.82	33.54
40.0	.156"/3.96mm	14.14	17.32	20.00	22.36	24.49	26.46	28.28	30.00	31.62	33.17	34.64	36.06	37.42	38.73	40.00	42.43	44.72
50.0	.172"/4.37mm	17.68	21.65	25.00	27.95	30.62	33.07	35.36	37.50	39.53	41.46	43.30	45.07	46.77	48.41	50.00	53.03	55.90
60.0	.188"/4.78mm	21.21	25.98	30.00	33.54	36.74	39.69	42.43	45.00	47.43	49.75	51.96	54.08	56.12	58.09	60.00	63.64	67.08

GPM

#3. THEN FIND YOUR ANSWER HERE!

#2. THEN FIND YOUR GPM IN THESE ROWS



Red (Cutting Nozzle) - 0°
Uses - Powerful pinpoint for spot cleaning of hard, unpainted surfaces or for high reach areas
Surfaces - Unpainted metal or concrete; DO NOT use on wood

Delivers the most concentrated stream possible. Capable of cutting through some materials and cleaning off very stubborn stains on concrete and other hard surfaces. Can cause damage to home siding, wood, and other materials so use with caution.



Yellow (Intense Washing Nozzle) - 15°
Uses - Intense cleaning of unpainted hard surfaces
Surfaces - Grills, driveways, concrete or brick walkways, unpainted brick or stucco

Provides enough force to work like a scraper, stripping paint, grease, and other materials from hard surfaces.



Green (Washing Nozzle) - 25°
Uses - Standard cleaning nozzle for most applications
Surfaces - Yard tools, sidewalks, lawn furniture, unpainted siding, stucco, gutters and eaves, concrete, brick surfaces

Perfect for cleaning dirt and grime from home siding, sidewalks, and metal furniture.



White (Rinsing Nozzle) - 40°
Uses - Cleaning of painted or delicate surfaces
Surfaces - Yard tools, sidewalks, lawn furniture, unpainted siding, stucco, gutters and eaves, concrete, brick surfaces

The wide spray allows you to wash a large area fast. Safe for most surfaces, excluding aluminum siding, windows, and vehicles.



Black (Detergent Application Nozzle) - Low Pressure
Uses - Applies cleaning solutions
Surfaces - Low pressure spray is safe on all surfaces. Always verify compatibility of cleaning solution prior to use.

When using detergent or other chemicals in your pressure washer, the black nozzle will siphon it into the water spray evenly. Spray is wide and low pressure

ACCESSORIES & OPTIONS

NOZZLES	3
• BARRACUDA ROTARY NOZZLE • GIANT ROTARY NOZZLES • MEG NOZZLE • QUICK COUPLER NOZZLES • ROTARY NOZZLE – COMMERCIAL DUTY • ROTARY NOZZLES – HEAVY DUTY • ROTARY SEWER/CULVERT NOZZLES • ROTARY TIP FILTER • SEWER/CULVERT NOZZLES	
NOZZLES & WAND ACCESSORIES	4
• FOAM CANNONS • GUTTER CLEANER • HYDRO EXCAVATION NOZZLE • PIT BOSS • STEAM NOZZLES • SURFACE CLEANER • UNDERCARRIAGE CLEANER • WATER BROOM • WET SANDBLAST KIT	
GUN & WAND ASSEMBLIES	5
• DUAL LANCE WANDS • EXTENSION WANDS • FITTINGS • FLEX WANDS & PUSH PULL LANCE • GUN & WAND ASSEMBLIES • GUN/WAND/QUICK COUPLER ASSEMBLY • HARNESS • O-RINGS • QUICK COUPLERS • TRIGGER GUNS • WANDS	
HOSES	7
• BLUE NON-MARKING HOSE • CLEAR CHEMICAL HOSE – ¾" • CUSTOM ORDER HOSES • HOSE – ½" 6000 PSI • HOSE – ½" 10,000 PSI • HOSE – ½" 15,000 PSI • HOSE – ¾" 6000 PSI • HOSE – ¾" 8000 PSI • JOINER HOSE – 4000 PSI • MEGA-FLEX DRAIN CLEANING KIT • STANDARD HOSE – ½" 4000 PSI • STANDARD HOSE – ¾" 4000 PSI • STEAM HOSE – ¾" • STEAM HOSE – ½" • SWIVEL • LOW PRESSURE HOSE – ¾"	
HOSE REELS	9
• 12V OR 120V HOSE REEL – INDUSTRIAL • 360° PIVOT HOSE REEL • A-FRAME HOSE REEL – INDUSTRIAL • BALL VALVES • GREASEABLE SUPER SWIVELS • HOSE REEL – ROLLER BRACKET GUIDE • HOSE REEL STANDS • HOSE REEL TROLLEY KITS • HYDRAULIC HOSE REEL • JOINER HOSE – 4000 PSI • MANUAL HOSE REEL – STAINLESS STEEL • PIVOTING HOSE GUARD • SPRING DRIVEN HOSE REEL • U-FRAME HOSE REEL	
CHEMICAL CONTROL & INJECTION	11
• ACID PUMP • CHEMICAL MIXER • CHEMICAL SPRAYER • DEMA INLINE HIGH PRESSURE CHEMICAL INJECTOR • HIGH VOLUME FOAMER • SOLENOID CONTROL	
OIL FIRED OPTIONS	12
• DRAFT HOOD • HIGH LOW GAS VALVES WITH DUAL TEMPERATURE CONTROLS • POWER DRAFT DAMPERS • RAIN CAP	
ELECTRIC MOTOR CONTROLS	13
• 50HZ ELECTRIC MOTOR • ELECTRICALLY HEATED TIMER • EMERGENCY SHUT-OFF • EXPLOSION PROOF PACKAGES • GROUND-FAULT CIRCUIT INTERRUPTERS • HEAVY DUTY AUTO STOP /START WITH SHUTDOWN TIMER • NEMA BOX • VFD FOR ELECTRIC MOTOR CONTROLS	
FRAME OPTIONS & WHEEL KITS	
COLD WATER	14
• CASTER • COLD WATER CART • FIREHOUSE DISPLAY BASE • FLAT BASE FRAME • LEG FRAME • PUMP FRAME • COLD WATER • STAINLESS STEEL COLD WATER ROLL CAGES • STATIONARY COLD WATER • WALL MOUNT FOR DIRECT DRIVE	
INDUSTRIAL HOT WATER ELECTRIC DRIVE	15
• BRACKET OPTIONS • LEG FRAME • RAIN CAP • STAINLESS STEEL FRAMES • WHEEL KITS	
INDUSTRIAL HOT WATER FULLY ELECTRICALLY HEATED	16
• STAINLESS STEEL EXTERIOR OPTIONS • STAINLESS STEEL TANK • WHEEL KIT	
COMMERCIAL & INDUSTRIAL GAS & DIESEL DRIVEN - OIL FIRED	17
• ALUMINUM & STAINLESS COMMERCIAL ROLL CAGE FRAME • COMMERCIAL WHEEL KIT • FOAM FILLED TIRES • INDUSTRIAL WHEEL KIT • RAIN CAP • RENTAL ROLL CAGE	
DRY STEAM GENERATORS	18
• CUSTOM ORDERS • DRY STEAM SKID - HORIZONTAL • DRY STEAM SKID - VERTICAL • DRY STEAM WHEEL KIT - HORIZONTAL • DRY STEAM WHEEL KIT - VERTICAL	
SKID & TANK FRAMES	19
• BULL MOOSE FILL & PLAY 325G FRAME • BULL MOOSE FILL & PLAY 525G FRAME • BULL MOOSE FILL & PLAY 740G FRAME • CUSTOM ORDERS • GRIZZLY FILL & PLAY 225G FRAME • GRIZZLY FILL & PLAY 325G FRAME • GRIZZLY FILL & PLAY 525G FRAME • LIGHT KIT • PICKUP SKID • PROPANE PICKUP SKID	

TRAILER & JETTER OPTIONS

ENCLOSED TRAILERS	21
• 8' ENCLOSED TRAILER PACKAGE 225G • 14' ENCLOSED TRAILER PACKAGE 525G • 16' ENCLOSED TRAILER PACKAGE 525G & 740G • BURNER SAFETY SWITCH AND EXHAUST VENT	
OPEN TRAILERS	22
• 8' OPEN TRAILER PACKAGE • 14' OPEN TRAILER PACKAGE • GRIZZLY BOLT ON TRAILER PACKAGE • PICKUP SKID BOLT ON TRAILER PACKAGE • RAIN CAP	
JETTER ACCESSORIES	23
• FOOT PEDAL INLINE • HOSE REEL TROLLEY KITS • HOT PACK • HYDRO EXCAVATION NOZZLE • JETTER BOX • JETTER HOSES • JETTER HOSE KIT • JETTER NOZZLE KITS • JOINER HOSES • ROTARY SEWER/CULVERT NOZZLES • SEWER/CULVERT NOZZLES • WINTERIZATION KIT	
MACHINE OPTIONS & ACCESSORIES	
TANKS	25
• FLOAT TANK • FUEL TANKS, GAS CAPS, & TANK BRACKET • FUEL TANK OPTION • LARGE POLY WATER TANKS • SMALL POLY WATER TANKS • WINTERIZATION KIT	
STEAM OPTIONS	26
• STEAM HOSE – ¾" • STEAM HOSE – ½" • STEAM NOZZLE • STEAM OPTION KITS / DRY STEAM KIT / STANDARD KIT / STEAM OPTION KITS – DOUBLE UNLOADER TYPE / ULTIMATE STEAM KIT • STEAM WAND	
WASH BAY ACCESSORIES	27
• COMPLETE FOAM BRUSH ASSEMBLY • FESTOON SYSTEM • MAT CLAMPS • OVERHEAD BOOM • REMOTE WASH BAY CONTROL PANEL • SOAP SWITCH CONTROL PANEL • STAINLESS STEEL VACUUM • TRUCK WASH BRUSH • WAND HOLDER	
COILS	28
• CRN COILS • STAINLESS STEEL COILS – GAS FIRED • STAINLESS STEEL COILS – OIL FIRED	

CLEANING TOOLS & SUPPLIES

CHEMICALS	29
• ANTI-RUST APW ADDITIVE • APW LIQUID PHOSPHATIZER • APW PRO WHITE 500 • CABINET WASHER POWDER • CARBON-KLEEN • CARBON-KLEEN PLUS • CHLOR-KLEEN • GLASS CLEANER • KLEEN-BREAK • KLEEN-RIP HD • KLEEN-RIP LT • KLEEN-SHINE • KLEEN-SHINE PLUS • POLISHED ALUMINUM CLEANER	


UPGRADES & ADDITIONS

MISCELLANEOUS ITEMS	31
• 12 VOLT BURNER – PRIMARY CONTROL • AR PUMP • BATTERY • BRASS FLOW SWITCH • BURNER PARTS • COMPLETE MILLIVOLT KIT • DELAY TIMER • DIESEL ENGINE SHUTDOWN SYSTEM • ELECTRIC CLUTCH • ELECTRIC START UPGRADE KITS • COLD WATER • EMPEROR PUMP • FITTINGS • FLOW SWITCH • FUEL FILTERS • GENERATORS • GENERAL PUMP • HOUR METER • HOT WATER PACKING KIT GENERAL PUMP • HYDROSTATIC VALVE AND ASSEMBLY KIT • INLINE FILTERS • OUTLET TEMPERATURE GAUGE • PRESSURE GAUGE • PRESSURE SWITCH • PRIMARY CONTROL • PUMP KITS • REMOTE SWITCH • ELECTRIC DRIVEN ONLY • SPARK ARRESTOR • SUCTION KIT • THERMOSTAT • THERMAL RELIEF VALVES • UNLOADER • FLOW ACTIVATED • VOLT METER	

SHORTHAND IDENTIFICATION KEY			
"	INCHES	'	FOOT/FEET
PSI	POUNDS PER SQUARE INCH	GPM	GALLONS PER MINUTE
C/W	COUPLED WITH	QC	QUICK COUPLER
V	VOLT/VOLTAGE	GAL.	GALLON/S
HP	HORSE POWER	LB.	POUND/S
PH	PHASE	N/C	NO CHARGE

ALL PICTURES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY. ACTUAL PRODUCT MAY VARY.

Ask us! We stock all types of rotary nozzles for your preference.

ROTARY NOZZLES - COMMERCIAL DUTY 



Rotating nozzles increases the force in which you clean. It easily cuts through tough cleaning jobs in half the time. Rated at 212° F



NOZ-RN365##	UP TO 3600 PSI
NOZ-RN400##C	ECONOMICAL - UP TO 4000 PSI - 212° F 1/4 FNPT INLET BRASS
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

ROTARY NOZZLES - HEAVY DUTY



The fully stainless steel model works at a higher pressure. Rated at 190° F

NOZ-RN510##	UP TO 5100 PSI
NOZ-RN870##	UP TO 8700 PSI
NOZ-RN110##	UP TO 11,000 PSI
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

GIANT™ ROTARY NOZZLES



Giant's original Turbo Laser™ nozzles takes the power of a zero-degree nozzle and rotate it in either a circular or linear fashion. This allows the user to clean up to 70% faster than with a conventional zero-degree nozzle.

NOZ-RN360##G	NOZ-RN600##G
NOZ-RN360##G	3600 PSI, 195° F
NOZ-RN600##G	5800 PSI, 195° F
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

MEG NOZZLE



Hardened stainless steel nozzle for high pressure washes. A great, standard, high pressure, high heat multi-job nozzle.

NOZ-1/4MEG##	5000 PSI RATED TO 7000 PSI MAX
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

QUICK COUPLER NOZZLES



Contains complete set of 5 quick coupler nozzles for various spray patterns. Includes one black soap nozzle. Rated @ 4000 PSI max

KIT-NZPK0##	ORIFICE SIZE (5 PACK) - 0°/15°/25°/45°/SOAP
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

SEWER / CULVERT NOZZLES



The reverse jets pull the hose through the pipe or sewer line and blast debris from line or pipe walls. Rated at 4200 PSI

NOZ-SWR18-5.5	1/8", 5.5 ORIFICE - 1 FORWARD & 3 BACK
NOZ-SWR14-5.5	1/4", 5.5 ORIFICE - 1 FORWARD & 3 BACK
NOZ-SWR38-5.5	3/8", 5.5 ORIFICE - 1 FORWARD & 3 BACK

ROTARY SEWER / CULVERT NOZZLES



These rotating nozzles add extra agitation speeding up your work, as the reverse jets pull the hose through the pipe or sewer line and blast debris from line or pipe walls. Rated at 4000 PSI

NOZ-SWR18-5.5R	1/8", 5.5 ORIFICE - 3 BACK
NOZ-SWR14-5.5R	1/4", 5.5 ORIFICE - 3 BACK
NOZ-SWR38-6R	3/8", 6.0 ORIFICE - 3 BACK

ROTARY TIP FILTER



Protect your turbo nozzle from damage caused by debris in the water flow and prolongs the life of your tip.

NOZ-RNF	1/4" INLET/ OUTLET, 5000 PSI, 300° F
---------	--------------------------------------

BARRACUDA ROTARY NOZZLE



Considered industry standard for speed controlled rotary shotgunning.

NOZ-AP4-##	ATTACK TIP, 1/4" MVPT
NOZ-RN-BC-K	4.4-11 GPM, 2000 TO 21,750 PSI, 1/4" PORT (REQUIRES ATTACK TIPS)
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

IDENTIFICATION KEY - REFER TO PAGE 1 FOR SIZING

##	DEGREE
##	ORIFICE SIZE

NOZZLES & WAND ACCESSORIES

STEAM NOZZLES



For cleaning and thawing operations. Great for de-icing. For installation on steam wand WAN-STM see page 26.

NOZ-STM14-1.5F	FLAT, 1.5 MM, BRASS
NOZ-STM38-BLK	BRASS, BLANK STEAM

HYDRO EXCAVATION NOZZLE



Dig faster, save water! The Ripsaw Rotating Turbo nozzle is specifically designed and engineered for the rugged Hydro-Excavation industry. It's cone shaped flow pattern (18") is ideal for potholing applications. 35% Faster than Regular Rotary Tips.



NOZ-RN32040RS	RIPSAW - 3200 PSI, 4.0, 180°F
---------------	-------------------------------

GUTTER CLEANER



This accessory allows you to clean your gutters from the ground. No more getting up and down the ladder with gloved hands!



ACC-GC12	12" GUTTER POLE, 4000 PSI, 200°F
----------	----------------------------------

WET SANDBLAST KIT



Suction fed injection of sand and water to peel paint and rust from metal effortlessly with no dust. Leaves surface ready to prime. For 3 GPM up to 10 GPM flow.



ACC-SNDBLKT	FOR MACHINES 3000 PSI +, MUST SIZE NOZZLE. 0° UP TO 5500 PSI
-------------	--

SURFACE CLEANER



Used for removing dirt and grime from brick, concrete, sidewalks, driveways, shop floors in a contained fashion. Rated at 194°F, 12 GPM. Two nozzles required.

ACC-SRFLNR24	STAINLESS STEEL - 24" 4000 PSI RATED
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

FOAM CANNONS



Allows full chemical coverage and activation. Ideal for vehicle and house washing.



NOZ-FMR4830	C/W 1.5 MM INJECTOR, 4.8 GPM @ 3000 PSI, 1/4" FEMALE CONNECT
NOZ-FMR4830T	WITH INJECTOR C/W BOTTLE, 4.8 GPM @ 3000 PSI, 1/4" FEMALE CONNECT
NOZ-FMR-COM	COMPACT FOAMER, 1-5 GPM @ 2500 PSI, 1/4" FEMALE CONNECT

PIT BOSS



Sludge sucker uses a high pressure water stream (1000-3000 PSI) to suck the sludge off the bottom of pits or tanks and ejects it through a 1-1/2" (15') long hose to a disposal tank. The base unit attaches to the end of a pressure washer lance with a quick coupler for extension to the bottom of the pit. Uses a 0° tip for suction/power ejection.

ACC-PBSK	SLUDGE SUCKER KIT WITH NOZZLE, 5.5 NOZZLE 4000 PSI, 104°F
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

WATER BROOM



Fits 1/4" wand. Ideal for cleaning floors, decks, driveway, and great for industrial flat surfaces.



ACC-WTRBRM4	4 NOZZLE 1/4" - 24" BROOM (MUST ADD NOZZLES) 4000 PSI RATED @ 140°F
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

UNDERCARRIAGE CLEANER



Used for cleaning under cars, trucks and equipment. Ideal for detailing, rust check, vehicle repair centers, and firehouses. Rated at 194°F, 4000 PSI. 5'5" Reach, Two nozzles required.

ACC-UCC	UP TO 4000 PSI RATED
SPECIFY GPM & PSI TO ENSURE CORRECT NOZZLES	

TRIGGER GUNS




Easy-Kleen offers a variety of pressure washer trigger guns.

GUN-TG5010 GUN-TG5012-RX GUN-TG7221-12 GUN-TG4010W GUN-HV1732 GUN-WG1635S

GUN-TG5010	GENERAL PUMP GUN, 300°F, 5000 PSI , 10 GPM, 3/8" INLET, 1/4" OUTLET
GUN-TG5010V	PA VEGA 250, 300°F, 5000 PSI , 10 GPM, 3/8" INLET, 1/4" OUTLET
GUN-TG5012RX	RELAXED TRIGGER GUN, 300°F, 5000 PSI , 12 GPM, EASY PULL, HEAVY DUTY , 3/8" INLET, 1/4" OUTLET
GUN-TG5680RX	RELAXED TRIGGER GUN, 5600 PSI , 8 GPM, EASY PULL, RELOAD GUN , 3/8" INLET, 1/4" OUTLET
GUN-TG7221-12	PA BIG GUN, 210°F, 8100 PSI , 21 GPM, RELOAD GUN , 1/2" INLET/OUTLET
GUN-TG4010W	TRIGGER GUN, WEEPING, 300°F, 4000 PSI , 10 GPM, FOR COIN OPERATED CAR WASHES , 3/8" INLET, 1/4" OUTLET
GUN-HV1732	TRIGGER GUN, HIGH VOLUME, 300°F, 1950 PSI , 32 GPM, 1/2" INLET/OUTLET
GUN-WG1635S	WASH DOWN GUN, 16 GPM, 350 PSI , HIGH FLOW LOW PRESSURE

WANDS



WAN-SLH

Zinc coated, molded grip. 1/4" Male pipe thread. Also available in stainless steel. Rated at 300°F



WAN-SL36

WAN-SLH	SIDE HANDLE GRIP FOR 1/4" PIPE WAND
WAN-SL12	12" INSULATED SINGLE LANCE
WAN-SL24	24" INSULATED SINGLE LANCE
WAN-SL36	36" INSULATED SINGLE LANCE
WAN-SL48	48" INSULATED SINGLE LANCE
WAN-SL36A-SS	36" INSULATED SINGLE LANCE, STAINLESS STEEL
WAN-SL40SS-12	40" SINGLE LANCE, STAINLESS STEEL, 1/2" MNPT
WAN-SL59	59" INSULATED SINGLE LANCE
WAN-SL79	79" INSULATED SINGLE LANCE

QUICK COUPLERS



For speedy and sturdy interchanging of tools and attachments. Disconnect coupler band rated at 5000 PSI, 210°F.

QUICK COUPLERS



For speedy and sturdy interchanging of tools and attachments. Disconnect coupler band rated at 5000 PSI, 210°F.

STANDARD QUICK COUPLER	
FIT-QC14F/M	1/4" FNPT/MNPT, BRASS
FIT-QC38F/M	3/8" FNPT/MNPT, BRASS
FIT-QC12F/M	1/2" FNPT/MNPT, BRASS
STANDARD QUICK COUPLER NIPPLES	
FIT-QCN14F/M	1/4" FNPT/MNPT, BRASS
FIT-QCN38F/M	3/8" FNPT/MNPT, BRASS
FIT-QCN12F/M	1/2" FNPT/MNPT, BRASS

STAINLESS STEEL QUICK COUPLER	
FIT-QC14F/M-SS	1/4" FNPT/MNPT, STAINLESS STEEL
FIT-QC38F/M-SS	3/8" FNPT/MNPT, STAINLESS STEEL
FIT-QC12F/M-SS	1/2" FNPT/MNPT, STAINLESS STEEL
STAINLESS STEEL QUICK COUPLER NIPPLES	
FIT-QCN14F/M-SS	1/4" FNPT/MNPT, STAINLESS STEEL
FIT-QCN38F/M-SS	3/8" FNPT/MNPT, STAINLESS STEEL
FIT-QCN12F/M-SS	1/2" FNPT/MNPT, STAINLESS STEEL

GUN & WANDS ASSEMBLIES

FITTINGS



FIT-S1003-B	HEX COUPLING, 1/4", FNPT
FIT-S1022-C	HEX NIPPLE, 3/8", STEEL (WMM0003GS)
FIT-S1022-CB	HEX NIPPLE, REDUCING, 3/8" X 1/4", STEEL (WMM0302GS)
FIT-S1022-D	HEX NIPPLE, 1/2", STEEL (WMM0004GS)
FIT-S1022-DB	HEX NIPPLE, REDUCING, 1/2" X 1/4", STEEL (RCF0402SS)
FIT-S1022-DC	HEX NIPPLE, REDUCING, 1/2" X 3/8", STEEL (WMM0403GS)
FIT-S1022-EC	HEX NIPPLE, REDUCING, 3/4" X 3/8", STEEL

O-RINGS



1/4"



3/8"

O-Rings for AP, Hansen, Foster, Parker, and other quick-coupler brands. Viton to 300°F

ORG-QC14HT	QC, 1/4", HIGH TEMP
ORG-QC38HT	QC, 3/8", HIGH TEMP
ORG-QC12HT	QC, 1/2", HIGH TEMP

FLEX WANDS & PUSH PULL LANCE



WAN-FLX18G2



WAN-FLX90-5



WAN-PPL34SS

Flexes for hard to clean areas. Ideal for car washes.

WAN-FLX18G2B	18", 2500 PSI, 1/4" MNPT INLET/OUTLET, 200°F (AVAILABLE IN BLUE, RED, & BLACK)
WAN-FLX90-5	90° FLEXIBILITY, 5000 PSI
WAN-PPL34SS	34" PUSH/PULL LANCE, STAINLESS STEEL, 3050 PSI

EXTENSION WANDS



WAN-TS24HD

Two sizes to choose from, high quality telescoping wand reaches 18" or 24'. Lightweight and balanced under pressure for various spray patterns. Up to 10 GPM @ 4000 PSI @ 195°F

WAN-TS18HD	18', EXTENSION WAND
WAN-TS24HD	24', EXTENSION WAND

GUN & WAND ASSEMBLIES



GUN-GW30-HDI

GUN-GW36-XHP	PA VEGA, 7000 PSI (7207 - 38" GUN/WAND/ QUICK COUPLER ASSEMBLY - 36" STAINLESS STEEL)
GUN-GW48HT-XHP	48" WAND, 7250 PSI, 21 GPM, 1/2", 210°F
GUN-GW30-HDI	GUN/WAND COMBO, 22,000 PSI, HEAVY DUTY INDUSTRIAL, 10.6 GPM. W/ 30" WAND
NOZZLE EXTRA	

GUN/WAND/QUICK COUPLER ASSEMBLY



KIT-GW36

Complete assembly for pressure washing. Quick attach for quick assembly with the GUN-TG5010 or GUN-TG5010V. Rated at 10 GPM @ 5000 PSI. (Add V to upgrade to Vega Gun)

KIT-GW12	KIT - 5000 PSI GUN, 12" WAND, QC & NIPPLE
KIT-GW24	KIT - 5000 PSI GUN, 24" WAND, QC & NIPPLE
GUN-GW36	KIT - 4000 PSI GUN, 36" WAND, QC & NIPPLE
KIT-GW36V	KIT - 5000 PSI VEGA GUN, 36" WAND, QC & NIPPLE
GUN-GW48	KIT - 5000 PSI GUN, 48" WAND, QC & NIPPLE
KIT-GW59	KIT - 5000 PSI GUN, 59" WAND, QC & NIPPLE
KIT-GW79	KIT - 5000 PSI GUN, 79" WAND, QC & NIPPLE

DUAL LANCE WANDS



WAN-DL38SN

Controls soap at handle for low pressure application.

WAN-DL38SN	36", WITH KNOB & SOAP NOZZLE
WAN-DL38SN-SH	36", WITH SIDE HANDLE & SOAP NOZZLE
NOZZLE 1/4" TIP EXTRA - HIGH PRESSURE	
SPECIFY PSI & GPM	

HARNESS



Used with extension wands to help stabilize and support the wand for ease of use.

WAN-HRNS	SUPPORT BELT
----------	--------------

JOINER HOSE - 4000 PSI



HOS-JNR6

Single Braid
 Connects short
 distances.
 Rated at 4000
 PSI and 212° F

HOS-JNR2	3/8" X 2' (BETWEEN PUMP & COIL, COMMERCIAL UNITS)
HOS-JNR3	3/8" X 3'
HOS-JNR4	3/8" X 4'
HOS-JNR6	3/8" X 6'
HOS-JNR10	1/2" X 10'
AVAILABLE AT CUSTOM LENGTH - 3000 to 6000 PSI	

HOSE - 3/8" 8000 PSI



HOS-XHP50-38

Double Braided
 Rated at 8000 PSI
 250° F

HOS-XHP50-38	3/8" X 50'
HOS-XHP100-38	3/8" X 100'
HOS-XHP200-38	3/8" X 200'

STANDARD HOSE - 3/8" 4000 PSI



HOS-HW150-12

Single Braid
 Rated at 4000 PSI
 212° F

HOS-HW30	3/8" X 30'
HOS-HW50	3/8" X 50'
HOS-HW100	3/8" X 100'
HOS-HW150	3/8" X 150'
HOS-HW200	3/8" X 200'

HOSE - 1/2" 6000 PSI



Double Braided
 Rated at 6000 PSI
 212° F

HOS-HP50-12	1/2" X 50'
HOS-HP100-12	1/2" X 100'

STANDARD HOSE - 1/2" 4000 PSI



HOS-HW150-12

Single Braid
 Rated at 4000 PSI
 212° F

HOS-HW50-12	1/2" X 50'
HOS-HW100-12	1/2" X 100'
HOS-HW150-12	1/2" X 150'
HOS-HW200-12	1/2" X 200'

HOSE - 1/2" 10,000 PSI



Double Braided
 Rated at 10,000 PSI
 250° F

HOS-XHP50-12	1/2" X 50'
HOS-XHP100-12	1/2" X 100'

HOSE - 3/8" 6000 PSI



HOS-HP100

Double Braided
 Rated at 6000 PSI
 212° F

HOS-HP50	3/8" X 50'
HOS-HP75	3/8" X 75'
HOS-HP100	3/8" X 100'
HOS-HP150	3/8" X 150'
HOS-HP200	3/8" X 200'

HOSE - 1/2" 15,000 PSI



HOS-XXHP50-12

Double Braided
 Rated at 15,000 PSI
 250° F

HOS-XXHP50-12	1/2" X 50' C/W MALE ENDS, 15,000 PSI
HOS-XXHP100-12	1/2" X 100' C/W MALE ENDS, 15,000 PSI
HOS-XXHP250-12	1/2" X 250' C/W MALE ENDS, 15,000 PSI, 250° F

HOSES

STEAM HOSE - 3/8"



HOS-STM100

Hose used for wet steam.
Rated at 3000 PSI
325° F

HOS-STM50	3/8" X 50'
HOS-STM100	3/8" X 100'

STEAM HOSE - 1/2"



Hose used for wet steam.
Rated at 350 PSI
325° F

HOS-STM50-12	1/2" X 50'
HOS-STM100-12	1/2" X 100'

SWIVEL



FIT-HPS38MFSS

FIT-HPS38MF

Allows your hose to swivel under high pressure. No more tangled hose!

BRASS	
FIT-HPS14MF	1/4", MALE X FEMALE, 10.5 GPM @ 4050 PSI, 194°F
FIT-HPS38MF	3/8", MALE X FEMALE, 10.5 GPM @ 4050 PSI, 194°F
FIT-HPS12MF	1/2", MALE X FEMALE, 10.5 GPM @ 4050 PSI, 325°F
STAINLESS STEEL	
FIT-HPS14MFSS	1/4", MALE X FEMALE, 10.5 GPM @ 5600 PSI, 194°F
FIT-HPS38MFSS	3/8", MALE X FEMALE, 10.5 GPM @ 5600 PSI, 194°F
FIT-HPS12MFSS	1/2", MALE X FEMALE, 27 GPM @ 3500 PSI, 180°F

CUSTOM ORDER HOSES

Custom made hoses available upon request. Pricing subject to order.



BLUE NON-MARKING HOSE



HOS-HW50B

Single Braid Hose that does not mark.
Rated at 4000 PSI
212° F

HOS-HW50B	3/8" X 50'
HOS-HW100B	3/8" X 100'
HOS-HW150B	3/8" X 150'
HOS-HW200B	3/8" X 200'
HOS-HW25-14B	1/4" X 25'
HOS-HW50-14B	1/4" X 50'
HOS-HW100-14B	1/4" X 100'

MEGA-FLEX DRAIN CLEANING KIT



KIT-5110-100

Used for cleaning drains, culverts, downspouts, as well as thawing and unlogging pipes. **Stainless steel drain nozzle included (NOZ-SWR).**



KIT-5110-50-18	1/8" X 50', 4350 PSI, 212°F
KIT-5110-100-18	1/8" X 100', 4000 PSI, 212°F
KIT-5110-50	1/4" X 50', 4350 PSI, 212°F
KIT-5110-100	1/4" X 100', 4400 PSI, 212°F
SPECIFY PSI & GPM - SEE FIRST PAGE FOR CHART	

LOW PRESSURE HOSE - 3/4"



Low pressure hose. Used between the water tank and the Pressure Washer to supply the Pressure Washer with water.

HOS-BYP38 K	3/8", LOW PRESSURE, BLACK
HOS-BYP12	1/2", LOW PRESSURE, BLACK
HOS-AIR12	1/2", 200 PSI, RED
HOS-AIR34	3/4", 200 PSI, RED

CLEAR CHEMICAL HOSE - 1/4"



CEM-HOSE3

Clear hose with suction filter.

CEM-HOSE3	3' ASSEMBLY COMPLETE WITH SUCTION FILTER, 55 PSI
-----------	--

HOSE NOT INCLUDED WITH HOSE REELS

A hose reel will extend the life of your high pressure cleaning hose considerably by providing safe tangle and kink free storage. It will also save you time when using and storing your high pressure cleaning equipment.

Every machine should have one!

U-FRAME HOSE REEL



Capacity: 150'
 Commercial Hot Water unit
 mount on plate for easy
 installation.
 Rated at 5000 PSI

HOS-HR150HP-U-BLK	HIGH PRESSURE U FRAME HOSE REEL, 150 FOOT, MANUAL, BLACK
KIT-HR150HP-3-BLK	HOSE REEL KIT 150' CAPACITY & 3' JOINER HOSE (FACTORY INSTALLED ON UNIT)

JOINER HOSE - 4000 PSI



Single Braid
 connects short
 distances.
 Rated at 4000
 PSI and 212° F

HOS-JNR2	3/8" X 2' (BETWEEN PUMP & COIL, COMMERCIAL UNITS)
HOS-JNR3	3/8" X 3'
HOS-JNR4	3/8" X 4'
HOS-JNR6	3/8" X 6'
HOS-JNR10	1/2" X 10'
AVAILABLE AT CUSTOM LENGTH - 3000 to 6000 PSI	

MANUAL HOSE REEL - STAINLESS STEEL



Ideal for corrosive or sanitary environments
 such as food and fish plants, salt water off
 shore operations, mills and mining.
 Rated at 5000 PSI

HOS-HR150SS

HOS-HR150SS	150' CAPACITY
-------------	---------------

A-FRAME HOSE REEL - INDUSTRIAL



Can be mounted
 on various units.
 Rated at 5000 PSI

HOS-HR300HP-A-BLK

HOS-HR150HP-A-BLK	150' CAPACITY
HOS-HR300HP-A-BLK	300' CAPACITY
HOS-HR450HP-A-BLK	450' CAPACITY

12V OR 120V HOSE REEL - INDUSTRIAL



Capacity: 300' or
 500', industrial 12
 or 120 Volt hose
 reel.

KIT-HR300HP-12V	ELECTRIC DRIVEN HOSE REEL KIT, C/W 12 VOLT MOTOR & ROLLER BRACKET, 300' CAPACITY
HOS-HR300HP-120V	120V, 300' CAPACITY
HOS-HR500HP-12V-BLK	12V, 500' CAPACITY
OTHER 120V MODELS AVAILABLE	

360° PIVOT HOSE REEL



Hose reel
 that swivels
 to allow
 directional
 change while
 unrolling.
 Rated at 5000
 PSI and 194° F

HOS-PHR-MB

HOS-PHR100

HOS-PHR100	HOSE REEL - 360° PIVOT, 3/8" X 100' CAPACITY
HOS-PHR-MB	MOUNTING BRACKET FOR PIVOT HOSE REEL

SPRING DRIVEN HOSE REEL



Ideal for use
 in garage and
 wash-bay setups.
 Self winding
 Rated at 3000 PSI
 100' capacity.

HOS-TMPL-N-3100

HOS-TMPL-N-3100	100', BLUE, RETRACTABLE
HOS-HSP38	HOSE STOP 3/8"
HOS-HSP12	HOSE STOP 1/2"

HOSE REELS

GREASEABLE SUPER SWIVELS



Upgraded swivel for hose reels. 90° stainless steel swivel with grease nipple, 5000 PSI, 400°F (Mount on any hose reel, except 360° pivot).

HOS-SSW38SS90	3/8"
HOS-SSW12SS90	1/2"
HOS-SSW34SS90	3/4"
HOS-SSW15SS90	1"

PIVOTING HOSE GUARDS



Guides hose while in use, protecting the hose and extending it's lifespan.

HOS-PHG18

HOS-PHG18	18" DRUM, FOR HR325 REELS - 325' HOSE REELS
HOS-PHG28	28" DRUM, FOR HR500 REELS - 500' HOSE REELS

HOSE REEL STANDS (ONLY)



Elevates the hose reel, making it easier to use, store, and access. **Hose and hose reels not included.**

FRAME-HRSX2	2-HOSE REELS, ORANGE
FRAME-HRSX3	3-HOSE REELS, ORANGE
FRAME-HRSX2, TAN-35GAL	2-HOSE REELS, C/W 35 GAL TANK

HOSE REEL TROLLEY KITS



For the ability to move hose around easily. **Hose and Joiner hose not included**

KIT-HR150WK	150' CAPACITY HOSE REEL WITH WHEEL KIT
KIT-HR300WK	300' CAPACITY HOSE REEL WITH WHEEL KIT

BALL VALVES



Full port steel ball valve. Carbon steel construction. 2 way. Female NPT threads.

HOSE REEL - ROLLER BRACKET GUIDE



Easier to roll up hose, protecting and extending it's life span.

HOS-RB-BTM12-BLK	BOTTOM, 12" DRUM, BLACK
------------------	-------------------------

CARBON BALL VALVES

KIT-BVCS-QC-C	WITH QC, 3/8", 7000 PSI @ 180°F
KIT-BVCS-QC-D	WITH QC, 1/2", 7000 PSI @ 180°F

STAINLESS STEEL BALL VALVES

KIT-BVSS-QC-C	WITH QC, 3/8", 3000 PSI
KIT-BVSS-QC-D	WITH QC, 1/2", 3000 PSI

HYDRAULIC HOSE REEL HIGH PRESSURE



HOS-HR500HP-HYD	180°, RIGHT & LEFT SWIVEL (HOLDS 500' OF 1/2" HP HOSE / 300' OF 3/4" JETTER HOSE) HOSE NOT INCLUDED
HOS-HR1000HP-HYD	180°, RIGHT & LEFT SWIVEL (HOLDS 1000' OF 1/2" HP HOSE / 600' OF 3/4" JETTER HOSE) HOSE NOT INCLUDED

DEMA INLINE HIGH PRESSURE CHEMICAL INJECTOR



Allows the chemical to go on at high pressure. Manual ON/OFF ball valve control. Also allows you to be able to meter the amount of chemical coming out.

KIT-CEM-DA203-B	KIT - 2 TO 3 GPM
KIT-CEM-DA204-B	KIT - 4 GPM
KIT-CEM-DA206-B	KIT - 5 TO 6 GPM

SOLENOID CONTROLS



CEM-RSS-2CD

Control chemical activation in wash bay ON/OFF wired to solenoid control.

CEM-RSS-1	SINGLE CHEMICAL SOLENOID CONTROL (ON FLOAT TANK UNITS) (NO CORD)
CEM-RSS-1CD	SINGLE CHEMICAL SOLENOID CONTROL WITH 50' CORD (WASH BAY UNITS)
CEM-RSS-2	DUAL CHEMICAL SOLENOID CONTROL (ON FLOAT TANK UNITS) (NO CORD)
CEM-RSS-2CD	DUAL CHEMICAL SOLENOID CONTROL WITH 50' CORD (WASH BAY UNITS)

HIGH VOLUME FOAMER



Comes with gauges. Requires 35-125 PSI water and compressed air. 5 CFM - up to 142. Comes with metering tips, 50' hose, mounting bracket.

ACC-LF916105G

ACC-LF916105G	AIR AT HIGH PRESSURE FOAM INJECTION SYSTEM WITH BALL VALVE AND 50' HOSE AND NOZZLE ASSEMBLY
KIT-CEM-CIS	DOWNSTREAM CHEMICAL INJECTION AT 50% PRESSURE (AFTER COIL)

CHEMICAL SPRAYER



The chemical sprayer is great for acid or chemical application. ON/OFF control at wand. With painted or Stainless Steel (SS) enclosure.

KIT-ECS-120V	PUMP 120V
KIT-ECS-120VSS	PUMP 120V STAINLESS STEEL
KIT-ECS-12V	PUMP 12V
KIT-ECS-12VSS	PUMP 12V STAINLESS STEEL

CHEMICAL MIXER



Maintains any reservoir with accurately preset mixed chemical solution. Use on a tank or barrel.

KIT-CEM-HYMT	HYDROMINDER WITH STAINLESS STEEL GALLON TANK FOR CHEMICAL MIXING
CAR-MM100	4.5 GPM @ 40 PSI, INLET CONNECTION 3/4" FEMALE GARDEN HOSE

ACID PUMP



Great for acid application. Only to be wired to cord or 12V.

PMP-DP115-1460	1.4 GPM @ 60 PSI, 115V
PMP-DP12-1260	1.2 GPM @ 60 PSI, 12V
PMP-DP12-17100	1.7 GPM @ 100 PSI, 12V
PMP-DP12-3545	3.5 GPM @ 45 PSI, 12V

DRAFT HOOD



For natural gas and propane, used for proper air flow.

PRO-DH8-EK	8", UP TO 390,000 BTU
PRO-DH10-EK	10", 510,000 TO 720,000 BTU
PRO-DH12-EK	12", 940,000 BTU

RAIN CAP



This option keeps rain and snow from entering your coil. Which increases coil and burner life

FRAME-WRC	RAIN CAP/SCOOP WELDED ON COIL EXHAUST
PLEASE SPECIFY COIL SIZE TO FIT (16", 18", 20", 24", 30")	

POWER DAMPER - 120 VOLT



ACC-OVD-8	VENT DAMPER, 8 INCH, 120VOLT
-----------	------------------------------

OIL FIRED DRAFT INDUCERS



A must for buildings with fans or negative pressure.

ACC-DI-3	120 VOLTS, RECOMMENDED SPECS (522,000 BTU/HR TO 835,000 BTU/HR) (8" TO 12" PIPE)
ACC-DI-4	120 VOLTS , RECOMMENDED SPECS (900,000 BTU/HR TO 1,800,000 BTU/HR) (10" TO 16" PIPE)

POWER DAMPERS - 24 VOLT - LP/NG



This option keeps rain and snow from entering your coil. Which increases coil and burner life

ACC-GPD-8	8" POWER DAMPER, 24 VOLT
ACC-GPD-10	10" POWER DAMPER, 24 VOLT
ACC-GPD-12	12" POWER DAMPER, 24 VOLT
ACC-GPD-WK	UNIVERSAL WIRING KIT (REQUIRED)

POWER VENTER



Combines the motor blower, and vent hood in one complete, easy to install unit.

KIT-PV8	POWER VENTER, 8 INCH INLET, OIL & GAS FIRED EQUIPMENT WITH CONTROL KIT, PRE-WIRED
---------	---

HIGH LOW GAS VALVES WITH DUAL TEMPERATURE CONTROLS



PRO-VS820A1278

To regulate temperature on system when using a 2 gun operation.

PRO-NG-DSGU-940	HIGH / LOW GAS VALVE WITH DUAL TEMPERATURE CONTROLS, UP TO 940,000 BTU, FOR TWO GUN OPERATION, NATURAL GAS
PRO-LP-DSGU-940	HIGH / LOW GAS VALVE WITH DUAL TEMPERATURE CONTROLS - UP TO 940,000 BTU, FOR TWO GUN OPERATION, PROPANE
PRO-EMGUS	ELECTRONIC MODULATING GAS VALVE SYSTEM (MODULATES FLAME OF HEATER)
PRO-VS820A1278	UNIVERSAL HONEYWELL GAS VALVE, LP/NAT GAS, SINGLE VALVE, STANDING PILOT
PRO-393691U	CONVERSION KIT, 3/4 INCH VALVE, CONVERT NATURAL GAS TO PROPANE
PRO-S861OU3009	PILOT IGNITION CONTROL MODULE

ELECTRIC MOTOR CONTROLS

HEAVY DUTY AUTO STOP START WITH SHUTDOWN TIMERS



This option gives you the ability to start and stop your unit by squeezing and releasing the trigger gun. This

prevents the machine from sitting in bypass mode which will extend the life of your unit over time. It will also save you money because your resources are not being used when the machine is not in use.

HDASS/2/110/1	2 HP, 110V, 1 PH
HDASS/2/220/1	2 HP, 110V, 1 PH
HDASS/5/220/1	5 HP, 220V, 1 PH
HDASS/5/208/3	5 HP, 208V, 3 PH
HDASS/5/440/3	5 HP, 440V, 3 PH
HDASS/5/575/3	5 HP, 575V, 3 PH
HDASS/7.5/220/1	7.5 HP, 220V, 1 PH
HDASS/7.5/208/3	7.5 HP, 208V, 3 PH
HDASS/7.5/460/3	7.5 HP, 460V, 3 PH
HDASS/7.5/575/3	7.5 HP, 575V, 3 PH
HDASS/10/220/1	10 HP, 220V, 1 PH
HDASS/10/230/3	10 HP, 230V, 3 PH
HDASS/10/440/3	10 HP, 440V, 3 PH
HDASS/10/575/3	10 HP, 575V, 3 PH
HDASS/15/208/3	15 HP, 208V, 3 PH
HDASS/15/440/3	15 HP, 440V, 3 PH
HDASS/15/575/3	15 HP, 575V, 3 PH
HDASS/20/208/3	20 HP, 208V, 3 PH
HDASS/20/230/3	20 HP, 230V, 3 PH
HDASS/20/440/3	20 HP, 440V, 3 PH
HDASS/20/575/3	20 HP, 575V, 3 PH
HDASS/25/208/3	25 HP, 575V, 3 PH
HDASS/30/575/3	30 HP, 575V, 3 PH
HDASS/50/575/3	50 HP, 575V, 3 PH

VFD FOR ELECTRIC MOTOR CONTROLS



Variable frequency drive - Controls RPM of electric motor for required GPM

ELS-VFD-575-10	575V, 10 HP
ELS-VFD-575-20	575V, 20 HP
ELS-VFD-575-30	575V, 30 HP
ELS-VFD-575-40	575V, 40 HP
ELS-VFD-460-10	460V, 10 HP
ELS-VFD-460-20	460V, 20 HP
ELS-VFD-460-30	460V, 30 HP
ELS-VFD-460-40	460V, 40 HP

EXPLOSION PROOF PACKAGES



XP-PACKAGE	EXPLOSION PROOF ELECTRIC MOTOR PACKAGES ON ELECTRICALLY HEATED & COLD WATER PUMP SYSTEMS
------------	--

50HZ ELECTRIC MOTORS



Overseas voltage motors 50HZ. Various HP.

ELS-CW380/50	380V 50 HZ COLD WATER UPGRADE
ELS-HW380/50	380V 50 HZ HOT WATER UPGRADE

NEMA BOX



Stainless steel waterproof electrical box.

ELS-NEMA-LRG-SS	NEMA BOX, 10" X 8" X 6", STAINLESS STEEL
-----------------	--

GROUND-FAULT CIRCUIT INTERRUPTERS



Ground fault interrupter kicks out power when surge happens

ELS-GFCI-120/20	2 HP - SINGLE PHASE ONLY
ELS-GFCI-240/30	5 HP - SINGLE PHASE ONLY
ELS-GFCI-240/40	7.5 HP - SINGLE PHASE ONLY

EMERGENCY SHUT-OFFS

ELS-HTCO	IF INLET WATER TEMPERATURE EXCEEDS SET POINT (COLD WATER UNITS)
ELS-LWC	IF INCOMING FLOW IS INSUFFICIENT

ELECTRICALLY HEATED TIMER

ACC-EHTMR	24-HR TIMER FOR ELECTRICALLY HEATED UNITS, AUTOMATICALLY TURNS ON/OFF HEATER
-----------	--

COLD WATER

LEG FRAME



For cold water units with shroud and flat base.

FRAME-LS-3FT-ST575BDFB	36" FOR USE WITH FLAT BASE FRAME UNITS WITH 5/7.5/10 HP, 3 PH MOTORS
FRAME-LS-3FT-ST1520BDFB-O	36" FOR USE WITH FLAT BASE FRAME UNITS WITH 15/20 HP, 3 PH MOTORS, AND 10 HP, 1 PH MOTORS

CASTER



KIT-CASTER8-SS	8" CASTERS TWO SOLID, AND TWO SWIVEL W/ LOCK, STAINLESS STEEL (AS SHOWN)
----------------	--

PUMP FRAME - COLD WATER



DOUBLE & TRIPLE STACKED PUMP FRAME (PRICE PER PUMP)	
FRAME-DS-2	DOUBLE STACK UP TO 10 HP
FRAME-TS-3	TRIPLE STACK UP TO 10 HP

FIREHOUSE DISPLAY BASE

* For display purposes only, not recommended for installation*



FRAME-FHF-DISPLAY	DISPLAY BASE FOR FIREHOUSE
-------------------	----------------------------

STAINLESS STEEL COLD WATER ROLL CAGES



All units can be ordered with aluminum or stainless steel frames. Stainless steel pumps and fittings are also available for food grade usage.

FRAME-CW57510BDERC-SS	ELECTRIC, BELT DRIVE, 5 & 7.5 HP
FRAME-CW1520BDERC-SS	ELECTRIC, BELT DRIVE, 15 & 20 HP

COLD WATER CART



This style for sale in the Canada only

FRAME-ASCART-SM-AL	SMALL, FITS 6.5 HP GAS/2 HP ELECTRIC ACTION SERIES, ALUMINUM
FRAME-ASCART-LG-AL	LARGE, FITS 13 & 14 HP GAS/5 & 7 HP ELECTRIC ACTION SERIES, ALUMINUM
FRAME-ASCART-BD-AL	LARGE, ACTION SERIES ALUMINUM BELT DRIVE

WALL MOUNT FOR DIRECT DRIVE



Ideal for locations with limited floor space. This frame style allows your unit to be up and out of the way.

FRAME-WM25DD	COMMERCIAL DIRECT DRIVE PUMP, WALL MOUNTED FRAME 2 HP, 5 HP, & 7 HP (ALTERNATIVE TO CART STYLE FRAME, NO ADDITIONAL COST)
FRAME-WMCW57510	INDUSTRIAL C/W FLAT BASE AND SHROUD, 5 HP, 7.5 HP - 10 HP

FLAT BASE FRAME



FRAME-CW57510DDFBWS	C/W SHROUD, ELECTRIC MOTOR FOR 5, 7.5 & 10 HP, 3 PH, DIRECT DRIVE
FRAME-CW57510BDFBWS	FOR ELECTRIC 5, 7.5 & 10 HP, 3 PH, BELT DRIVE

STATIONARY COLD WATER



FRAME-CW1520BDFB	FLAT BASE OPEN FRAME - ELECTRIC MOTOR BELT DRIVE - 15 & 20 HP - 3 PH
------------------	--

RAIN CAP



This option keeps rain and snow from entering your coil. Which increases coil and burner life

FRAME-WRC	RAIN CAP/SCOOP WELDED ON COIL EXHAUST
PLEASE SPECIFY COIL SIZE TO FIT (16", 18", 20", 24", 30")	

LEG FRAME



Regulations require gas fired machines must be a specified amount of distance away from combustible material. (Differs per region).

WHEEL KITS



FRAME-LS-42"-GF2248	5/7.5/10 HP, 3 PH, 24"W X 42"H
FRAME-LS-42"-GF2548	10 HP, 1 PH, 27"W X 42"H
FRAME-LS-42"-GF2760	10/15/20 HP, 500,000 - 800,000 BTU, 29"W X 42"H
FRAME-LS-42"-GF3166	20 HP, 940,000 BTU GAS FIRED, 33"W X 42"H
FRAME-LS-42"-GF3480	50 HP, 42"W X 42"H

FRAME-GF2248BD-WK	WHEEL KIT - GAS FIRED UNITS - 390,000 BTU
-------------------	---

BRACKET OPTIONS

Ask about our propane engine and propane burner units.



STAINLESS STEEL FRAMES

Stainless steel frames are marine grade and ideal for use in fish and food applications.



PROPANE TANK BRACKET	
FRAME-LP-TB40	PROPANE TANK BRACKET, HOLDS 40 LB. TANK, C/W HOSE AND REGULATOR, FOR 290,000 BTU UNITS
FRAME-LP-TB100	PROPANE TANK BRACKET, 100 LB. C/W HOSE AND REGULATOR
FRAME-LP-TB100X2	2 X PROPANE BRACKET (WHEELS EXTRA), 100 LB.
CHEMICAL BUCKET BRACKET	
FRAME-CHEMBRKT	5 GAL.

FRAME-GF2248BD-SS	STAINLESS STEEL - PROPANE / NATURAL GAS & OIL FIRED FRAMES, 390,000 BTU (WHEEL KIT OPTIONAL)
FRAME-GF2760BD-SS	STAINLESS STEEL - PROPANE / NATURAL GAS & OIL FIRED FRAMES, TO 510,000 BTU - 720,000 BTU, STATIONARY

INDUSTRIAL FULLY ELECTRICALLY HEATED



FRAME-EHEATER-WK-2
 CERTIFIED LIFTING EYES.



FRAME-EHEATER-WK-1
 CERTIFIED LIFTING EYES.

STAINLESS STEEL EXTERIOR OPTIONS


FRAME-HTR1-SS	STAINLESS STEEL EXTERIOR SHEET METAL FOR FULLY ELECTRICALLY HEATED, SINGLE COIL UNIT, UP TO 48 KW
FRAME-HTR2-SS	STAINLESS STEEL STAINLESS STEEL EXTERIOR SHEET METAL FOR FULLY ELECTRICALLY HEATED, DOUBLE COIL UNIT, OVER 48 KW

STAINLESS STEEL TANK

FRAME-HTR1-SS-TANK ASSBLY	STAINLESS STEEL HEAT EXCHANGER TANK FOR FULLY ELECTRICALLY HEATED, SINGLE COIL UNIT, UP TO 48 KW
FRAME-HTR2-SS-TANK ASSBLY	STAINLESS STEEL HEAT EXCHANGER TANK FOR FULLY ELECTRICALLY HEATED, DOUBLE COIL UNIT, OVER 48 KW

WHEEL KIT

FRAME-EHEATER-WK-1	WHEEL KIT FOR A FULLY ELECTRICALLY HEATED UNIT, SINGLE COIL, C/W HEAVY DUTY CASTERS, LIFTING EYES
FRAME-EHEATER-WK-2	WHEEL KIT FOR A FULLY ELECTRICALLY HEATED UNIT, DUAL COIL, C/W HEAVY DUTY CASTERS, LIFTING EYES
EXTRA CHARGE FOR NON MARKING CASTERS	
OPTIONAL UPGRADE - CERTIFIED LIFTING EYES (FOR OIL FIELDS)	

RENTAL ROLL CAGE  YouTube



Rental Frame Option with grab bar surround for easy loading and total protection.

COMMERCIAL WHEEL KIT



Never have a flat tire again because of the sturdy solid, caster wheel.

FRAME-WKIT-MAG	CASTER WHEEL KIT FOR ROLL CAGE FRAME 8" SWIVEL CASTERS / CRAB LEG EXTENSION
----------------	---

UPGRADE

FRAME-MAG15-RTL	C/W BATTERY BOX, 13-15 HP, FOAM FILLED TIRES (FRAME UPGRADE) GRAB BAR SURROUND
-----------------	--

ALUMINUM & STAINLESS COMMERCIAL ROLL CAGE FRAME



Aluminum and stainless steel frames are ideal for corrosive or sanitary environments such as food and fish plants, salt water off shore operations, mills and mining. Stainless steel pumps and fittings are also available for food grade usage.

FOAM FILLED TIRES



Never have a flat tire again because of the sturdy, protective foam inside the tire.

RUB-TIRE13-FF	13", 3/4" AXLE - EACH
---------------	-----------------------

INDUSTRIAL WHEEL KIT



FRAME-GRWK	LIGHT - INDUSTRIAL HOT WATER GAS FRAME #2
FRAME-GRIZZLY1-SUPERWHEELKIT	SUPER DUTY INDUSTRIAL HOT WATER GAS FRAME #2

RAIN CAP



This option keeps rain and snow from entering your coil. Will increase coil and burner life.

FRAME-WRC	RAIN CAP/SCOOP WELDED ON COIL EXHAUST
PLEASE SPECIFY COIL SIZE TO FIT (16", 18", 20", 24", 30")	

ALUMINUM

FRAME-MAG3RRC-ALU	ALUMINUM COMMERCIAL ROLL CAGE FRAME, 5 HP ELECTRIC
FRAME-MAG4RRC-AL	ALUMINUM COMMERCIAL ROLL CAGE FRAME, 7.5 HP ELECTRIC
FRAME-MAG15RRC-AL	ALUMINUM COMMERCIAL ROLL CAGE FRAME, 13-15 HP GAS

STAINLESS STEEL

FRAME-MAG3RRC-SS	STAINLESS STEEL COMMERCIAL ROLL CAGE FRAME, 5 HP ELECTRIC
FRAME-MAG4RRC-SS	STAINLESS STEEL COMMERCIAL ROLL CAGE FRAME, 7.5 HP ELECTRIC
FRAME-MAG15RRC-SS	STAINLESS STEEL COMMERCIAL ROLL CAGE FRAME, 13-15 HP GAS

DRY STEAM GENERATOR

DRY STEAM SKID - HORIZONTAL



Allows you to load and unload your complete dry steam package with ease.

DRY STEAM SKID - VERTICAL



Allows you to load and unload your complete dry steam package easily with the use of the forklift slots.

SKID-STEAM-PU-225-H	MOBILE SKID FOR HORIZONTAL DRY STEAMER 225 GAL. TANK
SKID-STEAM-PU-325-H	MOBILE SKID FOR HORIZONTAL DRY STEAMER 325 GAL. TANK

FRAME-STEAM-PU-225	MOBILE SKID FOR VERTICAL STEAMER 225 GAL. TANK
FRAME-STEAM-PU-325	MOBILE SKID FOR VERTICAL STEAMER 325 GAL. TANK

DRY STEAM WHEEL KIT - HORIZONTAL



For easy portability on smooth surfaces. Easy turn casters with two locking brakes.

DRY STEAM WHEEL KIT - VERTICAL



For easy portability on smooth surfaces. Easy turn casters with two locking brakes.

FRAME-STM20-WK-H	WHEEL KIT FOR HORIZONTAL DRY STEAM UNIT EZO20ST-H
FRAME-STM30-WK-H	WHEEL KIT FOR HORIZONTAL DRY STEAM UNIT EZO30ST-H
FRAME-STM40-WK-H	WHEEL KIT FOR HORIZONTAL DRY STEAM UNIT EZO40ST-H
FRAME-STM50-WK-H	WHEEL KIT FOR HORIZONTAL DRY STEAM UNIT EZO50ST-H

FRAME-STM20-WK-V	WHEEL KIT FOR VERTICAL DRY STEAM UNIT EZO20ST-V
FRAME-STM30-WK-V	WHEEL KIT FOR VERTICAL DRY STEAM UNIT EZO30ST-V
FRAME-STM40-WK-V	WHEEL KIT FOR VERTICAL DRY STEAM UNIT EZO40ST-V
FRAME-STM50-WK-V	WHEEL KIT FOR VERTICAL DRY STEAM UNIT EZO50ST-V


CUSTOM ORDERS

Easy-Kleen built a custom machine for the aquaculture industry in the North Atlantic to quickly heat collected salt water to sanitize salmon nets.

We offer complete aluminum, stainless steel, galvanizing, powder coated, engineered frames, and systems to meet your specific needs. We utilize solid works 3D design software. Please do not hesitate to inquire about any special requests. We never say NO! Call today!




MACHINES, HOSES, AND HOSE REELS ARE NOT INCLUDED

PICKUP SKID  [YouTube](#)



Add any Commercial Gas or Diesel Driven Cold Water or 12 Volt Hot Water unit to this frame for 100% portable cleaning.


FRAME SKID-PU-225	COMMERCIAL SKID & TANK UNIT C/W 225 GAL. TANK & PLUMBING
-------------------	--

GRIZZLY FILL & PLAY 325G FRAME  [YouTube](#)



Add your Grizzly Oil Fired unit to this frame. 325 gallon water tank included with purchase.

FILL & PLAY-GRIZ-325	FILL & PLAY SKID FOR GRIZZLY UNITS C/W 325 GAL. TANK AND PLUMBING (HOSE REEL EXTRA)
FILL & PLAY-GRIZ-325-2R	FILL & PLAY SKID FOR GRIZZLY UNITS C/W 325 GAL. TANK AND PLUMBING, (2 REEL CAPACITY - ADDITIONAL COST)
OPTIONAL UPGRADE - CERTIFIED LIFTING EYES (FOR OIL FIELDS)	

PROPANE PICKUP SKID  [YouTube](#)



Add your Commercial Propane Fired units to this frame.


FRAME-PU-225-PRO	COMMERCIAL SKID & TANK UNIT FOR PROPANE MOBILE WASH UNIT C/W 225 GAL. TANK & PLUMBING, 2 - 100 LB BOTTLES (FOR FOOD WAREHOUSE CLEANING)
OPTIONAL UPGRADE - CERTIFIED LIFTING EYES (FOR OIL FIELDS)	

GRIZZLY FILL & PLAY 525G FRAME



Add your Grizzly Oil Fired unit to this frame. Larger capacity 525 gallon water tank.

FILL & PLAY-GRIZ-525	FILL & PLAY SKID FOR GRIZZLY UNITS C/W 525 GAL. TANKS AND PLUMBING, (2 REEL CAPACITY - ADDITIONAL COST)
OPTIONAL UPGRADE - CERTIFIED LIFTING EYES (FOR OIL FIELDS)	

GRIZZLY FILL & PLAY 225G FRAME  [YouTube](#)



Add your Grizzly Oil Fired units to this frame. 225 gallon water tank.

FILL&PLAY-GRIZ-225



Add your Grizzly Oil Fired units to this frame. 225 gallon water tank capacity. Designed to be transported in an 8' box truck.

FILL&PLAY-GRIZ-225SF

FILL & PLAY-GRIZ-225-2R	FILL & PLAY SKID FOR GRIZZLY UNITS C/W 225 GAL. TANKS AND PLUMBING (INCLUDES 2 REEL CAPACITY)
FILL & PLAY-GRIZ-225	FILL & PLAY SKID FOR GRIZZLY UNITS C/W 225 GAL. TANKS AND PLUMBING (2 REEL CAPACITY - ADDITIONAL COST)
FILL & PLAY-GRIZ-225SF	FILL & PLAY SKID FOR GRIZZLY UNITS C/W 225 GAL. TANKS AND PLUMBING (2 REEL CAPACITY - ADDITIONAL COST) FITS IN 8' PICKUP TRUCK BOX
OPTIONAL UPGRADE - CERTIFIED LIFTING EYES (FOR OIL FIELDS)	

SKID & TANK FRAMES

MACHINES, HOSES, AND HOSE REELS ARE NOT INCLUDED

BULL MOOSE FILL & PLAY 325G FRAME



Add your Bull Moose to this frame, 325 gallon capacity. With optional relocation panel.

BULL MOOSE FILL & PLAY 525G FRAME



Add your Bull Moose to this frame. Larger capacity 525 gallon water tank.

FILL & PLAY-BM2-325	C/W 325 GAL. TANK, PLUMBING AND HOSE REEL (2 REEL CAPACITY ADDITIONAL COST)
RL-FP-PANEL	OPTIONAL UPGRADE - RELOCATE BULL MOOSE CONTROL PANEL
OPTIONAL UPGRADE - CERTIFIED LIFTING EYES (FOR OIL FIELDS)	

FILL & PLAY-BM2-525	FILL & PLAY SKID FOR BULL MOOSE 3 C/W 525 GAL. TANK, PLUMBING AND HOSE REEL (2 REEL CAPACITY ADDITIONAL COST)
RL-FP-PANEL	OPTIONAL UPGRADE - RELOCATE BULL MOOSE CONTROL PANEL
OPTIONAL UPGRADE - CERTIFIED LIFTING EYES (FOR OIL FIELDS)	

BULL MOOSE FILL & PLAY 740G FRAME



Add your Bull Moose to this frame, largest capacity of 740 gallon. Ideal for mining/mill applications. *With optional light kit and control panel relocation*



FILL & PLAY-BM2-740	FILL & PLAY SKID FOR BULL MOOSE 2 C/W 740 GAL. TANK & PLUMBING (2 REEL CAPACITY ADDITIONAL COST)
FILL & PLAY-BM3-740	FILL & PLAY SKID FOR BULL MOOSE 3 C/W 740 GAL. TANK, PLUMBING AND HOSE REEL (2 REEL CAPACITY ADDITIONAL COST)
RL-FP-PANEL	OPTIONAL UPGRADE - RELOCATE BULL MOOSE CONTROL PANEL
OPTIONAL UPGRADE - CERTIFIED LIFTING EYES (FOR OIL FIELDS)	

LIGHT KIT



Keep your crew safe!

KIT-LIGHTARROW	MUNICIPAL FLASHING LIGHT / ARROW / 3 WORK LIGHTS - KIT MOUNTED ON ANY SKID FRAME OR TRAILER (FACTORY INSTALL)
----------------	---

CUSTOM ORDERS

We offer complete aluminum, stainless steel, galvanized, powder coated, engineered frames, and systems to meet your specific needs. We utilize solid works 3D design software. Please do not hesitate to inquire about any special requests. Call today! We never say NO!



8' ENCLOSED TRAILER PACKAGE 225G



Keeps equipment ready to go. Equipment is protected from elements. Shown with Easy-Kleen sewer jetter installed. Allows you to drop trailer on job site and free up your truck.


KIT-TRAILER8	8' ENCLOSED TRAILER WITH SINGLE 3500 LB AXLE, BARN STYLE REAR DOORS, 5' WIDE, 225 GAL. WATER TANK, 10 GAL. ANTIFREEZE TANK, ROOF VENT SAFETY SWITCH TO SHUT OFF THE BURNER. RIGGED WITH UNIT OF CHOICE (MACHINE EXTRA).
ADDITIONAL COST FOR OPTIONAL ELECTRIC BRAKE - FOR ELECTRIC BRAKE ADD "EB" TO MODEL NUMBER	

14' ENCLOSED TRAILER PACKAGE 525G



Great for industrial commercial wash or jetter system.

KIT-TRAILER14-525	COMPLETE TURNKEY TRAILER KIT, INCLUDES 14' ENCLOSED TRAILER, TANDEM 5200 LB AXLES, REAR BARN STYLE DOORS, SIDE DOOR, ROOF VENT SAFETY SWITCH TO SHUT OFF THE BURNER, 525 GAL. WATER TANK, 20 GAL. ANTIFREEZE KIT, HOSE REEL W/ 100' OF HIGH PRESSURE HOSE, RIGGED WITH UNIT OF CHOICE
-------------------	---

16' ENCLOSED TRAILER PACKAGE 525G & 740G  [YouTube](#)



KIT-TRAILER16-525	COMPLETE TURNKEY TRAILER KIT INCLUDES - 16' ENCLOSED CARGO TRAILER, TANDEM 6000 LB. AXLES, ELECTRIC BRAKES, REAR BARN STYLE DOORS, 1500 WATT TRAILER HEATER, ROOF VENT SAFETY SWITCH TO SHUT OFF THE BURNER, INSULATED INTERIOR-WALLS AND ROOF WHITE METAL LINE, INSULATED FLOOR 1-1/2 URETHANE FOAM, PAINTED FLOOR, 525 GAL. WATER TANK, 35 GAL. ANTIFREEZE KIT, 100' HIGH PRESSURE HOSE, 150' CAPACITY HOSE REEL, HOSE REEL RACK. RIGGED WITH UNIT OF CHOICE
KIT-TRAILER16-740	COMPLETE TURNKEY TRAILER KIT INCLUDES - 16' ENCLOSED CARGO TRAILER, TANDEM 6000 LB. AXLES, ELECTRIC BRAKES, REAR BARN STYLE DOORS, 1500 WATT TRAILER HEATER, ROOF VENT SAFETY SWITCH TO SHUT OFF THE BURNER, INSULATED INTERIOR-WALLS AND ROOF WHITE METAL LINE, INSULATED FLOOR 1-1/2 URETHANE FOAM, PAINTED FLOOR, 740 GAL. WATER TANK, 35 GAL. ANTIFREEZE KIT, 100' HIGH PRESSURE HOSE, 150' CAPACITY HOSE REEL, HOSE REEL RACK. RIGGED WITH UNIT OF CHOICE

BURNER SAFETY SWITCH AND EXHAUST VENT



Steel roof vent with special safety switch that will stop the burner from operating without opening the vent. Allowing for better venting and increased safety.

KIT-STACKCOVER	ENCLOSED TRAILER EXHAUST VENT KIT WITH FLIP UP LID AND SAFETY CONTROL THAT INLOCKS WITH BURNER
----------------	--

TRAILER & JETTER OPTIONS
OPEN TRAILERS

8' OPEN TRAILER PACKAGE

Equipment ready to go. Great for mobile service and has a compact design.

KIT-TRAILER-8-225-5K-OP	8' SINGLE AXLE 225 GAL. WATER TANK, 10 GAL. WINTERIZATION TANK
ADDITIONAL COST FOR OPTIONAL ELECTRIC BRAKE - FOR ELECTRIC BRAKE ADD "EB" TO MODEL NUMBER	

RAIN CAP



This option keeps rain and snow from entering your coil. Will increase coil and burner life

FRAME-WRC	RAIN CAP/SCOOP WELDED ON COIL EXHAUST
PLEASE SPECIFY COIL SIZE TO FIT (16", 18", 20", 24", 30")	

14' OPEN TRAILER PACKAGE




KIT-TRAILER-14-2-525	14' TANDEM 5200 LB. AXLES 525 GAL. WATER TANK, 20 GAL. WINTERIZATION TANK
KIT-TRAILER-14-2	14' TANDEM 5200 LB. AXLES DUAL 225 GAL. WATER TANKS, 20 GAL. WINTERIZATION TANK (GEARED TO HOLD WASH CONTAINMENT MAT IN REAR STORAGE)

GRIZZLY BOLT ON TRAILER PACKAGE



Axle kit and hitch mounts on Grizzly Units. Axle trailer 5200 lbs, goes underneath machine.

FRAME-TKIT-GR2FB5	BOLT ON TRAILER PACKAGE - 5200 LB. AXLE - TONGUE (FOR F-GR2FB5)
-------------------	---

PICKUP SKID BOLT ON TRAILER PACKAGE  YouTube



Axle kit and hitch mount on pickup skid units with 225 gallon tank. 3500 lbs, goes underneath machine frame.

FRAME-TKIT-PUB1B5	BOLT ON TRAILER PACKAGE - 3500 LB. AXLE - TONGUE (FOR EZO3504G-K-PSR)
-------------------	---

JETTER BOX



Allows you to use remote at end of hose to turn ON/OFF, Reel in hose motor, etc.

FOOT PEDAL INLINE



When operating sewer or jetter machine, this allows hands to be free.

SWT-FTSW-SNP-Y

SWT-FV5012


ACC-RRS	OPTIONAL REMOTE FOR HOSE REEL IN, MOTOR OFF, SPEED CONTROL, PRESSURE ON/OFF
---------	---

SWT-FTSW-SNP-Y	FOOT SWITCH, SNAP ACTION CONTACTS, YELLOW
SWT-FV5012	SWITCH, FOOT VALVE, 12 GPM @ 5000 PSI, 300°F, 3/8" INLET FNPT, 1/4" FNPT OUTLET (IS MANDATORY FOR SOME MACHINES)
SWT-FV808EK	SWITCH, FOOT VALVE, 8 GPM @ 8000 PSI, 300°F

JETTER NOZZLE KITS



Selection of 4, so you are covered for any jetting application.



NOZ-KIT-JTR1130-38	JETTER NOZZLE KIT, 11 GPM @ 3000 PSI, 3/8" NPT, 4-PACK
NOZ-KIT-JTR1230-38	JETTER NOZZLE KIT, 12 GPM @ 3000 PSI, 3/8", 4 PACK
NOZ-KIT-JTR1840-12	JETTER NOZZLE KIT, 18 GPM @ 4000 PSI, 1/2" NPT, 4-PACK
NOZ-KIT-JTR2039-38	JETTER NOZZLE KIT, 20 GPM @ 4000 PSI, 3/8" NPT, 4-PACK

ROTARY SEWER / CULVERT NOZZLES



These rotating nozzles add extra agitation speeding up your work, as the reverse jets pull the hose through the pipe or sewer line and blast debris from line or pipe walls. Rated at 4000 PSI

NOZ-SWR18-5.SR	1/8", 5.5 ORIFICE - 3 BACK
NOZ-SWR14-5.SR	1/4", 5.5 ORIFICE - 3 BACK
NOZ-SWR38-6R	3/8", 6.0 ORIFICE - 3 BACK

SEWER / CULVERT NOZZLES



The reverse jets pull the hose through the pipe or sewer line and blast debris from line or pipe walls. Rated at 4200 PSI

NOZ-SWR18-5.5	1/8", 5.5 ORIFICE - 1 FORWARD & 3 BACK
NOZ-SWR14-5.5	1/4", 5.5 ORIFICE - 1 FORWARD & 3 BACK
NOZ-SWR38-5.5	3/8", 5.5 ORIFICE - 1 FORWARD & 3 BACK

HYDRO EXCAVATION NOZZLE



NOZ-RN-32040RS

Dig faster, save water! The Ripsaw Rotating Turbo nozzle is specifically designed and engineered for the rugged Hydro-Excavation industry. It's cone shaped flow pattern (18") is ideal for potholing applications. 35% Faster than Regular Rotary Tips.



NOZ-RN32040RS	RIPSAW - 3200 PSI, 4.0, 180°F
---------------	-------------------------------



JETTER ACCESSORIES

JETTER HOSES



HOS-SFX18-50	1/8" X 50' C/W MALE ENDS, 4800 PSI, BLACK
HOS-SFX18-100	1/8" X 100' C/W MALE ENDS, 4800 PSI, BLACK
HOS-SFX14-50	1/4" X 50' C/W MALE ENDS, 4400 PSI, BLACK
HOS-JTR100-14	1/4" X 100' C/W MALE ENDS, 4400 PSI, BLACK
HOS-JTR200-14	1/4" X 200' C/W MALE ENDS, 4400 PSI, BLACK
HOS-JTR300-14	1/4" X 300' C/W MALE ENDS, 4400 PSI, BLACK
HOS-JTR100-38	3/8" X 100' C/W MALE ENDS, 4000 PSI, BLACK
HOS-JTR200-38	3/8" X 200' C/W MALE ENDS, 4000 PSI, BLACK
HOS-JTR300-38	3/8" X 300' C/W MALE ENDS, 4000 PSI, BLACK
HOS-JTR100-12	1/2" X 100' C/W MALE ENDS, 4000 PSI, BLACK
HOS-JTR200-12	1/2" X 200' C/W MALE ENDS, 4000 PSI, BLACK
HOS-JTR300-12	1/2" X 300' C/W MALE ENDS, 4000 PSI, BLACK
HOS-JTR400-12	1/2" X 400' C/W MALE ENDS, 4000 PSI, BLACK
HOS-JTR500-12	1/2" X 500' C/W MALE ENDS, 4000 PSI, BLACK
HOS-JTR500-34	3/4" X 500' C/W MALE ENDS, 2400 PSI, ORANGE
PIRANHA HOSE IS SPECIAL ORDER ONLY	

HOT PACK

For EZJ3512G



Add hot water to your Sewer Jetter system to increase efficiency. Turns your jetter into a Hot Water Jetter. Increase the speed that you would clean out ice or grease versus just cold water.

EZO440	MODULAR HEATER, HOT WATER, HIGH PRESSURE, OIL FIRED, 5000 PSI, 12V BURNER, 440,000 BTU PLUMBED FOR JETTER
EZO440VCB	MODULAR HEATER, HOT WATER, HIGH PRESSURE, OIL FIRED, 5000 PSI, 12V BURNER, 440,000 BTU PLUMBED FOR JETTER - CABINET ENCLOSED

HOSE REEL TROLLEY KITS



For the ability to move hose around easily.
Hose and Joiner hose not included

KIT-HR150WK	150' CAPACITY HOSE REEL WITH WHEEL KIT
KIT-HR300WK	300' CAPACITY HOSE REEL WITH WHEEL KIT

JETTER HOSE KIT



Jetter hose and kit. A great base set for your jetting needs. **Hose is not included.**

KIT-HR300HP-12V	JETTER HOSE KIT, C/W 12V MOTOR, REEL & BRACKET
-----------------	--

JOINER HOSES



Single Braid
Connects short distances.
Rated at 4000 PSI and 212°F

HOS-JNR2	3/8" X 2' (BETWEEN PUMP & COIL, COMMERCIAL UNITS)
HOS-JNR3	3/8" X 3'
HOS-JNR4	3/8" X 4'
HOS-JNR6	3/8" X 6'
HOS-JNR10	1/2" X 10'
AVAILABLE AT CUSTOM LENGTH - 3000 to 6000 PSI	

WINTERIZATION KIT



Winterization kit for jetter. Plumb into existing system to protect pump and hoses from freezing.

KIT-WTZ-JTR	WINTERIZATION KIT FOR EZJ3512 JETTER
-------------	--------------------------------------

WINTERIZATION KIT



Adapts to most models allowing you to quickly winterize your pressure washer in the cooler climates. Protect pump, coil, and hose. For hot water units

KIT-WTZ-BRKT	WINTERIZATION KIT WITH BRACKET
--------------	--------------------------------

FUEL TANKS, GAS CAPS, & TANK BRACKET



TAN-FUEL-10G	FUEL TANK - 10 GAL.
TAN-FUEL-20G	FUEL TANK - 20 GAL.
TAN-FC10G	GAS CAP WITHOUT GAUGE
TAN-FC10G-WG	GAS CAP WITH GAUGE
FRAME-TANKBRACKET-10G	TANK BRACKET

FUEL TANK OPTION



For larger fuel capacity. Adaptable to some of the Bull Moose Units.

STE-TAN-100G	100 GAL. STEEL (FOR BULL MOOSE #3 FRAME)
--------------	--

FLOAT TANK



For water supply to pump systems. Garden hose connection.

KIT-FLOAT TANK (CCHW)

KIT-FLOAT TANK(CHW)	1 GALLON FLOAT TANK KIT FOR COMMERCIAL HOT WATER UNIT, COMES WITH BALL VALVE FOR HIGH PRESSURE SOAP
KIT-FLOAT TANK(IHW)	18 GALLON FLOAT TANK KIT FOR INDUSTRIAL HOT WATER UNIT, COMES WITH BALL VALVE FOR HIGH PRESSURE SOAP

SMALL POLY WATER TANKS



TAN-35GAL	35 GAL. FRAME NOT INCLUDED
TAN-100GA	100 GAL. FRAME NOT INCLUDED

LARGE POLY WATER TANKS

Frame Not Included



Steel Pipe Straps



TAN-225GAL	225 GAL. DIMENSIONS, 49"L X 38"W X 41"H
STEEL PIPES ADDITIONAL COST FOR 225 GAL. POLY WATER TANK	
TAN-325GAL	325 GAL. DIMENSIONS, 68"L X 38"W X 43"H
TAN-525GAL	525 GAL. DIMENSIONS, 72"L X 49"W X 54"H
STEEL PIPE STRAPS ADDITIONAL COST FOR 325 & 525 GAL. POLY WATER TANK	
TAN-740GAL	740 GAL. W/ STEEL FRAME (OIL FIELD TANK) Complete With Pipe Frame ** 740 US GAL.**

STEAM OPTIONS

STEAM HOSE - 3/8"



HOS-STM100

Hose used for wet steam. Rated at 3000 PSI 325° F

HOS-STM50	3/8" X 50'
HOS-STM100	3/8" X 100'

STEAM NOZZLE



NOZ-STM14-1.5F

NOZ-STM38-1.6

For cleaning and thawing operations. Great for de-icing. For installation on steam wand WAN-STM.

NOZ-STM14-1.5F	FLAT, 1.5 MM, BRASS
NOZ-STM38-BLK	BRASS, BLANK STEAM


STEAM HOSE - 1/2"



Hose used for wet steam. Rated at 3000 PSI 325° F

HOS-STM50-12	1/2" X 50'
HOS-STM100-12	1/2" X 100'

STEAM WAND



WAN-STM

Must be used in steam application. Safety guard around wand.

GUN-STM12-38SW

GUN-STM12-38 SW	STEAM TRIGGER GUN. 0 GPM @ 1500 PSI & 350°. INLET: 1/2" FPT OUTLET: 3/8" FPT DUE TO LIABILITY WE DO NOT INSTALL ON STEAM SYSTEMS
WAN-STM38	3/8" STEAM WAND WITH EXPANDED METAL GRIP
WAN-STM12	1/2" STEAM WAND WITH EXPANDED METAL GRIP
WAN-STM34	3/4" STEAM WAND WITH EXPANDED METAL GRIP
WAN-STM1	1" STEAM WAND WITH EXPANDED METAL GRIP

STEAM OPTION KITS



STANDARD KIT	
KIT-STMOPT-COM	STEAM OPTION FOR COMMERCIAL HOT WATER MACHINES - VARIABLE FLOW VALVE, 305°F TEMP CONTROLLER, TEMP GAUGE, PRESSURE GAUGE
STEAM OPTION KITS - DOUBLE UNLOADER TYPE	
/STM	STEAM OPTION FOR INDUSTRIAL HOT WATER MACHINES - STEAM GAUGE, 3 WAY VALVE, FLOW SWITCH, STEAM HOSE, STEAM WAND - ADD: /STM TO MODEL
DRY STEAM KIT	
KIT-STM DRY	DRY STEAM KIT (COMPATIBLE WITH ALL INDUSTRIAL HOT WATER UNITS UP TO 1,000,000 BTU) (HOSE/WAND NOT INCLUDED)
PID CONTROL OPTION FOR ALL INDUSTRIAL STEAM MODELS	
THR-PID2362	PID CONTROLLER FOR INDUSTRIAL STEAM MACHINES - HIGH/LOW FIRE ON OIL BURNER

SOAP SWITCH CONTROL PANEL



To control units with one switch. For soap in remote wash bay.

SWT-RMS	SOAP SWITCH CONTROL PANEL - BOX ONLY
---------	--------------------------------------

REMOTE WASH BAY CONTROL PANEL



To control the functions of your pressure washer from the wash-bay location.

KIT-WBS3	REMOTE WASH BAY CONTROL PANEL - START-STOP/SOAP/ BURNER. LEAD WIRE NOT SUPPLIED
KIT-WBS4	4 SWITCH REMOTE WASH BAY CONTROL PANEL - MOTOR START-STOP/SOAP ON-OFF/WAX ON-OFF/BURNER ON-OFF. LEAD WIRE NOT SUPPLIED

STAINLESS STEEL VACUUM



Stainless steel construction for commercial use with 15 acceptor and heavy duty lock box. Powered by twin 1-6 HP motors coupled with hose and claw nozzle.

CAR-VS0-CP	STAINLESS STEEL VACUUM, COIN ACCEPTOR INCLUDED
------------	--

TRUCK WASH BRUSH



A stiff bristle brush to help remove stuck on grease, mud, dirt, and grime.

ACC-TWB10	TRUCK WASH BRUSH, 2 1/2" X 10", C/W BUMPER
-----------	--

WAND HOLDER



In bay stainless steel, keeps your gun wands up off the floor.

CAR-WH-17	17", STAINLESS STEEL
-----------	----------------------

COMPLETE FOAM BRUSH ASSEMBLY



The assembly comes with a soft bristle brush, as well as a single bay chemical mixer/injector kit for your foam option.

CAR-FBR1	COMPLETE ASSEMBLY, SINGLE BAY CAR WASH
CAR-FBHH	FOAM BRUSH HANDLE HOLDER

MAT CLAMPS



Allows your customers to clamp their mats to the wall so they can easily be sprayed off.

CAR-MATCA10	STAINLESS STEEL
-------------	-----------------

OVERHEAD BOOM




360° ceiling mount with 11' swing diameter.

CAR-OBO	OVERHEAD BOOM, 360° PIVOT, 3000 PSI, 5'5"
---------	---

FESTOON SYSTEM

TYPICAL SYSTEM LAYOUT



To hold the hose off the floor.

KIT-WBFES-T100	SYSTEM WITH 100' CABLE, WHEEL TROLLEY KIT
KIT-WBFES-T	SYSTEM WITH 100' C-TRACK, COMPLETE C/W 10 TROLLEYS (FOR STAINLESS STEEL X 3.5) (FOR EACH SIDE OF WASH BAY TO HOLD THE HOSE OFF THE FLOOR)

STAINLESS STEEL COILS



Stainless Steel
(great for food
grade usage)

Note: These are the upgrade prices

STAINLESS STEEL COILS - OIL FIRED

COI-EK4232-SP40	16" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED (FOR EZO200, EZO350)
COI-EK4105-SP40	18" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED (FOR EZO300)
COI-EK4426-SP40	18" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED (FOR EZO400)
COI-EK4122-SP40	20" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED (FOR EZO440)
COI-EK4465-SP40	20" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED, (FOR EZO600, EZO700, EZO800, 1/2")
COI-EK4128-SP80	24" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED (FOR EZO700, EZO900 3/4")
COI-EK4455-SP80	24" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED (FOR EZO1000)
COI-EK4132-SP40	30" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED (FOR EZO1200)
COI-EK9600-SP80	30" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED (FOR EZO 1800)
COI-EK9814-SP80	55" STAINLESS STEEL COIL & TANK ASSEMBLY, OIL FIRED (FOR EZO 2000)

STAINLESS STEEL COILS - GAS FIRED

COI-EK4232-SP40	16" STAINLESS STEEL COIL & TANK ASSEMBLY, GAS FIRED 195,000 BTU
COI-EK4117-SP40	18" STAINLESS STEEL COIL & TANK ASSEMBLY, GAS FIRED, 295,000 BTU
COI-EK4118-SP40	20" STAINLESS STEEL COIL & TANK ASSEMBLY, GAS FIRED, 395,000 BTU
COI-EK4109-SP80	24" STAINLESS STEEL COIL & TANK ASSEMBLY, GAS FIRED, 510,000 / 600,000 / 720,000 BTU
COI-EK4132-SP80	30" STAINLESS STEEL COIL & TANK ASSEMBLY, GAS FIRED, 940,000 BTU

CERTIFIED CRN COILS - OIL OR GAS FIRED

CRN COILS	COIL WITH CANADIAN REGISTERED NUMBER - 1/2" COILS
CRN COILS	COIL WITH CANADIAN REGISTERED NUMBER - 3/4 AND 1" COILS



CHEMICALS ONLY SHIPPED IN CANADA



KLEEN-BREAK



Strong de-greaser. Great for heavy equipment like trucks and trailers. Can be mixed and not lose its great cleaning power.

CHM-KLEENBREAK20	20L PAIL
CHM-KLEENBREAK114	114L DRUM
CHM-KLEENBREAK205	205L DRUM

KLEEN-RIP LT



Light De-greaser. Works magic on vinyl siding. Very good all-around cleaner and great for road film.

CHM-KLEENRIPLT20	20L PAIL
CHM-KLEENRIPLT114	114L DRUM
CHM-KLEENRIPLT205	205L DRUM

CHLOR-KLEEN



Perfect for food prep sanitation. Great for farms and restaurants. Chlorine with citrus for a fresh, clean smell. Citrus adds that extra punch!

CHM-CHLORKLEEN20	20L PAIL
CHM-CHLORKLEEN114	114L DRUM
CHM-CHLORKLEEN205	205L DRUM

KLEEN-RIP HD



Used when extra de-greasing power is desired. Incredibly strong. Great for things like forestry equipment and great to help extend the life of radiators. Not to be used on painted vehicles - Construction Equipment only.

CHM-KLEENRIPHD20	20L PAIL
CHM-KLEENRIPHD114	114L DRUM
CHM-KLEENRIPHD205	205L DRUM

CARBON-KLEEN



De-greaser. Great for cleaning bugs from vehicles, diesel soot and road film. Awesome general purpose cleaner when mixed.

CHM-CARBONKLEEN20	20L PAIL
CHM-CARBONKLEEN114	114L DRUM
CHM-CARBONKLEEN205	205L DRUM

KLEEN-SHINE



Best cold water cleaner. Great for fleet vehicles, RVs, ATVs. Perfect for cold water pressure washers. High foaming detergent.

CHM-KLEENSHINE20	20L PAIL
CHM-KLEENSHINE114	114L DRUM
CHM-KLEENSHINE205	205L DRUM

CARBON-KLEEN PLUS



All the same cleaning power of Carbon Kleen, PLUS a wax additive for keeping the dust and dirt off and better rinsing.

CHM-CARBONKLEENPLUS20	20L PAIL
CHM-CARBONKLEENPLUS114	114L DRUM
CHM-CARBONKLEENPLUS205	205L DRUM

KLEEN-SHINE PLUS



Best cold water cleaner. Great for fleet vehicles, RVs, ATVs. Perfect for cold water pressure washers. With a better rinse and wax to help combat dirt and grime.

CHM-KLEENSHINEPLUS20	20L PAIL
CHM-KLEENSHINEPLUS114	114L DRUM
CHM-KLEENSHINEPLUS205	205L DRUM



CHEMICALS ONLY SHIPPED IN CANADA



POLISHED ALUMINUM CLEANER



Cleaner with a touch of acid to get the job done, without whitening metal. 10:1 ratio. Cleans polished aluminum and stainless steel. Will not etch glass.

CHM-POLISHEDALUMINUM20	20L PAIL
CHM-POLISHEDALUMINUM205	205L DRUM

APW PRO WHITE 500



Powdered detergent for automatic parts washers. Mixes according to cleaning need. Anti corrosion compounds, non foaming. Phosphate free.

CHM-APW-PROWHITE40	40 LB.
CHM-APW-PROWHITE450	450 LB.

ANTI-RUST APW ADDITIVE



Anti-rust, helps parts and the cleaner from developing rust.

CHM-APW-ANTIRUST-1G	1 GAL.
---------------------	--------

APW LIQUID PHOSPHATIZER



Great as a pre-treatment for painting. Can also be used through a pressure washer for the same application.

CHM-APWLIQUIDPHOSPHATIZER20	20L PAIL
CHM-APWLIQUIDPHOSPHATIZER114	114L DRUM
CHM-APWLIQUIDPHOSPHATIZER205	205L DRUM

CABINET WASHER POWDER



This cleaner is a necessary item used in our Parts Washing Cabinets to strip away grease, dirt, and other elements. Cleans parts very quickly and thoroughly. This compound is biodegradable, low foaming, has a high alkaline content, and a rust inhibiting agent. The cleaner is also aluminum safe.

CHM-CABWASH50	50 LB. PAIL
---------------	-------------

GLASS CLEANER



Unbelievable streak-proof glass cleaner.

CHM-UNBELIEVABLE	AEROSOL CAN 500G.
------------------	-------------------



EMPEROR PUMP UPGRADE



High temperature pump.
 Rated @ 185° F. Nickel
 plated, forged brass
 manifold, run-dry seals.

EMPEROR PUMP UPGRADE	
PMP-G0915HTC	2 HP EMPEROR PUMP UPGRADE - UP TO 180°F WATER, 2.1 GPM, 2500 PSI, 1750 RPM

GENERAL PUMP UPGRADE



For all cold or hot water units
 with 2 HP electric or 6.5 HP
 gas motors.

GENERAL PUMP UPGRADE	
PMP-G0915E17ET-UPGRADE	PUMP UPGRADE FOR COLD OR HOT WATER 2 HP UNIT TO GENERAL PUMP, 2.1 GPM @ 2610 PSI
PMP-G0815G6ET-UPGRADE	PUMP UPGRADE FOR COLD OR HOT WATER 6.5 HP UNIT TO GENERAL PUMP, 3.4 GPM @ 2610 PSI

AR PUMP UPGRADE



For all cold or hot water units
 with 6.5 HP gas motors.

AR PUMP UPGRADE	
PMP-ARRCV3G27D-F8	PUMP UPGRADE FOR COLD OR HOT WATER 6.5 HP UNIT TO AR PUMP, 3 GPM @ 2700 PSI

HOUR METER



Add to a pressure
 washer to easily track
 maintenance intervals.

CON-HOURMETER-12/24	12/24 HOUR METER
CON-HOURMETER-120	120 HOUR METER

OUTLET TEMPERATURE GAUGE



For metering boiler outlet
 temperature.

THR-T3X4B500	INLINE OUTLET TEMPERATURE GAUGE - 3" - 0° TO 500°F
--------------	--

PUMP KITS

PRK-EK-33-61	REPAIR KIT, UNLOADER ASSEMBLY, EK PUMPS
PRK-EK-21-28	PACKING KIT, EK3435H, EK440, EK215 FOR EK PUMP
PRK-EK-64-65	VALVE KIT, EK3435H, EK440, EK215 FOR EK PUMP
PRK-G001	VALVE KIT FOR GENERAL PUMP
PRK-G028	PACKING KIT WITH BRASS FOR GENERAL PUMP
PRK-G069	PACKING KIT WITHOUT BRASS FOR GENERAL PUMP
PRK-G123	VALVE KIT FOR GENERAL PUMP
PRK-G156	PACKING KIT FOR GENERAL PUMP

HOT WATER PACKING VALVE KIT GENERAL PUMP



Allows you to run hot water
 through your pump up to
 185° F
 Note: On new machines
 higher temp TPI will be
 required.

PRK-G220	HOT WATER PACKING KIT / VALVE KIT
PRK-G209	(TSF SERIES EXCEPT 2421)
PRK-G211	TSF2421 ONLY

VOLT METER



To confirm voltage in 12 volt
 systems.

CON-VOLT-MTR	FOR 12 VOLT SYSTEMS
--------------	---------------------

PRESSURE GAUGE



Shows operating PSI of
 machine, great for applications
 where PSI is changing
 frequently from job to job.

THR-PG1000	PRESSURE GAUGE 1000/2000/3000 PSI
THR-PG2000	PRESSURE GAUGE 2000 PSI
THR-PG3000	PRESSURE GAUGE 3000 PSI
THR-PG5000	PRESSURE GAUGE 5000 PSI
THR-PG6000	PRESSURE GAUGE 6000 PSI
THR-PG10000	PRESSURE GAUGE 10,000 PSI
THR-PG20000	PRESSURE GAUGE 20,000 PSI
SPECIFY APPROX. 60% OF OPERATING PRESSURE	
EXTRA CHARGE FOR MOUNTING	

MISCELLANEOUS ITEMS

INLINE FILTERS



Keeps debris from damaging pump.

FIL-CBF12-80	INLINE FILTER, CLEAR, 1/2" 80 MESH
FIL-CBF34-80	INLINE FILTER, CLEAR, 3/4" 80 MESH
FIL-CBF1-80	INLINE FILTER, CLEAR, 1" 80 MESH
FIL-CBF114-80	INLINE FILTER, CLEAR, 1-1/4" 80 MESH
FIL-CBF112-80	INLINE FILTER, CLEAR, 1-1/2" 80 MESH
FIL-GCF12	GREEN CAP INLINE FILTER, 1/2" FPT INLET/MPT OUTLET, TWO 1/4" SIDE PORTS, 6 GPM MAX FLOW 145 PSI MAX PRESSURE

GENERATORS



For pressure washers to run on 120 volt burners. Replacement for built on generators.

GEN-WIN4000	GENERATOR UPGRADE - 4000 WATT - (ENGINE DRIVEN OIL FIRED UNITS) EXCHANGE FOR 3000 WATT, REDUCES MACHINE PERFORMANCE
PLEASE SPECIFY MODEL OF YOUR MACHINE WHEN ORDERING	

UNLOADER - FLOW ACTIVATED



Flow Activated instead of Pressure activated (easier on piped in systems).

UNL-FA1130-K7	6.6-10.8 GPM @ 3500 PSI. 165°. 3/8 BSP-F. 3/8 BSP-F. 3/8 BSP-M
UNL-FA1358-K9	2.5-13.2 GPM @ 5800 PSI. 165°. 1/2" BSP-F OUTLET. 1/2" BSP-M OUTLET. 3/4" BSP-M/1/2" BSP-F BYPASS

ELECTRIC CLUTCH UPGRADE - 12 Volt Belt Driven Machines



Work with hydraulic motor on boats to run the pump.

PMP-DGC-12-WP12	ELECTRIC CLUTCH UPGRADE (BELT/ GASOLINE DRIVEN - OIL FIRED UNITS) UP TO 24HP
PMP-DGC12-WP7	DOUBLE GROOVE CLUTCH UPGRADE ADAPTER KIT C/W 7" PULLEY, 12 VOLT, FOR GENERAL PUMPS 47, ES & ESN SERIES PUMPS

SUCTION KIT



Allows you to pick up water from lake, bay, ocean, and wash out on your aquaculture site. For industrial cold water gas units.

KIT-SUCTION	SUCTION KIT - 6' 3/4" HOSE - INLINE WATER FILTER - FOOT VALVE - PRIMER VALVE (COLD WATER GAS DRIVEN)
-------------	--

ELECTRIC START UPGRADE KITS - COLD WATER



For use only on commercial gas units with same size engine. Turns your pull start (recoil) unit into an electric start.

ELECTRIC START UPGRADE KIT	
KOH-CH440-ES	GAS ENGINE, KOHLER, 14 HP
HON-GX390E	GAS ENGINE, HONDA, 13 HP

HYDROSTATIC VALVE AND ASSEMBLY KIT

For pressure testing lines with your pressure washer.

KIT-HDT	HYDROSTATIC VALVE AND ASSEMBLY KIT (FACTORY INSTALL)
---------	--

REMOTE SWITCH - ELECTRIC DRIVEN ONLY



To control functions on pressure washers with electrical or mechanical controls.

SWT-RMS	REMOTE SWITCH C/W 50' OF CORD - ELECTRIC DRIVEN ONLY
---------	--

FITTINGS - STEEL



FIT-S1003-B	HEX COUPLING, 1/4", FNPT
FIT-S1022-C	HEX NIPPLE, 3/8", (WMM0003GS)
FIT-S1022-CB	HEX NIPPLE, REDUCING, 3/8" X 1/4", (WMM0302GS)
FIT-S1022-D	HEX NIPPLE, 1/2", (WMM0004GS)
FIT-S1022-DB	HEX NIPPLE, REDUCING, 1/2" X 1/4", (RCF0402SS)
FIT-S1022-DC	HEX NIPPLE, REDUCING, 1/2" X 3/8", (WMM0403GS)
FIT-S1022-EC	HEX NIPPLE, REDUCING, 3/4" X 3/8"

FUEL FILTERS



FIL-FF14	FUEL FILTER ASSEMBLY, 1/4" (HO87099420)
FIL-FF14-AL	FUEL FILTER ASSEMBLY, 1/4", ALUMINUM
FIL-FFWS-CMP	FUEL FILTER/ WATER SEPARATOR, COMPLETE UNIT(87497700)(HO87497710)
FIL-FFWS-E	ELEMENT, FUEL FILTER/ WATER SEPARATOR(87497710)(HO87253070) (HO87497700)

SPARK ARRESTOR

Reduces any sparks from engines.

KIT-ESA	ENGINE SPARK ARRESTOR FOR MINING OR OILFIELD APPLICATIONS
---------	---

COMPLETE MILLIVOLT KIT FOR PROPANE GAS UNITS

Option for older propane with millivolt controls.

PRO-KIT-LP400MV	COMPLETE MILLIVOLT KIT FOR PROPANE GAS UNIT, 400,000 BTU
-----------------	--

DIESEL ENGINE SHUTDOWN SYSTEM

KIT-DESD	DIESEL ENGINE SHUTDOWN SYSTEM (USED IN MINES, REFINERIES ETC)
----------	---

PRIMARY CONTROL



Safety drive that turns off burner to prevent flooding.

OIL-7556A000U	12V
OIL-7575A000U	120V
OIL-7580A0000-U	230V
ZRWB-52082U	BECKETT GENESIS BURNER CONTRACTOR PRIMARY CONTROL DIAGNOSTIC TOOL

12 VOLT BURNER - PRIMARY CONTROL



A 12 VDC primary safety control for oil burners used on pressure washers. It can provide interrupted or intermittent duty ignition, and it has a 15 second lockout time.

KIT-BNR12-MSR-UPGRADE	12 VOLT BURNER PRIMARY CONTROL
-----------------------	--------------------------------

BATTERY



CON-BATT-12V	12V BATTERY COMMERCIAL SERIES
CON-BATT-12V-HD	12V HEAVY DUTY BATTERY

BURNER PARTS



OIL-2.00X80B	OIL BURNER NOZZLE, 2.00X80B(HO900771)
OIL-31812-12	IGNITER KIT W/O TIMER, 12V, MSR. WAYNE - 802829352076(HO91075070)

MISCELLANEOUS ITEMS

THERMAL RELIEF VALVES



UNL-TRV38	3/8" (100557)(HO921421)
UNL-TRV12	1/2" (100558)(HO921422)
UNL-TRV12-HT	1/2", HIGH TEMPERATURE, 190°F

DELAY TIMER



Solid state timer delay on break timing module. For use on auto STOP/START systems.

ELS-TSB222	SOLID STATE TIMER
------------	-------------------

THERMOSTAT



THR-EK220	THERMOSTAT, 220°F, EK, 7000 PSI 802829352311 (HO87500950) (HO955940)
THR-EK302	THERMOSTAT, 302°F, 7000 PSI
THR-BC200C	TEMPERATURE CONTROLLER, 200°F, BOX STYLE, 90-240 VAC INPUT, 5AMP/240 VAC OUTPUT
HIGH LIMITS	
THR-HL12WL-230	HIGH LIMIT SWITCH, C/W WIRE LEAD, 1/2", 230°F
THR-HL12WL-330	HIGH LIMIT SWITCH, C/W WIRE LEAD, 1/2", 330°F
THR-HL12WL-375SS	HIGH LIMIT SWITCH, C/W WIRE LEAD, 1/2", 375°F, STAINLESS STEEL

PRESSURE SWITCH



Used primarily for the burner system to ignite the burner, also used in Auto Start Systems.

SWT-PSW14	4000 PSI, 1/4" MNPT
SWT-PSW38SS	3/8", STAINLESS STEEL, 8700 PSI, 195°F

BRASS FLOW SWITCH



Designed to operate in response to low volume, low pressure flow, and still allow for high pump output flow. Provides reliable ON/OFF for STOP/START systems.

SWT-FS329	0.75 -16 GPM @ 5000 PSI MAX, 3/8", 165°F MAX TEMP
SWT-FS975	REEDLESS, 12 GPM @ 5000 PSI MAX, 3/8", 180°F MAX TEMP (100975)
SWT-FSI	01-8 GPM @ 4350 PSI MAX, 3/8", 165°F MAX TEMP

FLOW SWITCH



Designed to provide control on solenoids, timers, and indicator lights on cold and hot water systems.

SWT-FS-50SST	1-7.8 GPM @ 8700 PSI MAX, 3/8" INCH, STAINLESS STEEL, 180°F MAX TEMP
--------------	--

EASY-KLEEN

PRESSURE SYSTEMS LTD.

MANUFACTURER OF HIGH PRESSURE CLEANING EQUIPMENT

EASY-KLEEN YouTube

GO ONLINE & SEARCH EASY-KLEEN
YOUTUBE TO WATCH CUSTOMER
TESTIMONIALS, LEARN MORE ABOUT
EASY-KLEEN EQUIPMENT, AND SEE
OUR MACHINES IN ACTION



Head Office
41 Earnhardt Road
Sussex Corner, NB
E4E 6A1
1-800-315-5533
sales@easyklean.com



Easy Klean Nova Scotia
971 Morden Road
Aylesford, NS
B0P 1C0
1-902-403-5825
sales@easyklean.com

Easy Klean Ontario
180 McGovern Drive
Cambridge, ON
N3H 4R7
1-800-265-7146
cambridge@easyklean.com

Easy Klean - Flowmatic
329B Millway Avenue
Concord, ON
L4K 4T3
1-800-800-9017
concord@easyklean.com

Easy Klean Alberta
7714 69 Street NW
Edmonton, AB
T6B 2J7
1-844-720-5933
edmonton@easyklean.com

Easy Klean Red Deer
7607 Edgar Industrial Drive
Red Deer, AB
T4P 3R2
1-877-317-9274
reddeer@easyklean.com

 **PROUDLY CANADIAN MADE** 



FOLLOW US ON SOCIAL MEDIA TO GET TO KNOW
OUR TEAM AND SEE WHAT'S NEW AT EASY KLEEN



1-800-315-5533
sales@easyklean.com
www.easyklean.com