




Switch ON to Eaton.

## Solutions for your network closet



Protecting your IT equipment is vital to the success of your business. Installing the right back up power, power distribution and other power accessories determines how long your equipment will run during a power outage and how efficiently your equipment will run during a normal business day.

We provide efficient power solutions to distribute power to and within the rack, as well as cable management solutions to ensure your closet is organized and your footprint is being used effectively. Better yet, we also offer remote monitoring and management capabilities. Therefore, you don't have to run to the closet every time there is an issue with power, you can view and manage it remotely on your PC.

To ensure a reliable, efficient and safe networking environment, keep three key things in mind: organization, protection and management.

#### **Organization**

- Keep servers, switches and storage equipment safe and secure
- Clear the rack area of cluttered network cables
- Improve airflow and reduce cooling costs
- Secure equipment from unauthorized access

#### **Protection**

- Distribute and provide safe and clean power to IT equipment during power outages, surges and voltage problems
- Provide reliable and redundant power solutions for critical systems
- Maintain service level agreements
- Eaton software allows for server workload protection, whether moving to available internal servers or to a cloud-based backup recovery site

#### Management

- View your power network and all equipment attached to it from your remote/virtual machine console
- Aggregate multiple UPS/power instances
- Monitor your temperature/humidity environment
- Receive instant access to alerts and monitor your environment remotely
- Initiate a virtual machine move or graceful shutdown in the event of an extended outage

## Organization

Choosing the rack to place your equipment in is vital to the overall health and function of your infrastructure. Eaton racks enable you to store, power, manage, secure and cool your critical IT equipment. Additionally, they add an extra layer of security for environments that may store critical information such as credit card, banking or human resource data. Depending upon square footage of your environment and the amount of equipment you need to support, there are a few different options to choose from.



S-Series rack

Eaton S-Series racks supports a broad range of rack accessories, as well as power distribution, management and protection

your environment.

products, to provide a proven platform that you can depend on to support your critical IT operations. The fully-welded steel frame can store up to 2,200 pounds of equipment and the frame ensures zero leakage around the front perimeter. Additionally, split rear doors provide easy access to your equipment and maneuverability within

#### Four Post Rack™

Eaton's Four Post Rack offers an open, accessible and unrestricted architecture for cable-dense networking equipment. The labeled U-spaces assist with the deployment of hardware while the open design provides unobstructed airflow into and out of equipment. You should also consider cable management accessories and provisions for mounting vertical power strips for your environment.

#### Cable management

Depending on the type of rack you have, there are multiple options for you to manage your cables efficiently and increase your airflow. By implementing these simple management tools, you can be ready for any moves, adds or changes you are making to your rack and you can prevent accidental failure from cable strain or human error.

Four Post Rack options



Vertical cable management channel.



Side cable management channel.

#### Enclosed rack options



Waterfall system.



Overhead cable management system.





Active equipment cable manager.

EATON CORPORATION Eaton's Network Closet Solutions powerquality.eaton.com

## **Protection**

Protection of your equipment and the design of your environment are critical to uptime and efficiency. Eaton offers products that protect your power infrastructure, ensuring the design addresses the specific needs of your network and during a power event, doesn't leave you in the dark.

There are a number of reliable and redundant solutions you can install easily to ensure the uptime and efficiency of your rack.



The life of your UPS is dependent on how good its batteries are. Eaton's ABM® technology extends the life of our batteries by up to 50 percent. To back it up, we offer three-year warranties on our single-phase UPS batteries (series 3 and 5 UPS models). The predictive analysis built into ABM tests the batteries of the UPS every 30 days and the UPS alerts you if there are any issues. No one else in the industry offers this level of advanced predictive diagnosis.

#### Meet service level agreements

In a rack environment where you require more runtime during a power outage, an extended battery module (EBM) is your best solution to meet service level agreements. You can add anywhere from one to four EBMs to your UPS (depending on rating) and extend your runtime from minutes to hours for VoIP and telephony services. Eaton's EBMs are designed to pair specifically with our UPSs, ensuring a smooth installation and reliable backup solution.

#### Maximize reliability

A 2N or redundant UPS solution is one of the most reliable designs. Here, all equipment is supported by two UPSs. Eaton provides smart software, so in the event one UPS fails, the equipment knows it is supported by another UPS and will not shut down, giving you continual uptime and time to fix the problem. Once the primary UPS is back online, the equipment switches back to relying on it.



A UPS paired with an extended battery module helps extend runtime to meet service level agreements.

#### Outlet level control


UPS load segments are managed groups of receptacles that can be independently controlled to provide protection. They can also be used to cycle hung servers, extending runtime for critical loads. For optimal performance in the event of a power outage, non-essential loads are plugged into different load segments than those that are essential.

Eaton Managed ePDUs allow you to monitor and control critical factors such as voltage, current and power factor, at the individual outlet level. This information allows you to make the right decision when it comes to enegy consumption in your data center.

By integrating our UPSs and ePDUs with management software, you can view and control your environment from any computer on the network server.

#### Rack power protection and control

You can leverage rack power distribution units or ePDUs to protect equipment within your rack. By leveraging different technologies, you can monitor and control the power at the individual outlet, switch power on and off, remotely shut down the power during an emergency power outage or simply distribute power efficiently and safely. Switched ePDUs can ping servers and switches, as well as auto cycle non-responding devices. You can schedule routine outlet cycling to proactively fight hung servers. Eaton's broad line of ePDUs allow you the customization and protection you need within your rack.



#### Design for reliability

In most traditional power designs, you have one UPS supporting your servers, switches and storage devices. In this type of environment you are prone to having to shut down your equipment during a power failure or if the UPS needs maintenance or replacement.

#### Maintenance bypass


Eaton maintenance bypass units enhance power availability to your rack and provide an additional level of reliability to your power distribution design. Utility power runs through the maintenance bypass to the UPS, and then supports the rest of the equipment in the rack. Should the UPS need to be replaced, you can switch power directly from the maintenance bypass to the equipment, and replace or fix the UPS without having to shut down your equipment.



During maintenance, an easy flip of the switch routes power directly from the maintenance bypass to your equipment.

#### Automatic transfer switch

Eaton automatic transfer switches (ATS) provide power redundancy to equipment with one or two power supplies. The ATS automatically transfers the power from a primary source to a secondary source if there is a problem with the primary. Once the primary source is restored, power transfers back through it.



Leverage automatic transfer switches to maintain power distribution to the rack.

## Management

Management of your networking closet is a key factor when considering efficiency, reliability and uptime. Whether you need to manage at the rack level, or if you want to remotely manage, there are a number of options for you.

#### **UPS level monitoring/management**

For in-rack monitoring, leveraging a UPS with an LCD screen is the way to go. You can limit the use of software and have local access to multiple settings through GUI. Eaton's 5PX UPS delivers real time stats of your UPS, including battery level, runtime and the health of the machine. You can also access the UPS's managed load segments and see which equipment is pulling the most or least power and will help you better equalize your power distribution. If you are unable to connect to your environment through a laptop or call tech support for alarms, this solution allows you to manage everything at the touch of a button.

Additionally, think about leveraging rack power distribution units that also have LCD screens on them. Eaton's Advanced Monitored and Managed ePDUs offer a sleek LCD screen that allows you to view power consumption at the outlet level and help you calculate power usage effectiveness.



#### Remote monitoring/management

By leveraging software, you have the ability to monitor and manage your network closet remotely. This gives you more time to focus on higher priorities and gives you peace of mind when you are not near your equipment. Installing these solutions is fast, easy and affordable.



Eaton's IPM integrates seamlessly into VMware's Vcenter dashboard.

Intelligent Power Manager

Eaton's Intelligent Power Manager software gives you all the tools you need to manage power devices in your physical or virtual environment. The solution ensures system uptime and data integrity by allowing you to monitor, manage and control the devices on your network remotely.

- Remotely monitor and manage multiple devices across your network from a single interface; this can be integrated into an already existing platform, such as VMware, Microsoft or Citrix
- Measure power consumption and kWh to calculate power usage effectiveness
- Trigger live migration for virtual machines during power outages

#### Hardware

Outlet level current and power metering

Eaton offers managed and advanced monitored technologies for our rack mount power distribution units. You can manage and monitor power at the individual outlet level and measure power consumption, helping you calculate power usage effectiveness ratings. You can also switch the power on and off at the outlet level should you have servers or storage devices that need to be shut down for maintenance or replacement, enabling you to just shut down one piece of equipment without taking your whole rack offline.

Remote monitoring of temperature and humidity

Eaton's Environmental Rack Monitor and Environmental Monitoring probe enable you to remotely monitor the temperature, humidity, and status of devices. This can be done via a standard Web browser, providing greater management control and flexible monitoring. Installation is simple and you get email notification should temperatures change outside of normal range. You can also initiate alarm thresholds and initiate system shutdown at critical levels.

# Eaton's recommended products for your networking power needs

| Organize                               |                 |          |           |           |                         |                     |       |         |
|--|-----------------|----------|-----------|-----------|-------------------------|---------------------|-------|---------|
| Enclosure Model                        | Part Number     | Height U | Width, in | Depth, in | Approx. Unit Weight, Ib | Weight Capacity, Ib | Color | Casters |
| Eaton S-Series Rack - with Sides (42U) | ETN-ENC422442SB | 42       | 24        | 42        | 350                     | 2,200               | Black | Yes     |
| Eaton S-Series Rack - with Sides (42U) | ETN-ENC422442S  | 42       | 24        | 42        | 350                     | 2,200               | Black | Yes     |
| Eaton S-Series Rack - Open (42U)       | ETN-ENC422442SE | 42       | 24        | 42        | 300                     | 2,200               | Black | No      |
| Enclosure Accessories                  |                 | Part Num | ıber      |           | Ωty                     | From Factor         |       |         |
| Horizontal Ring Managers - 2U          |                 | CMPD190  | 32U       |           | 1                       | 2U, 17 in wide      |       |         |
| Panduit PatchLink Horizontal - 2U      |                 | CMFD1904 | 42U       |           | 1                       | 2U, 17 in wide      |       |         |
| Cable Strain Relief Bars - 6" depth    |                 | CMRB190  | 62U       |           | 2                       | 1U, 17 in wide      |       |         |
| Standard Velcro Straps                 |                 | BX45V11  |           |           | 6                       |                     |       |         |
| Side Cable Chase Take-up Spool         |                 | JCCCBLSP | PL1       |           | 1                       |                     |       |         |
| Vertical Manager-Side Cable Chase - 40 | U               | JCCVM77  | 1         |           | 1                       | 0U, 40U tall        |       |         |

| Protect                       |              |                   |                  |                       |                           |             |
|-------------------------------|--------------|-------------------|------------------|-----------------------|---------------------------|-------------|
| UPS Model*                    | Part Number  | Rating (VA/Watts) | Input Connection | Output Receptacles    | Dimensions (H x W x D in) | Weight (lb) |
| Evolution 650VA RM 1U         | 81701        | 650/420           | 5-15P (8 ft)     | (4) 5-15R             | 1.7 (1U) x 17.2 x 14.4    | 22.3        |
| Evolution 1550VA RM 1U        | 81710        | 1550/1100         | 5-15P (8 ft)     | (4) 5-15R             | 1.7 (1U) x 17.2 x 21.9    | 44.1        |
| 5PX 1500VA w/ Network Card-MS | 5PX1500RTN   | 1440/1440         | 5-15P (8 ft)     | (8) 5-15R             | 3.4 (2U) x 17.2 x 20.6    | 65          |
| 5PX 2000VA w/ Network Card-MS | 5PX2000RTN   | 1950/1920         | 5-20P (8 ft)     | (4) 5-20R, (4) 5-15R  | 3.4 (2U) x 17.2 x 20.6    | 65          |
| 5PX 3000VA w/ Network Card-MS | 5PX3000RT2UN | 3000/2700         | L5-30P (10 ft)   | (6) 5-20R, (1) L5-30R | 3.4 (2U) x 17.2 x 20.6    | 65          |

<sup>\*</sup>UPS comes with 4-post rail kit . See product pages for additional UPS and accessories including EBMs, 2-post rail kits, and network cards.

| ePDU Rackmount<br>Distribution Models | Part Number  | For use with                           | Input Connection      | Receptacles       | Dimensions<br>(H x W x D in) |
|---------------------------------------|--------------|--|-----------------------|-------------------|------------------------------|
| Basic, 1500VA Horizontal ePDU         | ePBZ78       | 3000VA UPS or UPS with L5-30R          | L5-30P (15 ft)        | (20) 5-20R        | 1.7 x 17.0 x 3.5             |
| Basic, 1500VA Vertical ePDU           | ePBZ73       | 1500VA and below UPS or UPS with 5-15R | 5-15P (15 ft)         | (18) 5-15R        | 48.0 x 1.5 x 1.5             |
| Basic, 2kVA Vertical ePDU             | ePBZ72       | 2000VA UPS or UPS with 5-20R           | 5-20P/L5-20P* (15 ft) | (18) 5-20R        | 48.0 x 1.5 x 1.5             |
| Monitored, 1500VA Vertical ePDU       | PW101MI1U221 | 1500VA UPS or UPS with 5-15P/5-15R     | 5-15P (9 ft)          | (12) 5-15R        | 1.75 x 19.0 x 7.0            |
| Switched, 1500VA Vertical ePDU        | PW101SW0U224 | 1500VA and below UPS or UPS with 5-15R | 5-15P (9 ft)          | (16) 5-15R        | 68.0 x 1.9 x 2.0             |
| Basic, 6000VA Vertical ePDU           | PW105BA2U420 | 6000VA or UPS with L6-30R              | L6-30P                | (4) L6-20R        | 3.4 x 19.0 x 6.0             |
| Managed, 6000VA Vertical ePDU         | eMA010       | 6000VA or UPS with L6-30R              | L6-30P (10 ft)        | (20) C13, (4) C19 | 68.0 x 2.2 x 2.6             |

<sup>\*</sup> These units ship with an adapter allowing for 5-20P input plug.

| MBP or eATS Distribution   | Part Number      | For use with                                   | Input Connection | Receptacles      | Dimensions (H x W x D in) |
|----------------------------|------------------|--|------------------|------------------|---------------------------|
| HotSwap MBP 1500VA 120V    | EHBPL1500R-PDU1U | 1500VA and below UPS or UPS with 5-15P / 5-15R | 5-15P (3 ft)     | (6) 5-15R        | 2.1 (2U) x 3.8 x 17.3     |
| HotSwap MBP 2000VA 120V    | EHBPL2000R-PDU1U | 2000VA UPS or UPS with 5-20P / 5-20R           | 5-20P (3 ft)     | (6) 5-15R        | 2.1 (2U) x 3.8 x 17.3     |
| HotSwap MBP 3000VA 120V    | EHBPL3000R-PDU1U | 3000VA UPS or UPS with L5-30P / L5-30R         | L5-30P (3 ft)    | (5) 5-20R        | 2.1 (2U) x 3.8 x 17.3     |
| Eaton eATS 1500VA 120V     | PULSTS1400R-1U   | 1500VA and below UPS or UPS with 5-15P / 5-15R | 5-15P (6 ft)     | (8) 5-15R        | 1.7 (1U) x 19.0 x 9.8     |
| Eaton eATS 2000VA 120V     | PWATSS520003     | 2000VA UPS or UPS with 5-20P / 5-20R           | 5-20P (6 ft)     | (8) 5-20R        | 1.7 (1U) x 19.0 x 7.0     |
| Eaton eATS 3000VA 120V     | PWATSL530005     | 3000VA UPS or UPS with L5-30P / L5-30R         | L5-30P (6 ft)    | (8) 5-20R        | 1.7 (1U) x 19.0 x 7.0     |
| Eaton eATS 3000VA 208/230V | PULSTS16AMPR-1U  | 3000VA UPS and below with C20/C19              | C20 (6 ft)       | (1) C19, (6) C13 | 1.7 (1U) x 19.0 x 9.8     |

<sup>\*\*</sup>Other MBP and eATS Options available.

#### Manage

| Intelligent Power Manager                                   |  | Part Number                              |  |
|---|--|--|--|
| Intelligent Power Manager for 1-10 nodes                    |  | Free download @ Eaton.com/virtualization |  |
| Intelligent Power Manager, Silver Edition for 11-100 nodes  | Intelligent Power Manager, Silver Edition for 11-100 nodes |  |  |
| Intelligent Power Manager, Gold Edition for unlimited nodes |  | 66926                                    |  |
| Network Card-MS Web/SNMP                                    |  | Network-MS                               |  |
| Environmental Monitoring Probe                              | For use with Network-MS Card                               | 116750224-001                            |  |
| Environmental Rack Monitor                                  | 120V 5-15P Input, 1 TH Module                              | 103005775                                |  |
| Water Leak Detector   | 3 ft, works with EMP or ERM                                | 103005780                                |  |
| Open Source Development Kit                                 |  | Free download @ Eaton.com/opensource     |  |

### Learn more at powerquality.eaton.com

UNITED STATES 8609 Six Forks Road Raleigh, NC 27615 U.S.A. Toll Free: 1.800.356.5794

CANADA Ontario: 416.798.0112 Toll free: 1.800.461.9166 LATIN AMERICA Aruba: 001 866 898 8812 Argentina (South Cone): +5411 4124 4000 Bahamas: 1 800 389 0368 Brazil: +55 113616 8500 Colombia: 01 800 518 1490 Costa Rica: 0 800 012 1716 Dominican Republic: 1 888 751 4862 Ecuador: from Andinatel: 1 999 170 (code after 800 is WSC 5649)

El Salvador: 800 6772 Mexico: + 52 (55) 9000-5252 or 01 800 08 EATON (32866)

Miami: 1 866 248 2224 Guatemala: 1 800 624 0099 Jamaica: 800 534 2102 Nicaragua: 001 800 220 1992 Panama: 00 800 226 6524 Peru: 0 800 54 514

Puerto Rico: 1 877 740 1707 Trinidad & Tobago: 1 800 206 0981 Venezuela: 0 800 100 8474



**Eaton Corporation** 

Electrical Sector 1111 Superior Avenue Cleveland, OH 44114 USA Eaton.com

© 2012 Eaton Corporation All Rights Reserved Printed in USA COR183FXA September 2012

Eaton is a registered trademark of Eaton Corporation.

All other trademarks are property of their respective owners.

#### **Authorized Specialist**



Tel: 800.616.2335 | www.ePowerNetwork.com