







**EXCLUSIVE 2.0** 



Page 6 - 9

**EXCLUSIVE 2.1** 



Page 10 - 15

**EXCLUSIVE 2.2** 





Page 16 - 21



**EXCLUSIVE URINAL**Manuell



**EXCLUSIVE URINAL** Infrared





Page 22 - 25





Page 26 - 29

To make your decision easier, we have copied the Flush plates in this "idea finder" in original size! Simply hold them against the wall and you will get an impression of the designer flush plates as they will be used in your later state-of-the-art bathroom or your individual wellness Oasis.







**ELEGANCE 2.0** 





Page 30 - 33

**AVANTGARDE** 





Page 34 - 39

**TREND** 





Page 40 - 45





# **AMBIENTE**





Page 46 - 51

# **CLASSIC**





Page 52 - 55







### **EXCLUSIVE 2.0**




167-34000118-00



white / white 167-34000101-00



white / shiny chrome-plated 167-34000136-00



white / matt chrome-plated 167-34000130-00



white / stainless steel finish 167-34000137-00



matt chrome-plated / white 167-34003001-00



matt chrome-plated / matt chrome-plated 167-34003030-00



matt chrome-plated / black 167-34003018-00



shiny chrome-plated / shiny chrome-plated 167-34003636-00



shiny chrome-plated / black 167-34003618-00



shiny chrome-plated / white 167-34003601-00



Stainless steel finish 167-34003737-00



black matt 167-34003838-00



Chrome steel 167-34005353-00

\* For vandal-proof use in public sanitary places such as in restaurants and hotels

# Flush-fitting push buttons highlight a harmonious unit in your bathroom.

#### **Product description:**


- ✓ JOMO flush plate for Wall mounted cistern SLKplus
- ✓ Incl. holding frame
- ✓ Front panel made of plastic


#### Version:

✓ 2 way flush

### **Highlights**

- ✓ Can be mounted without tools
- ✓ Easy mounting
- ✓ 2 way triggering
- ✓ Different versions can be combined
- ✓ Material: Plastic
- √ Easy cleaning and maintenance







Side view











# **EXCLUSIVE 2.1**

The high-quality glass front forms a harmonious unit in your bathroom.

### **Product description:**

- ✓ JOMO flushing plate for Wall mounted cistern SLKplus
- ✓ Incl. holding frame
- √ Glass front panel

#### **Version:**

✓ 2 way flush

### **Holding frame in different colours:**


√ White

Art.-Nr. 167-3700XXXX-00\*


✓ Shiny chrome-plated

Art.-Nr. 167-**41**00XXXX-00\*

\*The XX stands for the respective colour / series / holding frame and must be replaced accordingly!



















# **EXCLUSIVE 2.2**

### **Product description:**


- ✓ JOMO flushing plate for Wall mounted cistern SLKplus
- ✓ Incl. holding frame
- ✓ Glass front panel with deep recessed plastic push buttons


### **Version:**

✓ 2 way flush

### Holding frame and buttons in the following colour:


✓ Shiny chrome-plated Art.-Nr. 167-**42**00XXXX-00\*




















EXCLUSIVE URM-G (Glass) green satined

## **EXCLUSIVE URM-K**

### **Plastic**

### **Product description:**

- ✓ JOMO urinal flush plate supplementary to Design series Exclusive
- ✓ Incl. holding frame
- ✓ Front panel made of plastic





white / black 167-60000118-00



white 167-60000101-00



white / shiny chrome-plated 167-60000136-00



white / matt chrome-plated 167-60000130-00



white / stainless steel finish 167-60000137-00



matt chrome-plated / white 167-60003001-00



matt chrome-plated 167-60003030-00



matt chrome-plated / black 167-60003018-00



black matt 167-60003838-00



shiny chrome-plated 167-60003636-00



shiny chrome-plated / black 167-60003618-00



shiny chrome-plated / white 167-60003601-00



stainless steel finish 167-60003737-00



Chrome steel 167-60005353-00

<sup>\*</sup> For vandal-proof use in public sanitary places such as in restaurants and hotels

# **EXCLUSIVE URM-G**


### Glass

### **Product description:**

- ✓ JOMO urinal flushing plate supplementary to Design series Exclusive
- ✓ Incl. holding frame
- √ Front panel glass

### Holding frame and buttons in the following colour:

√ Shiny chrome-plated







white 167-61009003-00



beige 167-61001020-00



shiny yellow 167-61001023-00



orange classic 167-61002001-00



shiny red 167-61001240-00



pink 167-61004006-00



green satined 167-61001261-00



shiny green 167-61001260-00



black matt 167-61001120-00



black classic 167-61009005-00




black metallic 167-61001820-00




mirror graphite 167-61001901-00



mirror bronze 167-61001902-00







EXCLUSIVE URI-K white

## **EXCLUSIVE URI-K**

### **Plastic**

### **Product description:**

- ✓ JOMO urinal push plate EXCLUSIVE URI-K for Urinal element for UP Flushing valve EXCLUSIVE
- ✓ Front panel made of plastic
- ✓ Infrared triggering
- ✓ Incl. holding frame

### Infraredauslösung:

- ✓ Infrared Mains operation 100-230V AC, 50-60 HZ Art.Nr. 172-**69**00XXXX-00
- ✓ Infrared 6V Art.Nr. 172-**67**00XXXX-00





white 172-**XX**000101-00



matt chrome-plated 172-**XX**003030-00



shiny chrome-plated 172-**XX**003636-00



black matt 172-**XX**003838-00



Chrome steel with special screws\* 172-**XX**005353-00

\* For vandal-proof use in public sanitary places such as in restaurants and hotels



## **EXCLUSIVE URI-G**


### Glass

### **Product description:**

- ✓ JOMO urinal push plate EXCLUSIVE URI-G Urinal element for UP Flushing valve EXCLUSIVE
- √ Glass front panel
- ✓ Infrared triggering
- ✓ Holding frame: Shiny chrome-plated

### Infrared triggering:

- ✓ Infrared Mains operation 100-230V AC, 50-60 HZ Art.Nr. 172-**70**00XXXX-00
- ✓ Infrared 6V Art.Nr. 172-**68**00XXXX-00









172-**XX**001020-00



shiny yellow 172-**XX**001023-00



orange classic 172-**XX**002001-00



shiny red 172-**XX**001240-00



pink 172-**XX**004006-00



green satined 172-**XX**001261-00



shiny green 172-**XX**001260-00



black classic 172-**XX**009005-00



black metallic 172-**XX**001820-00



mirror graphite 172-**XX**001901-00




mirror bronze 172-**XX**001902-00





JOMO




## **ELEGANCE 2.0**

### **Product description:**

- ✓ JOMO Flushing plate for Wall mounted cistern SLKplus
- ✓ Glass front panel Handle buttons made of plastic
- ✓ Holding frame and buttons shiny chrome-plated

#### **Version:**

✓ 2 way flush







white matt 167-35001180-00



white 167-35009003-00



beige 167-35001020-00



shiny yellow 167-35001023-00



orange classic 167-35002001-00



shiny red 167-35001240-00



pink 167-35004006-00



green satined 167-35001261-00



shiny green 167-35001260-00



black matt 167-35001120-00



black classic 167-35009005-00



black metallic 167-35001820-00



mirror graphite 167-35001901-00



mirror bronze 167-35001902-00











# **AVANTGARDE**


## The designer line of a slightly different kind

## **Product description:**

- ✓ JOMO flushing plate for
- ✓ Wall mounted cistern SLKplus
- ✓ Incl. holding frame
- ✓ Front panel made of glass and other materials
- ✓ Handle buttons made of chrome-plated brass
- ✓ Holding frame shiny chrome-plated

## Version:

✓ 2 way flush







white matt 167-30001180-00



white 167-30009003-00



beige 167-30001020-00



shiny yellow 167-30001023-00



orange classic 167-30002001-00



shiny red 167-30001240-00



pink 167-30004006-00



green satined 167-30001261-00



shiny green 167-30001260-00



black matt 167-30001120-00



black classic 167-30009005-00



black metallic 167-30001820-00



mirror graphite 167-30001901-00



mirror bronze 167-30001902-00



Wood cherry 167-3000HZKI-00



Beech wood 167-3000HZBU-00



Slate grey 167-3000SCGR-00



Granit black 167-3000GRSW-00



Chrome steel with special screws\* 167-3000CR53-00

<sup>\*</sup> For vandal-proof use in public sanitary places such as in restaurants and hotels






TREND white / black



TREND black matt



TREND stainless steel finish



TREND white / white

# **TREND**


## Design on Top or in Front

## **Product description:**

- ✓ JOMO flush plate for wall mounted cistern SLS
- ✓ Front panel made of plastic

## Version:

✓ 2 way flush





white / white 167-32000101-00



white / matt chrome-plated 167-32000130-00



white / shiny chrome-plated 167-32000136-00



white / stainless steel finish 167-32000137-00



matt chrome-plated / white 167-32003001-00



matt chrome-plated / matt chrome-plated 167-32003030-00



shiny chrome-plated / white 167-32003601-00



shiny chrome-plated / shiny chrome-plated 167-32003636-00



stainless steel finish / stainless steel finish 167-32003737-00



black matt / black matt 167-32003838-00



white / black 167-32000118-00



matt chrome-plated / black 167-32003018-00




shiny chrome-plated / black 167-32003618-00






AMBIENTE Glass black / shiny chrome-plated



AMBIENTE Glass mirror bronze / shiny chrome-plated





# **AMBIENTE**


## Design on Top or in Front

## **Product description:**

- ✓ JOMO Flushing plate for Wall mounted cistern SLS
- ✓ Glass front panel
- ✓ Mounting frame and push buttons shiny chrome-plated

## **Version:**

✓ 2 way flush





167-33001180-00



white 167-33009003-00



beige 167-33001020-00



shiny yellow 167-33001023-00



orange classic 167-33002001-00



shiny red 167-33001240-00



167-33004006-00



green satined 167-33001261-00



shiny green 167-33001260-00



black matt 167-33001120-00



black classic 167-33009005-00



167-33001820-00




mirror graphite 167-33001901-00




mirror bronze 167-33001902-00





CLASSIC 2 way function white plastic



CLASSIC START/STOP function white plastic


# **CLASSIC**

## **Product description:**


- ✓ JOMO flushing plate for Wall mounted cistern SLK
- ✓ Other sanitary colours on request

## Version:

✓ Start/stop function or 2 way flush



## Start/stop function



167-27060001-00



matt chrome-plated 167-27060030-00




shiny chrome-plated 167-27060036-00



Chrome steel\* 167-27060053-00

## 2-quantities flush



167-27070001-00



matt chrome-plated 167-27070030-00



shiny chrome-plated 167-27070036-00

<sup>\*</sup> For vandal-proof use in public sanitary places such as in restaurants and hotels



## **HYGIENE-WC**

# JOMO*Tech* hygienic WC element for wall-hung WCs with bidet function

The JOMO*Tech* hygienic WC element from WERIT is a self-supporting pre-wall element for mounting in front of a Solid or a lightweight construction wall. As a wall installation the element can be used for mounting in both lightweight and timber stud walls.

The SLKplus wall mounted cistern contained in the element is equipped with the proven JOMO 2 flush technology and offers on the cisterns 25 years Spare parts availability guarantee. Due to the integrated Safety device according to DIN EN 1717 type AD (free outlet with injector) reduces the danger of backflow into the Drinking water system prevented.

The connections for direct installation of cold and hot water fittings are pre-mounted in the frame. An installation of the JOMOTech hygienic WC element is possible without a power connection. The mounting plate for the Fitting can be mounted either on the right or left and can be individually adjusted for each user. The high-quality flush rimless series S20, S50 and D-Light with VitrAflush 2.0 technology and each equipped with

## VitrA -Shower-WCs = Hygiene with style

a matching WC seat with soft-closing mechanism are available in conjunction with our JOMO*Tech* hygienic WC element available as a complete package.

As a fourth package, WERIT offers the ceramic Pera with closed flushing rim. Technically reduced and thus offering a cheaper alternative.

Due to the VitrAflush 2.0 technology integrated in the ceramic intimate body, parts are treated with a warm water jet cleaned in a gentle and natural way. The intensity and warmth of the water jet can be regulated continuously and individually with a hand tap. For uncomplicated cleaning of the nozzle, the flush distributor can be easily removed.







## Your bathroom individually and easily combined:



WC element 450 mm



Washbasin element



Washbasin element



WC element with Odour extraction



Shower / bathtub element









WC element



## Barrier-free building



Support / Handle element



Shower / bathtub element



WC-SLKplus support / Handle element






# THE JOMOTECH SERIES

## Optimized down to the last detail

The new JOMO*Tech* series with its overall height of 1120 mm is optimally adapted to most modern bathroom situations. All elements are pre-assembled and self-supporting. Sanitary elements such as WCs, washstands, urinals or modern hygienic WCs can be easily installed and held reliably.























**Picture 6 + 7** Support for drywall planking.

**Picture 8** Simple floor mounting.

Picture 9 We recommend the use of a sound insulation set for sound decoupling according to DIN 4109.

**Picture 10** Easy fastening by inserting into C-rails with the dimension: 27 x 18 mm and the profile opening of 15 mm.

Picture 11 Quick fastening.

Picture 12 Tested safety: TÜV.

**Picture 13** Rail mounting with sound insulation tested according to DIN 4109.

**Picture 14** Installation on underfloor heating is also possible.

























## WC elements



174-91100000-00

Single element for wall-mounted WC with in-wall cistern SLKplus. Overall height 1120 mm



174-91102000-00

Single element for wall-mounted WC with in-wall cistern SLKplus. for odour extraction, Overall height 1120 mm



## 174-91101500-00

Single element for wall-mounted WC with in-wall cistern SLKplus, Overall height 1120 mm, Construction width 450 mm



### 174-91102100-00

Single element for children and adults Stand-alone WC with in-wall cistern SLKplus. Overall height 1120 mm



### 174-91198000-00

Hygienic WC element for Wall WC with bidet function with in-wall cistern SLKplus. Overall height 1120 mm



## 174-91300000-00

Single element for wall-mounted WC with in-wall cistern SLS Flush technology, Front or top operation, Overall height 820 mm



Another element

Single element for wall-mounted WC with in-wall cistern SLS Flush technology, Front or top operation Overall height 980 mm



Single element for washstand for single-hole fitting, for mounting wall discs/ connection boxes, Overall height 1120 mm

Washstand elements



## 174-92200200-00

Single element for washstand for UP wall fitting, Overall height 1120 mm



Single element for washstand for AP wall-mounted fitting, for mounting wall plates Junction boxes, Overall height 1120 mm

## Barrier-free elements



174-80000000-00

Sinale element for wall-mounted WC

with in-wall cistern SLKplus, for barrier-free building. Overall height 1120 mm



## 174-81100000-00

Sinale element for wall-mounted WC

with in-wall cistern SLKplus, for barrier-free construction. with 2 waterproof glued veneer wood panels for support and holding handles, construction width 880 mm, construction





## 174-82100000-00

Single element for washstand for single-hole fitting

with UP odour seal, for barrierfree building, for mounting of wall washers/connection boxes, Overall height 1120 mm



## 174-82200000-00

Single element for washstand for AP wall fitting

with UP odour seal, for barrierfree building, for mounting of wall discs/connection boxes, Overall height 1120 mm



## 174-82300000-00

Single element for washstand for concealed wall fitting /

with UP odour seal, for barrierfree building, Overall height 1120 mm



## 174-80050100-00

Single element for supporting and holding handles for barrier-free building,

Overall height 1120 mm. Construction width 365 mm



## 174-70000300-00

Single element for sinks for mounting of wall discs/

connection sockets, Overall height 1300 mm



## 174-70000400-00

Single element for shower / bathtub

AP fitting, for mounting of wall discs/connection boxes. Overall height 1120 mm

Accessories



## 174-70000500-00

Single element for shower / bathtub

UP-fitting, for mounting of wall discs/connection boxes. for wall connection bend for hand shower, Overall height 1120 - 1300 mm



Single element for bathtub

AP fitting, for mounting of wall discs/connection boxes, Overall height 820-980 mm

## Trusses



### 174-60000100-00

Multi-truss for drywall walls min. installation depth 100 mm, to accommodate Wall discs/ connection boxes, console loads, concealed fittings, concealed measuring equipment, suspended storage tanks. instantaneous water heaters, 62 construction width 500 mm



## 174-60000200-00

Cross beam for drywall with at least a building depth of 100 mm for washing machine, with washing machine UP siphon, to accommodate wall discs/connection boxes. Construction width 500 mm



## 174-60000300-00

Cross beam for drywall with min. building depth 100 mm for sinks, for mounting wall discs/connection boxes or Flush-mounted installation body. Construction width



## 174-60000400-00

Cross beam for drywall with at least a building depth of 100 mm for washstand, for mounting of wall discs/connection boxes, Construction width 500 mm



## 174-60000500-00

Drywall traverse for washing machine with UP washing machine siphon, for mounting of wall discs/connection sockets, Construction width 500 mm



### 174-60000600-00

Drywall traverse for AP fittings. to accommodate wall discs/ connection hoxes Construction width 500 mm



### 174-60000700-00

Drywall traverse for washstand. to accommodate wall discs/ connection boxes. Construction width 500 mm





## 174-70010100-00

Multi-wall bracket for individual elements, short, for wall mounting, 360° rotatable, continuous angle adjustment, for Building depth 135 -175 mm



### 174-70010200-00

Multi-wall bracket for individual elements, long, for wall mounting, 360° rotatable, continuous angle adjustment. for Building depth 175 -300 mm



## 173-30030000-00

Sound insulation set with base and screw decoupling for structure-borne sound decoupling of wall and floor mountings, according to DIN 4109 and VDI 4100

## 174-92100200-00

Single element for washstand for single-hole fitting, for mounting wall discs/ connection boxes, Overall height 1120 mm



### 174-92100300-00

Single element for washstand for single-hole fitting, for mounting wall discs/ connection boxes, Overall height 850 - 980 mm



**Urinal elements** 

## 174-93000000-00

Single element for urinal for mounting Flushing valve EXCLUSIVE, for infrared and manual operation Overall height 1120 mm



## 174-93000100-00

Single element for urinal for mounting JOMO-Tronic-Urinal control with concealed sensor, Overall height 1120 mm



## 174-93000200-00

Single element for urinal for mounting UP-Urinal flushers. Overall height 1120 mm



## 174-93000300-00

Single element for urinal for mounting AP-Urinal flushers, Overall height 1120 mm



## 174-93000500-00

Single element for urinal for the installation of waterless urinal bowls, Overall height 1120 mm



### 174-93000600-00

Single element for urinal for mounting Flushing valve EXCLUSIVE, with bodyshell set Operation from above, Overall height 980 mm



## 174-9400000-00

**Bidet elements** 

Single element for wall bidet for single-hole fitting, for mounting wall discs/connection boxes, Building depth let op. 135 mm, Overall height 1120 mm



## 174-94200100-00

for single-hole fitting, for mounting wall discs/connection boxes, Building depth let op. 135 mm, Overall height 820 mm

Single element for wall bidet



## 174-70000700-00

Single element for bathtub for mounting wall discs/ connection boxes, flushmounted fitting, Overall height 820-980 mm

## 174-**70001000**-00

Single element for empty

for bridging empty spaces of more than 600 mm, for holding various components such as UP bathroom furniture, Overall height 1120 mm



## 174-**70001100**-00

Single element for empty

for bridging empty spaces of more than 600 mm. for holding various components such as UP bathroom furniture, Overall height 820-980 mm



## 174-**70001200**-00

Individual element for washing machine with siphon

for mounting of wall discs/ connection sockets. Overall height 1120 mm



## 174-**70001300**-00

Individual element for washing machine with siphon

for mounting of wall discs/ connection sockets. Overall height 820-980 mm



## 174-**70000800**-00

Single element for faeces sinks

for Keramag Espital, wallhanging, to accommodate Overall height 1600 mm



## 174-70001800-00

Single element for faecal sinks

mounted, to accommodate wall discs/connection boxes, Overall height 1400 mm



drywall elements on floors with Underfloor heating 1 set, including fixing screws





wall discs/connection boxes,

# for Laufen Bernina, wall





## A BRAND OF THE WERIT GROUP

WERIT UK Ltd., Darby Road, UK-M44 4BP Irlam, Manchester Phone +44 161 776 1414, Fax +44 161 776 1515, sanitary.uk@werit.eu

## WERIT subsidiaries:

D-57610 Altenkirchen I D-53567 Buchholz I D-01458 Ottendorf-Okrilla I A-6700 Bludenz I CH-8105 Regensdorf, Zürich I F-67160 Wissembourg I F-26200 Montélimar I E-08403 Granollers, Barcelona I GB-Manchester I PL-55-330 Błonie gm. Miękinia I CZ-619 00 Brno www.werit.eu

