


# VISION

AV installation products



Lifetime  
warranty

# Smart, Reliable, Technical.



# Vision

Smart design in the smallest detail of our products.

Smart installation. Installers only have two hands so we make sure you don't have to be an octopus to install our products.

## Smart



### Mount Finder

Enter part of the flat panel part number and get a short list of your mount options.



### Cable Finder

Narrow down which cable you need in 30 seconds.



### Techconnect configurator

Need help figuring out which parts you need to make up a faceplate? No problem.

## Reliable



### Reliable vendor

We won't ignore your e-mails when you need help. We are very reactive.



### Reliable stock levels

We try really hard to always have what you need in stock, and we measure our success; 95% of the time we have what you order.



### Reliable product

Lifetime warranty. We benchmark our reliability against other manufacturers so we are not just guessing, we know our products are extremely reliable.

## Technical



### Technical staff

They know the products, and know the challenges installers face.



### Technical product


Our product development team are always pushing technical limits to offer integrators products that simplify solutions.



### Easy installation through design

Our products are designed by AV engineers and are adaptable onsite.

# Vision Master Warehouse Locations



“

We obsess over the detail, so if you spot a way we can make a product better please let us know.


This will go to a real person and you'll get an immediate reply.

”

Stuart Lockhart, Managing Director



Lifetime  
warranty



Over 300,000 meeting rooms around the world use Vision's extremely reliable products.




Vision has benchmarked itself against some of the world's largest electronics manufacturers and has a world-class reliability record.

We made RELIABLE a key word because we are passionate about making our products even more reliable.



If you have feedback that could help make our products better, we want to hear it!

[vav.link/lifetime-warranty](https://vav.link/lifetime-warranty)



# Faceplates

---

- > Faceplate Packages
- > Modules
- > Cables
- > Mounting Hardware
- > Table Faceplate
- > Control Module
- > 50w Amplifier



---

## Techconnect faceplate configurator

Select the products and parts you need to see a visual representation of your end product.

[vav.link/fc](https://vav.link/fc)



Lifetime warranty

# Wall-Mount Faceplate Package

Part of the Techconnect 3 system

Techconnect is a modular audio-visual faceplate family engineered especially for AV installers. A "surround" fits to a backbox (or "mudring" if your wall is hollow), then the modules fix in place to complete the installation. For 99% of professional AV installations the same set of modules are required, so Vision offer a simple package that contains a basic selection of modules as a starting point. Just select the length of the cable package you need to go with it.

TC3-PK EU SAP: 3446594  
US SAP: 12939494

### Module Package Contents

#### Mounting Hardware:

1 x 2-Gang UK Backbox TC3 BACKBOX2G [SAP:3446598]

1 x 2-Gang Surround TC3 SURR2G [SAP:3446603]

#### Modules:


1 x VGA with MiniJack TC3 VGAF3.5MM [SAP:3446585]

1 x USB (B-type on front) TC3 USBB [SAP:3446581]

1 x HDMI TC3 HDMI [SAP:3446573]

3 x Blanks TC3 BLANK [SAP:3446572]

Comes with your choice of complementary Cable Lengths



[vav.link/tc3-pk](https://vav.link/tc3-pk)



### Matt White

Pure white with a chiselled profile, Techconnect3 also has 11 mm of flat space above and below the connectors for information or company branding stickers.



### Screw-In Modules

The modules have a tab that hooks into the surround at the bottom, then a couple of turns of the pre-installed screws locks the modules into place.



### Stronger

Techconnect3 has shorter modules and extra ribbing to reduce module flex. On parts where flex is desirable to avoid shattering ABS plastic is used.



### Improved Fit and Finish

Techconnect3 has more space behind the modules stashed cables, and narrower and more even gaps between modules.



### TC3 50w Amplifier

TC3-AMP / SAP: 3446595

Extremely small 2 x 25 w (RMS) at 8 ohms  
Digital Amp  
2 x Stereo inputs (Input 1 duplicated on front and rear)  
IR Remote control included

[vav.link/tc3-amp](https://vav.link/tc3-amp)



### TC3 50w Amplifier with Speakers

TC3-AMP+ / SAP: 8468232

Extremely small 2 x 25 w (RMS) at 8 ohms  
Digital Amp  
2 x Stereo inputs (Input 1 duplicated on front and rear)  
IR Remote control included  
Pair of 5.25" loudspeakers included

[vav.link/tc3-amplus](https://vav.link/tc3-amplus)



### TC3 Control Module

TC3-CTL / SAP: 3446596

Control projectors etc via IR, RS-232, RS-485, and 12V  
Schedule commands  
Powered by mains power or batteries

[vav.link/tc3-ctl](https://vav.link/tc3-ctl)



### TC3 Control Module

TC3-CTL/2 / SAP: 7754754

Controls multiple AV devices simultaneously with IR, RS-232, and 12V  
Scheduled commands for signage applications  
Powered by mains power  
Backlit buttons with variable colour

[vav.link/tc3-ctl-2](https://vav.link/tc3-ctl-2)



### TC3 Minijack Module (phoenix on rear)

TC3 3.5MM/V2 / SAP: 5354529

Occupies 1 module space  
Ideal for use with stereo audio cable  
Phoenix connector at rear  
Pass-through on rear  
Input on front disconnects rear input

[vav.link/tc3\\_3-5mm-v2](https://vav.link/tc3_3-5mm-v2)




### TC3 Blank Module

TC3 BLANK / SAP: 3446572

Simple blank modules for blanking off unused slots in the surround  
Occupies 1 module space

[vav.link/tc3\\_blank](https://vav.link/tc3_blank)



### TC3 Brush Module

TC3 BRUSH / SAP: 4726966

Simple double-width module with hole for pulling cables out  
Brushes over 42 x 22 mm (1.65" x 0.87") cable aperture  
Occupies 2 module spaces

[vav.link/tc3\\_brush](https://vav.link/tc3_brush)



### TC3 HDMI Module

TC3 HDMI / SAP: 3446573

HDMI module v2.0 (4K @ 30 Hz)  
Includes short cable at rear with female HDMI connector  
Carries digital audio and video over one cable  
Occupies 1 module space

[vav.link/tc3\\_hdmi](https://vav.link/tc3_hdmi)



### TC3 HDMI+ Module

TC3 HDMI+ / SAP: 7345515

HDMI module v2.0 (4K @ 60 Hz)  
Includes short cable at rear with female HDMI connector  
Booster inline  
Thicker copper to solve problem installations

[vav.link/tc3\\_hdmiplus](https://vav.link/tc3_hdmiplus)




### TC3 UK Power Socket Module

TC3 PWRUK / SAP: 4875953

Occupies 3 module spaces  
Grounded UK power socket  
Ideal for table applications in Vision's table faceplate

[vav.link/tc3\\_pwruk](https://vav.link/tc3_pwruk)




### TC3 RJ45 Module

TC3 RJ45 / SAP: 3446576

Occupies 1 module space  
RJ45 socket at rear

[vav.link/tc3\\_rj45](https://vav.link/tc3_rj45)



### TC3 USB-A to USB-B Module

TC3 USBA / SAP: 3446580

"B" type socket on the rear as found on a printer chassis  
"A" type socket on front as found on a laptop chassis  
Occupies 1 module space  
USB 3.0 (backward compatible with 2.0)

[vav.link/tc3\\_usba](https://vav.link/tc3_usba)




### TC3 USB-B to USB-A Module

TC3 USBB / SAP: 3446581

"A" type socket on the rear as found on a laptop chassis  
"B" type socket on the front as found on a printer chassis  
Occupies 1 module space  
USB 3.0 (backward compatible with 2.0)

[vav.link/tc3\\_usbb](https://vav.link/tc3_usbb)



### TC3 USB-B to USB-A Module with active booster circuit

TC3 USBB+ / SAP: 3446582

"B" type socket on the front as found on a printer chassis  
"A" type socket on the rear as found on a laptop chassis  
Active circuit uses 5v carried on USB to boost signal  
Occupies 1 module space  
USB 3.0 (backward compatible with 2.0)

[vav.link/tc3\\_usbbplus](https://vav.link/tc3_usbbplus)



### Techconnect USB-C module

TC3 USBC / SAP: 4783744

"C" type socket on the front  
Tail on rear with HDMI and USB-A sockets  
HDMI 4K @ 60 Hz  
USB 3.0  
Active circuit boosts signals

[vav.link/tc3\\_usbc](https://vav.link/tc3_usbc)



### TC3 VGA and Audio Module (phoenix on rear)

TC3 VGAF3.5MM / SAP: 3446585

Female 15-pin D-sub connector for PC output  
With a 3.5mm Minijack socket for stereo audio  
Phoenix connector at rear  
Not labeled  
Occupies 1 module space





## TC3 VGA and Audio Module

TC3 VGAF3.5MMD / SAP: 3446586

Female 15-pin D-sub connector for PC output  
With a 3.5mm Mini-jack socket for stereo audio  
Female D-Sub (VGA connector) on rear instead  
of phoenix connector

Not labeled

Occupies 1 module space

[vav.link/tc3\\_vgaf3-5mmd](https://vav.link/tc3_vgaf3-5mmd)



## TC3 VGA Module (phoenix on rear)

TC3 VGAF / SAP: 3446584

Female 15-pin D-sub connector for PC output  
Phoenix connector at rear  
Occupies 1 module space

[vav.link/tc3\\_vgaf](https://vav.link/tc3_vgaf)



## White HDMI Cable

High-Speed White HDMI Cable with Ethernet. Compact gold-plated connector. Tested to Category 2.

**0.5m (1.6ft)**

TC 0.5MHDMI / SAP: 3058973

[vav.link/tc\\_0-5mhdmi](https://vav.link/tc_0-5mhdmi)

**1.5m (4.9ft)**

TC 1.5MHDMI / SAP: 4500873

[vav.link/tc\\_1-5mhdmi](https://vav.link/tc_1-5mhdmi)

**3m (9.8ft)**

TC2 3MHDMI / SAP: 3000666

[vav.link/tc2\\_3mhdmi](https://vav.link/tc2_3mhdmi)

**10m (32.8ft)**

TC2 10MHDMI / SAP: 2746864

[vav.link/tc2\\_10mhdmi](https://vav.link/tc2_10mhdmi)

**20m (65.6ft)**

TC 20MHDMI+ / SAP: 4842771

[vav.link/tc\\_20mhdmiplus](https://vav.link/tc_20mhdmiplus)

**1m (3.2ft)**

TC 1MHDMI / SAP: 3058974

[vav.link/tc\\_1mhdmi](https://vav.link/tc_1mhdmi)

**2m (6.5ft)**

TC 2MHDMI / SAP: 3265151

[vav.link/tc\\_2mhdmi](https://vav.link/tc_2mhdmi)

**5m (16.4ft)**

TC2 5MHDMI / SAP: 2746863

[vav.link/tc2\\_5mhdmi](https://vav.link/tc2_5mhdmi)

**15m (49.2ft)**

TC2 15MHDMI / SAP: 2746865

[vav.link/tc2\\_15mhdmi](https://vav.link/tc2_15mhdmi)

**30m (98.4ft)**

TC 30MHDMI+ / SAP: 4842772



## White USB 2.0 Cable

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

High quality braided shield and ferrite core connector at both ends to shield against EMF and RF interference.

\*10m+ models have an in-line active booster (48 mm / 1.9" long x 25 mm / 0.98" wide) integrated half way along cable.

When used with Vision's Techconnect modular faceplate, we recommend using the TC2 USB+ active booster module with all cables longer than 5m (16.4 ft).

**10m (32.8ft)**

TC 10MUSB+/2 / SAP: 7428313

[vav.link/tc\\_10musbplus-2](https://vav.link/tc_10musbplus-2)

**1m (3.2ft)**

TC 1MUSB / SAP: 3265177

[vav.link/tc\\_1musb](https://vav.link/tc_1musb)

**3m (9.8ft)**

TC2 3MUSB / SAP: 3004700

[vav.link/tc2\\_3musb](https://vav.link/tc2_3musb)

**10m (32.8ft)**

TC2 10MUSB+ / SAP: 3244188

[vav.link/tc2\\_10musbplus](https://vav.link/tc2_10musbplus)

**15m (49.2ft)**

TC 15MUSB+/2 / SAP: 7419234

[vav.link/tc\\_15musbplus-2](https://vav.link/tc_15musbplus-2)

**2m (6.5ft)**

TC 2MUSB / SAP: 3265178

[vav.link/tc\\_2musb](https://vav.link/tc_2musb)

**5m (16.4ft)**

TC2 5MUSB / SAP: 3004951

[vav.link/tc2\\_5musb](https://vav.link/tc2_5musb)

**15m (49.2ft)**

TC2 15MUSB+ / SAP: 3004953

[vav.link/tc2\\_15musbplus](https://vav.link/tc2_15musbplus)



## White VGA to Phoenix Cable

A moulded connector on one end, and a male phoenix connector on the other end which can be plugged directly into the rear of module.


**3m (9.8ft)**  
TC2 3MVGA / SAP: 3000667

**10m (33 ft)**  
TC2 10MVGA / SAP: 1461166  
[vav.link/tc2\\_10mvga](https://vav.link/tc2_10mvga)

**20m (65.6ft)**  
TC2 20MVGA / SAP: 1461174  
[vav.link/tc2\\_20mvga](https://vav.link/tc2_20mvga)

**5m (16 ft)**  
TC2 5MVGA / SAP: 2042118  
[vav.link/tc2\\_5mvga](https://vav.link/tc2_5mvga)

**15m (49.2ft)**  
TC2 15MVGA / SAP: 1461168  
[vav.link/tc2\\_15mvga](https://vav.link/tc2_15mvga)



## TC3 Table Faceplate

TC3 SURRTB / SAP: 4875951

Fits into table  
Chassis and surround included  
Accommodates up to 9 modules (not included)  
Very high quality fit and finish  
Matt black

[vav.link/tc3\\_surrtb](https://vav.link/tc3_surrtb)



## TC3 UK 1-Gang Surface-Mount Backbox

TC3 BACKBOX1G / SAP: 3446597

Fixes single-gang Techconnect surround to walls.  
Surface Mount

[vav.link/tc3\\_backbox1g](https://vav.link/tc3_backbox1g)



## TC3 UK 1-Gang Surround

TC3 SURR1G / SAP: 3446602

Single-gang frame which accommodates two modules (not included)  
Fits to any standard single-gang UK backbox (pattress) or mudring

[vav.link/tc3\\_surr1g](https://vav.link/tc3_surr1g)



## TC3 Belgian 65mm Surround

TC3 SURRBE65 / SAP: 3446591

Frame which accommodates four modules (not included)  
Fits to standard 65mm/ 2.56" Le Grand trunking

[vav.link/tc3\\_surrbe65](https://vav.link/tc3_surrbe65)




## TC3 UK 2-Gang Drywall Mudring

TC2 MUDRING2G / SAP: 1643908

Fixes double-gang Techconnect surround into hollow dry walls  
Flush Mount

[vav.link/tc2\\_mudring2g](https://vav.link/tc2_mudring2g)




## TC3 UK 2-Gang Surface-Mount Backbox

TC3 BACKBOX2G / SAP: 3446598

Fixes double-gang Techconnect surround to walls.  
Surface Mount

[vav.link/tc3\\_backbox2g](https://vav.link/tc3_backbox2g)



## TC3 UK 2-Gang Surround

TC3 SURR2G / SAP: 3446603

Double-gang frame which accommodates five modules (not included)  
Fits to any standard double-gang UK backbox (pattress) or mudring

[vav.link/tc3\\_surr2g](https://vav.link/tc3_surr2g)

# TC3 Table Faceplate

## Part of the Techconnect 3 system

Part of Vision's Techconnect modular AV faceplate family, this table surround allows seamless AV integration into boardroom and meeting room tables.



### Tactile Quality

Lift the lid and feel the weight. Strong, finely finished materials have been selected to make this product.



### Cable Tie Points

Vision takes ease of installation seriously. Installers will enjoy multiple 6 mm / 0.23" fixing holes for securing cables underneath the chassis.



### Plug In And Close

A 15 mm / 0.6" gap around the lid means you can plug-in or pull-up, then close the lid to get back table space for your meeting.



### 9-Module Capacity

Mix and match the modules you need in a future-proof enclosure.



### A4

The bezel is very similar in size to an A4 piece of paper – slightly narrower.



### Optional Power Sockets

Choose Vision's Schuko (EU) or 1363 (UK) power socket modules (Part numbers TC3 PWREU or TC3 PWRUK).



### Slow-Close

Throw the lid closed and a damper slows the lid, closing silently.



Lifetime warranty



TC3 SURRTB EU SAP: 4875951 US SAP: 13445531

Fits into table

Chassis and surround included

Accommodates up to 9 modules (not included)

Very high quality fit and finish

Matt black

[vav.link/tc3\\_surrtb](https://vav.link/tc3_surrtb)



Lifetime warranty

# TC3 Control Module

## Part of the Techconnect 3 system

Techconnect Control is the most flexible professional AV control device available. This simple control panel controls all of your AV equipment – projectors, flat panels, amplifiers, and screens – simultaneously and only presents users with the functions they use every day. No tech support calls and no losing remote controls. All in a secure Techconnect module. Perfect for presentation rooms or meeting spaces.

TC3-CTL EU SAP: 3446596  
US SAP: 12939501

Control projectors etc via IR, RS-232, RS-485, and 12V

Schedule commands

Powered by mains power or batteries

[vav.link/tc3-ctl](http://vav.link/tc3-ctl)



### Simple Setup Mode

Hold down the two middle buttons to put into learn mode, point the original device remote at the front of the Control and program a code per button.



### Extension Keypad

If more than six buttons are required the software allows you to add another Control as an extension keypad.



### Code Library

An integrated library of IR and RS-232 codes speed programming up. For example if you learn the codes for a projector those codes will be automatically uploaded to the database so that the next installer who needs those codes will find them in the software library.



### Battery

The Control comes with a mains power adaptor, but can also be powered by 2 x AAA batteries (not included).



### Duplication

Programs can be saved to a PC making duplication for a roll out simple.



### Delay

Commands can be delayed up to 60 seconds. For example when you turn a projector on it takes time to warm up so the motorised screen doesn't come down until the projector is ready.



### Labels

Clear caps unclip off the buttons from the front to allow label changes.



### Easy Wiring

To speed up installation it comes with a short 9-pin serial cable which plugs into the phoenix port on the Control.



### Backlit buttons

Backlit buttons are easy to read.



### Advanced Setup Mode

Connect to a PC and use the included software to allocate multiple RS-232, IR, and 12v triggers to each button.



### Scheduling

Once programmed a schedule can be setup. e.g. turn the digital signage in a store off at midnight every night.

# TC3 50w Amplifier

Part of the Techconnect 3 system



Lifetime warranty



## Front Panel Input

Two Inputs are wired into the rear with removable phoenix connectors, but Input 1 is also duplicated on the front panel with a minijack socket for convenience. This "half-normalled" input disconnects.



## Power Four Speakers

Don't let size deceive you: this Amp can drive into a 4 ohm load allowing you to power up to four 8 ohm speakers (or two 4 ohm speakers).



## Remote Control

A remote control is included and IR receivers are positioned on the front and rear for integration with a control system such as the Techconnect Control. Note: there is no tone control with this amplifier. Our spare remote controls have tone buttons but they do not work with this product.



## Close at Hand

Can be positioned anywhere in the room making it perfect for training rooms, boardrooms, and classrooms.



## D-Class Amplifier

Digital amplifiers use no power unless they are amplifying program, so even on at full volume; unless it is receiving input it is effectively off. Digital amplifiers also have the advantage of running cold so a bulky heatsink is not necessary.



## Integrated Techconnect Family

Included is a single-gang backbox and surround, or alternatively you can mount it in a double-gang surround with other Techconnect modules.



## Preset Memory

By default when power is activated the Techconnect Amp turns on and resumes the most recent settings. For hospitality applications it can be set to return to a preset input and level whenever it is powered on – for example in hotel guest rooms.



## Secure

Ideal when you don't have furniture to sit an amplifier on, and because it is mounted to the wall it is much less obvious as a target for theft.



## Easy to Install and Uninstall

A robust module that is easy to install or remove and disconnect from the front. Removable phoenix connectors allow non-technical end users to uninstall it very easily if required.



## Tactile Dial

A simple clear control interface makes the product easy to use long press on the dial to power on and off. Short press to change input.

By using latest low-impedance digital amplifier chip technology the new Techconnect Amp module outputs a massive 2 x 25 watts RMS (at 8 ohms) but fits into the space of a double-space Techconnect module.

Suited to meeting spaces, museums, and presentation suites.

TC3-AMP EU SAP: 3446595

US SAP: 12939499

TC3-AMP+SP-1800 EU SAP: 3692237

US SAP: 70017401

TC3-AMP+CS-1900 EU SAP: 5356158

Extremely small 2 x 25 w (RMS) at 8 ohms

Digital Amp


2 x Stereo inputs (Input 1 duplicated on front and rear)

IR Remote control included

[vav.link/tc3-amp](http://vav.link/tc3-amp)



# Build your own faceplate using our Techconnect Faceplate Configurator



Select the products and parts you need to see a visual representation of your end product and create a shopping list with **all the technical details.**

## Your shopping list




TC3 Minijack Module  
(phoenix on rear)



TC3 3-Phono [RCA] Module  
(phoenix on rear)




TC3 HDMI Module



TC3 VGA and Audio Module  
(phoenix on rear)



TC3 Dual RJ45 Module  
(bare-wire on rear)



TC3 4-port Barewire  
Speaker Module



Print





















Download















[vav.link/fc](https://vav.link/fc)



# Modules

Product	Part Number	Info	Link
 TC3 50w Amplifier	TC3-AMP		<a href="http://vav.link/tc3-amp">vav.link/tc3-amp</a>
 TC3 50w Amplifier with Speakers	TC3-AMP+		<a href="http://vav.link/tc3-ampplus">vav.link/tc3-ampplus</a>
 TC3 Control Module	TC3-CTL		<a href="http://vav.link/tc3-ctl">vav.link/tc3-ctl</a>
 TC3 Control Module	TC3-CTL/2		<a href="http://vav.link/tc3-ctl-2">vav.link/tc3-ctl-2</a>
 TC3 Minijack Module (phoenix on rear)	TC3 3.5MM/V2		<a href="http://vav.link/tc3_3-5mm-v2">vav.link/tc3_3-5mm-v2</a>
 TC3 Blank Module	TC3 BLANK		<a href="http://vav.link/tc3_blank">vav.link/tc3_blank</a>
 TC3 Brush Module	TC3 BRUSH		<a href="http://vav.link/tc3_brush">vav.link/tc3_brush</a>
 TC3 HDMI Module	TC3 HDMI		<a href="http://vav.link/tc3_hdmi">vav.link/tc3_hdmi</a>
 TC3 HDMI+ Module	TC3 HDMI+		<a href="http://vav.link/tc3_hdmiplus">vav.link/tc3_hdmiplus</a>
 TC3 UK Power Socket Module	TC3 PWRUK		<a href="http://vav.link/tc3_pwruk">vav.link/tc3_pwruk</a>
 TC3 RJ45 Module	TC3 RJ45		<a href="http://vav.link/tc3_rj45">vav.link/tc3_rj45</a>
 TC3 USB-A to USB-B Module	TC3 USBA		<a href="http://vav.link/tc3_usba">vav.link/tc3_usba</a>
 TC3 USB-B to USB-A Module	TC3 USBB		<a href="http://vav.link/tc3_usbb">vav.link/tc3_usbb</a>
 TC3 USB-B to USB-A Module with active booster circuit	TC3 USBB+	<b>Connector:</b> USB-A (female); USB-B (female)	<a href="http://vav.link/tc3_usbbplus">vav.link/tc3_usbbplus</a>
 Techconnect USB-C module	TC3 USBC		<a href="http://vav.link/tc3_usbc">vav.link/tc3_usbc</a>
 TC3 VGA and Audio Module (phoenix on rear)	TC3 VGAF3.5MM		<a href="http://vav.link/tc3_vgaf3-5mm">vav.link/tc3_vgaf3-5mm</a>
 TC3 VGA and Audio Module	TC3 VGAF3.5MMD		<a href="http://vav.link/tc3_vgaf3-5mmd">vav.link/tc3_vgaf3-5mmd</a>
 TC3 VGA Module (phoenix on rear)	TC3 VGAF		<a href="http://vav.link/tc3_vgaf">vav.link/tc3_vgaf</a>








# Cables

Product	Part Number	Info	Link
 White VGA to Phoenix Cable 5m (16 ft)	TC2 5MVGA	<b>Colour:</b> White <b>Connector:</b> VGA (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc2_5mvga">vav.link/tc2_5mvga</a>
 White VGA to Phoenix Cable 10m (33 ft)	TC2 10MVGA	<b>Colour:</b> White <b>Connector:</b> VGA (male) <b>Length:</b> 10m (33ft)	<a href="http://vav.link/tc2_10mvga">vav.link/tc2_10mvga</a>
 White HDMI Cable 3m (9.8ft)	TC2 3MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 3m (10ft)	<a href="http://vav.link/tc2_3mhdmi">vav.link/tc2_3mhdmi</a>
 Black HDMI Cable 3m (9.8ft)	TC 3MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 3m (10ft)	<a href="http://vav.link/tc_3mhdmi-bl">vav.link/tc_3mhdmi-bl</a>
 White HDMI Cable 5m (16.4ft)	TC2 5MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc2_5mhdmi">vav.link/tc2_5mhdmi</a>
 Black HDMI Cable 5m (16.4ft)	TC 5MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc_5mhdmi-bl">vav.link/tc_5mhdmi-bl</a>
 White HDMI Cable 10m (32.8ft)	TC2 10MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 10m (33ft)	<a href="http://vav.link/tc2_10mhdmi">vav.link/tc2_10mhdmi</a>
 Black HDMI Cable 10m (32.8ft)	TC 10MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 10m (33ft)	<a href="http://vav.link/tc_10mhdmi-bl">vav.link/tc_10mhdmi-bl</a>
 White HDMI Cable 15m (49.2ft)	TC2 15MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 15m (49ft)	<a href="http://vav.link/tc2_15mhdmi">vav.link/tc2_15mhdmi</a>
 White VGA to Phoenix Cable 15m (49.2ft)	TC2 15MVGA	<b>Colour:</b> White <b>Connector:</b> VGA (male) <b>Length:</b> 15m (49ft)	<a href="http://vav.link/tc2_15mvga">vav.link/tc2_15mvga</a>
 White USB 2.0 Cable 3m (9.8ft)	TC2 3MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 3m (10ft)	<a href="http://vav.link/tc2_3musb">vav.link/tc2_3musb</a>
 Black USB 2.0 Cable 3m (9.8ft)	TC 3MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 3m (10ft)	<a href="http://vav.link/tc_3musb-bl">vav.link/tc_3musb-bl</a>
 White USB 2.0 Cable 5m (16.4ft)	TC2 5MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc2_5musb">vav.link/tc2_5musb</a>
 Black USB 2.0 Cable 5m (16.4ft)	TC 5MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc_5musb-bl">vav.link/tc_5musb-bl</a>

# Cables

Product	Part Number	Info	Link
 White USB 2.0 Cable 10m (32.8ft) with active booster	TC 10MUSB+/2	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 10m (33ft)	<a href="https://vav.link/tc_10musbplus-2">vav.link/tc_10musbplus-2</a>
 Black USB 2.0 Cable 10m (32.8ft) with active booster	TC 10MUSB+/BL/2	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 10m (33ft)	<a href="https://vav.link/tc_10musbplus-bl-2">vav.link/tc_10musbplus-bl-2</a>
 White USB 2.0 Cable 15m (49.2ft) with active booster	TC 15MUSB+/2	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 15m (49ft)	<a href="https://vav.link/tc_15musbplus-2">vav.link/tc_15musbplus-2</a>
 Black USB 2.0 Cable 15m (49.2ft) with active booster	TC 15MUSB+/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 15m (49ft)	<a href="https://vav.link/tc_15musbplus-bl">vav.link/tc_15musbplus-bl</a>
 Black USB 2.0 Cable 15m (49.2ft) with active booster	TC 15MUSB+/BL/2	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 15m (49ft)	<a href="https://vav.link/tc_15musbplus-bl-2">vav.link/tc_15musbplus-bl-2</a>

# Mounting Hardware

Product	Part Number	Info	Link
 TC3 UK 1-Gang Surface-Mount Backbox	TC3 BACKBOX1G	<b>Colour:</b> White	<a href="https://vav.link/tc3_backbox1g">vav.link/tc3_backbox1g</a>
 TC3 UK 2-Gang Surface-Mount Backbox	TC3 BACKBOX2G	<b>Colour:</b> White	<a href="https://vav.link/tc3_backbox2g">vav.link/tc3_backbox2g</a>
 TC3 UK 2-Gang Drywall Mudring	TC2 MUDRING2G		<a href="https://vav.link/tc2_mudring2g">vav.link/tc2_mudring2g</a>
 TC3 UK 1-Gang Surround	TC3 SURR1G	<b>Colour:</b> White	<a href="https://vav.link/tc3_surr1g">vav.link/tc3_surr1g</a>
 TC3 UK 2-Gang Surround	TC3 SURR2G		<a href="https://vav.link/tc3_surr2g">vav.link/tc3_surr2g</a>
 TC3 Table Faceplate	TC3 SURRTB		<a href="https://vav.link/tc3_surrtb">vav.link/tc3_surrtb</a>
 TC3 Belgian 65mm Surround	TC3 SURRBE65		<a href="https://vav.link/tc3_surrbe65">vav.link/tc3_surrbe65</a>



# Extenders

---

- > HDMI-Over-IP
- > HDMI Switcher
- > Wireless HDMI, mDP, and USB-C
- > HDMI-over-IP Matrix



## HDMI-over-IP Transmitter

TC-HDMIPTX/V2 / SAP: 6243779

[vav.link/tc-hdmiiptx-v2](https://vav.link/tc-hdmiiptx-v2)



## HDMI-over-IP Receiver

TC-HDMIIPRX/V2 / SAP: 6243780

[vav.link/tc-hdmiiprx-v2](https://vav.link/tc-hdmiiprx-v2)



## HDMI-over-IP Transmitter

TC-HDMIPTX/3 / SAP: 6862537

[vav.link/tc-hdmiiptx-3](https://vav.link/tc-hdmiiptx-3)



## HDMI-over-IP Receiver

TC-HDMIIPRX/3 / SAP: 6862534

[vav.link/tc-hdmiiprx-3](https://vav.link/tc-hdmiiprx-3)







## HDMI Switcher

TC-HDMI31 / SAP: 4053413

RS-232 and remote control  
4K2K at up to 60Hz  
HDMI v2.0,  
3 inputs / 1 output


[vav.link/tc-hdmi31](https://vav.link/tc-hdmi31)

Product		Part Number	Info	Link
	HDMI-over-IP Transmitter	TC-HDMIIPTX/V2		<a href="http://vav.link/tc-hdmiiptx-v2">vav.link/tc-hdmiiptx-v2</a>
	HDMI-over-IP Receiver	TC-HDMIIPRX/V2		<a href="http://vav.link/tc-hdmiiprx-v2">vav.link/tc-hdmiiprx-v2</a>
	HDMI Switcher	TC-HDMI31	RS-232 and remote control 4K2K at up to 60Hz HDMI v2.0, 3 inputs / 1 output	<a href="http://vav.link/tc-hdmi31">vav.link/tc-hdmi31</a>
	Digital Signage HDMI-over-IP	TC-HDMIIP/3	Distributes HDMI via a network H.265 compression One-to-One directly over a LAN or directly One-to-Many over LAN IR Pass-through USB 1.1 transmission	<a href="http://vav.link/tc-hdmiip-3">vav.link/tc-hdmiip-3</a>



# Cables

---



## Cable finder

Search our comprehensive range of cables by Connector Type, Length and Color.

[vav.link/cf](https://vav.link/cf)

- Audio Cables
- DisplayPort Cables & Adaptors
- USB Cables & Adaptors
- Fibre Data Cables
- CAT6 Ethernet Cables
- HDMI Cables & Adaptors
- USB-C Cables & Adaptors
- Power Cables
- Serial Cables & Adaptors
- VGA Cables & Adaptors





## White Minijack Cable

This simple patch cable connects your phone or laptop to most audio systems. Minijacks are also known as 1/8", or TRS jack (tip-ring-sleeve) and 3.5 mm / 0.14" jack. They carry a "line-level" signal.

Includes female-minijack to phoenix adaptor, to allow connection to rear of Techconnect modules.

### 1m (3.2ft)

TC 1M3.5MMP / SAP: 3546048

[vav.link/tc\\_1m3-5mmp](https://vav.link/tc_1m3-5mmp)

### 3m (9.8ft)

TC 3M3.5MMP / SAP: 4500881

[vav.link/tc\\_3m3-5mmp](https://vav.link/tc_3m3-5mmp)

### 10m (32.8ft)

TC 10M3.5MMP / SAP: 4536895

[vav.link/tc\\_10m3-5mmp](https://vav.link/tc_10m3-5mmp)

### 2m (6.6ft)

TC 2M3.5MMP / SAP: 3265183

[vav.link/tc\\_2m3-5mmp](https://vav.link/tc_2m3-5mmp)

### 5m (16.4ft)

TC 5M3.5MMP / SAP: 4536894

[vav.link/tc\\_5m3-5mmp](https://vav.link/tc_5m3-5mmp)

### 15m (49.2ft)

TC 15M3.5MMP / SAP: 4536896

[vav.link/tc\\_15m3-5mmp](https://vav.link/tc_15m3-5mmp)

# DisplayPort Cable & Adaptors



## White DisplayPort Cable

1m (3.2ft)

TC 1MDP / SAP: 3265160

[vav.link/tc\\_1mdp](https://vav.link/tc_1mdp)

3m (9.8ft)

TC 3MDP / SAP: 4500876

[vav.link/tc\\_3mdp](https://vav.link/tc_3mdp)

10m (32.8ft)

TC 10MDP / SAP: 4537083

[vav.link/tc\\_10mdp](https://vav.link/tc_10mdp)

2m (6.6ft)

TC 2MDP / SAP: 3265161

[vav.link/tc\\_2mdp](https://vav.link/tc_2mdp)

5m (16.4ft)

TC 5MDP / SAP: 3265162

[vav.link/tc\\_5mdp](https://vav.link/tc_5mdp)



## Black DisplayPort

2m (6.6ft)

TC 2MDP/BL / SAP: 4911604

[vav.link/tc\\_2mdp-bl](https://vav.link/tc_2mdp-bl)

3m (9.8ft)

TC 3MDP/BL / SAP: 4911605

[vav.link/tc\\_3mdp-bl](https://vav.link/tc_3mdp-bl)



## Black DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/BL / SAP: 4911607

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

[vav.link/tc\\_1mdphdmi-bl](https://vav.link/tc_1mdphdmi-bl)



## Black DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/BL / SAP: 4911608

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

[vav.link/tc\\_2mdphdmi-bl](https://vav.link/tc_2mdphdmi-bl)



## White Mini-DisplayPort to VGA Adaptor

TC-MDPVGA / SAP: 3265173

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

[vav.link/tc-mdpvga](https://vav.link/tc-mdpvga)



## Black DisplayPort to HDMI Adaptor

TC-DPHDMI/BL / SAP: 4979292

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

[vav.link/tc-dphdmi-bl](https://vav.link/tc-dphdmi-bl)

# DisplayPort Cable & Adaptors



## White DisplayPort to VGA Adaptor

TC-DPVGA / SAP: 4507453

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

[vav.link/tc-dpvga](https://vav.link/tc-dpvga)



## Black Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/BL / SAP: 4979147

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

[vav.link/tc-mdphdmi-bl](https://vav.link/tc-mdphdmi-bl)



## Black DisplayPort to VGA Adaptor

TC-DPVGA/BL / SAP: 4979137

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

[vav.link/tc-dpvga-bl](https://vav.link/tc-dpvga-bl)



## Black Mini-DisplayPort to VGA Adaptor

TC-MDPVGA/BL / SAP: 4979356

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

[vav.link/tc-mdpvga-bl](https://vav.link/tc-mdpvga-bl)



## White USB 2.0 Cable

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

High quality braided shield and ferrite core connector at both ends to shield against EMF and RF interference.

\*10m+ models have an in-line active booster (48 mm / 1.9" long x 25 mm / 0.98" wide) integrated half way along cable.

When used with Vision's Techconnect modular faceplate, we recommend using the TC2 USB+ active booster module with all cables longer than 5m (16.4 ft).

**10m (32.8ft)**

TC 10MUSB+/2 / SAP: 7428313

[vav.link/tc\\_10musbplus-2](https://vav.link/tc_10musbplus-2)

**15m (49.2ft)**

TC 15MUSB+/2 / SAP: 7419234

[vav.link/tc\\_15musbplus-2](https://vav.link/tc_15musbplus-2)

**1m (3.2ft)**

TC 1MUSB / SAP: 3265177

[vav.link/tc\\_1musb](https://vav.link/tc_1musb)

**2m (6.5ft)**

TC 2MUSB / SAP: 3265178

[vav.link/tc\\_2musb](https://vav.link/tc_2musb)

**3m (9.8ft)**

TC2 3MUSB / SAP: 3004700

[vav.link/tc2\\_3musb](https://vav.link/tc2_3musb)

**5m (16.4ft)**

TC2 5MUSB / SAP: 3004951

[vav.link/tc2\\_5musb](https://vav.link/tc2_5musb)

**10m (32.8ft)**

TC2 10MUSB+ / SAP: 3244188

[vav.link/tc2\\_10musbplus](https://vav.link/tc2_10musbplus)

**15m (49.2ft)**

TC2 15MUSB+ / SAP: 3004953

[vav.link/tc2\\_15musbplus](https://vav.link/tc2_15musbplus)

## White USB 2.0 Extension Cable



**1m (3.2ft)**

TC 1MUSBEXT / SAP: 3265181

[vav.link/tc\\_1musbext](https://vav.link/tc_1musbext)

**2m (6.5ft)**

TC 2MUSBEXT / SAP: 3265182

[vav.link/tc\\_2musbext](https://vav.link/tc_2musbext)

**3m (9.8ft)**

TC 3MUSBEXT+ / SAP: 4500879

[vav.link/tc\\_3musbextplus](https://vav.link/tc_3musbextplus)

**5m (16.4ft)**

TC 5MUSBEXT+ / SAP: 4500880

[vav.link/tc\\_5musbextplus](https://vav.link/tc_5musbextplus)



## White USB-C to USB 3.0A Cable

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

1m (3.2ft)

TC 1MUSBCA / SAP: 4322261

[vav.link/tc\\_1musbca](https://vav.link/tc_1musbca)

2m (6.5ft)

TC 2MUSBCA / SAP: 4322262

[vav.link/tc\\_2musbca](https://vav.link/tc_2musbca)

3m (9.8ft)

TC 3MUSBCA / SAP: 4322263

[vav.link/tc\\_3musbca](https://vav.link/tc_3musbca)

## Black USB 2.0 Cable

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

High quality braided shield and ferrite core connector at both ends to shield against EMF and RF interference.



10m (32.8ft)

TC 10MUSB+/BL/2 / SAP: 7419232

[vav.link/tc\\_10musbplus-bl-2](https://vav.link/tc_10musbplus-bl-2)

15m (49.2ft)

TC 15MUSB+/BL/2 / SAP: 7419233

[vav.link/tc\\_15musbplus-bl-2](https://vav.link/tc_15musbplus-bl-2)

1m (3.2ft)

TC 1MUSB/BL / SAP: 4911615

[vav.link/tc\\_1musb-bl](https://vav.link/tc_1musb-bl)

2m (6.5ft)

TC 2MUSB/BL / SAP: 4911616

[vav.link/tc\\_2musb-bl](https://vav.link/tc_2musb-bl)

3m (9.8ft)

TC 3MUSB/BL / SAP: 4911617

[vav.link/tc\\_3musb-bl](https://vav.link/tc_3musb-bl)

5m (16.4ft)

TC 5MUSB/BL / SAP: 4911618

[vav.link/tc\\_5musb-bl](https://vav.link/tc_5musb-bl)

10m (32.8ft)

TC 10MUSB+/BL / SAP: 4911619

[vav.link/tc\\_10musbplus-bl](https://vav.link/tc_10musbplus-bl)

15m (49.2ft)

TC 15MUSB+/BL / SAP: 4911620

[vav.link/tc\\_15musbplus-bl](https://vav.link/tc_15musbplus-bl)

## Black USB 2.0 Extension Cable 2m (6.5ft)

TC 2MUSBEXT/BL / SAP: 4911621

[vav.link/tc\\_2musbext-bl](https://vav.link/tc_2musbext-bl)



## Black USB 2.0 Extension Cable 5m (16.4ft) with active booster

TC 5MUSBEXT+/BL / SAP: 4911622

[vav.link/tc\\_5musbextplus-bl](https://vav.link/tc_5musbextplus-bl)



# USB Cables & Adaptors



Lifetime warranty



## Black USB-C to USB 3.0A Cable 1m (3.2ft)

TC 1MUSBCA/BL / SAP: 4911624

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

[vav.link/tc\\_1musbca-bl](https://vav.link/tc_1musbca-bl)



## Black USB-C to USB 3.0A Cable 2m (6.5ft)

TC 2MUSBCA/BL / SAP: 4911625

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

[vav.link/tc\\_2musbca-bl](https://vav.link/tc_2musbca-bl)



## 2m Black USB-C to USB-3.0B Cable

TC 2MUSBCB/BL / SAP: 6334563

On one end: USB C - plugs into your laptop. The new smaller reversible USB plug supports USB version 3.1.

On the other end: USB B - plugs into a peripheral, such as a printer or interactive display. Supports USB version 3.0.

[vav.link/tc\\_2musbcb-bl](https://vav.link/tc_2musbcb-bl)



## White USB-C to USB 3.0A Adaptor

TC-USBC3A / SAP: 4322267

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

[vav.link/tc-usbc3a](https://vav.link/tc-usbc3a)



## Black USB-C to USB 3.0A Adaptor

TC-USBC3A/BL / SAP: 4979313

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

[vav.link/tc-usbc3a-bl](https://vav.link/tc-usbc3a-bl)



## USB-3.0 M to USB-C F Adaptor

TC-USB3AC/BL / SAP: 5535560

Plugs into the USB 3.0 port on a laptop to provide a USB 3.1 (USB-C) socket so that newer peripherals can be used.

[vav.link/tc-usb3ac-bl](https://vav.link/tc-usb3ac-bl)



## Black USB 3.0 to HDMI Adaptor

TC-USBHDMI / SAP: 4322270

Connects the USB 3.0 port on a laptop to a display device.

[vav.link/tc-usbhdm](https://vav.link/tc-usbhdm)



## Black USB 3.0 to VGA Adaptor

TC-USBVGA / SAP: 4322269

Connects the USB A port on a laptop to a display device.

[vav.link/tc-usbvga](https://vav.link/tc-usbvga)



## White USB 3.0 to Ethernet Adaptor

TC-USBETH / SAP: 3265218

100/1000 Mbps

[vav.link/tc-usbeth](https://vav.link/tc-usbeth)



## Black USB 3.0 to Ethernet Adaptor

TC-USBETH/BL / SAP: 4979136

100/1000 Mbps

[vav.link/tc-usbeth-bl](https://vav.link/tc-usbeth-bl)

# USB Cables & Adaptors



## Black USB 2.0 to 9-Pin RS-232 Serial Adaptor

TC-USBSER / SAP: 3265219

Converts a USB port on a computer into a 9-pin serial port for RS-232 control applications.

[vav.link/tc-usbser](https://vav.link/tc-usbser)



## USB-A 18W Charger with EU Plug

TC-PUSBAEU/18 / SAP: 7463122

USB-A charging adapter  
EU CEE 7/7 Europlug  
Charges 2 x faster than normal chargers  
MFI (made for iOS) certified factory

[vav.link/tc-pusbaeu-18](https://vav.link/tc-pusbaeu-18)

# CAT6 Ethernet Cables



## White CAT6 Cable

**0.5m (1.6ft)**  
TC 0.5MCAT6 / SAP: 3265140  
[vav.link/tc\\_0-5mcat6](https://vav.link/tc_0-5mcat6)

**2m (6.5ft)**  
TC 2MCAT6 / SAP: 3265142  
[vav.link/tc\\_2mcat6](https://vav.link/tc_2mcat6)

**5m (16.4ft)**  
TC 5MCAT6 / SAP: 3265147  
[vav.link/tc\\_5mcat6](https://vav.link/tc_5mcat6)

**1m (3.2ft)**  
TC 1MCAT6 / SAP: 3265141  
[vav.link/tc\\_1mcat6](https://vav.link/tc_1mcat6)

**3m (9.8ft)**  
TC 3MCAT6 / SAP: 3265146  
[vav.link/tc\\_3mcat6](https://vav.link/tc_3mcat6)

**10m (32.8ft)**  
TC 10MCAT6 / SAP: 3265148  
[vav.link/tc\\_10mcat6](https://vav.link/tc_10mcat6)



## Black CAT6 Cable

**0.5m (1.6ft)**  
TC 0.5MCAT6/BL / SAP: 4911589  
[vav.link/tc\\_0-5mcat6-bl](https://vav.link/tc_0-5mcat6-bl)

**10m (32.8ft)**  
TC 10MCAT6/BL / SAP: 4911594  
[vav.link/tc\\_10mcat6-bl](https://vav.link/tc_10mcat6-bl)

**3m (9.8ft)**  
TC 3MCAT6/BL / SAP: 4911592  
[vav.link/tc\\_3mcat6-bl](https://vav.link/tc_3mcat6-bl)

**1m (3.2ft)**  
TC 1MCAT6/BL / SAP: 4911590  
[vav.link/tc\\_1mcat6-bl](https://vav.link/tc_1mcat6-bl)

**2m (6.5ft)**  
TC 2MCAT6/BL / SAP: 4911591  
[vav.link/tc\\_2mcat6-bl](https://vav.link/tc_2mcat6-bl)

**5m (16.4ft)**  
TC 5MCAT6/BL / SAP: 4911593  
[vav.link/tc\\_5mcat6-bl](https://vav.link/tc_5mcat6-bl)



## White USB-C to Ethernet Adaptor

TC-USBCETH / SAP: 4322273

Converts a USB port on a laptop into an RJ45 Ethernet port.

[vav.link/tc-usbceth](https://vav.link/tc-usbceth)



## Black USB-C to Ethernet Adaptor

TC-USBCETH/BL / SAP: 4979314

Converts a USB port on a laptop into an RJ45 Ethernet port.

[vav.link/tc-usbceth-bl](https://vav.link/tc-usbceth-bl)



## White USB 3.0 to Ethernet Adaptor

TC-USBETH / SAP: 3265218

100/1000 Mbps

[vav.link/tc-usbeth](https://vav.link/tc-usbeth)



## Black USB 3.0 to Ethernet Adaptor

TC-USBETH/BL / SAP: 4979136

100/1000 Mbps

[vav.link/tc-usbeth-bl](https://vav.link/tc-usbeth-bl)



# HDMI Cables & Adaptors



Lifetime warranty



## White HDMI Cable

High-Speed White HDMI Cable with Ethernet. Compact gold-plated connector. Tested to Category 2.

**0.5m (1.6ft)**

TC 0.5MHDMI / SAP: 3058973

[vav.link/tc\\_0-5mhdmi](https://vav.link/tc_0-5mhdmi)

**1.5m (4.9ft)**

TC 1.5MHDMI / SAP: 4500873

[vav.link/tc\\_1-5mhdmi](https://vav.link/tc_1-5mhdmi)

**3m (9.8ft)**

TC2 3MHDMI / SAP: 3000666

[vav.link/tc2\\_3mhdmi](https://vav.link/tc2_3mhdmi)

**10m (32.8ft)**

TC2 10MHDMI / SAP: 2746864

[vav.link/tc2\\_10mhdmi](https://vav.link/tc2_10mhdmi)

**20m (65.6ft)**

TC 20MHDMI+ / SAP: 4842771

[vav.link/tc\\_20mhdmiplus](https://vav.link/tc_20mhdmiplus)

**1m (3.2ft)**

TC 1MHDMI / SAP: 3058974

[vav.link/tc\\_1mhdmi](https://vav.link/tc_1mhdmi)

**2m (6.5ft)**

TC 2MHDMI / SAP: 3265151

[vav.link/tc\\_2mhdmi](https://vav.link/tc_2mhdmi)

**5m (16.4ft)**

TC2 5MHDMI / SAP: 2746863

[vav.link/tc2\\_5mhdmi](https://vav.link/tc2_5mhdmi)

**15m (49.2ft)**

TC2 15MHDMI / SAP: 2746865

[vav.link/tc2\\_15mhdmi](https://vav.link/tc2_15mhdmi)

**30m (98.4ft)**

TC 30MHDMI+ / SAP: 4842772



## White USB-C to HDMI Cable

On one end: HDMI - plugs into a display device.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

**2m (6.5ft)**

TC 2MUSBCHDMI / SAP: 4322266

[vav.link/tc\\_2musbchdmi](https://vav.link/tc_2musbchdmi)

**3m (9.8ft)**

TC 3MUSBCHDMI / SAP: 4322274

[vav.link/tc\\_3musbchdmi](https://vav.link/tc_3musbchdmi)

# HDMI Cables & Adaptors



## Black HDMI Cable

High-Speed Black HDMI Cable with Ethernet. Compact gold-plated connector. Tested to Category 2.

0.5m (1.6ft)  
TC 0.5MHDMI/BL / SAP: 4911595  
[vav.link/tc\\_0-5mhdmi-bl](https://vav.link/tc_0-5mhdmi-bl)

1.5m (4.9ft)  
TC 1.5MHDMI/BL / SAP: 4911597  
[vav.link/tc\\_1-5mhdmi-bl](https://vav.link/tc_1-5mhdmi-bl)

3m (9.8ft)  
TC 3MHDMI/BL / SAP: 4911599  
[vav.link/tc\\_3mhdmi-bl](https://vav.link/tc_3mhdmi-bl)

10m (32.8ft)  
TC 10MHDMI/BL / SAP: 4911601  
[vav.link/tc\\_10mhdmi-bl](https://vav.link/tc_10mhdmi-bl)

1m (3.2ft)  
TC 1MHDMI/BL / SAP: 4911596  
[vav.link/tc\\_1mhdmi-bl](https://vav.link/tc_1mhdmi-bl)

2m (6.5ft)  
TC 2MHDMI/BL / SAP: 4911598  
[vav.link/tc\\_2mhdmi-bl](https://vav.link/tc_2mhdmi-bl)

5m (16.4ft)  
TC 5MHDMI/BL / SAP: 4911600  
[vav.link/tc\\_5mhdmi-bl](https://vav.link/tc_5mhdmi-bl)

15m (49.2ft)  
TC 15MHDMI/BL / SAP: 4911602  
[vav.link/tc\\_15mhdmi-bl](https://vav.link/tc_15mhdmi-bl)



## Black DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/BL / SAP: 4911607

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

[vav.link/tc\\_1mdphdmi-bl](https://vav.link/tc_1mdphdmi-bl)



## Black DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/BL / SAP: 4911608

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

[vav.link/tc\\_2mdphdmi-bl](https://vav.link/tc_2mdphdmi-bl)



## Black DisplayPort to HDMI Adaptor

TC-DPHDMI/BL / SAP: 4979292

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

[vav.link/tc-dphdmi-bl](https://vav.link/tc-dphdmi-bl)



## White HDMI to VGA Adaptor

TC-HDMIVGA / SAP: 4191274

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

[vav.link/tc-hdmivga](https://vav.link/tc-hdmivga)

# HDMI Cables & Adaptors



## Black HDMI to VGA Adaptor

TC-HDMIVGA/BL / SAP: 4979146

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

[vav.link/tc-hdmivga-bl](https://vav.link/tc-hdmivga-bl)



## Black Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/BL / SAP: 4979147

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

[vav.link/tc-mdphdmi-bl](https://vav.link/tc-mdphdmi-bl)



## Black mDP/DP/mHDMI/USB-C to HDMI Adaptor

TC-MULTIHDMI/BL / SAP: 4979148

Four adaptors on a tether:  
MiniDisplayPort to HDMI  
DisplayPort to HDMI  
Mini-HDMI to HDMI (bi-directional)  
USB-C to HDMI

[vav.link/tc-multihdmi-bl](https://vav.link/tc-multihdmi-bl)



## White USB-C to HDMI Adaptor

TC-USBCHDMI / SAP: 4322271

Supports AMD Eyefinity and NVIDIA technology

[vav.link/tc-usbchdmi](https://vav.link/tc-usbchdmi)



## Black USB-C to HDMI Adaptor

TC-USBCHDMI/BL / SAP: 4979315

Supports AMD Eyefinity and NVIDIA technology

[vav.link/tc-usbchdmi-bl](https://vav.link/tc-usbchdmi-bl)



## Black USB 3.0 to HDMI Adaptor

TC-USBHDMI / SAP: 4322270

Connects the USB 3.0 port on a laptop to a display device.

[vav.link/tc-usbhdmi](https://vav.link/tc-usbhdmi)



## Black USB-C to HDMI Cable 2m (6.5ft)

TC 2MUSBCHDMI/BL / SAP: 4911626

On one end: HDMI - plugs into a display device.  
On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

[vav.link/tc\\_2musbchdmi-bl](https://vav.link/tc_2musbchdmi-bl)

# USB-C Cables & Adaptors



## White USB-C to HDMI Cable

On one end: HDMI - plugs into a display device.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

**2m (6.5ft)**

TC 2MUSBCHDMI / SAP: 4322266

[vav.link/tc\\_2musbchdmi](https://vav.link/tc_2musbchdmi)

**3m (9.8ft)**

TC 3MUSBCHDMI / SAP: 4322274

[vav.link/tc\\_3musbchdmi](https://vav.link/tc_3musbchdmi)



## White USB-C to USB 3.0A Cable

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

**1m (3.2ft)**

TC 1MUSBCA / SAP: 4322261

[vav.link/tc\\_1musbca](https://vav.link/tc_1musbca)

**2m (6.5ft)**

TC 2MUSBCA / SAP: 4322262

[vav.link/tc\\_2musbca](https://vav.link/tc_2musbca)

**3m (9.8ft)**

TC 3MUSBCA / SAP: 4322263

[vav.link/tc\\_3musbca](https://vav.link/tc_3musbca)



## White USB-C Cable

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal.

This type also supports the Thunderbolt 3.0 signal, which now uses a USB-C cable (Note: Bandwidth only goes up to 10 Gbps, as with most USB-C cables).

**1m (3.2ft)**

TC 1MUSBC / SAP: 4322264

[vav.link/tc\\_1musbc](https://vav.link/tc_1musbc)

**1.5m (4.9ft)**

TC 1.5MUSBC / SAP: 4322265

[vav.link/tc\\_1-5musbc](https://vav.link/tc_1-5musbc)

**4m (13.1ft)**

TC 4MUSBC / SAP: 4880388

[vav.link/tc\\_4musbc](https://vav.link/tc_4musbc)

# USB-C Cables & Adaptors



## White USB-C to USB 3.0A Adaptor

TC-USBC3A / SAP: 4322267

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

[vav.link/tc-usbc3a](https://vav.link/tc-usbc3a)



## Black USB-C to USB 3.0A Adaptor

TC-USBC3A/BL / SAP: 4979313

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

[vav.link/tc-usbc3a-bl](https://vav.link/tc-usbc3a-bl)



## USB-3.0A M to USB-C F Adaptor

TC-USB3AC/BL / SAP: 5535560

Plugs into the USB 3.0 port on a laptop to provide a USB 3.1 (USB-C) socket so that newer peripherals can be used.

[vav.link/tc-usb3ac-bl](https://vav.link/tc-usb3ac-bl)



## White USB-C to Ethernet Adaptor

TC-USBCETH / SAP: 4322273

Converts a USB port on a laptop into an RJ45 Ethernet port.

[vav.link/tc-usbceth](https://vav.link/tc-usbceth)



## Black USB-C to Ethernet Adaptor

TC-USBCETH/BL / SAP: 4979314

Converts a USB port on a laptop into an RJ45 Ethernet port.

[vav.link/tc-usbceth-bl](https://vav.link/tc-usbceth-bl)



## White USB-C to HDMI Adaptor

TC-USBCHDMI / SAP: 4322271

Supports AMD Eyefinity and NVIDIA technology

[vav.link/tc-usbchdmi](https://vav.link/tc-usbchdmi)



## Black USB-C to HDMI Adaptor

TC-USBCHDMI/BL / SAP: 4979315

Supports AMD Eyefinity and NVIDIA technology

[vav.link/tc-usbchdmi-bl](https://vav.link/tc-usbchdmi-bl)



## USB-C RS-232 Serial Adaptor

TC-USBCSER/BL / SAP: 5696996

Converts a USB-C port on a computer into a 9-pin serial port for RS-232 control applications.

[vav.link/tc-usbcser-bl](https://vav.link/tc-usbcser-bl)



## Black USB-C to VGA Adaptor

TC-USBCVGA/BL / SAP: 4979135

Connects the USB-C port on a laptop to a display device.

[vav.link/tc-usbcvga-bl](https://vav.link/tc-usbcvga-bl)



## USB-C 30W Charger with EU Plug

TC-PUSBCEU/30 / SAP: 7407487

USB-C charging adapter  
EU CEE 7/7 Europlug  
MFI (made for iOS) certified factory  
Outputs 30w for fast charging

[vav.link/tc-pusbceu-30](https://vav.link/tc-pusbceu-30)

# USB-C Cables & Adaptors



## Black USB-C to USB 3.0A Cable 1m (3.2ft)

TC 1MUSBCA/BL / SAP: 4911624

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

[vav.link/tc\\_1musbca-bl](https://vav.link/tc_1musbca-bl)



## Black USB-C to USB 3.0A Cable 2m (6.5ft)

TC 2MUSBCA/BL / SAP: 4911625

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

[vav.link/tc\\_2musbca-bl](https://vav.link/tc_2musbca-bl)



## 2m Black USB-C to USB-3.0B Cable

TC 2MUSBCB/BL / SAP: 6334563

On one end: USB C - plugs into your laptop. The new smaller reversible USB plug supports USB version 3.1.

On the other end: USB B - plugs into a peripheral, such as a printer or interactive display. Supports USB version 3.0.

[vav.link/tc\\_2musbcb-bl](https://vav.link/tc_2musbcb-bl)



## Black USB-C Cable 1m (3.2ft)

TC 1MUSBC/BL / SAP: 4986194

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.2 Gen 1 signal.

[vav.link/tc\\_1musbc-bl](https://vav.link/tc_1musbc-bl)



## 2m White USB-C Cable

TC 2MUSBC / SAP: 8316006

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.2 Gen 1 signal.

[vav.link/tc\\_2musbc](https://vav.link/tc_2musbc)



## 2m Black USB-C Cable

TC 2MUSBC/BL / SAP: 5808558

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.2 Gen 1 signal.

[vav.link/tc\\_2musbc-bl](https://vav.link/tc_2musbc-bl)



## White USB-C Extension Cable 2m (6.5ft)

TC 2MUSBCEXT / SAP: 4880385

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.2 Gen 1 signal.

[vav.link/tc\\_2musbcext](https://vav.link/tc_2musbcext)



## Black USB-C to HDMI Cable 2m (6.5ft)

TC 2MUSBCHDMI/BL / SAP: 4911626

On one end: HDMI - plugs into a display device. On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

[vav.link/tc\\_2musbchdmi-bl](https://vav.link/tc_2musbchdmi-bl)

# Power Cables



Lifetime  
warranty



## 3m Black EU Cloverleaf Power cabl

TC 3MEUCVLF/BL / SAP: 7296545

[vav.link/tc\\_3meucvlf-bl](https://vav.link/tc_3meucvlf-bl)



## 3m Black UK Cloverleaf Power cable

TC 3MUKCVLF/BL / SAP: 7296544

[vav.link/tc\\_3mukcvlf-bl](https://vav.link/tc_3mukcvlf-bl)



## White UK Figure-8 Power Cable 0.5m (1.6ft)

TC 0.5MUKF8 / SAP: 4592993

Informally known as "Figure-8"

[vav.link/tc\\_0-5mukf8](https://vav.link/tc_0-5mukf8)

# Serial Cables & Adaptors



## USB-C RS-232 Serial Adaptor

TC-USBCSER/BL / SAP: 5696996

Converts a USB-C port on a computer into a 9-pin serial port for RS-232 control applications.

[vav.link/tc-usbcser-bl](https://vav.link/tc-usbcser-bl)



## Black USB 2.0 to 9-Pin RS-232 Serial Adaptor

TC-USBSER / SAP: 3265219

Converts a USB port on a computer into a 9-pin serial port for RS-232 control applications.

[vav.link/tc-usbser](https://vav.link/tc-usbser)





## White VGA Cable

Plugs into the VGA socket on your computer - which is often blue - and connects to a display device at the other end.

For VGA cables pre-terminated for Vision's Techconnect Modular Faceplate click [here](#).

### 1m (3.2ft)

TC 1MVGAP / SAP: 3546047

[vav.link/tc\\_1mvgap](https://vav.link/tc_1mvgap)

### 3m (9.8ft)

TC 3MVGAP / SAP: 3265175

[vav.link/tc\\_3mvgap](https://vav.link/tc_3mvgap)

### 10m (32.8ft)

TC 10MVGAP / SAP: 3480006

[vav.link/tc\\_10mvgap](https://vav.link/tc_10mvgap)

### 20m (65.6ft)

TC 20MVGAP / SAP: 3480008

[vav.link/tc\\_20mvgap](https://vav.link/tc_20mvgap)

### 2m (6.5ft)

TC 2MVGAP / SAP: 3265174

[vav.link/tc\\_2mvgap](https://vav.link/tc_2mvgap)

### 5m (16.4ft)

TC 5MVGAP / SAP: 3265176

[vav.link/tc\\_5mvgap](https://vav.link/tc_5mvgap)

### 15m (49.2ft)

TC 15MVGAP / SAP: 3480007

[vav.link/tc\\_15mvgap](https://vav.link/tc_15mvgap)

## White VGA to Phoenix Cable

A moulded connector on one end, and a male phoenix connector on the other end which can be plugged directly into the rear of module.



3m (9.8ft)  
TC2 3MVGA / SAP: 3000667

10m (33 ft)  
TC2 10MVGA / SAP: 1461166  
[vav.link/tc2\\_10mvga](https://vav.link/tc2_10mvga)

20m (65.6ft)  
TC2 20MVGA / SAP: 1461174  
[vav.link/tc2\\_20mvga](https://vav.link/tc2_20mvga)

5m (16 ft)  
TC2 5MVGA / SAP: 2042118  
[vav.link/tc2\\_5mvga](https://vav.link/tc2_5mvga)

15m (49.2ft)  
TC2 15MVGA / SAP: 1461168  
[vav.link/tc2\\_15mvga](https://vav.link/tc2_15mvga)

## Black VGA Cable

Plugs into the VGA socket on your computer - which is often blue - and connects to a display device at the other end.

For VGA cables pre-terminated for Vision's Techconnect Modular Faceplate click [here](#).



1m (3.2ft)  
TC 1MVGAP/BL / SAP: 4911609  
[vav.link/tc\\_1mvgap-bl](https://vav.link/tc_1mvgap-bl)

3m (9.8ft)  
TC 3MVGAP/BL / SAP: 4911611  
[vav.link/tc\\_3mvgap-bl](https://vav.link/tc_3mvgap-bl)

10m (32.8ft)  
TC 10MVGAP/BL / SAP: 4911613  
[vav.link/tc\\_10mvgap-bl](https://vav.link/tc_10mvgap-bl)

2m (6.5ft)  
TC 2MVGAP/BL / SAP: 4911610  
[vav.link/tc\\_2mvgap-bl](https://vav.link/tc_2mvgap-bl)

5m (16.4ft)  
TC 5MVGAP/BL / SAP: 4911612  
[vav.link/tc\\_5mvgap-bl](https://vav.link/tc_5mvgap-bl)

15m (49.2ft)  
TC 15MVGAP/BL / SAP: 4911614  
[vav.link/tc\\_15mvgap-bl](https://vav.link/tc_15mvgap-bl)

## White Mini-DisplayPort to VGA Adaptor

TC-MDPVGA / SAP: 3265173

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

[vav.link/tc-mdpvga](https://vav.link/tc-mdpvga)



## White DisplayPort to VGA Adaptor

TC-DPVGA / SAP: 4507453

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

[vav.link/tc-dpvga](https://vav.link/tc-dpvga)



# VGA Cables & Adaptors



## Black DisplayPort to VGA Adaptor

TC-DPVGA/BL / SAP: 4979137

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

[vav.link/tc-dpvga-bl](https://vav.link/tc-dpvga-bl)



## Black HDMI to VGA Adaptor

TC-HDMIVGA/BL / SAP: 4979146

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

[vav.link/tc-hdmivga-bl](https://vav.link/tc-hdmivga-bl)



## Black USB-C to VGA Adaptor

TC-USBCVGA/BL / SAP: 4979135

Connects the USB-C port on a laptop to a display device.

[vav.link/tc-usbcvga-bl](https://vav.link/tc-usbcvga-bl)



## White HDMI to VGA Adaptor

TC-HDMIVGA / SAP: 4191274

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

[vav.link/tc-hdmivga](https://vav.link/tc-hdmivga)



## Black Mini-DisplayPort to VGA Adaptor

TC-MDPVGA/BL / SAP: 4979356

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

[vav.link/tc-mdpvga-bl](https://vav.link/tc-mdpvga-bl)







## Black USB 3.0 to VGA Adaptor

TC-USBVGA / SAP: 4322269




Connects the USB A port on a laptop to a display device.

[vav.link/tc-usbvga](https://vav.link/tc-usbvga)



## Audio Cables

Product	Part Number	Info	Link
 White Minijack Cable 2m (6.6ft)	TC 2M3.5MMP	<b>Colour:</b> White <b>Connector:</b> Minijack (male) <b>Length:</b> 1m (3ft); 2m (7ft)	<a href="https://vav.link/tc_2m3-5mmp">vav.link/tc_2m3-5mmp</a>
 White Minijack Cable 3m (9.8ft)	TC 3M3.5MMP	<b>Colour:</b> White <b>Connector:</b> Minijack (male) <b>Length:</b> 3m (10ft)	<a href="https://vav.link/tc_3m3-5mmp">vav.link/tc_3m3-5mmp</a>
 White Minijack Cable 5m (16.4ft)	TC 5M3.5MMP	<b>Colour:</b> White <b>Connector:</b> Minijack (male) <b>Length:</b> 5m (16ft)	<a href="https://vav.link/tc_5m3-5mmp">vav.link/tc_5m3-5mmp</a>
 White Minijack Cable 10m (32.8ft)	TC 10M3.5MMP	<b>Colour:</b> White <b>Connector:</b> Minijack (male) <b>Length:</b> 10m (33ft)	<a href="https://vav.link/tc_10m3-5mmp">vav.link/tc_10m3-5mmp</a>










## DisplayPort Cable & Adaptors

Product	Part Number	Info	Link
 White DisplayPort Cable 2m (6.6ft)	TC 2MDP	<b>Colour:</b> White <b>Connector:</b> DisplayPort (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2mdp">vav.link/tc_2mdp</a>
 Black DisplayPort Cable 2m (6.6ft)	TC 2MDP/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2mdp-bl">vav.link/tc_2mdp-bl</a>
 Black DisplayPort Cable 3m (9.8ft)	TC 3MDP/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male) <b>Length:</b> 3m (10ft)	<a href="https://vav.link/tc_3mdp-bl">vav.link/tc_3mdp-bl</a>
 Black DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male); HDMI (male) <b>Length:</b> 1m (3ft)	<a href="https://vav.link/tc_1mdphdmi-bl">vav.link/tc_1mdphdmi-bl</a>
 Black DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male); HDMI (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2mdphdmi-bl">vav.link/tc_2mdphdmi-bl</a>
 White Mini-DisplayPort to VGA Adaptor	TC-MDPVGA	<b>Colour:</b> White <b>Connector:</b> MiniDisplayPort (male); VGA (female) <b>Length:</b> 220mm (8.7")	<a href="https://vav.link/tc-mdpvga">vav.link/tc-mdpvga</a>
 White DisplayPort to VGA Adaptor	TC-DPVGA	<b>Colour:</b> White <b>Connector:</b> DisplayPort (male); VGA (female) <b>Length:</b> 220mm (8.7")	<a href="https://vav.link/tc-dpvga">vav.link/tc-dpvga</a>
 Black DisplayPort to HDMI Adaptor	TC-DPHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male); HDMI (female) <b>Length:</b> 225mm (8.9")	<a href="https://vav.link/tc-dphdmi-bl">vav.link/tc-dphdmi-bl</a>
 Black DisplayPort to VGA Adaptor	TC-DPVGA/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male); VGA (female)	<a href="https://vav.link/tc-dpvga-bl">vav.link/tc-dpvga-bl</a>














# DisplayPort Cable & Adaptors

Product	Part Number	Info	Link
	TC-MDPHDMI/BL	<b>Length:</b> 220mm (8.7")	
Black Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (female); MiniDisplayPort (male) <b>Length:</b> 225mm (8.9")	<a href="http://vav.link/tc-mdphdmi-bl">vav.link/tc-mdphdmi-bl</a>
	TC-MDPVGA/BL	<b>Colour:</b> Black <b>Connector:</b> MiniDisplayPort (male); VGA (female) <b>Length:</b> 220mm (8.7")	<a href="http://vav.link/tc-mdpvga-bl">vav.link/tc-mdpvga-bl</a>
Black Mini-DisplayPort to VGA Adaptor	TC-MDPVGA/BL	<b>Colour:</b> Black <b>Connector:</b> MiniDisplayPort (male); VGA (female) <b>Length:</b> 220mm (8.7")	<a href="http://vav.link/tc-mdpvga-bl">vav.link/tc-mdpvga-bl</a>

# USB Cables & Adaptors

Product	Part Number	Info	Link
	TC 1MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 1m (3ft)	<a href="http://vav.link/tc_1musb">vav.link/tc_1musb</a>
White USB 2.0 Cable 1m (3.2ft)	TC 1MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 1m (3ft)	<a href="http://vav.link/tc_1musb">vav.link/tc_1musb</a>
	TC 1MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 1m (3ft)	<a href="http://vav.link/tc_1musb-bl">vav.link/tc_1musb-bl</a>
Black USB 2.0 Cable 1m (3.2ft)	TC 1MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 1m (3ft)	<a href="http://vav.link/tc_1musb-bl">vav.link/tc_1musb-bl</a>
	TC 2MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 2m (7ft)	<a href="http://vav.link/tc_2musb">vav.link/tc_2musb</a>
White USB 2.0 Cable 2m (6.5ft)	TC 2MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 2m (7ft)	<a href="http://vav.link/tc_2musb">vav.link/tc_2musb</a>
	TC 2MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 2m (7ft)	<a href="http://vav.link/tc_2musb-bl">vav.link/tc_2musb-bl</a>
Black USB 2.0 Cable 2m (6.5ft)	TC 2MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 2m (7ft)	<a href="http://vav.link/tc_2musb-bl">vav.link/tc_2musb-bl</a>
	TC2 3MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 3m (10ft)	<a href="http://vav.link/tc2_3musb">vav.link/tc2_3musb</a>
White USB 2.0 Cable 3m (9.8ft)	TC2 3MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 3m (10ft)	<a href="http://vav.link/tc2_3musb">vav.link/tc2_3musb</a>
	TC 3MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 3m (10ft)	<a href="http://vav.link/tc_3musb-bl">vav.link/tc_3musb-bl</a>
Black USB 2.0 Cable 3m (9.8ft)	TC 3MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 3m (10ft)	<a href="http://vav.link/tc_3musb-bl">vav.link/tc_3musb-bl</a>
	TC2 5MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc2_5musb">vav.link/tc2_5musb</a>
White USB 2.0 Cable 5m (16.4ft)	TC2 5MUSB	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc2_5musb">vav.link/tc2_5musb</a>
	TC 5MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc_5musb-bl">vav.link/tc_5musb-bl</a>
Black USB 2.0 Cable 5m (16.4ft)	TC 5MUSB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc_5musb-bl">vav.link/tc_5musb-bl</a>
	TC 10MUSB+/2	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 10m (33ft)	<a href="http://vav.link/tc_10musbplus-2">vav.link/tc_10musbplus-2</a>
White USB 2.0 Cable 10m (32.8ft) with active booster	TC 10MUSB+/2	<b>Colour:</b> White <b>Connector:</b> USB-A (male); USB-B (male) <b>Length:</b> 10m (33ft)	<a href="http://vav.link/tc_10musbplus-2">vav.link/tc_10musbplus-2</a>

# USB Cables & Adaptors

Product	Part Number	Info	Link
 <p>Black USB 2.0 Cable 10m (32.8ft) with active booster</p>	TC 10MUSB+/BL/2	<p><b>Colour:</b> Black  <b>Connector:</b> USB-A (male); USB-B (male)  <b>Length:</b> 10m (33ft)</p>	<a href="https://vav.link/tc_10musbplus-bl-2">vav.link/tc_10musbplus-bl-2</a>
 <p>White USB 2.0 Cable 15m (49.2ft) with active booster</p>	TC 15MUSB+/2	<p><b>Colour:</b> White  <b>Connector:</b> USB-A (male); USB-B (male)  <b>Length:</b> 15m (49ft)</p>	<a href="https://vav.link/tc_15musbplus-2">vav.link/tc_15musbplus-2</a>
 <p>Black USB 2.0 Cable 15m (49.2ft) with active booster</p>	TC 15MUSB+/BL	<p><b>Colour:</b> Black  <b>Connector:</b> USB-A (male); USB-B (male)  <b>Length:</b> 15m (49ft)</p>	<a href="https://vav.link/tc_15musbplus-bl">vav.link/tc_15musbplus-bl</a>
 <p>Black USB 2.0 Cable 15m (49.2ft) with active booster</p>	TC 15MUSB+/BL/2	<p><b>Colour:</b> Black  <b>Connector:</b> USB-A (male); USB-B (male)  <b>Length:</b> 15m (49ft)</p>	<a href="https://vav.link/tc_15musbplus-bl-2">vav.link/tc_15musbplus-bl-2</a>
 <p>Black USB 2.0 Extension Cable 2m (6.5ft)</p>	TC 2MUSBEXT/BL	<p><b>Colour:</b> Black  <b>Connector:</b> USB-A (male); USB-A (female)  <b>Length:</b> 2m (7ft)</p>	<a href="https://vav.link/tc_2musbext-bl">vav.link/tc_2musbext-bl</a>
 <p>White USB 2.0 Extension Cable 5m (16.4ft) with active booster</p>	TC 5MUSBEXT+	<p><b>Colour:</b> White  <b>Connector:</b> USB-A (male); USB-A (female)  <b>Length:</b> 5m (16ft)</p>	<a href="https://vav.link/tc_5musbextplus">vav.link/tc_5musbextplus</a>
 <p>Black USB 2.0 Extension Cable 5m (16.4ft) with active booster</p>	TC 5MUSBEXT+/BL	<p><b>Colour:</b> Black  <b>Connector:</b> USB-A (male); USB-A (female)  <b>Length:</b> 5m (16ft)</p>	<a href="https://vav.link/tc_5musbextplus-bl">vav.link/tc_5musbextplus-bl</a>
 <p>White USB-C to USB 3.0A Cable 1m (3.2ft)</p>	TC 1MUSBCA	<p><b>Colour:</b> White  <b>Connector:</b> USB-C (male); USB-A (male)  <b>Length:</b> 1m (3ft)</p>	<a href="https://vav.link/tc_1musbca">vav.link/tc_1musbca</a>
 <p>Black USB-C to USB 3.0A Cable 1m (3.2ft)</p>	TC 1MUSBCA/BL	<p><b>Colour:</b> Black  <b>Connector:</b> USB-C (male); USB-A (male)  <b>Length:</b> 1m (3ft)</p>	<a href="https://vav.link/tc_1musbca-bl">vav.link/tc_1musbca-bl</a>
 <p>White USB-C to USB 3.0A Cable 2m (6.5ft)</p>	TC 2MUSBCA	<p><b>Colour:</b> White  <b>Connector:</b> USB-C (male); USB-A (male)  <b>Length:</b> 2m (7ft)</p>	<a href="https://vav.link/tc_2musbca">vav.link/tc_2musbca</a>
 <p>Black USB-C to USB 3.0A Cable 2m (6.5ft)</p>	TC 2MUSBCA/BL	<p><b>Colour:</b> Black  <b>Connector:</b> USB-C (male); USB-A (male)  <b>Length:</b> 2m (7ft)</p>	<a href="https://vav.link/tc_2musbca-bl">vav.link/tc_2musbca-bl</a>
 <p>2m Black USB-C to USB-3.0B Cable</p>	TC 2MUSBCB/BL	<p><b>Colour:</b> Black  <b>Connector:</b> USB-C (male); USB-B (male)  <b>Length:</b> 2m (7ft)</p>	<a href="https://vav.link/tc_2musbcb-bl">vav.link/tc_2musbcb-bl</a>
 <p>White USB-C to USB 3.0A Adaptor</p>	TC-USBC3A	<p><b>Colour:</b> White</p>	<a href="https://vav.link/tc-usbc3a">vav.link/tc-usbc3a</a>

## USB Cables & Adaptors

Product	Part Number	Info	Link	
	Black USB-C to USB 3.0A Adaptor	TC-USBC3A/BL	<b>Connector:</b> USB-C (male); USB-A (female)	<a href="https://vav.link/tc-usbc3a-bl">vav.link/tc-usbc3a-bl</a>
	USB-3.0A M to USB-C F Adaptor	TC-USB3AC/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); USB-A (female)	<a href="https://vav.link/tc-usb3ac-bl">vav.link/tc-usb3ac-bl</a>
	Black USB 3.0 to HDMI Adaptor	TC-USBHDMI	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); HDMI (female) <b>Length:</b> 260mm (10")	<a href="https://vav.link/tc-usbhdm">vav.link/tc-usbhdm</a>
	Black USB 3.0 to VGA Adaptor	TC-USBVGA	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); VGA (female) <b>Length:</b> 230mm (9.1")	<a href="https://vav.link/tc-usbvga">vav.link/tc-usbvga</a>
	White USB 3.0 to Ethernet Adaptor	TC-USBETH	<b>Colour:</b> White <b>Connector:</b> USB-A (male); RJ45 (female)	<a href="https://vav.link/tc-usbeth">vav.link/tc-usbeth</a>
	Black USB 3.0 to Ethernet Adaptor	TC-USBETH/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); RJ45 (female)	<a href="https://vav.link/tc-usbeth-bl">vav.link/tc-usbeth-bl</a>
	Black USB 2.0 to 9-Pin RS-232 Serial Adaptor	TC-USBSER	<b>Colour:</b> Black <b>Connector:</b> Serial (male); USB-B (male) <b>Length:</b> 85 mm (3.4")	<a href="https://vav.link/tc-usbser">vav.link/tc-usbser</a>
	USB-A 18W Charger with EU Plug	TC-PUSBAEU/18		<a href="https://vav.link/tc-pusbaeu-18">vav.link/tc-pusbaeu-18</a>

## CAT6 Ethernet Cables

Product	Part Number	Info	Link	
	White CAT6 Cable 0.5m (1.6ft)	TC 0.5MCAT6	<b>Colour:</b> White <b>Connector:</b> RJ45 (male) <b>Length:</b> 0.5m (1.6ft)	<a href="https://vav.link/tc_0-5mcat6">vav.link/tc_0-5mcat6</a>
	White CAT6 Cable 1m (3.2ft)	TC 1MCAT6	<b>Colour:</b> White <b>Connector:</b> RJ45 (male) <b>Length:</b> 1m (3ft)	<a href="https://vav.link/tc_1mcat6">vav.link/tc_1mcat6</a>
	White CAT6 Cable 2m (6.5ft)	TC 2MCAT6	<b>Colour:</b> White <b>Connector:</b> RJ45 (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2mcat6">vav.link/tc_2mcat6</a>
	White CAT6 Cable 3m (9.8ft)	TC 3MCAT6	<b>Colour:</b> White <b>Connector:</b> RJ45 (male) <b>Length:</b> 3m (10ft)	<a href="https://vav.link/tc_3mcat6">vav.link/tc_3mcat6</a>
	White CAT6 Cable 5m (16.4ft)	TC 5MCAT6	<b>Colour:</b> White <b>Connector:</b> RJ45 (male) <b>Length:</b> 5m (16ft)	<a href="https://vav.link/tc_5mcat6">vav.link/tc_5mcat6</a>

## CAT6 Ethernet Cables
















Product	Part Number	Info	Link
 Black CAT6 Cable 1m (3.2ft)	TC 1MCAT6/BL	<b>Colour:</b> Black <b>Connector:</b> RJ45 (male) <b>Length:</b> 1m (3ft)	<a href="https://vav.link/tc_1mcat6-bl">vav.link/tc_1mcat6-bl</a>
 Black CAT6 Cable 2m (6.5ft)	TC 2MCAT6/BL	<b>Colour:</b> Black <b>Connector:</b> RJ45 (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2mcat6-bl">vav.link/tc_2mcat6-bl</a>
 Black CAT6 Cable 3m (9.8ft)	TC 3MCAT6/BL	<b>Colour:</b> Black <b>Connector:</b> RJ45 (male) <b>Length:</b> 3m (10ft)	<a href="https://vav.link/tc_3mcat6-bl">vav.link/tc_3mcat6-bl</a>
 Black CAT6 Cable 5m (16.4ft)	TC 5MCAT6/BL	<b>Colour:</b> Black <b>Connector:</b> RJ45 (male) <b>Length:</b> 5m (16ft)	<a href="https://vav.link/tc_5mcat6-bl">vav.link/tc_5mcat6-bl</a>
 White USB-C to Ethernet Adaptor	TC-USBCETH	<b>Colour:</b> White <b>Connector:</b> USB-C (male); RJ45 (female) <b>Length:</b> 200mm (7.9")	<a href="https://vav.link/tc-usbceth">vav.link/tc-usbceth</a>
 White USB 3.0 to Ethernet Adaptor	TC-USBETH	<b>Colour:</b> White <b>Connector:</b> USB-A (male); RJ45 (female)	<a href="https://vav.link/tc-usbeth">vav.link/tc-usbeth</a>
 Black USB-C to Ethernet Adaptor	TC-USBCETH/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); RJ45 (female) <b>Length:</b> 200mm (7.9")	<a href="https://vav.link/tc-usbceth-bl">vav.link/tc-usbceth-bl</a>
 Black USB 3.0 to Ethernet Adaptor	TC-USBETH/BL	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); RJ45 (female)	<a href="https://vav.link/tc-usbeth-bl">vav.link/tc-usbeth-bl</a>

## HDMI Cables & Adaptors

Product	Part Number	Info	Link
 White HDMI Cable 0.5m (1.6ft)	TC 0.5MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 0.5m (1.6ft)	<a href="https://vav.link/tc_0-5mhdmi">vav.link/tc_0-5mhdmi</a>
 White HDMI Cable 1m (3.2ft)	TC 1MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 1m (3ft)	<a href="https://vav.link/tc_1mhdmi">vav.link/tc_1mhdmi</a>
 White HDMI Cable 2m (6.5ft)	TC 2MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2mhdmi">vav.link/tc_2mhdmi</a>
 White HDMI Cable 3m (9.8ft)	TC2 3MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 3m (10ft)	<a href="https://vav.link/tc2_3mhdmi">vav.link/tc2_3mhdmi</a>
 White HDMI Cable 5m (16.4ft)	TC2 5MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 5m (16ft)	<a href="https://vav.link/tc2_5mhdmi">vav.link/tc2_5mhdmi</a>
 White HDMI Cable 10m (32.8ft)	TC2 10MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male)	<a href="https://vav.link/tc2_10mhdmi">vav.link/tc2_10mhdmi</a>



# HDMI Cables & Adaptors

Product	Part Number	Info	Link
 White HDMI Cable 15m (49.2ft)	TC2 15MHDMI	<b>Length:</b> 10m (33ft)	
 White HDMI Cable 15m (49.2ft)	TC2 15MHDMI	<b>Colour:</b> White <b>Connector:</b> HDMI (male) <b>Length:</b> 15m (49ft)	<a href="http://vav.link/tc2_15mhdmi">vav.link/tc2_15mhdmi</a>
 Black HDMI Cable 0.5m (1.6ft)	TC 0.5MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 0.5m (1.6ft)	<a href="http://vav.link/tc_0-5mhdmi-bl">vav.link/tc_0-5mhdmi-bl</a>
 Black HDMI Cable 1m (3.2ft)	TC 1MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 1m (3ft)	<a href="http://vav.link/tc_1mhdmi-bl">vav.link/tc_1mhdmi-bl</a>
 Black HDMI Cable 1.5m (4.9ft)	TC 1.5MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 1.5m (5ft)	<a href="http://vav.link/tc_1-5mhdmi-bl">vav.link/tc_1-5mhdmi-bl</a>
 Black HDMI Cable 2m (6.5ft)	TC 2MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 2m (7ft)	<a href="http://vav.link/tc_2mhdmi-bl">vav.link/tc_2mhdmi-bl</a>
 Black HDMI Cable 3m (9.8ft)	TC 3MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 3m (10ft)	<a href="http://vav.link/tc_3mhdmi-bl">vav.link/tc_3mhdmi-bl</a>
 Black HDMI Cable 5m (16.4ft)	TC 5MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 5m (16ft)	<a href="http://vav.link/tc_5mhdmi-bl">vav.link/tc_5mhdmi-bl</a>
 Black HDMI Cable 10m (32.8ft)	TC 10MHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male) <b>Length:</b> 10m (33ft)	<a href="http://vav.link/tc_10mhdmi-bl">vav.link/tc_10mhdmi-bl</a>
 Black DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male); HDMI (male) <b>Length:</b> 1m (3ft)	<a href="http://vav.link/tc_1mdphdmi-bl">vav.link/tc_1mdphdmi-bl</a>
 Black DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male); HDMI (male) <b>Length:</b> 2m (7ft)	<a href="http://vav.link/tc_2mdphdmi-bl">vav.link/tc_2mdphdmi-bl</a>
 Black USB-C to HDMI Cable 2m (6.5ft)	TC 2MUSBCHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); HDMI (male) <b>Length:</b> 2m (7ft)	<a href="http://vav.link/tc_2musbchdmi-bl">vav.link/tc_2musbchdmi-bl</a>
 White HDMI to VGA Adaptor	TC-HDMIVGA	<b>Colour:</b> White <b>Connector:</b> HDMI (male); VGA (female) <b>Length:</b> 230mm (9.1")	<a href="http://vav.link/tc-hdmivga">vav.link/tc-hdmivga</a>
 White USB-C to HDMI Adaptor	TC-USBCHDMI	<b>Colour:</b> White <b>Connector:</b> USB-C (male); HDMI (female) <b>Length:</b> 200mm (7.9")	<a href="http://vav.link/tc-usbchdmi">vav.link/tc-usbchdmi</a>
 Black DisplayPort to HDMI Adaptor	TC-DPHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male); HDMI (female)	<a href="http://vav.link/tc-dphdmi-bl">vav.link/tc-dphdmi-bl</a>














## HDMI Cables & Adaptors

Product	Part Number	Info	Link
	TC-HDMIVGA/BL	<b>Length:</b> 225mm (8.9")	
Black HDMI to VGA Adaptor	TC-HDMIVGA/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male); VGA (female) <b>Length:</b> 230mm (9.1")	<a href="https://vav.link/tc-hdmivga-bl">vav.link/tc-hdmivga-bl</a>
	TC-MDPHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (female); MiniDisplayPort (male) <b>Length:</b> 225mm (8.9")	<a href="https://vav.link/tc-mdphdmi-bl">vav.link/tc-mdphdmi-bl</a>
Black Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (female); MiniDisplayPort (male) <b>Length:</b> 225mm (8.9")	<a href="https://vav.link/tc-mdphdmi-bl">vav.link/tc-mdphdmi-bl</a>
	TC-MULTIHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); DisplayPort (male); HDMI (female); MiniHDMI (male); MiniDisplayPort (male)	<a href="https://vav.link/tc-multihdmi-bl">vav.link/tc-multihdmi-bl</a>
Black mDP/DP/mHDMI/USB-C to HDMI Adaptor	TC-MULTIHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); DisplayPort (male); HDMI (female); MiniHDMI (male); MiniDisplayPort (male)	<a href="https://vav.link/tc-multihdmi-bl">vav.link/tc-multihdmi-bl</a>
	TC-USBCHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); HDMI (female) <b>Length:</b> 200mm (7.9")	<a href="https://vav.link/tc-usbchdmi-bl">vav.link/tc-usbchdmi-bl</a>
Black USB-C to HDMI Adaptor	TC-USBCHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); HDMI (female) <b>Length:</b> 200mm (7.9")	<a href="https://vav.link/tc-usbchdmi-bl">vav.link/tc-usbchdmi-bl</a>
	TC-USBHDMI	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); HDMI (female) <b>Length:</b> 260mm (10")	<a href="https://vav.link/tc-usbhdm">vav.link/tc-usbhdm</a>
Black USB 3.0 to HDMI Adaptor	TC-USBHDMI	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); HDMI (female) <b>Length:</b> 260mm (10")	<a href="https://vav.link/tc-usbhdm">vav.link/tc-usbhdm</a>
	TC 2MUSBCHDMI	<b>Colour:</b> White <b>Connector:</b> USB-C (male); HDMI (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2musbchdmi">vav.link/tc_2musbchdmi</a>
White USB-C to HDMI 2m (6.5ft)	TC 2MUSBCHDMI	<b>Colour:</b> White <b>Connector:</b> USB-C (male); HDMI (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2musbchdmi">vav.link/tc_2musbchdmi</a>




## USB-C Cables & Adaptors

Product	Part Number	Info	Link
	TC 1MUSBCA	<b>Colour:</b> White <b>Connector:</b> USB-C (male); USB-A (male) <b>Length:</b> 1m (3ft)	<a href="https://vav.link/tc_1musbca">vav.link/tc_1musbca</a>
White USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA	<b>Colour:</b> White <b>Connector:</b> USB-C (male); USB-A (male) <b>Length:</b> 1m (3ft)	<a href="https://vav.link/tc_1musbca">vav.link/tc_1musbca</a>
	TC 2MUSBCA	<b>Colour:</b> White <b>Connector:</b> USB-C (male); USB-A (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2musbca">vav.link/tc_2musbca</a>
White USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA	<b>Colour:</b> White <b>Connector:</b> USB-C (male); USB-A (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2musbca">vav.link/tc_2musbca</a>
	TC 2MUSBC	<b>Colour:</b> White <b>Connector:</b> USB-C (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2musbc">vav.link/tc_2musbc</a>
2m White USB-C Cable	TC 2MUSBC	<b>Colour:</b> White <b>Connector:</b> USB-C (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2musbc">vav.link/tc_2musbc</a>
	TC 2MUSBCEXT	<b>Colour:</b> White <b>Connector:</b> USB-C (male); USB-C (female) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2musbcext">vav.link/tc_2musbcext</a>
White USB-C Extension Cable 2m (6.5ft)	TC 2MUSBCEXT	<b>Colour:</b> White <b>Connector:</b> USB-C (male); USB-C (female) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2musbcext">vav.link/tc_2musbcext</a>
	TC 4MUSBC	<b>Colour:</b> White <b>Connector:</b> USB-C (male) <b>Length:</b> 4m (13ft)	<a href="https://vav.link/tc_4musbc">vav.link/tc_4musbc</a>
White USB-C Cable 4m (13.1ft)	TC 4MUSBC	<b>Colour:</b> White <b>Connector:</b> USB-C (male) <b>Length:</b> 4m (13ft)	<a href="https://vav.link/tc_4musbc">vav.link/tc_4musbc</a>
	TC 1MUSBCA/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); USB-A (male)	<a href="https://vav.link/tc_1musbca-bl">vav.link/tc_1musbca-bl</a>
Black USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); USB-A (male)	<a href="https://vav.link/tc_1musbca-bl">vav.link/tc_1musbca-bl</a>




# USB-C Cables & Adaptors

Product	Part Number	Info	Link
		<b>Length:</b> 1m (3ft)	
 Black USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); USB-A (male) <b>Length:</b> 2m (7ft)	<a href="vav.link/tc_2musbca-bl">vav.link/tc_2musbca-bl</a>
 2m Black USB-C to USB-3.0B Cable	TC 2MUSBCB/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); USB-B (male) <b>Length:</b> 2m (7ft)	<a href="vav.link/tc_2musbcb-bl">vav.link/tc_2musbcb-bl</a>
 Black USB-C Cable 1m (3.2ft)	TC 1MUSBC/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male) <b>Length:</b> 1m (3ft)	<a href="vav.link/tc_1musbc-bl">vav.link/tc_1musbc-bl</a>
 2m Black USB-C Cable	TC 2MUSBC/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male) <b>Length:</b> 2m (7ft)	<a href="vav.link/tc_2musbc-bl">vav.link/tc_2musbc-bl</a>
 Black USB-C to HDMI Cable 2m (6.5ft)	TC 2MUSBCHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); HDMI (male) <b>Length:</b> 2m (7ft)	<a href="vav.link/tc_2musbchdmi-bl">vav.link/tc_2musbchdmi-bl</a>
 White USB-C to USB 3.0A Adaptor	TC-USBC3A	<b>Colour:</b> White <b>Connector:</b> USB-C (male); USB-A (female)	<a href="vav.link/tc-usbc3a">vav.link/tc-usbc3a</a>
 White USB-C to Ethernet Adaptor	TC-USBCETH	<b>Colour:</b> White <b>Connector:</b> USB-C (male); RJ45 (female) <b>Length:</b> 200mm (7.9")	<a href="vav.link/tc-usbceth">vav.link/tc-usbceth</a>
 White USB-C to HDMI Adaptor	TC-USBCHDMI	<b>Colour:</b> White <b>Connector:</b> USB-C (male); HDMI (female) <b>Length:</b> 200mm (7.9")	<a href="vav.link/tc-usbchdmi">vav.link/tc-usbchdmi</a>
 Black USB-C to USB 3.0A Adaptor	TC-USBC3A/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); USB-A (female)	<a href="vav.link/tc-usbc3a-bl">vav.link/tc-usbc3a-bl</a>
 Black USB-C to Ethernet Adaptor	TC-USBCETH/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); RJ45 (female) <b>Length:</b> 200mm (7.9")	<a href="vav.link/tc-usbceth-bl">vav.link/tc-usbceth-bl</a>
 Black USB-C to HDMI Adaptor	TC-USBCHDMI/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); HDMI (female) <b>Length:</b> 200mm (7.9")	<a href="vav.link/tc-usbchdmi-bl">vav.link/tc-usbchdmi-bl</a>
 Black USB-C to VGA Adaptor	TC-USBCVGA/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); VGA (female) <b>Length:</b> 200mm (7.9")	<a href="vav.link/tc-usbcvga-bl">vav.link/tc-usbcvga-bl</a>
 USB-3.0A M to USB-C F Adaptor	TC-USB3AC/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); USB-A (female)	<a href="vav.link/tc-usb3ac-bl">vav.link/tc-usb3ac-bl</a>



## USB-C Cables & Adaptors

Product	Part Number	Info	Link
 USB-C RS-232 Serial Adaptor	TC-USBCSER/BL		<a href="https://vav.link/tc-usbcser-bl">vav.link/tc-usbcser-bl</a>
 USB-C 30W Charger with EU Plug	TC-PUSBCEU/30		<a href="https://vav.link/tc-pusbceu-30">vav.link/tc-pusbceu-30</a>
 White USB-C to HDMI 2m (6.5ft)	TC 2MUSBCHDMI	<b>Colour:</b> White <b>Connector:</b> USB-C (male); HDMI (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2musbchdmi">vav.link/tc_2musbchdmi</a>




## Power Cables

Product	Part Number	Info	Link
 3m Black EU Cloverleaf Power cable	TC 3MEUCVLF/BL	<b>Colour:</b> Black <b>Connector:</b> Cloverleaf (C5); EU Power <b>Length:</b> 3m (10ft)	<a href="https://vav.link/tc_3meucvlf-bl">vav.link/tc_3meucvlf-bl</a>
 3m Black UK Cloverleaf Power cable	TC 3MUKCVLF/BL	<b>Colour:</b> Black <b>Connector:</b> UK Power; Cloverleaf (C5) <b>Length:</b> 3m (10ft)	<a href="https://vav.link/tc_3mukcvlf-bl">vav.link/tc_3mukcvlf-bl</a>
 White UK Figure-8 Power Cable 0.5m (1.6ft)	TC 0.5MUKF8	<b>Colour:</b> White <b>Connector:</b> Figure-8 Power; UK Power <b>Length:</b> 0.5m (1.6ft)	<a href="https://vav.link/tc_0-5mukf8">vav.link/tc_0-5mukf8</a>












## Serial Cables & Adaptors



Product	Part Number	Info	Link
 Black USB 2.0 to 9-Pin RS-232 Serial Adaptor	TC-USBSER	<b>Colour:</b> Black <b>Connector:</b> Serial (male); USB-B (male) <b>Length:</b> 85 mm (3.4")	<a href="https://vav.link/tc-usbser">vav.link/tc-usbser</a>
 USB-C RS-232 Serial Adaptor	TC-USBCSER/BL		<a href="https://vav.link/tc-usbcser-bl">vav.link/tc-usbcser-bl</a>

## VGA Cables & Adaptors

Product	Part Number	Info	Link
 White VGA to Phoenix Cable 10m (33 ft)	TC2 10MVGA	<b>Colour:</b> White <b>Connector:</b> VGA (male) <b>Length:</b> 10m (33ft)	<a href="https://vav.link/tc2_10mvga">vav.link/tc2_10mvga</a>
 White VGA Cable 2m (6.5ft)	TC 2MVGAP	<b>Colour:</b> White <b>Connector:</b> VGA (male) <b>Length:</b> 2m (7ft)	<a href="https://vav.link/tc_2mvgap">vav.link/tc_2mvgap</a>
 White VGA Cable 3m (9.8ft)	TC 3MVGAP	<b>Colour:</b> White <b>Connector:</b> VGA (male) <b>Length:</b> 3m (10ft)	<a href="https://vav.link/tc_3mvgap">vav.link/tc_3mvgap</a>

# VGA Cables & Adaptors

Product	Part Number	Info	Link
 White VGA Cable 5m (16.4ft)	TC 5MVGAP	<b>Colour:</b> White <b>Connector:</b> VGA (male) <b>Length:</b> 5m (16ft)	<a href="vav.link/tc_5mvgap">vav.link/tc_5mvgap</a>
 White VGA Cable 10m (32.8ft)	TC 10MVGAP	<b>Colour:</b> White <b>Connector:</b> VGA (male) <b>Length:</b> 10m (33ft)	<a href="vav.link/tc_10mvgap">vav.link/tc_10mvgap</a>
 Black VGA Cable 10m (32.8ft)	TC 10MVGAP/BL	<b>Colour:</b> Black <b>Connector:</b> VGA (male) <b>Length:</b> 10m (33ft)	<a href="vav.link/tc_10mvgap-bl">vav.link/tc_10mvgap-bl</a>
 White Mini-DisplayPort to VGA Adaptor	TC-MDPVGA	<b>Colour:</b> White <b>Connector:</b> MiniDisplayPort (male); VGA (female) <b>Length:</b> 220mm (8.7")	<a href="vav.link/tc-mdpvga">vav.link/tc-mdpvga</a>
 White DisplayPort to VGA Adaptor	TC-DPVGA	<b>Colour:</b> White <b>Connector:</b> DisplayPort (male); VGA (female) <b>Length:</b> 220mm (8.7")	<a href="vav.link/tc-dpvga">vav.link/tc-dpvga</a>
 White HDMI to VGA Adaptor	TC-HDMIVGA	<b>Colour:</b> White <b>Connector:</b> HDMI (male); VGA (female) <b>Length:</b> 230mm (9.1")	<a href="vav.link/tc-hdmivga">vav.link/tc-hdmivga</a>
 Black DisplayPort to VGA Adaptor	TC-DPVGA/BL	<b>Colour:</b> Black <b>Connector:</b> DisplayPort (male); VGA (female) <b>Length:</b> 220mm (8.7")	<a href="vav.link/tc-dpvga-bl">vav.link/tc-dpvga-bl</a>
 Black HDMI to VGA Adaptor	TC-HDMIVGA/BL	<b>Colour:</b> Black <b>Connector:</b> HDMI (male); VGA (female) <b>Length:</b> 230mm (9.1")	<a href="vav.link/tc-hdmivga-bl">vav.link/tc-hdmivga-bl</a>
 Black Mini-DisplayPort to VGA Adaptor	TC-MDPVGA/BL	<b>Colour:</b> Black <b>Connector:</b> MiniDisplayPort (male); VGA (female) <b>Length:</b> 220mm (8.7")	<a href="vav.link/tc-mdpvga-bl">vav.link/tc-mdpvga-bl</a>
 Black USB-C to VGA Adaptor	TC-USBCVGA/BL	<b>Colour:</b> Black <b>Connector:</b> USB-C (male); VGA (female) <b>Length:</b> 200mm (7.9")	<a href="vav.link/tc-usbcvga-bl">vav.link/tc-usbcvga-bl</a>
 Black USB 3.0 to VGA Adaptor	TC-USBVGA	<b>Colour:</b> Black <b>Connector:</b> USB-A (male); VGA (female) <b>Length:</b> 230mm (9.1")	<a href="vav.link/tc-usbvga">vav.link/tc-usbvga</a>



# Audio

---

- > Amplifiers
- > Active Loudspeakers
- > Passive Loudspeakers



## 2 x 25w Digital Amplifier

AV-1900 / SAP: 5557274

2 x 50w RMS (at 8 ohms) low impedance digital power amplifier

Input 1: Line-level Stereo (2-Phono/RCA) or Mic (XLR)

Input 2: Line-level Stereo (2-Phono/RCA) or Mic (Phoenix)

Input 3: Bluetooth or Mic (Phoenix)

Input 4: Line-level Stereo (Minijack) or Mic (Phoenix)

1 x Line-level Pre-Output

Balanced Mic inputs with Phantom Power

RS-232 control

[vav.link/av-1900](https://vav.link/av-1900)



## TC3 50w Amplifier

TC3-AMP / SAP: 3446595

Extremely small 2 x 25 w (RMS) at 8 ohms Digital Amp

2 x Stereo inputs (Input 1 duplicated on front and rear)

IR Remote control included

[vav.link/tc3-amp](https://vav.link/tc3-amp)



## TC3 50w Amplifier with Speakers

TC3-AMP+ / SAP: 8468232

Extremely small 2 x 25 w (RMS) at 8 ohms Digital Amp

2 x Stereo inputs (Input 1 duplicated on front and rear)

IR Remote control included

Pair of 5.25" loudspeakers included

[vav.link/tc3-ampplus](https://vav.link/tc3-ampplus)

# Active Loudspeakers



## 100w Active Soundbar Plus

SB-1900P / SAP: 4801694

Built-in 2 x 90 watts (PEAK) amplifier  
HDMI 2 in 1 out  
1 x Minijack input  
Bluetooth input (re-nameable and pin can be set)  
Remote control included  
RS-232  
ARC HDMI Input (allows display to control volume)

[vav.link/sb-1900p](https://vav.link/sb-1900p)



## Pair 70w Active Bluetooth Ceiling Speakers

CS-1900P / SAP: 4883105

Integrated 2 x 35 watt (RMS) amplifier  
1 x wired input / 1 x Bluetooth input  
Switches between stand alone or daisy-chain mode  
IR remote included  
BT can be disabled

[vav.link/cs-1900p](https://vav.link/cs-1900p)



## Pair 30w Active Loudspeakers

SP-900P / SAP: 4820817

Built-in 2 x 27 watt digital amplifier  
Two summed inputs (1 x Minijack / 1 x 2-Phono)  
Internal Power Supply  
Adjustable wall brackets included

[vav.link/sp-900p](https://vav.link/sp-900p)



# Active Loudspeakers



Lifetime  
warranty



## Pair 30w Active Loudspeakers

SP-1900P / SAP: 4991366

Built-in 2 x 30 watts amplifier  
Line-level input via 2-phono (RCA)  
Bluetooth 5.0 (can be disabled)  
RS-232 Control  
Tone control (via RS-232)

[vav.link/sp-1900p](https://vav.link/sp-1900p)

# Passive Speakers




## Pair 3-Way Wall Loudspeakers

SP-1800 / SAP: 3635038

5.25" Woofer 50w loudspeakers  
Wall brackets included with 60° range of tilt adjustment  
White, sold in pairs

[vav.link/sp-1800](https://vav.link/sp-1800)









## Pair Ceiling Loudspeakers



CS-1900 / SAP: 4815044

Slim bezel-less magnetic grille  
Premium fiberglass woven 6.5" Woofer  
Large 0.75" Silk Tweeter  
Passive Crossover

[vav.link/cs-1900](https://vav.link/cs-1900)

# Audio

Product	Part Number	Link
 2 x 25w Digital Amplifier	AV-1900	<a href="http://vav.link/av-1900">vav.link/av-1900</a>
 100w Active Soundbar Plus	SB-1900P	<a href="http://vav.link/sb-1900p">vav.link/sb-1900p</a>
 Pair 30w Active Loudspeakers	SP-900P	<a href="http://vav.link/sp-900p">vav.link/sp-900p</a>
 Pair 3-Way Wall Loudspeakers	SP-1800	<a href="http://vav.link/sp-1800">vav.link/sp-1800</a>
 Pair 30w Active Loudspeakers	SP-1900P	<a href="http://vav.link/sp-1900p">vav.link/sp-1900p</a>
 Pair Ceiling Loudspeakers	CS-1900	<a href="http://vav.link/cs-1900">vav.link/cs-1900</a>
 Pair 70w Active Bluetooth Ceiling Speakers	CS-1900P	<a href="http://vav.link/cs-1900p">vav.link/cs-1900p</a>
 TC3 50w Amplifier	TC3-AMP	<a href="http://vav.link/tc3-amp">vav.link/tc3-amp</a>
 TC3 50w Amplifier with Speakers	TC3-AMP+	<a href="http://vav.link/tc3-ampplus">vav.link/tc3-ampplus</a>



# Mounts

---

- > Projector
- > Monitor
- > Large Display
- > Sit-Stand
- > Laptop Shelves
- > Logitech



---

## Mount Finder

Simply enter some or all of your Display, Monitor or Device model number to find the correct mount.

[vav.link/mf](https://vav.link/mf)



## Universal Projector Ceiling Mount

TM-1200 / SAP: 1562435

Projector ceiling mount with 1.1m pole cut to length onsite (overall length 1420mm / 55.9")

All parts included e.g drilling jig, cathedral ceiling mechanism, trim disc etc.  
Cables can be routed after assembly

[vav.link/tm-1200](https://vav.link/tm-1200)



## Telescopic Projector Ceiling Mount

TM-TELE / SAP: 2418655

Universal projector ceiling mount with telescopic pole  
Overall length 440-735 mm (17.32" – 28.94")

Full adjustment: tilt at top for sloping ceilings / pitch and roll at the bottom

[vav.link/tm-tele](https://vav.link/tm-tele)



## Logitech Brio Ceiling Bracket

TM-WEBCAM / SAP: 5708369

Standard tripod mount screw fits any webcam

Fits Logitech Brio webcam for Microsoft Whiteboard

Fits Huddly cameras

Can fix to wall as boom

Overall length 440-735 mm (17.3" – 28.9")

Pole can be removed to mount as close as possible to ceiling

Fits Logitech MeetUp

Fits Logitech Rally camera

[vav.link/tm-webcam](https://vav.link/tm-webcam)

## Close-Coupled Projector Ceiling Mount

TM-CC / SAP: 1932372



Universal projector ceiling mount for close-to-ceiling installation  
All parts included and arrives 95% assembled reducing time onsite  
4 fully adjustable spider arms fit 99% of projectors

[vav.link/tm-cc](https://vav.link/tm-cc)

## Short-Throw Projector Wall Mount

TM-ST2 / SAP: 2775928



Telescopic boom 930-1530mm (centre-of-projector to wall)  
Projector can be mounted at any point along boom  
Adjustable boom incline

[vav.link/tm-st2](https://vav.link/tm-st2)

# Desk Arm Mounts



## Monitor Desk Arm Matt Black

VFM-DA/4 / SAP: 5811699

Double-articulated desk mount for flat panels up to 27"

Converts to laptop or tablet shelf

VESA plate cover included

Cable management

Comes with clamp and grommet fixing options

[vav.link/vfm-da-4](https://vav.link/vfm-da-4)



## Monitor Desk Arm Dual Matt Black

VFM-DAD/4 / SAP: 5812011

Double-articulated desk mount for flat panels up to 27"

Converts to laptop or tablet shelf

VESA plate cover included

Cable management

Comes with clamp and grommet fixing options

[vav.link/vfm-dad-4](https://vav.link/vfm-dad-4)

# Desk Post Mounts



## Black Monitor Desk Post 100×100

VFM-DP2B / SAP: 4740217

Double-articulated desk mount for displays up to 34"  
Popular post-style in Black  
Parts included for grommet or clamp fixing to desk  
Optional Laptop Shelf  
Quick release VESA plate  
Thumbscrews for fast assembly

[vav.link/vfm-dp2b](https://vav.link/vfm-dp2b)



## Black Monitor Desk Post 100×100 Dual

VFM-DPD2B / SAP: 4740219

Double-articulated dual desk mount for displays up to 27"  
Popular post-style in Black  
Parts included for grommet or clamp fixing to desk  
Optional Laptop Shelf  
Quick release VESA plate  
Thumbscrews for fast assembly  
Fine independent height adjustment

[vav.link/vfm-dpd2b](https://vav.link/vfm-dpd2b)



# Desk Stand Mounts



## Monitor Desk Stand 100×100

VFM-DSB / SAP: 4740100

Freestanding desk stand for displays up to 32"

Black (only)

Full adjustment: height, rotation, swivel

Quick release VESA plate

Thumbscrews for fast assembly

[vav.link/vfm-dsb](https://vav.link/vfm-dsb)



## Monitor Desk Stand 100×100 Dual

VFM-DSDB / SAP: 4740212

Freestanding desk stand for two displays up to 32"

Black (only)

Full adjustment: height, rotation, swivel

Quick release VESA plate

Thumbscrews for fast assembly

Fine independent height adjustment

[vav.link/vfm-dsdb](https://vav.link/vfm-dsdb)

# Large Display Mounts



## Display Wall Mount VESA 400x400

VFM-W4X4V/2 / SAP: 6333305

Non-tilting Wall Mount for large-format flat panels 32-65"  
(subject to VESA pattern and weight limit)

Mounting points up to 400 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

[vav.link/vfm-w4x4v-2](https://vav.link/vfm-w4x4v-2)



## Display Wall Mount VESA 400x400

VFM-W4X4TV/2 / SAP: 6333311

Tilting Wall Mount for large-format flat panels 32-65"  
(subject to VESA pattern and weight limit)

Mounting points up to 400 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

[vav.link/vfm-w4x4tv-2](https://vav.link/vfm-w4x4tv-2)



## Display Wall Mount VESA 600x400

VFM-W6X4V/2 / SAP: 6333312

Non-tilting Wall Mount for large-format flat panels 37-70"  
(subject to VESA pattern and weight limit)

Mounting points up to 600 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

[vav.link/vfm-w6x4v-2](https://vav.link/vfm-w6x4v-2)

# Large Display Mounts



Lifetime warranty



## Display Wall Mount VESA 800x400

VFM-W8X4V/2 / SAP: 6333313

Non-tilting Wall Mount for large-format flat panels 47-75"  
(subject to VESA pattern and weight limit)

Mounting points up to 800 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

[vav.link/vfm-w8x4v-2](https://vav.link/vfm-w8x4v-2)



## F50 Dual Display Rail

VFM-F50\_DL / SAP: 8271291

Works with Vision's professional wall mounts and floor stands

2400 mm (95") long

Can fix directly to wall

Includes adjustable centre shelf

[vav.link/vfm-f50\\_dl](https://vav.link/vfm-f50_dl)



## Floor to Ceiling Display Column

VFM-POST / SAP: 9749523

Architectural aluminium profile

Works with Vision's heavy duty wall mounts (not included)

2400 mm (95") tall

Cable management channel

[vav.link/vfm-post](https://vav.link/vfm-post)

# Large Display Mounts



Lifetime warranty



## Flat-Panel Wall Mount 200x200

VFM-W2X2V2 / SAP: 4754702

VESA Wall Mount for displays and TVs  
Fits displays with 75 x 75, 100 x 100, 200 x 100, and 200 x 200mm mounting holes  
For 30-55" Displays  
(subject to VESA pattern and weight limit)  
Locking anti-theft screw  
Thumbscrews for fixing display  
Portrait or Landscape

[vav.link/vfm-w2x2v2](https://vav.link/vfm-w2x2v2)



## Tilting Flat-Panel Wall Mount 200x200

VFM-W2X2TV2 / SAP: 4754704

VESA Wall Mount for displays and TVs  
Fits displays with 75 x 75, 100 x 100, 200 x 100, and 200 x 200 mm mounting holes  
For 30-55"  
(subject to VESA pattern and weight limit)  
Locking anti-theft screw  
Tilt adjustment: up: 3° / down: 12°  
Thumbscrews for fixing display  
Portrait or Landscape

[vav.link/vfm-w2x2tv2](https://vav.link/vfm-w2x2tv2)



## Heavy Duty Flat-Panel Wall Mount 400x400

VFM-W4X4 / SAP: 4934292

Non-Tilting Wall Mount for large-format flat panels 32-75"  
(subject to VESA pattern and weight limit)  
Mounting points up to 400 (wide) x 400 mm (tall) apart  
Heavy duty 100 kg / 220 lb SWL  
Display latches in place  
Optional camera shelf

[vav.link/vfm-w4x4](https://vav.link/vfm-w4x4)

# Large Display Mounts



Lifetime  
warranty




## Heavy Duty Tilting Flat-Panel Wall Mount 400x400

VFM-W4X4T / SAP: 4934293

Tilting Wall Mount for large-format flat panels 32-75"  
(subject to VESA pattern and weight limit)  
Mounting points up to 400 (wide) x 400 mm (tall) apart  
Heavy duty 100 kg / 220 lb SWL  
Display latches in place  
Optional camera shelf

[vav.link/vfm-w4x4t](https://vav.link/vfm-w4x4t)




## Heavy Duty Flat-Panel Wall Mount 600x400

VFM-W6X4 / SAP: 4996384

Non-tilting Wall Mount for large-format flat panels 37-85"  
(subject to VESA pattern and weight limit)  
Mounting points up to 600 (wide) x 400 mm (tall) apart  
Heavy duty 100 kg / 220 lb SWL  
Display latches in place  
Optional camera shelf

[vav.link/vfm-w6x4](https://vav.link/vfm-w6x4)




## Heavy Duty Tilting Flat-Panel Wall Mount 600x400

VFM-W6X4T / SAP: 4996386

Tilting Wall Mount for large-format flat panels 37-85"  
(subject to VESA pattern and weight limit)  
Mounting points up to 600 (wide) x 400 mm (tall) apart  
Heavy duty 100 kg / 220 lb SWL  
Display latches in place  
Optional camera shelf

[vav.link/vfm-w6x4t](https://vav.link/vfm-w6x4t)

# Large Display Mounts



## Heavy Duty Flat-Panel Wall Mount 800x600

VFM-W8X6 / SAP: 4934295

Non-tilting Wall Mount for large-format flat panels 47-100"  
(subject to VESA pattern and weight limit)

Mounting points up to 800 (wide) x 600 mm (tall) apart

Heavy duty 130 kg / 287 lb SWL

Display latches in place

Optional camera shelf

[vav.link/vfm-w8x6](https://vav.link/vfm-w8x6)



## Heavy Duty Tilting Flat-Panel Wall Mount 800x600

VFM-W8X6T / SAP: 4934296

Tilting Wall Mount for large-format flat panels 47-90"  
(subject to VESA pattern and weight limit)


Mounting points up to 800 (wide) x 600 mm (tall) apart

Heavy duty 130 kg / 287 lb SWL

Display latches in place

Optional camera shelf

[vav.link/vfm-w8x6t](https://vav.link/vfm-w8x6t)



## Heavy Duty Flat-Panel Wall Mount 1000x600

VFM-W10X6 / SAP: 4934297

Non-tilting Wall Mount for large-format flat panels 55-110"  
(subject to VESA pattern and weight limit)

Mounting points up to 1000 (wide) x 600 mm (tall) apart

Heavy duty 130 kg / 287 lb SWL

Display latches in place

Optional camera shelf

[vav.link/vfm-w10x6](https://vav.link/vfm-w10x6)

# Large Display Mounts



## Video Conference Shelf


VFM-WVC/2 / SAP: 8271288

Works with Vision's professional wall mounts and floor stands

Highly adjustable

Platform 284 x 152 mm (11.2"x 6.0")

[vav.link/vfm-wvc-2](https://vav.link/vfm-wvc-2)



## Logitech Rally Speaker Bracket


VFM-WVC/RSB / SAP: 5822103

Accessory for VFM-WVC/2 Video Conference Shelf

Fixes Pair of Logitech Rally speakers to VFM-WVC/2

Supports speakers above or below display

[vav.link/vfm-wvc-rsb](https://vav.link/vfm-wvc-rsb)



## Black Monitor Wall Arm 100x100

VFM-WA1X1B / SAP: 4963686

Double-articulated wall mount for Monitors from 13" to 27"

Post-Installation levelling

Reach 44-282 mm (1.7-11.1")

Thumbscrews for fixing display

[vav.link/vfm-wa1x1b](https://vav.link/vfm-wa1x1b)





## Video Wall Mount VESA 600x400

VFM-VW6X4/2 / SAP: 7296546

Wall Mount for displays with mounting points up to 600 x 400mm apart  
Pop-out style for fast access and adjustment  
Tool-free tilt, rotation, depth, and height adjustment  
Displays 45-86"  
Lockable

[vav.link/vfm-vw6x4-2](https://vav.link/vfm-vw6x4-2)

# F10 Floorstands

  
Lifetime  
warranty



## White Flipchart-Style Floor Stand

VFM-F10/WH / SAP: 5252503

Portable flipchart-style floor stand  
For 50-65" Displays up to 45 kg  
(subject to VESA pattern and weight limit)  
Rotates portrait to landscape  
UL1678 Approved  
Large 4" wheels  
Colour-Matched to Samsung Flip

[vav.link/vfm-f10-wh](https://vav.link/vfm-f10-wh)




Lifetime warranty



# Floorstand


## Microsoft Hub 2



Screen rotation



2 cable hooks



Cable management



Removable laptop shelf



4 large wheels



Available colors

### Does Vision have any floor stands for Hub 2?

Yes! The VFM-F10 was designed for Hub 2 compatibility.

### Does the standard VFM-F10 fit Hub2?

Yes! Hub2 uses a 350 x 350 pattern which the universal mount on the F10 fits.

### Does it rotate?

Yes. The universal VESA mount rotates. The rotating mechanism can be removed.

### Does it tilt?

Not as standard, but the VESA arms can be replaced with arms from Vision's VFM-W4X4T to make it tilt if necessary.

As standard, this floor stand holds the display at a 7 degree angle. That is more upright than the 12 degrees of the Steelcase stand. We think 7 degrees is better to cut glare.

### Does it have cable management?

Yes. Cables can be concealed all the way down the legs, and hold the cables so they don't get in the way of the wheels as you move the stand.

### Can the APC battery fix to this floor stand?

We're working on an adaptor to support this. ETA early 2020.

### Is the shelf detachable?

Yes. If the user doesn't want it just leave it off.

### Does Vision have a wall mount for Hub 2?

Yes. VFM-W4X4. It's the same universal mount that comes on the F10 as standard.

# F20/25 Floorstands



## Height-Adjustable Display Cart 45kg

VFM-F20 / SAP: 4818836

Portable floorstand for displays up to 45 kg (99.2 lbs)  
Fits displays with VESA sizes up to 600 x 400 mm  
For 31-70" Displays subject to VESA pattern and weight limit  
Display rotates through 90°  
Height adjustable 400mm (15.7") by crank hand  
Large 4" wheels  
Shelves included

[vav.link/vfm-f20](https://vav.link/vfm-f20)



## Height-Adjustable Display Cart 80kg

VFM-F25 / SAP: 4818528


Portable floorstand for displays up to 80 kg (176 lb)  
Fits displays with VESA sizes up to 1000 x 600 mm  
For 60-100" Displays  
(subject to VESA pattern and weight limit)  
Height adjustable 400mm (15.7") by crank hand  
Large 4" wheels  
Shelves included

[vav.link/vfm-f25](https://vav.link/vfm-f25)

# F40 Floorstands



Lifetime warranty



## Heavy Duty Motorised Floor Stand

VFM-F40 / SAP: 5062731

- Lifts up to 130 kg
- 700 mm height adjustment
- Fast linear-drive motor
- Comes 95% assembled
- Sturdy fixed column design

Heavy Duty Flat-Panel Wall Mount 800x600

VFM-W8X6 / SAP: 4934295

[vav.link/vfm-w8x6](https://vav.link/vfm-w8x6)


VFM-F40 Frame and Motor Assembly

VFM-F40FRAME / SAP: 4981411

# F50/F51 Floorstands



Lifetime warranty



## F50 Motorised Flat Panel Floor Stand

VFM-F50 / SAP: 6369811

Heavy-duty floor stand  
Fixes to wall, transfers load to floor  
For flat panels up to 100"  
800 mm (31.5") height adjustment, motorised  
Control by wired controller or RS-232

[vav.link/vfm-f50](https://vav.link/vfm-f50)




## F50T Motorised Trolley Floor stand

VFM-F50T / SAP: 6369810

Portable heavy-duty mobile cart  
For flat panels up to 100"  
800 mm (31.5") height adjustment, motorised  
Control by wired controller or RS-232  
Angle brackets for optional kiosk-style installation  
Removable wheels for non-portable variation  
Removable rear legs to lean against walls

[vav.link/vfm-f50t](https://vav.link/vfm-f50t)



## F51 Flat Panel Floor Stand

VFM-F51 / SAP: 6369808

Heavy-duty floor stand  
Fixes to wall, transfers load to floor  
Supports up to 95 kg (209 lb)  
800 mm / 31.5" height adjustment, non-motorised  
[Note: once installed the height cannot be adjusted]

[vav.link/vfm-f51](https://vav.link/vfm-f51)

# F50/F51 Floorstands



Lifetime  
warranty




## F51T Flat Panel Trolley

VFM-F51T / SAP: 6369807

Portable heavy-duty mobile cart  
For large-format flat panels 47-100"  
800 mm / 31.5" height adjustment, non-motorised  
[Note: once installed the height cannot be adjusted]  
Angle brackets for optional kiosk-style installation  
Removable wheels for non-portable variation  
Removable rear legs to lean against walls

[vav.link/vfm-f51t](https://vav.link/vfm-f51t)

# Monitor

Product	Part Number	Info	Link
 Monitor Desk Arm Matt Black	VFM-DA/4	<b>Diagonal:</b> 10" - 27" <b>SWL:</b> 7kg <b>Vesa:</b> 75x75; 100x100	<a href="vav.link/vfm-da-4">vav.link/vfm-da-4</a>
 Monitor Desk Arm Dual Matt Black	VFM-DAD/4	<b>Diagonal:</b> 17" - 27" <b>SWL:</b> 14kg <b>Vesa:</b> 75x75; 100x100	<a href="vav.link/vfm-dad-4">vav.link/vfm-dad-4</a>
 Black Monitor Desk Post 100x100	VFM-DP2B	<b>Diagonal:</b> 13" - 34" <b>SWL:</b> 8kg <b>Vesa:</b> 75x75; 100x100	<a href="vav.link/vfm-dp2b">vav.link/vfm-dp2b</a>
 Black Monitor Desk Post 100x100 Dual	VFM-DPD2B	<b>Diagonal:</b> 13" - 27" <b>SWL:</b> 8kg <b>Vesa:</b> 75x75; 100x100	<a href="vav.link/vfm-dpd2b">vav.link/vfm-dpd2b</a>
 Monitor Desk Stand 100x100	VFM-DSB	<b>Diagonal:</b> 13" - 32" <b>SWL:</b> 18kg <b>Vesa:</b> 75x75; 100x100	<a href="vav.link/vfm-dsb">vav.link/vfm-dsb</a>
 Monitor Desk Stand 100x100 Dual	VFM-DSDB	<b>Diagonal:</b> 13" - 27" <b>SWL:</b> 8kg <b>Vesa:</b> 75x75; 100x100	<a href="vav.link/vfm-dsdb">vav.link/vfm-dsdb</a>
 Tilting Monitor Wall Mount 100x100	VFM-WIX1TV2	<b>Diagonal:</b> 10" - 34" <b>SWL:</b> 25kg <b>Vesa:</b> 75x75; 100x100	<a href="vav.link/vfm-wix1tv2">vav.link/vfm-wix1tv2</a>
 Black Monitor Wall Arm 100x100	VFM-WA1X1B	<b>Diagonal:</b> 13" - 27" <b>SWL:</b> 15kg <b>Vesa:</b> 75x75; 100x100	<a href="vav.link/vfm-wa1x1b">vav.link/vfm-wa1x1b</a>

# Large Display







Product	Part Number	Info	Link
 Dsply Wall Arm VESA 200x200 Black	VFM-WA2X2/3	<b>Diagonal:</b> 20" - 50" <b>SWL:</b> 25kg <b>Vesa:</b> 100x100; 200x200; 200x100	<a href="vav.link/vfm-wa2x2-3">vav.link/vfm-wa2x2-3</a>
 Display Wall Mount VESA 400x400	VFM-W4X4V/2	<b>Diagonal:</b> 32" - 55" <b>SWL:</b> 60kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 200x300	<a href="vav.link/vfm-w4x4v-2">vav.link/vfm-w4x4v-2</a>
 Display Wall Mount VESA 400x400	VFM-W4X4TV/2	<b>Diagonal:</b> 32" - 55" <b>SWL:</b> 60kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 200x300	<a href="vav.link/vfm-w4x4tv-2">vav.link/vfm-w4x4tv-2</a>
 Display Wall Mount VESA 600x400	VFM-W6X4V/2	<b>Diagonal:</b> 37" - 70" <b>SWL:</b> 60kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400; 600x300; 500x300; 800x300	<a href="vav.link/vfm-w6x4v-2">vav.link/vfm-w6x4v-2</a>




# Large Display

Product		Part Number	Info	Link
	Black Flat-Panel Wall Arm 600x400	VFM-WA6X4/3	<b>Diagonal:</b> 42" - 70" <b>SWL:</b> 30kg <b>Vesa:</b> 200x200; 300x300; 400x200; 600x400; 400x400; 200x100	<a href="http://vav.link/vfm-wa6x4-3">vav.link/vfm-wa6x4-3</a>
	Display Wall Mount VESA 800x400	VFM-W8X4V/2	<b>Diagonal:</b> 47" - 75" <b>SWL:</b> 75kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400; 600x300; 500x300; 800x300; 700x400	<a href="http://vav.link/vfm-w8x4v-2">vav.link/vfm-w8x4v-2</a>
	F50 Dual Display Rail	VFM-F50_DL		<a href="http://vav.link/vfm-f50_dl">vav.link/vfm-f50_dl</a>
	Floor to Ceiling Display Column	VFM-POST		<a href="http://vav.link/vfm-post">vav.link/vfm-post</a>
	Flat-Panel Ceiling Mount 600x400	VFM-C6X4/V2	<b>Diagonal:</b> 37" - 75" <b>SWL:</b> 50kg <b>Vesa:</b> 100x100; 200x200; 300x300; 400x300; 600x400; 300x400; 400x400; 200x100; 500x400; 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300	<a href="http://vav.link/vfm-c6x4-v2">vav.link/vfm-c6x4-v2</a>
	Flat-Panel Wall Mount 200x200	VFM-W2X2V2	<b>Diagonal:</b> 20" - 50" <b>SWL:</b> 25kg <b>Vesa:</b> 75x75; 100x100; 200x200; 200x100	<a href="http://vav.link/vfm-w2x2v2">vav.link/vfm-w2x2v2</a>
	Tilting Flat-Panel Wall Mount 200x200	VFM-W2X2TV2	<b>Diagonal:</b> 20" - 50" <b>SWL:</b> 25kg <b>Vesa:</b> 75x75; 100x100; 200x200; 200x100	<a href="http://vav.link/vfm-w2x2tv2">vav.link/vfm-w2x2tv2</a>
	Heavy Duty Flat-Panel Wall Mount 400x400	VFM-W4X4	<b>Diagonal:</b> 32" - 75" <b>SWL:</b> 100kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400; 200x300	<a href="http://vav.link/vfm-w4x4">vav.link/vfm-w4x4</a>
	Heavy Duty Tilting Flat-Panel Wall Mount 400x400	VFM-W4X4T	<b>Diagonal:</b> 32" - 75" <b>SWL:</b> 100kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400; 200x300	<a href="http://vav.link/vfm-w4x4t">vav.link/vfm-w4x4t</a>
	Heavy Duty Flat-Panel Wall Mount 600x400	VFM-W6X4	<b>Diagonal:</b> 37" - 85" <b>SWL:</b> 100kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 500x500; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300	<a href="http://vav.link/vfm-w6x4">vav.link/vfm-w6x4</a>
	Heavy Duty Tilting Flat-Panel Wall Mount 600x400	VFM-W6X4T	<b>Diagonal:</b> 37" - 85" <b>SWL:</b> 100kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 500x500; 600x400;	<a href="http://vav.link/vfm-w6x4t">vav.link/vfm-w6x4t</a>


## Large Display

Product	Part Number	Info	Link
		300x400; 400x400; 500x400; 600x300; 500x300	
Heavy Duty Flat-Panel Wall Mount 800x600	VFM-W8X6	<b>Diagonal:</b> 47" - 100" <b>SWL:</b> 130kg <b>Vesa:</b> 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 700x400	<a href="http://vav.link/vfm-w8x6">vav.link/vfm-w8x6</a>
			
Heavy Duty Tilting Flat-Panel Wall Mount 800x600	VFM-W8X6T	<b>Diagonal:</b> 47" - 90" <b>SWL:</b> 130kg <b>Vesa:</b> 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 700x400	<a href="http://vav.link/vfm-w8x6t">vav.link/vfm-w8x6t</a>
			
Heavy Duty Flat-Panel Wall Mount 1000x600	VFM-W10X6	<b>Diagonal:</b> 55" - 110" <b>SWL:</b> 130kg <b>Vesa:</b> 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 1000x400; 1000x500; 1000x600; 400x400; 500x400; 600x500; 400x600; 700x400; 900x600; 850x400	<a href="http://vav.link/vfm-w10x6">vav.link/vfm-w10x6</a>
			
Video Conference Shelf	VFM-WVC/2		<a href="http://vav.link/vfm-wvc-2">vav.link/vfm-wvc-2</a>
			
Logitech Rally Speaker Bracket	VFM-WVC/RSB		<a href="http://vav.link/vfm-wvc-rsb">vav.link/vfm-wvc-rsb</a>
			
Black Flat-Panel Wall Arm 400x400	VFM-WA4X4/3	<b>Diagonal:</b> 37" - 60" <b>SWL:</b> 25kg <b>Vesa:</b> 100x100; 200x200; 300x300; 400x200; 400x300; 400x400; 200x100; 300x200	<a href="http://vav.link/vfm-wa4x4-3">vav.link/vfm-wa4x4-3</a>




## Video Wall

Product	Part Number	Info	Link
			
Video Wall Mount VESA 600x400	VFM-VW6X4/2	<b>Diagonal:</b> 45" - 86" <b>SWL:</b> 70kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 400x400; 500x400	<a href="http://vav.link/vfm-vw6x4-2">vav.link/vfm-vw6x4-2</a>

## Projector

Product	Part Number	Info	Link
			
Universal Projector Ceiling Mount	TM-1200		<a href="http://vav.link/tm-1200">vav.link/tm-1200</a>

# Projector

Product	Part Number	Info	Link
 Telescopic Projector Ceiling Mount	TM-TELE		<a href="http://vav.link/tm-tele">vav.link/tm-tele</a>
 Close-Coupled Projector Ceiling Mount	TM-CC		<a href="http://vav.link/tm-cc">vav.link/tm-cc</a>
 Short-Throw Projector Wall Mount	TM-ST2		<a href="http://vav.link/tm-st2">vav.link/tm-st2</a>

# Floorstands

Product	Part Number	Info	Link
 White Flipchart-Style Floor Stand	VFM-F10/WH	<b>Diagonal:</b> 50" - 55" <b>SWL:</b> 45kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400	<a href="http://vav.link/vfm-f10-wh">vav.link/vfm-f10-wh</a>
 Flipchart-Style Stand for Hub2	VFM-F10/HB	<b>Vesa:</b> 200x200; 200x400; 350x350; 300x400; 300x200; 400x200; 400x300; 400x400	<a href="http://vav.link/vfm-f10-hb">vav.link/vfm-f10-hb</a>
 Display Easel Trolley 100kg	VFM-F12	<b>Diagonal:</b> 55" - 100" <b>SWL:</b> 100kg <b>Vesa:</b> 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 400x400; 500x400; 400x600; 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 700x400; 900x600; 850x400	<a href="http://vav.link/vfm-f12">vav.link/vfm-f12</a>
 Height-Adjustable Display Cart 45kg	VFM-F20	<b>Diagonal:</b> 37" - 70" <b>SWL:</b> 50kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 350x350; 300x400; 400x400	<a href="http://vav.link/vfm-f20">vav.link/vfm-f20</a>
 Height-Adjustable Display Cart 80kg	VFM-F25	<b>Diagonal:</b> 60" - 100" <b>SWL:</b> 80kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 1000x400; 1000x600; 400x400; 500x400; 400x600; 850x400	<a href="http://vav.link/vfm-f25">vav.link/vfm-f25</a>
 Height-Adjustable Display Cart 80kg	VFM-F25M	<b>Diagonal:</b> 47" - 98" <b>SWL:</b> 80kg <b>Vesa:</b> 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 1000x400; 1000x600; 400x400; 500x400; 400x600	<a href="http://vav.link/vfm-f25m">vav.link/vfm-f25m</a>
 F50 Motorised Flat Panel Floor Stand	VFM-F50	<b>Diagonal:</b> 47" - 100" <b>SWL:</b> 95kg <b>Vesa:</b> 300x300; 400x200; 400x300; 500x500; 600x400; 300x400;	<a href="http://vav.link/vfm-f50">vav.link/vfm-f50</a>

# Floorstands

Product	Part Number	Info	Link
		800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 200x200; 100x100	
	F50T Motorised Trolley Floor stand	<b>Diagonal:</b> 47" - 100" <b>SWL:</b> 110kg <b>Vesa:</b> 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 200x200; 100x100	<a href="https://vav.link/vfm-f50t">vav.link/vfm-f50t</a>
	F50 Dual Display Rail	VFM-F50_DL	<a href="https://vav.link/vfm-f50_dl">vav.link/vfm-f50_dl</a>
	F51 Flat Panel Floor Stand	<b>Diagonal:</b> 47" - 100" <b>SWL:</b> 95kg <b>Vesa:</b> 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 100x100; 200x200	<a href="https://vav.link/vfm-f51">vav.link/vfm-f51</a>
	F51T Flat Panel Trolley	<b>Diagonal:</b> 47" - 100" <b>SWL:</b> 95kg <b>Vesa:</b> 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 100x100; 200x200	<a href="https://vav.link/vfm-f51t">vav.link/vfm-f51t</a>
	Floor to Ceiling Display Column	VFM-POST	<a href="https://vav.link/vfm-post">vav.link/vfm-post</a>
	Video Conference Shelf	VFM-WVC/2	<a href="https://vav.link/vfm-wvc-2">vav.link/vfm-wvc-2</a>
	Logitech Rally Speaker Bracket	VFM-WVC/RSB	<a href="https://vav.link/vfm-wvc-rsb">vav.link/vfm-wvc-rsb</a>

# VISION

AV installation products

[www.visionaudiovisual.com](http://www.visionaudiovisual.com)