


Supporting care everywhere




Enhance personal interaction • Expand reach • Improve operational efficiency

ERGOTRON[®]
HEALTHCARE



Global (English)
September 2014

Quality products for every area in the facility—and beyond





Supporting care everywhere



Serving the healthcare industry for more than 20 years

With more than 30 years of designing ergonomic solutions for computer users worldwide — and 20 years specifically in healthcare — Ergotron is uniquely qualified to help your entire facility enhance personal interaction, expand the reach of care and improve operational efficiency.

Innovations for home and work



Like other members of the Nortek family, Ergotron is driven by constant innovation with a singular, unified purpose: *to make our customers' lives better.*

Enhance personal interaction, expand the reach of care and improve operational efficiency

StyleView® Point-of-Care Carts

- Designed for nurses and personalized to enhance workflow and caregiving
- Choices for mounting displays: LCD arms and pivots, secure laptop, and single or dual displays
- Unsurpassed ergonomics whether sitting, standing or maneuvering
- Carts evolve as your needs change — several accessories are available to improve productivity
- Carts and power systems fully certified to UL 60601-1



StyleView Telepresence Carts

- Open architecture — easy to use and affordable to implement
- Combines the added impact of videoconferencing with the benefits of a StyleView Point-of-Care Cart
- Our integration specialists can help you determine the best telepresence solution to fit your budget



Point-of-Care Wall Mount Products

- Enhances personal interaction between caregivers, their patients and patient data
- Ergonomic designs and added features provide ease of motion and proper positioning for optimal workplace comfort
- Choose from a wide range of wall mount products to meet various user, budgetary and space requirements



Charging Systems

- Charge, sync and/or secure multiple mobile devices
- Available as carts, wall mounts or desktop stations
- Choose from universal, open-architecture designs or products made for Apple®
- Certified for safety
- Lightweight and agile designs



Sit-Stand Workstations

- Promotes a healthier way to work with ergonomic comfort and sit-stand mobility
- Choose from desks, mobile workstations, wall mount and desk mounts
- Additional accessories also available to improve productivity and comfort



Service and Product Support Programs

- Expect a superior customer experience
- Quality products are backed by specially trained support professionals and optional extended service programs
- Extended Global Service Programs protect your investment and ensure optimal product performance
- Customer Care includes live support via phone, chat and email





Your cart. Your way.

Nurses, meet your new StyleView® Point-of-Care Cart

Personalize your cart to suit your team's workstyle and flow. That's the genius behind our 5th-generation StyleView medical carts.

We've been listening. You'll find all the great features that have made StyleView a market leader. Now you have the broadest options to create a comfortable, fully adjustable medical cart — *one that supports you and the care you give.*



COMING SOON! StyleView Transfer Cart

Ergotron introduces a new multi-purpose healthcare cart designed to streamline caregiver workflow and complement our point-of-care carts. The StyleView Transfer Cart is ideal for storing, transporting and dispensing patient medications and other supplies. Key features include:

- Holds up to 120 small or 40 large drawers
- Shelving is removable or repositionable to store larger items
- Cart doors can be secured with a manual key or electronic locking system
- 5" bearing casters make it smooth and easy to push, pull and maneuver
- Includes a scanner holder and can support an Ergotron LX LCD Arm
- Easy-to-clean smooth exterior



SV Cart Finder

Use the Cart Finder tool on ergotron.com to find your perfect cart

+ Display mount: LCD Arm, LCD Pivot, Laptop



+ Power: Lithium Iron Phosphate (LiFe), Sealed Lead Acid (SLA), Non-powered



+ Drawers: order carts fully-configured OR upgrade with drawers as needs change



+ Accessories: Storage Bin and SV Sani-Wipe Holder



Learn more about point-of-care solutions to enhance personal interaction at

 styleview.ergotron.com

NON-POWERED CARTS

LAPTOP		LCD	
			
Non-Powered SV40 Laptop	Non-Powered Laptop	Non-Powered LCD Arm	Non-Powered LCD Pivot
			
1 Drawer (Laptop)	2 Drawers (Laptop)	4 Drawers (LCD Arm)	6 Drawers (LCD Pivot)

Visit www.ergotron.com for additional non-powered StyleView Point-of-Care Carts and configurations



See "Ergotron StyleView: A Healthy Groove" movies.ergotron.com

Non-Powered Carts

SV40 Laptop	Laptop	LCD Arm	LCD Pivot	Laptop 1 Drawer	Laptop 2 Drawers	Laptop 4 Drawers	Laptop 6 Drawers	
SV40-6100-0	SV41-6100-0	SV41-6200-0	SV41-6300-0	SV41-3110-0	SV41-3120-0	SV41-3140-0	SV41-3160-0	
LCD Arm 1 Drawer	LCD Arm 2 Drawers	LCD Arm 4 Drawers	LCD Arm 6 Drawers	LCD Pivot 1 Drawer	LCD Pivot 2 Drawers	LCD Pivot 4 Drawers	LCD Pivot 6 Drawers	SV40 LCD Pivot
SV41-3210-0	SV41-3220-0	SV41-3240-0	SV41-3260-0	SV41-3310-0	SV41-3320-0	SV41-3340-0	SV41-3360-0	SV40-6300-0










Superior ergonomics and maneuverability for the largest range of nurses



Attractive, lightweight and ergonomic, StyleView carts meet the individual needs of the caregiver while supporting the application-specific needs of point-of-care.

Non-Powered Accessories

Primary Drawer, SV41 LCD single	97-725
Primary Drawer, SV41 Laptop single	97-727
Primary Drawer, SV41 LCD triple	97-726
Primary Drawer, SV41 Laptop triple	97-728
Supplemental Drawer, SV41 single	97-730
Supplemental Drawer, SV41 triple	97-729
Envelope Drawer, SV41	97-731

	 Typical Size	 Weight Capacity	 Lift	 Tilt	 Pan	 Rotation	 VESA	
Non-Powered	LCD	≤ 22"	See website	Arm 27" (68.6 cm) Lift Pivot 25" (63.5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Laptop	≤ 17"	See website	20" (51 cm)	—	—	—	—
SV40-40004 does not include Ethernet ready-on function and four-port USB hub, rear handle, storage basket								
Non-powered Cart features includes worksurface, secure compartment, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking)								
5-year warranty								
See website for details								

POWERED CARTS

LAPTOP		LCD	
	Powered Laptop		Powered LCD Arm
	1 Drawer (Laptop)		4 Drawers (LCD Arm)
	2 Drawers (Laptop)		6 Drawers (LCD Pivot)

Visit www.ergotron.com for additional powered StyleView Point-of-Care Carts and configurations

Add more storage as needed



Powered storage accessories

Primary Drawer, SV42 LCD single	97-715
Primary Drawer, SV42 Laptop single	97-720
Primary Drawer, SV42, LCD triple	97-719
Primary Drawer, SV42 Laptop triple	97-721
Supplemental Drawer, SV42 single	97-716
Supplemental Drawer, SV42 triple	97-722
Storage Drawer	97-723
Envelope Drawer, SV42	97-724
Storage Bin	97-740



Certified.
Lightweight.
Ultrafast recharge.
Long battery LiFe.



Why choose a StyleView Cart powered with Lithium Iron Phosphate (LiFe)?

Extremely lightweight and adjustable

The LiFe power system and compact, lightweight base combine with StyleView's ergonomic adjustability to decrease caregiver fatigue and enhance overall wellness and productivity

Ultrafast recharge ensures caregiver and cart uptime

A full recharge from full discharge can be completed in around two hours for typical loads. Less charging = more caregiving!

Long battery 'LiFe' minimizes time and cost for maintenance and replacement

Proven to achieve thousands of cycles per lifetime and to last several years in a typical healthcare setting

Safe and certified

For patient and caregiver safety, the FULL cart and power system are certified to UL 60601-1

Includes FREE StyleLink with enterprise capabilities

Install, access and manage your StyleView power systems from a remote location across WAN, LAN, or VPN

Proven safe battery chemistry

Through extensive testing, Lithium Iron Phosphate is proven to be a very safe battery chemistry

	Typical Size	Weight Capacity	Lift	Tilt	Pan	Rotation	VESA	
LiFe Powered	LCD	≤ 22"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Laptop	≤ 17"	See website	20" (51 cm)	—	—	—	—
<p>LiFe Cart features include worksurface, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking)</p> <p>Warranty: 5 years for cart, 2 years on all power supply components; 5 years on LiFe battery, including 2-year capacity guarantee</p>								
SLA Powered	LCD	≤ 22"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Laptop	≤ 17"	See website	20" (51 cm)	—	—	—	—
<p>SLA Cart features include worksurface, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking)</p> <p>5-year warranty, excluding electrical/electronic components</p>								



Compliant with EN 60601-1



	Certification Standard	Certification Mark	Grounded Plug & Outlet
US	UL 60601-1	cTUVus	North American NEMA 5-15P Hospital Grade
Canada	CAN/CSA C22.2 No. 601.1 M90	cTUVus	North American NEMA 5-15P Hospital Grade
Mexico	As Needed	As Needed	North American NEMA 5-15P Hospital Grade
Europe	EN 60601-1	CE	European CEE 7
Ireland/ United Kingdom	EN 60601-1	CE	United Kingdom BS 1363
Hong Kong/ Malaysia/Singapore	IEC 60601-1	Not Applicable	United Kingdom BS 1363
China	IEC 60601-1	Not Applicable	GB2009-1 GB1002-1
Australia/ New Zealand	IEC 60601-1	C-Tick	Australian AS/NZS 3112
Japan	IEC 60601-1	Not Applicable	JIS 8303
Saudi Arabia (EMR SLA)	EN 60601-1	Not Applicable	United Kingdom BS 1363 / European CEE 7

Free, industry-leading StyleLink software with enterprise capabilities

StyleLink's three-part software package (Enterprise, Client, Graphing Tool) offers broad system and platform compatibility for global healthcare customers deploying Ergotron StyleView Carts with power.

Extend Asset Life Cycle

Optimizes balance between runtime and cycle life


Proactive Power System Management

Eliminate surprises through use of diagnostic tools, simplifying power system management and reducing time required to fix problems

Reduce Total Cost of Ownership

Reduce costs for maintenance; eliminate need for expensive onsite technical support by leveraging diagnostic capabilities. Simply email StyleLink's history data file to Ergotron Tech Support and they will help troubleshoot power system performance issues

- Dynamic Icon**
 - Green - Yellow - Red Corresponds to Charge Remaining
- Time Remaining**
 - Hours, Minutes
 - No Load
 - Charging
- Charge Remaining**
 - 0-100%
 - Color Coded to Match RUI
- Percent Load**
 - 0-100%
 - Color Coded to Show Preferred Load Range
- Power Source**
 - Line Mode
 - Battery Mode
 - Not Connected
- Real-time System Metrics**
- Battery**
 - Good
 - Replace
 - Unknown
- System Fault**
 - No Fault
 - Temperature High
 - Not Connected



Enterprise Capabilities

Remote enterprise monitor: access your carts across WAN, LAN, or VPN to get real-time information

Advanced Drawer Management

Each drawer individually controlled with PIN; program locally or remotely via enterprise

EXPERIENCE the difference with our Global Service Program
 Visit ergotron.com for details about all of our service options

Ergotron's Platinum Annual Service Contract ensures timely and safe service delivery across all Ergotron product lines

Powered Carts

	Laptop	LCD Arm	LCD Pivot	Laptop 1 Drawer	Laptop 2 Drawers	Laptop 4 Drawers	Laptop 6 Drawers
LiFe US/Canada	SV42-6102-1 120V60Hz	SV42-6202-1 120V60Hz	SV42-6302-1 120V60Hz	SV42-3112-1 120V60Hz	SV42-3122-1 120V60Hz	SV42-3142-1 120V60Hz	SV42-3162-1 120V60Hz
SLA US/Canada	SV42-6101-1 120V60Hz	SV42-6201-1 120V60Hz	SV42-6301-1 120V60Hz	SV42-3111-1 120V60Hz	SV42-3121-1 120V60Hz	SV42-3141-1 120V60Hz	SV42-3161-1 120V60Hz
LiFe Europe	SV42-6102-2 230V50/60Hz	SV42-6202-2 230V50/60Hz	SV42-6302-2 230V50/60Hz	SV42-3112-2 230V50/60Hz	SV42-3122-2 230V50/60Hz	SV42-3142-2 230V50/60Hz	SV42-3162-2 230V50/60Hz
SLA Europe	SV42-6101-2 230V50Hz	SV42-6201-2 230V50Hz	SV42-6301-2 230V50Hz	SV42-3111-2 230V50Hz	SV42-3121-2 230V50Hz	SV42-3141-2 230V50Hz	SV42-3161-2 230V50Hz
LiFe Ireland/United Kingdom	SV42-6102-3 230V50/60Hz	SV42-6202-3 230V50/60Hz	SV42-6302-3 230V50/60Hz	SV42-3112-3 230V50/60Hz	SV42-3122-3 230V50/60Hz	SV42-3142-3 230V50/60Hz	SV42-3162-3 230V50/60Hz
SLA Ireland/United Kingdom	SV42-6101-3 230V50Hz	SV42-6201-3 230V50Hz	SV42-6301-3 230V50Hz	SV42-3111-3 230V50Hz	SV42-3121-3 230V50Hz	SV42-3141-3 230V50Hz	SV42-3161-3 230V50Hz
LiFe Hong Kong/Malaysia/Singapore	SV42-6102-3 230V50/60Hz	SV42-6202-3 230V50/60Hz	SV42-6302-3 230V50/60Hz	SV42-3112-3 230V50/60Hz	SV42-3122-3 230V50/60Hz	SV42-3142-3 230V50/60Hz	SV42-3162-3 230V50/60Hz
SLA Hong Kong/Malaysia/Singapore	SV42-6101-3 230V50Hz	SV42-6201-3 230V50Hz	SV42-6301-3 230V50Hz	SV42-3111-3 230V50Hz	SV42-3121-3 230V50Hz	SV42-3141-3 230V50Hz	SV42-3161-3 230V50Hz
LiFe Australia/New Zealand	SV42-6102-4 230V50Hz	SV42-6202-4 230V50Hz	SV42-6302-4 230V50Hz	SV42-3112-4 230V50Hz	SV42-3122-4 230V50Hz	SV42-3142-4 230V50Hz	SV42-3162-4 230V50Hz
SLA Australia/New Zealand	SV42-6101-4 230V50Hz	SV42-6201-4 230V50Hz	SV42-6301-4 230V50Hz	SV42-3111-4 230V50Hz	SV42-3121-4 230V50Hz	SV42-3141-4 230V50Hz	SV42-3161-4 230V50Hz
LiFe Saudi Arabia/EU	SV42-6102-2 230V50/60Hz	SV42-6202-2 230V50/60Hz	SV42-6302-2 230V50/60Hz	SV42-3112-2 230V50/60Hz	SV42-3122-2 230V50/60Hz	SV42-3142-2 230V50/60Hz	SV42-3162-2 230V50/60Hz
SLA Saudi Arabia/EU	SV42-6101-8 220V60Hz	SV42-6201-8 220V60Hz	SV42-6301-8 220V60Hz	SV42-3111-8 220V60Hz	SV42-3121-8 220V60Hz	SV42-3141-8 220V60Hz	SV42-3161-8 220V60Hz
LiFe Saudi Arabia/UK	SV42-6102-3 230V50/60Hz	SV42-6202-3 230V50/60Hz	SV42-6302-3 230V50/60Hz	SV42-3112-3 230V50/60Hz	SV42-3122-3 230V50/60Hz	SV42-3142-3 230V50/60Hz	SV42-3162-3 230V50/60Hz
SLA Saudi Arabia/UK	SV42-6101-7 220V60Hz	SV42-6201-7 220V60Hz	SV42-6301-7 220V60Hz	SV42-3111-7 220V60Hz	SV42-3121-7 220V60Hz	SV42-3141-7 220V60Hz	SV42-3161-7 220V60Hz

Add portable, dependable power to non-powered StyleView carts

SV Hot-Swap DC Power System

Add power to an existing non-powered StyleView Cart with the SV Hot Swap DC Power System. The system is safe and reliable — designed to be easy to integrate. It includes the SV Hot Swap Docking Station, SV Hot Swap 120Wh Li-Ion Batteries, SV Hot Swap Battery Charger and support brackets.



- Long runtime potential; batteries can be easily swapped without powering down
- Hot Swap usage mode via dual batteries eliminates problem of losing computer power during swapping
- Two-position, simultaneous charger has a small footprint, making it easy to place inconspicuously

- Each 120Wh battery weighs just 2.4 lbs (1,1 kg)
- Gold Mount® design locks batteries securely into place. Features gold-plated, self-cleaning, solid mechanical connection

Available in the US and Canada only



The SV Hot Swap DC Power System includes the SV Hot Swap Docking Station (#97-806), SV Hot Swap 120Wh Li-Ion Batteries (#97-807) and a SV Hot Swap Battery Charger (#97-808)

SV LiFe Power Upgrade System

Upgrade an existing non-powered StyleView Cart with the SV LiFe Power Upgrade System. Lightweight Lithium Iron Phosphate (LiFe) batteries are certified safe and provide long life with an ultrafast recharge time. This on-board charging system includes power system module with user interface, 330Wh LiFe battery, AC coiled power cord, 3-outlet power strip and attachment hardware.



- Delivers full power to cart while simultaneously charging battery
- On-board charging—no need for battery swapping
- Ultrafast charging time—about 3 hours; 10A charge rate
- LiFe battery chemistry is safe and offers greater power capacity
- Battery has LED indicator for charge status
- 12V, 330Wh LiFePO₄ battery weighs only 8.1 lbs (3,7 kg)

- Fully certified system at both the battery and system level
- Exceptional warranty is included (see website for details)

Available in the US and Canada only

LCD Arm 1 Drawer	LCD Arm 2 Drawers	LCD Arm 4 Drawers	LCD Arm 6 Drawers	LCD Pivot 1 Drawer	LCD Pivot 2 Drawers	LCD Pivot 4 Drawers	LCD Pivot 6 Drawers
SV42-3212-1 120V60Hz	SV42-3222-1 120V60Hz	SV42-3242-1 120V60Hz	SV42-3262-1 120V60Hz	SV42-3312-1 120V60Hz	SV42-3322-1 120V60Hz	SV42-3342-1 120V60Hz	SV42-3362-1 120V60Hz
SV42-3211-1 120V60Hz	SV42-3221-1 120V60Hz	SV42-3241-1 120V60Hz	SV42-3261-1 120V60Hz	SV42-3311-1 120V60Hz	SV42-3321-1 120V60Hz	SV42-3341-1 120V60Hz	SV42-3361-1 120V60Hz
SV42-3212-2 230V50/60Hz	SV42-3222-2 230V50/60Hz	SV42-3242-2 230V50/60Hz	SV42-3262-2 230V50/60Hz	SV42-3312-2 230V50/60Hz	SV42-3322-2 230V50/60Hz	SV42-3342-2 230V50/60Hz	SV42-3362-2 230V50/60Hz
SV42-3211-2 230V50Hz	SV42-3221-2 230V50Hz	SV42-3241-2 230V50Hz	SV42-3261-2 230V50Hz	SV42-3311-2 230V50Hz	SV42-3321-2 230V50Hz	SV42-3341-2 230V50Hz	SV42-3361-2 230V50Hz
SV42-3212-3 230V50/60Hz	SV42-3222-3 230V50/60Hz	SV42-3242-3 230V50/60Hz	SV42-3262-3 230V50/60Hz	SV42-3312-3 230V50/60Hz	SV42-3322-3 230V50/60Hz	SV42-3342-3 230V50/60Hz	SV42-3362-3 230V50/60Hz
SV42-3211-3 230V50Hz	SV42-3221-3 230V50Hz	SV42-3241-3 230V50Hz	SV42-3261-3 230V50Hz	SV42-3311-3 230V50Hz	SV42-3321-3 230V50Hz	SV42-3341-3 230V50Hz	SV42-3361-3 230V50Hz
SV42-3212-3 230V50/60Hz	SV42-3222-3 230V50/60Hz	SV42-3242-3 230V50/60Hz	SV42-3262-3 230V50/60Hz	SV42-3312-3 230V50/60Hz	SV42-3322-3 230V50/60Hz	SV42-3342-3 230V50/60Hz	SV42-3362-3 230V50/60Hz
SV42-3211-3 230V50Hz	SV42-3221-3 230V50Hz	SV42-3241-3 230V50Hz	SV42-3261-3 230V50Hz	SV42-3311-3 230V50Hz	SV42-3321-3 230V50Hz	SV42-3341-3 230V50Hz	SV42-3361-3 230V50Hz
SV42-3212-4 230V50Hz	SV42-3222-4 230V50Hz	SV42-3242-4 230V50Hz	SV42-3262-4 230V50Hz	SV42-3312-4 230V50Hz	SV42-3322-4 230V50Hz	SV42-3342-4 230V50Hz	SV42-3362-4 230V50Hz
SV42-3211-4 230V50Hz	SV42-3221-4 230V50Hz	SV42-3241-4 230V50Hz	SV42-3261-4 230V50Hz	SV42-3311-4 230V50Hz	SV42-3321-4 230V50Hz	SV42-3341-4 230V50Hz	SV42-3361-4 230V50Hz
SV42-3212-2 230V50/60Hz	SV42-3222-2 230V50/60Hz	SV42-3242-2 230V50/60Hz	SV42-3262-2 230V50/60Hz	SV42-3312-2 230V50/60Hz	SV42-3322-2 230V50/60Hz	SV42-3342-2 230V50/60Hz	SV42-3362-2 230V50/60Hz
SV42-3211-8 220V60Hz	SV42-3221-8 220V60Hz	SV42-3241-8 220V60Hz	SV42-3261-8 220V60Hz	SV42-3311-8 220V60Hz	SV42-3321-8 220V60Hz	SV42-3341-8 220V60Hz	SV42-3361-8 220V60Hz
SV42-3212-3 230V50/60Hz	SV42-3222-3 230V50/60Hz	SV42-3242-3 230V50/60Hz	SV42-3262-3 230V50/60Hz	SV42-3312-3 230V50/60Hz	SV42-3322-3 230V50/60Hz	SV42-3342-3 230V50/60Hz	SV42-3362-3 230V50/60Hz
SV42-3211-7 220V60Hz	SV42-3221-7 220V60Hz	SV42-3241-7 220V60Hz	SV42-3261-7 220V60Hz	SV42-3311-7 220V60Hz	SV42-3321-7 220V60Hz	SV42-3341-7 220V60Hz	SV42-3361-7 220V60Hz

Accessorize your StyleView Cart to suit your workflow

Ergotron accessories extend the flexibility of your StyleView mobility solution, helping maintain the highest quality patient point-of-care wherever that occurs within your workflow. Explore all your options at styleview.ergotron.com



Primary Drawer – Single
SV41 LCD **97-725**
SV42 LCD **97-715**
SV41 Laptop **97-727**
SV42 Laptop **97-720**
Storage **97-794**



Primary Drawer – Triple
SV41 LCD **97-726**
SV42 LCD **97-719**
SV41 Laptop **97-728**
SV42 Laptop **97-721**
Storage **97-795**



Supplemental Drawer – Single
SV41 **97-730**
SV42 **97-716**
Storage **97-723**



Supplemental Drawer – Triple
SV41 **97-729**
SV42 **97-722**
Storage **97-796**



Envelope Drawer SV41 **97-731**
SV42 **97-724**



Storage Bin **97-740**



Task Light **97-754-002**



SV Cart LCD Pan Pivot Kit **97-650**



SV Height Adjustable Keyboard Arm
for SV LCD Carts **97-827**



SV Dual Display Kit* **97-574**



Utility Shelf **97-507-216**



Large Utility Shelf* **97-540-053**



SV Scanner Shelf* **97-780-194**



SV Front Tray **97-777-062**



SV Camera Shelf* **97-776-194**



SV Sani-Wipes Holder **97-828**



Thin Client Mount* **80-107-200**



Universal CPU Holder* **80-105-064**



SV IV Pole Clamp Kit **97-632**



T-Slot Bracket **60-575-003**

Visit www.ergotron.com for additional StyleView accessories

* Displays, cameras and components shown are sold separately.



Easy. Affordable.

Telemedicine from Ergotron Healthcare

The future of healthcare . . . are you ready?

Telemedicine gives healthcare professionals the ability to connect, consult and collaborate with their patients and associates, from anywhere at anytime, with real-time videoconferencing. While the overarching field of telemedicine can seem complicated and cost prohibitive, our industry-leading StyleView® Telepresence Carts facilitate its effectiveness — easily and affordably.

Healthcare services delivered at anytime, from anywhere

- Expands access by allowing physicians and health facilities to extend their reach without geographic or socioeconomic limitations. Brings specialization to rural, remote, underserved and senior populations.
- Helps manage costs—facilitates management of patients with chronic diseases, promotes staff sharing and reduces travel.
- Increases patient satisfaction and trust because it may help to lower stress, replace travel, reduce costs of care and provide connection to remote expertise.

Let us help you get started

Learn more about expanding the reach of care at

 healthcare.ergotron.com




Displays, cameras and CPU components shown are sold separately.

StyleView Telepresence Carts (US/CA/MX)

- Open architecture allows for the integration of most standard computer and mobile communications equipment
- Hospital-grade construction
- Superior ergonomics
- Powered carts are UL60601-1 certified
- Low operating cost — autonomous rechargeable AC electrical source delivers safe, inexpensive and dependable power. SLA batteries are ESD safety compliant
- Lightweight, yet stable
- Easy to use and maneuver

SLA-BATTERY POWERED

NON-POWERED



SV42-57E1-1
Back-to-Back Monitor

Also includes rear-mount monitor kit



SV42-56E1-1
Dual Monitor

Also includes dual display kit

SV42-53E1-1
SLA-Powered
StyleView Telepresence Cart
Single Monitor

Includes: LCD pivot, primary drawer, large drawer, camera shelf, codec/CPU holder, T-slot bracket and medical-grade power strip



SV41-56E0-1
Dual Monitor


Also includes dual display kit

SV41-53E0-1
Non-Powered
StyleView Telepresence Cart
Single Monitor

Includes: LCD pivot, primary drawer, large drawer, camera shelf, codec/CPU holder, T-slot bracket and medical-grade power strip

Need some support?

If your organization is new to the growing field of telemedicine, let Ergotron help. Our Ergotron Service Program specialists can help you navigate which solutions best fits your current and future needs. Starting with a comprehensive audit of the existing systems, we provide "site-ready" configurations followed by installation and integration, then coupled with on-going technical assistance.



See how Ergotron products are used every day.

Healthcare Interactive
Virtual Tour
healthcare.ergotron.com

Already own a StyleView Cart? Upgrade it to the power of telemedicine



Add an SV Telepresence Kit to an existing StyleView Point-of-Care Cart.*

- 97-819 SV Telepresence Kit, Single Monitor, Powered Cart
Includes large drawer with divider and keys, mounting hardware, travel stop, camera shelf and codec/CPU holder with brackets
- 97-820 SV Telepresence Kit, Dual Monitor, Powered Cart
Includes large drawer with divider and keys, mounting hardware, travel stop, camera shelf, codec/CPU holder with brackets and dual display kit
- 97-821 SV Telepresence Kit, Back-to-Back Monitor, Powered Cart
Includes large drawer with divider and keys, mounting hardware, travel stop, camera shelf, codec/CPU holder with brackets and rear-mount monitor kit with hardware
- 97-822 SV Telepresence Kit, Single Monitor, Non-Powered Cart
Includes large drawer with divider and keys, mounting hardware, travel stop, camera shelf and codec/CPU holder with brackets
- 97-823 SV Telepresence Kit, Dual Monitor, Non-Powered Cart
Includes large drawer with divider and keys, mounting hardware, travel stop, camera shelf, codec/CPU holder with brackets and dual display kit with hardware

*Requirements:
 Non-powered StyleView SV41-3310-0
 LCD pivot with 1 drawer
 SLA-powered StyleView SV42-3311-1
 LCD pivot with 1 drawer



Camera Shelf
97-776-194



Codec/CPU Holder
80-063-200



Dual Display Kit
97-574



Large Drawer
97-731



Medical-Grade Power Strip
97-466-214 (US/CA/MX)

MediaCenter offers mobility with versatility

Stretch your investment by supporting a range of projection and videoconferencing needs throughout the facility—from the boardroom and the cafeteria to the surgery center.

Neo-Flex MediaCenters feature ease of mobility, portrait-to-landscape display rotation, 20" (51 cm) of effortless height adjustment and 20° independent display tilt. Supports displays weighing from 25–120 lbs (11–54,5 kg).



Neo-Flex Mobile MediaCenter LD

Neo-Flex Mobile MediaCenter VHD

Neo-Flex Mobile MediaCenter UHD

Part # (color)	Light Duty 24-190-085 (black)	Very Heavy Duty 24-191-085 (black)	Ultra Heavy Duty 24-192-085 (black)
Optional Accessories: Camera Shelf Kit 97-491-085; 660/700/800 mm Kit 97-489; VESA CPU Kit 97-527-009			
Typical LCD Size	27–55"	37–65"	50–70"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
Weight Capacity	25–50 lbs (11,4–22,7 kg) Main shelf 30 lbs (13,6 kg); cable shelf 5 lbs (2,2 kg); if MMC Camera Shelf is added, display weight capacity is diminished by 3 lbs (1,4 kg); if 660/700/800 mm Accessory Kit is added the display weight capacity is diminished by 5 lbs (2,2 kg)	50–90 lbs (22,7–40,9 kg)	90–120 lbs (40,9–54,4 kg)
Lift	20" (51 cm)	20" (51 cm)	20" (51 cm)
Tilt	20°	20°	20°
Rotation	90° See website for details	90° See website for details	90° See website for details
VESA	MIS-D/E/F See website for details	MIS-D/F See website for details	MIS-D/F See website for details
Warranty	3 years	3 years	3 years



Optional Camera Shelf Kit (97-491-085) turns the MediaCenter into a mobile videoconferencing solution that the entire facility can easily use

Healthy computing that brings EMR, eMAR, PACS and CPOE to the point of care



LX Sit-Stand Wall Mount Highlights

- Ultimate flexibility of monitor and keyboard positioning enhances personal interaction between the caregiver, patient and the patient's data
- 20" (51 cm) height range allows users to switch between sitting and standing positions for a healthier way to work
- Ergonomic back-tilt keyboard tray ensures wrists remain in a neutral position to increase comfort and help avoid repetitive-stress injuries
- Keyboard platform is very stable for extensive data entry and tested to be 3X more rigid than other keyboard arms
- Rotation Stop on wall mount base limits turn of extension base connection to 180°, preventing extension from contacting wall
- Secure installation — locking connections between arm, extension and base

	LX Sit-Stand Wall Mount System	LX Wall Mount System
Part # (color)	Medium CPU Holder (silver): 45-358-026 (polished aluminum) Small CPU Holder (black): 45-359-026 (polished aluminum)	Medium CPU Holder (silver): 45-247-026 (polished aluminum) Small CPU Holder (black): 45-253-026 (polished aluminum)
Includes	10" and 34" (25.4 and 86.4 cm) Wall Tracks with (2) black track covers, LX Sit-Stand Wall Mount LCD Arm, LX Sit-Stand Keyboard Arm, wrist rest, mouse holder, CPU Holder, two (2) 10" (25.4 cm) cable channels, mounting kits for hollow-wall and wall-stud installation	LX Wall Mount LCD Arm, LX Keyboard Arm, CPU Holder and 10" (25.4 cm) Wall Track, wrist rest, mouse holder, 34" (86.4 cm) Wall Track, two (2) 10" (25.4 cm) cable channels, anchor hardware kit
Typical LCD Size	≤ 42"	≤ 32"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
Depth	Folds to 6.8" (17.3 cm)	Folds to 5.3" (13.5 cm)
Warranty	10 years	10 years

Visit ergotron.com for complete information on LX Wall Mount Systems



	LX HD Sit-Stand Wall Mount LCD Arm	LX Sit-Stand Wall Mount LCD Arm	LX Wall Mount LCD Arm	LX Sit-Stand Keyboard Arm	LX Keyboard Arm
Part # (color)	45-383-026 (polished aluminum)	45-353-026 (polished aluminum)	45-243-026 (polished aluminum)	45-354-026 (polished aluminum)	45-246-026 (polished aluminum)
Typical LCD Size	≤ 46"	≤ 42"	≤ 32"	—	—
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
Keyboard Size	—	—	—	≤ 17.7" x 7.8" (45 x 20 cm)	≤ 17.5" x 10.1" (44.5 x 25.7 cm)
Weight Capacity	14–30 lbs (6.3–13.6 kg)	5–25 lbs (2.3–11.3 kg)	5–25 lbs (2.3–11.3 kg)	≤ 5 lbs (2.2 kg)	≤ 5 lbs (2.2 kg)
Lift	20" (51 cm)	20" (51 cm)	13" (33 cm)	20" (51 cm)	13" (33 cm)
Tilt	80° ↑ 75° / ↓ 5°	75° ↑ 70° / ↓ 5°	75° ↑ 70° / ↓ 5°	When in down position, tray features a back-tilt of 5°; folds upright 90° in storage position	80°
Pan	360° Rotation Stop on wall-mount base limits turn of extension-base connection to 180°, preventing extension from contacting wall	360° Rotation Stop on wall-mount base limits turn of extension-base connection to 180°, preventing extension from contacting wall	360°	360° Rotation Stop on wall-mount base limits turn of extension-base connection to 180°, preventing extension from contacting wall	360°
Rotation	90°	360°	360°	—	—
VESA	MIS-D/E/F See website for details	75 x 75, 100 x 100, 200 x 100, 200 x 200 See website for details	MIS-D	—	—
Depth	Folds to 4.5" (11.4 cm)	Folds to 4.5" (11.4 cm)	Folds to 4.3" (10.9 cm)	Folds to 5.8" (15 cm)	Folds to 3.5" (9 cm)
Extension	≤ 33" (84 cm)	33" (85 cm)	25" (64 cm)	42" (107 cm)	35" (89 cm)
Warranty	10 years	10 years	10 years	10 years	10 years

Sit-stand ergonomics — secure, compact and enclosed

Perfect for space-constrained patient rooms

StyleView Enclosures provide a smooth vertical height adjustment and folds up into a slim, compact unit when not in use.

Sit-stand ergonomics

Move from a sitting to a standing position whenever you want. True ergonomic designs provide a healthier, more comfortable way to work.

Extreme security and stability

A keyless locking mechanism protects patient data for compliance with privacy requirements and a unique cable management system conceals and organizes the cords, making cleaning a snap! Its stable, slide-out keyboard can support extensive data entry.



Folds to less than 4" (9,7cm)

Neo-Flex Dual Monitor Wall Mount and Keyboard Wall Mount

Maximize your space! This low-profile system enhances PACS implementation by providing convenient access to digital records. Tilting dual monitors reduce glare and improve sight lines. The wall-mounted keyboard tray lets you enter data at the point of care, then folds up flat (just 5" /13 cm from wall) when not in use.



Neo-Flex Dual Monitor Wall Mount
28-514-800 (grey & black)

Neo-Flex Keyboard Wall Mount
45-403-062 (grey)

Neo-Flex Wall Mount Lift

Add greater range of movement to your LCD display: raise or lower it 5", pan, tilt and rotate 90°. Its slim profile makes it perfect for areas where space is at a premium.



60-577-195 (black)

200 Series Combo Arm

Attach your LCD and keyboard to free up space. This wall unit solution features 3-point telescoping motion, providing greater reach to bring the system to where it is needed.



45-230-216 (white)
45-230-200 (black)



StyleView Sit-Stand Enclosure



StyleView VL Enclosure

Part # (color)	60-610-062 (white) 60-610-060 (black)	60-595-062 (white)
Includes	Enclosure, velcro kit (attaches keyboard to keyboard tray), cable management wrap, antimicrobial wrist rest. Wall footprint 38.2"H x 26.6"W (97 x 67,5 cm)	Enclosure, wall plate, mounting template, vertical lift, slide-out keyboard tray, wrist rest, mouse pouch, scanner holder, internal cable management, batteries, monitor mounting hardware, wall mounting hardware, keys
Typical LCD Size	≤ 22" Maximum monitor physical dimensions 20.5" W x 13.5" H x 2.5" D (52,1 x 34,3 x 6,4 cm). Monitor depth greater than 2.5" (6,4 cm) is allowable, however screen will protrude beyond profile of unit in such cases	≤ 22" Maximum monitor physical dimensions 20.7" W x 14.7" H x 2.8" D (52,6 x 37,3 x 7 cm). Assumes VESA hole pattern is centered on the back of the display
LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.		
Weight Capacity	12–24 lbs (5,4–10,9 kg) Listed weight capacity represents total load. Thin client device 3–10 lbs (1,4–4,5 kg); monitor 7–12,5 lbs (3,2–5,7 kg); keyboard and worksurface 0,5–1,5 lbs (0,2–0,7 kg)	8–33 lbs (3,6–14,9 kg) Listed weight capacity represents total load, including monitor and contents of keyboard tray, mouse pouch and scanner holder. Maximum load capacity: monitor pivot 18 lbs (8,2 kg); thin client device compartment 20 lbs (9,1 kg); door/worksurface 50 lbs (22,6 kg)
Lift	20" (51 cm)	9" (23 cm)
Pan	—	LCD 10° Display size may restrict motion. Keyboard 120°
VESA	MIS-D	MIS-D
Depth	3.8" (9,7 cm) closed 19.3" (48,9 cm) open	6.75" (17 cm) closed 20.6" (53 cm) open
Warranty	5 years 1-year warranty on all electronic components (excludes AA batteries)	5 years 1-year warranty on all electronic components (excludes AA batteries)

Worksurface with pull-out keyboard tray facilitates caregiver workflow



- ① Patented Constant Force™ lift-and-pivot motion technology provides premium 25" (63,5 cm) LCD height adjustment, portrait-to-landscape rotation and 30° tilt
- ② Durable, easy-to-clean exterior composed of aluminum and high-grade plastic
- ③ Integrated mouse and barcode scanner holder provide easy access
- ④ Fold-down worksurface/keyboard tray to support workflow needs. Worksurface is 22.75"W x 10.6" D (57,8 x 26,9 cm). Keyboard tray is 18.6"W x 9"D (47,2 x 22,8 cm)
- ⑤ Ergonomic back-tilt keyboard tray ensures wrists remain in a neutral position during data entry. Includes slide-out mouse tray



Mouse Tray Upgrade Kit

For older versions of the StyleView Sit-Stand Combo Arm with Worksurface
97-805-055



Scanner Shelf, VESA Attach

97-815




Thin Client Mount

80-107-200




Part # (color)	45-260-026 (polished aluminum)	45-266-026 (polished aluminum)	Medium CPU holder and wall track: 45-270-026 Small CPU holder and wall track: 45-272-026 (polished aluminum)	Medium CPU holder and wall track: 45-271-026 Small CPU holder and wall track: 45-273-026 (polished aluminum)
Includes	45-261-026 (polished aluminum) (optional) Sit-Stand Combo Arm with worksurface, wall mount bracket, track mount bracket kit, height-adjustable LCD mount, wrist rest, scanner and mouse holder, worksurface with integrated keyboard tray, VESA monitor mounting kit, cable ties	45-261-026 (polished aluminum) (optional) Sit-Stand Combo Arm, wall mount bracket, track mount bracket kit, height-adjustable LCD mount, wrist rest, scanner and mouse holder, integrated keyboard tray with left/right mouse tray, handle, VESA monitor mounting kit, cable ties	45-261-026 (polished aluminum) (optional) Sit-Stand Combo Arm with worksurface, 34" Wall Track with (2) black track covers, CPU Holder, CPU spacer, (2) 10" cable channels, CPU and Arm track mount bracket kits, Wall Track fasteners for concrete and wood, CPU direct wall mount kit, height-adjustable LCD mount, wrist rest, scanner and mouse holders, integrated keyboard tray, handle, VESA monitor mounting kit, cable ties	45-261-026 (polished aluminum) (optional) Sit-Stand Combo Arm, 34" Wall Track with (2) black track covers, CPU Holder, CPU spacer, (2) 10" cable channels, CPU and Arm track mount bracket kits, Wall Track fasteners for concrete and wood, CPU direct wall mount kit, height-adjustable LCD mount, wrist rest, scanner and mouse holders, integrated keyboard tray with left/right mouse tray, handle, VESA monitor mounting kit, cable ties
Typical LCD Size	≤ 24"	≤ 24"	≤ 24"	≤ 24"
LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.				
Weight Capacity	Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 4 lbs (1,8 kg) and up to 10 lbs (4,5 kg) on worksurface	Display 6–18 lbs (2,7–8,2 kg) or up to 25 lbs (11,4 kg) with tilt and lift lock out features engaged; keyboard, mouse and barcode scanner 4 lbs (1,8 kg)	Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 4 lbs (1,8 kg) and up to 10 lbs (4,5 kg) on worksurface; 45-270-026: CPU 50 lbs (22,7 kg) 45-272-026: CPU 40 lbs (18 kg)	Display 6–18 lbs (2,7–8,2 kg) or up to 25 lbs (11,4 kg) with tilt and lift lock-out features engaged; keyboard, mouse and barcode scanner 4 lbs (1,8 kg); 45-271-026: CPU 50 lbs (22,7 kg) 45-273-026: CPU 40 lbs (18 kg)
Lift	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)
Tilt	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°
Pan	360°	360°	360°	360°
Rotation	90° Portrait to landscape screen rotation	360° Portrait to landscape screen rotation	90° Portrait to landscape screen rotation	360° Portrait to landscape screen rotation
VESA	MIS-D	MIS-D	MIS-D	MIS-D
Depth	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)
Extension	≤ 43" (109 cm) with Extender ≤ 60" (152 cm)	≤ 39.75" (101 cm) with Extender ≤ 56.75" (144 cm)	≤ 43" (109 cm) with Extender ≤ 60" (152 cm)	≤ 39.75" (101 cm) with Extender ≤ 56.75" (144 cm)
Warranty	5 years	5 years	5 years	5 years

- ⑥ Clean, concealed and neat routing of cables through the expansive cable management system
- ⑦ Extend LCD and keyboard up to 43" (109 cm) from wall; fold equipment back out of the way when not in use. With worksurface in storage position, system depth is as little as 8" (20,3 cm). With keyboard in storage position, system depth is as little as 12" (30,5 cm)
- ⑧ Optional Extender Arm (45-261-026) increases range of motion for even greater reach



StyleView Sit-Stand Combo System with Worksurface and Extender Arm folds to 8" (20,3 cm)





StyleView Vertical Lift for high-traffic areas folds up into a slim, compact unit when not in use.



Compact ergonomics; extremely low profile

Ideal for patient rooms and high-traffic areas, StyleView Vertical Lifts give caregivers ergonomic comfort in a compact, low-profile wall mounted workstation. In a patient room setting, the pan of the keyboard and display promotes interaction, and the slide-out keyboard tray provides caregiver with comfortable data entry. Units fold up to as little as 4" (10,2 cm) deep when not in use.

Sit-Stand Vertical Lifts allow users to adjust between sitting and standing working heights. The entire system — monitor, keyboard and mouse — moves vertically 18" (46 cm) with a single, smooth motion to accommodate the heights of multiple users.

					
	StyleView Sit-Stand Vertical Lift Patient Room	StyleView Vertical Lift Patient Room	StyleView Sit-Stand Vertical Lift High Traffic Area	StyleView Vertical Lift High Traffic Area	Vertical Lift Auto-Retracting Keyboard Kit
Part # (color)	61-080-062 (white) 61-080-085 (black)	60-609-216 (white) 60-609-195 (black)	61-081-062 (white) 61-081-085 (black)	60-593-216 (white) 60-593-195 (black)	97-487-800 (black/white/grey), available US/CA/MX For use with Vertical Lift High Traffic models 60-593-216 and 60-593-195
Includes	Sit-stand lift chassis, monitor pivot, covers, shelf, retractable keyboard tray, slide-out mouse tray, wrist rest, mouse pouch, scanner holder	Vertical Lift, slide out panning keyboard tray, mouse pad (built into keyboard tray) wrist rest, mouse pouch, mouse and scanner holder	Sit-stand lift chassis, monitor pivot, covers, auto-retractable keyboard tray, slide-out mouse tray, wrist rest, mouse pouch	Vertical Lift, mouse pad, wrist rest, mouse pouch	Keyboard tray lift assembly, wrist rest, multiple covers (grey, black, white), Velcro and adhesive strips
Optional Accessories: Vertical CPU Holder 97-468-202 (silver); Vertical Small CPU Holder 80-063-200 (black)					
 Typical LCD Size	≤ 24"	≤ 24"	≤ 24"	≤ 24"	—
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
 Weight Capacity	5–30 lbs (2,2–13,6 kg)	8–33 lbs (3,6–14,3 kg)	5–30 lbs (2,2–13,6 kg)	5–30 lbs (2,3–13,6 kg)	.75–2.5 lbs (0,34–1,13 kg)
 Lift	18" (46 cm)	9" (23 cm)	18" (46 cm)	9" (23 cm)	—
 Tilt	10°	LCD 10° Back-tilt keyboard tray 10°	10°	LCD 10° Back-tilt keyboard tray 10°	—
 Pan	LCD 50° Keyboard 120° See website for details	50° Display size may restrict motion Keyboard 120°	—	—	—
 VESA	MIS-D	MIS-D	MIS-D	MIS-D	—
Depth	6" (15,2 cm)	4.5" (11,4 cm)	4" (10,2 cm)	4" (10,2 cm)	—
Extension	—	18.8" (47,9 cm)	—	12" (30,5 cm)	—
Warranty	5 years	5 years	5 years	5 years	5 years








Move large displays for optimal viewing

Get unprecedented height adjustability in an extremely low profile module. The revolutionary design of our Glide Wall Mounts lets users effortlessly raise and lower large displays by up to 18" (46 cm) and tilt the screen up to 10° to avoid glare. Similarly, our Interactive Arms let you easily lift, swing or turn displays for optimal viewing while relieving eye, neck and back strain.










Glide Wall Mount LD-X Glide Wall Mount HD Glide Wall Mount VHD

Part # (color)	61-113-085 (black)	61-061-085 (black)	61-128-085 (black)
 Typical LCD Size	27–42"	30–55"	≥ 46"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
 Weight Capacity	12–30 lbs (5,4–13,6 kg)	20–40 lbs (9–18 kg)	45–70 lbs (20,4–32 kg)
 Lift	10" (25.4 cm)	18" (46 cm)	16" (40,6 cm)
 Tilt	10°	10°	10°
 VESA	MIS-D/E/F See website for details	MIS-E/F See website for details	MIS-D/E/F See website for details
Depth	4.3" (10,9 cm)	2" (5 cm)	2.7" (6,9 cm)
Warranty	5 years	5 years	5 years



Interactive Arm LD Interactive Arm HD Interactive Arm VHD

Part # (color)	45-361-026 (polished aluminum)	45-296-026 (polished aluminum)	45-304-026 (polished aluminum)
 Typical LCD Size	≤ 42"	30–55"	30–60+"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
 Weight Capacity	7–25 lbs (3,2–11,3 kg)	18–40 lbs (8,2–18,2 kg)	35–70 lbs (15,9–31,8 kg)
 Lift	20" (51 cm)	20" (51 cm)	20" (51 cm)
 Tilt	75° ↑ 70° / ↓ 5°	25° ↑ 10° / ↓ 15°	20° ↑ 5° / ↓ 15°
 Pan	180°	180°	180°
 Rotation	360°	10° ← 5° / → 5°	10° ← 5° / → 5°
 VESA	75 x 75, 100 x 100, 200 x 100, 200 x 200 mm Optional VESA Bracket Adaptor Kit (97-759) can be ordered separately for MIS-F interface with hole pattern of 400 x 200, 400 x 300 or 400 x 400 mm	200 x 100 – 600 x 400 mm	200 x 100 – 600 x 400 mm
Depth	4.5" (11 cm)	5.5" (14 cm)	6.5" (16,5 cm)
Extension	17" (43 cm)	24" (61 cm)	28" (71 cm)
Warranty	5 years	5 years	5 years

PowerShuttle® Charging Systems

Chromebook™ • Windows® 8 • Android™
Surface • Ultrabook™ • MacBook® • iPad®

Universal design

- Accommodates up to 30 tablets, Chromebooks, MacBooks or laptops
- Two country-specific power strips are provided to plug-in AC adapters of varying sizes and shapes

PowerShuttle technology

- Innovative PowerShuttle technology automatically optimizes total charge time for up to 30 devices and safely prevents overloading electrical circuits by efficiently grouping the number of devices that are charged at one time
- Charging time reduction of approximately 30% over competitive round-robin charging systems

Durable, secure storage

- Robust key and lock assembly keeps devices secure
- Double-hinged, locking steel front doors with recessed handle open 180° to reveal notebook storage shelves
- Rugged steel frame construction, steel front and rear doors, and molded fire-rated ABS exterior withstand heavy use
- Secure back compartment provides IT access to AC adapter storage and power strips. Clean, neat cable management runs power to units
- Lightweight; this compact cart design makes it easy to safely move from room to room
- For user and equipment safety, the entire cart is tested and certified to UL 60950 and 1667 standards



Ergotron's flexible design cleanly accommodates a variety of brick-and-plug styles for adapters that won't fit in standard outlet strips.



Country-specific 12-receptacle outlet strip is designed to work with oversized wall adapters and mini-sized bricks.



See "Tablet Management: Sync & Take Charge" movies.ergotron.com

Explore all the ways to charge, sync and/or secure multiple mobile devices at

 charging.ergotron.com



Tablet Charging Wall Mount 12

This slim storage cabinet is perfect for charging and securing up to 12 tablets and Chromebooks. It's designed to be compatible with a wide variety of manufacturers like Microsoft, Samsung, Apple, Lenovo, HP, Dell, Amazon, Asus, Acer and many others.

Features include:

- Low-profile design protrudes less than 6" (15.2 cm) from the wall saving space
- Open architecture design works with most tablets (including Android, Windows, and iPad) and Chromebooks with up to 11.6" displays
- Smooth sliding door provides easy access to devices and stays within the sleek profile
- Show & Stow™ technology tilting tablet trays make loading and unloading devices simple. Pull trays out to load or unload and they will automatically retract
- Six-point locking bracket keeps devices safe and secure
- Quick, simple installation; mount the bracket on the wall, hang the cabinet and secure with two heavy-duty screws
- For user and equipment safety, the entire cabinet is tested and certified to UL 60950



Part # (color)	US/CA/MX 24-302-085 CN 24-305-085 JP 24-306-085 UK/IE/HK/MY/SG 24-303-085 EU 24-304-085 AU/NZ 24-307-085 TH 24-423-085 KO 24-385-085 (black)	US/CA/MX 24-246-085 CN 24-247-085 JP 24-248-085 UK/SNG/HK 24-249-085 EU 24-250-085 AU/NZ 24-251-085 (black)	US/CA/MX 24-291-085 CN 24-292-085 JP 24-293-085 UK/SNG/HK 24-294-085 EU 24-295-085 AU/NZ 24-296-085 (black)	US/CA/MX DM12-1005-1 CN DM12-1005-5 JP DM12-1005-6 UK/IE/HK/MY/SG DM12-1005-3 EU DM12-1005-2 AU/NZ DM12-1005-4 (silver and black)
Devices	Chromebook, Windows 8, Android, Apple & laptops			Most tablets and Chromebooks (verify slot size for compatibility)
Charge Method	AC			
Screen Size	< 13.3"	< 15.6"	< 15.6"	< 11.6"
# of Devices	30	20	20	12
Slot Size	14.3" x 12.3" x 1.1" (36,4 x 31,3 x 2,8 cm)	15.7" x 12.3" x 1.9" (40 x 31,3 x 4,8 cm)	15.7" x 12.3" x 1.9" (40 x 31,3 x 4,8 cm)	11.4" x 8.9" x 1" (29 x 23 x 2,5 cm)
Sync Capability	No	WOL via Ethernet (cables pre-installed)	No	Wireless only
	Full UL Certification			
Secure	Locking steel doors			
Warranty	Five (5) years; two (2) years for power module; one (1) year for other electrical components			

CERTIFICATION
UL 60950 Safety of Information Technology Equipment, CAN/CSA C22.2 No. 60950
UL 1667 Tall Institutional Carts for use with Audio, Video and Television Type Equipment
ICES-003 Issue 4, Class A
FCC Part 15 Class A
Country-specific certification as required
RoHS and Reach compliant material used

Apple, iPad, and Retina are trademarks of Apple Inc., registered in the US and other countries. iPad Air, iPad mini, and Lightning are trademarks of Apple Inc. Amazon, Kindle, Kindle Fire, the Amazon Kindle logo and the Kindle Fire logo are trademarks of Amazon.com, Inc. or its affiliates. Windows is a registered trademark of Microsoft Corporation. © 2012 Google Inc. All rights reserved. Android and Chromebook are trademarks of Google Inc. The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.

Tablet Management for iPad® Devices

Charge. Sync. Secure.

- Charge and sync up to 48 iPad devices at once from one location
- Switch from charge to sync mode by connecting a Macintosh® or PC
- Accommodates most iPad cases
- Designed for use with Apple® Configurator and iTunes®
- Tablet management carts feature a small footprint making them easy to maneuver through tight aisles and easy to store
- Ventilated, enclosed storage keeps tablets safe and secure
- Steel framework with durable locking steel doors
- Wall Mount 10 features Show and Stow™ technology. Devices are presented to user when door is opened
- Individual Status Indicators (ISI) monitor charging progress of each tablet (refer to product chart below).




Laptop Locker for safe and secure storage

An easy addition to Ergotron's Tablet Management Carts and Desktop 16 products, our Laptop Locker provides safe, secure storage for a laptop or other small accessories. Installs in place of existing top cover for a built-in solution. Includes six-point locking bracket. 97-829



Part # (color)	Tablet Management Wall Mount 10		Tablet Management Desktop 16		Tablet Management Cart (32 or 48)		Tablet Management Station 16
	30-Pin iPad	Lightning iPad	2.1A Charge	2.4A Charge	32 Devices	48 Devices	
	 Pre-installed 30-Pin cables US/CA/MX DM10-1006-1 EU DM10-1006-2 UK/IE/HK/MY/SG DM10-1006-3 AU/NZ DM10-1006-4 CN DM10-1006-5 JP DM10-1006-6 (silver/black)	 Pre-installed Lightning cables US/CA/MX DM10-1007-1 EU DM10-1007-2 UK/IE/HK/MY/SG DM10-1007-3 AU/NZ DM10-1007-4 CN DM10-1007-5 JP DM10-1007-6 (silver/black)	With ISI US/CA/MX 24-327-085 EU 24-339-085 UK/IE/HK/MY/SG 24-333-085 AU/NZ 24-345-085 CN 24-351-085 JP 24-357-085 TH 24-409-085 KO 24-400-085 Without ISI US/CA/MX 24-372-085 EU 24-378-085 UK/IE 24-375-085 (black)	 With ISI / Pre-installed Lightning cables US/CA/MX DM16-1004-1 EU DM16-1004-2 UK/IE/HK/MY/SG DM16-1004-3 AU/NZ DM16-1004-4 CN DM16-1004-5 JP DM16-1004-6 (black)	 With ISI / Pre-installed Lightning cables 2.4A Charge US/CA/MX DM32-1004-1 EU DM32-1004-2 UK/IE/HK/MY/SG DM32-1004-3 AU/NZ DM32-1004-4 CN DM32-1004-5 JP DM32-1004-6 With ISI / 2.1A Charge US/CA/MX 24-328-085 EU 24-340-085 UK/IE/HK/MY/SG 24-334-085 AU/NZ 24-346-085 CN 24-352-085 JP 24-358-085 TH 24-410-085 KO 24-401-085 Without ISI / 2.1A Charge US/CA/MX 24-373-085 EU 24-379-085 UK/IE 24-376-085 (black)	 With ISI / Pre-installed Lightning cables 2.4A Charge US/CA/MX DM48-1004-1 EU DM48-1004-2 UK/IE/HK/MY/SG DM48-1004-3 AU/NZ DM48-1004-4 CN DM48-1004-5 JP DM48-1004-6 With ISI / 2.1A Charge US/CA/MX 24-329-085 EU 24-341-085 UK/SING/HK 24-335-085 AU/NZ 24-347-085 CN 24-353-085 JP 24-359-085 TH 24-411-085 KO 24-402-085 (black)	US/CA/MX DM16-1003-1 EU DM16-1003-2 UK/IE/SNG/HK/MY DM16-1003-3 AU/NZ DM16-1003-4 CN DM16-1003-5 JP DM16-1003-6 (silver/black)
Devices	iPad, iPad2, iPad (3rd generation)	iPad Air, iPad (4th generation), iPad mini with Retina Display, iPad mini	30-Pin: iPad, iPad 2, iPad (3rd generation) Lightning: iPad (4th generation), iPad Air, iPad mini with Retina Display, iPad mini				Most USB charged devices
Charge Method	USB 2.4A		USB 2.4A (Lightning cables pre-installed) / USB 2.1A (cables not included)				USB 2.1A (cables not included)
Screen Size			< 10.1"				< 10.6"
# of Devices	10		16		32 or 48		16
Slot Size	7.9" x 10.9" x .9" (201 x 277 x 23 mm)		7.9" x 11.3" x .85" (201 x 288 x 22 mm)		7.9" x 11.3" x .85" (201 x 288 x 22 mm)		Variable
Sync Capability	Yes						
	Full UL 60950 certification						
Secure	Steel doors with 6-point lock assembly		Steel doors with 3-point lock assembly				No

Apple, iPad, Macintosh, iTunes and Retina are trademarks of Apple Inc., registered in the US and other countries. iPad Air, iPad mini, and Lightning are trademarks of Apple Inc.



**Sit less.
Stand more.
Start now!**

The science behind the need to stand



The American Medical Association (AMA) agrees that sitting for extended periods of time can be bad for personal health. Their newly adopted policy recommends business organizations offer sitting alternatives, including standing desks.



A recent study published by the CDC (Centers for Disease Control) indicates adjustable sit-to-stand products are an effective solution for reducing prolonged sitting. Sit or stand, instantly, while remaining effectively engaged with your computer.

A 2010 University of Queensland, Australia study found that even when adults meet physical activity guidelines, sitting for prolonged periods can compromise metabolic health.

Take a stand against metabolic illnesses linked to prolonged sitting

For more than three decades, Ergotron has designed ergonomic workstations to make computing more comfortable and better for you. Our extensive line of sit-stand workstations and desks gives computer users a much healthier and more productive way to work.

Sit-stand workstations are:

FLEXIBLE — a solution for every computer user and every computing configuration

ERGONOMIC — effortless height adjustability for sit-stand comfort; accessories also available

AFFORDABLE — many economical ways to fight "sitting disease"



WorkFit-P, Platinum
24-408-227
WorkFit-P
24-383-026



WorkFit-A
Single Light Duty 24-313-026
Dual 24-312-026
WorkFit-A, for Apple®
24-414-227



WorkFit-A with Worksurface+
Single Light Duty 24-317-026
Single Heavy Duty 24-314-026
Dual 24-316-026



WorkFit-A with Suspended Keyboard
Single Light Duty 24-390-026
Single Heavy Duty 24-391-026
Dual 24-392-026



The WorkFit-A and WorkFit-P clamps to the rear or side of most surfaces — sit or stand with effortless height adjustability



Burn extra calories • Tone muscles • Improve posture • Ramp up your metabolism • Be more productive

i research.juststand.org

Sit-stand comfort with one simple and fluid motion



WorkFit-S

Single, Light Duty 33-342-200
Single, Heavy Duty 33-344-200
Dual 33-341-200



WorkFit-S with Worksurface+

Single, Light Duty 24-317-026
Single, Heavy Duty 24-314-026
Dual 33-349-200



WorkFit-S clamps to the front of your desk; display, keyboard and worksurface move together

LX Desk Mounts offer flexibility with independent movement of your display(s)



LX Dual Side-by-Side Arm
45-245-026



LX Dual Stacking Arm
45-248-026



LX Sit-Stand Desk Mount
LCD Arm 45-360-026
Heavy Duty LCD Arm 45-384-026



LX Desk Mount LCD Arm
45-241-026



WorkFit-LX, Sit-Stand Desk Mount System
45-405-026

LX Desk Mount LCD Arm, Tall Pole
45-295-026



The modular and flexible design of the WorkFit-LX fits almost any space while enabling personalized ergonomic positioning. It offers unparalleled range of motion, easily accommodating a user's sitting or standing position for a healthier way to work. Features 20" (51 cm) of height adjustment, 62" (157 cm) of side-to-side motion and 33" (84 cm) of extension.



Comfortable computing increases productivity. Find the calculator at

 payback.ergotron.com

WorkFit-D sit-stand desks

Improve energy and productivity by sitting and standing throughout your work day. Patented Constant Force technology allows easy height adjustment up to 20" (51 cm) and an integrated brake secures table in place.

Customize with your choice of display mount and our Underdesk Keyboard Tray (97-582-009) to fit your individual computing needs and desired workflow. WorkFit-D also features a spacious worksurface able to support up to 65 lbs (29,5 kg).



WorkFit-D Sit-Stand Desk

Light Grey 24-271-926
Walnut 24-271-927 (Americas/APAC)
Birch 24-271-928



WorkFit-PD Sit-Stand Desk

Light Grey 24-280-926
Walnut 24-280-927 (Americas/APAC)
Birch 24-280-928



WorkFit-C

Single Light Duty 24-215-085
Single Heavy Duty 24-216-085



WorkFit-C, Dual

24-214-085

Customer service and product support that's second to none



Expect a superior customer experience when you choose Ergotron. Our quality products are backed by specially trained support professionals and optional extended service programs that protect your investment and optimize your on-going product performance.

Customer care includes:

800# support line

Live 24/7 support in English; support during country hours in English, Spanish, French, Dutch, Italian, Russian, German, Greek, Mandarin and Japanese

Chat and email support

Our specialists connect with you real-time via live chat and email



Technical support

Rigorously trained technicians work with you to troubleshoot product and installation issues, manage service contracts, handle dispatching and answer/resolve warranty questions and issues

Sales support for resellers

Our field service group supports regional territory sales, and also participate in customer events with TESS (Ergotron's Traveling Equipment Solutions Showroom)

Extended Global Service Programs protect your investment and ensure optimal product performance



A wide range of extended Global Service Programs are available to provide additional support and benefits:

Site readiness

Fast, efficient equipment installation and integration

Certified technicians conduct and manage every phase of product installation (including hardware integration, adjustments, and computer installation with cable management)

Preventive maintenance and extended warranties

Optimal product performance for increased uptime

Improved asset management

Lower total cost of ownership; extended product life

Enhanced in-house product expertise

Training and transfer of technical knowledge to your internal staff

Equipment Audit and Health Assessment

Receive an accurate inventory and health assessment of all deployed Ergotron equipment and assets.

Next-Business-Day (NBD) Service Contracts

Receive NBD service from our network of certified providers to minimize equipment downtime. Various contract levels are available to meet your unique needs: Bronze, Silver, Silver+, Gold and Platinum

Annual Contracts and Planned Services

Options range from a single preventive maintenance visit to a 5-year complete service contract

Product Recycling

Ergotron encourages environmental responsibility by offering a recycling program for our (and even our competitors') products

100% satisfaction — guaranteed!

Supporting care everywhere

Enhance personal interaction • Expand reach • Improve operational efficiency



Point-of-Care and Telepresence
StyleView Carts

Charging Systems



Ergonomic
Sit-Stand Workstations



Mobile Display and
Videoconferencing
Solutions



Point-of-Care
Wall Mount Products



Display and Digital
Signage Mounts



© 2014 Ergotron, Inc. Literature made in US 870-01-012-EA rev. 10/02/2014
Content is subject to change without notification
Ergotron devices are not intended to cure, treat, mitigate or prevent any disease

**Americas Sales and
Corporate Headquarters**

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sales

Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
info.oem@ergotron.com

ERGOTRON®

NORTEK A Nortek Company

