ThinkPad T480s 20L7001PUK

Product

ThinkPad T480s

Region

WE

Country/Region

Machine Type

20L7

TopSeller

TopSeller

Processor

Core i7-8550U (4C / 8T, 1.8 / 4.0GHz, 8MB)

Graphics

Integrated Intel UHD Graphics 620

Chipset

Intel SoC Platform

Memory

8GB Soldered DDR4-2400

Display

14" FHD (1920x1080) IPS 250nits Anti-glare

Multi-touch

None

Storage

256GB SSD M.2 2280 PCIe NVMe Opal2

Optical

None

WLAN + Bluetooth

Intel 8265 11ac, 2x2 + BT4.1

WWAN

WWAN Upgradable

SIM Card

None

Smart Card Reader

Smart Card Reader

Monitor Cable

None

Color

Black

Camera

720p

Keyboard

Backlit, English (UK)

Fingerprint Reader

Fingerprint Reader

NFC

None

TPM

Discrete TPM 2.0

Batterv

Integrated 57Wh

Power Adapter

65W USB-C

System Management

None

Operating System

Windows 10 Pro 64

Bundled Software

None

Base Warranty

3-year, Depot

Bundled Service

None

End of Support

2024-02-29

Announce Date

2018-01-29

Recommended Services

Better

5Y Onsite upgrade from 3Y Depot/CCI (5WS0A23078)

Good

3Y Premier Support Upgrade from 3Y Depot/CCI (5WS0T36152)

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2019. All rights reserved.



ThinkPad T480s Platform Specifications

| | | I | |
|---------------------------|--|-----------------------|--|
| Processor | 7th Generation Intel® Core™ i5 Processor | | WxDxH: 13.03" x 8.93" x 0.73"; 331mm x 226.8mm x 18.45mm |
| | Processor # of # of Base Max Turbo Cache Types Processor Graphics | Weight Case color | Starting at 2.9 lb / 1.32 kg Black or Silver |
| | is 720011 2.5 GHz 2.1 GHz 2MB | Case material | Display cover: CFRP Hybrid; |
| | 15-72000 2 4 2.5 GHz 3.1 GHz 3MB DDR4-2133 Intel HD Graphics 620 | | Bottom: Magnesium |
| | or 8th Generation Intel Core i5 / i7 Processor | Media reader | r <i>Optional:</i> Smart card reader 4-in-1 reader (MMC, SD, SDHC, SDXC) |
| | Processor # of Number # of Cores # of Threads Base Frequency Max Turbo Frequency Cache Memory Types Processor Graphics | Ports | Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C Gen 1 (with the function of Power Delivery and DisplayPort), |
| | i5-8250U 1.6 GHz 3.4 GHz 6MB | | one USB 3.1 Type-C Gen 2 / Thunderbolt 3 (with the function of PD and DP), HDMI 1.4b, Ethernet (RJ-45), nano-SIM card slot (WWAN models), |
| | i5-8350U | | headphone / microphone combo jack, optional smart card reader, |
| | i7-8550U 4 0 1.8 GHz 4.0 GHz 8MB 1.9 GHz 4.2 GHz 8MB | | 4-in-1 reader (MMC, SD, SDHC, SDXC), side docking connector, security keyhole |
| Graphics | Intel HD Graphics 620 or Intel UHD Graphics 620 in processor only or | | * Depending on many factors, actual data transfer speed may be lower than theoretical speed |
| Graphics | Intel UHD Graphics 620 in processor and NVIDIA® GeForce® MX150, | Monitor cable | USB-C to VGA: Lenovo USB-C to VGA Adapter USB-C to DP: Lenovo USB-C to DisplayPort Adapter |
| | 2GB GDDR5 memory (discrete models are NOT available in EMEA); supports external digital monitor via HDMI or USB Type-C; | <u> </u> | One of the following, configurable by model: |
| | supports three independent displays; | | HD720p camera with ThinkShutter camera privacy, fixed focus |
| | Max resolution: 4096x2304@60Hz (USB Type-C); 4096x2160@30Hz (HDMI) | | • IR camera and HD720p camera, fixed focus HD Audio, Realtek® ALC3287 codec / |
| Chipset Memory | Intel SoC (System on Chip) platform 20GB or 24GB max / 2400MHz DDR4, dual-channel capable, | | stereo speakers, 1W x 2, Dolby® Audio™ Premium / |
| Wichiol y | 4GB or 8GB memory soldered to systemboard, one DDR4 SO-DIMM socket | | dual array microphone, headphone / microphone combo jack |
| Dianloss | * System clocks down for processors with lower memory controller | Keyboard UltraNav™ | 6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad |
| Display | Some: 14.0" (355mm) FHD (1920x1080), anti-glare, LED backlight, IPS, 250 nits, 16:9 aspect ratio, 700:1 contrast ratio, 170° viewing angle, | | Power-on password, hard disk password, supervisor password, security keyhole |
| | supports ThinkPad Privacy Guard on some models | Security chip | Discrete TPM 2.0, TCG Certified |
| | Some: 14.0" (355mm) WQHD (2560x1440), anti-glare, LED backlight, IPS, 300 nits, 16:9 aspect ratio, 700:1 contrast ratio, 72% gamut, | | Intel vPro Technology *Optional: Touch style match on chip fingerprint reader on the palm rest, |
| Multi touch (cot) | 170° viewing angle | | anti-spoofing technology |
| Multi-touch (opt) Storage | On-cell touch, supports 10-finger gesture, 250 nits (FHD only) One of the following, configurable by model: | | Near Field Communication |
| Siciage | M.2 SSD / SATA 6.0Gb/s | Battery | Integrated Li-ion 57Wh battery, supports Rapid Charge (0-80% in 60 mins) with 65W USB Type-C AC adapter |
| Ontical | M.2 SSD / PCle NVMe, PCle 3.0 x 4, 32Gb/s Name | Max battery life | MobileMark® 2014: 15.6 hr |
| Optical Ethernet | None Non v/Pro model: Intel Ethernet Connection 1919 V (leeksonville) | AC adapter | * Battery life varies significantly with settings, usage, & other factors 45W or 65W USB Type-C AC adapter |
| Euleffiet | Non-vPro model: Intel Ethernet Connection I219-V (Jacksonville) vPro model: Intel Ethernet Connection I219-LM (Jacksonville) | <u>'</u> | Optional: Windows® 10 Home 64 or Windows 10 Pro 64 |
| WLAN + | Intel Dual Band Wireless-AC 8265, Wi-Fi 2x2 802.11ac + Bluetooth 4.1, M.2 card | | One of the following, configurable by model: |
| Bluetooth™ | * Intel 8265ac card supports BT4.2 but is limited to BT4.1 by Windows OS | | 1-year depot repair service 1-year depot with 2-year planar repair service |
| WWAN (optional) | One of the following, configurable by model: • Wireless WAN upgradable | | 3-year/1-yr battery depot repair service |
| | Integrated Mobile Broadband 4G LTE, | | 3-year/1-yr battery limited onsite service |
| | Intel XMM™ 7262 (Fibocom L830-EB), M.2 card (EMEA only) • Integrated Mobile Broadband 4G LTE-A, | l | MIL-STD-810G military testing |
| | Intel XMM™ 7360 (Fibocom L850-GL), M.2 card | Environment | EPEAT™ Silver; ENERGY STAR® 6.1; RoHS-compliant |
| SIM card (opt) | Nano-SIM card slot, optional Verizon LTE (US) SIM card | | |
| Note: The specifica | ations above may not be available in all regions. | | Lenovo |

Note: The specifications above may not be available in all regions.

