Fujitsu recommends Windows 10 Pro for business.



Data Sheet FUJITSU Notebook LIFEBOOK U7411

Ultra-Mobile Meets Ultra Secure

The FUJITSU Notebook LIFEBOOK U7411 is a slim notebook, based on the 11th generation Intel® Core™ processor, for business professionals seeking optimum mobility for business trips and ergonomics in the office. The 14-inch screen, light weight of 1.2 kg, 2x Intel® Thunderbolt™ 4 ports and an all-day battery runtime enables it to provide excellent mobility and portability.

Elegant design and great mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- Thanks to the complete magnesium housing, the weight of the remarkably slim 17.9 mm ultramobile notebook starts at 1.2 kg.
- Enjoy the Intel® Iris® Xe Graphics with an FHD or HD display.
- The outdoor-friendly anti-glare, FHD touch panel (optional) comes with a narrow bezel design in a warm silver colored chassis.

Excellent security

Enhance your security with outstanding features to best protect your notebook and company data

- Integrated PalmSecure[™] or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- ePrivacy Filter: Keep safe from prying eyes
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

Premium connectivity

Stav flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fasted speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector, full-size HDMI, USB Type-C
- Embedded 4G or 5G/LTE

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

Battery, memory and internal storage is hidden under a service door

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

Shared components such as the same new classic or USB Type-C port replicator, AC Adapter, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family

















Components

Base unit	LIFEBOOK U7411	
Operating system preinstalled		
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro for business. Windows 10 Home	
Operating system notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware service through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Ann Channel Support" at http://support.ts.fujitsu.com.	
Processor	Intel® Core™ i7-1185G7 processor (4 Cores / 8 T	hreads, up to 4.8 GHz)
	Intel® Core™ i7-1165G7 processor (4 Cores / 8 T	hreads) *
	Intel® Core™ i5-1145G7 processor (4 Cores / 8 Threads)	
	Intel® Core™ i5-1135G7 processor (4 Cores / 8 Threads) *	
	Intel® Core™ i3-1125G4 processor (4 Cores / 8 Threads) *	
	*Processor only for retail, SMB, education and government	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO	DIMM
	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM	
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, S	MMID C
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module	
	PCIe-SSD, 1 TB M.2 NVMe module, SED	
Hard disk notes	Accessible capacity may vary, also depending on used software.	
Interface add on cards/components (optional)		
3G/4G (optional)	LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)	
4G/5G (optional)	LTE Sierra Wireless EM9191 (Downlink speed up to 4.5 Gbit/s MB/s, Uplink speed up to 660 Mbit/s)	
Display	35.6 cm (14-inch),LED backlight,(HD),Anti-glare display,compound,1,366 x 768 pixel,500:1,220 cd/m ²	
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS touchscreen,magnesium,1,920 x 1,080 pixel,700:1,300 cd/m ²	
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS display,magnesium,1,920 x 1,080 pixel,800:1,300 cd/m²	
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS display,magnesium,1,920 x 1,080 pixel,1000:1,300 cd/m ²	
Multimedia		
Camera	Built-in webcam (HD) with Status LED	Built-in Infrared webcam (HD) with Status LED
Camera notes	720p, 1 megapixels, 1280 x 720	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter
Microphone	dual digital array microphone	

Base unit

Base unit	LIFEBOOK U7411
General system information	
Chipset	Integrated
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	64 GB

General system information	2.50 DIMM (DDD4 2200 MIL	1		
Memory slots		2 SO DIMM (DDR4, 3200 MHz)		
Memory notes	Dual channel support			
LAN	10/100/1,000 MBit/s Intel® I219LM			
Integrated WLAN	Intel WiFi 6 AX201			
BIOS version	UEFI Specification 2.7			
BIOS features	InsydeH2O BIOS			
Audio type	On board			
Audio codec	Realtek ALC255			
Audio features	2x built-in speakers (stereo)			
Display				
Display notes	FHD - Viewing angle: Left/Ri	ght 85°, Top 85°, Bottom 85°; (Color Gamut: 72%	
Graphics				
Base unit	LIFEBOOK U7411			
TFT resolution (HDMI)	Up to 4,096 x 2,160 pixel (30	Hz)		
Graphics brand name	Intel® UHD Graphics (with Si	ngle channel memory), Intel®	Iris® Xe Graphics (with Dual c	hannel memory)
Graphics features	3 Display Support	<u> </u>	·	·
•	DirectX® 12			
	OpenGL® 4.5			
Graphics notes	Shared memory depending	on main memory size and op	erating system	
Interfaces				
Audio: line-out / headphone	1 (combo port with Audio lin	ne-in)		
Audio: line-in / microphone	1 (combo port with Audio lir	ne-out)		
Internal microphones	2x digital array microphones	s (optional)		
USB 3.2 Gen 1 (5 Gbps) total	2x Type-A (1 with Anytime U	ISB charge functionality)		
USB 4.0 Gen 3 (20 Gbps) total	2x Type-C Intel® Thunderbol	t™ 4 (1x with Power Delivery f	unctionality)	
USB Type-C	USB 4.0 Gen3 (20 Gbps), Intel® Thunderbolt™ 4 (40Gbps), Power Delivery (15W), DP out			
DisplayPort		1 (via USB Type-C adapter) - v1.4		
HDMI	1 v2.0			
Ethernet (RJ-45)	1 (with status LED)			
Memory card slots	1 SD 3.0 Standard			
•	SD/microSD card: 2GB			
	SDHC/microSDHC card: 32G	В		
	SDXC/microSDXC card: 2TB	AMP (c)		
Consust Court slat	Speed Class: up to UHS-I (10	4IVID/S)		
SmartCard slot	1 (optional)	:+ :	\	
SIM card slot	•	ls with integrated 4G/5G LTE n	nodule)	
Docking connector for Port Replicator	1			
Kensington Lock support	1			
Port Replicator interfaces (optional)				
	Thunderbolt™ 4 PR	Model: tbd	USB Type-C PR	Thunderbolt™ 3 PR
DC-in	1 (20V/170W required)	1 (19V/90W required)	1 (19V/90W required)	1 (20V/170W required)
Power on switch	1	1	1	1
Audio: headphone		1		
Audio: microphone		1		
Audio: comments	1 Combo jack for headset usage		1 Combo jack for headset usage	1 Combo jack for headset usage
USB 3.2 Gen 1 (5 Gbps) total		4x Type-A 2x Type-C		
DisplayPort	2 (up to 2560 x 1600), DP 1.4	2 (up to 2x 3840x2160 60Hz)	1 (up to 2560 x 1600)	2 (up to 2560 x 1600)
VGA		1 (up to 1920x1200 6Hz)	1 up to 1920×1200 @ 60Hz depending on FJ mobile client	
HDMI text	1	1x HDMI v1.4b	1	1

Port Replicator interfaces (optional)			
Interface Notes	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A, 4.5W charging port 1x Type-C - TBT4 up to 60 W (PD v2.0-1.1), 5-20V, 3.0A upstream (PC)	3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A, 4.5W charging port 1x Type-C - TBT3 up to 60 W (PD v2.0-1.1), 5-20V, 3.0A upstream (PC)
	1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5V, 3.0A downstream, power output to client		1x Type-C - TBT3 up to 15 W (PD v2.0-1.1), 5V, 3.0A downstream, power output to client
Kensington Lock support	1	no	1
Notes	RJ-45:10/100/1000 MBits/s 1 RJ45 (10/100/10 LAN WoL from S3 state WoL from S4 / S5 / G3 state depending on Fujitsu mobile client PXE launching for dedicated FJ mobile clients Set the MAC address by the user MAPT from 10th gen	1 RJ45 (10/100/1000) WoL from S3 state WOL from S4 / S5 / G3 depending on Fujitsu mobile client Launch of PXE for dedicated FJ mobile clients Set the MAC address by the user MAPT from 9th gen	PXE launching for dedicated
Keyboard and pointing devices			
	Keyboard w/o touchstick (spill-resistant), Backli	ight keyboard w/o touchstick	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm		
	Multi gesture touchpad with two mouse button Status LED Power Button	· · · · · · · · · · · · · · · · · · ·	
Antennas	2 Dual band WLAN antennas, 2+2 LTE antennas	s optional	
Bluetooth	v5.1		
Integrated WLAN	Intel WiFi 6 AX201		
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)		
WLAN notes	Import and usage according to country-specific regulations.		
Integrated LTE or UMTS	LTE Sierra Wireless EM7421 (cat.7) LTE Sierra Wireless EM9191 (5G)		
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations. LTE Connection Manager (if configured with 4G/LTE)		
GPS	Embedded in 4G/5G module if configured with	WWAN	
Power supply			
1st battery options	Lithium polymer battery 4-cell, 65 Wh		
1st battery			
	Quick Charge: 80% in 1h		
Battery features		wide a skypowied and PADCo® Mobile Mark	(® 2019 Pofor to wayy banco
Battery notes Battery notes	Battery runtime information is based on worlds com for additional details. The BAPCo® MobileMark® Benchmark provides manufacturers. It does not guarantee any specidepending on product model, configuration, a decreases slightly with every re-charge and over	results that enable direct product comp ific battery runtime which actually can b pplication and power management setti	arisons between e lower and may vary
·	com for additional details. The BAPCo® MobileMark® Benchmark provides manufacturers. It does not guarantee any speci depending on product model, configuration, a	results that enable direct product comp ific battery runtime which actually can b pplication and power management setti	arisons between e lower and may vary
Battery notes	com for additional details. The BAPCo® MobileMark® Benchmark provides manufacturers. It does not guarantee any speci depending on product model, configuration, a	results that enable direct product comp ific battery runtime which actually can b pplication and power management setti	arisons between e lower and may vary
Battery notes Noise emission	com for additional details. The BAPCo® MobileMark® Benchmark provides manufacturers. It does not guarantee any speci depending on product model, configuration, a decreases slightly with every re-charge and over	results that enable direct product comp ific battery runtime which actually can b pplication and power management setti	arisons between e lower and may vary
Noise emission Noise emission	com for additional details. The BAPCo® MobileMark® Benchmark provides manufacturers. It does not guarantee any speci depending on product model, configuration, a decreases slightly with every re-charge and over	results that enable direct product comp ific battery runtime which actually can b pplication and power management setti	arisons between e lower and may vary
Noise emission Noise emission Dimensions / Weight / Environmental	com for additional details. The BAPCo® MobileMark® Benchmark provides manufacturers. It does not guarantee any speci depending on product model, configuration, a decreases slightly with every re-charge and over the provided provided the provided	results that enable direct product comp ific battery runtime which actually can b pplication and power management setti	arisons between e lower and may vary

Dimensions / Weight / Environmental		
Weight (lbs)	from 2.64 lbs	
Weight notes	Weight may vary depending on actual configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F)	
Operating relative humidity	20 - 80 %	
Product	LIFEBOOK U7411	
Model	7U14A2	
Germany	GS planned (Full HD Display only)	
Europe	CE CB	
USA/Canada	FCC (depending on configuration) (planned)	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) ENERGY STAR® in progress MIL-STD testing in progress EPEAT® Silver (dedicated regions), depending on configuration	
China	CCC (planned)	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)	
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology	
Manageability software	DeskView Client DeskView Instant BIOS Management	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)	
Manageability link	http://www.fujitsu.com/fts/manageability	

Warranty	
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Product Support Services - the perf	ect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day

Warranty

Service Weblink

http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

Port Replicator for LIFEBOOK U7411 and U7511



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

FPCPR402BP

USB Type-C Port Replicator 2



Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C connection helps you to get your peripheral devices connected easily. Enhance your USB connection options, connect your displays via HDMI, DisplayPort or VGA and charge your device without an additional charger.

Order Code: S26391-F3327-L100

Weight: 334 g, Dimensions: 219 x 75 x 22.9 (front) - 26.0 (back) mm, including 90W AC adapter and Type C cable

Thunderbolt™ 3 Port Replicator

Battery 4 cell 65 Wh



One cable, many capabilites - Connect, save space, and keep your desk tidy. With Thunderbolt™ 3 you can connect almost everything with only on cable and in highspeed. Enhance your USB connection options, connect your displays via Thunderbolt™ 3, HDMI, DisplayPort and charge your device without an additional charger. Thunderbolt™ 3 allows you to connect even highspeed devices in a most convenient way. Weight: 440 g, Dimensions: 239 x 80 x 26 mm, including 170W AC adapter

S26391-F3357-L100

Order Code:

and TBT cable



The 4 cell 65 Wh battery has a the recharge time of the cell is 60 minutes for a 80% charge.

Order Code: FPCBP592BP

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK U7411, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U7411, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use. html

Copyright 2021 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2021-03-26 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2021 Fujitsu Technology Solutions GmbH