Fujitsu recommends Windows 11 Pro.



Data Sheet

Fujitsu Notebook LIFEBOOK U7512

Ultra-Mobile Meets Ultra Secure

The Fujitsu LIFEBOOK U7512 is a modern slim & light notebook for business professionals. Based on the 12th generation Intel® Core™ processor, the 15.6-inch screen, light weight of 1.37 kg and an allday battery runtime enable it to provide best portability. The outstanding security like PalmSecure™ makes the notebook to the perfect choice in today's modern workstyle.

Elegant design and enjoyable mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- The remarkably slim 19.1 mm ultra-mobile notebook weighs only 1.37 kg.
- Enjoy the Intel® Iris® Xe Graphics with a FHD display.
- The outdoor-friendly anti-glare FHD touch panel comes with a narrow bezel design and complete magnesium warm silver housing.

Excellent security

Enhance your security with outstanding features to best protect your notebook and company data

- Integrated PalmSecure™ or fingerprint sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector and HDMI
- Embedded 4G or 5G/LTE

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Family port replicator for the whole LIFEBOOK E5 and U7 Series ensures ultimate flexibility and shared workplace concepts
- Shared components such as the USB Type-C port replicator, USB Type-C AC Adapter, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family

















Components

Base unit	LIFEBOOK U7512	
Operating systems		
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.	
Microsoft OS support information	After the end of the product life Fujitsu will continue to test and support all upcoming Windows releases for a perior of maximum 5 years, depending on the available extension of hardware services through Fujitsu Warranty top ups. For details please see "Fujitsu Service Statement for Windows General Availability Channel" at https://support.ts.fujitsu.com/IndexProdSupport.asp?lng=com&OpenTab=	
Operating system notes	The use of Windows Operating System is subject to acceptance of the End User License Agreement of Microsoft as applicable under the relevant Microsoft program.	
Processor	Intel® Core™ i7-1270P processor (12C, up to 4.8 GHz)	
	Intel® Core™ i7-1255U processor (10C, up to 4.7 GHz) *	
	Intel® Core™ i5-1250P processor (12C, up to 4.4 GHz)	
	Intel® Core™ i5-1245U processor (10C, up to 4.4 GHz)	
	Intel® Core™ i5-1240P processor (12C, up to 4.4 GHz) *	
	Intel® Core™ i5-1235U processor (10C, up to 4.4 GHz) *	
	Intel® Core™ i3-1215U processor (up to 4.4 GHz) *	
	*Processor only for retail, SMB, education and government	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM	
	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM	
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM	
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module, SED	
	PCIe-SSD, 2 TB M.2 NVMe module, SED	
	PCIe-SSD, 1 TB M.2 NVMe module, SED	
Hard disk notes	Accessible capacity may vary, also depending on used software.	
Interface add on cards/components (optional)		
4G/5G (optional)	Fibocom FM350-GL (5G Sub-6/cat.19) (Downlink speed 5G - 3740 MB/s, 4G - 1600 MB/s, Uplink speed 5G - 835 MB/4G - 211 MB/s)	
	Quectel EM120R-GL (4G Cat.12) (Downlink speed 600 MB/s, Uplink speed 150 MB/s)	
Display	39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare multi-touch, 250 cd/m² (Touch), 700:1 (Touch)	
	39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare HDR, 500 cd/m² (FHD), 800:1 (FHD)	
	39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare display, 300 cd/m ² (FHD), 1000:1 (FHD)	
Multimedia		
Camera	Built-in webcam (HD) with Status LED Built-in Infrared webcam (HD) with Status LED	
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter	
Microphone	dual digital array microphone	

Base unit

General system information				
General system information Chipset	Integrated			
Supported capacity RAM (min.)	4 GB			
Supported capacity RAM (max.)	64 GB			
Memory slots	2 SO DIMM (DDR4, 3200 MHz)			
Memory notes	Dual channel support			
LAN	10/100/1,000 MBit/s Intel® I219LM			
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD	cat 2		
BIOS version	UEFI Specification 2.8	cu. 2		
BIOS features	InsydeH2O BIOS			
Audio type	On board			
Audio codec	Realtek ALC257			
Audio features	2x built-in speakers (2 W each), Stere	eo audio		
MIL-STD tested	Yes, selected MIL-STD-810H tests par MIL-STD-810H test results are not a g			
Color	Warm Silver			
Material	Magnesium			
Graphics				
Base unit	LIFEBOOK U7512			
Graphics brand name				
Graphics notes	Intel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory) Shared memory depending on main memory size and operating system			
Interfaces	Sharea memory depending on main	Themory size and operating system		
	1			
Audio: line-in / line-out	1	anl)		
Internal microphones	2x digital array microphones (optional) 3x Type-A (1 with Anytime USB charge functionality)			
USB 3.2 Gen1 (5 Gbps) total USB 4.0 Gen3 (20 Gbps) total		o Gbps), Power Delivery (15W), DP out		
HDMI	• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·		
Ethernet (RJ-45)	1 (with status LED)	1 - Supports 4k@60Hz as specified in HDMI 2.0b		
Memory card slots	1 microSD 3.0 Standard microSD card microSDHC card microSDXC card Speed Class: up to UHS-I			
SmartCard slot	1 (optional)			
SIM card slot	1 (Nano-SIM, only for models with co	onfiguration WWAN ready or with 4G/5	GG LTE modules)	
eSIM card	eSIM integrated in 4G/5G LTE Module - Dual SIM (DSSA) supported			
Docking connector for Port Replicator	1 - PR Model: NPR50			
Kensington Lock support	1 - Recommendation: Kensington's Micro Security Saver			
Port Replicator interfaces (optional)				
	USB Type-C PR	Thunderbolt™ 4 PR	Mechanical PR Model: NPR50	
DC-in	1 (19V/90W required)	1 (20V/170W required)	1 (19V/90W required)	
Power on switch	1	1	1	
Audio: line-in / line-out			1	
Audio: comments	1 Combo jack for headset usage	1 Combo jack for headset usage	Combo-Port	
USB 3.2 Gen1 (5 Gbps) total			4x Type-A 2x Type-C	
DisplayPort	1x V1.2	2x V1.4++	2 (up to 2x 3840x2160 60Hz)	
VGA	1		1 (up to 1920x1200 6Hz)	
HDMI text	1	V 2.0b	1 (up to 4096x2160 60Hz)	

es depend on mobile systems ult always also the manual ant keyboard with number f keyboard keys: 106, Keyboure touchpad with two mobile AX211 - WLAN, BT, SRD color (WPA3 (Wi-Fi Protected Acsupported by Windows 11 Cd usage according to count bocom FM350-GL (Sub-6/c	block, Available with standard keyboar pard pitch: 18.4 mm, Keyboard stroke: 1 use buttons /5G antennas optional at. 2 ccess) OS only - Windows 10 OS supports WiFi cry-specific regulations.	1 (lock Portrep only) 1 1 RJ45 (10/100/1000) d or backlit keyboard 7 mm	
es depend on mobile systems ult always also the manual ant keyboard with number f keyboard keys: 106, Keyboure touchpad with two mobile AX211 - WLAN, BT, SRD color (WPA3 (Wi-Fi Protected Acsupported by Windows 11 Cd usage according to count bocom FM350-GL (Sub-6/c	1 (10/100/1000 Mbit/s, 2,5 Gbps) ys and its possible resolutions and m and display interface type. Il of the connected client. block, Available with standard keyboar pard pitch: 18.4 mm, Keyboard stroke: 1 use buttons /5G antennas optional at. 2 ccess) OS only - Windows 10 OS supports WiFi cry-specific regulations.	1 1 RJ45 (10/100/1000) d or backlit keyboard .7 mm	
es depend on mobile systems ult always also the manual ant keyboard with number f keyboard keys: 106, Keyboure touchpad with two mobile AX211 - WLAN, BT, SRD color (WPA3 (Wi-Fi Protected Acsupported by Windows 11 Cd usage according to count bocom FM350-GL (Sub-6/c	ys and its possible resolutions and mand display interface type. Il of the connected client. block, Available with standard keyboard pard pitch: 18.4 mm, Keyboard stroke: 1 use buttons /5G antennas optional at. 2 ccess) OS only - Windows 10 OS supports WiFicry-specific regulations.	1 RJ45 (10/100/1000) d or backlit keyboard .7 mm	
es depend on mobile systems ult always also the manual ant keyboard with number f keyboard keys: 106, Keyboure touchpad with two mobile AX211 - WLAN, BT, SRD color (WPA3 (Wi-Fi Protected Acsupported by Windows 11 Cd usage according to count bocom FM350-GL (Sub-6/c	m and display interface type. If of the connected client. block, Available with standard keyboard pard pitch: 18.4 mm, Keyboard stroke: 1 use buttons //SG antennas optional at. 2 ccess) DS only - Windows 10 OS supports WiFicry-specific regulations.	d or backlit keyboard .7 mm	
f keyboard keys: 106, Keyboure touchpad with two mound WLAN antennas, 2+2 4G, 5E AX211 - WLAN, BT, SRD c 2/WPA3 (Wi-Fi Protected Acsupported by Windows 11 0d usage according to count bocom FM350-GL (Sub-6/c	pard pitch: 18.4 mm, Keyboard stroke: 1 use buttons /5G antennas optional at. 2 ccess) OS only - Windows 10 OS supports WiFi cry-specific regulations.	.7 mm	
f keyboard keys: 106, Keyboure touchpad with two mound WLAN antennas, 2+2 4G, 5E AX211 - WLAN, BT, SRD c 2/WPA3 (Wi-Fi Protected Acsupported by Windows 11 0d usage according to count bocom FM350-GL (Sub-6/c	pard pitch: 18.4 mm, Keyboard stroke: 1 use buttons /5G antennas optional at. 2 ccess) OS only - Windows 10 OS supports WiFi cry-specific regulations.	.7 mm	
ure touchpad with two modern w	use buttons /5G antennas optional at. 2 ccess) OS only - Windows 10 OS supports WiFirry-specific regulations.		
nd WLAN antennas, 2+2 4G, 6E AX211 - WLAN, BT, SRD c 2/WPA3 (Wi-Fi Protected Ac supported by Windows 11 C d usage according to count bocom FM350-GL (Sub-6/c	/5G antennas optional at. 2 ccess) OS only - Windows 10 OS supports WiFi cry-specific regulations.	6 only.	
SE AX211 - WLAN, BT, SRD c 2/WPA3 (Wi-Fi Protected Ac supported by Windows 11 (d usage according to count bocom FM350-GL (Sub-6/c	at. 2 ccess) DS only - Windows 10 OS supports WiFi cry-specific regulations.	6 only.	
SE AX211 - WLAN, BT, SRD c 2/WPA3 (Wi-Fi Protected Ac supported by Windows 11 (d usage according to count bocom FM350-GL (Sub-6/c	at. 2 ccess) DS only - Windows 10 OS supports WiFi cry-specific regulations.	6 only.	
2/WPA3 (Wi-Fi Protected Ac supported by Windows 11 (d usage according to count bocom FM350-GL (Sub-6/c	ccess) OS only - Windows 10 OS supports WiFi rry-specific regulations.	6 only.	
2/WPA3 (Wi-Fi Protected Ac supported by Windows 11 (d usage according to count bocom FM350-GL (Sub-6/c	ccess) OS only - Windows 10 OS supports WiFi rry-specific regulations.	6 only.	
supported by Windows 11 (d usage according to count bocom FM350-GL (Sub-6/c	OS only - Windows 10 OS supports WiFi ry-specific regulations.	6 only.	
d usage according to count bocom FM350-GL (Sub-6/c	ry-specific regulations.	6 only.	
		WiFi 6E is supported by Windows 11 OS only - Windows 10 OS supports WiFi 6 only. Import and usage according to country-specific regulations.	
(5G) LTE Fibocom FM350-GL (Sub-6/cat.19) - eSIM integrated - UMTS,LTE,5G (4G) LTE Quectel EM120R-GL (Cat.12) - eSIM integrated - UMTS,LTE			
d in 4G/5G module if config	ured with WWAN		
V (3.25 A), 100 V - 240 V, 50 I	Hz - 60 Hz, 3-pin (grounded) Type-C AC-	Adapter slim&light	
V (3.25 A), 100 V - 240 V, 50 I	Hz - 60 Hz, 3-pin (grounded) Type-C AC-	Adapter standard	
olymer battery 4-cell, 65 Wh	n, 4,280 mAh		
rge: 80% in 1h			
n (up to)			
dditional details. o° MobileMark° Benchmark urers. It does not guarantee g on product model, config	provides results that enable direct pro any specific battery runtime which acturation, application and power manage	ually can be lower and may vary	
er to the Eco Declaration			
x 19.1 mm			
2 * * * * * * * * * * * * * * * * * * *			
		1.37 kg (starting from)	
06 x 0.75 inch			
06 x 0.75 inch			
06 x 0.75 inch arting from)	al configuration		
fε	efer to the Eco Declaration 0 x 19.1 mm		

Compliance	
Product	LIFEBOOK U7512
Model	7U15A3
Germany	GS (planned)
Europe	CE CB
USA/Canada	FCC (depending on configuration) (planned)
Global	TCO Certified 9.0 ENERGY STAR® 8.0 EPEAT® Gold (dedicated regions)
Russia	EAC in progress
China	CCC (planned)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (notes)	Use of accopanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.
Manageability	
Manageability technology	Intel® vPro™ technology/iAMT (depending on processor) PXE Boot code Wake-on-LAN
Manageability software	DeskView Client DeskView Instant BIOS Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
Physical Security	Kensington Lock support
System and BIOS Security	User and supervisor BIOS password EraseDisk
User Security	Access protection via internal SmartCard reader (optional) Embedded fingerprint sensor (optional) Embedded PalmSecure® sensor (optional) Hard disk password
Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.

vvarranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty

Warranty	
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
Product Support - the p	perfect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

Thunderbolt™ 4 Port Replicator	First Thunderbolt™ Port Replicator on the market providing enhanced Order Code: security and full support of Intel® AMT (vPro®). The universal port can easily connect almost everything with a single cable and high speed-data transfer. This smart workspace solution keeps your desk clean and tidy.
Port Replicator for LIFEBOOK U7x12, E5x12, U7411 and U7511	Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options. FPCPR402BP
USB Type-C Port Replicator 2	Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices S26391-F3327-L100 connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any additional charger.
Battery 4 cell 65 Wh	The 4 cell 65 Wh battery has a the recharge time of the cell is 60 minutes for a 80% charge. Order Code: FPCBP592BP

More information

Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK U7512, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about Fujitsu Notebook LIFEBOOK U7512, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.

Copyright 2022 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2022-08-01 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2022 Fujitsu Technology Solutions GmbH