# Tab M10 ZA490032SE

Product Lenovo TB-X605L

**Region** NORTH

*Country/Region* Sweden

Machine Type ZA49

TopSeller No

Processor Qualcomm Snapdragon 450 (8C, 8x A53 @1.8GHz)

Graphics Integrated Qualcomm Adreno 506 GPU

*Chipset* Qualcomm SoC Platform

Memory 2GB Soldered

**Display** 10.1" FHD (1920x1200) IPS 320nits

*Multi-touch* 10-point Multi-touch

Storage 16GB eMMC

WLAN + Bluetooth 11a/b/g/n/ac, 1x1 + BT4.2

**WWAN** 4G LTE

Bundled Accessories None

Color Slate Black

Camera Front 2.0MP / Rear 5.0MP *Microphone* Mono

VoiceCall No

Battery Integrated 4850mAh

**Power Adapter** 5V / 2.0A

**Operating System** Android

**Base Warranty** 2-year

**EAN / UPC** 192940574175

**Announce Date** 2018-09-11

#### Notes:

PSREF


**Battery life** is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

## L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

#### https://psref.lenovo.com





### Lenovo Tab M10 Platform Specifications

Product Specifications Reference (PSREF)

Lenovo

Processor	Qualcomm <sup>®</sup> Snapdragon <sup>™</sup> 450 Processor 64-bit Octa-Core Processor (8xARM Cortex-A53, up to 1.8GHz) Qualcomm <sup>®</sup> Snapdragon <sup>™</sup> 429 Processor 64-bit Quad-Core Processor (4xARM Cortex-A53, up to 2.0GHz)	Ports	<ul> <li>one MicroSD card slot (WiFi model) or one dual-card slot for SIM card and MicroSD card (LTE model)</li> <li>* Depending on many factors, actual data transfer speed may be lower than theoretical speed Power key, volume key</li> <li>Camera</li> <li>Lenovo TB-X605L, TB-X505F, TB-X505L, TB-X605F, TB-X505X, TB-X605M Front camera: 2.0-megapixel, fixed focus Rear camera: 5.0-megapixel, auto focus</li> <li>Lenovo TB-X605FC, TB-X605LC</li> </ul>
Graphics	Qualcomm Adreno <sup>™</sup> 506 graphics in processor Qualcomm Adreno <sup>™</sup> 504 graphics in processor	Buttons Camera	
Display Multi-touch	10.1" (256mm) FHD (1920x1200), IPS display, color gamut 70%, 320 nits 10.1" (256mm) HD (1280x800), IPS display, color gamut 70%, 300 nits Capacitive-type multi-touch, support 10-point touch		
Memory	2GB, 3GB or 4GB / LPDDR3, soldered to systemboard	-	Front camera: 5.0-megapixel, fixed focus Rear camera: 8.0-megapixel, auto focus
Storage	16GB, 32GB or 64GB eMMC (Embedded Multi Media Card),	-	• 801LV
Card slot	flash memory on board WiFi model: one card slot, support MicroSD card (up to 256GB) LTE model: one dual-card slot, support single Nano-SIM card or Nano-SIM card + MicroSD card (up to 256GB)	Audio support Keyboard Touchpad	3.5mm combo audio / microphone jack None None o None eaderNone ot) Yes Integrated Li-ion 4850mAh, 7000mAh (801LV / Lenovo TB-X605LC only) Standby Time: Over 3 weeks Online Video playback Time: Over 9 hrs Browsing Time: Over 7 hrs * Battery life varies significantly with settings, usage, & other factors 5V/2A, 5.2V/2A (Lenovo TB-X605LC Only); No need for 801LV
		Security chip Fingerprint reade VoiceCall ( <i>opt</i> )	
		Battery type Battery life AC adapter	
	WiFi model LTE model		
Ethernet Bluetooth <sup>®</sup> WLAN WWAN <i>(optional)</i> LTE Band	Wiri model         Lite model           None         Bluetooth 4.2           Bluetooth 4.2         802.11 a/b/g/n/ac, 1x1, dual-band (2.4GHz & 5GHz)           4G LTE connectivity         UMTS: B1/2/5/8, B1/8 (801LV)           FDD-LTE: B1/3/5/7/8/19/20/26, B1/3/8 (801LV)         TDD-LTE: B3/39/40/41, B41 (801LV)           Carrier Aggregation Support:         CA_1A-3A, CA_1A-7A, CA_1A-8A, CA_1A-20A, CA_3C, CA_3A-3A, CA_3A-7A, CA_3A-8A, CA_3A-20A, CA_7C, CA_7A-7A, CA_7A-20A	Preload	
NFC GPS A-GPS WIFI Direct WIFI Display FM Radio	None ROW: GPS+GLONASS; PRC: GPS+Beidou A-GPS WIFI Direct WIFI Display FM Radio (No need for 801LV)		
Vibrator G-sensor P-sensor	Vibrator Accelerometer sensor		
L-sensor	None Yes (Tab M10 FHD REL Only)	Limited warranty	1-year or 2-year limited warranty
E-compass Hall Sensor Gyroscope Proofing	None Yes (Tab M10 HD Only) None None	Environment	RoHS-compliant
Dimensions Weight Case color Case material	WxHxT: 9.5" x 6.6" x 0.31"; 242mm x 168mm x 8.1mm 1.06 lbs / 480 g Slate black or polar white Plastic for back cover		

Note: The specifications above may not be available in all regions

Tab M10







.....

.....