


# Tarif Fujitsu Technology Solutions

Prix indicatifs ht au 13 Mai 2016





## Fujitsu recommande Windows.

### Sommaire

<b>Positionnement Lifebook</b>	3	Accessoires CELSIUS	50	<b>Serveurs scale-out</b>	<b>90</b>
STYLISTIC Q555	4	Accessoires CELSIUS H	51	PRIMERGY CX400 M1	91
STYLISTIC Q665	5			PRIMERGY CX2550 M1	92
STYLISTIC Q704	6	<b>Terminaux légers FUTRO -</b>	<b>52</b>	PRIMERGY CX2570 M1	93
STYLISTIC Q775	7	FUTRO	53	Accessoires serveurs scale-out	94
STYLISTIC V535	8	Accessoires FUTRO	54		
<b>PC Portables</b>		<b>Positionnement Moniteurs</b>	55	<b>Onduleurs</b>	<b>95</b>
LIFEBOOK A514	10	Moniteurs	56	Accessoires Onduleurs	96
LIFEBOOK A555	11				
LIFEBOOK E544	12	<b>Imprimantes</b>	<b>57</b>		
LIFEBOOK E554	13			<b>Stockage disque -</b>	<b>97</b>
LIFEBOOK E734	14	<b>Positionnement CELVIN</b>	<b>58</b>	ETERNUS DX60/ DX80/ DX90 S2	98
LIFEBOOK E744	15	CELVIN NAS Server	59	ETERNUS DX100 S3	99
LIFEBOOK E754	16			ETERNUS DX200 S3	100
LIFEBOOK S935	17	<b>Serveurs tour PRIMERGY -</b>	<b>60</b>	ETERNUS DX400	102
LIFEBOOK T725	18	PRIMERGY TX1310 M1	61	ETERNUS DX500 S3	101
LIFEBOOK T935	19	PRIMERGY TX1320 M1	62	ETERNUS DX5/600 S3 DE	103
LIFEBOOK U745	20	PRIMERGY TX1330 M1	63	ETERNUS DX600 S3	104
LIFEBOOK U904	21	PRIMERGY TX150 S8	64	ETERNUS DX8700	105
		PRIMERGY TX2540 M1	65	ETERNUS JX40	106
Accessoires LIFEBOOK	22	PRIMERGY TX2560 M1	66	ETERNUS JX60	107
Accessoires LIFEBOOK 2	23	PRIMERGY TX300 S8	67	Accessoires ETERNUS (1)	108
Accessoires STYLISTIC	24	Accessoires serveurs tour	68	Accessoires ETERNUS (2)	109
<b>PC professionnel ESPRIMO -</b>	<b>25</b>	<b>Serveurs rack PRIMERGY -</b>	<b>69</b>	<b>ETERNUS CS Data Protection Appli:</b>	<b>106</b>
ESPRIMO A525-L	26	PRIMERGY RX1330 M1	70	ETERNUS CS Racks 38/42HU	107
ESPRIMO C	27	PRIMERGY RX2520 M1	71	ETERNUS CS200C	108
ESPRIMO D	28	PRIMERGY RX2530	72	ETERNUS CS800	109
ESPRIMO E	29	PRIMERGY RX2540	73		
ESPRIMO P	30	PRIMERGY RX2560	74	<b>Stockage bande -</b>	<b>114</b>
ESPRIMO Q	31	PRIMERGY RX4470	75	LTO Desktop	115
ESPRIMO X420	32	PRIMERGY RX4470	76	ETERNUS LT20	116
ESPRIMO X720	33	Accessoires serveurs rack	77	ETERNUS LT40	117
ESPRIMO X920	34			ETERNUS LT60	118
ESPRIMO X923-T	35	<b>PRIMECENTER</b>	<b>78</b>	SCALAR i500	119
ESPRIMO X	36	Accessoires PRIMECENTER	79	Accessoires stockage bande	120
Accessoires ESPRIMO A	37				
Accessoires ESPRIMO C	38	<b>Positionnement PRIMERGY</b>	80		
Accessoires ESPRIMO D	39	<b>Serveurs lames PRIMERGY -</b>	81		
Accessoires ESPRIMO E	40	PRIMERGY BX400 S1	82		
Accessoires ESPRIMO P	41	PRIMERGY BX900 S2	83		
Accessoires ESPRIMO Q	42	Accessoires serveurs lames	84		
Accessoires ESPRIMO X	43				
		PRIMERGY Connection blade	85		
<b>Stations de travail CELSIUS</b>	44	PRIMERGY SX05 S1	86		
CELSIUS C620	45	PRIMERGY SX960 S1	87		
CELSIUS H730	46	PRIMERGY SX980 S2	88		
CELSIUS M740	47				
CELSIUS R940	48	<b>Accessoires stockage PRIMERGY</b>	<b>89</b>		
CELSIUS W530	49				

Cette liste de prix Fujitsu référence les familles de portables LIFEBOOK, clients légers FUTRO, PC ESPRIMO, stations de travail CELSIUS, moniteurs et claviers, serveurs PRIMERGY et les solutions de stockage disque et bande, Les références, désignations et prix sont données à titre indicatif et n'engagent pas Fujitsu.

Les références en fond grisé font partie de notre offre Partner Business Selection et sont exclusivement disponibles auprès des grossistes agréés

Les prix mentionnés dans la présente liste de prix sont exprimés en Prix Indicatifs hors taxe (Prix Indicatif €HT) . Les Prix Indicatifs ne constituent en aucun cas une offre et un engagement de la part de Fujitsu, chaque Partenaire restant libre de fixer ses conditions tarifaires.

Fujitsu recommends Windows.

Flexible Working on the Move

FUJITSU Tablet STYLISTIC or LIFEBOOK



Fujitsu	STYLISTIC 0555	STYLISTIC 0665	STYLISTIC 0775	STYLISTIC 0726	LIFEBOOK T725	LIFEBOOK T936	SPECIALIZED STYLISTIC V535 Industrial	
Category	Hybrid Tablet	Hybrid Tablet	Hybrid Tablet	Hybrid Tablet	Convertible	Convertible Ultrabook™	Rugged Tablet	
Operating System	Windows 8.1 Pro Windows 8.1	Windows 8.1 Pro Windows 8.1	Windows 8.1 Pro Windows 8.1 Professional	Windows 10 Pro Windows 8.1	Windows 8.1 Pro Windows 7 Professional	Windows 10 Windows 8.1 Pro Windows 7 Professional	Windows 8.1 Pro	
Processor	Intel® Atom™ 23795 (64-bit support)	Intel® Core™ m vPro™	Intel® Core™ i7 vPro™ Intel® Core™ i5 vPro™	Intel® Core™ i7 vPro™ Intel® Core™ i5 vPro™ Intel® Core™ 3	Intel® Core™ i7 vPro™ Intel® Core™ i5 vPro™ Intel® Core™ i5	Intel® Core™ i7 vPro™ Intel® Core™ i5 vPro™ Intel® Core™ i5	Intel® Atom™ 23795 (64-bit support)	
Chipset	Intel® Baytrail™ SoC	Integrated in CPU	Integrated in CPU	Integrated in CPU	Integrated in CPU	Integrated in CPU	Intel® Baytrail™ SoC	
Display	25.7cm (10.1-inch), 1920 x 1200 pixel (MVA) LCD, IPS, anti-glare, dual digitizer, touchscreen, toughened glass	28.5cm (11.5-inch), 1920 x 1080 pixel (Full HD), IPS, anti-glare, dual digitizer, touchscreen, toughened glass	33.8cm (13.3-inch), 1920 x 1080 pixel (Full HD), IPS, anti-glare, dual digitizer, touchscreen, toughened glass	31.8cm (12.5-inch), 1920 x 1080 (Full HD), PLS, anti-glare option, dual digitizer, touchscreen	31.8cm (12.5-inch), 1366 x 768 pixel (HD), IPS, anti-glare, dual digitizer, touchscreen, min. 300 cd/m², toughened glass	33.8cm (13.3-inch), 2560 x 1440 pixel (UHD), LCD or 1920 x 1080 pixel (Full HD), dual digitizer, touchscreen, min. 300 cd/m², 1:300 cd/m², D-organic™ Glass	21.0cm (8.3-inch), 1920 x 1200 pixel (MVA) LCD, IPS, touch display with glove and pressure pen support, toughened glass	
Graphics	Integrated SoC design	Intel® HD Graphics 5200	Intel® HD Graphics 5500	Intel® HD Graphics 520	Intel® HD Graphics 5200	Intel® HD Graphics 520	Integrated SoC design	
Weight	From 655 g / 1.44 lbs (without keyboard)	From 753 g / 1.66 lbs (without keyboard)	From 890 g / 2.18 lbs (without keyboard)	From 830 g / 1.82 lbs (without keyboard)	From 1.8 kg / 3.96 lbs	From 1.6 kg / 3.53 lbs	From 540 g / 1.19 lbs	
Communication	Optional: 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: Bluetooth, 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: Bluetooth, 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS, GPRS and Bluetooth, WLAN, dedicated GPS (when WLAN only), NFC
Webcam	Front camera 2.0 megapixel, Rear camera 8.1 megapixel with autofocus and light LED	Front camera 5.0 megapixel, rear camera 2.0 megapixel with autofocus and photo LED	Front camera 2.0 megapixel, rear camera 5.0 megapixel with autofocus and photo LED	Front camera 2.0 megapixel, rear camera 5.0 megapixel with autofocus	Optional: Built-in webcam, 2.0 megapixel	Built-in webcam (Full HD) with Status LED	Built-in webcam, Front camera 2 megapixel, Rear camera 8 megapixel with autofocus and photo LED	
Modular bay options	-	-	-	-	2nd battery, DVD Super Multi, weight saver	-	-	
Runtime 1st (+ 2nd battery)	Up to 10 h	Up to 11:50 h (tbl)	Up to 10 h	Up to 12 h	Up to 10.6 h (1.4.3 h)	Up to 11 h	Up to 6.5 h	
Port replicator or cradle	•	•	•	•	•	•	•	
Dockable keyboard option	•	•	•	•	•	•	•	
Fingerprint option	•	•	•	•	•	•	•	
Smart Shell or Shell Concept support	•	•	•	•	•	•	•	
Water / dust tight	-	-	-	-	-	-	•	



## Fujitsu recommande Windows.

**STYLISTIC Q555**

Fiche produit : <http://fr.fujitsu.com/stylistic>

La tablette STYLISTIC Q555 de FUJITSU offre une productivité complète aux personnes très mobilisées travaillant en entreprise ou dans la fonction publique. Elle représente le compagnon idéal, avec son faible poids de 655 g, son profil ultra-fin, ses 10 heures d'autonomie et sa conception 2 en 1 avec clavier amovible. L'écran mat WUXGA en verre renforcé de 25,7 cm (10,1") lumineux prend en charge la saisie au stylet pour les flux de travail numériques. La connectivité NFC et 4G/LTE nouvelle génération vous permet de rester connecté en permanence et de bénéficier de modes d'authentification et de partage des données avant-gardistes.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>STYLISTIC Q555</b>					
	ST Q555 /BACK COVER/10.1' WUXGA TCH/	ST Q555 /BACK COVER/10.1' WUXGA TCH/ 1X DIG FOR WIN8.1/ATOM Z3795/ SSD EMMC 128GB/UMTS EM8805/NFC/ 2MP + 8MP CAM/FINGERPRINT/	VFY:Q5550M741TFR	940,00	
	ST Q555 /BACK COVER/10.1' WUXGA TCH/	ST Q555 /BACK COVER/10.1' WUXGA TCH/ 1X DIG FOR WIN8.1/ATOM Z3795/ SSD EMMC 128GB/UMTS EM8805/NFC/ 2MP + 8MP CAM/FINGERPRINT/	VFY:Q5550M742TFR	1057,65	



## Fujitsu recommande Windows.

### STYLISTIC Q616

Fiche produit : <http://fr.fujitsu.com/stylistic>

La tablette FUJITSU STYLISTIC Q665 deux en un est le compromis parfait entre performances et mobilité. Compacte, sans ventilateur, avec un écran mat en verre renforcé de 29,5 cm (11,6 pouces), elle est parfaitement adaptée à une utilisation intensive et au travail nomade. Vous êtes libre d'effectuer vos saisies avec l'écran tactile, le stylet ou le clavier pour gérer vos tâches professionnelles plus efficacement, comme vous en avez envie. Pour une productivité sans faille, elle offre les performances d'un ordinateur Ultrabook™, une autonomie d'une journée complète et la connectivité 4G/LTE en option, ainsi que des options de sécurité professionnelles pour garantir la sécurité de vos données. Le clavier amovible et le socle augmentent l'ergonomie.

Tous .

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>STYLISTIC Q616</b>					
STYLISTIC Q616	Base unit with 29,5cm (11.6"), TFT wide-view and AG FHD LED Display with toughened glass, Wacom® Dual digitizer with pen support and capacitive multi-touch screen, Intel® Core M CPU, 4GB or 8GB DDR3L 1600MHz PC12800 Arbeitsspeicher fix integrated (soldered). Mobile Intel® HD520 integrierte graphic, M.2 interface for internal storage, 10/100/1000 MBit Intel® LAN Chip, Intel® HD Audio, 2 digital microphones and 2 speaker integrated-Sensors: ambientlight, gyroscope, compass, G-Sensor, Kensington Lock, Fingerprint Sensor und Smartcard optional, status LED and application button., Interfaces: micro HDMI, Lect.cte SD, 1x bootable USB 3.0, 1x USB2.0, optional SIM-Card reader for UMTS/LTE, Audio in/out (combined), Clavier Répliqueurs connector. Tablet pen and cleaning cloth.		S26391-K449-V100	648,24	



## Fujitsu recommande Windows.

### STYLISTIC Q665

Fiche produit : <http://fr.fujitsu.com/stylistic>

La tablette FUJITSU STYLISTIC Q665 deux en un est le compromis parfait entre performances et mobilité. Compacte, sans ventilateur, avec un écran mat en verre renforcé de 29,5 cm (11,6 pouces), elle est parfaitement adaptée à une utilisation intensive et au travail nomade. Vous êtes libre d'effectuer vos saisies avec l'écran tactile, le stylet ou le clavier pour gérer vos tâches professionnelles plus efficacement, comme vous en avez envie. Pour une productivité sans faille, elle offre les performances d'un ordinateur Ultrabook™, une autonomie d'une journée complète et la connectivité 4G/LTE en option, ainsi que des options de sécurité professionnelles pour garantir la sécurité de vos données. Le clavier amovible et le socle augmentent l'ergonomie.

Tous .

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>STYLISTIC Q665</b>					
	ST Q665 /STD SHELL/11.6' FHD TCH/	ST Q665 /STD SHELL/11.6' FHD TCH/ DIGI W/ PEN/CORE M-5Y31/4GB/ SSD 256GB OPAL/DUAL WLAN N7265/ LTE EM7305/2MP + 5MP CAM/TPM/	VFY:Q6650M640BFR	1410,59	
	ST Q665 /STD SHELL/11.6' FHD TCH/	ST Q665 /STD SHELL/11.6' FHD TCH/ DIGI W/ PEN/CORE M-5Y31/4GB/ SSD 128GB OPAL/DUAL WLAN N7265/ UMTS EM8805/2MP + 5MP CAM/TPM/	VFY:Q6650M640TFR	1175,29	
	ST Q665 /STD SHELL/11.6' FHD TCH/	ST Q665 /STD SHELL/11.6' FHD TCH/ DIGI W/ PEN/CORE M-5Y31/4GB/ SSD 256GB OPAL/DUAL WLAN N7265/ UMTS EM8805/2MP + 5MP CAM/TPM/	VFY:Q6650M641TFR	1234,12	



Fujitsu recommande Windows.

**STYLISTIC Q775**

Fiche produit : <http://fr.fujitsu.com/stylistic>

La tablette STYLISTIC Q775 de FUJITSU est idéale pour les professionnels à la recherche d'une sécurité maximale et d'un grand écran. Son écran antireflet Full HD de 33,8 cm (13,3 pouces) prend en charge la saisie au stylet et au doigt, et le lecteur PalmVein en option avec technologie PalmSecure™ offre un niveau de sécurité inégalé. Bénéficiez d'une bonne connectivité où que vous soyez avec les technologies 4G/LTE, GPS et NFC. Le socle commun aux autres modèles STYLISTIC assure un confort supérieur au bureau.  
Tous .

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>STYLISTIC Q736</b>					
ST Q736 /STD SHELL/UB LABEL/DIGI W/ PEN/	ST Q736 /STD SHELL/UB LABEL/DIGI W/ PEN/ 13.3' FHD TCH/I5-6300U/SSD 256GB OPAL/ DUAL WLAN AC8260/LTE EM7305/ 2MP + 5MP CAM/FINGERPRINT/TPM V2.0/		VFY:Q7360M150BFR	1610,59	
ST Q736 /STD SHELL/DIGI W/ PEN/	ST Q736 /STD SHELL/DIGI W/ PEN/ 13.3' FHD TCH/I5-6200U/SSD 256GB OPAL/ DUAL WLAN AC8260/LTE EM7305/ 2MP + 5MP CAM/FINGERPRINT/TPM V2.0/		VFY:Q7360M151TFR	1328,24	
ST Q736 /STD SHELL/UB LABEL/DIGI W/ PEN/	ST Q736 /STD SHELL/UB LABEL/DIGI W/ PEN/ 13.3' FHD TCH/I7-6600U/SSD 256GB OPAL/ DUAL WLAN AC8260/LTE EM7305/ 2MP + 5MP CAM/FINGERPRINT/TPM V2.0/		VFY:Q7360M170PFR	2600,01	



Fujitsu recommande Windows.

## STYLISTIC V535

Fiche produit : <http://fr.fujitsu.com/stylistic>

La tablette STYLISTIC V535 de FUJITSU assure des niveaux inédits de productivité dans des contextes industriels. Elle est conçue pour les environnements difficiles grâce à sa résistance à l'eau et à la poussière, à sa légèreté, ainsi qu'à son écran de 21.0 cm (8,3 pouces) en verre renforcé. Grâce aux options exceptionnelles de connectivité et de navigation, notamment 4G/LTE, NFC, GPS et GLONASS, ainsi qu'à l'autonomie longue durée de la batterie, vous pouvez rester connecté où que vous soyez. Intégration simplifiée et sécurité optimale avec Windows 8.1 et TPM. Le concept Smart Shell de Fujitsu permet une adaptation parfaite aux exigences industrielles spécifiques.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
<b>STYLISTIC V535 Industrial</b>				
ST V535/Z3795/64GB /CK EU DU-DVD/	ST V535/Z3795/64GB /CK EU DU-DVD/ LIC 8.1PRO TAB/WIN8.1 PRO64 MAIN/ RDVD WIN8.1 PRO64/	VFY:V5350M6001FR	940,00	
ST V535/Z3795/128GB /CK EU DU-DVD/	ST V535/Z3795/128GB /CK EU DU-DVD/ LIC 8.1PRO TAB/WIN8.1 PRO64 MAIN/ RDVD WIN8.1 PRO64/	VFY:V5350M6011FR	1057,65	





## Fujitsu recommande Windows.

### STYLISTIC R726

Fiche produit : <http://fr.fujitsu.com/stylistic>

Le STYLISTIC R726 Intel® Core™ i7Processor est conçu pour une utilisation sans limites – vous choisissez votre manière de travailler. Utilisez vos doigts et le stylet numérique simultanément : le STYLISTIC R726 supporte ces deux modes. Ou transformez la tablette en un ordinateur portable en la cliquant sur le clavier magnétique - et travaillez jusqu'à 12 heures sans recharge de batteries. Des caractéristiques de sécurité prêtes pour l'avenir protègent vos données, quel que soit votre emplacement. Vous pouvez avoir recours à 4G/LTE pour une véritable connectivité mobile. De retour au bureau, il suffit de placer le STYLISTIC R726 dans sa station d'accueil pour obtenir l'intégralité des fonctions d'un ordinateur de bureau.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>STYLISTIC R726</b>					
ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/	ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/TPM/NFC/UMTS EE8805/CK INT/19V/65W KIT/ AC CABLE EU/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/ACTIVE PEN/		VFY:R7260M850BFR	1175,29	
ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/	ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/TPM/NFC/UMTS EE8805/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/		VFY:R7260M85ABFR	1234,12	
ST R726 I5/8GB/VPRO /SSD M.2 256GB/TPM/	ST R726 I5/8GB/VPRO /SSD M.2 256GB/TPM/ NFC/UMTS EE8805/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/		VFY:R7260M85BBFR	1328,24	
ST R726 I7/8GB/VPRO /SSD M.2 256GB/TPM/	ST R726 I7/8GB/VPRO /SSD M.2 256GB/TPM/ NFC/LTE EM7305/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/		VFY:R7260M87APFR	1528,24	
ST R726 I7/8GB/VPRO /SSD M.2 512GB/TPM/	ST R726 I7/8GB/VPRO /SSD M.2 512GB/TPM/ NFC/LTE EM7305/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/		VFY:R7260M87BPFR	1645,88	

# Mobility Opens New Horizons

## FUJITSU Notebook LIFEBOOK



	ALL-ROUND				ADVANCED					SUPERIOR	
Fujitsu	LIFEBOOK A535	LIFEBOOK A536/ A536G	LIFEBOOK E546	LIFEBOOK E556	LIFEBOOK E736	LIFEBOOK E746	LIFEBOOK E756	LIFEBOOK U745	LIFEBOOK 3936	LIFEBOOK U904	
Category	Desktop replacement Windows 8.1 Pro Windows 7 Professional Windows 10 Pro (license + recovery/media only)	Desktop replacement Windows 10 Pro Windows 7 Professional	Desktop replacement Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Desktop replacement Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Ultra-portable Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Ultra-portable Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Ultrabook™ Windows 8.1 Pro Windows 7 Professional Windows 10 Pro (license + recovery/media only)	Ultrabook™ Windows 8.1 Pro Windows 7 Professional Windows 10 Pro	Ultra-portable Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Ultrabook™ Windows 8.1 Pro Windows 7 Professional	
Operating System	5th Gen Intel® Core™ i3 processor	6th Gen Intel® Core™ i5 processor	6th Gen Intel® Core™ i7 and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7, vPro™ and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7, vPro™ and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	5th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	4th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	
Processor (up to)	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	
Chipset	Intel® Pro WD1	39.6 cm (15.6-inch), LED backlight, HD 1366 x 768 pixel, Anti-glare non-touch	35.6 cm (14.0-inch), LED backlight, HD 1336 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	39.6 cm (15.6-inch), LED backlight, HD 1336 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	33.8 cm (13.3-inch), LED backlight, HD 1366 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	35.6 cm (14.0-inch), LED backlight, HD 1366 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	39.6 cm (15.6-inch), LED backlight, HD 1366 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	35.6 cm (14.0-inch), LED backlight, HD+ 1800 x 900 pixel or Full HD 1920 x 1080 pixel, Anti-glare touch or non-touch	33.8 cm (13.3-inch), LED backlight, WQHD 2560 x 1440 pixel or Full HD 1920 x 1080 pixel, Anti-glare touch or anti-glare non-touch	35.6 cm (14.0-inch), LED backlight, WQHD+ 3200 x 1800 pixel, IGZO glass touch or anti-glare non-touch	
Display	Compound	Compound	Compound	Compound	Magnesium (lid), aluminum palm rest	Magnesium (lid), aluminum palm rest	Magnesium & aluminum	Magnesium & aluminum	Magnesium & aluminum	Magnesium & aluminum	
Material	Intel® HD Graphics 5500	Intel® HD Graphics 5500+ AMD Radeon™ R7 M360	Intel® HD Graphics 520	Intel® HD Graphics 520	Intel® HD Graphics 520	Intel® HD Graphics 520	Intel® HD Graphics 5500	Intel® HD Graphics 520	Intel® HD Graphics 520	Intel® HD Graphics 4400	
Graphics	From 2.4 kg (5.3 lbs)	From 2.3 kg (5.1 lbs)	From 1.9 kg (4.2 lbs)	From 2.2 kg (4.9 lbs)	From 1.6 kg (3.5 lbs)	From 1.7 kg (3.7 lbs)	From 1.9 kg (4.2 lbs)	From 1.55 kg (3.42 lbs)	From 1.19 kg (2.62 lbs)	From 1.33 kg (3.1 lbs)	
Weight	Integrated WLAN, Bluetooth	Integrated WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	NFC, 4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	
Wireless Connectivity	*DVD Super Multi, weight saver	*DVD Super Multi, weight saver	2nd hard disk drive, DVD Super Multi, weight saver	2nd hard disk drive, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	HDMI, LAN, 2x USB, memory/SIM/SmartCard slot, audio, DC-in	
Modular bay options Optical drive options*	VGA, HDMI, LAN, 3x USB, audio, DC-in, memory slots up to 8 h	VGA, HDMI, LAN, 3x USB, audio, DC-in, memory slots up to 11 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in, ES55 optional Serial (RS-232) up to 12 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in up to 12 h*	VGA, HDMI, DP, LAN, 4x USB, memory/SIM/SmartCard slot, audio, DC-in up to 14 h, up to 19 h*	VGA, HDMI, DP, LAN, 4x USB, memory/SIM/SmartCard slot, audio, DC-in up to 14 h, up to 19 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in up to 09:30 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in up to 09:30 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in up to 18 h, up to 24 h*	HDMI, LAN, 2x USB, memory/SIM slot, audio, DC-in up to 10 h	
Interface	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	
Runtime 1zr / 2nd battery	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	
Runtime 1zr / 2nd battery	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	
Port replicator	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	
Face vein sensor option											
Face vein sensor option											
Q-Mobit AC adapter option											
Note *											

\* Battery MobilityLife™ 2014 (office productivity)



## Fujitsu recommande Windows.

### LIFEBOOK A555

Fiches produit : <http://fr.fujitsu.com/lifebook>

Si vous recherchez un ordinateur portable robuste, fiable et polyvalent, le Fujitsu LIFEBOOK A544 est le choix idéal. L'écran LCD haute définition de 39,6 cm (15,6") mat, idéal en extérieur, facilite votre travail. Connexions WLAN et Bluetooth® intégrées, clavier avec pavé numérique intégré, fonctionnalité USB Charge et webcam commutable pour une meilleure ergonomie.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>LIFEBOOK A555</b>					
	LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/	LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/ WLAN N7265/TPM/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:A5550M730OFR	516,47	
	LB A555 I3 /2x4GB DDR3/DVD SM/HDD 500GB/	LB A555 I3 /2x4GB DDR3/DVD SM/HDD 500GB/ WLAN N7265/TPM/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:A5550M731OFR	563,53	
	LB A555 I3 /BIS A555/8GB DDR3/DVD SM/	LB A555 I3 /BIS A555/8GB DDR3/DVD SM/ HDD 500GB/WLAN N7265/CK INT/AC 19V IND/ KB BLK US/NO OS/	VFY:A5550M83A5IN	745,88	



## Fujitsu recommande Windows.

### LIFEBOOK A556

Fiches produit : <http://fr.fujitsu.com/lifebook>

Si vous recherchez un ordinateur portable robuste, fiable et polyvalent, le Fujitsu LIFEBOOK A556 est le choix idéal. L'écran LCD haute définition de 39,6 cm (15,6") mat, idéal en extérieur, facilite votre travail. Connexions WLAN et Bluetooth® intégrées, clavier avec pavé numérique intégré, fonctionnalité USB Charge et webcam commutable pour une meilleure ergonomie

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>LIFEBOOK A556</b>					
	LB A556 I5 /4 GB DDR4/DVD SM/HDD 500GB/	LB A556 I5 /4 GB DDR4/DVD SM/HDD 500GB/ WLAN DUAL BAND/TPM 2.0/CK INT/AC 19V EU/ KB FR BLACK/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	VFY:A5560M850OFR	669,41	
	LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/	LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/ WLAN DUAL BAND/TPM 2.0/CK INT/AC 19V EU/ KB FR BLACK/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	VFY:A5560M854OFR	763,53	
	LB A556 I5 /8 GB DDR4/DVD SM/HDD 1TB/	LB A556 I5 /8 GB DDR4/DVD SM/HDD 1TB/ WLAN DUAL BAND/TPM 2.0/CK INT/AC 19V EU/ KB FR BLACK/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	VFY:A5560M85AOFR	716,47	
	LB A556/G I5 /8 GB DDR4/DVD SM/HDD 1TB/	LB A556/G I5 /8 GB DDR4/DVD SM/HDD 1TB/ WLAN DUAL BAND/TPM 2.0/CK INT/ 19V/90W KIT EU/KB FR BLACK/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:A5560M85GOFR	787,06	



## Fujitsu recommande Windows.

**LIFEBOOK E544**

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E544 de FUJITSU avec son écran de 35,6 cm (14 pouces) pour un poids de 1,9 kg (4,19 livres) est un produit fiable pour les environnements professionnels nécessitant des ordinateurs portables performants. Il est doté de fonctionnalités professionnelles complètes, avec réplicateur de ports et options de baie modulaire, parallèlement à un excellent système de sécurité et une connectivité hors pair.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales				
<b>LIFEBOOK E544</b>				
LB E544 HM86 /14.0' HD/15-4210M/4 GB/	LB E544 HM86 /14.0' HD/15-4210M/4 GB/ DVD SM/500GB 5.4K/INT N7260 BGN BT/ UMTS/LTE ANT/2X MIC & CAM/CK INT/ AC 19V/65W/1ST BATT 63WH/CBL EU/	VFY:E5440M750OFR	857,65	
LB E544 HM86 /14.0' HD+/15-4210M/4 GB/	LB E544 HM86 /14.0' HD+/15-4210M/4 GB/ DVD SM/SSD 256GB/INT N7260 BGN BT/ UMTS EM8805/UMTS/LTE ANT/2X MIC & CAM/ CK INT/AC 19V/65W/1ST BATT 63WH/CBL EU/	VFY:E5440M752OFR	1069,41	
LB E544 HM86 /14.0' HD/17-4712MQ/4 GB/	LB E544 HM86 /14.0' HD/17-4712MQ/4 GB/ DVD SM/500GB 5.4K/INT N7260 BGN BT/ UMTS/LTE ANT/2X MIC & CAM/TPM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5440M87ABIN	1369,41	



## Fujitsu recommande Windows.

**LIFEBOOK E554**

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E554 de FUJITSU dispose d'un écran de 39,6 cm (15,6 pouces) pour un poids de 2,2 kg (4,85 livres) permettant de travailler confortablement n'importe où. Il est doté de fonctionnalités professionnelles complètes, ainsi que d'un excellent système de sécurité et d'une connectivité hors pair. Ceci en fait un ordinateur professionnel fiable spécifiquement adapté aux tâches les plus exigeantes.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales				
<b>LIFEBOOK E554</b>				
LB E554 HM86 /SERIAL PORT/15.6' HD/	LB E554 HM86 /SERIAL PORT/15.6' HD/ I3-4000M/4 GB/DVD SM/WEIGHT SAVER/ 320GB 5.4K/INT N7260 BGN BT/ 2X MIC & CAM/CK INT/3P AC 19V/65W SL/	VFY:E5540M63AOIN	1156,47	
LB E554 HM86 /SERIAL PORT/15.6' HD/	LB E554 HM86 /SERIAL PORT/15.6' HD/ I3-4000M/4 GB/DVD SM/500GB 5.4K/ INT N7260 BGN BT/2X MIC & CAM/CK INT/ AC 19V/65W/1ST BATT 63WH/CBL EU/	VFY:E5540M730OFR	775,29	
LB E554 HM86 /SERIAL PORT/15.6' FHD/	LB E554 HM86 /SERIAL PORT/15.6' FHD/ I5-4210M/4 GB/DVD SM/SSD 256GB/ INT N7260 BGN BT/UMTS EM8805/ UMTS/LTE ANT/2X MIC & CAM/CK INT/	VFY:E5540M752OFR	1104,71	
LB E554 HM86 /SERIAL PORT/15.6' HD/	LB E554 HM86 /SERIAL PORT/15.6' HD/ I5-4210M/4 GB/DVD SM/SSD 128GB/ INT N7260 BGN BT/UMTS EM8805/ UMTS/LTE ANT/2X MIC & CAM/CK INT/	VFY:E5540M75AOFR	987,06	
LB E554 HM86 /15.6' FHD/I5-4210M/8 GB/	LB E554 HM86 /15.6' FHD/I5-4210M/8 GB/ DVD SM/WEIGHT SAVER/SSD 256GB/ INT 7260NV AC BT/2X MIC & CAM/FIP/ CK INT/3P AC 19V/65W SL/	VFY:E5540M75AOIN	1577,65	



**Fujitsu recommande Windows.**

**LIFEBOOK E546**

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E554 de FUJITSU dispose d'un écran de 39,6 cm (15,6 pouces) pour un poids de 2,2 kg (4,85 livres) permettant de travailler confortablement n'importe où. Il est doté de fonctionnalités professionnelles complètes, ainsi que d'un excellent système de sécurité et d'une connectivité hors pair. Ceci en fait un ordinateur professionnel fiable spécifiquement adapté aux tâches les plus exigeantes.

			Référence	Prix Indicatif (€)	Remarques
Modèle	Description	Détails			
Configurations Spéciales					
<b>LIFEBOOK E546</b>					
	LB E546 /14.0' HD/I5-6200U/4 GB/	LB E546 /14.0' HD/I5-6200U/4 GB/ WEIGHT SAVER/500GB 5.4K/INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5460M750OFR	881,18	
	LB E546 /14.0' HD/I5-6200U/8 GB/	LB E546 /14.0' HD/I5-6200U/8 GB/ WEIGHT SAVER/SSD 256GB/INT AC8260 AC+BT/ 2X MIC & CAM/CK INT/3P AC 19V/65W SL/ 1ST BATT 63WH/3PIN CABLE EU/	VFY:E5460M752OFR	1081,18	



## Fujitsu recommande Windows.

**LIFEBOOK E556**

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E556 de FUJITSU dispose d'un écran de 39,6 cm (15,6 pouces) pour un poids de 2,2 kg (4,85 livres) permettant de travailler confortablement n'importe où. Il est doté de fonctionnalités professionnelles complètes, ainsi que d'un excellent système de sécurité et d'une connectivité hors pair. Ceci en fait un ordinateur professionnel fiable spécifiquement adapté aux tâches les plus exigeantes.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>LIFEBOOK E556</b>					
LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I3-6100U/4 GB/WEIGHT SAVER/500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK INT/3P AC 19V/65W SL/1ST BATT 63WH/		VFY:E5560M730OFR	775,29	
LB E556 /RS232/15.6' HD/I5-6200U/4 GB/	LB E556 /RS232/15.6' HD/I5-6200U/4 GB/ WEIGHT SAVER/500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/		VFY:E5560M750OFR	881,18	
LB E556 /RS232/15.6' HD/I5-6200U/8 GB/	LB E556 /RS232/15.6' HD/I5-6200U/8 GB/ WEIGHT SAVER/SSD 256GB/INT AC8260 AC+BT/ 2X MIC & CAM/CK INT/3P AC 19V/65W SL/ 1ST BATT 63WH/3PIN CABLE EU/		VFY:E5560M752OFR	1081,18	





## Fujitsu recommande Windows.

**LIFEBOOK E734**

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E734 de FUJITSU fait partie de la gamme LIFEBOOK E : l'ordinateur portable léger et entièrement équipé, idéal pour une flexibilité accrue. Avec son gabarit réduit, son écran de 33,8 cm (13,3 pouces) et ses fonctionnalités de conception et de sécurité haut de gamme, cet ordinateur portable d'1,6 kg (3,53 livres) constitue le compromis idéal entre mobilité et simplicité d'utilisation.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales				
<b>LIFEBOOK E734</b>				
LB E734 QM87 /13.3' HD/I5-4210M/4 GB/	LB E734 QM87 /13.3' HD/I5-4210M/4 GB/ DVD SUPER MULTI/SSHD 500GB/ UMTS/LTE READY/UMTS EM8805/ INT N7260 BGN BT/2MIC + FHD/FP/TPM/	VFY:E7340M750BFR	1104,71	
LB E734 QM87 /13.3' HD/I7-4712MQ/8 GB/	LB E734 QM87 /13.3' HD/I7-4712MQ/8 GB/ DVD SUPER MULTI/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ INT N7260 AC BT/2MIC + FHD/FP/TPM/	VFY:E7340M77APFR	1528,24	
LB E734 QM87 /13.3' HD/I7-4712MQ/8 GB/	LB E734 QM87 /13.3' HD/I7-4712MQ/8 GB/ DVD SUPER MULTI/SSD 256GB/ INT N7260 ABGN BT/UMTS/LTE READY/ LTE EM7305/2MIC + FHD/FP/TPM/SC SLOT/	VFY:E7340MXP21FR	1528,24	



## Fujitsu recommande Windows.

**LIFEBOOK E7346**

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E736 de FUJITSU fait partie de la gamme LIFEBOOK E : l'ordinateur portable léger et entièrement équipé, idéal pour une flexibilité accrue. Avec son gabarit réduit, son écran de 33,8 cm (13,3 pouces) et ses fonctionnalités de conception et de sécurité haut de gamme, cet ordinateur portable d'1,6 kg (3,53 livres) constitue le compromis idéal entre mobilité et simplicité d'utilisation.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>LIFEBOOK E736</b>					
LB E736 NON-VPRO /13.3' FHD/I5-6200U/	LB E736 NON-VPRO /13.3' FHD/I5-6200U/	LB E736 NON-VPRO /13.3' FHD/I5-6200U/ 8GB/DVD SM/SSD 256GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7360M751BFR	1304,71	
LB E736 NON-VPRO /13.3' FHD/I5-6200U/	LB E736 NON-VPRO /13.3' FHD/I5-6200U/	LB E736 NON-VPRO /13.3' FHD/I5-6200U/ 8GB/DVD SM/SSHD 500GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/CK INT/3P AC 19V/65W SL/	VFY:E7360M75ABFR	1210,59	
LB E736 NON-VPRO /13.3' FHD/I7-6500U/	LB E736 NON-VPRO /13.3' FHD/I7-6500U/	LB E736 NON-VPRO /13.3' FHD/I7-6500U/ 8GB/DVD SM/SSD 256GB OPAL/LTE EM7305/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7360M87APFR	1469,41	



## Fujitsu recommande Windows.

**LIFEBOOK E744**

Fiches produit : <http://fr.fujitsu.com/lifebook>

Appartenant à la gamme LIFEBOOK E de FUJITSU, le LIFEBOOK E744 est le choix idéal si vous avez besoin d'un ordinateur portable élégant et entièrement équipé. Avec son poids plume de 1,7 kg (4,19 livres) et son écran de 35,6 cm (14 pouces) ainsi qu'une interface complète vous assurent un confort d'utilisation maximal. De plus, des fonctionnalités de pointe assurent la

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>LIFEBOOK E744</b>				
LB E744 QM87 /14.0' HD+/I5-4210M/4 GB/	LB E744 QM87 /14.0' HD+/I5-4210M/4 GB/ DVD SUPER MULTI/SSHD 500GB/ UMTS/LTE READY/UMTS EM8805/ INT N7260 BGN BT/2MIC + FHD/FP/TPM/	VFY:E7440M750BFR	1104,71	
LB E744 QM87 /14.0' HD+/I5-4310M/4 GB/	LB E744 QM87 /14.0' HD+/I5-4310M/4 GB/ WEIGHT SAVER/SSD 128GB/UMTS/LTE READY/ LTE EM7305/INT N7260 ABGN BT/2MIC + FHD/ FP/TPM/CK INT./AC/BATT. 6CELL 72WH/	VFY:E7440M75ABIN	1795,29	
LB E744 QM87 /14.0' HD+/I7-4712MQ/8 GB/	LB E744 QM87 /14.0' HD+/I7-4712MQ/8 GB/ DVD SUPER MULTI/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ INT N7260 AC BT/2MIC + FHD/FP/TPM/	VFY:E7440M77APFR	1528,24	
LB E744 QM87 /14.0' HD+/I7-4712MQ/8 GB/	LB E744 QM87 /14.0' HD+/I7-4712MQ/8 GB/ DVD SUPER MULTI/SSD 256GB/ INT N7260 ABGN BT/UMTS/LTE READY/ LTE EM7305/2MIC + FHD/FP/TPM/SC SLOT/	VFY:E7440MXP21FR	1528,24	



## Fujitsu recommande Windows.

**LIFEBOOK E746**

Fiches produit : <http://fr.fujitsu.com/lifebook>

Appartenant à la gamme LIFEBOOK E746 de FUJITSU, le LIFEBOOK E744 est le choix idéal si vous avez besoin d'un ordinateur portable élégant et entièrement équipé. Avec son poids plume de 1,7 kg (4,19 livres) et son écran de 35,6 cm (14 pouces) ainsi qu'une interface complète vous assurent un confort d'utilisation maximal. De plus, des fonctionnalités de pointe

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>LIFEBOOK E746</b>					
LB E746 NON-VPRO /14.0' FHD/I5-6200U/	LB E746 NON-VPRO /14.0' FHD/I5-6200U/	256GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7460M751BFR	1304,71	
LB E746 NON-VPRO /14.0' FHD/I5-6200U/	LB E746 NON-VPRO /14.0' FHD/I5-6200U/	500GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/CK INT/3P AC 19V/65W SL/	VFY:E7460M75ABFR	1210,59	
LB E746 NON-VPRO /14.0' FHD/I7-6500U/	LB E746 NON-VPRO /14.0' FHD/I7-6500U/	256GB OPAL/LTE EM7305/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7460M87APFR	1469,41	



## Fujitsu recommande Windows.

**LIFEBOOK E754**

Fiches produit : <http://fr.fujitsu.com/lifebook>

Appartenant à la gamme d'ordinateurs portables LIFEBOOK E de FUJITSU, l'élégant LIFEBOOK E754 est le choix idéal si vous avez besoin d'un ordinateur portable léger réunissant des fonctionnalités supérieures pour votre travail quotidien. Avec son écran de 39,6 cm (15,6 pouces), son faible poids de 1,9 kg (4,19 livres), son interface complète et ses fonctionnalités de sécurité de pointe, cet ordinateur portable modulaire vous offre une flexibilité et un confort d'utilisation optimaux.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales				
<b>LIFEBOOK E754</b>				
LB E754 QM87 /15.6' HD/15-4210M/4 GB/	LB E754 QM87 /15.6' HD/15-4210M/4 GB/ DVD SUPER MULTI/SSHD 500GB/ UMTS/LTE READY/UMTS EM8805/ INT N7260 BGN BT/2MIC + FHD/FP/TPM/	VFY:E7540M750BFR	1104,71	
LB E754 QM87 /15.6' FHD/15-4310M/2x8 GB/	LB E754 QM87 /15.6' FHD/15-4310M/2x8 GB/ DVD SUPER MULTI/500GB 7.2K/ INT N7260 AC BT/2MIC + FHD/TPM/CK INT./ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	VFY:E7540M75ABIN	1828,24	
LB E754 QM87 /15.6' FHD/17-4712MQ/8 GB/	LB E754 QM87 /15.6' FHD/17-4712MQ/8 GB/ DVD SUPER MULTI/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ INT N7260 AC BT/2MIC + FHD/FP/TPM/	VFY:E7540M77APFR	1540,00	



## Fujitsu recommande Windows.

**LIFEBOOK E756**

Fiches produit : <http://fr.fujitsu.com/lifebook>

Appartenant à la gamme d'ordinateurs portables LIFEBOOK E de FUJITSU, l'élégant LIFEBOOK E754 est le choix idéal si vous avez besoin d'un ordinateur portable léger réunissant des fonctionnalités supérieures pour votre travail quotidien. Avec son écran de 39,6 cm (15,6 pouces), son faible poids de 1,9 kg (4,19 livres), son interface complète et ses fonctionnalités de sécurité de pointe, cet ordinateur portable modulaire vous offre une flexibilité et un confort d'utilisation optimaux.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>LIFEBOOK E756</b>					
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 8GB/DVD SM/SSD 256GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/		VFY:E7560M751BFR	1304,71	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 8GB/DVD SM/SSHD 500GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/CK INT/3P AC 19V/65W SL/		VFY:E7560M75ABFR	1210,59	
LB E756 NON-VPRO /15.6' FHD/17-6500U/	LB E756 NON-VPRO /15.6' FHD/17-6500U/ 8GB/DVD SM/SSD 256GB OPAL/LTE EM7305/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/		VFY:E7560M87APFR	1469,41	



## Fujitsu recommande Windows.

### LIFEBOOK S935

Fiche produits: <http://fr.fujitsu.com/lifebook>

Le FUJITSU LIFEBOOK S935 est un ordinateur portable léger et tactile conçu pour les personnes fréquemment en déplacement.

C'est le compagnon de voyage idéal, car il combine fonctionnalités complètes, conception ultra-légère (1,49 kg seulement) et autonomie allant jusqu'à 24 heures. Son écran tactile IGZO WQHD ultra-net de 33,8 cm offre un confort visuel optimal. La gamme des fonctionnalités offertes (connectivité 4G/LTE intégrée, diverses options de baie modulaire, clavier rétroéclairé et

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>LIFEBOOK S935</b>					
	LB S935 /13.3' FHD/I5-5200U/4GB ONB/	LB S935 /13.3' FHD/I5-5200U/4GB ONB/ DVD SUPER MULTI/SSHD 500GB/ WLAN DUAL N7265/UMTS/LTE READY/ LTE EM7305/HD CAM/FIP/TPM/SC SLOT/	VFY:S9350M75ABFR	1328,24	
	LB S935 /13.3' WQHD/I7-5600U/	LB S935 /13.3' WQHD/I7-5600U/ 8GB MOD+4GB ONB/2ND BATT/SSD 512GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM/SC SLOT/	VFY:S9350M87APIN	2865,88	



**Fujitsu recommande Windows.**

**LIFEBOOK S936**

**Fiche produits: <http://fr.fujitsu.com/lifebook>**

Le FUJITSU LIFEBOOK S936 est un ordinateur portable léger et tactile conçu pour les personnes fréquemment en déplacement.

C'est le compagnon de voyage idéal, car il combine fonctionnalités complètes, conception ultra-légère (1,19 kg seulement) et autonomie allant jusqu'à 24 heures. Son écran tactile IGZO WQHD ultra-net de 33,8 cm offre un confort visuel optimal. La gamme des fonctionnalités offertes (connectivité 4G/LTE





Fujitsu recommande Windows.

**LIFEBOOK S936** Fiche produits: <http://fr.fujitsu.com/lifebook>

			Référence	Prix Indicatif (€)	Remarques
Modèle	Description	Détails			
Configurations Standards					
<b>LIFEBOOK S935 (Suite)</b>					
	LB S935 /13.3' FHD/I5-5200U/4GB ONB/	LB S935 /13.3' FHD/I5-5200U/4GB ONB/ DVD SUPER MULTI/SSHD 500GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM/FIP/SC SLOT/	VFY:S9350M45ABFR	1281,18	
	LB S935 /13.3' WQHD TCH/I7-5600U/	LB S935 /13.3' WQHD TCH/I7-5600U/ 8GB MOD+4GB ONB/DVD SUPER MULTI/ 2ND BATT/SSD 256GB/WLAN DUAL N7265/ UMTS/LTE READY/LTE EM7305/HD CAM/FIP/	VFY:S9350M47APFR	1881,18	
	LB S935 /13.3' FHD TCH/I5-5200U/	LB S935 /13.3' FHD TCH/I5-5200U/ 4GB MOD+4GB ONB/DVD SUPER MULTI/ SSD 256GB/UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM/FIP/SC SLOT/	VFY:S9350M4TABFR	1528,24	
	LB S935 /13.3' FHD/I5-5200U/4GB ONB/	LB S935 /13.3' FHD/I5-5200U/4GB ONB/ DVD SUPER MULTI/SSHD 500GB/ WLAN DUAL N7265/UMTS/LTE READY/ LTE EM7305/HD CAM/FIP/TPM/SC SLOT/	VFY:S9350M75ABFR	1328,24	



Fujitsu recommande Windows.

**LIFEBOOK S936**

Fiche produits: <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques

Configurations Standards

**LIFEBOOK S935 (Suite)**

LB S935 /13.3' FHD TCH/I5-5200U/	LB S935 /13.3' FHD TCH/I5-5200U/ 4GB MOD+4GB ONB/DVD SUPER MULTI/ SSD 256GB/UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM/FIP/SC SLOT/	VFY:S9350M75BBFR	1531,76		
----------------------------------	--	------------------	---------	--	--



## Fujitsu recommande Windows.

**LIFEBOOK T935**

Fiche produits: <http://fr.fujitsu.com/lifebook>

Le FUJITSU LIFEBOOK T935 est un Ultrabook™ polyvalent conçu pour les professionnels exigeants ayant adopté un style de travail dynamique. Son boîtier en aluminium ultra-fin (moins de 15 mm) et résistant avec couvercle en magnésium et son petit poids (1,5 kg) vous permettent de travailler confortablement lors de vos déplacements. L'écran IGZO WQHD rotatif et ultra-net de 33,8 cm prend en charge les saisies au stylet et au doigt. Le clavier rétroéclairé, les fonctionnalités de sécurité et la connectivité 4G/LTE en option s'adaptent parfaitement à votre style de travail dynamique. Le réplicateur de ports en option

			Référence	Prix Indicatif (€)	Remarques
--	--	--	-----------	--------------------	-----------

**Modèle** **Description** **Détails**  
Configurations Spéciales



## Fujitsu recommande Windows.

### LIFEBOOK T936

Fiche produits: <http://fr.fujitsu.com/lifebook>

Le FUJITSU LIFEBOOK T936 est un Ultrabook™ polyvalent conçu pour les professionnels exigeants ayant adopté un style de travail dynamique. Son boîtier en aluminium ultra-fin (moins de 15 mm) et résistant avec couvercle en magnésium et son petit poids (1,5 kg) vous permettent de travailler confortablement lors de vos déplacements. L'écran IGZO WQHD rotatif et ultra-net de 33,8 cm prend en charge les saisies au stylet et au doigt. Le clavier rétroéclairé, les fonctionnalités de sécurité et la connectivité 4G/LTE en option s'adaptent parfaitement à votre style de travail dynamique. Le réplicateur de ports en

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>LIFEBOOK T936</b>					
LB T936 /UB LABEL/13.3' FHD TCH/	LB T936 /UB LABEL/13.3' FHD TCH/ I5-6200U/4GB DDR4/SSHD 500GB/ WLAN AC8260/UMTS EM8805/2MIC + FHD/ FINGERPRINT/TPM V2.0/SMARTCARD/CK INT/		VFY:T9360M85ABFR	1598,82	
LB T936 /UB LABEL/13.3' FHD TCH/	LB T936 /UB LABEL/13.3' FHD TCH/ I5-6200U/8GB DDR4/SSD 128GB/WLAN AC8260/ UMTS EM8805/2MIC + FHD/FINGERPRINT/TPM V2.0/SMARTCARD/CK INT/		VFY:T9360M85BBFR	1634,12	
LB T936 /UB LABEL/13.3' FHD TCH/	LB T936 /UB LABEL/13.3' FHD TCH/ I5-6200U/8GB DDR4/SSD 256GB OPAL/ WLAN AC8260/LTE EM7305/2MIC + FHD/ FINGERPRINT/TPM V2.0/SMARTCARD/CK INT/		VFY:T9360M85CBFR	1704,71	
LB T936 /UB LABEL/13.3' WQHD TCH/	LB T936 /UB LABEL/13.3' WQHD TCH/ I7-6600U/8GB DDR4/SSD 512GB OPAL/ WLAN AC8260/LTE EM7305/2MIC + FHD/ FINGERPRINT/TPM V2.0/SMARTCARD/CK INT/		VFY:T9360M870PFR	2140,00	



## Fujitsu recommande Windows.

**LIFEBOOK U745**

Fiches produit: <http://fr.fujitsu.com/lifebook>

Le Fujitsu LIFEBOOK U745 Ultrabook™ est la solution idéale pour les professionnels au bureau ou en voyage d'affaire. Complet et soigné, cet ordinateur portable a tout d'un grand malgré un format incroyablement compact & un écran sans cadre de 35,6 cm (14 pouces). Son autonomie exceptionnelle, son niveau de réactivité, ses fonctions de sécurité et la technologie 4G/LTE ou 3G/UMTS intégrée en option permettent d'atteindre des sommets en matière de mobilité. La coque en magnésium apporte un véritable plus en terme de fiabilité.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>LIFEBOOK U745</b>				
LB U745 /14.0' HD+/I5-5200U/	LB U745 /14.0' HD+/I5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	VFY:U7450M45CBFR	1292,94	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I7-5600U/4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/PALM VEIN/	VFY:U7450M470PFR	1704,71	
LB U745 /14.0' HD+/I3-5010U/4GB ONB/	LB U745 /14.0' HD+/I3-5010U/4GB ONB/ SSHD 500GB/NO LTE/UMTS/WLAN DUAL N7265/ HD CAM/CK INT/3P AC 19V/65W SL/ 1ST BATT 45WH/3PIN CABLE EU/	VFY:U7450M73ABIN	1578,82	
LB U745 /14.0' HD+/I5-5200U/4GB ONB/	LB U745 /14.0' HD+/I5-5200U/4GB ONB/ SSD 128GB/WLAN DUAL N7265/ UMTS/LTE READY/LTE EM7305/HD CAM/FIP/TPM/CK INT/3P AC 19V/65W SL/	VFY:U7450M75ABFR	1175,29	
LB U745 /14.0' HD+/I5-5200U/4GB ONB/	LB U745 /14.0' HD+/I5-5200U/4GB ONB/ SSHD 500GB/WLAN DUAL N7265/ UMTS/LTE READY/LTE EM7305/HD CAM/FIP/TPM/CK INT/3P AC 19V/65W SL/	VFY:U7450M75BBFR	1175,29	
LB U745 /14.0' HD+/I5-5200U/	LB U745 /14.0' HD+/I5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/ WLAN DUAL N7265/UMTS/LTE READY/ LTE EM7305/HD CAM/FIP/TPM/CK INT/	VFY:U7450M75CBFR	1292,94	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I7-5600U/4GB MOD+4GB ONB/SSD 256GB/ WLAN DUAL N7265/UMTS/LTE READY/ LTE EM7305/HD CAM/PALM VEIN/TPM/SC SLOT/	VFY:U7450M77APFR	1704,71	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5200U/4GB ONB/SSHD 500GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	VFY:U7450M85ABFR	1198,82	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5200U/4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	VFY:U7450M85BBFR	1292,94	
LB U745 /14.0' FHD/I5-5200U/	LB U745 /14.0' FHD/I5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/WLAN DUAL N7265/HD CAM/ CK INT/3P AC 19V/65W SL/3P AC 19V/90W/	VFY:U7450M85SBIN	2030,60	



**Fujitsu recommande Windows.**

**LIFEBOOK U904**

Fiches produit : <http://fr.fujitsu.com/lifebook>

Le LIFEBOOK U904 de Fujitsu est un Ultrabook™ complet au design élégant spécialement conçu pour les professionnels. Son design exceptionnellement fin de seulement 15,5 mm d'épaisseur pour 1,39 kg vous permet de voyager dans le plus grand confort, tandis que le robuste boîtier en magnésium garantit sa solidité. Son écran sans cadre haute définition de 35,6 cm (14 pouces) WQHD+ IGZO prend également en charge la saisie tactile. De plus, la grande autonomie de la batterie, le clavier rétroéclairé, les fonctionnalités de sécurité de pointe et les technologies 4G/LTE intégrées en option vous offrent le niveau de mobilité exceptionnel dont vous avez besoin lorsque vous n'êtes pas au bureau. Le réplicateur de ports en option assure un confort d'utilisation total lorsque vous travaillez au bureau.



## Fujitsu recommande Windows.

### Accessoires portables professionnels LIFEBOOK

Fiches produit : <http://fr.fujitsu.com/lifebook>

Catégorie	Description	LIFEBOOK A544	LIFEBOOK AH564	LIFEBOOK E544	LIFEBOOK E554	LIFEBOOK E734	LIFEBOOK E744	LIFEBOOK E752	LIFEBOOK E754	LIFEBOOK S904	LIFEBOOK S935	LIFEBOOK S936	LIFEBOOK T725	LIFEBOOK T734	LIFEBOOK T904	LIFEBOOK T935	LIFEBOOK T936	LIFEBOOK U745	LIFEBOOK U904	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>																						
<b>Mémoire</b>																						
	4 GB DDR3 1600 MHz PC3-12800							x												S26391-F1112-L400	78,82	
	8 GB DDR3 1600 MHz PC3-12800							x												S26391-F1112-L800	141,18	
	4 GB DDR3 1600 MHz PC3-12800						x	x	x						x					S26391-F1352-L400	78,82	
	8 GB DDR3 1600 MHz PC3-12800						x	x	x						x					S26391-F1352-L800	141,18	
	4 GB DDR3 1600 MHz PC3-12800			x	x															S26391-F1382-L400	78,82	
	8 GB DDR3 1600 MHz PC3-12800			x	x															S26391-F1382-L800	141,18	
	4 GB DDR3 1600 MHz PC3-12800																	x		S26391-F1392-L400	78,82	
	8 GB DDR3 1600 MHz PC3-12800																	x		S26391-F1392-L800	141,18	
	4 GB DDR3 1600 MHz PC3-12800										x									S26391-F1402-L400	83,53	
	8 GB DDR3 1600 MHz PC3-12800										x									S26391-F1402-L800	141,18	
	4 GB DDR4 2133 MHz PC4-17000											x								S26391-F1552-L400	76,47	
	8 GB DDR4 2133 MHz PC4-17000											x								S26391-F1552-L800	144,71	
	2 GB DDR3 1600 MHz PC3-12800	x	x																	S26391-F2123-L200	64,71	
	4 GB DDR3 1600 MHz PC3-12800									x										S26391-F1302-L400	78,82	
	4 GB DDR3 1600 MHz PC3-12800	x	x																	S26391-F2123-L400	78,82	
	8 GB DDR3 1600 MHz PC3-12800									x										S26391-F1302-L800	141,18	
	8 GB DDR3 1600 MHz PC3-12800	x	x																	S26391-F2123-L800	141,18	
<b>Graphics</b>																						
	Câble adaptateur DisplayPort vers DVI-D						x	x	x	x	x				x					S26361-F2391-L200	36,47	
<b>Supports amovibles</b>																						
	DVD Super Multi (reader/writer)							x												S26391-F1144-L200	65,88	
	Cache baie pour module vide	x	x	x	x	x	x	x					x							S26391-F1244-L400	17,65	
	2nd HDD bay module (without HDD)	x	x	x	x	x	x	x					x							S26391-F1244-L709	34,12	
	Weight saver for modular bay (black)									x	x									S26391-F1304-L400	17,65	
	Weight saver for modular bay (red)									x										S26391-F1304-L420	17,65	
	DVD Super Multi (reader/writer)	x	x	x	x	x	x	x												S26391-F1314-L200	63,53	
	Blu-ray Triple Writer incl. Playback SW					x	x	x												S26391-F1314-L300	143,53	
	Blu-ray Triple Writer														x					S26391-F1354-L300	143,53	
	Weight saver for modular bay												x	x						S26391-F1354-L400	17,65	
	2nd HDD bay module (without HDD)													x						S26391-F1354-L700	34,12	
	DVD Super Multi (reader/writer)									x										S26391-F1404-L200	63,53	
	Blu-ray Triple Writer									x										S26391-F1404-L300	143,53	
	2nd HDD bay module (without HDD)									x										S26391-F1404-L700	34,12	
	DVD Super Multi (reader/writer)										x									S26391-F1554-L200	65,88	
	Blu-ray Triple Writer										x									S26391-F1554-L300	143,53	
	Weight saver for modular bay										x									S26391-F1554-L400	17,65	
	2nd HDD bay module (without HDD) for 7mm											x								S26391-F1554-L700	34,12	
	DVD Super multi (reader/writer)	x	x																	S26391-F2127-L100	63,53	
	Economiseur de poids (Cache pour baie modulaire)							x												S26391-F777-L300	17,65	
	Module de baie pour disque dur secondaire							x												S26391-F984-L600	34,12	
	DVD Super Multi (reader/writer)									x										S26391-F1304-L200	63,53	
	Blu-ray Triple Writer									x										S26391-F1304-L300	143,53	
	2nd HDD bay module (without HDD)									x										S26391-F1304-L700	34,12	
<b>Hard Disks</b>																						
	SSD SATA III 128Go high speed													x						S26391-F1103-L825	202,35	
	2nd HDD SATA 500GB 5.4k									x										S26391-F1303-L550	123,53	
	2nd SSD SATA III 128GB									x										S26391-F1303-L822	202,35	
	HDD 500GB 5.4k 7mm					x	x	x												S26391-F1313-L500	123,53	
	SSHD 500GB / 8GB SSD Cache					x	x	x												S26391-F1313-L508	164,71	
	SSD 128GB					x	x	x												S26391-F1313-L820	202,35	
	SSD 256GB					x	x	x												S26391-F1313-L830	343,53	
	2nd HDD 500GB 5.4k 7mm for 2nd HDD Kit													x						S26391-F1353-L500	123,53	
	HDD 500GB 5.4k 7mm	x	x																	S26391-F1383-L500	123,53	
	SSHD 500GB / 8GB SSD Cache	x	x																	S26391-F1383-L508	164,71	
	SSD 128GB	x	x																	S26391-F1383-L820	202,35	
	SSD 256GB	x	x																	S26391-F1383-L830	343,53	
	SSHD 500GB / 8GB SSD Cache																	x		S26391-F1393-L508	164,71	
	SSD SATA III 256GB																	x		S26391-F1393-L830	343,53	
	SSD SATA III 512GB OPAL capable																	x		S26391-F1393-L840	540,00	
	HDD SATA 1TB 5.4k									x										S26391-F1403-L100	170,59	
	SSD SATA III 128GB									x										S26391-F1403-L820	202,35	
	SSD SATA III 256GB									x										S26391-F1403-L830	343,53	
	SSD SATA III 512GB									x										S26391-F1403-L840	598,82	
	HDD SATA 1TB 5.4k										x									S26391-F1553-L150	164,71	
<b>Communication/Réseau</b>																						
	UMTS upgrade kit (technicians only)					x	x	x	x										x	S26391-F1335-L520	123,53	
	LTE upgrade kit (technicians only)					x	x	x	x										x	S26391-F1335-L530	158,82	
	UMTS upgrade kit (technicians only)	x	x																	S26391-F1385-L520	110,59	
	LTE Upg. Kit (technicians only)	x	x																	S26391-F1385-L530	201,18	
	UMTS upgrade kit (technicians only)									x										S26391-F1405-L520	110,59	
	LTE Upg. Kit (technicians only)									x										S26391-F1405-L530	201,18	
	UMTS upgrade kit (technicians only)												x							S26391-F1555-L520	115,29	
	LTE Upg. Kit (technicians only)											x								S26391-F1555-L530	174,12	
<b>Mobile Sécurité</b>																						
	Smart Card Adapter (Express Card I/F)													x						S26391-F1359-L500	42,35	
<b>Port Replicator</b>																						
	Portreplicator													x						S26391-F1187-L100	105,88	
	Port Rep(0-Watt AC Adapter)EU-Cable Kit					x	x	x				x							x	S26391-F1317-L119	151,76	
	Portrep(0-Watt 3pin AC Adapter 80W														x	x	x			S26391-F1327-L100	163,53	
	Portreplicator																x	x		S26391-F1327-L110	158,82	



## Fujitsu recommande Windows.

### Accessoires portables professionnels LIFEBOOK Fiches produit : <http://fr.fujitsu.com/lifebook>

		LIFEBOOK A544	LIFEBOOK AH564	LIFEBOOK E544	LIFEBOOK E554	LIFEBOOK E734	LIFEBOOK E744	LIFEBOOK E752	LIFEBOOK E754	LIFEBOOK S904	LIFEBOOK S935	LIFEBOOK S936	LIFEBOOK T725	LIFEBOOK T734	LIFEBOOK T904	LIFEBOOK T935	LIFEBOOK T936	LIFEBOOK U745	LIFEBOOK U904	Référence	Prix Indicatif (€)	Remarques
<b>Catégorie</b>	<b>Description</b>																					
Accessoires (Matrice)																						
<b>Port Replicator (Suite)</b>																						
	Port Replicator			x	x	x	x	x				x							x	S26391-F1337-L109	109,00	
	Port Replicator																		x	S26391-F1347-L100	135,29	
	Port Rep/0-Watt AC Adapter/EU-Cable Kit																		x	S26391-F1347-L110	163,53	
	Portrep/90Watt AC Adapter/EU-Cable Kit			x	x								x							S26391-F1387-L100	123,53	
	Port Replicator											x								S26391-F1557-L100	151,76	
	Port Rep/0-Watt AC Adapter/EU-Cable Kit											x								S26391-F1557-L110	196,47	
	Port Replicator									x	x									S26391-F1307-L100	135,29	
	Port Rep/0-Watt AC Adapter/EU-Cable Kit									x	x									S26391-F1307-L110	163,53	
<b>OS/Application-SW</b>																						
	Drivers & Utilitaires DVD (Win 7) Lifebook							x						x	x					S26361-F2010-L201	16,47	
	DU-DVD (Win8) LIFEBOOK/STYLISTIC 2012							x						x	x					S26361-F2012-L104	16,47	
	Clé de souscription eLux/WES/Scout							x												S26361-F2727-L703	17,65	
	License pour SCOUT 13+							x												S26361-F2727-L705	50,59	
	DeskUpdate Manager	x	x			x	x	x	x	x				x	x				x	S26361-F4040-L200	1587,06	
	DU-DVD (Win7) LIFEBOOK/STYLISTIC 2013					x	x	x							x					S26391-F1800-L801	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST2013					x	x	x	x						x					S26391-F1800-L802	16,47	
	DU-DVD (Win7) LIFEBOOK/ST2014			x	x															S26391-F1800-L803	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST2014			x	x															S26391-F1800-L804	16,47	
	Driver&utilities DVD (Win10) LIFEBOOK			x	x	x	x	x			x							x		S26391-F1810-L802	16,47	
	DU-DVD (Win7) LIFEBOOK/ST2015										x								x	S26391-F1810-L808	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST2015																		x	S26391-F1810-L809	16,47	
<b>Onduleur/Alimentation</b>																						
	1st Battery 6cell 72Wh (6,700mAh)								x											S26391-F1106-L100	107,06	
	Adaptateur secteur 19V/65W slim et léger						x	x	x			x							x	S26391-F1106-L500	41,18	
	AC Adapter 19V/65W w/o cable								x											S26391-F1106-L510	41,18	
	Adap.secteur 3 broches 19V/100W sans câble								x											S26391-F1106-L520	58,82	
	AC Adapter 19V/80W w/o cable																			S26391-F1106-L530	40,00	
	Adaptateur secteur 19V/65W, sans Câble 3 broches					x	x	x												S26391-F1136-L520	41,18	
	3pin AC Adapter 19V/65W slim and light					x	x	x	x	x	x			x	x	x	x	x	x	S26391-F1246-L509	41,18	
	3pin AC Adapter 19V/80W (0-Watt)					x	x	x					x		x	x	x	x	x	S26391-F1246-L549	54,12	
	2nd Battery 6cell 28Wh (2,600mAh)									x	x									S26391-F1304-L500	142,35	
	3pin AC Adapter 19V/90W									x	x	x								S26391-F1306-L500	41,18	
	3pin AC Adapter 19V/80W (0-Watt)									x	x	x								S26391-F1306-L540	52,94	
	2nd Battery 6cell 28Wh (2,600mAh)														x					S26391-F1314-L509	142,35	
	1st Battery 6cell 72Wh (6,700mAh)			x	x	x	x	x												S26391-F1316-L200	83,53	
	3pin AC Adapter 19V/90W									x	x								x	S26391-F1316-L509	42,35	
	Lithium Ion Battery Pack 4cell 45Wh														x	x	x	x		S26391-F1326-L100	85,88	
	2nd Battery 6cell 28Wh (2,600mAh)														x					S26391-F1354-L500	141,18	
	2pin AC Adapter 19V/90W					x	x								x					S26391-F1356-L520	41,18	
	Ext. Battery charger (2pr), w/AC w/o Cab			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F1356-L700	200,00	
	1st Battery 6cell 49Wh (4,500mAh)					x	x													S26391-F1386-L100	52,94	
	2pin AC Adapter 19V/65W					x	x													S26391-F1386-L500	31,76	
	2pin AC Adapter 19V/80W (ECO)					x	x													S26391-F1386-L510	52,94	
	1st Battery 4cell 51Wh (3,550mAh)											x								S26391-F1406-L100	78,82	
	2nd Battery 6cell 28Wh (2,600mAh)																			S26391-F1554-L500	142,35	
	1st Battery 6cell 77Wh (7,100mAh)																			S26391-F1556-L200	95,29	
	Seconde batterie																			S26391-F777-L200	152,94	
	AC Adapter 19V/80W (0-Watt technology)									x										S26391-F886-L200	54,12	
	1st Battery 6cell 63Wh (5,800mAh)																			S26391-F956-L100	95,29	
	1st Battery 3cell 24Wh (2,200mAh)																			S26391-F1306-L200	52,94	
	1st Battery 6cell 77Wh (7,100mAh)									x	x									S26391-F1306-L100	95,29	
	AC Adapter 19V/65W w/o Cable									x										S26391-F2128-L865	40,00	
	Première Batterie 6cell 72Wh (6,700mAh)			x	x															S26391-F1246-L200	105,88	
	AC Adapter 19V/90W w/o cable					x														S26391-F2128-L890	42,35	
<b>Sécurité</b>																						
	SCA Express								x											S26361-F2432-L720	58,82	
	Advanced Face Recognition, Single License					x	x	x	x	x	x	x			x	x			x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License					x	x	x	x	x	x	x			x	x			x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License					x	x	x	x	x	x	x			x	x			x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R																			S26381-F2700-L100	30,59	
	Comfort Sensor CS300																			S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)					x	x	x	x	x					x	x	x	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)					x	x	x	x	x										S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)					x	x	x	x											S26381-F305-L110	215,29	
	USB SCR 3500																			S26381-F350-L100	28,24	
<b>Divers</b>																						
	SSD Declaration			x	x	x	x	x	x	x										S26361-F3840-L100	0,01	
	Digitizer Pen & tether set																			S26391-F1329-L500	28,24	
	Sleeve Case												x							S26391-F1439-L600	24,71	
	Digitizer Pen																			S26391-F1529-L500	38,82	
	Digitizer Pen																			S26391-F1529-L510	38,82	
	Stylus Pen Tips																			S26391-F1529-L520	61,18	
	Styllet (2 pieces)																			S26391-F796-L800	57,65	
	Kit évolution UMTS													x	x	x	x			S26391-F985-L120	115,29	
<b>Displays</b>																						
	Ecran P27T-7 LED (IPS), câble EU									x				x						S26361-K1442-V140	587,06	
	Ecran B19-7 LED câble EU					x	x	x	x	x										S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU					x	x	x	x	x										S26361-K1472-V140	209,41	
	DISPLAY B27T-7 LED, EU					x	x	x	x	x										S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU					x	x	x	x	x										S26361-K1482-V160	151,76	







## Fujitsu recommande Windows.

Accessoires portables professionnels LIFEBOOK

Fiches produit : <http://fr.fujitsu.com/lifebook>

Catégorie	Description	LIFEBOOK A544	LIFEBOOK AH564	LIFEBOOK E544	LIFEBOOK E554	LIFEBOOK E734	LIFEBOOK E744	LIFEBOOK E752	LIFEBOOK E754	LIFEBOOK S904	LIFEBOOK S935	LIFEBOOK S936	LIFEBOOK T725	LIFEBOOK T734	LIFEBOOK T904	LIFEBOOK T935	LIFEBOOK T936	LIFEBOOK U745	LIFEBOOK U904	Référence	Prix Indicatif (€)	Remarques	
Accessoires (Matrice)	Accessoires (Suite)																						
	DisplayPort vers DisplayPort Cable			x	x	x	x	x					x				x	x	x		S26391-F6055-L220	23,53	
	Câble HDMI vers HDMI	x	x						x	x	x		x	x	x	x	x		x		S26391-F6055-L230	17,65	
	Micro HDMI to HDMI cable	x	x						x	x	x			x	x				x		S26391-F6055-L231	20,00	
	DVI-D vers DVI-D Cable			x					x	x	x		x								S26391-F6055-L240	18,82	
	Câble HDMI vers DVI-D	x	x	x					x	x	x		x	x	x	x	x		x		S26391-F6055-L250	12,94	
	Adaptateur DVI vers VGA			x					x				x			x	x				S26391-F6055-L260	17,65	
	VGA to VGA cable			x	x	x	x		x	x	x		x			x	x				S26391-F6055-L261	10,59	
	DisplayPort vers câble DVI (40cm)			x	x	x	x	x	x	x	x		x			x	x	x			S26391-F6055-L270	27,06	
	DisplayPort to VGA Adapter			x	x	x	x	x	x	x	x		x			x	x	x			S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F6055-L320	9,41	
	Adaptateur USB-Ethernet	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F6055-L510	25,88	
	USB 3.0 Gigabit LAN Adapter	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F6055-L520	34,12	
	USB vers câble adaptateur série	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x	x		x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F6055-L710	528,24	
	Filter écran confident.3M 35,6cm /14,0" (16:9)			x				x													S26391-F6097-L115	77,65	
	Filter écran confident. 3M 33,8cm /13.3" (16:9)					x						x	x								S26391-F6097-L134	68,24	
	Filter écran confidentialité 3M 15,6", 39,6cm				x			x	x												S26391-F6097-L317	82,35	
	Privacy Filter PF LB S9									x	x										S26391-F6097-L361	50,59	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F6099-L304	44,71	
	Adaptateur+ USB DVI	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F7128-L700	48,24	
	Soundssystem Tube 2100	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F7128-L710	44,71	
	UC&C USB Headset Stereo H650e	x	x	x		x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F7139-L10	74,12	
	Bluetooth Comfort Headset			x		x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F7139-L100	72,94	
	UC&C USB Value Headset	x	x	x		x	x	x	x	x	x		x		x	x	x	x	x		S26391-F7139-L20	54,12	
	HS E2000 Communicator			x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		S26391-F7139-L5	20,00	
	Communicator Headset			x	x	x	x	x	x	x	x		x		x	x	x	x	x		S26391-F7139-L51	24,71	
	VGA Conversion Cable	x							x	x	x		x	x	x	x	x		x		S26391-F938-L900	62,35	
	Câble adaptateur DisplayPort vers HDMI			x	x	x	x	x	x	x			x		x	x	x		x		S26391-F6055-L210	27,06	



Fujitsu recommande Windows.

**Accessoires portables professionnels LIFEBOOK (suite) Fiches produit : <http://fr.fujitsu.com/lifebook>**

Catégorie	Description	LIFEBOOK A514	LIFEBOOK A555	LIFEBOOK A556	LIFEBOOK E546	LIFEBOOK E556	LIFEBOOK E736	LIFEBOOK E746	LIFEBOOK E756	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>												
<b>Mémoire</b>												
	16 GB DDR4 2133 MHz PC4-17000				x	x	x	x	x	S26391-F1502-L160	328,24	
	4 GB DDR4 2133 MHz PC4-17000				x	x	x	x	x	S26391-F1502-L400	54,12	
	8 GB DDR4 2133 MHz PC4-17000				x	x	x	x	x	S26391-F1502-L800	100,00	
	4 GB DDR3 1600 MHz PC3-12800		x							S26391-F2133-L400	78,82	
	8 GB DDR3 1600 MHz PC3-12800		x							S26391-F2133-L800	141,18	
	4 GB DDR4 2133 MHz			x						S26391-F2153-L400	54,12	
	8 GB DDR4 2133 MHz			x						S26391-F2153-L800	100,00	
	2 GB DDR3 1600 MHz PC3-12800	x								S26391-F2123-L200	64,71	
	4 GB DDR3 1600 MHz PC3-12800	x								S26391-F2123-L400	78,82	
	8 GB DDR3 1600 MHz PC3-12800	x								S26391-F2123-L800	141,18	
<b>Supports amovibles</b>												
	Cache baie pour module vide				x	x	x	x	x	S26391-F1244-L400	17,65	
	2nd HDD bay module (without HDD)				x	x	x	x	x	S26391-F1244-L709	34,12	
	DVD Super multi (reader/writer)				x	x	x	x	x	S26391-F1504-L200	65,88	
	Blu-ray Triple Writer incl. Playback SW						x	x	x	S26391-F1504-L300	143,53	
	DVD Super multi (reader/writer)	x								S26391-F2127-L100	63,53	
	DVD Super multi (reader/writer)		x							S26391-F2137-L100	65,88	
	DVD Super multi (reader/writer)			x						S26391-F2157-L100	65,88	
<b>Hard Disks</b>												
	HDD 500GB 5.4k 7mm				x	x	x	x	x	S26391-F1503-L500	123,53	
	SSHD 500GB / 8GB SSD Cache 5.4k				x	x	x	x	x	S26391-F1503-L508	151,76	
	SSD SATA 256GB FDE				x	x	x	x	x	S26391-F1503-L835	370,59	
	SSD SATA 512GB FDE						x	x	x	S26391-F1503-L840	669,41	
<b>Communication/Réseau</b>												
	UMTS upgrade kit (technicians only)						x	x	x	S26391-F1335-L520	123,53	
	LTE upgrade kit (technicians only)						x	x	x	S26391-F1335-L530	158,82	
	UMTS upgrade kit (technicians only)				x	x				S26391-F1385-L520	110,59	
	LTE Upg. Kit (technicians only)				x	x				S26391-F1385-L530	201,18	
<b>Port Replicator</b>												
	Port Rep0-Watt AC Adapter/EU-Cable Kit				x	x	x	x	x	S26391-F1317-L119	151,76	
	Port Replicator				x	x	x	x	x	S26391-F1337-L109	109,00	
<b>OS/Application-SW</b>												
	DeskUpdate Manager	x	x	x						S26361-F4040-L200	1587,06	
	Driver&utilities DVD (Win10) LIFEBOOK				x	x	x	x	x	S26391-F1810-L802	16,47	
	DU-DVD (Win7) LIFEBOOK/ST2015				x	x	x	x	x	S26391-F1810-L808	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST2015				x	x	x	x	x	S26391-F1810-L809	16,47	
<b>Onduleur/Alimentation</b>												
	3pin AC Adapter 19V/65W slim and light				x	x	x	x	x	S26391-F1246-L509	41,18	
	3pin AC Adapter 19V/80W (0-Watt)				x	x	x	x	x	S26391-F1246-L549	54,12	
	2nd Battery 6cell 28Wh (2,600mAh)						x	x	x	S26391-F1314-L509	142,35	
	1st Battery 6cell 72Wh (6,700mAh)				x	x	x	x	x	S26391-F1316-L200	83,53	
	3pin AC Adapter 19V/90W				x	x	x	x	x	S26391-F1316-L509	42,35	
	Ext. Battery charger (2pr), w/AC w/o Cab				x	x	x	x	x	S26391-F1356-L700	200,00	
	1st Battery 6cell 49Wh (4,500mAh)				x	x				S26391-F1386-L100	52,94	
	1st Battery 6cell 77Wh (7,100mAh)						x	x	x	S26391-F1306-L100	95,29	



## Fujitsu recommande Windows.

### Accessoires portables professionnels LIFEBOOK (suite) Fiches produit : <http://fr.fujitsu.com/lifebook>

Catégorie	Description	LIFEBOOK A514	LIFEBOOK A555	LIFEBOOK A556	LIFEBOOK E546	LIFEBOOK E556	LIFEBOOK E736	LIFEBOOK E746	LIFEBOOK E756	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
<b>Onduleur/Alimentation (Suite)</b>												
	AC Adapter 19V/65W w/o Cable	x								S26391-F2128-L865	40,00	
	Première Batterie 6cell 72Wh (6,700mAh)	x								S26391-F1246-L200	105,88	
	AC Adapter 19V/90W w/o cable		x	x						S26391-F2128-L890	42,35	
<b>Sécurité</b>												
	Advanced Face Recognition, Single License				x	x	x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License				x	x	x	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License				x	x	x	x	x	S26361-F2727-L770	30,59	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	x			x	x	x	S26381-F305-L101	25,88	
	USB SCR 3500	x	x	x						S26381-F350-L100	28,24	
<b>Displays</b>												
	Ecran P27T-7 LED (IPS), câble EU				x	x	x	x	x	S26361-K1442-V140	587,06	
	Ecran B19-7 LED câble EU					x	x	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	x	x	x	x	x	x	S26361-K1472-V140	209,41	
	DISPLAY B27T-7 LED, EU	x	x	x	x	x	x	x	x	S26361-K1478-V141	328,24	
	DISPLAY B23T-7 LED, EU	x	x	x	x	x	x	x	x	S26361-K1496-V140	215,29	
	DISPLAY B24W-7 LED, EU	x	x	x	x	x	x	x	x	S26361-K1497-V140	270,59	
	DISPLAY P24W-7 LED, EU				x	x	x	x	x	S26361-K1498-V140	372,94	
	DISPLAY E20T-7 LED, EU	x	x	x						S26361-K1538-V160	135,29	
	DISPLAY P24T-7 LED, EU				x	x	x	x	x	S26361-K1543-V140	288,24	
	DISPLAY B24T-1L, EU	x	x	x						S26361-K1558-V160	211,76	
	DISPLAY P27T-7 UHD, EU				x	x	x	x	x	S26361-K1564-V140	622,35	
	DISPLAY B24-8 TE Pro, EU	x	x	x	x	x	x	x	x	S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	x	x	x	x	x	x	S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	x	x	x	x	x	x	S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x	x	x	x	x	x	x	x	S26361-K1579-V160	151,76	
<b>Clavier /Souris</b>												
	Blue LED Souris (USB)	x	x	x	x	x	x	x	x	S26381-K438-L100	20,00	
	Bluetooth Souris BT3	x	x	x	x	x	x	x	x	S26381-K445-L100	22,35	
	Notebook Souris M410	x	x	x	x	x	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	x	x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	x	x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	x	x	x	x	x	S26381-K463-L100	11,76	
	Wireless Notebook Souris WI410	x	x	x	x	x	x	x	x	S26381-K464-L100	15,29	
	Wireless Souris Touch WI910	x	x	x	x	x	x	x	x	S26381-K465-L100	22,35	
	MOUSE M530 BLACK	x	x	x	x	x	x	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	x	x	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	x	x	x	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR			x						S26381-K511-L440	16,47	
	Clavier Pro KB900 Noir (USB, Fr)			x	x	x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	x	x	x	x	S26381-K565-L440	51,76	
	Bluetooth Clavier LX370 FR	x	x				x	x	x	S26381-K570-L440	51,76	
	Wireless KB Souris Set LX390 FR			x	x	x	x	x	x	S26381-K590-L440	18,82	
<b>Câbles</b>												
	Power cord three-wire DK				x	x	x	x	x	S26361-F2581-L328	17,65	
	Power cord three-wire US				x	x	x	x	x	S26361-F2581-L300	17,65	
	Cordon secteur 3P EU				x	x	x	x	x	S26361-F2581-L310	17,65	
	Power cord three-wire GB				x	x	x	x	x	S26361-F2581-L320	17,65	
	Power cord three-wire I				x	x	x	x	x	S26361-F2581-L330	17,65	
<b>Accessories</b>												
	External Super Multi Drive	x			x	x	x	x	x	S26341-F103-L135	52,94	
	MicroSaver slim	x	x	x	x	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	x	x	x	x	S26361-F1650-L510	32,94	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	x	x	x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	x	x	x	x	x	x	S26361-F1650-L900	45,88	
	MiniSaver Mobile Lock	x	x	x		x	x	x	x	S26361-F1650-L910	58,82	



## Fujitsu recommande Windows.

### Accessoires portables professionnels LIFEBOOK (suite) Fiches produit : <http://fr.fujitsu.com/lifebook>

Catégorie	Description	LIFEBOOK A514	LIFEBOOK A555	LIFEBOOK A556	LIFEBOOK E546	LIFEBOOK E556	LIFEBOOK E736	LIFEBOOK E746	LIFEBOOK E756	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
<b>Accessoires (Suite)</b>												
	Câble de charge, Micro-USB B	x	x	x			x	x	x	S26381-F6007-L900	8,24	
	Sacoche Casual 16 (up to 15,6")	x	x	x	x	x				S26391-F1191-L107	18,82	
	Casual Top Case 14				x		x	x		S26391-F1192-L120	44,71	
	PRESTIGE TROLLY 17				x	x				S26391-F1192-L130	116,47	
	Prestige Case Mini 13						x			S26391-F1192-L151	52,94	
	Casual Backpack 16	x	x	x	x	x				S26391-F1192-L167	49,41	
	Supreme Case (15.6)				x	x				S26391-F1192-L900	148,24	
	Prestige Backpack 17		x	x		x			x	S26391-F1194-L135	60,00	
	Sportive Backpack 15		x	x	x	x			x	S26391-F1194-L136	69,41	
	Prestige Top Case 15		x	x	x	x			x	S26391-F1194-L50	43,53	
	Prestige Case 15		x	x	x	x			x	S26391-F1194-L60	52,94	
	Prestige Case 16		x	x	x	x			x	S26391-F1194-L61	68,24	
	CAR TRUCK POWER ADAPTER 90	x	x	x			x	x	x	S26391-F2613-L610	92,94	
	Car/Air DC Mini Adapter 80	x	x	x			x	x	x	S26391-F2613-L616	56,47	
	Car Adapter USB	x	x	x			x	x	x	S26391-F2613-L617	15,29	
	USB 3.0 Port Replicator PR08 EDC Hgkg	x	x	x			x	x	x	S26391-F6007-L308	151,76	
	USB Port Replicator PR7.1	x	x	x			x	x	x	S26391-F6007-L310	116,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	x			x	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	x			x	x	x	S26391-F6007-L410	176,47	
	MOBILE STARTERKIT 18				x	x				S26391-F6036-L610	20,00	
	Mobile Travel Pack	x	x	x	x	x				S26391-F6036-L616	116,47	
	PocketSaver, retractable		x	x	x	x	x	x	x	S26391-F6045-L100	38,82	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	x	x	x	x	x	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	x	x	x	x	x	S26391-F6048-L364	67,06	
	A-DATA NH13 portable hard drive	x	x	x	x	x				S26391-F6048-L420	136,47	
	DisplayPort vers DisplayPort Cable						x	x	x	S26391-F6055-L220	23,53	
	Câble HDMI vers HDMI	x	x	x					x	S26391-F6055-L230	17,65	
	Micro HDMI to HDMI cable	x	x	x						S26391-F6055-L231	20,00	
	DVI-D vers DVI-D Cable								x	S26391-F6055-L240	18,82	
	Câble HDMI vers DVI-D	x	x	x					x	S26391-F6055-L250	12,94	
	Adaptateur DVI vers VGA								x	S26391-F6055-L260	17,65	
	VGA to VGA cable	x	x	x					x	S26391-F6055-L261	10,59	
	DisplayPort vers câble DVI (40cm)						x	x	x	S26391-F6055-L270	27,06	
	DisplayPort to VGA Adapter						x	x	x	S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m	x	x	x			x	x	x	S26391-F6055-L320	9,41	
	Adaptateur USB-Ethernet	x	x	x			x	x	x	S26391-F6055-L510	25,88	
	USB 3.0 Gigabit LAN Adapter	x	x	x			x	x	x	S26391-F6055-L520	34,12	
	USB vers câble adaptateur série	x	x	x			x	x	x	S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x	x	x			x	x	x	S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	x			x	x	x	S26391-F6055-L710	528,24	
	Filtre écran confident.3M 35,6cm /14,0" (16:9)						x		x	S26391-F6097-L115	77,65	
	Filtre écran confident. 3M 33,8cm /13.3" (16:9)						x			S26391-F6097-L134	68,24	
	Filtre écran confidentialité 3M 15,6", 39,6cm	x	x	x					x	S26391-F6097-L317	82,35	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	x			x	x	x	S26391-F6099-L304	44,71	
	Adaptateur+ USB DVI	x	x	x			x	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	x			x	x	x	S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	x	x	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	x	x	x	x	x	x	S26391-F7128-L700	48,24	
	Soundssystem Tube 2100	x	x	x	x	x	x	x	x	S26391-F7128-L710	44,71	
	UC&C USB Headset Stereo H650e	x	x	x	x	x	x	x	x	S26391-F7139-L10	74,12	
	Bluetooth Comfort Headset	x	x	x	x	x	x	x	x	S26391-F7139-L100	72,94	
	UC&C USB Value Headset	x	x	x	x	x	x	x	x	S26391-F7139-L20	54,12	
	HS E2000 Communicator	x	x	x	x	x	x	x	x	S26391-F7139-L5	20,00	
	Communicator Headset	x	x	x	x	x	x	x	x	S26391-F7139-L51	24,71	
	VGA Conversion Cable	x	x	x					x	S26391-F938-L900	62,35	
	Câble adaptateur DisplayPort vers HDMI						x	x	x	S26391-F6055-L210	27,06	



Fujitsu recommande Windows.

**Accessoires Tablet PC STYLITIC**

Fiches produit : <http://fr.fujitsu.com/stylistic>

Catégorie	Description	STYLISTIC Q555	STYLISTIC Q616	STYLISTIC Q665	STYLISTIC Q704	STYLISTIC Q736	STYLISTIC Q775	STYLISTIC R726	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Communication/Réseau</b>											
	LTE Upg. Kit (technicians only)							x	S26391-F2166-L100	170,59	
	UMTS upgrade kit (technicians only)							x	S26391-F2166-L200	140,00	
<b>Port Replicator</b>											
	Cradle with Boost Mode				x				S26391-F1367-L100	98,82	
	Cradle	x	x	x		x	x		S26391-F1467-L100	155,29	
	Cradle w/AC Adapter w/o cable							x	S26391-F2167-L100	157,65	
<b>OS/Application-SW</b>											
	DeskUpdate Manager				x				S26361-F4040-L200	1587,06	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST 2013				x				S26391-F1800-L802	16,47	
	DU-DVD (Win8+Win8.1) STYLITIC 2014	x							S26391-F1800-L807	16,47	
	Driver&utilities DVD (Win10) LIFEBOOK		x			x			S26391-F1810-L802	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST2015		x			x			S26391-F1810-L809	16,47	
<b>Onduleur/Alimentation</b>											
	Ext. Battery charger (2pr), w/AC w/o Cab					x	x		S26391-F1356-L700	200,00	
	3pin AC Adapter 19V/65W (w/o cable)		x	x	x	x			S26391-F1366-L500	40,00	
	AC Adapter (w/o cable)	x							S26391-F1376-L521	37,65	
	AC Adapter 19V/65W w/o Cable							x	S26391-F2168-L802	41,18	
<b>Sécurité</b>											
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x							S26381-F305-L101	25,88	
	USB SCR 3500	x							S26381-F350-L100	28,24	
<b>Divers</b>											
	SSD Declaration				x				S26361-F3840-L100	0,01	
	Digitizer Pen & tether set			x	x		x		S26391-F1329-L500	28,24	
	VGA Conversion Cable				x				S26391-F1378-L810	29,41	
	HDMI Conversion Cable				x				S26391-F1378-L830	30,59	
	LAN Conversion Cable				x				S26391-F1378-L840	23,53	
	Digitizer Pen large				x				S26391-F1379-L510	49,41	
	VGA Conversion Cable	x	x	x		x	x		S26391-F1418-L810	31,76	
	LAN Conversion Cable	x	x	x		x	x		S26391-F1418-L840	23,53	
	Digitizer Pen small	x							S26391-F1419-L500	29,41	
	Digitizer Pen large	x							S26391-F1419-L510	43,53	
	Pen tether	x	x	x		x	x		S26391-F1419-L520	14,12	
	Digitizer Pen		x			x			S26391-F1529-L500	38,82	
	Digitizer Pen		x			x			S26391-F1529-L510	38,82	
	Stylus Pen Tips		x						S26391-F1529-L520	61,18	
	Active pen (incl. Battery)							x	S26391-F2169-L100	38,82	
	Pen Tips							x	S26391-F2169-L110	45,88	
	VGA conversion cable (miniDP to VGA)							x	S26391-F2169-L200	31,76	
	HDMI conversion cable (miniDP to HDMI)							x	S26391-F2169-L300	31,76	
	LAN Conversion cable (USB to LAN)							x	S26391-F2169-L400	37,65	
	Stylent (2 pieces)			x			x		S26391-F796-L800	57,65	
<b>Clavier /Souris</b>											
	Blue LED Souris (USB)	x		x			x	x	S26381-K438-L100	20,00	
	Bluetooth Souris BT3	x	x	x	x	x	x	x	S26381-K445-L100	22,35	
	SOURIS M440 ECO noir							x	S26381-K450-L200	15,29	
	Notebook Souris M410	x		x	x		x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	x		x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	x		x	x	S26381-K462-L100	14,12	
	Souris MC200	x		x	x			x	S26381-K463-L100	11,76	
	Wireless Notebook Souris WI410	x		x	x		x	x	S26381-K464-L100	15,29	
	Wireless Souris Touch WI910	x		x	x		x	x	S26381-K465-L100	22,35	
	MOUSE M520 BLACK							x	S26381-K467-L100	12,94	
	Clavier Pro KB900 Noir (USB, Fr)			x	x		x		S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	x	x	x	S26381-K565-L440	51,76	
	Bluetooth Clavier LX370 FR	x		x	x		x	x	S26381-K570-L440	51,76	



Fujitsu recommande Windows.

**Accessoires Tablet PC STYLITIC**

Fiches produit : <http://fr.fujitsu.com/stylistic>

Catégorie	Description	STYLISTIC Q555	STYLISTIC Q616	STYLISTIC Q665	STYLISTIC Q704	STYLISTIC Q736	STYLISTIC Q775	STYLISTIC R726	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Clavier /Souris (Suite)</b>											
	Wireless KB Souris Set LX390 FR	x		x			x	x	S26381-K590-L440	18,82	
	Slice Clavier FR				x				S26391-F1276-L222	228,24	
	Slim Clavier FR	x							S26391-F1288-L222	156,47	
	Clavier dock FR					x	x		S26391-F1289-L222	289,41	
	Clavier dock w/ batterie FR					x	x		S26391-F1289-L322	334,12	
	Slim Clavier FR		x	x					S26391-F1293-L222	212,94	
	Magnetic Clavier FR							x	S26391-F2114-L222	114,12	
<b>Câbles</b>											
	Câble secteur, Noir, 1,8m, pour EU	x		x			x	x	T26139-Y2540-V113	9,41	
	Câble secteur, Noir, 1,8 m, pour UK	x		x			x	x	T26139-Y2540-V213	9,41	
	Câble secteur, Noir, 1,8 m, pour USA	x		x			x	x	T26139-Y2540-V313	9,41	
	Power cord three-wire DK			x	x				S26361-F2581-L328	17,65	
	Power cord three-wire US			x	x				S26361-F2581-L300	17,65	
	Cordon secteur 3P EU			x	x				S26361-F2581-L310	17,65	
	Power cord three-wire GB			x	x				S26361-F2581-L320	17,65	
	Power cord three-wire I			x	x				S26361-F2581-L330	17,65	
<b>Accessories</b>											
	External Super Multi Drive	x		x	x		x	x	S26341-F103-L135	52,94	
	MicroSaver slim							x	S26361-F1650-L200	45,88	
	Combination Ultra							x	S26361-F1650-L510	32,94	
	Câble antivol Kensington Twin (2xClés/2xSlots)							x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin							x	S26361-F1650-L900	45,88	
	MiniSaver Mobile Lock							x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x			x		x		S26381-F6007-L900	8,24	
	Prestige Pro Case Midi 14				x	x	x	x	S26391-F1191-L80	80,00	
	Casual Top Case 14					x	x		S26391-F1192-L120	44,71	
	Prestige Case Mini 13							x	S26391-F1192-L151	52,94	
	Sleeve Case M	x	x			x		x	S26391-F1192-L312	49,41	
	Supreme Case (15.6)				x				S26391-F1192-L900	148,24	
	HAND STRAP STYLISTIC Q584/Q704 SmartCard				x				S26391-F1193-L12	29,41	
	SHOULDER STRAP STYLISTIC	x	x	x	x	x	x		S26391-F1193-L13	31,76	
	Folio CASE STYLISTIC Q704 Waterproof				x				S26391-F1193-L20	60,00	
	VESA MOUNT STYLISTIC Q704 SmartCard				x				S26391-F1193-L21	29,41	
	FOLIO CASE STYLISTIC Q555	x							S26391-F1193-L30	55,29	
	TPU COVER STYLISTIC Q555	x							S26391-F1193-L31	103,53	
	FOLIO CASE STYLISTIC Q775						x		S26391-F1193-L40	55,29	
	TPU Cover STYLISTIC Q775						x		S26391-F1193-L41	77,65	
	TPU Cover STYLISTIC Q736					x			S26391-F1193-L44	172,94	
	FOLIO CASE STYLISTIC Q665		x	x					S26391-F1193-L50	55,29	
	TPU Cover STYLISTIC Q665		x	x					S26391-F1193-L51	103,53	
	VESA MOUNT STYLISTIC	x				x	x		S26391-F1419-L900	29,41	
	HAND STRAP STYLISTIC	x				x	x		S26391-F1419-L930	29,41	
	CAR TRUCK POWER ADAPTER 90	x			x	x	x	x	S26391-F2613-L610	92,94	
	Car/Air DC Mini Adapter 80				x		x		S26391-F2613-L616	56,47	
	Car Adapter USB				x		x		S26391-F2613-L617	15,29	
	Dual USB Quick Charge Adapter	x							S26391-F2613-L620	27,06	
	USB 3.0 Port Replicator PR08 EDC Hgkg	x			x		x		S26391-F6007-L308	151,76	
	USB Port Replicator PR7.1	x			x		x		S26391-F6007-L310	116,47	
	Fujitsu USB 3.0 Port Replicator PR08	x			x		x		S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x			x		x		S26391-F6007-L410	176,47	
	A-DATA USB3.0 Flash Stick UE700 32GB						x	x	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB						x	x	S26391-F6048-L364	67,06	
	A-DATA NH13 portable hard drive						x	x	S26391-F6048-L420	136,47	
	Câble HDMI vers HDMI						x		S26391-F6055-L230	17,65	
	Micro HDMI to HDMI cable	x	x	x		x	x		S26391-F6055-L231	20,00	



Fujitsu recommande Windows.

**Accessoires Tablet PC STYLITIC**

Fiches produit : <http://fr.fujitsu.com/stylistic>

Catégorie	Description	STYLITIC Q555	STYLITIC Q616	STYLITIC Q665	STYLITIC Q704	STYLITIC Q736	STYLITIC Q775	STYLITIC R726	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Accessoires (Suite)</b>											
	Câble HDMI vers DVI-D						x		S26391-F6055-L250	12,94	
	USB 3.0 certified cable 2m				x		x		S26391-F6055-L320	9,41	
	Adaptateur USB-Ethernet				x		x		S26391-F6055-L510	25,88	
	USB 3.0 Gigabit LAN Adapter	x			x		x		S26391-F6055-L520	34,12	
	USB vers câble adaptateur série	x			x		x		S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x			x				S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x			x		x		S26391-F6055-L710	528,24	
	Filtre écran confident. 3M 33,8cm /13.3" (16:9)						x		S26391-F6097-L134	68,24	
	Fujitsu USB 3.0 HUB 4 Ports	x			x		x		S26391-F6099-L304	44,71	
	Adaptateur+ USB DVI	x			x		x		S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x			x		x		S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x			x		x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x		x	x	x	x	S26391-F7128-L700	48,24	
	Soundssystem Tube 2100	x			x		x	x	S26391-F7128-L710	44,71	
	UC&C USB Headset Stereo H650e	x			x		x	x	S26391-F7139-L10	74,12	
	Bluetooth Comfort Headset	x			x		x	x	S26391-F7139-L100	72,94	
	UC&C USB Value Headset	x			x		x	x	S26391-F7139-L20	54,12	
	HS E2000 Communicator	x			x		x		S26391-F7139-L5	20,00	
	Communicator Headset	x			x		x		S26391-F7139-L51	24,71	



Fujitsu recommends Windows.

# Computing for the Modern Office

## FUJITSU Desktop ESPRIMO



Fujitsu	ALL-ROUND			ADVANCED			SUPERIOR			
	ESPRIMO 0556	ESPRIMO A525-L	ESPRIMO D556	ESPRIMO P556	ESPRIMO D756	ESPRIMO P756	ESPRIMO 0956	ESPRIMO X956 X956IT	ESPRIMO D956	ESPRIMO P956
Form factor	Mini PC	Thin PC	Small form factor	Microtower	Small form factor	Microtower	Mini PC	All-in-one	Small form factor	Microtower
Operating system	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit
Chipset	Intel® H110	AMD G-series	Intel® H110	Intel® 0150	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5
Processor	Intel® Core™ i7 Intel® Core™ i5	AMD Embedded G-Series SOC ("Elkabin")	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5
Manageability	DeskView	-	DeskView	Intel® Standard Manageability	Intel® vPro™ technology	Intel® vPro™ technology	Intel® vPro™ technology	Intel® vPro™ technology	Intel® vPro™ technology	Intel® vPro™ technology
USB 2.0 total	2x USB rear	4x USB rear	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 4x USB rear	2x USB rear, 4x USB rear	2x USB rear, 4x USB front, 4x USB rear	2x USB rear, 4x USB front, 4x USB rear	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 2x USB internal
USB 3.0 total	2x USB front, 2x USB rear	2x USB front	2x USB front, 2x USB rear	2x USB front, 4x USB rear	2x USB front, 4x USB rear	2x USB front, 4x USB rear	2x USB front, 4x USB rear	2x USB front, 4x USB rear	2x USB front, 2x USB rear, 2x USB internal	2x USB front, 4x USB rear
Slots	-	-	1x PCI-Express x1 1x PCI-Express 2.0x4 (mech x16) 1x PCI-Express 3.0x16	2x PCI-Express x1 1x PCI-Express 2.0x4 (mech x16) 1x PCI-Express 3.0x16	2x PCI-Express x1 1x PCI-Express 2.0x4 (mech x16) 1x PCI-Express 3.0x16	2x PCI-Express x1 1x PCI-Express 2.0x4 (mech x16) 1x PCI-Express 3.0x16	-	-	2x PCI-Express x1 1x PCI-Express 2.0x4 (mech x16) 1x PCI-Express 3.0x16	2x PCI-Express x1 1x PCI-Express 2.0x4 (mech x16) 1x PCI-Express 3.0x16
Weight	approx. 1.6 kg	approx. 1.3 kg	approx. 8 kg	approx. 9 kg	approx. 8 kg	approx. 11 kg	approx. 1.6 kg	approx. 8.6 kg	approx. 8 kg	approx. 11 kg
Dimensions (W x D x H)	186x191x55 mm	53x179x250 mm	175x425x353 mm	175x419x395 mm	332x338x89 mm	175x419x395 mm	186x191x59 mm	533x224x419 mm	332x338x89 mm	175x419x395 mm
Volume	2.0 liters	2.4 liters	10 liters	26 liters	10 liters	29 liters	2.0 liters	-	10 liters	29 liters
Optical drive	1	-	1	2	1	2	1	-	1	2
Hard disk drive / SSD	1	1	2	2	3	4	2	-	3	4
Erasedisk option	-	-	-	-	-	-	-	-	-	-
Zero Noise PC option	-	-	-	-	-	-	-	-	-	-
Common software load	-	-	-	-	-	-	-	-	-	-
ENERGY STAR®	•	•	•	•	•	•	•	•	•	•
EPEAT	•	•	•	•	•	•	•	•	•	•
Blue Angel	in progress	-	in progress	in progress	in progress	in progress	in progress	in progress	in progress	in progress
Lifecycle	up to 12 months	up to 24 months	up to 12 months	up to 12 months	up to 18 months	up to 18 months	up to 18 months	up to 24 months	up to 24 months	up to 24 months
Embedded security	TPM 2.0	optional	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0
Power supply efficiency	up to 92%	up to 88%	up to 90%	up to 90%	up to 90%	up to 94%	up to 92%	up to 92%	up to 94%	up to 94%
Service contracts	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years





## Fujitsu recommande Windows.

**ESPRIMO A525-L**

Fiches produit : <http://fr.fujitsu.com/esprimo>

L'élégant ESPRIMO X923-T de FUJITSU offre tous les avantages d'un PC, ainsi qu'un écran tactile de 58,4 cm (23 pouces) réglable et une fonction innovante de connexion simplifiée. Réalisez d'importantes économies de coût total de possession grâce aux technologies DeskView et Intel® vPro™ et protégez vos données confidentielles avec le module TPM intégré. Le mode basse consommation actif prend en charge de nombreuses autres applications telles que la téléphonie et la vidéoconférence.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>ESPRIMO A525-L</b>				
ESP A525-L /4GB/DVI/VGA/320GB SATA AF/	ESP A525-L /4GB/DVI/VGA/320GB SATA AF/ WLAN / BT COMBI/CK EU/INT/KB410PS2FR/ LIC WIN8.1 PRO/RDVD W7+W8.1/ W7 PRO64 MAIN/OPT USB BLK/	VFY:A0525P501OFR	398,82	
ESP A525-L /4GB/DVI/VGA/320GB SATA AF/	ESP A525-L /4GB/DVI/VGA/320GB SATA AF/ CK EU/INT/KB410PS2FR/LIC WIN8.1 PRO/ RDVD W7+W8.1/W7 PRO64 MAIN/OPT USB BLK/	VFY:A0525P8001FR	540,00	
ESP A525-L /CPU UPGR/4GB/DVI/VGA/	ESP A525-L /CPU UPGR/4GB/DVI/VGA/ 320GB SATA AF/INTEL WLAN AC7260/ CK EU/INT/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:A0525P803OFR	398,82	
ESP A525-L /CPU UPGR/4GB/500GB SATA AF/	ESP A525-L /CPU UPGR/4GB/500GB SATA AF/ CK EU/INT/KB410 USB BL US/INT/LINUX/ USB M510 GREY/	VFY:A0525P80A5IN	387,06	



Fujitsu recommande Windows.

**ESPRIMO D556 & D956**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Les PC ESPRIMO D556 D956 FUJITSU vous permet de bénéficier d'un matériel informatique d'excellence pour vos tâches de bureau quotidiennes. Affichant un prix abordable, il garantit la continuité nécessaire aux opérations quotidiennes. Les données importantes de votre entreprise sont protégées par le tout dernier contrôleur TPM et l'option Erasedisk. Et pour répondre à vos besoins matériels spécifiques, il peut être entièrement configuré et personnalisé sur mesure.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>ESPRIMO D556</b>					
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ VGA EXT CARD/DVD SM TRAY/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0556P728OFR	434,12	
	ESP D556/E85+ /P G4500/4GB DDR4-2133/	ESP D556/E85+ /P G4500/4GB DDR4-2133/ SSD 128GB ENTRY/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:D0556P72AOFR	445,88	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ 500GB SATA III/DUAL SERIAL/CK F/ KB410 USB BLACK FR/NO OS/OPT USB BLK/	VFY:D0556P72B5FR	301,18	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ 500GB SATA III/DUAL SERIAL/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0556P72BOFR	429,41	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P735OFR	516,47	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/SSD 128GB MAIN/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:D0556P73AOFR	528,24	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P751OFR	575,29	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:D0556P75AOFR	645,88	
	ESP D556/E85+ /CORE I5-6500/	ESP D556/E85+ /CORE I5-6500/ 8GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P75BOFR	595,29	
	ESP D556/E85+ /CORE I7-6700/	ESP D556/E85+ /CORE I7-6700/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 1000GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P771OFR	728,24	
	ESP D556/E85+ /CORE I7-6700/	ESP D556/E85+ /CORE I7-6700/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:D0556P77AOFR	787,06	



Fujitsu recommande Windows.

**ESPRIMO D556 & D956**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>ESPRIMO D556 (Suite)</b>					
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P85AOFR	557,65	
<b>ESPRIMO D756</b>					
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/SSD 256GB M.2/CK F/ KEYBOARD KB521 FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0756P754BFR	798,82	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM TRAY/SSHD 500GB/ CK F/KEYBOARD KB521 FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0756P85ABFR	728,24	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM TRAY/SSHD 1000GB/ CK F/KEYBOARD KB521 FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0756P85BBFR	775,29	
<b>ESPRIMO D956</b>					
	ESP D956/E94+ /CORE I5-6600/	ESP D956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM TRAY/ SSD 256GB M.2/CK F/KB410PS2FR/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	VFY:D0956P85AGFR	916,47	
	ESP D956/E94+ /CORE I5-6600/	ESP D956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM TRAY/SSHD 1000GB/ CK F/KB410PS2FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0956P85BGFR	881,18	
	ESP D956/E94+ /CORE I7-6700/	ESP D956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM TRAY/MCR 24IN1/ SSD 256GB M.2/2000GB SATA III/CK F/ KB410PS2FR/DUDVD WIN10/DU DVD WIN7+8/	VFY:D0956P87AGFR	1116,47	
	ESP D956/E94+ /CORE I7-6700/	ESP D956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM TRAY/MCR 24IN1/ SSHD 1000GB/CK F/KB900FR/NERO 2014/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	VFY:D0956P87APFR	1034,12	
	ESP D956/E94+ /CORE I7-6700/	ESP D956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM TRAY/MCR 24IN1/ SSD 256GB M.2/2000GB SATA III/CK F/ KB900FR/NERO 2014/DUDVD WIN10/	VFY:D0956P87BPFR	1615,29	



Fujitsu recommande Windows.

**ESPRIMO P420 & P520 & P720 & P910 & P920**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Les PC ESPRIMO P de Fujitsu vous offrent le meilleur en termes d'administration, de performances et d'évolutivité. Grâce à l'efficacité de 96 % de l'alimentation, vous allez également réaliser des économies sur les factures d'électricité. L'utilisation de composants identiques au sein de la gamme de produits offre une parfaite compatibilité avec votre infrastructure. Lors de la mise hors service de votre matériel, l'option EraseDisk, unique en son genre, supprime vos données en toute sécurité.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>ESPRIMO P420</b>					
	ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ CK F/KB410PS2FR/DU DVD WIN7+8/ LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:P0420P2711FR	704,71	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410 USB BLACK FR/LIC WIN8.1 PRO/ W7 PRO64 MAIN/	VFY:P0420P45A1FR	701,18	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 8GB DDR3-1600/SSD 128GB/CK F/ KB410 USB BLACK FR/DU DVD WIN7+8/ LIC WIN 8.1/WIN8.1 64 MAIN/	VFY:P0420P45ACFR	587,06	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410 USB BLACK FR/LIC WIN8.1 PRO/ W7 PRO64 MAIN/MAC-ADDRESS/	VFY:P0420P45AOFR	569,41	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ CK F/KB410PS2FR/DU DVD WIN7+8/ LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:P0420P45BOFR	587,06	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/SSD 128GB SED/CK F/ KB410 USB BLACK FR/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/	VFY:P0420P45SBFR	587,06	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/DU DVD WIN7+8/ LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:P0420P4O11FR	563,53	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 8GB DDR3-1600/DVD SM/SSD 256GB/CK F/ KB410PS2FR/DU DVD WIN7+8/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/	VFY:P0420P554OFR	669,41	
	ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 8GB DDR3-1600/GF605 DP 1GB FH/ 1000GB SATA III/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/NO OS/	VFY:P0420P67A5IN	905,88	
	ESP P420 E85+ /P G3260/4GB DDR3-1600/	ESP P420 E85+ /P G3260/4GB DDR3-1600/ DVD SM/500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0420P728OFR	422,35	
	ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P735OFR	481,18	



Fujitsu recommande Windows.

**ESPRIMO P420 & P520 & P720 & P910 & P920**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>ESPRIMO P420 (Suite)</b>					
	ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/SSD 128GB/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0420P736OFR	528,24	
	ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK IND/KEYBOARD KB521 US/DU DVD WIN7+8/ NO OS/	VFY:P0420P73A5IN	532,94	
	ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 2x4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P73AOFR	516,47	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P751OFR	563,53	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 8GB DDR3-1600/DVD SM/SSD 256GB/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0420P754OFR	681,18	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P75BOFR	575,29	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/500GB SATA III/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/	VFY:P0420P75COFR	457,65	
	ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/SSD 128GB SED/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P75SOFR	587,06	
	ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P771OFR	704,71	
	ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 8GB DDR3-1600/1000GB SATA III/CK F/ KB410PS2FR/OEM H+B 2016/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P77AOFR	940,00	
	ESP P420 E85+ /CEL G1840/4GB DDR3-1600/	ESP P420 E85+ /CEL G1840/4GB DDR3-1600/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC WIN8.1 PRO/WIN8.1 PRO64 MAIN/	VFY:P0420P81AOFR	340,00	
	ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P83OFR	692,94	
	ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 8GB DDR3-1600/DVD SM/1000GB SATA III/ GE PCIE X1, DS/CK IND/ KB410 USB BL US/INT/LIC WIN8.1 PRO/	VFY:P0420P87AOIN	1032,94	
<b>ESPRIMO P520</b>					
	ESP P520 E85+ /CORE I5-4590/	ESP P520 E85+ /CORE I5-4590/ 2x4GB DDR3-1600/GF GTX 745 FH/DVD SM/ MCR 24IN1/SSHD 1000GB/CK EU EU+/ DU DVD WIN7+8/WIN8.1HOME_WW/	VFY:P0520P750CIN	1049,41	



Fujitsu recommande Windows.

**ESPRIMO P420 & P520 & P720 & P910 & P920**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>ESPRIMO P520 (Suite)</b>					
	ESP P520 E85+ /CORE I5-4590/	ESP P520 E85+ /CORE I5-4590/ 3x4GB DDR3-1600/GF GTX 745 FH/DVD SM/ MCR 24IN1/SSD 256GB/CK EU EU+/ DU DVD WIN7+8/WIN8.1HOME_WW/	VFY:P0520P751CIN	1160,00	
	ESP P520 E85+ /CORE I7-4790/	ESP P520 E85+ /CORE I7-4790/ 3x4GB DDR3-1600/GF GTX 745 FH/DVD SM/ MCR 24IN1/SSD 256GB/1000GB SATA III/ HDD SSD CABLE/CK EU EU+/DU DVD WIN7+8/	VFY:P0520P771CIN	1390,59	
	ESP P520 E85+ /CORE I3-4170/	ESP P520 E85+ /CORE I3-4170/ 8GB DDR3-1600/DVD SM/2000GB SATA III AF/ CK IND/KB410 USB BL US/INT/ LIC WIN8.1 PRO/WIN8.1 PRO64 MAIN/	VFY:P0520P83AOIN	829,41	
	ESP P520 E85+ /CORE I5-4460/	ESP P520 E85+ /CORE I5-4460/ 2x8GB DDR3-1600/DVD SM/500GB SATA III/ CK IND/DU DVD WIN7+8/LIC WIN8.1 PRO/ RDVD WIN8.1 PRO64/W7 PRO64 MAIN/	VFY:P0520P85AOIN	911,76	
<b>ESPRIMO P556</b>					
	ESP P556/E85+ /P G4400/4GB DDR4-2133/	ESP P556/E85+ /P G4400/4GB DDR4-2133/ VGA EXT CARD/DVD SM/500GB SATA III/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P728OFR	434,12	
	ESP P556/E85+ /P G4500/4GB DDR4-2133/	ESP P556/E85+ /P G4500/4GB DDR4-2133/ SSD 128GB ENTRY/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P72AOFR	445,88	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P735OFR	481,18	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/SSD 128GB MAIN/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P73AOFR	528,24	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0556P73OOFR	704,71	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P751OFR	575,29	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/SSD 128GB MAIN/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P75AOFR	587,06	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P75BOFR	645,88	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DVD SM/500GB SATA III/ CK F/KB410PS2FR/OEM H+B 2016/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P75OOFR	787,06	





Fujitsu recommande Windows.

**ESPRIMO P420 & P520 & P720 & P910 & P920**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>ESPRIMO P556 (Suite)</b>					
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 1000GB SATA III/UPGR USB 3.0/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P771OFR	716,47	
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 8GB DDR4-2133/SSD 256GB MAIN/ UPGR USB 3.0/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P77AOFR	787,06	
<b>ESPRIMO P720</b>					
	ESP P720 E90+ /CORE I5-4690/	ESP P720 E90+ /CORE I5-4690/ 8GB DDR3-1600/SSD 256GB/CK F/ KB410 USB BLACK FR/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/	VFY:P0720P45SBFR	822,35	
	ESP P720 E90+ /CORE I3-4170/	ESP P720 E90+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/SSD 128GB PR/CK F/ KB410 USB BLACK FR/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/	VFY:P0720P53SBFR	704,71	
	ESP P720 E90+ /CORE I5-4590/	ESP P720 E90+ /CORE I5-4590/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KEYBOARD KB521 FR/DU DVD WIN7+8/ LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:P0720P550BFR	681,18	
	ESP P720 E90+ /CORE I7-4790/	ESP P720 E90+ /CORE I7-4790/ 2x8GB DDR3-1600/GF GTX 745 FH/DP CABLE/ 1000GB SATA III/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/	VFY:P0720P67ABIN	1348,24	
	ESP P720 E90+ /CORE I3-4170/	ESP P720 E90+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/SSD 128GB PR/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0720P73SBFR	704,71	
	ESP P720 E90+ /CORE I5-4690/	ESP P720 E90+ /CORE I5-4690/ 4GB DDR3-1600/DVD SM/MCR 24IN1/ SSHD 1000GB/UPGR USB 3.0/CK F/KB900FR/ NERO 2014/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0720P750PFR	810,59	
	ESP P720 E90+ /CORE I5-4690/	ESP P720 E90+ /CORE I5-4690/ 8GB DDR3-1600/DVD SM/SSD 256GB/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0720P75SBFR	822,35	
	ESP P720 E85+ /CORE I5-4590/	ESP P720 E85+ /CORE I5-4590/ 4GB DDR3-1600/GF605 DP 1GB FH/DP CABLE/ DVD SM/500GB SATA III/CK F/ KB410 USB BLACK FR/LIC WIN8.1 PRO/	VFY:P0720P85ABFR	724,71	
<b>ESPRIMO P756</b>					
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 8GB DDR4-2133/SSD 256GB M.2/CK F/ KEYBOARD KB521 FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0756P754BFR	798,82	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM/SSHD 500GB/CK F/ KEYBOARD KB521 FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0756P85ABFR	704,71	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM/MCR 24IN1/ SSHD 1000GB/CK F/KB900FR/NERO 2014/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	VFY:P0756P85APFR	775,29	
<b>ESPRIMO P920</b>					



Fujitsu recommande Windows.

**ESPRIMO P420 & P520 & P720 & P910 & P920**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>ESPRIMO P920 (Suite)</b>					
	ESP P920 0WATT /CORE I5-4690/	ESP P920 0WATT /CORE I5-4690/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/DU DVD WIN7+8/LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:P0920P55AGFR	798,82	
	ESP P920 0WATT /CORE I5-4690/	ESP P920 0WATT /CORE I5-4690/ 4GB DDR3-1600/DVD SM/SSD 128GB/CK F/ KB410PS2FR/DU DVD WIN7+8/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/PROGREEN/	VFY:P0920P55SGFR	822,35	
	ESP P920 0WATT /CORE I5-4690/	ESP P920 0WATT /CORE I5-4690/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0920P75AGFR	798,82	
	ESP P920 0WATT /CORE I5-4690/	ESP P920 0WATT /CORE I5-4690/ 4GB DDR3-1600/DVD SM/SSD 128GB/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0920P75SGFR	822,35	
	ESP P920 E85+ /CORE I7-4790/	ESP P920 E85+ /CORE I7-4790/ 4x8GB DDR3-1600/GF GTX 745 FH/DVD SM/ 2000GB SATA III AF/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/LINUX/	VFY:P0920P87G5IN	1540,00	
<b>ESPRIMO P956</b>					
	ESP P956/E94+ /CORE I5-6600/	ESP P956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM/MCR 24IN1/ SSHD 1000GB/CK F/KB410PS2FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0956P85ABFR	881,18	
	ESP P956/E94+ /CORE I5-6600/	ESP P956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM/MCR 24IN1/ SSD 256GB M.2/CK F/KB900FR/NERO 2014/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	VFY:P0956P85APFR	916,47	
	ESP P956/E94+ /CORE I5-6600/	ESP P956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM/MCR 24IN1/ SSD 256GB M.2/CK F/KB410PS2FR/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	VFY:P0956P85BGFR	1330,59	
	ESP P956/E94+ /CORE I7-6700/	ESP P956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/MCR 24IN1/DVD SM/ 2000GB SATA III/SSD 256GB M.2/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0956P87APFR	1116,47	
	ESP P956/E94+ /CORE I7-6700/	ESP P956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM/SSHD 1000GB/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0956P87BPFR	1034,12	
<b>ESPRIMO PH320</b>					
	ESP PH320 E85+ /CORE I3-4170/	ESP PH320 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/MCR 24IN1/ 1000GB SATA III/CK EU EU+/DU DVD WIN7+8/ WIN8.1HOME_WW/WIN8.1 64 MAIN/	VFY:PH320P730CIN	665,88	
	ESP PH320 E85+ /CORE I5-4460/	ESP PH320 E85+ /CORE I5-4460/ 4GB DDR3-1600/GF GTX 745 FH/DVD SM/ MCR 24IN1/SSD 256GB/CK EU EU+/ DU DVD WIN7+8/WIN8.1HOME_WW/	VFY:PH320P750CIN	976,47	



Fujitsu recommande Windows.

**ESPRIMO P420 & P520 & P720 & P910 & P920**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>ESPRIMO PH320 (Suite)</b>					
	ESP PH320 E85+ /CORE I7-4790/	ESP PH320 E85+ /CORE I7-4790/ 2x4GB DDR3-1600/GF GTX 745 FH/DVD SM/ MCR 24IN1/SSD 256GB/CK EU EU+/ DU DVD WIN7+8/WIN8.1HOME_WW/	VFY:PH320P770CIN	1218,82	
<b>ESPRIMO PH556</b>					
	ESP PH556 /P G4400/4GB DDR4-2133/DVD SM/	ESP PH556 /P G4400/4GB DDR4-2133/DVD SM/ MCR 24IN1/500GB SATA III/CK EU EU+/ GERMANY STICKER/LIC W10 HOME ML/ W10 HOME64 MAIN/RDVD W10 HOME64/	VFY:PH556P82ACIN	548,24	
	ESP PH556 /CORE I3-6100/8GB DDR4-2133/	ESP PH556 /CORE I3-6100/8GB DDR4-2133/ DVD SM/MCR 24IN1/SSD 256GB MAIN/ UPGR USB 3.0/CK EU EU+/GERMANY STICKER/ LIC W10 HOME ML/W10 HOME64 MAIN/	VFY:PH556P83ACIN	798,82	
	ESP PH556 /CORE I5-6400/8GB DDR4-2133/	ESP PH556 /CORE I5-6400/8GB DDR4-2133/ GF GTX 745 FH/DVD SM/MCR 24IN1/ SSD 256GB MAIN/UPGR USB 3.0/CK EU EU+/ GERMANY STICKER/LIC W10 HOME ML/	VFY:PH556P85ACIN	1000,00	
	ESP PH556 /CORE I5-6400/8GB DDR4-2133/	ESP PH556 /CORE I5-6400/8GB DDR4-2133/ GF GTX 745 FH/DVD SM/MCR 24IN1/ SSD 256GB MAIN/1000GB SATA III/ HDD SSD CABLE/UPGR USB 3.0/CK EU EU+/	VFY:PH556P85GCIN	1075,29	
	ESP PH556 /CORE I7-6700/16GB DDR4-2133/	ESP PH556 /CORE I7-6700/16GB DDR4-2133/ GF GTX 745 FH/DVD SM/MCR 24IN1/ SSD 256GB MAIN/1000GB SATA III/ HDD SSD CABLE/UPGR USB 3.0/CK EU EU+/	VFY:PH556P87GCIN	1363,53	



## Fujitsu recommande Windows.

**ESPRIMO Q510 & Q520 & Q920**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Le PC ESPRIMO Q520/ Q920 de FUJITSU, offre toutes les fonctionnalités d'un PC de bureau complet dans un boîtier compact et élégant : il ne passera pas inaperçu sur votre bureau. La toute dernière génération de processeurs Intel® Core™ offre les performances requises pour vos applications de bureau quotidiennes. La fonctionnalité Zero Noise assure un fonctionnement silencieux. Une alimentation intégrée d'une efficacité énergétique de 90 % réduit votre facture d'électricité. Grâce à son format compact et ses nombreux ports, le PC ESPRIMO Q520 de FUJITSU sera votre solution de référence pour les bureaux où l'espace

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>ESPRIMO Q556</b>				
ESP Q556 /CORE I3-6100T/4GB DDR4-2133/	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/ DVD SM TRAY/500 GB SATA III/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0556P733OFR	563,53	
ESP Q556 /CORE I5-6400T/8GB DDR4-2133/	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0556P751OFR	763,53	
ESP Q556 /CORE I5-6400T/4GB DDR4-2133/	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/ DVD SM TRAY/SSHD 500GB/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0556P85AOFR	634,12	
<b>ESPRIMO Q920</b>				
ESP Q920 /CORE I7-4785T/2x4GB DDR3-1600/	ESP Q920 /CORE I7-4785T/2x4GB DDR3-1600/ DVD SM/SSD 256GB/WLAN / BT COMBI/ CK EU/INT/DU DVD WIN7+8/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/	VFY:Q0920P47S1FR	1057,65	
ESP Q920 /CORE I5-4590T/4GB DDR3-1600/	ESP Q920 /CORE I5-4590T/4GB DDR3-1600/ DVD SM/SSHD 500GB/WLAN / BT COMBI/ CK EU/INT/NERO 2014/DU DVD WIN7+8/ LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:Q0920P550PFR	881,18	
ESP Q920 /CORE I5-4590T/4GB DDR3-1600/	ESP Q920 /CORE I5-4590T/4GB DDR3-1600/ DVD SM/SSHD 500GB/WLAN / BT COMBI/ CK EU/INT/NERO 2014/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:Q0920P750PFR	881,18	
ESP Q920 /CORE I7-4785T/2x4GB DDR3-1600/	ESP Q920 /CORE I7-4785T/2x4GB DDR3-1600/ DVD SM/SSD 256GB/WLAN / BT COMBI/ CK EU/INT/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:Q0920P77S1FR	1057,65	
<b>ESPRIMO Q956</b>				
ESP Q956 /CORE I5-6500T/8GB DDR4-2133/	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0956P754BFR	904,71	
ESP Q956 /CORE I7-6700T/8GB DDR4-2133/	ESP Q956 /CORE I7-6700T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/NERO 2014/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0956P770PFR	1057,65	
ESP Q956/MRE /CORE I5-6500T/	ESP Q956/MRE /CORE I5-6500T/ 4GB DDR4-2133/SSD 128GB ENTRY/ M.2 WLAN+BT/CK EU/INT/LIC W10 PRO/ RDVD W10 PRO64/W10 PRO64 MAIN/	VFY:Q0956PXMR1IN	960,00	
ESP Q956/MRE /CORE I5-6500T/	ESP Q956/MRE /CORE I5-6500T/ 4GB DDR4-2133/SSD 128GB ENTRY/CK EU/INT/ LIC W10 PRO/RDVD W10 PRO64/ W10 PRO64 MAIN/DUDVD WIN10/NO MOUSE/	VFY:Q0956PXMRLIN	941,18	



## Fujitsu recommande Windows.

**ESPRIMO E420 & P420**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Le PC compact Fujitsu ESPRIMO E420 vous permet de bénéficier d'un matériel de haute qualité pour vos applications et projets bureautiques. Optez pour des configurations fixes et économiques pour une livraison immédiate, ou utilisez les options de configuration pour répondre à vos besoins spécifiques en termes de matériel. Grâce à son nouveau design, il se fond parfaitement dans les bureaux contemporains. La compatibilité ENERGY STAR® garantit une facture d'énergie réduite.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>ESPRIMO P420</b>				
ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ CK F/KB410PS2FR/DU DVD WIN7+8/ LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:P0420P2711FR	704,71	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410 USB BLACK FR/LIC WIN8.1 PRO/ W7 PRO64 MAIN/	VFY:P0420P45A1FR	701,18	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 8GB DDR3-1600/SSD 128GB/CK F/ KB410 USB BLACK FR/DU DVD WIN7+8/ LIC WIN 8.1/WIN8.1 64 MAIN/	VFY:P0420P45ACFR	587,06	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410 USB BLACK FR/LIC WIN8.1 PRO/ W7 PRO64 MAIN/MAC-ADDRESS/	VFY:P0420P45AOFR	569,41	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ CK F/KB410PS2FR/DU DVD WIN7+8/ LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:P0420P45BOFR	587,06	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/SSD 128GB SED/CK F/ KB410 USB BLACK FR/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/	VFY:P0420P45SBFR	587,06	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/DU DVD WIN7+8/ LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:P0420P4011FR	563,53	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 8GB DDR3-1600/DVD SM/SSD 256GB/CK F/ KB410PS2FR/DU DVD WIN7+8/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/	VFY:P0420P554OFR	669,41	
ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 8GB DDR3-1600/GF605 DP 1GB FH/ 1000GB SATA III/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/NO OS/	VFY:P0420P67A5IN	905,88	
ESP P420 E85+ /P G3260/4GB DDR3-1600/	ESP P420 E85+ /P G3260/4GB DDR3-1600/ DVD SM/500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0420P728OFR	422,35	
ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P735OFR	481,18	
ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/SSD 128GB/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0420P736OFR	528,24	
ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK IND/KEYBOARD KB521 US/DU DVD WIN7+8/ NO OS/	VFY:P0420P73A5IN	532,94	
ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 2x4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P73AOFR	516,47	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P751OFR	563,53	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 8GB DDR3-1600/DVD SM/SSD 256GB/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0420P754OFR	681,18	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P75BOFR	575,29	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/500GB SATA III/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/	VFY:P0420P75COFR	457,65	
ESP P420 E85+ /CORE I5-4460/	ESP P420 E85+ /CORE I5-4460/ 4GB DDR3-1600/SSD 128GB SED/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P75SOFR	587,06	
ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P771OFR	704,71	
ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 8GB DDR3-1600/1000GB SATA III/CK F/ KB410PS2FR/OEM H+B 2016/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P77AOFR	940,00	
ESP P420 E85+ /CEL G1840/4GB DDR3-1600/	ESP P420 E85+ /CEL G1840/4GB DDR3-1600/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC WIN8.1 PRO/WIN8.1 PRO64 MAIN/	VFY:P0420P81AOFR	340,00	
ESP P420 E85+ /CORE I3-4170/	ESP P420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0420P83OOFR	692,94	
ESP P420 E85+ /CORE I7-4790/	ESP P420 E85+ /CORE I7-4790/ 8GB DDR3-1600/DVD SM/1000GB SATA III/ GE PCIE X1, DS/CK IND/ KB410 USB BL US/INT/LIC WIN8.1 PRO/	VFY:P0420P87AOIN	1032,94	



## Fujitsu recommande Windows.

**ESPRIMO X923-T**

Fiches produit : <http://fr.fujitsu.com/esprimo>

L'élégant ESPRIMO X923-T de FUJITSU offre tous les avantages d'un PC, ainsi qu'un écran tactile de 58,4 cm (23 pouces) réglable et une fonction innovante de connexion simplifiée. Réalisez d'importantes économies de coût total de possession grâce aux technologies DeskView et Intel® vPro™ et protégez vos données confidentielles avec le module TPM intégré. Le mode basse consommation actif prend en charge de nombreuses autres applications telles que la téléphonie et la vidéoconférence.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>ESPRIMO X923</b>				
ESP X923 /CORE I5-4590T/4GB DDR3-1600/	ESP X923 /CORE I5-4590T/4GB DDR3-1600/ SSD 128GB/NO PRES SENS/WLAN / BT COMBI/ CK X9 EU+/KB900FR/LIC WIN8.1 PRO/ RDVD W7+W8.1/W7 PRO64 MAIN/OPT USB BLK/	VFY:X9230PXP11FR	1057,65	
<b>ESPRIMO X923-T</b>				
ESP X923-T /CORE I5-4590T/	ESP X923-T /CORE I5-4590T/ 2x4GB DDR3-1600/SSHD 500GB/NO PRES SENS/ WLAN / BT COMBI/CK X9 EU+/ KB410 USB BLACK FR/LIC WIN8.1 PRO/	VFY:X923TPXP11FR	1116,47	



## Fujitsu recommande Windows.

**ESPRIMO X923 & X923-T**

Fiches produit : <http://fr.fujitsu.com/esprimo>

L'élégant ESPRIMO X923-T de FUJITSU offre tous les avantages d'un PC, ainsi qu'un écran tactile de 58,4 cm (23 pouces) réglable et une fonction innovante de connexion simplifiée. Réalisez d'importantes économies de coût total de possession grâce aux technologies DeskView et Intel® vPro™ et protégez vos données confidentielles avec le module TPM intégré. Le mode basse consommation actif prend en charge de nombreuses autres applications telles que la téléphonie et la

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>ESPRIMO X923</b>					
	ESP X923 /CORE I5-4590T/4GB DDR3-1600/	ESP X923 /CORE I5-4590T/4GB DDR3-1600/ SSD 128GB/NO PRES SENS/WLAN / BT COMBI/ CK X9 EU+/KB900FR/LIC WIN8.1 PRO/ RDVD W7+W8.1/W7 PRO64 MAIN/OPT USB BLK/	VFY:X9230PXP11FR	1057,65	
<b>ESPRIMO X923-T</b>					
	ESP X923-T /CORE I5-4590T/	ESP X923-T /CORE I5-4590T/ 2x4GB DDR3-1600/SSHD 500GB/NO PRES SENS/ WLAN / BT COMBI/CK X9 EU+/KB410 USB BLACK FR/LIC WIN8.1 PRO/	VFY:X923TPXP11FR	1116,47	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO A**

Fiches produit : <http://fr.fujitsu.com/esprimo>

**Mémoire Modules**

Description	ESPRIMO A525-L	Référence	Prix Indicatif (€)	Remarques
<b>Description</b>				
Accessoires (Matrice)				
<b>Mémoire Modules</b>				
4GB DDR3-1600 LV SODIMM	x	S26361-F4600-L3	70,59	
8 GB DDR3-1600 SODIMM	x	S26361-F4600-L4	132,94	
<b>Graphics</b>				
Câble adaptateur DisplayPort vers DVI-D	x	S26361-F2391-L200	36,47	
Adaptateur DVI/VGA	x	S26361-F2391-L1	20,00	
<b>Hard Disks</b>				
Disque SSD 128Go High Speed SATA III	x	S26361-F3679-L128	222,35	
SSD SATA III 128GB Premium	x	S26361-F3808-L128	234,12	
SSHD SATA III 500GB 2.5"	x	S26361-F3784-L500	175,29	
Disque dur 320Go 5.4k 2.5"	x	S26361-F3658-L320	100,00	
Disque dur 500Go 5.4k AF SATA II (2.5")	x	S26361-F3658-L500	140,00	
<b>Communication/Réseau</b>				
2nd LAN/PoE module	x	S26361-F3466-L3	40,00	
<b>OS/Application-SW</b>				
DeskUpdate Manager	x	S26361-F4040-L200	1587,06	
Drivers&Utilitaires DVD (W7 + W8) ESPR	x	S26361-F2007-L901	16,47	
<b>Sécurité</b>				
Advanced Face Recognition, Single License	x	S26361-F2727-L760	17,65	
Advanced Face Recognition, Multi License	x	S26361-F2727-L761	17,65	
Workplace Manager - Client License	x	S26361-F2727-L770	30,59	
Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	S26381-F305-L102	47,06	
Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	S26381-F305-L110	215,29	
<b>Divers</b>				
VESA Kit w/o subadapter S720/920	x	S26361-F2601-L520	30,59	
Universal Monitor Stand	x	S26361-F2601-L700	128,24	
SSD Declaration	x	S26361-F3840-L100	0,01	
Câble court DVI/DVI pour kit de montage	x	S26361-F2581-L11	32,94	
<b>Displays</b>				
Ecran B19-7 LED câble EU	x	S26361-K1471-V140	187,06	
Ecran B22W-7 LED câble EU	x	S26361-K1472-V140	209,41	
DISPLAY B27T-7 LED, EU	x	S26361-K1478-V141	328,24	
Ecran E19-7 LED, câble EU	x	S26361-K1482-V160	151,76	
DISPLAY B23T-7 LED, EU	x	S26361-K1496-V140	215,29	
DISPLAY B24W-7 LED, EU	x	S26361-K1497-V140	270,59	
DISPLAY E20T-7 LED, EU	x	S26361-K1538-V160	135,29	
DISPLAY B20T-7 LED proGREEN, EU	x	S26361-K1542-V160	163,53	
DISPLAY B24T-1L, EU	x	S26361-K1558-V160	211,76	
Display L27T-1 LED, EU	x	S26361-K1571-V160	234,12	
Display E24T-7 Pro, EU	x	S26361-K1573-V160	163,53	
DISPLAY B24-8 TE Pro, EU	x	S26361-K1577-V140	198,82	
DISPLAY B24-8 TS Pro, EU	x	S26361-K1577-V160	210,59	
DISPLAY B22T-7 Pro, EU	x	S26361-K1578-V160	187,06	
DISPLAY E22T-7 Pro, EU	x	S26361-K1579-V160	151,76	
<b>Clavier /Souris</b>				
Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	S26381-K341-L140	37,65	





Fujitsu recommande Windows.

Accessoires PC ESPRIMO A

Fiches produit : <http://fr.fujitsu.com/esprimo>

Description	ESPRIMO A525-L	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>				
<b>Clavier /Souris (Suite)</b>				
Blue LED Souris (USB)	x	S26381-K438-L100	20,00	
SOURIS M440 ECO noir	x	S26381-K450-L200	15,29	
Notebook Souris M410	x	S26381-K453-L100	10,59	
Souris Wireless WI610	x	S26381-K460-L100	21,18	
Wireless Notebook Souris WI200	x	S26381-K462-L100	14,12	
Souris MC200	x	S26381-K463-L100	11,76	
Wireless Notebook Souris WI410	x	S26381-K464-L100	15,29	
Wireless Souris Touch WI910	x	S26381-K465-L100	22,35	
MOUSE M520 BLACK	x	S26381-K467-L100	12,94	
MOUSE M520 GREY	x	S26381-K467-L101	12,94	
MOUSE M530 BLACK	x	S26381-K468-L100	15,29	
MOUSE M530 GREY	x	S26381-K468-L101	15,29	
MOUSE M530 BLACK N	x	S26381-K468-L102	15,29	
KB410 USB Black FR	x	S26381-K511-L440	16,47	
Clavier KB521 FR	x	S26381-K521-L140	21,18	
Clavier Pro KB900 Noir (USB, Fr)	x	S26381-K560-L440	22,35	
Wireless KB Souris Set LX390 FR	x	S26381-K590-L440	18,82	
<b>Accessories</b>				
External Super Multi Drive	x	S26341-F103-L135	52,94	
Combination Ultra	x	S26361-F1650-L510	32,94	
MicroSaver DS ultrathin	x	S26361-F1650-L900	45,88	
MiniSaver Mobile Lock	x	S26361-F1650-L910	58,82	
PocketSaver, retractable	x	S26391-F6045-L100	38,82	
A-DATA USB3.0 Flash Stick UE700 32GB	x	S26391-F6048-L332	38,82	
A-DATA USB3.0 Flash Stick UE700 64GB	x	S26391-F6048-L364	67,06	
A-DATA NH13 portable hard drive	x	S26391-F6048-L420	136,47	
DisplayPort to VGA Adapter	x	S26391-F6055-L280	27,06	
UC&C USB Headset Stereo H650e	x	S26391-F7139-L10	74,12	
HS E2000 Communicator	x	S26391-F7139-L5	20,00	
Communicator Headset	x	S26391-F7139-L51	24,71	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO C** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO C720	ESPRIMO C910-L	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>						
<b>Mémoire</b>						
	Mémoire 4Go DDR3-1600		x	S26361-F3384-L3	57,65	
	Mémoire 8Go DDR3-1600		x	S26361-F3384-L4	92,94	
	Mémoire 4Go DDR3-1600	x		S26361-F3386-L3	76,47	
	Mémoire 8Go DDR3-1600	x		S26361-F3386-L4	144,71	
<b>Graphics</b>						
	NVIDIA GeForce 605 DisplayPort 1Go LP	x	x	S26361-F3000-L605	81,18	
	NVIDIA GeForce GT630 DisplayPort 2Go LP	x	x	S26361-F3000-L631	140,00	
	NVIDIA NVS 315 1GB PCIe x16 LP	x	x	S26361-F2748-L319	102,35	
	Câble adaptateur DisplayPort vers DVI-D	x	x	S26361-F2391-L200	36,47	
	Adaptateur DVI/VGA	x	x	S26361-F2391-L1	20,00	
	Câble adaptateur LFH59/ 2x DVI-I	x	x	S26361-F2391-L101	32,94	
	Câble adaptateur LFH59/ 2x DP	x	x	S26361-F2391-L102	35,29	
<b>Supports amovibles</b>						
	Graveur Blu-ray (BD-RW DVD-RW CD-RW) Slim	x	x	S26361-F3716-L100	163,53	
	Graveur DVD SuperMulti (DVD-RW CD-RW) Slim	x	x	S26361-F3429-L510	42,35	
<b>Hard Disks</b>						
	Disque SSD 128Go High Speed SATA III	x	x	S26361-F3680-L128	163,53	
	SSD SATA III 128GB Premium	x		S26361-F3808-L128	234,12	
	Disque SSD 256Go High Speed SATA III	x	x	S26361-F3680-L256	258,82	
	SSD SATA III 256GB Premium	x	x	S26361-F3810-L256	444,71	
	Disque SSD 512Go Premium SATA III	x		S26361-F3682-L512	681,18	
	SSD SATA III 128Go high speed SED	x	x	S26361-F3771-L128	229,41	
	SSHD SATA III 1000Go 7.2k 3.5'	x	x	S26361-F3836-L100	210,59	
	SSHD SATA III 500GB 2.5'	x		S26361-F3784-L500	175,29	
	Disque dur 500Go 7.2k SATA III	x	x	S26361-F3660-L500	116,47	
	Disque dur 1000Go 7.2k SATA III	x	x	S26361-F3660-L100	140,00	
	Disque dur 2000Go 7.2k AF SATA III	x	x	S26361-F3660-L200	222,35	
	HDD SATA II 320GB 5.4k 2.5'	x		S26361-F3796-L320	100,00	
	Mounting frame for 2.5' HDDs/SSDs	x		S26361-F4035-L80	18,82	
	Disque dur 500Go 7.2k SATA II BusinessCritical		x	S26361-F3497-L100	158,82	
<b>Communication/Réseau</b>						
	Carte Gigabit Ethernet (PCIe x1, DS)	x	x	S26361-F3067-L60	32,94	
	Interface Parallèle LP		x	S26361-F2542-L30	12,94	
	Interface Parallèle (Parallèle)	x		S26361-F2542-L60	12,94	
	Interface Parallèle FH		x	S26361-F2542-L34	12,94	
	Interface eSATA (SATA)	x	x	S26361-F2542-L40	12,94	
	Interface eSATA (SATA, FH)		x	S26361-F2542-L70	20,00	
	Carte Série Dual Port (PCIe x1)	x	x	S26361-F3316-L6	38,82	
	Carte Série Dual Port (PCIe x1), alimentée		x	S26361-F3316-L7	43,53	
<b>OS/Application-SW</b>						
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x	S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (XP) ESPRIMO DT		x	S26361-F2007-L910	16,47	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO C** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO C720	ESPRIMO C910-L	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>						
<b>OS/Application-SW (Suite)</b>						
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	S26361-F2007-L901	16,47	
<b>Sécurité</b>						
	SmartCase SCR USB (interne USB)	x	x	S26361-F1260-L521	27,06	
	Advanced Face Recognition, Single License	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	S26381-F2700-L100	30,59	
	Comfort Sensor CS300	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	S26381-F305-L110	215,29	
	USB SCR 3500	x	x	S26381-F350-L100	28,24	
<b>Divers</b>						
	4 Pieds caoutchouc (Pour position verticale)		x	S26361-F2542-L480	14,12	
	SSD Declaration	x	x	S26361-F3840-L100	0,01	
	Kit Pieds pour position verticale		x	S26361-F2542-L200	16,47	
	Cache baie 5.25", 3 pcs.		x	S26361-F2542-L328	21,18	
	Cache baie + cage 3.5", 6 pcs.		x	S26361-F2542-L329	18,82	
<b>Displays</b>						
	DISPLAY P24T-7 LED, China		x	BDL:K1543V140-CHN	329,41	
	Ecran B19-7 LED câble EU	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	S26361-K1472-V140	209,41	
	DISPLAY B27T-7 LED, EU	x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	S26361-K1496-V140	215,29	
	DISPLAY B24W-7 LED, EU	x	x	S26361-K1497-V140	270,59	
	DISPLAY E20T-7 LED, EU	x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	S26361-K1542-V160	163,53	
	DISPLAY P24T-7 LED, EU	x		S26361-K1543-V140	288,24	
	DISPLAY B24T-1L, EU	x	x	S26361-K1558-V160	211,76	
	Display L27T-1 LED, EU	x	x	S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x	x	S26361-K1573-V160	163,53	
	DISPLAY B24-8 TE Pro, EU	x	x	S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x	x	S26361-K1579-V160	151,76	
<b>Clavier /Souris</b>						
	Clavier Pro E Ergonomique (USB, Fr)		x	S26381-K261-L740	52,94	
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	S26381-K450-L200	15,29	
	Notebook Souris M410	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	S26381-K460-L100	21,18	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO C**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO C720	ESPRIMO C910-L	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>						
<b>Clavier /Souris (Suite)</b>						
	Wireless Notebook Souris WI200	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	S26381-K463-L100	11,76	
	Wireless Notebook Souris WI410	x	x	S26381-K464-L100	15,29	
	Wireless Souris Touch WI910	x	x	S26381-K465-L100	22,35	
	MOUSE M520 BLACK	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR	x	x	S26381-K511-L440	16,47	
	KB410 PS2 NOIR FR	x	x	S26381-K515-L440	17,65	
	Clavier KB521 FR	x	x	S26381-K521-L140	21,18	
	KB SCR eSIG F	x	x	S26381-K529-L140	47,06	
	KB SCR2 FR	x	x	S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	S26381-K590-L440	18,82	
	Clavier KB500 USB (N) & cordon secteur EU	x	x	S26361-F2542-L276	21,18	
	Clavier KB500 USB (S/FIN) & cordon secteur EU	x	x	S26361-F2542-L278	21,18	
	Clavier KB500 USB (DK) & cordon secteur	x	x	S26361-F2542-L279	21,18	
<b>Câbles</b>						
	Cordon secteur pour connexion écran/PC directe		x	S26361-F2542-L57	15,29	
<b>Accessories</b>						
	External Super Multi Drive		x	S26341-F103-L135	52,94	
	MicroSaver slim	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	S26361-F1650-L510	32,94	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	S26361-F1650-L900	45,88	
	MiniSaver Mobile Lock	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	S26381-F6007-L900	8,24	
	USB 3.0 Port Replicator PR08 EDC Hgkg	x	x	S26391-F6007-L308	151,76	
	USB Port Replicator PR7.1	x	x	S26391-F6007-L310	116,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x	x	S26391-F6045-L100	38,82	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	S26391-F6048-L364	67,06	
	A-DATA NH13 portable hard drive	x	x	S26391-F6048-L420	136,47	
	DisplayPort vers DisplayPort Cable	x	x	S26391-F6055-L220	23,53	
	DVI-D vers DVI-D Cable	x	x	S26391-F6055-L240	18,82	
	Câble HDMI vers DVI-D	x	x	S26391-F6055-L250	12,94	
	Adaptateur DVI vers VGA	x	x	S26391-F6055-L260	17,65	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO C** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO C720	ESPRIMO C910-L	Référence	Prix Indicatif (€)	Remarques
-----------	-------------	--------------	----------------	-----------	--------------------	-----------

Accessoires (Matrice)

**Accessoires (Suite)**

VGA to VGA cable	x	x	S26391-F6055-L261	10,59	
DisplayPort vers câble DVI (40cm)	x	x	S26391-F6055-L270	27,06	
DisplayPort to VGA Adapter	x	x	S26391-F6055-L280	27,06	
USB vers câble adaptateur série	x	x	S26391-F6055-L570	22,35	
Workplace Connect Gate 2.0	x	x	S26391-F6055-L620	252,94	
Workplace Connect Kit 1.0	x	x	S26391-F6055-L710	528,24	
Filtre écran confidentialité 3M 22", 55,9 cm		x	S26391-F6097-L321	141,18	
Filtre écran confidentialité 3M 24", 61,0 cm		x	S26391-F6097-L322	148,24	
Filtre écran confidentialité 3M 19", 48,3 cm		x	S26391-F6097-L324	104,71	
Fujitsu USB 3.0 HUB 4 Ports	x	x	S26391-F6099-L304	44,71	
Adaptateur+ USB DVI	x	x	S26391-F6099-L400	58,82	
USB to UHD DP Adapter	x	x	S26391-F6099-L500	81,18	
Enceintes DS E2000 Air (USB)	x	x	S26391-F7128-L600	29,41	
Soundssystem Tube 2100	x	x	S26391-F7128-L710	44,71	
UC&C USB Headset Stereo H650e	x	x	S26391-F7139-L10	74,12	
Bluetooth Comfort Headset	x	x	S26391-F7139-L100	72,94	
UC&C USB Value Headset	x	x	S26391-F7139-L20	54,12	
HS E2000 Communicator	x	x	S26391-F7139-L5	20,00	
Communicator Headset	x	x	S26391-F7139-L51	24,71	
VGA Conversion Cable	x	x	S26391-F938-L900	62,35	
Câble adptateur DisplayPort vers HDMI	x	x	S26391-F6055-L210	27,06	

**Additional Software**

OPENFT-CR (Unix systems) V12.0		x	U10987-C599	12,94	
OPENFT-SW-CD (Unix systems) V12.0		x	U10987-C600	31,76	
OPENFT-1 (Unix systems) V12.0		x	U10987-C601	1189,41	
OPENFT-FTAM-1 (Unix systems) V12.0		x	U10987-C613	1189,41	
OPENFT-FTP-1 (Unix systems) V12.0		x	U10987-C625	485,88	
OPENFT-CR (WINDOWS) V12.0		x	U11081-C399	12,94	
OPENFT-SW-CD (WINDOWS) V12.0		x	U11081-C400	27,06	
OPENFT-1 (WINDOWS) V12.0		x	U11081-C401	1189,41	
OPENFT-FTAM-1 (WINDOWS) V12.0		x	U11081-C411	1189,41	
OPENFT-FTP-1 (WINDOWS) V12.0		x	U11081-C421	485,88	
OPENFT-1 (WINDOWS) V11.0		x	U11081-C301	1081,18	
OPENFT-FTAM-1 (WINDOWS) V11.0		x	U11081-C311	1081,18	
OPENFT-SW-CD (WINDOWS) V11.0		x	U11081-C300	27,06	
OPENFT-CR (WINDOWS) V11.0		x	U11081-C299	12,94	
OPENFT-1 (UNIX systems) V11.0		x	U10987-C501	1081,18	
OPENFT-FTAM-1 (UNIX systems) V11.0		x	U10987-C513	1081,18	
OPENFT-SW-CD (UNIX systems) V11.0		x	U10987-C500	31,76	
OPENFT-CR (UNIX systems) V11.0		x	U10987-C499	14,12	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO D** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO D556	ESPRIMO D956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
<b>Mémoire</b>						
	4GB DDR4-2133	x	x	S26361-F3392-L3	57,65	
	8GB DDR4-2133	x	x	S26361-F3392-L4	120,00	
	16GB DDR4-2133	x	x	S26361-F3392-L5	263,53	
<b>Graphics</b>						
	NVIDIA GeForce 605 DisplayPort 1Go LP	x	x	S26361-F3000-L605	81,18	
	NVIDIA GeForce GTX 745 2GB LP	x	x	S26361-F3000-L745	129,41	
	NVIDIA NVS 315 1GB PCIe x16 LP	x	x	S26361-F2748-L319	102,35	
	Câble adaptateur DisplayPort vers DVI-D		x	S26361-F2391-L200	36,47	
	VGA extension card	x	x	S26361-F2391-L220	31,76	
	Adaptateur DVI/VGA		x	S26361-F2391-L1	20,00	
	Câble adaptateur LFH59/ 2x DVI-I	x	x	S26361-F2391-L101	32,94	
	Câble adaptateur LFH59/ 2x DP	x	x	S26361-F2391-L102	35,29	
<b>Supports amovibles</b>						
	MultiCard Reader 24in1 USB 2.0 3.5"	x	x	S26361-F3077-L50	27,06	
	DVD SuperMulti SATA slim (tray)	x	x	S26361-F3927-L110	42,35	
	BD Triple Writer SATA slim (tray)	x	x	S26361-F3927-L310	163,53	
<b>Hard Disks</b>						
	SSD SATA III 128GB Entry	x	x	S26361-F3912-L128	198,82	
	HDD SATA III 1000GB 7.2k BC	x	x	S26361-F3924-L100	210,59	
	Mounting frame for 2x 2.5' HDDs/SSDs	x	x	S26361-F4035-L85	22,35	
	SSD SATA III 128GB Mainstream	x	x	S26361-F3915-L128	222,35	
	SSD SATA III 128GB M.2 Mainstream		x	S26361-F3931-L128	220,00	
	SSD SATA III 256GB Mainstream	x	x	S26361-F3915-L256	404,71	
	SSD SATA III 256GB M.2 Mainstream		x	S26361-F3931-L256	402,35	
	SSD SATA III 512GB Mainstream	x	x	S26361-F3915-L512	681,18	
	SSD PCIe 128GB M.2 Highend		x	S26361-F3932-L128	340,00	
	SSD PCIe 256GB M.2 Highend		x	S26361-F3932-L256	575,29	
	SSD PCIe 512GB M.2 Highend		x	S26361-F3932-L512	1045,88	
	SSHD SATA III 500GB 2.5"	x	x	S26361-F3918-L500	151,76	
	SSHD SATA III 1000GB 3.5'	x	x	S26361-F3920-L100	187,06	
	HDD SATA III 500GB 7.2k	x	x	S26361-F3921-L500	118,82	
	HDD SATA III 1000GB 7.2k	x	x	S26361-F3921-L100	134,12	
	HDD SATA III 2000GB 7.2k	x	x	S26361-F3921-L200	222,35	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO D** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO D556	ESPRIMO D956	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>						
<b>Hard Disks (Suite)</b>						
	10x Kit for 2nd 3.5"	x	x	S26361-F4035-L22	20,00	
<b>Communication/Réseau</b>						
	Parallel Interface LP		x	S26361-F2542-L62	12,94	
	Carte Gigabit Ethernet (PCIe x1, DS)	x	x	S26361-F3067-L60	32,94	
	WLAN 802.11ac (2x2) PCIe x1 FH / LP	x	x	S26361-F3108-L28	48,24	
	Dbl.cte.série PCIe x1	x	x	S26361-F3316-L9	38,82	
	2nd Serial port (rear wall)		x	S26361-F3317-L2	23,53	
	Interface eSATA (SATA)	x	x	S26361-F2542-L40	12,94	
<b>OS/Application-SW</b>						
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x	S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	S26361-F2007-L901	16,47	
<b>Sécurité</b>						
	SmartCase SCR USB (interne USB)	x	x	S26361-F1260-L521	27,06	
	Advanced Face Recognition,Single License	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	S26381-F2700-L100	30,59	
	Comfort Sensor CS300	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	S26381-F305-L110	215,29	
	Dual SmartCard Reader D321 ( Int.USB)	x	x	S26381-F321-L100	48,24	
	USB SCR 3500	x	x	S26381-F350-L100	28,24	
<b>Divers</b>						
	Feet for vertical position (2 pcs.)	x	x	S26361-F2542-L203	20,00	
	Blanking Plate 5.25' drive bays, 10 pcs.	x	x	S26361-F2542-L320	17,65	
	SSD Declaration	x	x	S26361-F3840-L100	0,01	
<b>Displays</b>						
	DISPLAY P24T-7 LED, China	x	x	BDL:K1543V140-CHN	329,41	
	Ecran B19-7 LED câble EU	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	S26361-K1472-V140	209,41	
	DISPLAY B27T-7 LED, EU	x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	S26361-K1496-V140	215,29	
	DISPLAY B24W-7 LED, EU	x	x	S26361-K1497-V140	270,59	
	DISPLAY P24W-7 LED, EU		x	S26361-K1498-V140	372,94	
	DISPLAY E20T-7 LED, EU	x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	S26361-K1542-V160	163,53	
	DISPLAY P24T-7 LED, EU	x	x	S26361-K1543-V140	288,24	
	Display E22 Touch, EU	x	x	S26361-K1544-V160	325,88	
	DISPLAY B24T-1L, EU	x	x	S26361-K1558-V160	211,76	
	Display L27T-1 LED, EU	x	x	S26361-K1571-V160	234,12	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO D** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO D556	ESPRIMO D956	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>						
<b>Displays (Suite)</b>						
	Display E24T-7 Pro, EU	x	x	S26361-K1573-V160	163,53	
	DISPLAY B24-8 TE Pro, EU	x		S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x		S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x		S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x		S26361-K1579-V160	151,76	
<b>Clavier /Souris</b>						
	Clavier Pro E Ergonomique (USB, Fr)	x	x	S26381-K261-L740	52,94	
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	S26381-K450-L200	15,29	
	Notebook Souris M410	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	S26381-K463-L100	11,76	
	Wireless Notebook Souris WI410	x	x	S26381-K464-L100	15,29	
	Wireless Souris Touch WI910	x	x	S26381-K465-L100	22,35	
	MOUSE M520 BLACK	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR	x	x	S26381-K511-L440	16,47	
	KB410 PS2 NOIR FR	x	x	S26381-K515-L440	17,65	
	Clavier KB521 FR	x	x	S26381-K521-L140	21,18	
	KB SCR2 FR	x	x	S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	S26381-K590-L440	18,82	
	Clavier KB500 USB (N) & cordon secteur EU	x	x	S26361-F2542-L276	21,18	
	Clavier KB500 USB (S/FIN) & cordon secteur EU	x	x	S26361-F2542-L278	21,18	
	Clavier KB500 USB (DK) & cordon secteur	x	x	S26361-F2542-L279	21,18	
<b>Câbles</b>						
	Cordon secteur pour connexion écran/PC directe	x	x	S26361-F2542-L57	15,29	
<b>Accessories</b>						
	MicroSaver slim	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	S26361-F1650-L510	32,94	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	S26361-F1650-L900	45,88	
	MiniSaver Mobile Lock	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	S26381-F6007-L900	8,24	
	USB 3.0 Port Replicator PR08 EDC Hgkg	x	x	S26391-F6007-L308	151,76	
	USB Port Replicator PR7.1	x	x	S26391-F6007-L310	116,47	





Fujitsu recommande Windows.

**Accessoires PC ESPRIMO D**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO D556	ESPRIMO D956	Référence	Prix Indicatif (€)	Remarques
-----------	-------------	--------------	--------------	-----------	--------------------	-----------

Accessoires (Matrice)

**Accessoires (Suite)**

	Fujitsu USB 3.0 Port Replicator PR08	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x	x	S26391-F6045-L100	38,82	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	S26391-F6048-L364	67,06	
	A-DATA NH13 portable hard drive	x	x	S26391-F6048-L420	136,47	
	DisplayPort to VGA Adapter	x	x	S26391-F6055-L280	27,06	
	Filtre écran confidentialité 3M 22", 55,9 cm	x	x	S26391-F6097-L321	141,18	
	Filtre écran confidentialité 3M 24", 61,0 cm	x	x	S26391-F6097-L322	148,24	
	Filtre écran confidentialité 3M 19", 48,3 cm	x	x	S26391-F6097-L324	104,71	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	S26391-F6099-L304	44,71	
	Adaptateur+ USB DVI	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	S26391-F7128-L700	48,24	
	Soundsystem Tube 2100	x	x	S26391-F7128-L710	44,71	
	UC&C USB Headset Stereo H650e	x	x	S26391-F7139-L10	74,12	
	Bluetooth Comfort Headset	x	x	S26391-F7139-L100	72,94	
	UC&C USB Value Headset	x	x	S26391-F7139-L20	54,12	
	HS E2000 Communicator	x	x	S26391-F7139-L5	20,00	
	Communicator Headset	x	x	S26391-F7139-L51	24,71	
	Câble adptateur DisplayPort vers HDMI	x	x	S26391-F6055-L210	27,06	

**Additional Software**

	OPENFT-CR (Unix systems) V12.0	x	x	U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0	x	x	U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0	x	x	U10987-C601	1189,41	
	OPENFT-FTAM-1 (Unix systems) V12.0	x	x	U10987-C613	1189,41	
	OPENFT-FTP-1 (Unix systems) V12.0	x	x	U10987-C625	485,88	
	OPENFT-CR (WINDOWS) V12.0	x	x	U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0	x	x	U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0	x	x	U11081-C401	1189,41	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x	x	U11081-C411	1189,41	
	OPENFT-FTP-1 (WINDOWS) V12.0	x	x	U11081-C421	485,88	
	OPENFT-1 (WINDOWS) V11.0	x	x	U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x	U11081-C311	1081,18	
	OPENFT-SW-CD (WINDOWS) V11.0	x	x	U11081-C300	27,06	
	OPENFT-CR (WINDOWS) V11.0	x	x	U11081-C299	12,94	
	OPENFT-1 (UNIX systems) V11.0	x	x	U10987-C501	1081,18	
	OPENFT-FTAM-1 (UNIX systems) V11.0	x	x	U10987-C513	1081,18	
	OPENFT-SW-CD (UNIX systems) V11.0	x	x	U10987-C500	31,76	
	OPENFT-CR (UNIX systems) V11.0	x	x	U10987-C499	14,12	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO E**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO E420	ESPRIMO E520	ESPRIMO E720	ESPRIMO E920	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>								
<b>Mémoire</b>								
	Mémoire 2Go DDR3-1600	x				S26361-F3384-L2	49,41	
	Mémoire 4Go DDR3-1600	x				S26361-F3384-L3	57,65	
	Mémoire 8Go DDR3-1600	x				S26361-F3384-L4	92,94	
	Mémoire 4Go DDR3-1600		x	x	x	S26361-F3386-L3	76,47	
	Mémoire 8Go DDR3-1600		x	x	x	S26361-F3386-L4	144,71	
<b>Graphics</b>								
	NVIDIA GeForce 605 DisplayPort 1Go LP	x	x	x	x	S26361-F3000-L605	81,18	
	NVIDIA GeForce GTX 745 2GB LP	x	x	x	x	S26361-F3000-L745	129,41	
	NVIDIA GeForce GT630 DisplayPort 2Go LP	x	x	x	x	S26361-F3000-L631	140,00	
	NVIDIA NVS 315 1GB PCIe x16 LP			x	x	S26361-F2748-L319	102,35	
	Câble adaptateur DisplayPort vers DVI-D	x	x	x	x	S26361-F2391-L200	36,47	
	DisplayPort extension card		x	x	x	S26361-F2391-L210	35,29	
	Adaptateur DVI/VGA	x	x	x	x	S26361-F2391-L1	20,00	
	Câble adaptateur LFH59/ 2x DVI-I		x	x	x	S26361-F2391-L101	32,94	
	Câble adaptateur LFH59/ 2x DP		x	x	x	S26361-F2391-L102	35,29	
<b>Supports amovibles</b>								
	MultiCard Reader 24in1 USB 2.0 3.5"	x	x	x	x	S26361-F3077-L50	27,06	
	Graveur Blu-ray (BD-RW DVD-RW CD-RW) Slim	x	x	x	x	S26361-F3716-L100	163,53	
	Lecteur DVD SATA (DVD-R CD-RW)	x	x	x	x	S26361-F3418-L510	32,94	
	Graveur DVD SuperMulti SATA	x	x	x	x	S26361-F3420-L510	42,35	
<b>Hard Disks</b>								
	Disque SSD 128Go High Speed SATA III	x	x	x	x	S26361-F3680-L128	163,53	
	SSD SATA III 128GB Premium		x	x	x	S26361-F3808-L128	234,12	
	Disque SSD 256Go High Speed SATA III	x	x	x	x	S26361-F3680-L256	258,82	
	SSD SATA III 256GB Premium		x	x	x	S26361-F3810-L256	444,71	
	Disque SSD 512Go Premium SATA III			x	x	S26361-F3682-L512	681,18	
	SSD SATA III 128Go high speed SED	x	x	x	x	S26361-F3771-L128	229,41	
	SSHD SATA III 1000Go 7.2k 3.5'	x	x	x	x	S26361-F3836-L100	210,59	
	SSHD SATA III 500GB 2.5'	x	x	x	x	S26361-F3784-L500	175,29	
	Disque dur 500Go 7.2k SATA III	x	x	x	x	S26361-F3660-L500	116,47	
	Disque dur 1000Go 7.2k SATA III	x	x	x	x	S26361-F3660-L100	140,00	
	Disque dur 2000Go 7.2k AF SATA III	x	x	x	x	S26361-F3660-L200	222,35	
	HDD SATA II 320GB 5.4k 2.5'	x	x	x	x	S26361-F3796-L320	100,00	
	Mounting frame for 2.5' HDDs/SSDs	x	x	x	x	S26361-F4035-L80	18,82	
	Disque dur 500Go 7.2k SATA II BusinessCritical			x	x	S26361-F3497-L100	158,82	
<b>Communication/Réseau</b>								
	Carte Gigabit Ethernet (PCIe x1, DS)	x	x	x	x	S26361-F3067-L60	32,94	
	USB 3.0 PCIe x1	x				S26361-F3060-L10	34,12	
	Interface Parallèle LP		x	x	x	S26361-F2542-L30	12,94	
	Interface eSATA (SATA)		x	x	x	S26361-F2542-L40	12,94	
	Carte Série Dual Port (PCIe x1)	x	x	x	x	S26361-F3316-L6	38,82	
<b>OS/Application-SW</b>								
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x	x	x	S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	x	x	S26361-F2007-L901	16,47	
<b>Sécurité</b>								
	SmartCase SCR USB (interne USB)	x	x	x	x	S26361-F1260-L521	27,06	
	Advanced Face Recognition, Single License		x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License		x	x	x	S26361-F2727-L761	17,65	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO E**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO E420	ESPRIMO E520	ESPRIMO E720	ESPRIMO E920	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>								
<b>Sécurité (Suite)</b>								
	Workplace Manager - Client License		x	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	x	x	S26381-F2700-L100	30,59	
	Comfort Sensor CS300	x	x	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	x	S26381-F305-L110	215,29	
	Dual SmartCard Reader D321 ( Int.USB)			x	x	S26381-F321-L100	48,24	
	USB SCR 3500	x	x	x	x	S26381-F350-L100	28,24	
<b>Divers</b>								
	4 Pieds caoutchouc (Pour position verticale)	x	x	x	x	S26361-F2542-L480	14,12	
	SSD Declaration	x	x	x	x	S26361-F3840-L100	0,01	
	Kit Pieds pour position verticale	x	x	x	x	S26361-F2542-L200	16,47	
	Cache baie 5.25", 10 pcs.	x	x			S26361-F2542-L326	17,65	
	Cache baie 3.5", 10 pcs.	x	x			S26361-F2542-L327	17,65	
	Cache baie 5.25", 3 pcs.	x	x	x	x	S26361-F2542-L328	21,18	
	Cache baie + cage 3.5", 6 pcs.	x	x	x	x	S26361-F2542-L329	18,82	
<b>Displays</b>								
	DISPLAY P24T-7 LED, China	x	x	x	x	BDL:K1543V140-CHN	329,41	
	Ecran B19-7 LED câble EU	x	x	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	x	x	S26361-K1472-V140	209,41	
	DISPLAY B27T-7 LED, EU	x	x	x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	x	x	S26361-K1496-V140	215,29	
	DISPLAY B24W-7 LED, EU	x	x	x	x	S26361-K1497-V140	270,59	
	DISPLAY P24W-7 LED, EU				x	S26361-K1498-V140	372,94	
	DISPLAY E20T-7 LED, EU	x	x	x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	x	x	S26361-K1542-V160	163,53	
	DISPLAY P24T-7 LED, EU	x	x	x	x	S26361-K1543-V140	288,24	
	Display E22 Touch, EU	x	x	x	x	S26361-K1544-V160	325,88	
	DISPLAY B24T-1L, EU	x	x	x	x	S26361-K1558-V160	211,76	
	Display L27T-1 LED, EU	x	x	x	x	S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x	x	x	x	S26361-K1573-V160	163,53	
	DISPLAY B24-8 TE Pro, EU	x	x	x	x	S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	x	x	S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	x	x	S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x	x	x	x	S26361-K1579-V160	151,76	
<b>Clavier /Souris</b>								
	Clavier Pro E Ergonomique (USB, Fr)		x	x	x	S26381-K261-L740	52,94	
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	x	x	S26381-K450-L200	15,29	
	Notebook Souris M410	x	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	x	S26381-K463-L100	11,76	
	Wireless Notebook Souris WI410	x	x	x	x	S26381-K464-L100	15,29	
	Wireless Souris Touch WI910	x	x	x	x	S26381-K465-L100	22,35	
	MOUSE M520 BLACK	x	x	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	x	x	S26381-K468-L100	15,29	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO E**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO E420	ESPRIMO E520	ESPRIMO E720	ESPRIMO E920	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
<b>Clavier /Souris (Suite)</b>								
	MOUSE M530 GREY	x	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR		x	x	x	S26381-K511-L440	16,47	
	KB410 PS2 NOIR FR	x	x	x	x	S26381-K515-L440	17,65	
	Clavier KB521 FR	x	x	x	x	S26381-K521-L140	21,18	
	KB SCR eSIG F	x	x	x	x	S26381-K529-L140	47,06	
	KB SCR2 FR	x	x	x	x	S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	x	x	S26381-K590-L440	18,82	
	Clavier KB500 USB (N) & cordon secteur EU	x	x	x	x	S26361-F2542-L276	21,18	
	Clavier KB500 USB (S/FIN) & cordon secteur EU	x	x	x	x	S26361-F2542-L278	21,18	
	Clavier KB500 USB (DK) & cordon secteur	x	x	x	x	S26361-F2542-L279	21,18	
<b>Câbles</b>								
	Cordon secteur pour connexion écran/PC directe			x	x	S26361-F2542-L57	15,29	
<b>Accessories</b>								
	MicroSaver slim	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	S26361-F1650-L510	32,94	
	Câble antiviol Kensington Twin (2xClés/2xSlots)	x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x		x	S26361-F1650-L900	45,88	
	MiniSaver Mobile Lock	x	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	x	x	S26381-F6007-L900	8,24	
	USB 3.0 Port Replicator PR08 EDC Hgkg	x	x	x	x	S26391-F6007-L308	151,76	
	USB Port Replicator PR7.1	x	x	x	x	S26391-F6007-L310	116,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	x	x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x	x	x	x	S26391-F6045-L100	38,82	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	x	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	x	S26391-F6048-L364	67,06	
	A-DATA NH13 portable hard drive	x	x	x	x	S26391-F6048-L420	136,47	
	DisplayPort to VGA Adapter		x	x	x	S26391-F6055-L280	27,06	
	Workplace Connect Gate 2.0	x	x	x	x	S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	x	x	S26391-F6055-L710	528,24	
	Filtre écran confidentialité 3M 22", 55,9 cm	x	x	x	x	S26391-F6097-L321	141,18	
	Filtre écran confidentialité 3M 24", 61,0 cm	x	x	x	x	S26391-F6097-L322	148,24	
	Filtre écran confidentialité 3M 19", 48,3 cm	x	x	x	x	S26391-F6097-L324	104,71	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	x	x	S26391-F6099-L304	44,71	
	Adaptateur+ USB DVI	x	x	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	x	x	S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	x	x	S26391-F7128-L700	48,24	
	SoundSystem Tube 2100	x	x	x	x	S26391-F7128-L710	44,71	
	UC&C USB Headset Stereo H650e	x	x	x	x	S26391-F7139-L10	74,12	
	Bluetooth Comfort Headset	x	x	x	x	S26391-F7139-L100	72,94	
	UC&C USB Value Headset	x	x	x	x	S26391-F7139-L20	54,12	
	HS E2000 Communicator	x	x	x	x	S26391-F7139-L5	20,00	
	Communicator Headset	x	x	x	x	S26391-F7139-L51	24,71	
	Câble adaptateur DisplayPort vers HDMI		x	x	x	S26391-F6055-L210	27,06	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO E**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO E420	ESPRIMO E520	ESPRIMO E720	ESPRIMO E920	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
<b>Accessoires (Suite)</b>								
<b>Additional Software</b>								
	OPENFT-CR (Unix systems) V12.0	x	x	x	x	U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0	x	x	x	x	U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0	x	x	x	x	U10987-C601	1189,41	
	OPENFT-FTAM-1 (Unix systems) V12.0	x	x	x	x	U10987-C613	1189,41	
	OPENFT-FTP-1 (Unix systems) V12.0	x	x	x	x	U10987-C625	485,88	
	OPENFT-CR (WINDOWS) V12.0	x	x	x	x	U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0	x	x	x	x	U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0	x	x	x	x	U11081-C401	1189,41	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x	x	x	x	U11081-C411	1189,41	
	OPENFT-FTP-1 (WINDOWS) V12.0	x	x	x	x	U11081-C421	485,88	
	OPENFT-1 (WINDOWS) V11.0	x	x	x	x	U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x	x	x	U11081-C311	1081,18	
	OPENFT-SW-CD (WINDOWS) V11.0	x	x	x	x	U11081-C300	27,06	
	OPENFT-CR (WINDOWS) V11.0	x	x	x	x	U11081-C299	12,94	
	OPENFT-1 (UNIX systems) V11.0	x	x	x	x	U10987-C501	1081,18	
	OPENFT-FTAM-1 (UNIX systems) V11.0	x	x	x	x	U10987-C513	1081,18	
	OPENFT-SW-CD (UNIX systems) V11.0	x	x	x	x	U10987-C500	31,76	
	OPENFT-CR (UNIX systems) V11.0	x	x	x	x	U10987-C499	14,12	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO P**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO P420	ESPRIMO P520	ESPRIMO P556	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO P956	Référence	Prix Indicatif (€)	Remarques
<b>Mémoire</b>											
	4GB DDR4-2133			x				x	S26361-F3392-L3	57,65	
	8GB DDR4-2133			x				x	S26361-F3392-L4	120,00	
	16GB DDR4-2133			x				x	S26361-F3392-L5	263,53	
	Mémoire 2Go DDR3-1600	x				x			S26361-F3384-L2	49,41	
	Mémoire 4Go DDR3-1600	x				x			S26361-F3384-L3	57,65	
	Mémoire 8Go DDR3-1600	x				x			S26361-F3384-L4	92,94	
	Mémoire 4Go DDR3-1600		x		x		x		S26361-F3386-L3	76,47	
	Mémoire 8Go DDR3-1600		x		x		x		S26361-F3386-L4	144,71	
<b>Graphics</b>											
	ATI Radeon R9 255 2Go FH	x	x	x	x		x	x	S26361-F3535-L925	175,29	
	NVIDIA GeForce 605 DisplayPort 1Go FH	x	x	x	x	x	x	x	S26361-F3000-L607	81,18	
	NVIDIA GeForce GTX 745 2GB FH	x	x	x	x	x	x	x	S26361-F3000-L747	163,53	
	NVIDIA GeForce GT630 DisplayPort 2Go FH	x	x		x	x	x		S26361-F3000-L633	140,00	
	NVIDIA NVS 315 1GB PCIe x16	x	x	x	x	x	x	x	S26361-F2748-L316	116,47	
	Câble adaptateur DisplayPort vers DVI-D		x	x	x	x	x	x	S26361-F2391-L200	36,47	
	DisplayPort extension card		x		x		x		S26361-F2391-L210	35,29	
	VGA extension card							x	S26361-F2391-L220	31,76	
	VGA extension card			x					S26361-F2391-L222	30,59	
	Adaptateur DVI/VGA		x	x	x	x	x	x	S26361-F2391-L1	20,00	
	Câble adaptateur LFH59/ 2x DVI-I		x	x	x	x	x	x	S26361-F2391-L101	32,94	
	Câble adaptateur LFH59/ 2x DP		x	x	x	x	x	x	S26361-F2391-L102	35,29	
<b>Supports amovibles</b>											
	MultiCard Reader 24in1 USB 2.0 3.5"	x	x	x	x	x	x	x	S26361-F3077-L50	27,06	
	Graveur Blu-ray (BD-RW DVD-RW CD-RW) Slim	x	x	x	x	x	x	x	S26361-F3716-L100	163,53	
	Lecteur DVD SATA (DVD-R CD-RW)	x	x	x	x	x	x	x	S26361-F3418-L510	32,94	
	Graveur DVD SuperMulti SATA	x	x	x	x	x	x	x	S26361-F3420-L510	42,35	
<b>Hard Disks</b>											
	SSD SATA III 128GB Entry			x				x	S26361-F3912-L128	198,82	
	HDD SATA III 1000GB 7.2k BC			x				x	S26361-F3924-L100	210,59	
	Disque SSD 128Go High Speed SATA III	x	x						S26361-F3680-L128	163,53	
	SSD SATA III 128GB Premium		x		x		x		S26361-F3808-L128	234,12	
	Disque SSD 128Go High Speed SATA III				x	x	x		S26361-F3681-L128	163,53	
	Disque SSD 256Go High Speed SATA III				x	x	x		S26361-F3681-L256	258,82	
	Disque SSD 256Go High Speed SATA III	x	x						S26361-F3680-L256	258,82	
	SSD SATA III 256GB Premium		x		x	x	x		S26361-F3810-L256	444,71	
	Disque SSD 512Go Premium SATA III				x		x		S26361-F3682-L512	681,18	
	SSD SATA III 128Go high speed SED	x	x						S26361-F3771-L128	229,41	
	SSD SATA III 128Go SED				x	x	x		S26361-F3772-L128	229,41	
	SSHD SATA III 1000Go 7.2k 3.5'	x	x		x		x		S26361-F3836-L100	210,59	
	SSHD SATA III 500GB 2.5'	x	x		x		x		S26361-F3784-L500	175,29	
	Disque dur 500Go 7.2k SATA III	x	x		x	x	x		S26361-F3660-L500	116,47	
	Disque dur 1000Go 7.2k SATA III	x	x		x	x	x		S26361-F3660-L100	140,00	
	Disque dur 2000Go 7.2k AF SATA III	x	x		x	x	x		S26361-F3660-L200	222,35	
	HDD SATA II 320GB 5.4k 2.5'	x	x		x		x		S26361-F3796-L320	100,00	
	SSD SATA III 128GB Mainstream			x				x	S26361-F3915-L128	222,35	
	SSD SATA III 128GB M.2 Mainstream							x	S26361-F3931-L128	220,00	
	Kit de montage pour disque 2.5" SSD				x	x	x		S26361-F3706-L100	17,65	
	Kit de montage pour second DD 3.5'				x	x	x		S26361-F4035-L10	20,00	
	Mounting frame for 2.5" HDDs/SSDs	x	x		x		x		S26361-F4035-L80	18,82	
	SSD SATA III 256GB Mainstream			x				x	S26361-F3915-L256	404,71	
	SSD SATA III 256GB M.2 Mainstream							x	S26361-F3931-L256	402,35	
	Disque dur 500Go 7.2k SATA II BusinessCritical				x	x	x		S26361-F3497-L100	158,82	
	SSD SATA III 512GB Mainstream			x				x	S26361-F3915-L512	681,18	
	SSD PCIe 128GB M.2 Highend							x	S26361-F3932-L128	340,00	
	SSD PCIe 256GB M.2 Highend							x	S26361-F3932-L256	575,29	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO P**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO P420	ESPRIMO P520	ESPRIMO P556	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO P956	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Hard Disks (Suite)</b>											
	SSD PCIe 512GB M.2 Highend							x	S26361-F3932-L512	1045,88	
	SSHD SATA III 500GB 2.5"			x				x	S26361-F3918-L500	151,76	
	SSHD SATA III 1000GB 3.5'			x				x	S26361-F3920-L100	187,06	
	HDD SATA III 500GB 7.2k			x				x	S26361-F3921-L500	118,82	
	HDD SATA III 1000GB 7.2k			x				x	S26361-F3921-L100	134,12	
	HDD SATA III 2000GB 7.2k			x				x	S26361-F3921-L200	222,35	
	10x Kit for 2nd 3.5' and 2.5' drive			x					S26361-F4035-L20	20,00	
	10x Kit for 2nd 3.5' drive							x	S26361-F4035-L21	40,00	
	10x Kit for 2.5' drive in 2.5' bay							x	S26361-F4035-L30	40,00	
	10x Kit for 2.5' drive in 3.5' bay							x	S26361-F4035-L31	62,35	
<b>Communication/Réseau</b>											
	Carte Gigabit Ethernet (PCIe x1, DS)	x	x	x	x	x	x	x	S26361-F3067-L60	32,94	
	WLAN 802.11ac (2x2) PCIe x1 FH / LP			x				x	S26361-F3108-L28	48,24	
	Dbl.cte.série PCIe x1			x				x	S26361-F3316-L9	38,82	
	Interface Parallèle FH		x		x	x	x	x	S26361-F2542-L34	12,94	
	Interface eSATA (SATA, FH)		x	x	x	x	x	x	S26361-F2542-L70	20,00	
	Carte Série Dual Port (PCIe x1)	x	x		x	x	x		S26361-F3316-L6	38,82	
	Carte Série Dual Port (PCIe x1), alimentée					x			S26361-F3316-L7	43,53	
<b>OS/Application-SW</b>											
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x		x	x	x	x	S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	x	x	x	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (XP) ESPRIMO DT					x			S26361-F2007-L910	16,47	
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	x	x	x	x	x	S26361-F2007-L901	16,47	
<b>Sécurité</b>											
	SmartCase SCR USB (interne USB)	x	x	x	x	x	x	x	S26361-F1260-L521	27,06	
	Advanced Face Recognition,Single License		x	x	x	x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License		x	x	x	x	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License		x	x	x	x	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	x	x	x	x	x	S26381-F2700-L100	30,59	
	Comfort Sensor CS300	x	x	x	x	x	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)			x				x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	x	x	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	x	x	x	x	S26381-F305-L110	215,29	
	Dual SmartCard Reader D321 ( Int.USB)		x	x	x		x	x	S26381-F321-L100	48,24	
	USB SCR 3500	x	x	x	x	x	x	x	S26381-F350-L100	28,24	
<b>Divers</b>											
	SSD Declaration	x	x	x	x	x	x	x	S26361-F3840-L100	0,01	
	Cache baie 5.25", 10 pcs.	x	x	x	x	x	x	x	S26361-F2542-L326	17,65	
	Cache baie 3.5", 10 pcs.	x	x	x	x	x	x	x	S26361-F2542-L327	17,65	
<b>Displays</b>											
	DISPLAY P24T-7 LED, China	x	x	x	x	x	x	x	BDL:K1543V140-CHN	329,41	
	Ecran B19-7 LED câble EU	x	x	x	x		x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	x	x		x	x	S26361-K1472-V140	209,41	
	DISPLAY B27T-7 LED, EU	x	x	x	x		x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	x	x		x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	x	x		x	x	S26361-K1496-V140	215,29	
	DISPLAY B24W-7 LED, EU	x	x	x	x		x	x	S26361-K1497-V140	270,59	
	DISPLAY P24W-7 LED, EU						x	x	S26361-K1498-V140	372,94	
	DISPLAY E20T-7 LED, EU	x	x	x	x		x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	x	x	x	x	x	S26361-K1542-V160	163,53	
	DISPLAY P24T-7 LED, EU	x	x	x	x	x	x	x	S26361-K1543-V140	288,24	
	Display E22 Touch, EU	x	x	x	x		x	x	S26361-K1544-V160	325,88	
	DISPLAY B24T-1L, EU	x	x	x	x	x	x	x	S26361-K1558-V160	211,76	
	Display L27T-1 LED, EU	x	x	x	x		x	x	S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x	x	x	x		x	x	S26361-K1573-V160	163,53	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO P**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO P420	ESPRIMO P520	ESPRIMO P556	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO P956	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Displays (Suite)</b>											
	DISPLAY B24-8 TE Pro, EU	x	x	x	x		x		S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	x	x		x		S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	x	x		x		S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x	x	x	x		x		S26361-K1579-V160	151,76	
<b>Clavier /Souris</b>											
	Clavier Pro E Ergonomique (USB, Fr)		x	x	x		x	x	S26381-K261-L740	52,94	
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	x	x	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	x	x	x	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	x	x	x	x	x	S26381-K450-L200	15,29	
	Notebook Souris M410	x	x	x	x	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	x	x	x	x	S26381-K463-L100	11,76	
	Wireless Notebook Souris WI410	x	x	x	x		x	x	S26381-K464-L100	15,29	
	Wireless Souris Touch WI910	x	x	x	x	x	x	x	S26381-K465-L100	22,35	
	MOUSE M520 BLACK	x	x	x	x	x	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	x	x	x	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	x	x		x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	x	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	x		x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR		x	x	x	x	x	x	S26381-K511-L440	16,47	
	KB410 PS2 NOIR FR	x	x	x	x	x	x	x	S26381-K515-L440	17,65	
	Clavier KB521 FR	x	x	x	x	x	x	x	S26381-K521-L140	21,18	
	KB SCR eSIG F		x		x	x	x		S26381-K529-L140	47,06	
	KB SCR2 FR		x	x	x	x	x	x	S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	x	x	x	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	x	x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	x	x	x	x	x	S26381-K590-L440	18,82	
	Clavier KB500 USB (N) & cordon secteur EU	x	x	x	x	x	x	x	S26361-F2542-L276	21,18	
	Clavier KB500 USB (S/FIN) & cordon secteur EU	x	x	x	x	x	x	x	S26361-F2542-L278	21,18	
	Clavier KB500 USB (DK) & cordon secteur	x	x	x	x	x	x	x	S26361-F2542-L279	21,18	
<b>Câbles</b>											
	Cordon secteur pour connexion écran/PC direct				x	x	x	x	S26361-F2542-L57	15,29	
	Câble pour 2x USB				x	x	x	x	S26361-F2581-L10	22,35	
<b>Accessories</b>											
	MicroSaver slim	x	x	x	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	x	x	x	S26361-F1650-L510	32,94	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	x	x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	x	x	x	x	x	S26361-F1650-L900	45,88	
	MiniSaver Mobile Lock	x	x	x	x	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	x	x	x	x	x	S26381-F6007-L900	8,24	
	USB 3.0 Port Replicator PR08 EDC Hgkg	x	x	x	x	x	x	x	S26391-F6007-L308	151,76	
	USB Port Replicator PR7.1	x	x	x	x	x	x	x	S26391-F6007-L310	116,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	x	x	x	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	x	x	x	x	x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x	x	x	x	x	x	x	S26391-F6045-L100	38,82	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	x	x	x	x	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	x	x	x	x	S26391-F6048-L364	67,06	
	A-DATA NH13 portable hard drive	x	x	x	x	x	x	x	S26391-F6048-L420	136,47	
	DisplayPort to VGA Adapter		x	x	x	x	x	x	S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m					x			S26391-F6055-L320	9,41	
	Workplace Connect Gate 2.0	x	x		x	x	x		S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x		x	x	x		S26391-F6055-L710	528,24	
	Filtre écran confidentialité 3M 22", 55,9 cm	x	x	x	x	x	x	x	S26391-F6097-L321	141,18	





Fujitsu recommande Windows.

**Accessoires PC ESPRIMO P**

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO P420	ESPRIMO P520	ESPRIMO P556	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO P956	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Accessoires (Suite)</b>											
	Filtre écran confidentialité 3M 24", 61,0 cm	x		x	x	x	x	x	S26391-F6097-L322	148,24	
	Filtre écran confidentialité 3M 19", 48,3 cm	x		x	x	x	x	x	S26391-F6097-L324	104,71	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	x	x	x	x	x	S26391-F6099-L304	44,71	
	Adaptateur+ USB DVI	x	x	x	x	x	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	x	x	x	x	x	S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	x	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	x	x	x	x	x	S26391-F7128-L700	48,24	
	Soundssystem Tube 2100	x	x	x	x	x	x	x	S26391-F7128-L710	44,71	
	UC&C USB Headset Stereo H650e	x	x	x	x	x	x	x	S26391-F7139-L10	74,12	
	Bluetooth Comfort Headset	x	x	x	x	x	x	x	S26391-F7139-L100	72,94	
	UC&C USB Value Headset	x	x	x	x	x	x	x	S26391-F7139-L20	54,12	
	HS E2000 Communicator	x	x	x	x	x	x	x	S26391-F7139-L5	20,00	
	Communicator Headset	x	x	x	x		x		S26391-F7139-L51	24,71	
	Câble adaptateur DisplayPort vers HDMI		x	x	x		x	x	S26391-F6055-L210	27,06	
<b>Additional Software</b>											
	OPENFT-1 (WINDOWS) V12.0	x							U11081-C401	1189,41	
	OPENFT-1 (WINDOWS) V11.0	x							U11081-C301	1081,18	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO Q** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO Q520	ESPRIMO Q556	ESPRIMO Q920	ESPRIMO Q956	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>								
<b>Mémoire</b>								
	4GB DDR4-2133		x		x	S26361-F3393-L3	64,71	
	8GB DDR4-2133		x		x	S26361-F3393-L4	120,00	
	16GB DDR4-2133		x		x	S26361-F3393-L5	263,53	
	Mémoire 2Go DDR3-1600	x		x		S26361-F4553-L2	49,41	
	Mémoire 4Go DDR3-1600	x		x		S26361-F4553-L3	76,47	
	Mémoire 8Go DDR3-1600	x		x		S26361-F4553-L4	92,94	
<b>Graphics</b>								
	Câble adaptateur DisplayPort vers DVI-D	x	x	x	x	S26361-F2391-L200	36,47	
<b>Supports amovibles</b>								
	DVD SuperMulti SATA Slot-in slim	x		x		S26361-F3741-L200	75,29	
<b>Hard Disks</b>								
	SSD SATA III 256GB	x		x		S26361-F3840-L256	404,71	
	SSD SATA III 128GB Entry		x		x	S26361-F3912-L128	198,82	
	Disque SSD 128Go High Speed SATA III	x		x		S26361-F3679-L128	222,35	
	SSD SATA III 128GB Premium	x		x		S26361-F3808-L128	234,12	
	SSD SATA III 256GB Premium	x		x		S26361-F3810-L256	444,71	
	Disque SSD 512Go Premium SATA III	x				S26361-F3682-L512	681,18	
	SSHD SATA III 500GB 2.5"	x		x		S26361-F3784-L500	175,29	
	Disque dur 320Go 5.4k 2.5"	x		x		S26361-F3658-L320	100,00	
	Disque dur 500Go 5.4k AF SATA II (2.5")	x		x		S26361-F3658-L500	140,00	
	SSD SATA III 128GB Mainstream		x		x	S26361-F3915-L128	222,35	
	SSD SATA III 128GB M.2 Mainstream				x	S26361-F3931-L128	220,00	
	SSD SATA III 256GB Mainstream		x		x	S26361-F3915-L256	404,71	
	SSD SATA III 256GB M.2 Mainstream				x	S26361-F3931-L256	402,35	
	SSD SATA III 512GB Mainstream		x		x	S26361-F3915-L512	681,18	
	SSD PCIe 128GB M.2 Highend				x	S26361-F3932-L128	340,00	
	SSD PCIe 256GB M.2 Highend				x	S26361-F3932-L256	575,29	
	SSD PCIe 512GB M.2 Highend				x	S26361-F3932-L512	1045,88	
	SSHD SATA III 500GB 2.5"		x		x	S26361-F3918-L500	151,76	
<b>OS/Application-SW</b>								
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x		x		S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	x	x	S26361-F2007-L901	16,47	
<b>Sécurité</b>								
	Advanced Face Recognition, Single License	x	x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License	x	x	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License	x	x	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	x	x	S26381-F2700-L100	30,59	
	Comfort Sensor CS300	x	x	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	x	S26381-F305-L110	215,29	
	USB SCR 3500	x		x		S26381-F350-L100	28,24	
<b>Divers</b>								
	Foot stand		x		x	S26361-F2542-L204	17,65	
	Cover lock		x		x	S26361-F2542-L345	10,59	
	VESA Cover		x			S26361-F2542-L442	15,29	
	VESA Subadapter Velcro® strap	x	x	x	x	S26361-F2601-L200	20,00	
	Universal Monitor Stand		x		x	S26361-F2601-L700	128,24	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO Q** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO Q520	ESPRIMO Q556	ESPRIMO Q920	ESPRIMO Q956	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>								
<b>Divers (Suite)</b>								
	SSD Declaration	x	x	x	x	S26361-F3840-L100	0,01	
	Lock plate ESPRIMO Q	x		x		S26361-F2542-L438	15,29	
	Câble court DVI/DVI pour kit de montage	x	x	x	x	S26361-F2581-L11	32,94	
<b>Displays</b>								
	DISPLAY P24T-7 LED, China	x		x		BDL:K1543V140-CHN	329,41	
	Ecran P27T-7 LED (IPS), câble EU	x	x	x	x	S26361-K1442-V140	587,06	
	Ecran B19-7 LED câble EU	x	x	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	x	x	S26361-K1472-V140	209,41	
	DISPLAY B27T-7 LED, EU	x	x	x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	x	x	S26361-K1496-V140	215,29	
	DISPLAY B24W-7 LED, EU	x	x	x	x	S26361-K1497-V140	270,59	
	DISPLAY P24W-7 LED, EU	x	x	x	x	S26361-K1498-V140	372,94	
	DISPLAY E20T-7 LED, EU	x	x	x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	x	x	S26361-K1542-V160	163,53	
	DISPLAY P24T-7 LED, EU	x	x	x	x	S26361-K1543-V140	288,24	
	Display E22 Touch, EU	x	x	x	x	S26361-K1544-V160	325,88	
	DISPLAY B24T-1L, EU	x		x		S26361-K1558-V160	211,76	
	Display L27T-1 LED, EU	x		x		S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x		x		S26361-K1573-V160	163,53	
	DISPLAY B24-8 TE Pro, EU	x	x	x	x	S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	x	x	S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	x	x	S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x		x		S26361-K1579-V160	151,76	
<b>Clavier /Souris</b>								
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	x	x	S26381-K438-L100	20,00	
	Bluetooth Souris BT3	x		x		S26381-K445-L100	22,35	
	SOURIS M440 ECO noir	x	x	x	x	S26381-K450-L200	15,29	
	Notebook Souris M410	x	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	x	S26381-K463-L100	11,76	
	Wireless Notebook Souris WI410	x	x	x	x	S26381-K464-L100	15,29	
	Wireless Souris Touch WI910	x	x	x	x	S26381-K465-L100	22,35	
	MOUSE M520 BLACK	x	x	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR	x		x		S26381-K511-L440	16,47	
	KB410 PS2 NOIR FR		x		x	S26381-K515-L440	17,65	
	Clavier KB521 FR	x	x	x	x	S26381-K521-L140	21,18	
	KB SCR eSIG F	x	x	x	x	S26381-K529-L140	47,06	
	KB SCR2 FR	x		x		S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	x	x	S26381-K590-L440	18,82	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO Q** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO Q520	ESPRIMO Q556	ESPRIMO Q920	ESPRIMO Q956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
<b>Clavier /Souris (Suite)</b>								
<b>Accessories</b>								
	MicroSaver slim	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	S26361-F1650-L510	32,94	
	Câble antivolt Kensington Twin (2xClés/2xSlots)	x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	x	x	S26361-F1650-L900	45,88	
	MiniSaver Mobile Lock	x	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x		x		S26381-F6007-L900	8,24	
	USB 3.0 Port Replicator PR08 EDC Hgkg	x		x		S26391-F6007-L308	151,76	
	USB Port Replicator PR7.1	x		x		S26391-F6007-L310	116,47	
	Fujitsu USB 3.0 Port Replicator PR08	x		x		S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x		x		S26391-F6007-L410	176,47	
	PocketSaver, retractable	x		x		S26391-F6045-L100	38,82	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	x	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	x	S26391-F6048-L364	67,06	
	A-DATA NH13 portable hard drive	x	x	x	x	S26391-F6048-L420	136,47	
	DisplayPort to VGA Adapter	x	x	x	x	S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m	x		x		S26391-F6055-L320	9,41	
	Workplace Connect Gate 2.0	x		x		S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x		x		S26391-F6055-L710	528,24	
	Filtre écran confidentialité 3M 22", 55,9 cm	x		x		S26391-F6097-L321	141,18	
	Filtre écran confidentialité 3M 24", 61,0 cm	x		x		S26391-F6097-L322	148,24	
	Filtre écran confidentialité 3M 19", 48,3 cm	x		x		S26391-F6097-L324	104,71	
	Fujitsu USB 3.0 HUB 4 Ports	x		x		S26391-F6099-L304	44,71	
	Adaptateur+ USB DVI	x		x		S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x		x		S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x		x		S26391-F7128-L700	48,24	
	Soundssystem Tube 2100	x	x	x	x	S26391-F7128-L710	44,71	
	UC&C USB Headset Stereo H650e	x	x	x	x	S26391-F7139-L10	74,12	
	Bluetooth Comfort Headset	x		x		S26391-F7139-L100	72,94	
	UC&C USB Value Headset	x	x	x	x	S26391-F7139-L20	54,12	
	HS E2000 Communicator	x	x	x	x	S26391-F7139-L5	20,00	
	Communicator Headset	x	x	x	x	S26391-F7139-L51	24,71	
	Câble adaptateur DisplayPort vers HDMI	x		x		S26391-F6055-L210	27,06	
<b>Additional Software</b>								
	OPENFT-CR (Unix systems) V12.0	x		x		U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0	x		x		U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0	x		x		U10987-C601	1189,41	
	OPENFT-FTAM-1 (Unix systems) V12.0	x		x		U10987-C613	1189,41	
	OPENFT-FTP-1 (Unix systems) V12.0	x		x		U10987-C625	485,88	
	OPENFT-CR (WINDOWS) V12.0	x		x		U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0	x		x		U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0	x		x		U11081-C401	1189,41	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x		x		U11081-C411	1189,41	
	OPENFT-FTP-1 (WINDOWS) V12.0	x		x		U11081-C421	485,88	
	OPENFT-1 (WINDOWS) V11.0	x		x		U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x		x		U11081-C311	1081,18	
	OPENFT-SW-CD (WINDOWS) V11.0	x		x		U11081-C300	27,06	
	OPENFT-CR (WINDOWS) V11.0	x		x		U11081-C299	12,94	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO Q** **Fiches produit : <http://fr.fujitsu.com/esprimo>**

<b>Catégorie</b>	<b>Description</b>	<b>ESPRIMO Q520</b>	<b>ESPRIMO Q556</b>	<b>ESPRIMO Q920</b>	<b>ESPRIMO Q956</b>	<b>Référence</b>	<b>Prix Indicatif (€)</b>	<b>Remarques</b>

Accessoires (Matrice)

**Additional Software (Suite)**

OPENFT-1 (UNIX systems) V11.0	x		x		U10987-C501	1081,18	
OPENFT-FTAM-1 (UNIX systems) V11.0	x		x		U10987-C513	1081,18	
OPENFT-SW-CD (UNIX systems) V11.0	x		x		U10987-C500	31,76	
OPENFT-CR (UNIX systems) V11.0	x		x		U10987-C499	14,12	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO X** Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO X923	ESPRIMO X923-T	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
<b>OS/Application-SW</b>						
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x	S26361-F2007-L917	16,47	
<b>Sécurité</b>						
	SCR Cloud 2700 R	x	x	S26381-F2700-L100	30,59	
	Comfort Sensor CS300	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	S26381-F305-L110	215,29	
<b>Clavier /Souris</b>						
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	S26381-K450-L200	15,29	
	Notebook Souris M410	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	S26381-K463-L100	11,76	
	Wireless Notebook Souris WI410	x	x	S26381-K464-L100	15,29	
	Wireless Souris Touch WI910	x	x	S26381-K465-L100	22,35	
	MOUSE M520 BLACK	x	x	S26381-K467-L100	12,94	
	MOUSE M530 BLACK	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	S26381-K468-L102	15,29	
	Clavier KB521 FR	x	x	S26381-K521-L140	21,18	
	KB SCR eSIG F	x	x	S26381-K529-L140	47,06	
	KB SCR2 FR	x	x	S26381-K538-L140	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	S26381-K590-L440	18,82	
<b>Accessories</b>						
	MicroSaver slim	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	S26361-F1650-L510	32,94	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	S26361-F1650-L900	45,88	
	MiniSaver Mobile Lock	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	S26381-F6007-L900	8,24	
	USB Port Replicator PR7.1	x	x	S26391-F6007-L310	116,47	
	PocketSaver, retractable	x	x	S26391-F6045-L100	38,82	
	A-DATA NH13 portable hard drive	x	x	S26391-F6048-L420	136,47	
	USB 3.0 certified cable 2m	x	x	S26391-F6055-L320	9,41	
	Adaptateur USB-Ethernet	x	x	S26391-F6055-L510	25,88	
	USB 3.0 Gigabit LAN Adapter	x	x	S26391-F6055-L520	34,12	
	USB vers câble adaptateur série	x	x	S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x	x	S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	S26391-F6055-L710	528,24	



Fujitsu recommande Windows.

**Accessoires PC ESPRIMO X** Fiches produit : <http://fr.fujitsu.com/esprimo>

		ESPRIMO X923	ESPRIMO X923-T	Référence	Prix Indicatif (€)	Remarques
Catégorie	Description					

Accessoires (Matrice)

**Accessoires (Suite)**

	Filtre écran confidentialité 3M 24", 61,0 cm	x	x	S26391-F6097-L322	148,24	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	S26391-F6099-L304	44,71	
	Adaptateur+ USB DVI	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	S26391-F7128-L600	29,41	
	UC&C USB Headset Stereo H650e	x	x	S26391-F7139-L10	74,12	
	HS E2000 Communicator	x	x	S26391-F7139-L5	20,00	
	Communicator Headset	x	x	S26391-F7139-L51	24,71	

MOBILE WORKSTATIONS		DESKTOP WORKSTATIONS	
CELSIUS H		CELSIUS W	
Series			
Model	H730		W530
Form Factor	39.6 cm (15.6-inch) Full HD	Mid Tower	Micro Tower
Weight / liter	Weight: 2.75 kg	38 liter - single processor	29 liter - single processor
Noise emission	-	Whisper quiet: 21 dB(A)	Whisper quiet: 18 dB(A)
Processor (incl. cores & frequency)	Intel® Core™ i7 vPro™ processor (max. 3.00 GHz) Intel® Core™ i5 vPro™ processor (max. 2.70 GHz)	Intel® Xeon® processor E3-1200 v2 family (max. 4 cores / 3.50 GHz) Intel® Core™ i3 processor (max. 2 cores / 3.30 GHz) Intel® HD Graphics P4600 or P500	Intel® Xeon® processor E3-1200 v3 family (max. 4 cores / 3.70 GHz) Intel® Core™ i7 vPro™ processor (max. 4 cores / 3.60 GHz) Intel® Core™ i5 vPro™ processor (max. 4 cores / 3.50 GHz) Intel® Core™ i3 processor family (2 cores / 3.70 GHz) Intel® HD Graphics P530 or S30
Operating System	Windows 8.1 Pro Windows 7 Professional 64-bit	Windows 8.1 Pro Windows 7 Professional 32-bit and 64-bit	Windows 10 Pro, Windows 8.1 Pro Windows 7 Professional 64-bit
Memory	Up to 32 GB, up to 4 Memory slots DDR3-50 DIMM, non-ECC	Up to 32 GB, 4 Memory slots DDR3-1.600MHz, ECC/non-ECC	Up to 64 GB, 4 Memory slots DDR4-2,133 MHz, ECC/non-ECC
Professional Graphic Cards	NVIDIA® Quadro® K510M, K1100M, K2100M	Full height graphics cards: NVIDIA® NVS® up to 510 NVIDIA® Quadro® up to K2200 AMD FirePro™ up to W5100	NVIDIA® NVS® up to 510 NVIDIA® Quadro® up to M4200 AMD FirePro™ up to W7100
Compute Cards	-	-	-
Storage	SSHD SATA, SSD SATA (incl. PDE), HDD SATA	SSD SATA (incl. Premium, SED) SSHD HDD SATA (incl. business critical)	SSD PCIe (incl. Highend card, M.2 Highend) SSD SATA (incl. High Endurance, SED) HDD SATA (incl. business critical, enhanced availability)
Drive bays	Modular bay: support for optical drives or 2nd battery Up to 14 hours of battery life (with 2nd battery)	8 in total (4x internal, 4x external)	W530: 7 in total (3x internal, 4x external) W550power: 9 in total (5x internal, 4x external)
Slots	-	7 in total: 1x PCIe 3.0 x16 1x PCIe 2.0 x4 (mech. x16) 3x PCIe x1 2x PCI	4 in total: 2x PCIe 3.0 x1 1x PCIe 3.0 x4 (mech. x16) 1x PCIe 3.0 x16
USB	4 in total (1x USB 2.0, 3x USB 3.0)	14 in total (10x USB 2.0, 4x USB 3.0)	13 in total (6x USB 2.0, 7x USB 3.0)
Serial ATA	-	6	6
Interface cards	Optional 3G (HSPA+) or 4G (LTE/HSPA+) Optional WLAN	Parallel Interface Gigabit Ethernet PCIe x1, DS eSATA Interface Dual serial card PCIe x1	Parallel Interface Gigabit Ethernet PCIe x1, DS eSATA Interface Dual serial card PCIe x1
Power Supply	150 W	90% Efficiency - 500 W	W530: 92% efficiency - 300 W W550power: 93% efficiency - 500 W
Others	Made in Japan Display: Anti-glare, magnesium, 220 cdi m <sup>2</sup> Common port replicator with seven LIFEBOOKS (Optional) integrated PalmSecure™	Made in Germany Minimum lifecycle of 36 months	Made in Germany W550power Long Lifecycle model (with limited component offering and minimum lifecycle of 36 months)



		DESKTOP WORKSTATIONS		RACK WORKSTATIONS	
		CELSIUS M		CELSIUS R	
		M740		R940	
		Mid Tower		Big Tower	
		36 liter - single processor		49 liter - dual processor	
		Whisper quiet: 20 dB(A)		Whisper quiet: 23 dB(A)	
		Intel® Xeon® processor E5-2600 v3 family (max. 18 cores / 3.50 GHz)		Intel® Xeon® processor E5-2600 v3 family (max. 2x18 cores / 3.50 GHz)	
		Intel® Xeon® processor E5-1600 v3 family (max. 8 cores / 3.70 GHz)		Intel® Xeon® processor E5-1600 v3 family (max. 8 cores / to 3.70 GHz)	
		Windows 10 Pro, Windows 8.1 Pro, Windows 7 Professional 64-bit		Windows 10 Pro, Windows 8.1 Pro, Windows 7 Professional 64-bit	
		Up to 256 GB, 8 Memory slots		Up to 256 GB, 8 Memory slots	
		DDR4-2133 MHz, ECC		DDR4-2133 MHz, ECC	
		NVIDIA® NVS®: up to 510		NVIDIA® NVS®: up to 510	
		NVIDIA® Quadro®: up to M6000		NVIDIA® Quadro®: up to M6000	
		AMD FirePro™: up to W9100		AMD FirePro™: up to W9100	
		NVIDIA® GRID™ (actively cooled): K1 and K2		NVIDIA® GRID™ (actively cooled): K1 and K2	
		NVIDIA® Tesla® K40		NVIDIA® Tesla®: up to K80	
		Coprocessor Intel® Xeon Phi™: up to 5100P		Coprocessor Intel® Xeon Phi™: up to 5100P	
		SSD PCIe (incl. Highend card, High Endurance)		SSD PCIe (incl. Highend card, High Endurance)	
		SSD SATA (incl. Premium)		SSD SATA (incl. Premium)	
		SSHD		SSHD	
		HDD SAS		HDD SAS	
		HDD SATA (incl. business critical, enhanced availability)		HDD SATA (incl. business critical, enhanced availability)	
		12 in total		12 in total	
		(8x internal, 4x external)		(8x internal, 4x external)	
		7 in total:		8 in total:	
		1x PCIe 3.0 x4 (mech. x8)		1x PCIe 3.0 x8	
		1x PCIe 3.0 x4 (mech. x16)		4x PCIe 3.0 x16	
		2x PCIe 3.0 x16		1x PCIe 2.0 x4 (mech. x16)	
		1x PCIe 2.0 x4 (mech. x16)		1x PCIe 2.0 x1 (mech. x8)	
		2x PCIe 2.0 x1 (mech. x8)		1x PCIe 3.0 x8 (internal)	
		13 in total		13 in total	
		(9x USB 2.0, 4x USB 3.0)		(9x USB 2.0, 4x USB 3.0)	
		10		10	
		Gigabit Ethernet PCIe x1, DS		Gigabit Ethernet PCIe x1, DS	
		eSATA Interface		eSATA Interface	
		Dual serial card PCIe x1		Dual serial card PCIe x1	
		Dual 10Gigabit Ethernet PCIe x8		Dual 10Gigabit Ethernet PCIe x8	
		M740: 90% efficiency - 600 W		R940: 90% efficiency - 1000 W	
		M740power: 90% efficiency - 1000 W		R940power: 90% efficiency - 1300 W	
		Made in Germany		Made in Germany	
		M740power: Medical EMC standard IEC60601-1-2			
Series					
Model					
Form Factor					
Weight / liter					
Noise emission					
Processor (incl. cores & frequency)					
Operating System					
Memory					
Professional Graphic Cards					
Compute Cards					
Storage					
Drive bays					
Slots					
USB					
Serial ATA					
Interface cards					
Power Supply					
Others					



## Fujitsu recommande Windows.

**CELSIUS H760**

Fiches produit : <http://fr.fujitsu.com/celsius>

Si vous avez besoin d'une station de travail compacte mais puissante, le modèle Fujitsu CELSIUS J550 est le choix d'entrée de gamme idéal pour la 3D, la CAO, les applications financières ainsi que pour l'industrie des soins de santé. Grâce à sa conception innovante d'un volume de 10 litres, la petite station de travail CELSIUS J550 est la première à prendre en charge les cartes graphiques de hauteur standard.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>CELSIUS H760</b>					
CELSIUS H760	Base unit, Mobile Intel® CM236 (Xeon CPU) or QM170 (Core i CPU) Chipset, supports vPro, supports Quad Channel DDR4 2133MHz RAM (ECC only with Xeon CPU) memory (4 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk, serial ATA HDD interface, M.2 interface PCIe or SATA, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Smart Card reader, Lect.cte SD, integrated Touchpad, 3 mouse buttons, LED-Status display, connector for Kensington Lock, Interfaces:, 1x VGA, 1x Displayport, 1x USB Type-C (USB 3.1, DP 1.2, Thunderbolt 3, Power Delivery 15W), 2x USB 3.0, 1x USB 2.0, RJ45 for LAN, 1x audio in, 1x audio out, 1x Réplicateurs connector, , AC Adapter 19V, 150W. Li-Ion batterie 6.700mAh/72Wh Modular bay concept for optical drives, second batterie, second hard disk drive. Please configure 2nd-HDD-bay-module and respective drive from options. Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module. Front interfaces: - , Left side interfaces: 1 x AC adapter, 1 x RJ45 for LAN, 1 x VGA, 1 x DisplayPort, 1x USB Type-C (USB 3.1, DP 1.2, Thunderbolt 3, Power Delivery 15W), 2x USB 3.0, 1 x Smartcard reader slot, 1 x memory card slot, 1 x audio in, 1 x audio out , Right side interfaces: 1 x multi bay (ODD, 2nd HD, 2nd Battery, weight saver), 1 x USB 2.0, 1 x Kensington , Rear interfaces: - , Interfaces in batterie bay: SIM card holder , Interfaces in lower part: 1 x docking connector, 1 x batterie bay, 1x HDD bay, 1 x Mémoire bay	S26391-K450-V100	881,18		



## Fujitsu recommande Windows.

### CELSIUS J550

Fiches produit : <http://fr.fujitsu.com/celsius>

Si vous avez besoin d'une station de travail compacte mais puissante, le modèle Fujitsu CELSIUS J550 est le choix d'entrée de gamme idéal pour la 3D, la CAO, les applications financières ainsi que pour l'industrie des soins de santé. Grâce à sa conception innovante d'un volume de 10 litres, la petite station de travail CELSIUS J550 est la première à prendre en charge les cartes graphiques de hauteur standard.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>CELSIUS J550</b>					
	CELS J550 /CORE I5-6500/4GB DDR4-2133/	CELS J550 /CORE I5-6500/4GB DDR4-2133/ MCR 24IN1/DVD SM TRAY/500GB SATA III/ RISER PCIE+PCIE/CK F/KB900FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:J5500W750BFR	763,53	
	CELS J550 /XEON E3-1245V5/8GB 2133 ECC/	CELS J550 /XEON E3-1245V5/8GB 2133 ECC/ MCR 24IN1/DVD SM TRAY/1000GB SATA III/ RISER PCIE+PCIE/CK F/KB900FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:J5500W780BFR	975,29	
	CELS J550 /XEON E3-1240V5/8GB 2133 ECC/	CELS J550 /XEON E3-1240V5/8GB 2133 ECC/ Q K620/DVD SM TRAY/MCR 24IN1/ 1000GB SATA III/RISER PCIE+PCIE/CK F/ KB900FR/DU DVD WIN7+8/DUDVD WIN10/	VFY:J5500W781BFR	1057,65	
	CELS J550 /CORE I7-6700/8GB DDR4-2133/	CELS J550 /CORE I7-6700/8GB DDR4-2133/ DVD SM TRAY/MCR 24IN1/SSD 256GB M.2/ RISER PCIE+PCIE/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	VFY:J5500W87ABFR	998,82	
	CELS J550 /XEON E3-1240V5/8GB DDR4-2133/	CELS J550 /XEON E3-1240V5/8GB DDR4-2133/ DP CABLE/Q K620/DVD SM TRAY/MCR 24IN1/ SSD 256GB M.2/RISER PCIE+PCIE/CK F/ KB900FR/DU DVD WIN7+8/DUDVD WIN10/	VFY:J5500W88ABFR	1524,71	



## Fujitsu recommande Windows.

**CELSIUS M740**

Fiches produit : <http://fr.fujitsu.com/celsius>

Le CELSIUS série M est une plate-forme constituant le parfait équilibre entre prix et hautes performances. Le CELSIUS M730 intègre les dernières avancées en termes de performances, ce qui vous permet de tenir des délais de plus en plus serrés dans des secteurs professionnels tels que la CAO/IAO, la réalité virtuelle et la finance.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>CELSIUS M740</b>				
CELS M740 /XEON E5-1607V3/2x4GB 2133 RG/	CELS M740 /XEON E5-1607V3/2x4GB 2133 RG/ NO GRAPHICS/DVD SM/MCR 24IN1/ 500GB SATA III/RAILS 2X HDD 3.5'/CK F/ KB900FR/DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:M7400W4811FR	1257,65	
CELS M740 /XEON E5-2609V3/2x8GB 2133 RG/	CELS M740 /XEON E5-2609V3/2x8GB 2133 RG/ DP CABLE/DVI/VGA/Q K620/DVD/ 1000GB SATA III/RAILS 2X HDD 3.5'/ CK IND/KB410 USB BL US/INT/NERO 2014/	VFY:M7400W58ABIN	1894,12	
CELS M740 /XEON E5-2603V3/8GB 2133 RG/	CELS M740 /XEON E5-2603V3/8GB 2133 RG/ DP CABLE/Q K620/DVD SM/1000GB SATA III/ RAILS 2X HDD 3.5'/GE PCIE X1, DS/CK IND/ KEYBOARD KB521 US/DU DVD WIN7+8/NO OS/	VFY:M7400W68A5IN	1558,82	
CELS M740 /XEON E5-2630V3/4x4GB 2133 RG/	CELS M740 /XEON E5-2630V3/4x4GB 2133 RG/ DP CABLE/DVI/VGA/Q K620/DVD SM/ 2x1000GB SATA III/2xRAILS 2X HDD 3.5'/ CK IND/KEYBOARD KB521 US/DU DVD WIN7+8/	VFY:M7400W68ABIN	2692,94	
CELS M740 /XEON E5-2620V3/	CELS M740 /XEON E5-2620V3/ 2x16GB 2133 RG/DP CABLE/Q K420/DVD SM/ 2x1000GB SATA III/2xRAILS 2X HDD 3.5'/ CK IND/KEYBOARD KB521 US/DU DVD WIN7+8/	VFY:M7400W68B5IN	2190,59	
CELS M740 /XEON E5-2603V3/4x4GB 2133 RG/	CELS M740 /XEON E5-2603V3/4x4GB 2133 RG/ DP CABLE/Q K620/BD WRITER/ 1000GB SATA III/RAILS 2X HDD 3.5'/ CK IND/KB410 USB BL US/INT/	VFY:M7400W68BBIN	1969,41	
CELS M740 /XEON E5-1603V3/4x8GB 2133 RG/	CELS M740 /XEON E5-1603V3/4x8GB 2133 RG/ DP CABLE/DVI/VGA/Q K620/DVD SM/ MCR 24IN1/2000GB SATA III AF/ 4xRAILS 2X HDD 3.5'/DUAL PORT/CK IND/	VFY:M7400W68CBIN	2203,53	
CELS M740 /XEON E5-1607V3/2x4GB 2133 RG/	CELS M740 /XEON E5-1607V3/2x4GB 2133 RG/ NO GRAPHICS/DVD SM/MCR 24IN1/ 500GB SATA III/RAILS 2X HDD 3.5'/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/	VFY:M7400W780BFR	1257,65	
CELS M740 /XEON E5-1650V3/4x8GB 2133 RG/	CELS M740 /XEON E5-1650V3/4x8GB 2133 RG/ DP CABLE/Q K4200/DVD SM/MCR 24IN1/ SSD 256GB PR BAY/1000GB SATA III/ RAILS 2X HDD 3.5'/RAILS 2X HDD 2.5'/	VFY:M7400W780PFR	3175,29	
CELS M740 /XEON E5-1620V3/4x4GB 2133 RG/	CELS M740 /XEON E5-1620V3/4x4GB 2133 RG/ DP CABLE/Q K2200/DVD SM/MCR 24IN1/ SSD 256GB PR BAY/ESATA/CK F/KB900FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:M7400W781BFR	2234,12	
CELS M740 /XEON E5-1620V3/	CELS M740 /XEON E5-1620V3/ 2x16GB 2133 RG/DVI/VGA/Q K2200/ 2000GB SATA III AF/RAILS 2X HDD 3.5'/ CK IND/KB410 USB BL US/INT/	VFY:M7400W78A5IN	2367,06	
CELS M740 /XEON E5-1630V3/16GB 2133 RG/	CELS M740 /XEON E5-1630V3/16GB 2133 RG/ DP CABLE/DVI/VGA/Q K2200/DVD SM/ 1000GB SATA III/RAILS 2X HDD 3.5'/ RAILS 2X HDD 2.5'/CK IND/	VFY:M7400W78ABIN	2376,47	
CELS M740 /XEON E5-1630V3/8GB 2133 RG/	CELS M740 /XEON E5-1630V3/8GB 2133 RG/ NVS 315/2ND NVS 315/2xLFH59/2XDVI-I/ DVD SM/600GB SAS 15K/RAILS 2X HDD 2.5'/ PRAID CP400I/GE PCIE X1, DS/CK IND/	VFY:M7400W78BBIN	2538,82	
CELS M740 /XEON E5-1620V3/	CELS M740 /XEON E5-1620V3/ 2x16GB 2133 RG/DP CABLE/Q K2200/DVD/ 1000GB SATA III/2xRAILS 2X HDD 3.5'/ 2xRAILS 2X HDD 2.5'/CK IND/	VFY:M7400W78CBIN	2502,35	



## Fujitsu recommande Windows.

### CELSIUS M740

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>CELSIUS M740 (Suite)</b>				
CELS M740 /XEON E5-1630V3/16GB 2133 RG/	CELS M740 /XEON E5-1630V3/16GB 2133 RG/ DP CABLE/Q K620/DVD SM/ 2x1000GB SATA III/2xRAILS 2X HDD 3.5'/ 2X1GB ETH/CK IND/PDVD 10 (DVD)/	VFY:M7400W85A5IN	2067,06	
CELS M740 /XEON E5-2620V3/4GB 2133 RG/	CELS M740 /XEON E5-2620V3/4GB 2133 RG/ DP CABLE/DVI/VGA/Q K2200/DVD SM/ 1000GB SATA III/RAILS 2X HDD 3.5'/ CK IND/KB410 USB BL US/INT/	VFY:M7400W85ABIN	2276,47	
CELS M740 /XEON E5-1607V3/4x8GB 2133 RG/	CELS M740 /XEON E5-1607V3/4x8GB 2133 RG/ DP CABLE/Q K5200/DVD SM/ 2x1000GB SATA III/4xRAILS 2X HDD 3.5'/ CK IND/KEYBOARD KB521 US/NO OS/LOCK/	VFY:M7400W88A5IN	4158,82	
CELS M740 /XEON E5-1630V3/16GB 2133 RG/	CELS M740 /XEON E5-1630V3/16GB 2133 RG/ DP CABLE/Q K620/DVD SM/ 2x1000GB SATA III/2xRAILS 2X HDD 3.5'/ 2X1GB ETH/CK IND/KB410 USB BLACK US/	VFY:M7400W88ABIN	2081,18	
CELS M740 /XEON E5-2609V3/4x8GB 2133 RG/	CELS M740 /XEON E5-2609V3/4x8GB 2133 RG/ DP CABLE/DVI/VGA/Q K2200/DVD SM/ 600GB SAS 15K/2ND 600GB SAS 15K/ 2xRAILS 2X HDD 2.5'/PRAID CP400I/CK IND/	VFY:M7400W88APIN	3608,24	
CELS M740 /XEON E5-1620V3/4GB 2133 RG/	CELS M740 /XEON E5-1620V3/4GB 2133 RG/ NVS 315/2ND NVS 315/2xDVI/VGA/ 2xLFH59/2XDVI-I/DVD SM/600GB SAS 15K/ RAILS 2X HDD 2.5'/RAID CTRL SAS/	VFY:M7400W88BBIN	2338,82	
CELS M740 /XEON E5-1620V3/2x8GB 2133 RG/	CELS M740 /XEON E5-1620V3/2x8GB 2133 RG/ DP CABLE/DVI/VGA/Q K2200/DVD SM/ 3x2000GB SATA III AF/ 4xRAILS 2X HDD 3.5'/CK IND/	VFY:M7400W88BPIN	2616,47	
CELS M740 SAG /XEON E5-1603V3/	CELS M740 SAG /XEON E5-1603V3/ 8GB 2133 RG/DP CABLE/Q K420/DVD SM/ 1000GB SATA III/2xRAILS 2X HDD 3.5'/ CK IND/KEYBOARD KB521 US/LIC WIN8.1 PRO/	VFY:M7400W88CBIN	1595,29	
CELS M740 /XEON E5-2620V3/	CELS M740 /XEON E5-2620V3/ 2x16GB 2133 RG/NO GRAPHICS/DVD SM/ 1000GB SATA III/RAILS 2X HDD 3.5'/ GE PCIE X1, DS/CK IND/	VFY:M7400W88DBIN	2016,47	
CELS M740 /XEON E5-1630V3/	CELS M740 /XEON E5-1630V3/ 2x16GB 2133 RG/Q K2200/DVD SM/ 1000GB SATA III/RAILS 2X HDD 3.5'/ CK IND/KB410 USB BL US/INT/NO OS/	VFY:M7400W88SBIN	2444,71	
CELS M740 /XEON E5-1620V3/4x4GB 2133 RG/	CELS M740 /XEON E5-1620V3/4x4GB 2133 RG/ DP CABLE/Q K2200/DVD SM/MCR 24IN1/ SSD 256GB PR BAY/CK F/KB900FR/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:M7400WXC11FR	2234,12	
CELS M740 /XEON E5-1650V3/4x8GB 2133 RG/	CELS M740 /XEON E5-1650V3/4x8GB 2133 RG/ DP CABLE/Q K4200/DVD SM/MCR 24IN1/ SSD 256GB PR BAY/1000GB SATA III/ RAILS 2X HDD 3.5'/RAILS 2X HDD 2.5'/	VFY:M7400WXP11FR	3175,29	
<b>CELSIUS M740power</b>				
CELS M740POWER /XEON E5-1620V3/	CELS M740POWER /XEON E5-1620V3/ 2x16GB 2133 RG/DVI/VGA/Q K4200/ BD WRITER/1000GB SATA III/ RAILS 2X HDD 3.5'/CK IND/DU DVD WIN7+8/	VFY:M7400W88B5IN	2888,24	
CELS M740POWER /XEON E5-2650V3/	CELS M740POWER /XEON E5-2650V3/ 8x16GB 2133 RG/NVS 315/LFH59/2XDVI-I/ DVD SM/1200GB SAS 10K/RAILS 2X HDD 3.5'/ RAILS 2X HDD 2.5'/RAID CTRL SAS/CK IND/	VFY:M7400W88EBIN	5703,53	



## Fujitsu recommande Windows.

**CELSIUS R940**

Fiches produit : <http://fr.fujitsu.com/celsius>

Fujitsu's CELSIUS R940 is designed to surpass all your expectations. Achieving first-class benchmark results, this reliable, high-end dual processor workstation is individually configurable and optimized for extremely demanding and memory intensive multi-threaded applications in a 24/7 operating environment. Offering the latest NVIDIA GRID™ graphics virtualization cards, the CELSIUS R940 is your reliable partner for graphics virtualization and High Performance Computing.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>CELSIUS R940</b>				
CELS R940 /XEON E5-2620V3/2x4GB 2133 RG/	CELS R940 /XEON E5-2620V3/2x4GB 2133 RG/ NO GRAPHICS/DVD SM/MCR 24IN1/ 1000GB SATA III/RAILS 2X HDD 3.5/ESATA/ CK F/KB900FR/DU DVD WIN7+8/	VFY:R9400W4811FR	1881,18	
CELS R940 /XEON E5-2620V3/2x4GB 2133 RG/	CELS R940 /XEON E5-2620V3/2x4GB 2133 RG/ NO GRAPHICS/DVD SM/MCR 24IN1/ 1000GB SATA III/RAILS 2X HDD 3.5/ESATA/ CK F/KB900FR/LIC W10 PRO/W7 PRO64 MAIN/	VFY:R9400W780BFR	1881,18	
CELS R940 /XEON E5-2630V3/	CELS R940 /XEON E5-2630V3/ 2ND XEON E5-2630V3/4x4GB 2133 RG/ NO GRAPHICS/MCR 24IN1/DVD SM/ SSD 256GB PR BAY/RAILS 2X HDD 2.5/CK F/	VFY:R9400W781BFR	3292,94	
<b>CELSIUS R940power</b>				
CELS R940POWER /XEON E5-2697V3/	CELS R940POWER /XEON E5-2697V3/ 2ND XEON E5-2697V3/4x32GB 2133 RG/ NVS 315/LFH59/2XDVI-I/DVD SM/ 1200GB SAS 10K/2ND 1200GB SAS 10K/	VFY:R9400W88ABIN	14324,71	



## Fujitsu recommande Windows.

**CELSIUS W530**

Fiches produit : <http://fr.fujitsu.com/celsius>

Equipée des derniers processeurs Intel® Xeon® et cartes graphiques professionnelles, la station de travail CELSIUS W530 a été conçue pour offrir une productivité, des performances et une flexibilité exceptionnelles. Ce système est idéal pour les secteurs professionnels tels que le traitement graphique 3D, les prévisions financières et la création de contenu numérique ; vous disposez ainsi des performances nécessaires pour accroître votre productivité.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>CELSIUS W530</b>				
CELS W530 /CORE I5-4590/4GB DDR3-1600/	CELS W530 /CORE I5-4590/4GB DDR3-1600/ DVD SM/MCR 24IN1/500GB SATA III/CK F/ KB900FR/DU DVD WIN7+8/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/	VFY:W5300W2501FR	763,53	
CELS W530 /XEON E3-1246V3/	CELS W530 /XEON E3-1246V3/ 2x4GB 1600 ECC/DVD SM/MCR 24IN1/ 1000GB SATA III/CK F/KB900FR/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W2821FR	940,00	
CELS W530 /XEON E3-1246V3/	CELS W530 /XEON E3-1246V3/ 2x4GB 1600 ECC/DVD SM/MCR 24IN1/ SSD 128GB PR/CK F/KB900FR/DU DVD WIN7+8/ LIC WIN8.1 PRO/W7 PRO64 MAIN/	VFY:W5300W38S1FR	998,82	
CELS W530 /CORE I5-4690/2x4GB DDR3-1600/	CELS W530 /CORE I5-4690/2x4GB DDR3-1600/ FIREPRO W2100/MCR 24IN1/DVD SM/ SSHD 500GB/CK F/KB900FR/DU DVD WIN7+8/ LIC WIN8.1 PRO/RDVD W7+W8.1/	VFY:W5300W551GFR	904,71	
CELS W530 /CORE I5-4590/8GB DDR3-1600/	CELS W530 /CORE I5-4590/8GB DDR3-1600/ 500GB SATA III/CK IND/ KB410 USB BL US/INT/LIC WIN8.1 PRO/ W7 PRO64 MAIN/RDVD W7+W8.1/	VFY:W5300W55A0IN	1078,82	
CELS W530 /CORE I7-4790/2x4GB DDR3-1600/	CELS W530 /CORE I7-4790/2x4GB DDR3-1600/ DP CABLE/DVI/VGA/Q K620/DVD SM/ 500GB SATA III/CK IND/KB900US/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W57ABIN	1475,29	
CELS W530 /CORE I7-4790/2x4GB DDR3-1600/	CELS W530 /CORE I7-4790/2x4GB DDR3-1600/ FIREPRO W2100/DVD SM/MCR 24IN1/ 1000GB SATA III/CK F/KB900FR/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W57BBFR	998,82	
CELS W530 /XEON E3-1220V3/4GB 1600 ECC/	CELS W530 /XEON E3-1220V3/4GB 1600 ECC/ DP CABLE/DVI/VGA/Q K420/DVD SM/ 500GB SATA III/CK IND/ KB410 USB BL US/INT/NO OS/	VFY:W5300W58A5IN	1082,35	
CELS W530 /XEON E3-1226V3/	CELS W530 /XEON E3-1226V3/ 2x4GB 1600 ECC/DP CABLE/DVI/VGA/Q K620/ DVD SM/1000GB SATA III/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/	VFY:W5300W58ABIN	1454,12	
CELS W530 /XEON E3-1241V3/	CELS W530 /XEON E3-1241V3/ 4x8GB 1600 ECC/DP CABLE/DVI/VGA/Q K2200/ DVD SM/1000GB SATA III/CK IND/ KEYBOARD KB521 US/DU DVD WIN7+8/NO OS/	VFY:W5300W58B5IN	2041,18	
CELS W530 /CORE I7-4790/2x8GB DDR3-1600/	CELS W530 /CORE I7-4790/2x8GB DDR3-1600/ DP CABLE/Q K620/DVD SM/3000GB BC/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/NO OS/	VFY:W5300W67A5IN	1703,53	
CELS W530 /CORE I7-4790/8GB DDR3-1600/	CELS W530 /CORE I7-4790/8GB DDR3-1600/ DP CABLE/DVD SM/2xSSD 512GB/ MOUNT FOR 2.5/GE PCIE X1, DS/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/	VFY:W5300W67BBIN	1960,00	
CELS W530 /XEON E3-1246V3/	CELS W530 /XEON E3-1246V3/ 2x8GB DDR3-1600/DP CABLE/DVI/VGA/Q K620/ DVD SM/2x1000GB SATA III/CK IND/ KB410 USB BLACK US/DU DVD WIN7+8/	VFY:W5300W68ABIN	1628,24	
CELS W530 /XEON E3-1226V3/	CELS W530 /XEON E3-1226V3/ 2x4GB DDR3-1600/DP CABLE/DVI/VGA/Q K620/ BD WRITER/500GB SATA III/CK IND/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W68BBIN	1415,29	
CELS W530 /XEON E3-1246V3/	CELS W530 /XEON E3-1246V3/ 2x8GB DDR3-1600/DP CABLE/DVI/VGA/Q K620/ DVD SM/2x1000GB SATA III/CK IND/ KEYBOARD KB521 US/DU DVD WIN7+8/	VFY:W5300W68CBIN	1627,06	
CELS W530 /XEON E3-1226V3/	CELS W530 /XEON E3-1226V3/ 2x8GB DDR3-1600/DP CABLE/DVI/VGA/ Q K2200/1000GB SATA III/CK IND/ KEYBOARD KB521 US/DU DVD WIN7+8/	VFY:W5300W68DBIN	1757,65	



## Fujitsu recommande Windows.

**CELSIUS W530** Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales				
<b>CELSIUS W530 (Suite)</b>				
CELS W530 /XEON E3-1231V3/8GB DDR3-1600/	CELS W530 /XEON E3-1231V3/8GB DDR3-1600/ NVS 315/2xDVI/VGA/LFH59/2XDVI-I/DVD SM/ 1000GB SATA III/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/	VFY:W5300W68EBIN	1322,35	
CELS W530 /XEON E3-1220V3/	CELS W530 /XEON E3-1220V3/ 2x8GB DDR3-1600/DP CABLE/DVI/VGA/Q K620/ DVD SM/2x1000GB SATA III/CK IND/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W68FBIN	1487,06	
CELS W530 /CORE I5-4590/4GB DDR3-1600/	CELS W530 /CORE I5-4590/4GB DDR3-1600/ DVD SM/MCR 24IN1/500GB SATA III/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:W5300W750BFR	763,53	
CELS W530 /CORE I5-4690/2x4GB DDR3-1600/	CELS W530 /CORE I5-4690/2x4GB DDR3-1600/ Q K420/MCR 24IN1/DVD SM/SSHD 500GB/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:W5300W750GFR	904,71	
CELS W530 /CORE I5-4590/8GB DDR3-1600/	CELS W530 /CORE I5-4590/8GB DDR3-1600/ 500GB SATA III/CK IND/KEYBOARD KB521 US/ LIC WIN8.1 PRO/RDVD W7+W8.1/ W7 PRO64 MAIN/	VFY:W5300W75ABIN	1074,12	
CELS W530 /CORE I5-4590/4GB DDR3-1600/	CELS W530 /CORE I5-4590/4GB DDR3-1600/ 4xDVI/VGA/2xLFH59/2XDVI-I/NVS 315/ 2ND NVS 315/500GB SATA III/CK IND/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W75BBIN	1272,94	
CELS W530 /CORE I7-4790/8GB DDR3-1600/	CELS W530 /CORE I7-4790/8GB DDR3-1600/ 4xDVI/VGA/2xLFH59/2XDVI-I/NVS 315/ 2ND NVS 315/DVD SM/2x500GB SATA III/ GE PCIE X1, DS/CK IND/	VFY:W5300W77ABIN	1585,88	
CELS W530 /XEON E3-1246V3/	CELS W530 /XEON E3-1246V3/ 2x4GB 1600 ECC/DVD SM/MCR 24IN1/ 1000GB SATA III/CK F/KB900FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5300W780BFR	975,29	
CELS W530 /XEON E3-1271V3/	CELS W530 /XEON E3-1271V3/ 2x4GB 1600 ECC/DP CABLE/Q K2200/DVD SM/ MCR 24IN1/SSD 128GB PR/1000GB SATA III/ CK F/KB900FR/LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5300W780PFR	1763,53	
CELS W530 /XEON E3-1226V3/	CELS W530 /XEON E3-1226V3/ 2x8GB DDR3-1600/DP CABLE/DVI/VGA/Q K620/ DVD SM/1000GB SATA III/CK IND/ KEYBOARD KB521 US/DU DVD WIN7+8/	VFY:W5300W78ABIN	1461,18	
CELS W530 /XEON E3-1226V3/	CELS W530 /XEON E3-1226V3/ 2x8GB DDR3-1600/DP CABLE/Q K620/DVD SM/ 1000GB SATA III/CK IND/ KEYBOARD KB521 US/DU DVD WIN7+8/	VFY:W5300W78BBIN	1455,29	
CELS W530 /XEON E3-1241V3/8GB DDR3-1600/	CELS W530 /XEON E3-1241V3/8GB DDR3-1600/ DP CABLE/DVI/VGA/Q K2200/DVD SM/ SSD 128GB/CK IND/KB410 USB BL US/INT/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W78CBIN	1790,59	
CELS W530 /XEON E3-1226V3/	CELS W530 /XEON E3-1226V3/ 2x8GB 1600 ECC/DP CABLE/DVD SM/ SSHD 1000GB/CK IND/KB410 USB BL US/INT/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W78DBIN	9,41	
CELS W530 /XEON E3-1246V3/	CELS W530 /XEON E3-1246V3/ 2x4GB 1600 ECC/DVD SM/MCR 24IN1/ SSD 128GB PR/CK F/KB900FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:W5300W78SBFR	998,82	
CELS W530 /XEON E3-1226V3/8GB DDR3-1600/	CELS W530 /XEON E3-1226V3/8GB DDR3-1600/ Q K2200/DVD/SSD 256GB/CK IND/ KEYBOARD KB521 US/LIC WIN8.1 PRO/ RDVD WIN8.1 PRO64/W7 PRO32 MAIN/	VFY:W5300W78SBIN	1781,18	
CELS W530 /CORE I7-4790/2x8GB DDR3-1600/	CELS W530 /CORE I7-4790/2x8GB DDR3-1600/ DP CABLE/Q K2200/DVD SM/1000GB SATA III/ CK IND/KB410 USB BL US/INT/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W87ABIN	1881,18	
CELS W530 /CORE I7-4790/8GB DDR3-1600/	CELS W530 /CORE I7-4790/8GB DDR3-1600/ DP CABLE/DVI/VGA/Q K2200/DVD SM/ 1000GB SATA III/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/	VFY:W5300W87APIN	1790,59	
CELS W530 /CORE I7-4790/8GB DDR3-1600/	CELS W530 /CORE I7-4790/8GB DDR3-1600/ DVI/VGA/Q K420/500GB SATA III/ GE PCIE X1, DS/CK IND/ KB410 USB BLACK US/LIC WIN8.1 PRO/	VFY:W5300W87BBIN	1345,88	





## Fujitsu recommande Windows.

### CELSIUS W530

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>CELSIUS W530 (Suite)</b>				
CELS W530 /CORE I7-4790/4x8GB DDR3-1600/	CELS W530 /CORE I7-4790/4x8GB DDR3-1600/ DP CABLE/DVI/VGA/Q K2200/BD WRITER/ 2x2000GB SATA III AF/CK IND/ KB410 USB BL US/INT/NERO 2014/	VFY:W5300W87CBIN	2289,41	
CELS W530 /XEON E3-1220V3/8GB 1600 ECC/	CELS W530 /XEON E3-1220V3/8GB 1600 ECC/ DP CABLE/Q K2200/DVD SM/1000GB SATA III/ CK IND/KEYBOARD KB521 US/NO OS/LOCK/	VFY:W5300W88A5IN	1547,06	
CELS W530 /XEON E3-1271V3/	CELS W530 /XEON E3-1271V3/ 2x8GB DDR3-1600/DVI/VGA/Q K620/DVD SM/ 2000GB SATA III AF/GE PCIE X1, DS/ CK IND/KB410 USB BL US/INT/	VFY:W5300W88ABIN	1684,71	
CELS W530 /XEON E3-1281V3/	CELS W530 /XEON E3-1281V3/ 4x8GB DDR3-1600/DP CABLE/Q K620/DVD SM/ SSD 256GB/1000GB BC/CK IND/ KB410 USB BLACK US/NO OS/	VFY:W5300W88B5IN	2409,41	
CELS W530 /XEON E3-1241V3/8GB 1600 ECC/	CELS W530 /XEON E3-1241V3/8GB 1600 ECC/ DP CABLE/Q K2200/DVD SM/1000GB SATA III/ CK IND/KEYBOARD KB521 US/DU DVD WIN7+8/ NO OS/LOCK/	VFY:W5300W88BBIN	1647,06	
CELS W530 /XEON E3-1226V3/	CELS W530 /XEON E3-1226V3/ 2x8GB DDR3-1600/FIREPRO W2100/DP CABLE/ 1000GB BC/CK IND/KB410 USB BLACK US/ DU DVD WIN7+8/NO OS/MOUSE M440 ECO/	VFY:W5300W88C5IN	1303,53	
CELS W530 /CORE I5-4690/2x4GB DDR3-1600/	CELS W530 /CORE I5-4690/2x4GB DDR3-1600/ Q K420/MCR 24IN1/DVD SM/SSHD 500GB/CK F/ KB900FR/DU DVD WIN7+8/LIC WIN8.1 PRO/ RDVD W7+W8.1/W7 PRO64 MAIN/PROGREEN/	VFY:W5300WXG41FR	904,71	
CELS W530 /XEON E3-1271V3/	CELS W530 /XEON E3-1271V3/ 2x4GB 1600 ECC/DP CABLE/Q K2200/DVD SM/ MCR 24IN1/SSD 128GB PR/1000GB SATA III/ CK F/KB900FR/DU DVD WIN7+8/	VFY:W5300WXP41FR	1763,53	
<b>CELSIUS W530power</b>				
CELS W530POWER /CORE I7-4790/	CELS W530POWER /CORE I7-4790/ 2x4GB DDR3-1600/DVD SM/MCR 24IN1/ 1000GB SATA III/CK F/KB900FR/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W57ABFR	975,29	
CELS W530POWER /CORE I5-4590/	CELS W530POWER /CORE I5-4590/ 2x4GB DDR3-1600/DP CABLE/Q K620/DVD SM/ 500GB SATA III/CK IND/KEYBOARD KB521 US/ DU DVD WIN7+8/LIC WIN8.1 PRO/	VFY:W5300W65ABIN	1345,88	



## Fujitsu recommande Windows.

### CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Si vous avez besoin d'une station de travail d'entrée de gamme puissante, le modèle CELSIUS W530 de Fujitsu est la solution idéale. La station de travail CELSIUS W530 de FUJITSU vous offre les capacités graphiques et les performances nécessaires pour les applications d'entrée de gamme de conception assistée par ordinateur de contenus 3D ou de création de contenu numérique. Un ensemble complet de certifications ISV vous garantit le fonctionnement fluide de vos applications professionnelles. Votre environnement de travail est silencieux et convivial grâce à un niveau sonore le plus bas de sa

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>CELSIUS W550</b>					
	CELS W550 /CORE I5-6600/8GB DDR4-2133/	CELS W550 /CORE I5-6600/8GB DDR4-2133/ Q K420/DVD SM/MCR 24IN1/SSD 256GB MAIN/ CK F/KB900FR/DU DVD WIN7+8/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W150GFR	951,76	
	CELS W550 /CORE I5-6500/4GB DDR4-2133/	CELS W550 /CORE I5-6500/4GB DDR4-2133/ DVD SM/MCR 24IN1/500GB SATA III/CK F/ KB900FR/DU DVD WIN7+8/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W750BFR	763,53	
	CELS W550 /CORE I5-6600/8GB DDR4-2133/	CELS W550 /CORE I5-6600/8GB DDR4-2133/ Q K420/DVD SM/MCR 24IN1/SSD 256GB MAIN/ CK F/KB900FR/DU DVD WIN7+8/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W750GFR	963,53	
	CELS W550 /XEON E3-1245V5/8GB 2133 ECC/	CELS W550 /XEON E3-1245V5/8GB 2133 ECC/ DVD SM/MCR 24IN1/1000GB SATA III/CK F/ KB900FR/DU DVD WIN7+8/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W780BFR	975,29	
	CELS W550 /XEON E3-1270V5/8GB DDR4-2133/	CELS W550 /XEON E3-1270V5/8GB DDR4-2133/ Q K2200/DVD SM/MCR 24IN1/SSD 256GB MAIN/ 1000GB SATA III/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	VFY:W5500W780PFR	1575,29	
	CELS W550 /CORE I7-6700/8GB DDR4-2133/	CELS W550 /CORE I7-6700/8GB DDR4-2133/ FIREPRO W2100/500GB SATA III/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W87ABIN	1361,18	
	CELS W550 /XEON E3-1240V5/8GB DDR4-2133/	CELS W550 /XEON E3-1240V5/8GB DDR4-2133/ DP CABLE/Q K1200/DVD SM/SSD 256GB MAIN/ CK F/KB900FR/DU DVD WIN7+8/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W882BFR	1281,18	
	CELS W550 /XEON E3-1240V5/16GB 2133 ECC/	CELS W550 /XEON E3-1240V5/16GB 2133 ECC/ DP CABLE/Q K2200/DVD SM/SSHD 1000GB/ CK IND/GERMANY STICKER/ KEYBOARD KB521 US/DU DVD WIN7+8/	VFY:W5500W88ABIN	2007,06	
<b>CELSIUS W550power</b>					
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 8GB DDR4-2133/DVD SM/MCR 24IN1/ 1000GB SATA III/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	VFY:W5500W77ABFR	975,29	



Fujitsu recommande Windows.

**CELSIUS W550** Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>CELSIUS W550power (Suite)</b>					
CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 8GB DDR4-2133/DVD SM/MCR 24IN1/ SSD 256GB MAIN/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	VFY:W5500W87PBFR	1022,35	
CELS W550POWER /XEON E3-1225V5/	CELS W550POWER /XEON E3-1225V5/	CELS W550POWER /XEON E3-1225V5/ 8GB DDR4-2133/DP CABLE/Q K620/BD WRITER/ 2000GB SATA III/GE PCIE X1, DS/CK IND/ DU DVD WIN7+8/NO OS/OPT USB BLK/	VFY:W5500W88A5IN	1401,18	



## Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	CELSIUS C620	CELSIUS H760	CELSIUS J550	CELSIUS M730	CELSIUS M740	CELSIUS R940	CELSIUS W530	CELSIUS W550	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Processor</b>											
2nd Xeon E5-2660v3 2.60GHz 25MB TB						x			S26361-F	2703,53	
2nd Xeon E5-2698v3 2.30GHz 40MB TB						x			S26361-F	5881,18	
<b>Mémoire</b>											
4GB DDR4-2133			x					x	S26361-F	57,65	
8GB DDR4-2133			x					x	S26361-F	120,00	
16GB DDR4-2133			x					x	S26361-F	263,53	
4GB DDR4			x						S26391-F	78,82	
8GB DDR4			x						S26391-F	141,18	
16GB DDR4			x						S26391-F	231,76	
8GB DDR4 ECC			x						S26391-F	169,41	
16GB DDR4 ECC			x						S26391-F	296,47	
Mémoire 2Go DDR3-1600	x								S26361-F	49,41	
Mémoire 4Go DDR3-1600	x								S26361-F	57,65	
Mémoire 8Go DDR3-1600	x								S26361-F	92,94	
Mémoire 4Go DDR3-1600							x		S26361-F	76,47	
Mémoire 8Go DDR3-1600							x		S26361-F	144,71	
Mémoire 4Go DDR3-1600				x					S26361-F	70,59	
32GB DDR4-2133 rg ECC					x	x			S26361-F	1265,88	
Mémoire 4Go DDR3-1600 ECC	x								S26361-F	102,35	
Mémoire 8Go DDR3-1600 ECC	x								S26361-F	169,41	
Mémoire 4Go DDR3-1600 ECC							x		S26361-F	102,35	
Mémoire 8Go DDR3-1600 ECC							x		S26361-F	169,41	
4GB DDR4-2133 ECC			x					x	S26361-F	102,35	
8GB DDR4-2133 ECC			x					x	S26361-F	169,41	
16GB DDR4-2133 ECC			x					x	S26361-F	296,47	
Mémoire 8Go DDR3-1866 rg ECC				x					S26361-F	175,29	
4GB DDR4-2133 rg ECC					x	x			S26361-F	125,88	
16GB DDR3-1866 rg ECC				x					S26361-F	340,00	
8GB DDR4-2133 rg ECC					x	x			S26361-F	194,12	
16GB DDR4-2133 rg ECC					x	x			S26361-F	363,53	
32GB DDR4-2133 rg LR ECC					x	x			S26361-F	1265,88	
<b>Graphics</b>											
NVIDIA Quadro NVS 310 512Mo	x			x			x		S26361-F	116,47	
NVIDIA NVS 315 1GB PCIe x16			x	x	x	x	x	x	S26361-F	116,47	
NVIDIA Quadro NVS 510 2Go	x		x	x	x	x	x	x	S26361-F	442,35	
Riser card PCIe x16 + PCIe x4			x						S26361-F	34,12	
Riser card PCIe x16 + PCI			x						S26361-F	41,18	
NVIDIA Quadro K420 1GB	x		x		x	x	x	x	S26361-F	117,65	
NVIDIA Quadro K420 2GB			x		x	x		x	S26361-F	124,71	
NVIDIA Quadro K620 2GB	x		x		x	x	x	x	S26361-F	210,59	
NVIDIA Quadro K1200 4GB			x		x	x		x	S26361-F	392,94	
NVIDIA Quadro K2200 4GB	x		x		x	x	x	x	S26361-F	545,88	
NVIDIA Quadro K4200 4GB	x				x	x			S26361-F	896,47	
NVIDIA Quadro M2000 4GB			x					x	S26361-F	557,65	
NVIDIA Quadro K5200 8GB	x				x	x			S26361-F	2328,24	
NVIDIA Quadro M4000 8GB					x	x			S26361-F	1087,06	
NVIDIA Quadro M5000 8GB					x	x			S26361-F	2622,35	
NVIDIA Quadro M6000 12GB					x	x			S26361-F	5965,00	
NVIDIA Quadro Sync					x	x			S26361-F	1127,06	
Nvidia GRID K1 16Go A							x		S26361-F	2558,82	
Nvidia GRID K2 8Go	x								S26361-F	4323,53	
Nvidia GRID K2 8Go A							x		S26361-F	4523,53	
AMD FirePro W2100 2GB			x		x	x		x	S26361-F	151,76	
AMD FirePro W4100 2GB			x		x	x		x	S26361-F	234,12	
AMD FirePro W4300 4GB			x					x	S26361-F	396,47	
AMD FirePro W5100 4GB			x		x	x		x	S26361-F	516,47	
AMD FirePro W7100 8GB					x	x			S26361-F	951,76	
AMD FirePro W9100 16GB					x	x			S26361-F	4010,59	
CELSIUS RemoteAccess double connexion	x			x	x	x		x	S26361-F	276,47	
CELSIUS RemoteAccess Quad Card	x			x	x	x		x	S26361-F	457,65	
Câble adaptateur DisplayPort vers DVI-D	x		x	x	x	x		x	S26361-F	36,47	
DisplayPort extension card							x		S26361-F	35,29	
VGA extension card								x	S26361-F	31,76	
Mini Display Port câble / adaptateur DVI-D.	x			x	x	x		x	S26361-F	38,82	
Adaptateur DVI/VGA	x		x	x	x	x		x	S26361-F	20,00	
DVI display cable, 3m	x		x	x	x	x		x	S26361-F	34,12	
Câble adaptateur LFH59/ 2x DVI-I			x	x	x	x		x	S26361-F	32,94	
Câble adaptateur LFH59/ 2x DP			x	x	x	x		x	S26361-F	35,29	
SLI bridge pour graphique NVIDIA				x	x	x			S26361-F	83,53	
Câble d'alimentation pour carte graphique				x					S26361-F	29,41	
Power cable set for graphics card (8Pin)					x	x			S26361-F	29,41	
<b>Personal Supercomputing</b>											
Intel Xeon Phi Coprozessor 3120A				x		x			S26361-F	2605,88	
NVIDIA Tesla K40					x	x			S26361-F	5174,12	
<b>Supports amovibles</b>											
MultiCard Reader 24in1 USB 2.0 3.5"				x	x	x		x	S26361-F	27,06	
Graveur Blu-ray (BD-RW DVD-RW CD-RW) Slim				x	x	x		x	S26361-F	163,53	
DVD SuperMulti SATA slim (tray)			x						S26361-F	42,35	
BD Triple Writer SATA slim (tray)			x						S26361-F	163,53	
DVD SuperMulti SATA ultra slim					x	x			S26361-F	42,35	



## Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	CELSIUS C620	CELSIUS H760	CELSIUS J550	CELSIUS M730	CELSIUS M740	CELSIUS R940	CELSIUS W630	CELSIUS W650	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Supports amovibles (Suite)</b>											
Weight saver for modular bay		x							S26391-F	17,65	
DVD Super Multi (reader/writer)		x							S26391-F	57,65	
Blu-ray Triple Writer		x							S26391-F	143,53	
Lecteur DVD SATA (DVD-R CD-RW)				x	x	x	x	x	S26361-F	32,94	
Graveur DVD SuperMulti SATA				x	x	x	x	x	S26361-F	42,35	
Graveur DVD SuperMulti (DVD-RW CD-RW) Slim	x								S26361-F	42,35	
<b>Hard Disks</b>											
HDD SATA III 6000GB 7.2k BC					x	x			S26361-F	852,94	
SSD SATA III 128Go high speed				x	x	x			S26361-F	163,53	
SSD SATA III 256Go high speed				x	x	x			S26361-F	258,82	
SSD SATA III 512Go Premium				x	x	x			S26361-F	681,18	
SSD PCIe 1x256GB Highend card		x						x	S26361-F	587,06	
SSD PCIe 1x512GB Highend card		x						x	S26361-F	1045,88	
SSD SATA III 128GB Entry		x						x	S26361-F	198,82	
HDD SATA III 1000GB 7.2k BC		x						x	S26361-F	210,59	
HDD SATA III 1TB 7.2k 2.5' BC		x		x	x			x	S26361-F	381,18	
HDD SATA III 2TB 7.2k 2.5' BC		x		x	x			x	S26361-F	656,47	
SSD SATA III 200GB High Endurance		x		x	x			x	S26361-F	3523,53	
SSD SATA III 400GB High Endurance		x		x	x			x	S26361-F	6817,65	
Kit de connexion HDD/SSD,			x	x	x				S26361-F	57,65	
Mounting frame for 2x 2.5' HDDs/SSDs			x						S26361-F	22,35	
2nd HDD bay module (without HDD)		x							S26391-F	34,12	
SSHD 1000GB / 8GB 5.4k 9mm		x							S26391-F	234,12	
HDD SATA II 500GB 5.4k		x							S26391-F	123,53	
SSHD 500GB / 8GB SSD Cache 5.4k		x							S26391-F	151,76	
SSD SATA III 256GB		x							S26391-F	285,88	
SSD SATA III 512GB		x							S26391-F	540,00	
4x HDD/SSD Easy Rail Kit 3.5'				x	x	x			S26361-F	30,59	
4x HDD/SSD Easy Rail Kit 2.5'				x	x	x			S26361-F	30,59	
SSD SATA III 128GB Premium								x	S26361-F	234,12	
Disque SSD 128Go High Speed SATA III								x	S26361-F	163,53	
SSD SATA III 128GB Premium				x	x	x			S26361-F	234,12	
SSD SATA III 128Go high speed				x	x	x			S26361-F	222,35	
SSD SATA III 128GB Premium bay				x	x	x			S26361-F	234,12	
SSD SATA III 128Go high speed SED baie				x	x	x			S26361-F	229,41	
Disque SSD 256Go High Speed SATA III								x	S26361-F	258,82	
SSD SATA III 256GB Premium								x	S26361-F	444,71	
SSD SATA III 256GB Premium				x	x	x			S26361-F	444,71	
SSD SATA III 256Go high speed				x	x	x			S26361-F	404,71	
SSD SATA III 256GB Premium bay				x	x	x			S26361-F	444,71	
Disque SSD 512Go Premium SATA III							x		S26361-F	681,18	
SSD SATA III 512Go Premium bay				x	x	x			S26361-F	681,18	
SSD SATA III 256GB SED bay				x	x	x			S26361-F	442,35	
SSD PCIe 2x256GB Highend card				x	x				S26361-F	943,53	
SSD PCIe 1x256GB Highend card				x	x				S26361-F	587,06	
SSHD SATA III 1000Go 7.2k 3.5'				x	x	x			S26361-F	210,59	
SSD PCIe 2x512GB Highend card				x	x				S26361-F	1837,65	
SSD PCIe 1x512GB Highend card				x	x				S26361-F	1045,88	
SSHD SATA III 500GB 2.5'							x		S26361-F	175,29	
Disque dur 500Go 7.2k SATA III				x	x	x	x		S26361-F	116,47	
Disque dur 1000Go 7.2k SATA III				x	x	x	x		S26361-F	140,00	
Disque dur 2000Go 7.2k AF SATA III				x	x	x	x		S26361-F	222,35	
SSD SATA III 128GB Mainstream			x					x	S26361-F	222,35	
SSD SATA III 128GB M.2 Mainstream			x						S26361-F	220,00	
Kit de montage pour disque 2.5" SSD							x	x	S26361-F	17,65	
Cadre de fixation pour DD/SSDs 2.5'							x	x	S26361-F	22,35	
SSD SATA III 256GB Mainstream			x					x	S26361-F	404,71	
SSD SATA III 256GB M.2 Mainstream			x						S26361-F	402,35	
Disque dur 500Go 7.2k SATA II BusinessCritical				x			x		S26361-F	158,82	
SSD SATA III 512GB Mainstream			x						S26361-F	681,18	
Disque dur 1000Go 7.2k SATA II BusinessCritical				x	x	x	x		S26361-F	202,35	
HDD SATA III 2000GB 7.2k BC				x	x	x	x	x	S26361-F	295,29	
SSD SATA III 1024GB Mainstream				x				x	S26361-F	1244,71	
Disque dur SATA III 3000Go 7.2k BC				x	x	x	x		S26361-F	401,18	
DD SATA III 3000Go 7.2k BC		x							S26361-F	401,18	
Disque dur SATA III 4000Go 7.2k BC,				x	x	x	x	x	S26361-F	481,18	
DD SATA III 4000Go 7.2k BC		x							S26361-F	481,18	
SSD SATA III 240GB High Endurance			x					x	S26361-F	304,71	
SSD SATA III 480GB High Endurance			x					x	S26361-F	542,35	
SSD PCIe 128GB M.2 Highend			x					x	S26361-F	340,00	
SSD PCIe 256GB M.2 Highend			x					x	S26361-F	575,29	
SSD PCIe 512GB M.2 Highend			x					x	S26361-F	1045,88	
SSHD SATA III 500GB 2.5'			x					x	S26361-F	151,76	
SSHD SATA III 1000GB 3.5'			x					x	S26361-F	187,06	
HDD SATA III 500GB 7.2k			x					x	S26361-F	118,82	
HDD SATA III 1000GB 7.2k			x					x	S26361-F	134,12	
HDD SATA III 2000GB 7.2k			x					x	S26361-F	222,35	
HDD SATA III 500GB 7.2k 2.5' EA			x		x	x		x	S26361-F	118,82	
HDD SATA III 1000GB 7.2k 2.5' EA			x		x	x		x	S26361-F	169,41	
Disque dur SATA III 500Go 10k BC 2.5'				x	x	x			S26361-F	357,65	



## Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	CELSIUS C620	CELSIUS H760	CELSIUS J550	CELSIUS M730	CELSIUS M740	CELSIUS R940	CELSIUS W630	CELSIUS W650	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Hard Disks (Suite)</b>											
10x Kit for 2nd 3.5"			x						S26361-F	20,00	
10x Kit for 2.5" drive in 2.5" bay								x	S26361-F	40,00	
10x Kit for 2.5" drive in 3.5" bay								x	S26361-F	62,35	
Disque dur SAS 300Go 15k 6G 2.5"					x	x			S26361-F	464,71	
SSD SATA III 300Go à haute vitesse				x	x	x			S26361-F	264,71	
Disque dur SAS 600Go 10k 6G 2.5"				x	x	x			S26361-F	534,12	
Mounting Kit for internal 2.5" SSD bay				x	x	x			S26361-F	22,35	
HDD SAS 600GB 10k 6G 2.5"	x								S26361-F	534,12	
HDD SAS 600GB 15k 12G 2.5"					x	x			S26361-F	582,35	
HDD SAS 900GB 10k 6G 2.5"					x	x	x		S26361-F	669,41	
HDD SAS 900GB 10k 6G 2.5"	x								S26361-F	669,41	
HDD SAS 1200GB 10k 12G 2.5"					x	x			S26361-F	935,29	
<b>SCSI/RAID/SAS controller</b>											
RAID Ctrl SAS 6G 0/1 (D2607)	x		x						S26361-F	201,18	
RAID Ctrl SAS 6G 5/6 512MB (D2616)	x		x						S26361-F	331,76	
PRAID EP400i 12G 5/6 (D3216)					x	x			S26361-F	432,94	
PSAS CP400i 12G 0/1 (D3327)					x	x			S26361-F	229,41	
RAID Ctrl SAS 6G 0/1 (D2607-B)	x			x	x	x			S26361-F	201,18	
Flash Backup Unit (FBU + TFM)							x		S26361-F	300,00	
Mise à niveau de la carte 4-Port SAS				x					S26361-F	51,76	
Mounting Kit PCIe3.0x8 internal slot							x		S26361-F	40,00	
<b>Communication/Réseau</b>											
Carte Gigabit Ethernet (PCIe x1, DS)	x			x	x	x	x	x	S26361-F	32,94	
WLAN 802.11ac (2x2) PCIe x1 FH / LP			x		x	x			S26361-F	48,24	
Dbl.cte.série PCIe x1			x						S26361-F	38,82	
LTE upgrade kit		x							S26391-F	174,12	
Contrôleur Infiniband 56Gb 1 port FDR							x		S26361-F	1004,71	
USB 3.0 PCIe x1				x					S26361-F	34,12	
Carte 10 Gigabit Ethernet Dual (PCIe x8)	x			x	x	x			S26361-F	370,59	
Intel 2x1 Gb Ethernet Adapter I350-T2	x			x	x	x		x	S26361-F	141,18	
Interface Parallèle FH								x	S26361-F	12,94	
Interface eSATA (SATA, FH)				x	x	x	x	x	S26361-F	20,00	
Interface Série FH				x					S26361-F	27,06	
Carte Série Dual Port (PCIe x1)				x	x	x	x		S26361-F	38,82	
Carte Série Dual Port (PCIe x1), alimentée				x			x	x	S26361-F	43,53	
<b>Rack-Infrastructure</b>											
Kit de montage Rack CELSIUS (5U)				x	x	x			S26361-F	261,18	
Rack Mount Kit F1 CMA QRL LV	x								S26361-F	98,82	
Kit Rack F1 S7 LV	x								S26361-F	98,82	
<b>Port Replicator</b>											
Port Replicator			x						S26391-F	109,00	
Port Rep w/ 150W AC + EU cable			x						S26391-F	187,06	
<b>OS/Application-SW</b>											
Drivers&Utilitaires DVD (XP) CELSIUS	x			x					S26361-F	22,35	
Drivers&Utilitaires DVD (Win10) CELSIUS	x		x		x	x		x	S26361-F	16,47	
DeskUpdate Manager	x			x	x	x	x	x	S26361-F	1587,06	
Drivers&Utilitaires DVD MobileH Win10		x							S26391-F	16,47	
Drivers&Utilitaires DVD (W7 + W8) CELS	x			x	x	x	x		S26361-F	22,35	
<b>Onduleur/Alimentation</b>											
Adaptateur secteur 19V/150W trois broches		x							S26391-F	89,41	
Ext. Battery charger (2pr), w/AC w/o Cab		x							S26391-F	200,00	
2nd Battery 6cell 28Wh (2,600mAh)		x							S26391-F	141,18	
Battery 6cell 6700mAh		x							S26391-F	104,71	
<b>Sécurité</b>											
SmartCase SCR USB (interne USB)			x	x	x	x	x	x	S26361-F	27,06	
Advanced Face Recognition, Single License	x	x	x	x	x	x		x	S26361-F	17,65	
Advanced Face Recognition, Multi License	x	x	x	x	x	x		x	S26361-F	17,65	
Workplace Manager - Client License	x	x	x	x	x	x		x	S26361-F	30,59	
SCR Cloud 2700 R	x	x	x	x	x	x		x	S26381-F	30,59	
Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	x	x	x	x		x	S26381-F	25,88	
Lecteur SmartCard CARDOS V4.4. (2 pièces)				x	x	x			S26381-F	47,06	
Lecteur SmartCard CARDOS V4.4. (10 pièces)				x	x	x			S26381-F	215,29	
Dual SmartCard Reader D321 (Int.USB)				x	x	x	x	x	S26381-F	48,24	
<b>Divers</b>											
Feet for vertical position (2 pcs.)			x						S26361-F	20,00	
Blanking Plate 5.25" drive bays, 10 pcs.			x						S26361-F	17,65	
Cable powercord rack, 2.5m		x							S26361-F	24,71	
Cache baie 5.25", 10 pcs.							x	x	S26361-F	17,65	
Cache baie 3.5", 10 pcs.							x	x	S26361-F	17,65	
<b>Displays</b>											
DISPLAY P24T-7 LED, China	x					x			BDL:K154	329,41	
Ecran P27T-7 LED (IPS), câble EU	x	x		x	x	x		x	S26361-K	587,06	
DISPLAY B27T-7 LED, EU	x	x		x	x	x		x	S26361-K	328,24	
DISPLAY B24W-7 LED, EU	x	x		x	x	x		x	S26361-K	270,59	
DISPLAY P24W-7 LED, EU	x	x	x	x	x	x		x	S26361-K	372,94	
DISPLAY P24T-7 LED, EU	x	x	x	x	x	x		x	S26361-K	288,24	
DISPLAY P27T-7 UHD, EU	x	x	x	x	x	x		x	S26361-K	622,35	
DISPLAY B24-8 TE Pro, EU	x	x		x	x	x		x	S26361-K	198,82	
DISPLAY B24-8 TS Pro, EU	x	x		x	x	x		x	S26361-K	210,59	
<b>Clavier /Souris</b>											



## Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	CELSIUS C620	CELSIUS H760	CELSIUS J550	CELSIUS M730	CELSIUS M740	CELSIUS R940	CELSIUS W630	CELSIUS W650	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>											
<b>Clavier /Souris (Suite)</b>											
Clavier Pro E Ergonomique (USB, Fr)				x	x	x	x		S26381-K	52,94	
Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x			x	x	x	x	x	S26381-K	37,65	
Blue LED Souris (USB)	x	x		x	x	x	x		S26381-K	20,00	
SOURIS M440 ECO noir	x		x	x	x	x	x	x	S26381-K	15,29	
SpaceSouris(TM) Pro	x	x	x	x	x	x	x	x	S26381-K	340,00	
Souris Wireless W1610	x		x	x	x	x	x	x	S26381-K	21,18	
Wireless Notebook Souris W1200	x		x	x	x	x	x	x	S26381-K	14,12	
Souris MC200	x		x	x	x	x	x	x	S26381-K	11,76	
Wireless Notebook Souris W1410	x		x	x	x	x	x	x	S26381-K	15,29	
Wireless Souris Touch W1910	x		x	x	x	x	x	x	S26381-K	22,35	
MOUSE M520 BLACK	x		x	x	x	x	x	x	S26381-K	12,94	
MOUSE M520 GREY	x		x	x	x	x	x	x	S26381-K	12,94	
MOUSE M530 BLACK	x	x						x	S26381-K	15,29	
MOUSE M530 GREY	x	x	x	x	x	x	x	x	S26381-K	15,29	
MOUSE M530 BLACK N	x	x	x	x	x	x	x	x	S26381-K	15,29	
KB410 PS2 NOIR FR								x	S26381-K	17,65	
Clavier KB521 FR	x			x	x	x	x	x	S26381-K	21,18	
KB SCR eSIG F	x			x	x	x	x	x	S26381-K	47,06	
KB SCR2 FR	x							x	S26381-K	40,00	
KB SCR2 FR black	x			x	x	x	x		S26381-K	40,00	
Clavier Pro KB900 Noir (USB, Fr)	x			x	x	x	x	x	S26381-K	22,35	
Wireless KB Souris Set LX901 FR	x			x	x	x	x	x	S26381-K	51,76	
Wireless KB Souris Set LX390 FR	x			x	x	x	x		S26381-K	18,82	
Clavier KB500 USB (N) & cordon secteur EU	x			x	x	x	x	x	S26361-F	21,18	
Clavier KB500 USB (S/FIN) & cordon secteur EU	x			x	x	x	x	x	S26361-F	21,18	
Clavier KB500 USB (DK) & cordon secteur	x			x	x	x	x	x	S26361-F	21,18	
<b>Câbles</b>											
Câble secteur rack, 4m, gris	x								T26139-Y	15,29	
Câble pour 2x USB				x	x	x	x	x	S26361-F	22,35	
<b>Accessories</b>											
MicroSaver slim	x		x	x	x	x	x	x	S26361-F	45,88	
Combination Ultra	x			x	x	x	x		S26361-F	32,94	
Câble antivol Kensington Twin (2xClés/2xSlots)	x		x	x	x	x	x	x	S26361-F	54,12	
MicroSaver DS ultrathin	x			x	x	x	x		S26361-F	45,88	
MiniSaver Mobile Lock	x			x	x	x	x		S26361-F	58,82	
Prestige Backpack 17		x							S26391-F	60,00	
Sportive Backpack 15		x							S26391-F	69,41	
Prestige Case 15		x							S26391-F	52,94	
Prestige Case 16		x							S26391-F	68,24	
USB 3.0 Port Replicator PR08 EDC Hgkq				x	x				S26391-F	151,76	
Fujitsu USB 3.0 Port Replicator PR08				x	x				S26391-F	158,82	
USB Port Replicator PR8.1				x	x				S26391-F	176,47	
PocketSaver, retractable	x	x		x	x	x	x		S26391-F	38,82	
A-DATA USB3.0 Flash Stick UE700 32GB				x	x	x	x		S26391-F	38,82	
A-DATA USB3.0 Flash Stick UE700 64GB				x	x	x	x		S26391-F	67,06	
A-DATA NH13 portable hard drive				x	x	x	x		S26391-F	136,47	
DisplayPort vers DisplayPort Cable				x	x	x	x		S26391-F	23,53	
DisplayPort to VGA Adapter			x						S26391-F	27,06	
USB 3.0 certified cable 2m	x			x	x	x	x		S26391-F	9,41	
Workplace Connect Gate 2.0				x	x	x	x		S26391-F	252,94	
Workplace Connect Kit 1.0				x	x	x	x		S26391-F	528,24	
Filter écran confidentialité 3M 22", 55,9 cm				x	x	x	x		S26391-F	141,18	
Filter écran confidentialité 3M 24", 61,0 cm				x	x	x	x		S26391-F	148,24	
Filter écran confidentialité 3M 19", 48,3 cm				x	x	x	x		S26391-F	104,71	
Fujitsu USB 3.0 HUB 4 Ports				x	x	x	x		S26391-F	44,71	
Adaptateur+ USB DVI								x	S26391-F	58,82	
USB to UHD DP Adapter								x	S26391-F	81,18	
UC&C USB Headset Stereo H650e				x	x	x	x		S26391-F	74,12	
UC&C USB Value Headset				x	x	x	x		S26391-F	54,12	
HS E2000 Communicator				x	x	x	x	x	S26391-F	20,00	
Communicator Headset		x		x	x	x	x	x	S26391-F	24,71	
Câble adaptateur DisplayPort vers HDMI				x	x	x	x		S26391-F	27,06	
<b>Additional Software</b>											
OPENFT-CR (Unix systems) V12.0							x		U10987-C	12,94	
OPENFT-SW-CD (Unix systems) V12.0							x		U10987-C	31,76	
OPENFT-1 (Unix systems) V12.0							x		U10987-C	1189,41	
OPENFT-FTAM-1 (Unix systems) V12.0							x		U10987-C	1189,41	
OPENFT-FTP-1 (Unix systems) V12.0							x		U10987-C	485,88	
OPENFT-CR (WINDOWS) V12.0							x		U11081-C	12,94	
OPENFT-SW-CD (WINDOWS) V12.0							x		U11081-C	27,06	
OPENFT-1 (WINDOWS) V12.0							x		U11081-C	1189,41	
OPENFT-FTAM-1 (WINDOWS) V12.0							x		U11081-C	1189,41	
OPENFT-FTP-1 (WINDOWS) V12.0							x		U11081-C	485,88	
OPENFT-1 (WINDOWS) V11.0							x		U11081-C	1081,18	
OPENFT-FTAM-1 (WINDOWS) V11.0							x		U11081-C	1081,18	
OPENFT-SW-CD (WINDOWS) V11.0							x		U11081-C	27,06	
OPENFT-CR (WINDOWS) V11.0							x		U11081-C	12,94	
OPENFT-1 (UNIX systems) V11.0							x		U10987-C	1081,18	
OPENFT-FTAM-1 (UNIX systems) V11.0							x		U10987-C	1081,18	
OPENFT-SW-CD (UNIX systems) V11.0							x		U10987-C	31,76	
OPENFT-CR (UNIX systems) V11.0							x		U10987-C	14,12	



Fujitsu recommande Windows.

**Accessoires stations de travail CELSIUS H** Fiches produit : <http://fr.fujitsu.com/celsius>

Catégorie	Description	CELSIUS H730	CELSIUS H920	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>						
<b>Mémoire</b>						
	4GB DDR3L-1600 PC3-12800	x		S26391-F1332-L400	78,82	
	8GB DDR3L-1600 PC3-12800	x		S26391-F1332-L800	141,18	
<b>Graphics</b>						
	Câble adaptateur DisplayPort vers DVI-D		x	S26361-F2391-L200	36,47	
<b>Supports amovibles</b>						
	Weight saver for modular bay	x		S26391-F1334-L100	17,65	
	DVD Super Multi (reader/writer)	x		S26391-F1334-L200	57,65	
	Blu-ray Triple Writer	x		S26391-F1334-L300	143,53	
<b>Hard Disks</b>						
	SSHD 1000GB / 8GB 5.4k 9mm	x		S26391-F1333-L108	150,00	
	HDD SATA II 500GB 5.4k	x		S26391-F1333-L400	123,53	
	SSHD 500GB / 8GB SSD Cache	x		S26391-F1333-L508	164,71	
	SSD SATA III 128GB	x		S26391-F1333-L810	234,12	
	SSD SATA III 256GB	x		S26391-F1333-L820	328,24	
	SSD SATA III 512GB	x		S26391-F1333-L830	598,82	
	2nd HDD bay module (without HDD)	x		S26391-F1334-L600	34,12	
<b>Communication/Réseau</b>						
	UMTS upgrade kit (technicians only)	x		S26391-F1335-L520	123,53	
	LTE upgrade kit (technicians only)	x		S26391-F1335-L530	158,82	
<b>Port Replicator</b>						
	Port Replicator	x		S26391-F1337-L109	109,00	
	Port Rep w/ 150W AC + EU cable	x		S26391-F1337-L110	187,06	
<b>OS/Application-SW</b>						
	Drivers&Utilities DVD MobileH Win7/8/8.1	x	x	S26361-F2012-L103	29,41	
	DeskUpdate Manager	x	x	S26361-F4040-L200	1587,06	
<b>Onduleur/Alimentation</b>						
	Batterie 6cell 6700mAh	x		S26391-F1166-L100	104,71	
	Adaptateur secteur 19V/150W trois broches	x		S26391-F1166-L220	89,41	
	2nd Battery 6cell 28Wh (2,600mAh)	x		S26391-F1334-L500	141,18	
	Ext. Battery charger (2pr), w/AC w/o Cab	x		S26391-F1356-L700	200,00	
<b>Sécurité</b>						
	Advanced Face Recognition, Single License	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	S26381-F2700-L100	30,59	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	S26381-F305-L110	215,29	
	USB SCR 3500	x		S26381-F350-L100	28,24	
<b>Divers</b>						
	SSD Declaration	x	x	S26361-F3840-L100	0,01	
	Kit évolution UMTS		x	S26391-F985-L120	115,29	
<b>Displays</b>						





Fujitsu recommande Windows.

**Accessoires stations de travail CELSIUS H** Fiches produit : <http://fr.fujitsu.com/celsius>

Catégorie	Description	CELSIUS H730	CELSIUS H920	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>						
<b>Displays (Suite)</b>						
	Ecran P27T-7 LED (IPS), câble EU	x	x	S26361-K1442-V140	587,06	
	DISPLAY B27T-7 LED, EU	x		S26361-K1478-V141	328,24	
	DISPLAY B24W-7 LED, EU	x		S26361-K1497-V140	270,59	
	DISPLAY P24W-7 LED, EU	x	x	S26361-K1498-V140	372,94	
	DISPLAY P24T-7 LED, EU	x	x	S26361-K1543-V140	288,24	
	DISPLAY P27T-7 UHD, EU	x		S26361-K1564-V140	622,35	
	DISPLAY B24-8 TE Pro, EU	x		S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x		S26361-K1577-V160	210,59	
<b>Clavier /Souris</b>						
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)		x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	S26381-K450-L200	15,29	
	Notebook Souris M410		x	S26381-K453-L100	10,59	
	SpaceSouris(TM) Pro	x	x	S26381-K459-L100	340,00	
	Souris Wireless WI610	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	S26381-K463-L100	11,76	
	Wireless Souris Touch WI910	x	x	S26381-K465-L100	22,35	
	MOUSE M520 BLACK	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x		S26381-K468-L100	15,29	
	MOUSE M530 GREY	x		S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x		S26381-K468-L102	15,29	
	Clavier KB521 FR		x	S26381-K521-L140	21,18	
	KB SCR eSIG F	x	x	S26381-K529-L140	47,06	
	KB SCR2 FR		x	S26381-K538-L140	40,00	
	KB SCR2 FR black		x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	S26381-K590-L440	18,82	
<b>Câbles</b>						
	Cable powercord (CHN), 1.8m, black		x	T26139-Y1751-L10	25,88	
	Câble secteur (D), 1.8m, gris		x	T26139-Y1740-V10	3,53	
	Cable Powercord (UK), 1.8m, black		x	T26139-Y1744-V10	3,53	
	Power cord three-wire US	x		S26361-F2581-L300	17,65	
	Cordon secteur 3P EU	x		S26361-F2581-L310	17,65	
	Power cord three-wire GB	x		S26361-F2581-L320	17,65	
	Power cord three-wire I	x		S26361-F2581-L330	17,65	
<b>Accessories</b>						
	MicroSaver slim	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x		S26361-F1650-L510	32,94	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x		S26361-F1650-L900	45,88	



Fujitsu recommande Windows.

**Accessoires stations de travail CELSIUS H** Fiches produit : <http://fr.fujitsu.com/celsius>

Catégorie	Description	CELSIUS H730	CELSIUS H920	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
<b>Accessoires (Suite)</b>						
	MiniSaver Mobile Lock	x	x	S26361-F1650-L910	58,82	
	Sacoche Casual 16 (up to 15,6")	x		S26391-F1191-L107	18,82	
	PRESTIGE TROLLY 17	x		S26391-F1192-L130	116,47	
	Casual Backpack 16	x		S26391-F1192-L167	49,41	
	PrestigeCase Maxi 17	x	x	S26391-F1192-L61	68,24	
	Prestige Backpack 17	x	x	S26391-F1194-L135	60,00	
	Sportive Backpack 15	x		S26391-F1194-L136	69,41	
	Prestige Case 15	x		S26391-F1194-L60	52,94	
	Prestige Case 16	x		S26391-F1194-L61	68,24	
	Mobile Travel Pack	x		S26391-F6036-L616	116,47	
	PocketSaver, retractable	x		S26391-F6045-L100	38,82	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	S26391-F6048-L364	67,06	
	A-DATA NH13 portable hard drive	x		S26391-F6048-L420	136,47	
	DisplayPort vers DisplayPort Cable	x	x	S26391-F6055-L220	23,53	
	USB 3.0 certified cable 2m	x		S26391-F6055-L320	9,41	
	Workplace Connect Gate 2.0	x		S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x		S26391-F6055-L710	528,24	
	Filtre écran confidentialité 3M 15,6", 39,6cm	x		S26391-F6097-L317	82,35	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	S26391-F6099-L304	44,71	
	UC&C USB Headset Stereo H650e	x	x	S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x		S26391-F7139-L20	54,12	
	HS E2000 Communicator	x	x	S26391-F7139-L5	20,00	
	Communicator Headset	x		S26391-F7139-L51	24,71	
	Câble adaptateur DisplayPort vers HDMI	x	x	S26391-F6055-L210	27,06	

# Reliable Computing without any Restrictions

## Fujitsu FUTRO Thin Clients



Software features	eLux® RL	eLux® RT	Windows® Embedded Compact 7	Windows® Embedded Standard 7
<b>Applications</b>				
ICA / RDP / VMware® View Client	Yes	Yes	Yes (without VMware®)	Yes
MS-Explorer	No	No	Limited	Full version
Media / Firefox	Full version	Full version	No	Possible
Java	Yes	No	No	Possible
X11	Yes	Yes	No	No
MediaPlayer	Adobe® Flash Player / Native Player	Supported	Windows® Media-Player	Windows® Media-Player
PDF reader	Adobe® Acrobat Reader	Supported	Microsoft® PDF Viewer	Adobe® Acrobat Reader
Printing	ThinPrint	No	No	ThinPrint (possible)
Need of resources / cost	Low	Low	Low	High
<b>Security</b>				
File security	Write-protected file system	Write-protected file system	Write-protected file system	Enhanced write filter
SmartCard	Yes	Yes	Yes	Yes
User authentication	LDAP, ADO, SMB	ADO	ADO	ADO
Network security	Cisco® VPN Client	VPN Client (optional)	Microsoft® VPN Client	Microsoft® VPN Client
<b>Manageability</b>				
SCOUT Enterprise	Yes	Yes	Yes	Yes
<b>Virtualization</b>				
Clone®	Yes	Yes	Yes	Yes
VMware®	Yes	Yes	No	Yes

Do you need maintenance and service support?

- Link: [www.fujitsu.com/itc/remotepositioning](http://www.fujitsu.com/itc/remotepositioning)
- Link: [www.fujitsu.com/itc/remotepositioning](http://www.fujitsu.com/itc/remotepositioning) (access requires negotiation)



Hardware features	SUPERIOR			ADVANCED		ALL-ROUND
	ES-PRIMO X913-T / X913-T	FUTRO X913 / X913-T	FUTRO S900	FUTRO S700	FUTRO A300	FUTRO Z220
Processor	up to Intel® Core™ i7-2600	AMD G-Series G-T44R	AMD G-Series G-T44R	AMD G-Series G-T44R	VIA Eden™ UV 1 GHz	Texas Instruments system-on-chip DM8148
RAM	up to 8 GB	up to 32 GB	4 GB	2 GB	1 GB	1 GB
Storage	160 GB HDD 128 GB SSD	160 GB HDD 128 GB SSD mSATA - up to 16 GB	mSATA - up to 16 GB	mSATA - up to 4 GB	CF module 1 GB	3GB eMMC onboard
Operating system	eLux® RL Microsoft® Windows® Embedded Standard 7	eLux® RL Microsoft® Windows® Embedded Standard 7	eLux® RL Microsoft® Windows® Embedded Standard 7	eLux® RL Microsoft® Windows® Embedded Standard 7	eLux® RL Microsoft® Windows® Embedded Compact 7	eLux® RT
Graphics	On board (Intel® HD Graphics 2000)	Integrated AMD® Radeon™ HD6250	Integrated AMD® Radeon™ HD6250	Integrated AMD® Radeon™ HD6250	VIA V1900	On board
Audio	On board	On board	On board	On board	On board	On board
LAN	10/100/1000 Mbit/s	10/100/1000 Mbit/s	10/100/1000 Mbit/s	10/100/1000 Mbit/s	10/100/1000 Mbit/s	10/100/1000 Mbit/s
VOI ready	Yes	Yes	Yes	Yes	Yes	Yes
Remote power-on	No	Yes	Yes	Yes	Yes	Yes

1) Fujitsu FUTRO S132-T / S200 / S700 requires a Fujitsu keyboard with power button. Fujitsu FUTRO A100 supports key-combinator press-etc.

Copyright

© Fujitsu Technology Solutions 2012  
 All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability for the data and illustrations is complete, actual or constructive is excluded. Designations may be trademarks and/or copyright of the respective manufacturers. For further information see [www.fujitsu.com/itc](http://www.fujitsu.com/itc)



## Fujitsu recommande Windows.

**FUTRO**

Fiches produit : <http://fr.fujitsu.com/futro>

La gamme de FUTRO de Fujitsu sont des clients légers rentables et faciles d'utilisation, pour des solutions informatiques hautement sécurisées de type client-serveur ou virtualisation du poste de travail. Votre coût total de possession est réduit jusqu'à 80 % par rapport à un parc de PCs standards, cela grâce à un matériel peu onéreux, une efficacité énergétique optimale et un minimum. L'encombrement réduit de nos clients légers et leur fonctionnement silencieux aident à créer un environnement de travail agréable. Enfin, la qualité de nos produits leur une durée de vie incroyable.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>FUTRO S520</b>				
FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/ELUX RP LIC/ OPT USB BLK/	VFY:S0520P700OFR	292,94	
<b>FUTRO S720</b>				
FUTRO S720 /AMD GX-222GC/2GB/DVI/VGA/	FUTRO S720 /AMD GX-222GC/2GB/DVI/VGA/ 2GB MSATA SLC/CK EU/INT/REC DVD RP/ ELUX RP LIC/AC 20V/40W/OPT USB BLK/	VFY:S0720P700BFR	340,00	
FUTRO S720 /AMD GX-222GC/4GB/DVI/VGA/	FUTRO S720 /AMD GX-222GC/4GB/DVI/VGA/ 16GB MSATA MLC/CK EU/INT/LIC WS7P/ PRE OPEN WS7P/RDVD WS7P/AC 20V/40W/ OPT USB BLK/	VFY:S0720P702BFR	410,59	



Fujitsu recommande Windows.

Accessoires FUTRO

Fiches produit : <http://fr.fujitsu.com/futro>

Catégorie	Description	FUTRO L420	FUTRO L620	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO Z220	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
<b>Mémoire Modules</b>										
	Mémoire 2Go DDR3-1066 SODIMM			x	x			S26361-F4408-L2	49,41	
<b>Graphics</b>										
	Dual Link DVI cable	x						S26361-F2391-L9	22,35	
	CELSIUS RemoteAccess double connexion	x	x					S26361-F3565-L2	276,47	
	CELSIUS RemoteAccess Quad Card	x	x					S26361-F3565-L4	457,65	
	Câble adaptateur DisplayPort vers DVI-D		x	x	x			S26361-F2391-L200	36,47	
	Mini Display Port câble / adaptateur DVI-D.	x	x					S26361-F2391-L8	38,82	
	Adaptateur DVI/VGA	x		x	x	x	x	S26361-F2391-L1	20,00	
<b>Communication/Réseau</b>										
	Carte Série Dual (PCI)				x			S26361-F3465-L4	40,00	
	2nd LAN/PoE module			x	x			S26361-F3466-L1	40,00	
<b>Power supply</b>										
	MICROSEMI PD-9501G:			x	x	x		S26361-F1744-L10	129,41	
	Injecteur PoE 12x (MICROSEMI PD-9512G)			x	x	x		S26361-F1744-L20	1410,59	
<b>OS/Application-SW</b>										
	Field upgrade to Win Emb. Std 7 (WS7P)			x	x	x		S26361-F2009-L200	110,59	
	Clé de souscription eLux/WES/Scout			x	x	x	x	S26361-F2727-L703	17,65	
	License pour SCOUT 13+			x	x	x	x	S26361-F2727-L705	50,59	
	License for eLux RP			x	x	x		S26361-F2727-L755	21,18	
	License pour PowerTerm WBT			x	x	x		S26361-F2600-L144	29,41	
<b>Sécurité</b>										
	Lecteur SmartCard interne (USB, Futro S900)				x			S26361-F1260-L803	29,41	
	SCR Cloud 2700 R			x	x	x		S26381-F2700-L100	30,59	
	Comfort Sensor CS300			x	x	x		S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)			x	x	x		S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	x	x		S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	x	x		S26381-F305-L110	215,29	
	USB SCR 3500					x		S26381-F350-L100	28,24	
<b>Divers</b>										
	Kit de montage VESA FUTRO Z-Series						x	S26361-F1051-L10	14,12	
	AC-Adapter 20V/40W						x	S26361-F1051-L20	18,82	
	Adaptateur secteur 20V (40W)			x	x			S26361-F2542-L14	18,82	
	Riser Card PCI				x			S26361-F2542-L19	29,41	
	VESA Subadapter Velcro® strap	x		x	x			S26361-F2601-L200	20,00	
	Kit VESA FUTRO S			x	x			S26361-F2601-L550	47,06	
	Universal Monitor Stand	x						S26361-F2601-L700	128,24	
	Câble DVI pour Kit de montage VESA,	x					x	S26361-F2601-L541	15,29	
	Cache USB	x	x	x	x	x	x	S26361-F2542-L291	17,65	
	Kit de montage VESA FUTRO L-Series	x						S26361-F1051-L15	23,53	
<b>Displays</b>										
	Ecran B19-7 LED câble EU	x	x				x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x				x	S26361-K1472-V140	209,41	
	Ecran E19-7 LED, câble EU	x	x				x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x				x	S26361-K1496-V140	215,29	
	DISPLAY B24W-7 LED, EU	x	x				x	S26361-K1497-V140	270,59	
	DISPLAY E20T-7 LED, EU	x	x				x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU			x	x		x	S26361-K1542-V160	163,53	
	DISPLAY P24T-7 LED, EU	x	x	x	x		x	S26361-K1543-V140	288,24	
	DISPLAY B24T-1L, EU	x	x	x	x		x	S26361-K1558-V160	211,76	



Fujitsu recommande Windows.

Accessoires FUTRO

Fiches produit : <http://fr.fujitsu.com/futro>

Catégorie	Description	FUTRO L420	FUTRO L620	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO Z220	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
<b>Displays (Suite)</b>										
	Display L27T-1 LED, EU	x	x				x	S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x	x				x	S26361-K1573-V160	163,53	
	DISPLAY E22T-7 Pro, EU	x	x				x	S26361-K1579-V160	151,76	
<b>Clavier /Souris</b>										
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)			x	x		x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)			x	x	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir			x	x	x	x	S26381-K450-L200	15,29	
	Souris Wireless W1610			x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris W1200			x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200			x	x	x	x	S26381-K463-L100	11,76	
	Wireless Notebook Souris W1410			x	x	x	x	S26381-K464-L100	15,29	
	Wireless Souris Touch W1910			x	x	x	x	S26381-K465-L100	22,35	
	MOUSE M520 BLACK	x	x		x		x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x		x		x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x		x		x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	x		x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x		x		x	S26381-K468-L102	15,29	
	KB410 PS2 NOIR FR			x	x			S26381-K515-L440	17,65	
	Clavier KB521 FR	x	x	x	x		x	S26381-K521-L140	21,18	
	KB SCR eSIG F			x	x			S26381-K529-L140	47,06	
	KB SCR2 FR			x	x		x	S26381-K538-L140	40,00	
	KB SCR2 FR black			x	x	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)			x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR			x	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR			x	x	x	x	S26381-K590-L440	18,82	
<b>Câbles</b>										
	Câble secteur, Noir, 1,8m, pour EU	x	x	x	x		x	T26139-Y2540-V113	9,41	
	Câble secteur, Noir, 1,8 m, pour UK	x	x	x	x		x	T26139-Y2540-V213	9,41	
	Câble secteur, Noir, 1,8 m, pour USA	x	x	x	x		x	T26139-Y2540-V313	9,41	
	Standard-LAN-câble, RJ45, 10Base T 5m	x	x	x	x	x	x	T26139-Y2425-M5	10,59	
	Standard-LAN-câble, RJ45, 10 Base T 10M	x	x	x	x	x	x	T26139-Y2425-M10	15,29	
<b>Accessories</b>										
	MicroSaver slim			x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	x	x	S26361-F1650-L510	32,94	
	Câble antivol Kensington Twin (2xClés/2xSlots)			x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x		x	x	x	x	S26361-F1650-L900	45,88	
	MiniSaver Mobile Lock			x	x	x	x	S26361-F1650-L910	58,82	
	PocketSaver, retractable	x	x	x	x	x	x	S26391-F6045-L100	38,82	
	A-DATA USB3.0 Flash Stick UE700 32GB			x	x		x	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB			x	x		x	S26391-F6048-L364	67,06	
	DisplayPort to VGA Adapter			x	x			S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m	x	x	x	x		x	S26391-F6055-L320	9,41	
	USB vers câble adaptateur série			x	x	x	x	S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x	x	x	x		x	S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	x	x		x	S26391-F6055-L710	528,24	
	Filtre écran confidentialité 3M 24", 61,0 cm						x	S26391-F6097-L322	148,24	
	Enceintes DS E2000 Air (USB)	x	x			x	x	S26391-F7128-L600	29,41	
	UC&C USB Headset Stereo H650e	x	x			x	x	S26391-F7139-L10	74,12	
	HS E2000 Communicator		x		x	x	x	S26391-F7139-L5	20,00	



Fujitsu recommande Windows.

**Accessoires FUTRO**

Fiches produit : <http://fr.fujitsu.com/futro>

Catégorie	Description	FUTRO L420	FUTRO L620	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO Z220	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
<b>Accessoires (Suite)</b>										
	Communicator Headset	x	x		x		x	S26391-F7139-L51	24,71	
	Câble adaptateur DisplayPort vers HDMI			x	x			S26391-F6055-L210	27,06	

# A Feast for Your Eyes

## Fujitsu Displays



Display	SUPERIOR					ADVANCED					ALL-ROUND				
	P27E-6 IPS	P24W-6 IPS	P23T-6 IPS	B24W-5 ECO	B23T-6 LED	B22W-6 LED	B22W-6 LED pG	B22W-5 ECO	B19-6 LED	E23T-6 LED	E22W-6 LED	E19W-5	E19-6 LED		
Diagonal Size	68.6 cm (27-inch)	61 cm (24-inch)	58.4 cm (23-inch)	61 cm (24-inch)	58.4 cm (23-inch)	55.9 cm (22-inch)	55.9 cm (22-inch)	55.9 cm (22-inch)	48.3 cm (19-inch)	58.4 cm (23-inch)	55.9 cm (22-inch)	48.1 cm (19-inch)	48.3 cm (19-inch)		
Panel and backlight	IPS/CCFL	IPS/CCFL	IPS/LED	TN/CCFL	TN/LED	TN/LED	TN/LED	TN/CCFL	TN/LED	TN/LED	TN/LED	TN/CCFL	TN/LED		
Aspect ratio	16:9	16:10	16:9	16:10	16:9	16:10	16:10	16:10	5:4	16:9	16:10	16:10	5:4		
Max. Resolution	2560 x 1440 pixel	1920 x 1200 pixel	1920 x 1080 pixel	1920 x 1200 pixel	1920 x 1080 pixel	1680 x 1050 pixel	1680 x 1050 pixel	1680 x 1050 pixel	1280 x 1024 pixel	1920 x 1080 pixel	1680 x 1050 pixel	1440 x 900 pixel	1280 x 1024 pixel		
Brightness - typical	350 cd/m <sup>2</sup>	400 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>	250 cd/m <sup>2</sup>		
Contrast - typical	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1		
Contrast - advanced	20,000:1	20,000:1	2,000,000:1	10,000:1	2,000,000:1	2,000,000:1	2,000,000:1	10,000:1	2,000,000:1	2,000,000:1	2,000,000:1	10,000:1	2,000,000:1		
Response time typ	6 ms (gtg)	5 ms (gtg)	5 ms (gtg)	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms		
Viewing angle (H/V) - typical	178°/178° CR10:1	178°/178° CR10:1	178°/178° CR10:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170°	170°/170° CR5:1		
Connectivity															
USB	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0							
Video Input	1 x DisplayPort 2 x HDMI 1 x DualLink DVI 1 x D-SUB	1 x DisplayPort 1 x DVI (HDCP) 1 x D-SUB	1 x DisplayPort 1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DisplayPort 1 x DVI (HDCP) 1 x D-SUB	1 x DisplayPort 1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	
Stand															
Rotation to portrait	90° (AutoPivot)	90° (AutoPivot)	90° (AutoPivot)	90°	90°	90°	90°	90°	90°						
Height adjust range	125 mm	100 mm	120 mm	110 mm	120 mm	110 mm	110 mm	110 mm	110 mm						
Swivel angle	340°	340°	340°	90°	340°	340°	90°	90°	340°						
Tilt angle	-3° / +35°	-3° / +35°	-3° / +35°	-5° / +20°	-5° / +35°	-5° / +35°	-5° / +35°	-5° / +20°	-5° / +35°	-5° / +20°	-5° / +20°	-5° / +20°	-5° / +15°		
Picture over desk	55 mm (min)	50 mm (min)	50 mm (min)	70 mm (min)	50 mm (min)	55 mm (min)	85 mm (min)	55 mm (min)	55 mm (min)						
Special Features															
0 wait mode	•	•	•	•	•	•	•	•	•	•	•	•	•		
ECO System	•	•	•	•	•	•	•	•	•	•	•	•	•		
ABC	•	•	•	•	•	•	•	•	•	•	•	•	•		
Compliance															
Global	TCO03 ISO9241-307 (Pixel fault class I)	TCO03 ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® Silver ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® Silver ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class II)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)		
Order information															
SZ6361...	...K1372-V140	...K1371-V140	...K1370-V140	...K1334-V140	...K1388-V140	...K1375-V140	...K1320-V140	...K1374-V140	...K1374-V140	...K1377-V160	...K1331-V160	...K1331-V160	...K1376-V160		
EAN (4049699-...)	...293528	...293511	...293504	...111334	...350085	...310652	...361654	...310645	...310645	...393150	...109232	...393150	...393143		





## Moniteurs

Fiches produit : <http://fr.fujitsu.com/moniteurs>

Un plaisir pour vos yeux et un réel plaisir de travailler, nos écrans cristaux liquides vous permettront de disposer d'un environnement de travail confortable et agréable,

Gamme économique de 17 à 26 pouces, gamme business, gamme performance avec mode économie d'énergie (zéro watt en mode veille) ou gamme design, vous trouverez nécessairement l'écran en adéquation avec votre activité et votre environnement de travail.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
<b>Displays</b>				
DISPLAY E19-7 LED, ohne Netzkabel	DISPLAY E19-7 LED, ohne Netzkabel E-Line 48,3cm(19')wide Display LED Backlight, matt schwarz DVI, VGA, tilt stand	BDL:K1482V160-INT	148,24	
DISPLAY B23T-7 LED(ID via PT. Metrodata)	DISPLAY B23T-7 LED(ID via PT. Metrodata) Business Line 58.4cm(23')wide Display Ultra Wide View,LED,marble grey DisplayPort,DVI,VGA,USB, 4-in-1 Stand	BDL:K1496V140-IDM	237,65	
DISPLAY E20T-7 LED, UK	DISPLAY E20T-7 LED, UK E-Line 49.53cm (19.5')wide Display VGA, DVI, matt black LED backlight	BDL:K1538V160-UK	122,35	
DY B20T-7 LED PROGREEN, China	DY B20T-7 LED PROGREEN, China B-Line 49.53cm(19.5')wide Display LED Backlight, matt black DVI,VGA 4-in-1 stand	BDL:K1542V160-CHN	167,06	
DISPLAY P24T-7 LED, China	DISPLAY P24T-7 LED, China Business Line 61cm(24')wide Display Ultra Wide View,LED,marble grey HDMI,MHL,DVI,VGA,USB, 4-in-1 Stand	BDL:K1543V140-CHN	329,41	
Display E22 Touch, UK	Display E22 Touch, UK E-Line 54,6cm (21,5'), wide Display HDMI, DVI, VGA, USB 3.0 hub, black Anti-Glare 10-finger PCT touch	BDL:K1544V160-UK	321,18	
DISPLAY B24T-1L, UK	DISPLAY B24T-1L, UK Business Line 61cm(24')wide Display LED Backlight, matt black housing HDMI,DVI,VGA,Height adjust	BDL:K1558V160-UK	225,88	
DISPLAY P27T-7 UHD, UK	DISPLAY P27T-7 UHD, UK Premium Line 69cm(27')wide Display IPS Panel, LED Backlight, marble grey DP,HDMI,MHL,USB, 4-in-1 stand	BDL:K1564V140-UK	734,12	
Display L27T-1 LED, UK	Display L27T-1 LED, UK 68.5cm (27"), FHD, wide screen display HDMI, DVI, VGA, ultra wide view matt black, USB hub, stereo speaker	BDL:K1571V160-UK	245,88	
Display E24T-7 Pro UK	Display E24T-7 Pro UK 60.5cm (24") wide display, matt black HDMI, DVI, VGA, ultra wide view speaker 2 x 2W	BDL:K1573V160-UK	177,65	
DISPLAY B24-8 TE Pro, UK	DISPLAY B24-8 TE Pro, UK Business Line 60,5cm(23.8')wide Display Ultra Wide View, LED, marble grey DisplayPort,DVI,VGA,USB, 4-in-1 stand	BDL:K1577V140-UK	223,53	
DISPLAY B24-8 TS PRO, CHN	DISPLAY B24-8 TS PRO, CHN Business Line 60,5cm(23.8')wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1577V160-CHN	245,95	
DISPLAY B24-8 TS Pro, UK	DISPLAY B24-8 TS Pro, UK Business Line 60,5cm(23.8')wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1577V160-UK	223,53	
DISPLAY B22T-7 Pro, CHN	DISPLAY B22T-7 Pro, CHN Business Line 54.6cm(21.5')wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1578V160-CHN	201,18	
DISPLAY B22T-7 Pro, INT	DISPLAY B22T-7 Pro, INT Business Line 54.6cm(21.5')wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1578V160-INT	192,94	
DISPLAY B22T-7 PRO, UK	DISPLAY B22T-7 PRO, UK Business Line 54.6cm(21.5')wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1578V160-UK	192,94	
DISPLAY E22T-7 Pro UK	DISPLAY E22T-7 Pro UK E-Line 54.6cm(21,5')wide Display HDMI, dvi, vga, ultra wide view matt black, speaker 2x 1.5W	BDL:K1579V160-UK	156,47	
Câble Ecran DVI-D	Câble Ecran DVI-D DVI single link 1.8m. Mminimum de commande 100 pcs.	S26361-F1115-V1	4,71	
Ecran P27T-7 LED (IPS), câble EU	DISPLAY P27T-7 LED (IPS), EU cable, Premium Line 69cm(27")wide Display, IPS Panel, LED Backlight, marble grey, DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1442-V140	587,06	
Ecran B19-7 LED câble EU	DISPLAY B19-7 LED EU cable, Business Line 48,3cm(19') Display, WVA Panel, LED Backlight, marble grey, DVI,VGA,4-in-1 stand	S26361-K1471-V140	187,06	
Ecran B22W-7 LED câble EU	Ecran B22W-7 LED câble EU 55,9 cm (22 ") large affichage, TN Panel, rétroéclairage LED, marbre gris DisplayPort, DVI, VGA, 4 x USB, 4-en-1	S26361-K1472-V140	209,41	



## Moniteurs

Fiches produit : <http://fr.fujitsu.com/moniteurs>

DISPLAY B27T-7 LED, EU	DISPLAY B27T-7 LED EU cable, Business Line 69cm(27") Display, Ultra Wide View, LED, marble grey, DisplayPort,DVI,VGA,4-in-1 stand	S26361-K1478-V141	328,24	
Ecran E19-7 LED, câble EU	DISPLAY E19-7 LED, EU cable, E-Line 48,3cm(19") Display, WVA Panel, LED Backlight, matt black, DVI, VGA, tilt stand	S26361-K1482-V160	151,76	



**Moniteurs** Fiches produit : <http://fr.fujitsu.com/moniteurs>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
<b>Displays (Suite)</b>				
Display L20T-5 LED, EU cable		S26361-K1491-V160	116,47	
DISPLAY B23T-7 LED, EU	DISPLAY B23T-7 LED, EU cable, Business Line 58.4cm(23")wide Display, Ultra Wide View,LED,marble grey, DisplayPort,DVI,VGA,USB, 4-in-1 Stand	S26361-K1496-V140	215,29	
DISPLAY B24W-7 LED, EU	DISPLAY B24W-7 LED, EU cable, Business Line 61cm(24")wide Display, Ultra Wide View,LED,marble grey, DisplayPort,DVI,VGA,USB, 4-in-1 Stand	S26361-K1497-V140	270,59	
DISPLAY P24W-7 LED, EU	DISPLAY P24W-7 LED, EU cable, Business Line 61cm(24")wide Display, Ultra Wide View,LED,marble grey, HDMI,MHL,DVI,VGA,USB, 4-in-1 Stand	S26361-K1498-V140	372,94	
DISPLAY E20T-7 LED, EU	DISPLAY E20T-7 LED, EU, E-Line 49.53cm (19.5")wide Display, VGA, DVI, matt black, LED backlit	S26361-K1538-V160	135,29	
DISPLAY B20T-7 LED proGREEN, EU	DISPLAY B20T-7 LED proGREEN, EU Cable, B-Line 49.53cm(19.5")wide Display, LED Backlight, matt black, DVI,VGA 4-in-1 stand	S26361-K1542-V160	163,53	
DISPLAY P24T-7 LED, EU	DISPLAY P24T-7 LED, EU cable, Business Line 61cm(24")wide Display, Ultra Wide View,LED,marble grey, HDMI,MHL,DVI,VGA,USB, 4-in-1 Stand	S26361-K1543-V140	288,24	
Display E22 Touch, EU	Display E22 Touch, EU cable, E-Line 54.6cm (21.5"), wide display, HDMI, DVI, VGA, USB 3.0 hub, black, Anti-Glare 10-finger PCT touch	S26361-K1544-V160	325,88	
DISPLAY B24T-1L, EU	DISPLAY B24T-1L, EU cable, Business Line 61cm(24")wide Display, LED Backlight, matt black housing, HDMI,DVI,VGA,Height adjust	S26361-K1558-V160	211,76	
DISPLAY P27T-7 UHD, EU	DISPLAY P27T-7 UHD, EU cable, Premium Line 69cm(27")wide Display, IPS Panel, LED Backlight, marble grey, DP,HDMI,MHL,USB, 4-in-1 stand	S26361-K1564-V140	622,35	
Display L27T-1 LED, EU	Display L27T-1 LED, EU cable	S26361-K1571-V160	234,12	
Display E24T-7 Pro, EU	DISPLAY E24T-7 Pro, EU, E-Line 60.5cm(23.8')wide Display, Ultra Wide View,LED, matt black, HDMI, DVI, VGA, tilt stand	S26361-K1573-V160	163,53	
Display L21T-1 LED, EU	Display L21T-1 LED, EU cable, 52,6cm (20.7"), FHD, Wide Screen Display, DVI, VGA, matt black, Touch OSD-keys, stereo speakers,	S26361-K1575-V160	128,24	
DISPLAY B24-8 TE Pro, EU	DISPLAY B24-8 TE Pro, EU cable, Business Line 60,5cm(23.8")wide Display, Ultra Wide View, LED, marble grey, DisplayPort,DVI,VGA,USB, 4-in-1 stand	S26361-K1577-V140	198,82	
DISPLAY B24-8 TS Pro, EU	DISPLAY B24-8 TS Pro, EU cable, Business Line 60,5cm(23.8")wide Display, Ultra Wide View, LED, matt black, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1577-V160	210,59	
DISPLAY B22T-7 Pro, EU	DISPLAY B22T-7 Pro, EU cable, Business Line 54.6cm(21.5")wide Display, Ultra Wide View, LED, matt black, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1578-V160	187,06	
DISPLAY E22T-7 Pro, EU	DISPLAY E22T-7 Pro, EU, E-Line 54.6cm(21.5")wide Display, Ultra Wide View,LED, matt black, HDMI, DVI, VGA, tilt stand	S26361-K1579-V160	151,76	
DISPLAY B22T-7 Pro, EU	DISPLAY B22T-7 Pro, EU, Business Line 54.6cm(21.5")wide Display, Ultra Wide View, LED, matt black, HDMI,DVI,VGA,USB, 4-in-1 stand,	VFY:B22T7DXSP1EU	167,06	
DISPLAY B24-8 TS Pro, EU	DISPLAY B24-8 TS Pro, EU, Business Line 60,5cm(23.8")wide Display, Ultra Wide View, LED, matt black, HDMI,DVI,VGA,USB, 4-in-1 stand,	VFY:B248TDXSP1EU	195,29	



## Imprimantes

Les imprimantes matricielles de FUJITSU sont le choix idéal pour les tâches d'impression intensives, par exemple pour les factures, les bons de commande, la correspondance et autres travaux en plusieurs exemplaires. Ces imprimantes à plat utilise plusieurs chemins de papier. Elle constitue l'outil idéal pour toutes les applications nécessitant des copies carbone et sans carbone. En plus de ses excellentes fonctions de gestion du papier, ces imprimantes matricielles offre une vitesse d'impression élevée.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Périphériques</b>				
<b>Printer</b>				
PRINTER RIBBON PREM DL3x50+/DL7400 MOQ96	Black, FJ Printer Ribbon Premium, Cartridge for, DL3750+, DL3850+, DL7400, DL3700 PRO, DL3800 PRO, DL9300, DL9400	CA02374-C104	10,00	
Printer Ribbon DL6600Pro MOQ 20	"Black, FJ Printer Ribbon, Cartridge for, DL6400 / DL6400PRO, DL6600 / DL6600PRO, MOQ: 20 units	CA02460-D115	17,65	
PRINTER RIBBON Replacement DL7600 MOQ 50	Black, FJ Printer Ribbon replacement, no cartridge, for DL7600	CA05463-D877	10,00	
DOT MATRIX PRINTER DL3850+ PAR/USB EU	"EU, CENTRONIX / USB Variant, , - 136 column , - Auto Tear off , - Auto Load , - Print Head Protection , - Barcode Printing , , - Auto Switching between interface on multiple I/F versions , , High-speed printing., , At 10 cpi, print speed ranges from 113 cps for letter quality to 448 cps for high-speed draft quality. , , Bar Code printing as standard. , , The printer has built in support for Barcode printing, 8 industry standard codes without 3rd party boxes or software (EAN13,EAN8,Codabar,Code 3 of 9,UPC,Matrix 2 of 5,Interleaved 2 of 5, Industrial 2 of 5) , , Software compatibility. , , This printer, uses the Fujitsu DPL24C PLUS command set, but is also compatible with the IBM Proprinter XL24E command set and the Epson ESC/P2 command set. , , Multiple fonts. , , The printer has nineteen resident fonts: Ten bitmap fonts - Courier 10, Pica 10, Prestige Elite 12, Boldface PS, OCR-B, OCR-A, Correspondence, Compressed, Draft, and High-speed Draft and nine outline fonts - Timeless, Nimbus Sans, and Courier, each in upright, italic, and bold. , , Large print buffer., , 128K bytes are available in total for storing input data and downloading fonts. A large input data buffer allows you to send files to the printer and return quickly to your application. , , Simple switching of paper types. , , "Parking" continuous forms makes it easy to switch between continuous forms and single sheets. , , Multiple Paper paths. , , With the optional 2nd tractor, two different continuous forms may be loaded & selected from the front panel or the host computer in addition to the cut sheet paper , , Auto tearoff. , , Continuous forms are fed automatically up to the tear-off position at the end of each job. "	S26391-F1051-L100	480,00	



## Imprimantes

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
<b>Printer (Suite)</b>				
DOT MATRIX PRINTER DL3850+ PAR/SER EU	EU, CENTRONICS / RS232 Variant, , - 136 column , - Auto Tear off , - Auto Load , - Print Head Protection , - Barcode Printing , , - Auto Switching between interface on multiple I/F versions , , High-speed printing., , At 10 cpi, print speed ranges from 113 cps for letter quality to 448 cps for high-speed draft quality. , , Bar Code printing as standard. , , The printer has built in support for Barcode printing, 8 industry standard codes without 3rd party boxes or software (EAN13,EAN8,Codabar,Code 3 of 9,UPC,Matrix 2 of 5,Interleaved 2 of 5, Industrial 2 of 5) , , Software compatibility. , , This printer, uses the Fujitsu DPL24C PLUS command set, but is also compatible with the IBM Proprinter XL24E command set and the Epson ESC/P2 command set. , , Multiple fonts. , , The printer has nineteen resident fonts: Ten bitmap fonts - Courier 10, Pica 10, Prestige Elite 12, Boldface PS, OCR-B, OCR-A, Correspondence, Compressed, Draft, and High-speed Draft and nine outline fonts - Timeless, Nimbus Sans, and Courier, each in upright, italic, and bold. , , Large print buffer., , 128K bytes are available in total for storing input data and downloading fonts. A large input data buffer allows you to send files to the printer and return quickly to your application. , , Simple switching of paper types. , , "Parking" continuous forms makes it easy to switch between continuous forms and single sheets. , , Multiple Paper paths. , , With the optional 2nd tractor, two different continuous forms may be loaded & selected from the front panel or the host computer in addition to the cut sheet paper , , Auto tearoff. , , Continuous forms are fed automatically up to the tear-off position at the end of each job.	S26391-F1051-L102	570,00	
DOT MATRIX PRINTER DL3750+ PAR/USB EU	EU, CENTRONICS / USB Variant, , - 80 column , - Auto Tear off , - Auto Load , - Print Head Protection , - Barcode Printing , , - Auto Switching between interface on multiple I/F versions , , High-speed printing., , At 10 cpi, print speed ranges from 113 cps for letter quality to 400 cps for high-speed draft quality. , , Bar Code printing as standard. , , The printer has built in support for Barcode printing, 8 industry standard codes without 3rd party boxes or software (EAN13, EAN8, Codabar, Code 3 of 9, UPC, Matrix 2 of 5, Interleaved 2 of 5, Industrial 2 of 5) , , Software compatibility. , , This printer, uses the Fujitsu DPL24C PLUS command set, but is also compatible with the IBM Proprinter XL24E command set and the Epson ESC/P2 command set. , , Multiple fonts. , , The printer has nineteen resident fonts: Ten bitmap fonts - Courier 10, Pica 10, Prestige Elite 12, Boldface PS, OCR-B, OCR-A, Correspondence, Compressed, Draft, and High-speed Draft and nine outline fonts - Timeless, Nimbus Sans, and Courier, each in upright, italic, and bold. , , Large print buffer., , 128K bytes are available in total for storing input data and downloading fonts. A large input data buffer allows you to send files to the printer and return quickly to your application. , , Simple switching of paper types. , , "Parking" continuous forms makes it easy to switch between continuous forms and single sheets. , , Multiple Paper paths. , , With the optional 2nd tractor, two different continuous forms may be loaded & selected from the front panel or the host computer in addition to the cut sheet paper , , Auto tearoff. , , Continuous forms are fed automatically up to the tear-off position at the end of each job.	S26391-F1051-L200	460,00	



## Imprimantes

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
<b>Printer (Suite)</b>				
DOT MATRIX PRINTER DL3750+ PAR/SER EU	EU, CENTRONICS / RS232C Variant, - 80 column , - Auto Tear off , - Auto Load , - Print Head Protection , - Barcode Printing , , - Auto Switching between interface on multiple I/F versions , , High-speed printing., , At 10 cpi, print speed ranges from 113 cps for letter quality to 400 cps for high-speed draft quality. , , Bar Code printing as standard. , , The printer has built in support for Barcode printing, 8 industry standard codes without 3rd party boxes or software (EAN13, EAN8, Codabar, Code 3 of 9, UPC, Matrix 2 of 5, Interleaved 2 of 5, Industrial 2 of 5) , , Software compatibility. , , This printer, uses the Fujitsu DPL24C PLUS command set, but is also compatible with the IBM Proprinter XL24E command set and the Epson ESC/P2 command set. , , Multiple fonts. , , The printer has nineteen resident fonts: Ten bitmap fonts - Courier 10, Pica 10, Prestige Elite 12, Boldface PS, OCR-B, OCR-A, Correspondence, Compressed, Draft, and High-speed Draft and nine outline fonts - Timeless, Nimbus Sans, and Courier, each in upright, italic, and bold. , , Large print buffer., , 128K bytes are available in total for storing input data and downloading fonts. A large input data buffer allows you to send files to the printer and return quickly to your application. , , Simple switching of paper types. , , "Parking" continuous forms makes it easy to switch between continuous forms and single sheets. , , Multiple Paper paths. , , With the optional 2nd tractor, two different continuous forms may be loaded & selected from the front panel or the host computer in addition to the cut sheet paper , , Auto tearoff. , Continuous forms are fed automatically up to the tear-off position at the end of each job.	S26391-F1051-L202	555,71	
DOT MATRIX PRINTER DL7400 PAR/SER EU	EU, CENTRONICS / RS232C Variant, , This 420mm wide flat-bed impact printer is a highly suitable solution for multipart continuous forms and cut sheets (upto 8 copies including original in hi-impact mode), card stock and labels, meeting the full range of teller printing applications. , , Standard features like APTC (Automatic Paper Thickness Control), HCPP (Host Controlled Paper Path) and Barcode printing, ensure maximum flexibility. , , One of the quickest flat-bed impact printers, operating at up to 505cps (high speed draft quality, 10 cpi) this printer saves valuable time in the office. , , Enhanced paper handling capability ensures flexibility.	S26391-F1051-L300	1127,14	
DOT MATRIX PRINTER DL7400 PAR/USB EU	EU, CENTRONICS / USB Variant, , This 420mm wide flat-bed impact printer is a highly suitable solution for multipart continuous forms and cut sheets (upto 8 copies including original in hi-impact mode), card stock and labels, meeting the full range of teller printing applications. , , Standard features like APTC (Automatic Paper Thickness Control), HCPP (Host Controlled Paper Path) and Barcode printing, ensure maximum flexibility. , , One of the quickest flat-bed impact printers, operating at up to 505cps (high speed draft quality, 10 cpi) this printer saves valuable time in the office. , , Enhanced paper handling capability ensures flexibility.	S26391-F1051-L301	935,29	



## Imprimantes

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
<b>Printer (Suite)</b>				
DOT MATRIX PRINTER DL7600 PAR/SER EU	EU, LCD info, CENTRONICS / RS232C variant, , -136 column, 864 cps printing, - Copy ability: original + 8 carbonless copies, -Versatile feeding: 8 paper paths, - Straight paper path, -Barcode printing support, , High-speed printing, At 12 cpi, print speeds range from 216 cps for letter quality to 864 cps for draft quality., , Barcode printing as standard, The printer has built-in support for 10 industry standard barcodes (Code 3 of 9, UPC Type A, UPC Type A with check character, Codabar, EAN13, EAN8, Industrial 2 of 5, Matrix 2 of 5, Interleaved 2 of 5, Code 128)., , Flat printing structure, This allows for smoother paper feeding and improves the accuracy of print positioning, while the printing penetrates from the surface paper to the bottom paper in multiple batches. It is also effective when handling heavy loads of multiple paper., , A variety of paper paths, 8 paper paths are available of which up to 4 forms can be loaded on the printer at the same time. This means that there is no need to bother changing the forms each time., , APTC and HCPP function, Detecting paper thickness, adjusting head gap automatically and changing paper paths can be handled by using the application software or Windows driver even if several paper forms are loaded at the same time.	S26391-F1051-L400	1584,29	
LAN BOARD DL3x50+ / DL7400	LAN BOARD DL3x50+ / DL7400	S26391-F1051-L900	128,24	
LAN BOARD DL7600	LAN BOARD DL7600	S26391-F1051-L901	147,06	
CUT SHEET FEEDER DL7x00	CUT SHEET FEEDER DL7x00	S26391-F1051-L902	330,59	
TRACTOR UNIT DL7x00	TRACTOR UNIT DL7x00	S26391-F1051-L903	54,12	
LARGE CUT SHEET TABLE DL7x00	LARGE CUT SHEET TABLE DL7x00	S26391-F1051-L904	45,88	
SMALL CUT SHEET TABLE DL7x00	SMALL CUT SHEET TABLE DL7x00	S26391-F1051-L905	45,88	
REAR STACKER DL7x00	REAR STACKER DL7x00	S26391-F1051-L906	31,76	
PRINT HEAD DL3x50+	PRINT HEAD DL3x50+	S26391-F1051-L907	212,94	
PRINT HEAD DL7400	PRINT HEAD DL7400	S26391-F1051-L908	212,94	
PRINT HEAD DL7600	PRINT HEAD DL7600	S26391-F1051-L909	325,88	
PRINT HEAD DL3x00 PRO	PRINT HEAD DL3x00 PRO	S26391-F1051-L915	178,82	
PRINT HEAD DL9x00	PRINT HEAD DL9x00	S26391-F1051-L916	218,82	
PRINT HEAD DL6600 Pro	PRINT HEAD DL6600 Pro	S26391-F1051-L917	429,41	

# Accessories - Storage

## Product Overview CELVIN NAS Server



More information:  
[http://its.fujitsu.com/it/celvin\\_nas\\_server](http://its.fujitsu.com/it/celvin_nas_server)

	CELVIN NAS Server 0600	CELVIN NAS Server 0700	CELVIN NAS Server 0800
Type	1-drive	2-drive	4-drive
<b>Interfaces</b>			
Hard disk capacity	1 x 3.5" SATA VIII HDD	Up to 2 x 3.5" SATA VIII HDD	Up to 4 x 2.5-inch or 3.5-inch SATA VIII HDD
Required interface	USB 2.0 / eSATA / Ethernet	USB 2.0 / Ethernet	USB 2.0 / eSATA / Ethernet
LCD-Displays Instant Setup			
iSCSI Target/Initiator			
Failover/Load Balancing			
VMWare/Citrix/HyperV			
Thin Provisioning			
<b>End 2-End Back Up-Server</b>			
One-button back up + Client back up software			
Raid Level		0/1/BOD	0/1/5/6/5+H5/BOD
Remote Replication			
<b>All-in-one Business Server</b>			
FTP and File Server			
WEB Server			
Printer Server			
SQL Server			
Surveillance Station	x2	x2	x4
Remote Access and System Management			
<b>Media Server</b>			
Multimedia Server			
Download Station			
<b>Order Information</b>			
Order code	S26341-F103-L100, 2000GB S26341-F103-L160, without HDD S26341-F103-L97, 5000GB S26341-F103-L98, 10000GB	S26341-F103-L170, without HDD S26341-F103-L101, 2x500GB S26341-F103-L102, 2x1000GB S26341-F103-L104, 2x2000GB VFY-C0700X010IN, 2x1TB	S26341-F103-L800, 4 trays w/6 HDD S26341-F103-L842, 4 trays 4x 2TB S26341-F103-L840, 4 trays 4x1TB S26341-F103-L822, 4 trays 2x2TB S26341-F103-L820, 4 trays 2x1TB





## CELVIN NAS Server

La gamme de serveurs FUJITSU CELVIN® NAS est une gamme de serveurs NAS tout-en-un haute performance. Le serveur NAS CELVIN® Q805 est la solution idéale pour le partage de fichiers, les options de sauvegarde de bout en bout et l'intégration SAN (Storage Area Network) pour les PME. Il permet en effet de gérer les données de façon centralisée pour un coût raisonnable.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Standards</b>				
<b>Q805</b>				
CELVIN NAS Q805 w/out HDD 4trays	, w/o HDD, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L805	634,12	
CELVIN NAS Q805 4x2TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x2 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L812	1069,41	
CELVIN NAS Q805 4x3TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x3 TB, EU-plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L813	1155,29	
CELVIN NAS Q805 4x4TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x4 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L814	1387,06	



## CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Standards</b>				
<b>Q805 (Suite)</b>				
CELVIN NAS Q805 4x6TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x6 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L816	1967,06	
CELVIN NAS Q805 w/out HDD 4trays INT	, w/o HDD, EU/UK plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L820	628,24	
CELVIN NAS Q805 w/4x2TB NAS HDD INT	NAS HDD with 4x2 TB for 24x7 usage, , EU/UK plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L822	1074,12	
CELVIN NAS Q805 w/4x4TB NAS HDD INT	NAS HDD with 4x4 TB for 24x7 usage, , EU/UK plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L824	1391,76	



## CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Standards</b>				
<b>Q805 (Suite)</b>				
CELVIN NAS Q805 4x3TB BC HDD EU	Business Critical HDDs for highest NAS RAID stability and 24x7 usage, 4x3 TB, EU-plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L873	1520,00	
CELVIN NAS Q805 4x4TB BC HDD EU	Business Critical HDDs for highest NAS RAID stability and 24x7 usage, 4x4 TB, EU-plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L874	1648,24	
CELVIN NAS Q805 4x2TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x2 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	VFY:CQ805XX020E1	1074,12	
CELVIN NAS Q805 4x4TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x4 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	VFY:CQ805XX040E1	1391,76	



## CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Standards</b>				
<b>Q805 (Suite)</b>				
CELVIN NAS Q805 4x6TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x6 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	VFY:CQ805XX060E1	1914,12	
<b>Q905</b>				
CELVIN NAS Q905 w/out HDD 6trays EU	, w/o HDD, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L905	897,65	
CELVIN NAS Q905 6x2TB HDD EU	6x2 TB, Dedicated NAS HDD for 24x7 operation, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L912	1604,71	
CELVIN NAS Q905 6x3TB HDD EU	6x3 TB, Dedicated NAS HDD for 24x7 operation, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L913	1722,35	



## CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
<b>Q905 (Suite)</b>				
CELVIN NAS Q905 6x4TB HDD EU	6x4 TB, Dedicated NAS HDD for 24x7 operation, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L914	2063,53	
CELVIN NAS Q905 6x6TB HDD EU	6x6 TB, Dedicated NAS HDD for 24x7 operation, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L916	2970,59	
CELVIN NAS Q905 w/out HDD 6trays INT	, w/o HD, DEU/UK plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L920	902,35	
CELVIN NAS Q905 6x2TB HDD INT	6x2 TB, Dedicated NAS HDD for 24x7 operation, EU/UK/Swizz Plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L922	1609,41	



## CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Standards</b>				
<b>Q905 (Suite)</b>				
CELVIN NAS Q905 6x4TB HDD INT	6x4 TB, Dedicated NAS HDD for 24x7 operation, EU/UK/Swizz Plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L924	2068,24	
CELVIN NAS Q905 6x3TB BC HDD EU	6x3 TB, Business Critical HDD for 24x7 operation, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L973	2236,47	
CELVIN NAS Q905 6x4TB BC HDD EU	6x4 TB, Business Critical HDD for 24x7 operation, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L974	2472,94	
CELVIN NAS Q905 6x2TB HDD EU		VFY:CQ905XX020E1	1604,71	
CELVIN NAS Q905 6x4TB HDD EU		VFY:CQ905XX040E1	2063,53	
CELVIN NAS Q905 6x6TB HDD EU		VFY:CQ905XX060E1	2970,59	
<b>QE705</b>				
CELVIN NAS QE705 w/o HDD EU	NAS HDDs for highest NAS RAID stability and 24x7 usage , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI , Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, 2x GBit LAN, 1x e-Sata (rear) , 3x USB3.0 (rear x2, front x1), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, Processor: Freescale™ ARM®v7 Cortex®-A9 dual-core 1.2GHz processor ,Mémoire: 512MB, 512 MB Flash, Tower, FAN 7cm, Optional Top-Up Services	S26341-F106-L705	242,35	



## CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Standards</b>				
<b>QE705 (Suite)</b>				
CELVIN NAS QE705 2x2TB EU	NAS HDDs for highest NAS RAID stability and 24x7 usage , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI , Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, 2x GBit LAN, 1x e-Sata (rear) , 3x USB3.0 (rear x2, front x1), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, Processor: Freescale™ ARM@v7 Cortex@-A9 dual-core 1.2GHz processor ,Mémoire: 512MB, 512 MB Flash, Tower, FAN 7cm, Optional Top-Up Services	S26341-F106-L712	444,71	
CELVIN NAS QE705 2x3TB EU	NAS HDDs for highest NAS RAID stability and 24x7 usage , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI , Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, 2x GBit LAN, 1x e-Sata (rear) , 3x USB3.0 (rear x2, front x1), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, Processor: Freescale™ ARM@v7 Cortex@-A9 dual-core 1.2GHz processor ,Mémoire: 512MB, 512 MB Flash, Tower, FAN 7cm, Optional Top-Up Services	S26341-F106-L713	478,82	
CELVIN NAS QE705 2x4TB EU	NAS HDDs for highest NAS RAID stability and 24x7 usage , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI , Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, 2x GBit LAN, 1x e-Sata (rear) , 3x USB3.0 (rear x2, front x1), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, Processor: Freescale™ ARM@v7 Cortex@-A9 dual-core 1.2GHz processor ,Mémoire: 512MB, 512 MB Flash, Tower, FAN 7cm, Optional Top-Up Services	S26341-F106-L714	583,53	
CELVIN NAS QE705 2x2TB INT	NAS HDDs for highest NAS RAID stability and 24x7 usage , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI , Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, 2x GBit LAN, 1x e-Sata (rear) , 3x USB3.0 (rear x2, front x1), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, Processor: Freescale™ ARM@v7 Cortex@-A9 dual-core 1.2GHz processor ,Mémoire: 512MB, 512 MB Flash, Tower, FAN 7cm, Optional Top-Up Services	S26341-F106-L722	447,06	
CELVIN NAS QE705 2x4TB INT	NAS HDDs for highest NAS RAID stability and 24x7 usage , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI , Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, 2x GBit LAN, 1x e-Sata (rear) , 3x USB3.0 (rear x2, front x1), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, Processor: Freescale™ ARM@v7 Cortex@-A9 dual-core 1.2GHz processor ,Mémoire: 512MB, 512 MB Flash, Tower, FAN 7cm, Optional Top-Up Services	S26341-F106-L724	585,88	
CELVIN NAS QE705 2x2TB NAS HDD EU	EU Power cord, 2x2 TB NAS HDD , 2-bay home & SOHO NAS, Multi-window, multi-tasking GUI, Data storage, backup, sharing, disaster recovery, NAS / IP-SAN support, All-in-one server, Disk management, Web administration, Domain integration, APP Center	VFY:QE705XX020E1	444,71	
CELVIN NAS QE705 2x3TB NAS HDD EU	EU Power cord, 2x3 TB NAS HDD , 2-bay home & SOHO NAS, Multi-window, multi-tasking GUI, Data storage, backup, sharing, disaster recovery, NAS / IP-SAN support, All-in-one server, Disk management, Web administration, Domain integration, APP Center	VFY:QE705XX030E1	478,82	
CELVIN NAS QE705 2x4TB NAS HDD EU	EU Power cord, 2x4 TB NAS HDD , 2-bay home & SOHO NAS, Multi-window, multi-tasking GUI, Data storage, backup, sharing, disaster recovery, NAS / IP-SAN support, All-in-one server, Disk management, Web administration, Domain integration, APP Center	VFY:QE705XX040E1	558,82	
<b>QR802</b>				
CELVIN NAS Server QR802 4x4 To NAS HDD	CELVIN NAS Server QR802 4x4 To NAS HDD	S26341-F103-L834	1692,94	



## CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
<b>QR802 (Suite)</b>				
CELVIN NAS QR802 4x4TB NAS HDD INT	EU, UK, Swizz powercord, 4x4TB NAS HDD, , Centralized Storage and File sharing, Backup Center for business users, NAS, iSCSI / IP-SAN solution for server virtualization, Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, x Gbit LAN, 2x e-Sata, 2x USB3.0, 5x USB2.0., Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Processor: Intel® Atom™ 2.13GHz,Mémoire: 1 GB DDRIII RAM, 512 MB Flash on DOM, FAN, Intel® 82574L NIC x2 Gigabit LAN, Formfactor: Rack 1U incl. Rails for mounting, Optional Top-Up Services	S26341-F103-L889	1696,47	
CELVIN NAS Server QR802 sans DD 4 slots	CELVIN NAS Server QR802 sans DD 4 slots, Stockage centralisé et partage de fichiers, Centre de sauvegarde pour les utilisateurs professionnels, NAS, iSCSI / IP-SAN solution de virtualisation de serveurs, Multiple fonctions de sécurité, Plusieurs applications logicielles NAS, Stockage Cloud pour faciliter le déploiement, Économes en énergie et Eco friendly, x Gbit LAN, 2x e-Sata, 2x USB 3.0, 5x USB 2.0., Bouton de sauvegarde, bouton Power, Reset Button, DD remplaçables à chaud, afficheur LED pour écran de configuration système, Processeur: Intel® Atom™ 2,13 GHz, Mémoire: 1 Go de RAM DDRIII, 512 Mo de mémoire Flash sur DOM, FAN, Intel® 82574L NIC Gigabit LAN x2, Formfactor: Rack 1U incl. Rails de montage, Option Top-Up Services,	S26341-F103-L890	940,00	
CELVIN NAS Server QR802 4x2 To NAS DD	Stockage centralisé et partage de fichiers, Centre de sauvegarde pour les utilisateurs professionnels, NAS, iSCSI / IP-SAN solution de virtualisation de serveurs, Multiple fonctions de sécurité, Plusieurs applications logicielles NAS, Stockage Cloud pour faciliter le déploiement, Économes en énergie et Eco friendly, x Gbit LAN, 2x e-Sata, 2x USB 3.0, 5x USB 2.0., Bouton de sauvegarde, bouton Power, Reset Button, DD remplaçables à chaud, afficheur LED pour écran de configuration système, Processeur: Intel® Atom™ 2,13 GHz, Mémoire: 1 Go de RAM DDRIII, 512 Mo de mémoire Flash sur DOM, FAN, Intel® 82574L NIC Gigabit LAN x2, Formfactor: Rack 1U incl. Rails de montage, Optiona Top-Up Services	S26341-F103-L892	1434,12	
CELVIN NAS Server QR802 4x3 To NAS DD	CELVIN NAS Server QR802 4x3 To NAS DD, Stockage centralisé et partage de fichiers, Centre de sauvegarde pour les utilisateurs professionnels, NAS, iSCSI / IP-SAN solution de virtualisation de serveurs, Multiple fonctions de sécurité, Plusieurs applications logicielles NAS, Stockage Cloud pour faciliter le déploiement, Économes en énergie et Eco friendly, x Gbit LAN, 2x e-Sata, 2x USB 3.0, 5x USB 2.0., Bouton de sauvegarde, bouton Power, Reset Button, DD remplaçables à chaud, afficheur LED pour écran de configuration système, Processeur: Intel® Atom™ 2,13 GHz, Mémoire: 1 Go de RAM DDRIII, 512 Mo de mémoire Flash sur DOM, FAN, Intel® 82574L NIC Gigabit LAN x2, Formfactor: Rack 1U incl. Rails de montage, Optiona Top-Up Services	S26341-F103-L894	1649,41	
CELVIN NAS Server QR802 4x3To BC	CELVIN NAS Server QR802 4x3To BC, Stockage centralisé et partage de fichiers, Centre de sauvegarde pour les utilisateurs professionnels, NAS, iSCSI / IP-SAN solution de virtualisation de serveurs, Multiple fonctions de sécurité, Plusieurs applications logicielles NAS, Stockage Cloud pour faciliter le déploiement, Économes en énergie et Eco friendly, x Gbit LAN, 2x e-Sata, 2x USB 3.0, 5x USB 2.0., Bouton de sauvegarde, bouton Power, Reset Button, DD remplaçables à chaud, afficheur LED pour écran de configuration système, Processeur: Intel® Atom™ 2,13 GHz, Mémoire: 1 Go de RAM DDRIII, 512 Mo de mémoire Flash sur DOM, FAN, Intel® 82574L NIC Gigabit LAN x2, Formfactor: Rack 1U incl. Rails de montage, Optiona Top-Up Services	S26341-F103-L895	2197,65	





## CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
<b>QR802 (Suite)</b>				
CELVIN NAS Server QR802 w/o HDD INT	EU, UK, Swizz powercord, w/o HDD, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, x GBit LAN, 2x e-Sata, 2x USB3.0, 5x USB2.0,, Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Processor: Intel® Atom™ 2.13GHz,Mémoire: 1 GB DDRIII RAM, 512 MB Flash on DOM, FAN, Intel® 82574L NIC x2 Gigabit LAN, Formfactor: Rack 1U incl. Rails for mounting, Optional Top-Up Services	S26341-F103-L896	984,71	
CELVIN NAS QR802 4x2TB NAS HDD INT	EU, UK, Swizz powercord, 4x 2TB NAS HDD, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, x GBit LAN, 2x e-Sata, 2x USB3.0, 5x USB2.0,, Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Processor: Intel® Atom™ 2.13GHz,Mémoire: 1 GB DDRIII RAM, 512 MB Flash on DOM, FAN, Intel® 82574L NIC x2 Gigabit LAN, Formfactor: Rack 1U incl. Rails for mounting, Optional Top-Up Services	S26341-F103-L897	1409,41	
CELVIN NAS QR802 4x3TB NAS HDD INT	EU, UK, Swizz powercord, 4x3TB NAS HDD, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Energy-efficient and Eco friendly, x GBit LAN, 2x e-Sata, 2x USB3.0, 5x USB2.0,, Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Processor: Intel® Atom™ 2.13GHz,Mémoire: 1 GB DDRIII RAM, 512 MB Flash on DOM, FAN, Intel® 82574L NIC x2 Gigabit LAN, Formfactor: Rack 1U incl. Rails for mounting, Optional Top-Up Services	S26341-F103-L898	1625,88	
CELVIN NAS Server QR802 4x3 TB NAS HDD	Stockage centralisé et partage de fichiers, Centre de sauvegarde pour les utilisateurs professionnels, NAS, iSCSI / IP-SAN solution de virtualisation de serveurs, Fonctions de sécurité multiple, Applications logicielles NAS multiples, Stockage Cloud pour faciliter le déploiement, L'efficacité énergétique et 'Eco friendly', x Gbit LAN, 2x e-SATA, USB3.0 2x, 5x USB 2.0., Bouton de sauvegarde, bouton d'alimentation, Reset Button, Disques remplaçables à chaud, affichage de configuration du système par afficheur LED, Processeur: Intel @ Atom ™ 2,13 GHz, Mémoire: 1 Go DDRIII RAM, 512 Mo de mémoire Flash sur DOM, FAN, Intel @ 82574L NIC x2 Gigabit LAN, Formfactor: rack 1U incl. Rails de montage, Services optionnels Top-Up	TAV:X103L894SAG1	1661,18	



## Positionnement serveurs tour PRIMERGY



**PRIMERGY  
TX1310**

Vous recherchez un système silencieux, écoénergétique et offrant les performances d'un serveur au prix d'un PC ? Le PRIMERGY TX1310 est le système le mieux adapté à votre entreprise. Grâce à son niveau sonore particulièrement faible, le PRIMERGY TX1310 est le système idéal pour tous les environnements bureautiques. Les composants certifiés serveur sont la garantie d'une fiabilité permanente..



**PRIMERGY  
TX1320**

Le serveur PRIMERGY TX1320 de FUJITSU est conçu pour les environnements où l'espace, les fonctionnalités et le fonctionnement silencieux sont déterminants. Ce serveur tour ultra-compact est idéal pour les bureaux, les filiales ou les domaines où des réglementations juridiques strictes sont en place, notamment dans les services médicaux, juridiques ou financiers. Avec ses fonctionnalités de serveur complètes, ce système s'intègre facilement aux infrastructures informatiques existantes ou peut être géré à distance. Malgré sa taille, le serveur PRIMERGY TX1320 offre les performances de la gamme Intel® Xeon® E3, jusqu'à quatre disques de stockage et la possibilité de prendre en charge un périphérique de sauvegarde en option. Cette combinaison unique en fait le serveur idéal pour tous les environnements exigeants où l'espace est limité. .



**PRIMERGY  
TX1330**

Le PRIMERGY TX1330 est un serveur économique et fiable pour les petites et moyennes entreprises (PME) ou les filiales. Il propose les meilleures performances de la gamme Intel® Xeon® E3 et une grande évolutivité grâce à ses disques de stockage hot-plug. L'alimentation redondante en option et le choix de plusieurs contrôleurs RAID garantissent une disponibilité et une sécurité accrues. Son châssis compact et son niveau de bruit extrêmement faible en font le serveur idéal pour les environnements de bureau ou les lieux d'exposition, où il pourra être positionné sous un bureau. La prise en charge des adaptateurs PCI hérités fait du PRIMERGY TX1330 le serveur idéal pour les solutions spécifiques, notamment les systèmes de téléphonie ou de sécurité. De plus, la suite logicielle ServerView® de Fujitsu offre une assistance aux administrateurs lors de l'installation, du déploiement et de l'administration du serveur. Le PRIMERGY TX1330 : un excellent investissement sur le long terme.



**PRIMERGY  
TX2540**

Le PRIMERGY TX2540 de Fujitsu est le serveur tour idéal aussi bien pour les petites et moyennes entreprises (PME) que pour les filiales. Il prend en charge jusqu'à deux processeurs issus de la gamme Intel® Xeon™ E5-2400v2, alliant performances et évolutivité à un prix attractif. Sa capacité maximale de 24 disques durs et de 192 Go de RAM en fait un serveur idéal pour la virtualisation, les bases de données et la communication. De plus, la redondance proposée en option garantit un fonctionnement stable et fiable. En outre, le bruit de fonctionnement réduit au minimum convient parfaitement à un environnement de travail. Vous pouvez par exemple placer votre serveur sous votre bureau. De plus, la suite logicielle ServerView® de Fujitsu offre une assistance aux



**PRIMERGY  
TX2560**

Le PRIMERGY TX2560 de Fujitsu offre des performances optimales, une évolutivité accrue et une disponibilité élevée, sans compromis. Les filiales, les datacenters ainsi que les PME peuvent bénéficier des performances offertes avec les deux processeurs Intel® Xeon® E5 v3 associés à 1 536 Go de mémoire DDR4. Jusqu'à 10 slots d'extension et jusqu'à 32 disques durs 2,5" offrent des options d'évolution exceptionnelles. Grâce à une alimentation et des ventilateurs redondants, et à une sélection de différents contrôleurs RAID, le serveur tour garantit des niveaux de disponibilité élevés et une certaine « tranquillité d'esprit ». Le serveur est donc idéal pour les applications les plus exigeantes en ressources, les solutions de virtualisation et les applications nécessitant des capacités de stockage conséquentes.



**Serveurs tour PRIMERGY**

Fiche produit : <http://fr.fujitsu.com/primergy>



Modèle	TX1310 M1	TX1320 M2	TX1330 M2	TX2540 M1	TX2560 M2
Nb socket	1 socket	1 socket	1 socket	2 sockets	2 sockets
Processeur Intel®	Xeon® E3-1226v3 (4C) /1246v3 (4C)  (Celeron® G1820, Core™ i3-4330, Pentium® G3420)	Xeon® E3-1220v5 (4C) /1230v5 (4C) / 1240Lv5 (4C) / 1240v5 (4C) / 1260Lv5 (4C) / 1270v5 (4C) / 1280v5 (4C)  (Core™ i3-6100, Pentium® G4400)	Xeon® E3-1220v5 (4C) /1230v5 (4C) / 1240Lv5 (4C) / 1240v5 (4C) / 1270v5 (4C) / 1280v5 (4C)  (Core™ i3-6100, Pentium® G4400)	Xeon® 2403v2 (4C) / 2407v2 (4C) / 2420v2 (6C) / 2430v2 (6C) / 2430Lv2 (6C) / 2440v2 (8C) / 2450v2 (8C) /2470v2 (10C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697Av4(16C)/2697v4(18C)/2698v4(20C)/2699v4(22C)
Mémoire	2 à 32 Go   DDR-3   4 Slots	4 à 64 Go   DDR4   4 Slots	4 à 64 Go   DDR4   4 Slots	4 à 192 Go   DDR-3   12 Slots	8 à 1536 Go   DDR-4   24 Slots
Lecteur optique	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW
Disques durs (Go)	4x 3.5" SATA	2x 3.5" SATA non Hot-Plug 6x 2.5" SAS/SATA Hot-Plug	12x 3.5" SAS/SATA 24x 2.5" SAS/SATA	8x 3.5" SAS/SATA 24x 2.5" SAS/SATA	12x 3.5" SAS/SATA 32x 2.5" SAS/SATA
Contrôleur RAID	RAID 0/1/10 : 4 ports SATA interne	RAID 0/1/10 : 4 ports SATA interne	RAID 0/1 intégré ou RAID SAS 3.0 1/2Go (opt)	RAID 0/1/10 : 6 ports SATA	Ctrl RAID en opt
Slots PCI (I/O)	2x PCIe Gen3 + 1x PCIe Gen2 2x Gigabit	3x PCIe Gen3 2x Gigabit	4x PCIe Gen3 2x Gigabit	4x PCIe Gen3 + 1x PCIe Gen2 + 1 PCI 2x Gigabit	12x PCIe Gen3 DynamicLOM
Ctrl LAN intégré		1x Gigabit - administration	1x Gigabit - administration	1x Gigabit - administration 1 x VGA	1x Gigabit - administration 2 x VGA
Ctrl graphique intégré	1 x VGA			1 x VGA	2 x VGA
Port Série	1 x RS232-C	1 x RS232-C	1 x RS232-C	1 x RS232-C	1 x RS232-C
Ports USB	2 (avant), 6 (arrière), 1 (interne)	2 (avant), 6 (arrière), 2 (interne)	2 (avant), 6 (arrière), 2 (interne)	2 (avant), 4 (arrière), 3 (interne)	2 (avant), 4 (arrière), 2 (interne)
Alimentation	250W (non hot plug)	250W (non hot plug)	300W (Std - 90%) 450W (hot-plug - 94%)	450W/800W (hot-plug)	450W (94%) 800W (hot-plug 94% & 96%)
Standard	PRIMERGY ServerView	PRIMERGY ServerView	PRIMERGY ServerView	PRIMERGY ServerView	PRIMERGY ServerView
Systèmes d'exploitation supportés	WindowsServer 2012 R2 Red Hat; SuSe Linux	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere™	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere, Citrix XenServer	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere, Citrix XenServer
Garantie std.	1 an sur site	1 an sur site	1 an sur site	3 ans sur site	3 ans sur site



## PRIMERGY TX1310 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY TX120 S3p : conçu pour les petits environnements ayant de grands besoins. Ce serveur est conçu pour les environnements où l'espace, les fonctionnalités de serveur et la réduction du coût total de possession sont déterminants. Le TX120 S3p est idéal pour les petits bureaux, les filiales ou les domaines où des contrôles juridiques stricts sont en place, notamment dans les services médicaux, juridiques ou financiers. Outre son alimentation avec efficacité énergétique pouvant atteindre 94 % et sa fonction 0-Watt, le TX120 S3p bat également des records en termes d'efficacité énergétique, tout en maintenant des coûts d'exploitation et un impact environnemental très bas. L'association unique des performances des processeurs Intel® Xeon® E3 dans un format compact, des fonctionnalités de haute disponibilité et du faible coût total de

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>PRIMERGY TX1310 M1</b>					
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/4 GB/DVD-RW SM/HD 500GB/ KIT/NO POWERCORD/	VFY:T1311SC010IN	615,29	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/HD 1TB/ KIT/NO POWERCORD/	VFY:T1311SC020IN	1285,88	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1246V3/8 GB/DVD-RW SM/2xHD 2TB/ KIT/NO POWERCORD/	VFY:T1311SC030IN	1068,24	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/2xHD 1TB/ KIT/CCC/INDIA/WS2012R2 FND OEM/ NO POWERCORD/	VFY:T1311SC040IN	940,00	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/2xHD 1TB/ KIT/CCC/NO POWERCORD/	VFY:T1311SC050IN	775,29	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/ 2xHD 500GB/KIT/CCC/INDIA/NO POWERCORD/	VFY:T1311SC060IN	669,41	
	PY TX1310M1-EE/LFF/STANDARD PSU /	PY TX1310M1-EE/LFF/STANDARD PSU / CELERON G1820/4 GB/HD 250GB/KIT/CCC/ INDIA/NO POWERCORD/	VFY:T1311SC090IN	376,47	
	PY TX1310M1-EE/LFF/STANDARD PSU /	PY TX1310M1-EE/LFF/STANDARD PSU / PENTIUM G3420/4 GB/HD 250GB/KIT/CCC/ INDIA/NO POWERCORD/	VFY:T1311SC100IN	422,35	
	PY TX1310M1-EE/LFF/STANDARD PSU /	PY TX1310M1-EE/LFF/STANDARD PSU / CELERON G1820/4 GB/HD 1TB/KIT/ NO POWERCORD/	VFY:T1311SC140IN	774,12	
	PY TX1310M1-EE/LFF/STANDARD PSU /	PY TX1310M1-EE/LFF/STANDARD PSU / PENTIUM G3420/4 GB/HD 1TB/KIT/ NO POWERCORD/	VFY:T1311SC150IN	847,06	



## PRIMERGY TX1310 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

### Configurations Spéciales

#### PRIMERGY TX1310 M1 (Suite)

PY TX1310M1-EE/LFF/STANDARD PSU /	PY TX1310M1-EE/LFF/STANDARD PSU / PENTIUM G3420/4 GB/DVD-RW SM/HD 500GB/ KIT/KEYBOARD KB521 US/NO POWERCORD/ MOUSEM520EBLACK/		VFY:T1311SC990IN	838,82	
-----------------------------------	---	--	------------------	--------	--

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

### Unités de Base

#### PRIMERGY TX1310 M1

PY TX1310M1/LFF/Standard PSU	"Floorstand BU without processor and RAM, incl. standard power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; Intel pGfx Ctrl.; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 Gbit Ethernet LAN Intég.; 4 drive bays for easy change 3.5" SATA HDDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "		S26361-K1488-V101	392,94	
PY TX1310M1-EE/LFF/Standard PSU	"Floorstand BU Essential Edition (EE) without processor and RAM, incl. standard power supply module, standard fan; systemboard for Dual Core Pentium/Celeron Processor and DDR3 UDIMM; Intel pGfx Ctrl.; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 Gbit Ethernet LAN Intég.; 4 drive bays for easy change 3.5" SATA HDDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "		S26361-K1488-V201	351,76	



## PRIMERGY TX1320 M2

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY TX1320 M1 : conçu pour les petits environnements ayant de grands besoins. Ce serveur est conçu pour les environnements où l'espace, les fonctionnalités de serveur et la réduction du coût total de possession sont déterminants. Le TX1320 M1 est idéal pour les petits bureaux, les filiales ou les domaines où des contrôles juridiques stricts sont en place, notamment dans les services médicaux, juridiques ou financiers. Outre son alimentation avec efficacité énergétique pouvant atteindre 94 %, le TX1320 M1 bat également des records en termes d'efficacité énergétique, tout en maintenant des coûts d'exploitation et un impact environnemental très bas. L'association unique des performances des processeurs Intel® Xeon® E3 dans un format compact, des fonctionnalités de haute disponibilité et du faible coût total de possession de ce serveur

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

### Configurations Spéciales

#### PRIMERGY TX1320 M2

Tower base unit without processor and RAM, incl. 1 standard power supply module 250W, 2 lockable front covers, standard fan; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; 4 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW

PY TX1320M2/SFF /XEON E3-1220V5/	PY TX1320M2/SFF /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM SLIM/KIT/ NO POWERCORD/		VFY:T1322SC030IN	725,88	
PY TX1320M2/SFF /XEON E3-1230V5/	PY TX1320M2/SFF /XEON E3-1230V5/ 8 GB U 2133 2R/DVD-RW SM SLIM/KIT/ NO POWERCORD/		VFY:T1322SC040IN	796,47	
PY TX1320M2/SFF /XEON E3-1220V5/	PY TX1320M2/SFF /XEON E3-1220V5/ 16 GB U 2133 2R/DVD-RW SM SLIM/ 2xHD SAS 12G 600GB/RAID 12G 1GB/KIT/ NO POWERCORD/		VFY:T1322SC090IN	2494,12	

Tower base unit without processor and RAM, incl. 1 standard power supply module 250W, 2 lockable front covers, standard fan; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; 2 drive bays for easy change 3.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW

PY TX1320 M2/LFF /XEON E3-1220V5/	PY TX1320 M2/LFF /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM SLIM/ 2xHD SATA 6G 500GB 7.2K NO HOT PL 3.5" B C/KIT/NO POWERCORD/		VFY:T1322SC010IN	823,53	
PY TX1320 M2/LFF /XEON E3-1220V5/	PY TX1320 M2/LFF /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM SLIM/ 2xHD SATA 6G 1TB 7.2K NO HOT PL 3.5" BC/ KIT/NO POWERCORD/		VFY:T1322SC020IN	856,47	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

### Unités de Base

#### PRIMERGY TX1320 M2



**PRIMERGY TX1320 M2**

Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>PRIMERGY TX1320 M2 (Suite)</b>					
PY TX1320M2/SFF		Tower base unit without processor and RAM, incl. 1 standard power supply module 250W, 2 lockable front covers, standard fan; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; 4 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1563-V101	424,71	
PY TX1320M2/LFF		Tower base unit without processor and RAM, incl. 1 standard power supply module 250W, 2 lockable front covers, standard fan; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; 2 drive bays for easy change 3.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1563-V201	414,12	



## PRIMERGY TX1330 M2

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY TX1330 M2 de FUJITSU est un serveur économique, évolutif et fiable conçu pour les petites et moyennes entreprises (PME) ou les filiales. Il propose les meilleures performances de la gamme Intel® Xeon® E3 et une grande évolutivité en offrant jusqu'à 24 disques de stockage hot-plug. Les fonctionnalités de redondance en option et le choix de plusieurs contrôleurs RAID garantissent une disponibilité et une sécurité accrues. Son châssis compact et son faible niveau de bruit en font le serveur idéal pour les lieux d'exposition ou les environnements de bureau, où il pourra être placé sous un meuble. La prise en charge des adaptateurs PCI hérités fait du PRIMERGY TX1330 M2 le serveur idéal pour les solutions spécifiques, notamment les systèmes de téléphonie ou de sécurité.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>PRIMERGY TX1330 M2</b>					
Tower base unit without HDD cage, processor and RAM, incl. 1 standard power supply module 300W, 2 lockable front covers, 1 standard fan 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for one HDD cage supporting 4x3,5" or 8x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW					
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/KIT/NO POWERCORD/		VFY:T1332SC010IN	695,29	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/KIT/NO POWERCORD/		VFY:T1332SC050IN	738,82	
Tower base unit without HDD cage, processor and RAM, incl. 1 hot plug power supply module 450W, 2 lockable front covers, 2 redundant fans 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for up to three HDD cages supporting up to 12x3,5" or 24x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW					
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/KIT/NO POWERCORD/ PSU DUMMY/		VFY:T1332SC020IN	951,76	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/KIT/NO POWERCORD/ PSU DUMMY/		VFY:T1332SC030IN	951,76	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/ 2xHD SATA 6G 1TB 7.2K HOT PL 3.5' BC/		VFY:T1332SC040IN	1163,53	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM/ MEDIUM 3.5' KIT (8X)/ 2xHD SAS 12G 300GB 15K HOT PL 3.5' EP/		VFY:T1332SX090FR	1881,18	





## PRIMERGY TX1330 M2

Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

### Configurations Spéciales

#### PRIMERGY TX1330 M2 (Suite)

PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 2x8 GB U 2133 2R/DVD-RW SM/ MEDIUM 3.5' KIT (8X)/PRAID CP400I/KIT/ NO POWERCORD/PSU DUMMY/	VFY:T1332SX100FR	1163,53		
---	--	------------------	---------	--	--

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

### Unités de Base

#### PRIMERGY TX1330 M2

PY TX1330M2/f/Standard PSU	Tower base unit without HDD cage, processor and RAM, incl. 1 standard power supply module 300W, 2 lockable front covers, 1 standard fan 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for one HDD cage supporting 4x3,5" or 8x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1552-V101	444,71		
PY TX1330M2/f/Red. PSU	Tower base unit without HDD cage, processor and RAM, incl. 1 hot plug power supply module 450W, 2 lockable front covers, 2 redundant fans 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for up tp three HDD cages supporting up to 12x3,5" or 24x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1552-V201	610,59		

**PRIMERGY TX1330 M2**Fiches produit : <http://fr.fujitsu.com/primergy>

PY TX1330M2/r/Red. PSU	Rack (4U) base unit without HDD cage, processor and RAM, incl. 1 hot plug power supply module 450W, 2 lockable front covers, 2 redundant fans 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for up tp three HDD cages supporting up to 12x3,5" or 24x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1552-V601	610,59
------------------------	---	-------------------	--------



**PRIMERGY TX2540 M1**

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY TX2540 M1 de Fujitsu est le serveur tour idéal aussi bien pour les petites et moyennes entreprises (PME) que pour les filiales. Il prend en charge jusqu'à deux processeurs issus de la gamme Intel® Xeon™ E5-2400V2, alliant performances et évolutivité à un prix attractif. Sa capacité maximale de 24 disques durs et de 192 Go de RAM en fait un serveur idéal pour la virtualisation, les bases de données et la communication. De plus, la redondance proposée en option garantit un fonctionnement stable et fiable. En outre, le bruit de fonctionnement réduit au minimum convie nt parfaitement à un environnement de travail. Vous pouvez par exemple placer votre serveur sous votre bureau.

De plus, la suite logicielle ServerView® de Fujitsu offre une assistance aux administrateurs lors de l'installation, du déploiement et de l'administration du serveur.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>PRIMERGY TX2540 M1</b>					
PY TX2540 M1 F/FF/STANDARD PSU /	PY TX2540 M1 F/FF/STANDARD PSU / XEON E5-2407V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SM/KIT/ NO POWERCORD/		VFY:T2541SC010IN	1116,47	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SM/ RAID 6G 5/6 512MB/KIT/		VFY:T2541SC020IN	1728,24	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SM/ RAID 6G 5/6 512MB/KIT/		VFY:T2541SC030IN	1811,76	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2440V2/INDEPENDENT MODE/ 16 GB RG 1600 2R/DVD-RW SMD3116C/KIT/ PLEASE ENTER MANUALLY/NO POWERCORD/		VFY:T2541SC040IN	2452,94	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SMD3116C/ TFM MODULE/FBU/KIT/WS2012R2 STD 2 OEM/		VFY:T2541SC180IN	4818,82	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SMD3116C/KIT/ PSU 450W HP/NO POWERCORD/PSU DUMMY/		VFY:T2541SC270IN	1822,35	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/KIT/ PSU 450W HP/NO POWERCORD/PSU DUMMY/		VFY:T2541SX300FR	1834,12	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 16 GB RG 1600 2R/DVD-RW SMD3116C/KIT/ PSU 450W HP/NO POWERCORD/PSU DUMMY/		VFY:T2541SX310FR	2069,41	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>					
<b>PRIMERGY TX2540 M1</b>					
PY TX2540 M1 f/LFF/Standard PSU	Tower base unit without processor and memory, incl. 1 standard power supply unit 800W, lockable front bezel, 3 standard fans 120mm; Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with grafic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit (i210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 4 slots for hot plug 3.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.		S26361-K1463-V101	916,47	
PY TX2540 M1 f/LFF/red. PSU	Tower base unit without processor, without memory, without power supply unit, lockable front bezel, 3 standard fans 120mm + 1 additional fan 120mm for redundancy; Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with grafic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for backup + DVD) and 2x1 GBit (i210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 4 slots for hot plug 3.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.		S26361-K1463-V201	787,06	
PY TX2540 M1 f/SFF/red. PSU	Tower base unit without processor, without memory, without power supply unit, lockable front bezel, 3 standard fans 120mm + 1 additional fan 120mm for redundancy; Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with grafic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for backup + DVD) and 2x1 GBit (i210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 8 slots for hot plug 2.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.		S26361-K1463-V401	817,65	



**PRIMERGY TX2540 M1**

Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Référence	Prix Indicatif (€)	Remarques
<b>PRIMERGY TX2540 M1 (Suite)</b>				
Unités de Base	Unités de Base			
PY TX2540 M1 r/LFF/red. PSU	Rack base unit without processor, without memory, without power supply unit, lockable front bezel, 3 standard fans 120mm + 1 additional fan 120mm for redundancy; Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with grafic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit (i210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 4 slots for hot plug 3.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.	S26361-K1463-V601	802,35	
PY TX2540 M1 r/SFF/red. PSU	Rack base unit without processor, without memory,without power supply unit, lockable front bezel, 3 standard fans 120mm + 1 additional fan 120mm for redundancy; Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with grafic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for backup + DVD) and 2x1 GBit (i210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 8 slots for hot plug 2.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.	S26361-K1463-V801	843,53	



**PRIMERGY TX2560**

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY TX2560 M2 de Fujitsu offre des performances optimales, une évolutivité accrue et une disponibilité élevée, sans compromis. Les filiales, les datacenters ainsi que les PME peuvent bénéficier des performances offertes avec les deux processeurs Intel® Xeon® E5 v4 associés à 1 536 Go de mémoire DDR4. Jusqu'à 10 slots d'extension et jusqu'à 32 disques durs 2,5" offrent des options d'évolution exceptionnelles. Grâce à une alimentation et des ventilateurs redondants, et à une sélection de différents contrôleurs RAID, le serveur tour garantit des niveaux de disponibilité élevés et une certaine « tranquillité d'esprit ». Le serveur est donc idéal pour les applications les plus exigeantes en ressources, les solutions de virtualisation et les applications nécessitant des capacités de stockage conséquentes.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>PRIMERGY TX2560 M1</b>					
Tower server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).					
PY TX2560 M1 /ADV. THERMAL/	PY TX2560 M1 /ADV. THERMAL/ XEON E5-2620V3/INDEPENDENT MODE/ 8 GB RG 2133 1R/DVD-RW SM/3.5' KIT (8X)/ PRAID CP400I/2X1GB IF CARD/KIT/		VFY:T2561SC010IN	3098,82	
PY TX2560 M1 /ADV. THERMAL/	PY TX2560 M1 /ADV. THERMAL/ XEON E5-2620V3/INDEPENDENT MODE/ 8 GB RG 2133 1R/DVD-RW SM/2.5' KIT (8X)/ PRAID CP400I/2X1GB IF CARD/KIT/		VFY:T2561SC020IN	3098,82	
PY TX2560 M1 /ADV. THERMAL/	PY TX2560 M1 /ADV. THERMAL/ XEON E5-2620V3/INDEPENDENT MODE/ 8 GB RG 2133 1R/DVD-RW/ (16X 2.5',4X 3.5')/RAID 12G 1GB/		VFY:T2561SC030IN	4135,29	
PY TX2560 M1 /ADV. THERMAL/	PY TX2560 M1 /ADV. THERMAL/ XEON E5-2620V3/INDEPENDENT MODE/ 8 GB RG 2133 1R/DVD-RW SM/2.5' KIT (8X)/ RAID 12G 1GB/2X1GB IF CARD/KIT/		VFY:T2561SX080FR	2469,41	
PY TX2560 M1 /ADV. THERMAL/	PY TX2560 M1 /ADV. THERMAL/ XEON E5-2620V3/INDEPENDENT MODE/ 8 GB RG 2133 1R/DVD-RW SM/3.5' KIT (8X)/ RAID 12G 1GB/2X1GB IF CARD/KIT/		VFY:T2561SX090FR	2469,41	
PY TX2560 M1 /ADV. THERMAL/	PY TX2560 M1 /ADV. THERMAL/ XEON E5-2630V3/INDEPENDENT MODE/ 16 GB RG 2133 2R/DVD-RW SM/ 2.5' KIT (8X)/RAID 12G 1GB/		VFY:T2561SX120FR	2822,35	
<b>PRIMERGY TX2560 M2</b>					
Tower server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools., , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check this with the power calculator).					


**PRIMERGY TX2560**

 Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>PRIMERGY TX2560 M2 (Suite)</b>					
	PY TX2560 M2 /ATD 45°C/XEON E5-2620V4/	PY TX2560 M2 /ATD 45°C/XEON E5-2620V4/ INDEPENDENT MODE/8 GB RG 2400 1R/ DVD-RW SM/2.5' KIT (8X)/PRAID CP400/ 2X1GB IF CARD/KIT/2xPSU 450W HP/	VFY:T2562SC010IN	3056,47	
	PY TX2560 M2 /ATD 45°C/XEON E5-2609V4/	PY TX2560 M2 /ATD 45°C/XEON E5-2609V4/ INDEPENDENT MODE/8 GB RG 2400 1R/ DVD-RW SM/3.5' KIT (8X)/RAID 12G 1GB/ 2X1GB IF CARD/KIT/PSU 450W HP/	VFY:T2562SC020IN	2856,47	
	PY TX2560 M2 /ATD 45°C/XEON E5-2609V4/	PY TX2560 M2 /ATD 45°C/XEON E5-2609V4/ INDEPENDENT MODE/8 GB RG 2400 1R/ DVD-RW SM/2.5' KIT (8X)/RAID 12G 2GB/ 2X1GB IF CARD/KIT/PSU 450W HP/	VFY:T2562SC030IN	2850,59	
	PY TX2560 M2 /ATD 45°C/XEON E5-2620V4/	PY TX2560 M2 /ATD 45°C/XEON E5-2620V4/ INDEPENDENT MODE/8 GB RG 2400 1R/ DVD-RW SM/2.5' KIT (8X)/RAID 12G 2GB/ 2X1GB IF CARD/KIT/2xPSU 450W HP/	VFY:T2562SC040IN	3283,53	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>PRIMERGY TX2560 M1</b>					
	PY TX2560 M1	Tower server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1541-V101	1087,06	
<b>PRIMERGY TX2560 M2</b>					
	PRIMERGY TX2560 M2	Tower server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check this with the power calculator).	S26361-K1583-V101	1087,06	



## Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>															
<b>Processor</b>															
	Intel Xeon E5-2603v2 4C/4T 1.80GHz 10MB											x	S26361-F3788-L180	336,47	
	Intel Xeon E5-2609v2 4C/4T 2.50GHz 10MB											x	S26361-F3788-L250	461,18	
	Intel Xeon E5-2640v2 8C/16T 2.00GHz 20MB											x	S26361-F3789-L200	1289,41	
	Intel Xeon E5-2620v2 6C/12T 2.10GHz 15MB											x	S26361-F3789-L210	636,47	
	Intel Xeon E5-2630v2 6C/12T 2.60GHz 15MB											x	S26361-F3789-L260	905,88	
	Intel Xeon E5-2660v2 10C/20T 2.2GHz 25MB											x	S26361-F3790-L220	1982,35	
	Intel Xeon E5-2670v2 10C/20T 2.5GHz 25MB											x	S26361-F3790-L250	2200,00	
	Intel Xeon E5-2650v2 8C/16T 2.60GHz 20MB											x	S26361-F3790-L260	1682,35	
	Intel Xeon E5-2680v2 10C/20T 2.8GHz 25MB											x	S26361-F3790-L280	2428,24	
	Intel Xeon E5-2690v2 10C/20T 3.0GHz 25MB											x	S26361-F3790-L300	2872,94	
	Intel Xeon E5-2695v2 12C/24T 2.4GHz 30MB											x	S26361-F3791-L240	3261,18	
	Intel Xeon E5-2697v2 12C/24T 2.7GHz 30MB											x	S26361-F3791-L270	3716,47	
	Intel Xeon E5-2667v2 8C/16T 3.30GHz 25MB											x	S26361-F3791-L300	2872,94	
	Intel Xeon E5-2643v2 6C/12T 3.50GHz 25MB											x	S26361-F3791-L330	2200,00	
	Intel Xeon E5-2637v2 4C/8T 3.50GHz 15MB											x	S26361-F3791-L350	1444,71	
	Intel Xeon E5-2650Lv2 10C/20T 1.70GHz											x	S26361-F3792-L170	1749,41	
	Intel Xeon E5-2630Lv2 6C/12T 2.4GHz 15MB											x	S26361-F3792-L240	905,88	
	Intel Xeon E5-2403v2 4C/4T 1.8GHz 10MB								x				S26361-F3828-L180	325,88	
	Intel Xeon E5-2407v2 4C/4T 2.4GHz 10MB								x				S26361-F3828-L240	403,53	
	Intel Xeon E5-2440v2 8C/16T 1.9GHz 20MB								x				S26361-F3829-L190	1231,76	
	Intel Xeon E5-2420v2 6C/12T 2.2GHz 15MB								x				S26361-F3829-L220	631,76	
	Intel Xeon E5-2430v2 6C/12T 2.5GHz 15MB								x				S26361-F3829-L250	849,41	
	Intel Xeon E5-2470v2 10C/20T 2.4GHz 25MB								x				S26361-F3830-L240	2040,00	
	Intel Xeon E5-2450v2 8C/16T 2.5GHz 20MB								x				S26361-F3830-L250	1589,41	
	Intel Xeon E5-2430Lv2 6C/12T 2.4GHz 15MB								x				S26361-F3831-L240	931,76	
	Intel Xeon E5-2603v3 6C/6T 1.60 GHz									x			S26361-F3849-L503	377,65	
	Intel Xeon E5-2609v3 6C/6T 1.90 GHz									x			S26361-F3849-L509	507,06	
	Intel Xeon E5-2620v3 6C/12T 2.40 GHz									x			S26361-F3849-L520	672,94	
	Intel Xeon E5-2623v3 4C/8T 3.00 GHz									x			S26361-F3849-L523	683,53	
	Intel Xeon E5-2630v3 8C/16T 2.40 GHz									x			S26361-F3849-L530	1004,71	
	Intel Xeon E5-2640v3 8C/16T 2.60 GHz									x			S26361-F3849-L540	1387,06	
	Intel Xeon E5-2650v3 10C/20T 2.30 GHz									x			S26361-F3849-L550	1703,53	
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz										x		S26361-F3933-L503	377,65	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz										x		S26361-F3933-L509	507,06	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz										x		S26361-F3933-L520	672,94	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz										x		S26361-F3933-L523	683,53	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz										x		S26361-F3933-L530	1004,71	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz										x		S26361-F3933-L540	1387,06	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz										x		S26361-F3933-L550	1703,53	
<b>Mémoire</b>															
	8GB (1x8GB) 2Rx8 L DDR3-1600 U ECC						x						S26361-F3777-L515	142,35	
	4GB (1x4GB) 1Rx8 L DDR3-1600 U ECC	x	x		x								S26361-F5312-L514	88,24	
	8GB (1x8GB) 2Rx8 L DDR3-1600 U ECC	x	x		x								S26361-F5312-L518	155,29	
	4GB (1x4GB) 1Rx8 DDR4-2133 U ECC			x		x							S26361-F3909-L514	88,24	
	8GB (1x8GB) 2Rx8 DDR4-2133 U ECC			x		x							S26361-F3909-L515	129,41	
	16GB (1x16GB) 2Rx8 DDR4-2133 U ECC			x		x							S26361-F3909-L516	243,53	
<b>Mémoire Modules</b>															
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC							x				x	S26361-F3781-L514	129,41	
	8GB (1x8GB) 1Rx4 DDR4-2133 R ECC								x				S26361-F3843-L514	185,88	
	8GB (1x8GB) 1Rx4 DDR4-2400 R ECC									x			S26361-F3934-L511	185,88	
	16GB (1x16GB) 2Rx4 DDR4-2133 R ECC									x			S26361-F3843-L516	272,94	
	8GB (1x8GB) 1Rx4 L DDR3-1600 R ECC							x				x	S26361-F3781-L515	165,88	
	32GB (1x32GB) 2Rx4 DDR4-2133 R ECC								x				S26361-F3843-L517	740,00	
	16GB (1x16GB) 2Rx4 DDR4-2400 R ECC									x			S26361-F3934-L512	315,29	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC							x			x		S26361-F3781-L516	305,88	
	8GB (1x8GB) 2Rx8 DDR4-2133 R ECC								x				S26361-F3843-L515	228,24	
	32GB (1x32GB) 2Rx4 DDR4-2400 R ECC										x		S26361-F3934-L515	740,00	
	32GB (1x32GB) 4Rx4 DDR4-2133 LR ECC										x		S26361-F3844-L517	864,71	
	8GB (1x8GB) 2Rx8 DDR3-1866 R ECC											x	S26361-F3793-L515	237,65	



**Accessoires serveurs four PRIMERGY**

64GB (1x64GB) 4Rx4 DDR4-2133 LR ECC										x		S26361-F3844-L518	1863,53	
16GB (1x16GB) 2Rx8 DDR4-2400 R ECC											x	S26361-F3934-L513	362,35	





## Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>															
<b>Mémoire Modules (Suite)</b>															
	Mem. 4Go 1Rx4 L DDR3-1600 R ECC							x					S26361-F3697-L514	129,41	
	16GB (1x16GB) 2Rx4 DDR3-1866 R ECC											x	S26361-F3793-L516	336,47	
	32GB (1x32GB) 4Rx4 DDR3-1866 LR ECC											x	S26361-F3848-L517	828,24	
	Mem. 8Go 2Rx4 L DDR3-1600 R ECC							x					S26361-F3697-L515	202,35	
	32GB (1x32GB) 4Rx4 L DDR3-1600 LR ECC											x	S26361-F3782-L517	787,06	
	64GB (1x64GB) 4Rx4 DDR4-2400 LR ECC											x	S26361-F3935-L516	1863,53	
	Mem. 16Go 2Rx4 L DDR3-1600 R ECC							x					S26361-F3697-L516	305,88	
	64GB (1x64GB) 8Rx4 L DDR3-1333 LR ECC											x	S26361-F3783-L518	3934,12	
<b>Graphics</b>															
	PY NVIDIA Tesla K40 GPGPU											x	S26361-F2222-L40	8282,35	
	PGRA CP NVIDIA GRID K1											x	S26361-F2222-L914	3054,12	
	PGRA CP NVIDIA GRID K2											x	S26361-F2222-L924	6149,41	
	Interface VGA avant											x	S26361-F2571-L26	56,47	
	PGRA CP NVS 1GB VGA PCI-e x16 card	x			x	x		x	x	x	x		S26361-F2748-L538	150,59	
	Risercard PCIe1*x8+2*x4									x	x		S26361-F3846-L131	56,47	
	Intel Xeon Phi Co-Processor 3120P											x	S26361-F4100-L312	2748,24	
	Intel Xeon Phi Co-Processor 31S1P											x	S26361-F4100-L313	8,24	
	Intel Xeon Phi Co-Processseur 7120P											x	S26361-F4100-L712	6211,76	
<b>Supports amovibles</b>															
	Kit de montage DVD(s/l) + LSD					x			x			x	S26361-F2826-L205	30,59	
	ExtensionKit 8x SAS3.0 SFF xxD											x	S26361-F2826-L245	155,29	
	Boitier d'extension 8 disques SAS SFF											x	S26361-F2826-L325	124,71	
	Upg. kit for up to 16x 2.5' HDD								x				S26361-F2826-L327	414,12	
	ExtensionKit 4x SAS LFF HDD											x	S26361-F2826-L335	108,24	
	Boitier d'extension 8 disques SAS SFF											x	S26361-F2826-L425	124,71	
	Kit de montage pour 8x SAS SFF DD							x					S26361-F2826-L426	144,71	
	Upg. kit for up to 24x 2.5' HDD									x			S26361-F2826-L427	134,12	
	Kit de montage DVD(s/l)+4x SAS LFF DD											x	S26361-F2826-L435	160,00	
	Kit de montage DVD(s/l)+4x SAS LFF DD							x	x				S26361-F2826-L436	144,71	
	Graveur Blu-ray triple couche slimline SATA	x			x		x	x	x				S26361-F3641-L4	170,59	
	Blu-ray Triple Writer ultraslim SATA					x				x	x		S26361-F3641-L6	170,59	
	Blu-ray Triple Writer ultraslim SATA					x				x	x		S26361-F3641-L8	170,59	
	SAS Expander 2x4 In / 6x4 Out											x	S26361-F3668-L1	284,71	
	Kit Adaptateur pour second contrôleur RAID											x	S26361-F3673-L1	30,59	
	Adaptateur USB3.0 PCIe x1						x	x	x			x	S26361-F3749-L501	25,88	
	DVD-RW supermulti ultraslim SATA					x				x	x		S26361-F3778-L1	98,82	
	Upg. to Medium 3.5' kit (8x3.5'HDD)					x							S26361-F3899-L1	103,53	
	Upg. kit for 8x 2.5' HDD					x							S26361-F3899-L11	647,06	
	Upg. to Medium 2.5' kit (16x2.5'HDD)					x							S26361-F3899-L12	170,59	
	Upg. 4x 3.5' HD accessible kit					x							S26361-F3899-L13	124,71	
	Upg. to maximum 3.5' kit (12x3.5'HDD)					x							S26361-F3899-L2	600,00	
	Upgr to Mix 3.5/2.5' (+8x2.5'HDD w/ Exp					x							S26361-F3899-L3	600,00	
	Upg. to Medium 3.5' kit (8x3.5'HDD)									x	x		S26361-F3900-L1	103,53	
	Upg. kit for 8x 2.5' HDD									x	x		S26361-F3900-L11	647,06	
	Upg. to Medium 2.5' kit (16x2.5'HDD)									x	x		S26361-F3900-L12	170,59	
	2x2.5' NON-hot-plug mounting frames									x	x		S26361-F3900-L125	41,18	
	Upg. 4x 3.5' HD accessible kit									x	x		S26361-F3900-L13	124,71	
	Upg. to maximum 3.5' kit (12x3.5'HDD)									x	x		S26361-F3900-L2	600,00	
	Upg. to performance kit 4x 2.5' PCIe									x	x		S26361-F3900-L21	647,06	
	Upg. to 8x 2.5' PCIe									x	x		S26361-F3900-L22	625,88	
	DVD-RW supermulti slimline SATA		x	x			x	x				x	S26361-F3269-L2	98,82	
	Graveur Blu-ray triple couche slimline SATA		x	x			x						S26361-F3641-L2	170,59	
	DVD-ROM 1.6" SATA	x			x	x	x	x	x	x	x	x	S26361-F3266-L2	41,18	
	DVD-RW supermulti 1.6" SATA	x			x	x	x	x	x	x	x	x	S26361-F3267-L2	56,47	
	RDX 320 5.25'	x						x	x			x	S26361-F3750-L324	295,29	
	RDX 500 5.25'	x						x	x			x	S26361-F3750-L504	330,59	
	RDX 1000 5.25'	x						x	x			x	S26361-F3750-L604	370,59	
	RDX Drive USB2.0 cable set							x	x			x	S26361-F3750-L20	21,18	
	RDX Drive USB3.0 5.25" internal	x			x	x	x	x	x	x	x	x	S26361-F3750-L4	217,65	



**Accessoires serveurs tour PRIMERGY**

RDX Drive USB 3.0 3.5" interne		x	x								S26361-F3750-L5	217,65
Lecteur bande LTO3HH Ultr 400Go 60MB/s SAS				x			x	x			S26361-F3561-L4	1460,00



## Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)															
<b>Supports amovibles (Suite)</b>															
	Lecteur LTO4HH 800Go 120Mbps/s SAS V2				x		x	x	x	x	x	x	S26361-F3626-L2	2023,53	
	Lecteur LTO5HH 1500GB 140MB/s SAS				x		x	x	x	x	x	x	S26361-F3627-L1	2334,12	
	Kit bande LTO6HH 2.5TB 160MB/s SAS 6Gb						x	x	x	x	x	x	S26361-F3787-L1	2935,29	
<b>Hard Disks</b>															
	DD SATA 6G 1To 7.2K NON HOT PL 3.5" BC	x	x										S26361-F3671-L100	254,12	
	DD SATA 6G 2To 7.2K NON HOT PL 3.5" BC	x	x										S26361-F3671-L200	418,82	
	DD SATA 6G 3To 7.2K NO HOT PL 3.5" BC	x	x										S26361-F3671-L300	512,94	
	DD SATA 6G 4To 7.2K NO HOT P 3.5" BC	x	x	x									S26361-F3671-L400	574,12	
	DD SATA 6G 500Go 7.2K NON HOT PL 3.5" BC	x	x										S26361-F3671-L500	228,24	
	DD SATA 6Gb/s 250Go 7.2k non Hot-plug 3.5"	x	x										S26361-F3701-L250	160,00	
	DD SATA 6G 500GB 7.2K NO HOT PL 3.5" ECO	x	x										S26361-F3701-L500	170,59	
	HD SATA 6G 6TB 7.2K 512e HOT PL 3.5" BC				x			x	x			x	S26361-F3903-L600	1108,24	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5" BC			x	x			x					S26361-F3906-L100	409,41	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5" BC			x	x			x					S26361-F3906-L200	720,00	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5" BC					x				x	x		S26361-F3907-L100	409,41	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5" BC					x				x	x		S26361-F3907-L200	720,00	
	HD SATA 6G 250GB 7.2K NO HOT PL 2.5" BC									x	x		S26361-F3908-L250	232,94	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC					x				x	x		S26361-F3926-L100	409,41	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC									x			S26361-F3926-L250	232,94	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC					x				x	x		S26361-F3926-L500	263,53	
	HD SATA 6G 1TB 7.2K NO HOT PL 3.5" BC			x									S26361-F3949-L100	254,12	
	HD SATA 6G 2TB 7.2K NO HOT PL 3.5" BC			x									S26361-F3949-L200	418,82	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" BC			x									S26361-F3949-L500	228,24	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC					x						x	S26361-F3950-L100	254,12	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC					x							S26361-F3950-L500	228,24	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" ECO					x							S26361-F3951-L100	181,18	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO					x							S26361-F3951-L500	170,59	
	HD SATA 6G 1TB 7.2K NO HOT PL 3.5" ECO	x	x										S26361-F3952-L100	181,18	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" ECO			x									S26361-F3952-L500	170,59	
	Disque dur SAS 6G 1To 7.2K HOT PL 3.5" BC						x	x	x			x	S26361-F5241-L100	336,47	
	Disque dur SAS 6G 2To 7.2K HOT PL 3.5" BC						x	x	x			x	S26361-F5241-L200	496,47	
	Disque dur SAS 6G 3To 7.2K HOT PL 3.5" BC						x	x	x			x	S26361-F5241-L300	688,24	
	Disque dur SAS 6G 4To 7.2K HOT PL 3.5" BC						x	x	x			x	S26361-F5241-L400	791,76	
	SSD SAS 12G 1.6TB Main 2.5" H-P EP											x	S26361-F5297-L160	9876,47	
	SSD SAS 12G 200GB Main 2.5" H-P EP											x	S26361-F5297-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP											x	S26361-F5297-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP											x	S26361-F5297-L800	5171,76	
	SSD SAS 12G 1.6TB Main 2.5" H-P EP									x	x		S26361-F5298-L160	9876,47	
	SSD SAS 12G 200GB Main 2.5" H-P EP									x	x		S26361-F5298-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP									x	x		S26361-F5298-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP									x	x		S26361-F5298-L800	5171,76	
	SSD SAS 12G 1.6TB Main 3.5" H-P EP											x	S26361-F5315-L160	9876,47	
	SSD SAS 12G 200GB Main 3.5" H-P EP											x	S26361-F5315-L200	1434,12	
	SSD SAS 12G 400GB Main 3.5" H-P EP											x	S26361-F5315-L400	2717,65	
	SSD SAS 12G 800GB Main 3.5" H-P EP											x	S26361-F5315-L800	5171,76	
	SSD SATA 6G 100GB Main 3.5" H-P EP				x				x			x	S26361-F5319-L100	610,59	
	SSD SATA 6G 200GB Main 3.5" H-P EP				x				x			x	S26361-F5319-L200	1211,76	
	SSD SATA 6G 400GB Main 3.5" H-P EP								x			x	S26361-F5319-L400	2443,53	
	SSD SATA 6G 800GB Main 3.5" H-P EP								x			x	S26361-F5319-L800	4891,76	
	HD SAS 6G 300GB 15K HOT PL 3.5" EP				x		x	x	x			x	S26361-F5520-L530	502,35	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP				x		x	x	x			x	S26361-F5520-L545	720,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP				x		x	x	x			x	S26361-F5520-L560	869,41	
	SSD SATA 6G 120GB ReadIntensive 2.5" H-P	x	x	x			x	x				x	S26361-F5524-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5" H-P	x	x	x			x	x				x	S26361-F5524-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5" H-P	x	x	x			x	x				x	S26361-F5524-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 2.5" H-P	x	x	x			x	x				x	S26361-F5524-L800	2189,41	
	SSD SATA 6G 120GB ReadIntensive 2.5" H-P					x				x	x		S26361-F5525-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5" H-P					x				x	x		S26361-F5525-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5" H-P					x				x	x		S26361-F5525-L480	1345,88	



### Accessoires serveurs tour PRIMERGY

SSD SATA 6G 800GB ReadIntensive 2.5' H-P					x				x	x	S26361-F5525-L800	2189,41
SSD SATA 6G 120GB ReadIntensive 3.5' H-P				x				x		x	S26361-F5528-L120	362,35



## Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)															
Hard Disks (Suite)															
	SSD SATA 6G 240GB ReadIntensive 3.5' H-P				x				x			x	S26361-F5528-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 3.5' H-P				x				x			x	S26361-F5528-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 3.5' H-P				x				x			x	S26361-F5528-L800	2189,41	
	SSD SATA 6G 120GB ReadIntensive 3.5' H-P					x							S26361-F5530-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 3.5' H-P					x							S26361-F5530-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 3.5' H-P					x							S26361-F5530-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 3.5' H-P					x							S26361-F5530-L800	2189,41	
	HD SAS 12G 300GB 15K HOT PL 3.5' EP					x				x			S26361-F5532-L530	502,35	
	HD SAS 12G 450GB 15K HOT PL 3.5' EP					x				x			S26361-F5532-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 3.5' EP					x				x			S26361-F5532-L560	869,41	
	Extension Box for 2 pc. 2.5' hotplug HDD		x										S26361-F5535-L1	160,00	
	Extension Box for 2 pc. 2.5' hotplug HDD			x									S26361-F5535-L2	160,00	
	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5' EP			x									S26361-F5544-L112	807,06	
	HD SAS 12G 600GB 10K 512e HOT PL 2.5' EP			x									S26361-F5544-L160	522,35	
	HD SAS 12G 900GB 10K 512e HOT PL 2.5' EP			x									S26361-F5544-L190	688,24	
	PACC EP PX600 1.3TB									x	x		S26361-F5546-L131	13458,82	
	PACC EP PX600 2.6TB									x	x		S26361-F5546-L261	25882,35	
	PACC EP PX600 5.2TB									x	x		S26361-F5546-L521	49694,12	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP						x			x			S26361-F5550-L112	720,00	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP						x			x			S26361-F5550-L130	263,53	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP						x			x			S26361-F5550-L160	496,47	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP						x			x			S26361-F5550-L190	651,76	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP	x	x	x				x	x				S26361-F5551-L130	263,53	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP	x	x	x				x	x				S26361-F5551-L160	496,47	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP	x	x	x				x	x				S26361-F5551-L190	651,76	
	HD SAS 12G 300GB 10K hp 2.5'(1Box=20pcs)	x	x	x				x	x				S26361-F5551-L930	263,53	
	HD SAS 12G 300GB 10K NO HOT PL 2.5' EP									x			S26361-F5554-L130	263,53	
	HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC									x	x		S26361-F5555-L500	289,41	
	SSD SATA 6G 120GB ReadIntens 2.5' N H-P									x	x		S26361-F5556-L120	362,35	
	HD SAS 6G 1TB 7.2K HOT PL 2.5' BC									x	x		S26361-F5559-L100	507,06	
	HD SAS 6G 500GB 7.2K HOT PL 2.5' BC									x	x		S26361-F5559-L500	289,41	
	HD SAS 12G 300GB 15K HOT PL 2.5' EP			x									S26361-F5567-L530	502,35	
	HD SAS 12G 450GB 15K HOT PL 2.5' EP			x									S26361-F5567-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 2.5' EP			x									S26361-F5567-L560	869,41	
	HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP					x				x			S26361-F5568-L112	720,00	
	HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP					x				x			S26361-F5568-L130	263,53	
	HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP					x				x			S26361-F5568-L160	496,47	
	HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP					x				x			S26361-F5569-L118	1149,41	
	HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC								x				S26361-F5570-L200	424,71	
	HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC								x				S26361-F5570-L400	807,06	
	HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC								x				S26361-F5570-L600	1160,00	
	HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC					x				x	x		S26361-F5571-L200	424,71	
	HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC					x				x	x		S26361-F5571-L400	807,06	
	HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC					x				x	x		S26361-F5571-L600	1160,00	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC								x				S26361-F5572-L100	662,35	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC								x				S26361-F5572-L200	1205,88	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x				x	x		S26361-F5573-L100	662,35	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x				x	x		S26361-F5573-L200	1205,88	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP			x					x				S26361-F5586-L120	325,88	
	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP			x					x				S26361-F5586-L192	4270,59	
	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP			x					x				S26361-F5586-L240	621,18	
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP			x					x				S26361-F5586-L480	1185,88	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP			x					x				S26361-F5586-L960	2247,06	
	SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP								x				S26361-F5587-L120	325,88	
	SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP								x				S26361-F5587-L192	4270,59	
	SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP								x				S26361-F5587-L240	621,18	
	SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP								x				S26361-F5587-L480	1185,88	
	SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP								x				S26361-F5587-L960	2247,06	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x				x	x		S26361-F5588-L120	325,88	



**Accessoires serveurs tour PRIMERGY**

SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x				x	x	S26361-F5588-L192	4270,59
SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x				x	x	S26361-F5588-L240	621,18



## Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)	Hard Disks (Suite)														
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x				x	x		S26361-F5588-L480	1185,88	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x				x	x		S26361-F5588-L960	2247,06	
	SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L120	325,88	
	SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L192	4270,59	
	SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L240	621,18	
	SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L480	1185,88	
	SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L960	2247,06	
	SSD SATA 6G 200GB Write-Int. 2.5' H-P EP			x									S26361-F5590-L200	797,65	
	SSD SATA 6G 400GB Write-Int. 2.5' H-P EP			x									S26361-F5590-L400	1552,94	
	SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP					x					x		S26361-F5592-L120	4555,29	
	SSD SATA 6G 200GB Write-Int. 2.5' H-P EP					x					x		S26361-F5592-L200	797,65	
	SSD SATA 6G 400GB Write-Int. 2.5' H-P EP					x					x		S26361-F5592-L400	1552,94	
	SSD SATA 6G 800GB Write-Int. 2.5' H-P EP					x					x		S26361-F5592-L800	3032,94	
	SSD SATA 6G 200GB Write-Int. 3.5' H-P EP					x							S26361-F5593-L200	797,65	
	SSD SATA 6G 400GB Write-Int. 3.5' H-P EP					x							S26361-F5593-L400	1552,94	
	SSD SATA 6G 800GB Write-Int. 3.5' H-P EP					x							S26361-F5593-L800	3032,94	
	HDD Dummy Frame Slim 2.5'					x				x	x		S26361-F5601-L25	10,59	
	HDD Dummy Frame Slim 3.5'				x	x				x	x		S26361-F5601-L35	10,59	
	SSD SATA 6G 100GB Main 2.5" H-P EP	x	x				x	x	x			x	S26361-F5303-L100	610,59	
	SSD SATA 6G 200GB Main 2.5" H-P EP	x	x				x	x	x			x	S26361-F5303-L200	1211,76	
	SSD SATA 6G 400GB Main 2.5" H-P EP						x	x	x			x	S26361-F5303-L400	2443,53	
	SSD SATA 6G 800GB Main 2.5" H-P EP						x	x	x			x	S26361-F5303-L800	4891,76	
	DD SAS 6G 500Go 7.2K HOT PL 2.5" BC						x	x	x			x	S26361-F5228-L500	289,41	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP	x	x	x				x	x			x	S26361-F5544-L118	1149,41	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP	x	x	x				x	x				S26361-F5551-L112	720,00	
	DD SAS 6G 1To 7.2K HOT PL 2.5" BC							x	x	x		x	S26361-F5228-L100	507,06	
	SSD SATA 6G 64GB DOM N H-P			x		x				x	x		S26361-F5522-L64	124,71	
	SSD SATA 6G 64GB DOM N H-P	x	x										S26361-F5533-L64	124,71	
	SSD PCIe3 800GB Main 2.5' H-P EP									x	x		S26361-F5534-L800	5461,18	
	DD SAS 6G 300Go 10K HOT PL 2.5' EP	x	x				x	x	x			x	S26361-F5247-L130	263,53	
	DD SAS 6G 450Go 10K HOT PL 2.5' EP	x	x				x	x	x			x	S26361-F5247-L145	403,53	
	DD SAS 6G 600Go 10K HOT PL 2.5' EP	x	x				x	x	x			x	S26361-F5247-L160	465,88	
	DD SAS 6G 900Go 10K HOT PL 2.5' EP	x	x				x	x	x			x	S26361-F5247-L190	631,76	
	SSD SATA 6G 128GB DOM N H-P		x			x				x	x		S26361-F5522-L128	217,65	
	SSD SATA 6G 128GB DOM N H-P	x	x										S26361-F5533-L128	217,65	
	SSD PCIe3 1.6TB Main 2.5' H-P EP									x	x		S26361-F5534-L161	10917,65	
	HD SAS 6G 300GB 10K HOT PL 2.5' EP									x			S26361-F5537-L130	263,53	
	HD SAS 6G 600GB 10K HOT PL 2.5' EP									x			S26361-F5537-L160	491,76	
	HD SAS 6G 900GB 10K HOT PL 2.5' EP									x			S26361-F5537-L190	631,76	
	DD SATA 6Gb/s 500Go 7.2K hot-plug 3.5" BC				x		x	x	x			x	S26361-F3670-L500	228,24	
	HD SAS 6G 1.2TB 10K HOT PL 2.5" EP	x	x				x	x	x			x	S26361-F5247-L112	508,24	
	SSD PCIe3 2TB Main 2.5' H-P EP									x	x		S26361-F5534-L201	14287,06	
	HD SAS 6G 1.2TB 10K HOT PL 2.5' EP									x			S26361-F5537-L112	670,59	
	DD SATA 6Gb/s 1To 7.2K hot-plug 3.5" BC			x			x	x	x			x	S26361-F3670-L100	254,12	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC					x				x			S26361-F3815-L500	217,65	
	HD SAS 6G 146GB 15K HOT PL 2.5' EP									x	x		S26361-F5538-L514	232,94	
	DD SATA 6Gb/s 2To 7.2K hot-plug 3.5" BC				x		x	x	x			x	S26361-F3670-L200	418,82	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC									x			S26361-F3815-L100	237,65	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC				x					x	x		S26361-F3815-L200	418,82	
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC				x					x			S26361-F3815-L300	517,65	
	HD SATA 6G 4TB 7.2K HOT PL 3.5" BC					x				x	x		S26361-F3815-L400	574,12	
	DD SATA 6G 3To 7.2K HP 3.5" BC				x		x	x	x			x	S26361-F3670-L300	517,65	
	HD SATA 6G 6TB 7.2K 512e HOT PL 3.5" BC					x				x	x		S26361-F3904-L600	1108,24	
	DD SATA 6G 4To 7.2K HOT PL 3.5" BC			x			x	x	x			x	S26361-F3670-L400	574,12	
	DD SATA 6Gb/s 250Go 7.2K hot-plug 2.5" BC	x	x				x	x	x			x	S26361-F3708-L250	232,94	
	DD SATA 6Gb/s 500Go 7.2K hot-plug 2.5" BC	x	x	x			x	x	x			x	S26361-F3708-L500	263,53	
	DD SATA 6Gb/s 250Go 7.2K Hot plug 3.5" ECO				x		x	x					S26361-F3700-L250	160,00	
	DD SATA 6Gb/s 1To 7.2K hot-plug 2.5" BC	x	x	x			x	x	x			x	S26361-F3708-L100	409,41	
	DD SATA 6Gb/s 500Go 7.2K hot plug 3.5" ECO				x		x	x					S26361-F3700-L500	170,59	



### Accessoires serveurs tour PRIMERGY

HD SAS 6G 1TB 7.2K HOT PL 3.5" BC									x	x	S26361-F3820-L100	336,47	
HD SAS 6G 2TB 7.2K HOT PL 3.5" BC									x	x	S26361-F3820-L200	496,47	







**Accessoires serveurs tour PRIMERGY**

Ctrl FC 8Gb/s 2 canaux QLE2562 MMF LC									x	x	x	S26361-F3631-L2	1594,12	
PFC EP LPe16000									x	x		S26361-F4994-L501	1578,82	





**Accessoires serveurs four PRIMERGY**

VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D232	3775,00
VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D233	5185,00





**Accessoires serveurs four PRIMERGY**

VMW VSAN Advanced for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D371	3216,47
VMW VSAN Advanced for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D372	3216,47





**Accessoires serveurs tour PRIMERGY**

VMware vSphere ENT FlexF 1 CPU w/oSP-3yr				x	x	x	x					S26361-F2344-L336	2554,12	
VMware vSphere EPL FlexF 1 CPU w/oSP-3yr				x	x	x	x					S26361-F2344-L337	3108,24	





## Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
<b>PRIMERGY-Software (Suite)</b>															
	VMW Essentials Kit + Subscription-1yr				x	x	x	x					S26361-F2344-L340	670,59	
	VMW Essentials Kit + Subscription-3yr				x	x	x	x					S26361-F2344-L341	909,41	
	VMW Essentials Kit + Subscription-5yr				x	x	x	x					S26361-F2344-L342	1169,41	
	VMW ROBO STD 25 VMs w/o SP-1yr				x	x	x	x	x	x	x	x	S26361-F2344-L343	3090,59	
	VMW ROBO STD 25 VMs w/o SP-3yr				x	x	x	x	x	x	x	x	S26361-F2344-L344	3090,59	
	VMW ROBO STD 25 VMs w/o SP-5yr				x	x	x	x	x	x	x	x	S26361-F2344-L345	3090,59	
	VMW ROBO ADV 25 VMs w/o SP-1yr				x	x	x	x	x	x	x	x	S26361-F2344-L346	4643,53	
	VMW ROBO ADV 25 VMs w/o SP-3yr				x	x	x	x	x	x	x	x	S26361-F2344-L347	4643,53	
	VMW ROBO ADV 25 VMs w/o SP-5yr				x	x	x	x	x	x	x	x	S26361-F2344-L348	4643,53	
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L350	2354,12	
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L351	2354,12	
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L352	2354,12	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L353	4718,82	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L354	4718,82	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L355	4718,82	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L365	470,59	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L366	470,59	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L367	470,59	
	VMW VSAN for ROBO w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L368	11645,88	
	VMW VSAN for ROBO w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L369	11645,88	
	VMW VSAN for ROBO w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L370	11645,88	
	VMW VSAN Advanced for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L371	3734,12	
	VMW VSAN Advanced for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L372	3734,12	
	VMW VSAN Advanced for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L373	3734,12	
	VMW VSAN ADV DT 10-Pack w/o SP-1yr	x	x	x			x	x	x	x	x	x	S26361-F2344-L374	936,47	
	VMW VSAN ADV DT 10-Pack w/o SP-3yr	x	x	x			x	x	x	x	x	x	S26361-F2344-L375	936,47	
	VMW VSAN ADV DT 10-Pack w/o SP-5yr	x	x	x			x	x	x	x	x	x	S26361-F2344-L376	936,47	
	VMW VSAN ADV DT 100-Pack w/o SP-1yr	x	x	x			x	x	x	x	x	x	S26361-F2344-L377	9356,47	
	VMW VSAN ADV DT 100-Pack w/o SP-3yr	x	x	x			x	x	x	x	x	x	S26361-F2344-L378	9356,47	
	VMW VSAN ADV DT 100-Pack w/o SP-5yr	x	x	x			x	x	x	x	x	x	S26361-F2344-L379	9356,47	
	VMware vCloud Suite 6 STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L380	5147,06	
	VMware vCloud Suite 6 STD w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L381	5147,06	
	VMware vCloud Suite 6 STD w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L382	5147,06	
	VMware vCloud Suite 6 ADV w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L383	7722,35	
	VMware vCloud Suite 6 ADV w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L384	7722,35	
	VMware vCloud Suite 6 ADV w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L385	7722,35	
	VMware vCloud Suite 6 ENT w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L386	11851,76	
	VMware vCloud Suite 6 ENT w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L387	11851,76	
	VMware vCloud Suite 6 ENT w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L388	11851,76	
	VMM Upg vCenter S FND to STD w/o SP-1yr	x	x					x	x	x	x	x	S26361-F2344-S418	3587,06	
	VMW Upg ESXi to vSphere STD w/o SP-1yr							x	x	x	x	x	S26361-F2344-S420	927,06	
	VMW Upg ESXi to vSphere ENT w/o SP-1yr							x	x	x	x	x	S26361-F2344-S421	2676,47	
	VMW Upg ESXi to vSphere EPL w/o SP-1yr	x	x	x	x			x	x	x	x	x	S26361-F2344-S422	3256,47	
	VMW Upg vSp STD to vSp ENT w/o SP-1yr		x	x				x	x	x	x	x	S26361-F2344-S423	1920,00	
	VMW Upg vSp STD to vSp EPL w/o SP-1yr		x	x				x	x	x	x	x	S26361-F2344-S424	2562,35	
	VMW Upg vSp ENT to vSp EPL w/o SP-1yr		x	x				x	x	x	x	x	S26361-F2344-S425	635,29	
	FSE KVM Standard Support 1 year	x	x		x			x	x			x	S26361-F2346-L430	202,35	
	FSE KVM Standard Support 3 years	x	x		x			x	x			x	S26361-F2346-L431	512,94	
	FSE KVM Premium Support 1 year	x	x		x			x	x			x	S26361-F2346-L432	616,47	
	FSE KVM Premium Support 3 years	x	x		x			x	x			x	S26361-F2346-L433	1548,24	
	UCS Back-Level Support Standard 1 year							x	x				S26361-F2346-L440	58,82	
	UCS Back-Level Support Standard 3 years							x	x				S26361-F2346-L441	98,82	
	UCS Back-Level Support Premium 1 year							x	x				S26361-F2346-L442	202,35	
	UCS Back-Level Support Premium 3 years							x	x				S26361-F2346-L443	512,94	
	WinSvr 2012 R2 Datacenter 2CPU ROK Distributeurs	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D413	4575,29	
	WinSvr 2012R2 DC w/Reassignment 2CPU ROK	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D417	6127,06	
	WinSvr 2012 R2 Standard 2CPU/2VM ROK Distributeurs	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D423	704,71	
	WinSvr 2012 R2 Essentials 2CPU ROK MUL Distributeu	x	x	x	x	x	x	x	x				S26361-F2567-D432	375,29	
	WinSvr 2012 R2 Foundation 1CPU ROK Distributeurs	x	x	x	x	x	x	x					S26361-F2567-D442	205,88	



**Accessoires serveurs four PRIMERGY**

WinStorageSvr 2012 R2 Std 2CPU/2VM ROK	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D453	547,06
Windows Server 2012 Standard AddLic 2CPU	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L425	720,00



## Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>															
<b>PRIMERGY-Software (Suite)</b>															
	WinSvr CAL 2012 50Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L460	1169,41	
	WinSvr CAL 2012 50User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L461	1742,35	
	WinSvr CAL 2012 10Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L462	237,65	
	WinSvr CAL 2012 10User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L463	349,41	
	WinSvr CAL 2012 5Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L464	118,82	
	WinSvr CAL 2012 5User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L465	175,29	
	WinSvr CAL 2012 1Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L466	28,24	
	WinSvr CAL 2012 1User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L467	36,47	
	WinSvr CAL 2012 100Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L468	2350,59	
	WinSvr CAL 2012 100User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L469	2965,88	
	WinSvr RDS CAL 2012 5Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L470	517,65	
	WinSvr RDS CAL 2012 5User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L471	703,53	
	WinSvr RDS CAL 2012 1Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L472	108,24	
	WinSvr RDS CAL 2012 1User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L473	140,00	
	WinSvr RDS CAL 2012 100Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L474	10223,53	
	WinSvr RDS CAL 2012 100User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L475	12884,71	
	WinSvr RDS CAL 2012 50Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L476	5109,41	
	WinSvr RDS CAL 2012 50User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L477	6444,71	
	WinSvr RDS CAL 2012 10Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L478	1020,00	
	WinSvr RDS CAL 2012 10User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L479	1294,12	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L480	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L481	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L482	72,94	
	DG/DE Kit WinSvr 2012 Datacenter	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L486	72,94	
	DG/DE Kit WinSvr 2012 Standard	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L487	72,94	
	PRIMERGY ServerStart Bundle (abonnement)	x	x	x	x	x	x	x	x	x	x	x	U15000-C176	222,35	
	ServerView Suite, Dernière version	x	x	x	x	x	x	x	x	x	x	x	U15000-C289	25,88	
	Debian FSE Standard Support 1 year	x	x	x				x	x			x	S26361-F2346-L420	58,82	
	Debian FSE Standard Support 3 years	x	x	x				x	x			x	S26361-F2346-L421	98,82	
	Debian FSE Priority Support 1 year	x	x	x				x	x			x	S26361-F2346-L422	202,35	
	Debian FSE Priority Support 3 years	x	x	x				x	x			x	S26361-F2346-L423	512,94	
	UBUNTU FSE Standard Support 1 year	x	x	x				x	x			x	S26361-F2346-L424	58,82	
	UBUNTU FSE Standard Support 3 years	x	x	x				x	x			x	S26361-F2346-L425	98,82	
	UBUNTU FSE Priority Support 1 year	x	x	x				x	x			x	S26361-F2346-L426	202,35	
	UBUNTU FSE Priority Support 3 years	x	x	x				x	x			x	S26361-F2346-L427	512,94	
	VMware vSphere 5 Media Kit OEM				x	x	x	x	x	x	x	x	S26361-F2341-L300	82,35	
<b>OS/Application-SW</b>															
	CA Client Automation	x	x	x	x	x	x	x					U24552-C418	75,27	
	CA Server Automation Base Configuration	x	x	x	x	x	x	x					U24552-C424	61984,59	
	CA ServiceDeskManager Full LicenseConcur	x	x	x	x	x	x	x					U24581-C150	5312,96	
<b>Onduleur/Alimentation</b>															
	Module d'alimentation 800W hp								x			x	S26113-F574-L12	310,59	
	Module Alimentation 450W platinum hot-plug							x					S26113-F575-L10	269,41	
	Module d'alimentation 450W hp				x				x			x	S26113-F575-L12	269,41	
	Upg. ventilateurs hot-plug redondants											x	S26361-F3667-L1	67,06	
	Fujitsu batterie unit 280W, 12V				x								S26361-F5541-L414	491,76	
	Fujitsu batterie unit 380W, 12V					x							S26361-F5541-L475	409,41	
	Cable powercord rack, 1.8m, black				x	x	x	x	x	x	x	x	T26139-Y1968-L180	15,29	
	Cable powercord rack, 2.5m, black				x	x	x	x	x	x	x	x	T26139-Y1968-L250	15,29	
	Câble secteur (F), 1.8m, gris	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1740-L10	15,29	
	Modular PSU 800W platinum hp									x	x		S26113-F574-L13	310,59	
	Modular PSU 450W platinum hp					x				x	x		S26113-F575-L13	269,41	
	Modular PSU 800W titanium hp								x	x	x	x	S26113-F615-L10	414,12	
	Modular PSU 1200W platinum hp										x		S26113-F616-L10	424,71	
<b>Divers</b>															
	Connecteur Option Frontale VGA									x	x		S26361-F1420-L130	51,76	
	Kit LocalView S2				x	x	x	x	x			x	S26361-F2557-L105	72,94	
	Kit LocalView S2							x				x	S26361-F2557-L106	72,94	
	Option Service LAN							x				x	S26361-F2571-L27	36,47	



### Accessoires serveurs tour PRIMERGY

Câble Port Série option									x	x	S26361-F3120-L3	47,06
Module TPM										x	S26361-F3552-L1	51,76



## Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>															
<b>Divers (Suite)</b>															
	TPM 1.2 Module	x	x	x	x	x			x	x	x		S26361-F3552-L6	51,76	
	Cache baie 5.25", 3 pcs.	x											S26361-F2542-L328	21,18	
<b>Clavier /Souris</b>															
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	x	x	x		x	x	x	x	S26381-K341-L140	37,65	
	MOUSE M520 BLACK	x	x	x	x	x		x	x	x	x		S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	x	x	x		x	x	x	x		S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x		x				x	x	x	x		S26381-K468-L100	15,29	
	MOUSE M530 GREY				x			x	x	x	x		S26381-K468-L101	15,29	
	Clavier KB521 FR	x	x	x	x	x	x		x	x	x	x	S26381-K521-L140	21,18	
<b>Media</b>															
	Cartouche Nettoyage DAT160		x	x	x	x	x	x					D:CL-DAT160-MX-01	23,46	
	Cartouche Nettoyage DAT72		x	x	x	x	x	x	x	x	x	x	D:CL-DAT72-MX-01	6,00	
	LTO Cleaning Media,1pc.Random Label,Fuji		x	x	x	x	x	x	x	x	x	x	D:CL-LTO-01L	41,28	
	Cartouche DAT160		x	x	x	x	x	x					D:CR-DAT160-MX-01	26,90	
	LTO-3 data media,5pack avec label,Fuji		x	x	x		x	x	x	x	x	x	D:CR-LTO3-05L	137,02	
	LTO-4 data media,5packavec label,Fuji		x	x	x	x	x	x	x	x	x	x	D:CR-LTO4-05L	132,74	
	LTO-5 data media,5 pièces avec label,Fuji		x	x	x	x	x	x	x	x	x	x	D:CR-LTO5-05L	123,84	
	LTO-6 data media,5pack label,Fuji		x	x	x	x	x	x	x	x	x	x	D:CR-LTO6-05L-BF	195,25	
	LTO-7-CR Medien,5Stk Random Label,Fuji		x	x	x	x	x	x	x	x	x	x	D:CR-LTO7-05L	1017,13	
	Barcode Label oder, not standard Random		x	x	x	x	x	x					D:CR-LTO-LAB	4,71	
	Cartouche RDX 320/640Go	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L320	131,76	
	Pack 10x cartouches RDX 320/640Go	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L329	1249,41	
	RDX MEDIUM 2TB	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L700	345,88	
	Cartouche RDX 500Go/1000Go	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L500	127,06	
	Cartouche RDX 1To	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L600	197,65	
<b>Câbles</b>															
	SFP+ active optical cable Brocade, 7m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L507	325,88	
	SFP+ active optical cable Brocade, 10m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L510	367,06	
	Câble secteur rack, 4m, gris				x	x	x	x	x	x	x	x	T26139-Y1968-L10	15,29	
	SFP+ active Twinax Cable Brocade 1m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L501	155,29	
	SFP+ active Twinax Cable Brocade 3m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L503	202,35	
	SFP+ active Twinax Cable Brocade 5m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L505	243,53	
	Cable powercord (CHN), 1.8m, black	x	x	x	x	x		x	x	x	x	x	T26139-Y1751-L10	25,88	
<b>Accessories</b>															
	External Super Multi Drive			x		x					x		S26341-F103-L135	52,94	
	A-DATA USB3.0 Flash Stick UE700 32GB						x			x	x		S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB					x				x	x		S26391-F6048-L364	67,06	
<b>Additional Software</b>															
	OPENFT-CR (Unix systems) V12.0	x	x	x	x	x	x	x					U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0	x	x	x	x	x	x	x					U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0	x	x	x	x	x	x	x					U10987-C601	1189,41	
	OPENFT-2 (Unix systems) V12.0	x											U10987-C602	1935,29	
	OPENFT-3 (Unix systems) V12.0	x											U10987-C603	3870,59	
	OPENFT-4 (Unix systems) V12.0	x											U10987-C604	4482,35	
	OPENFT-5 (Unix systems) V12.0	x											U10987-C605	5805,88	
	OPENFT-FTAM-1 (Unix systems) V12.0	x	x	x	x	x	x	x					U10987-C613	1189,41	
	OPENFT-FTAM-2 (Unix systems) V12.0	x											U10987-C614	1935,29	
	OPENFT-FTAM-3 (Unix systems) V12.0	x											U10987-C615	3870,59	
	OPENFT-FTAM-4 (Unix systems) V12.0	x											U10987-C616	4482,35	
	OPENFT-FTAM-5 (Unix systems) V12.0	x											U10987-C617	5805,88	
	OPENFT-FTP-1 (Unix systems) V12.0	x	x	x	x	x	x	x					U10987-C625	485,88	
	OPENFT-FTP-2 (Unix systems) V12.0	x											U10987-C626	789,41	
	OPENFT-FTP-3 (Unix systems) V12.0	x											U10987-C627	1580,00	
	OPENFT-FTP-4 (Unix systems) V12.0	x											U10987-C628	1830,59	
	OPENFT-FTP-5 (Unix systems) V12.0	x											U10987-C629	2370,59	
	OPENFT-CR (WINDOWS) V10.0	x											U11081-C199	12,94	
	OPENFT-SW-CD (WINDOWS) V10.0	x											U11081-C201	27,06	
	OPENFT-1 (WINDOWS) V10.0,	x											U11081-C202	1081,18	
	OPENFT-3 (WINDOWS) V10.0	x											U11081-C204	3518,82	





## Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)	Additional Software (Suite)														
	OPENFT-FTAM-3 (WINDOWS) V10.0	x											U11081-C214	3518,82	
	OPENFT-FTAM-1-U (WINDOWS) V10.0,	x											U11081-C217	627,06	
	OPENFT-CR (WINDOWS) V12.0	x	x	x	x	x	x	x					U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0	x	x	x	x	x	x	x					U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0	x	x	x	x	x	x	x					U11081-C401	1189,41	
	OPENFT-2 (WINDOWS) V12.0	x											U11081-C402	1935,29	
	OPENFT-3 (WINDOWS) V12.0	x											U11081-C403	3870,59	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x	x	x	x	x	x	x					U11081-C411	1189,41	
	OPENFT-FTAM-2 (WINDOWS) V12.0	x											U11081-C412	1935,29	
	OPENFT-FTAM-3 (WINDOWS) V12.0	x											U11081-C413	3870,59	
	OPENFT-FTP-1 (WINDOWS) V12.0	x	x	x	x	x	x	x					U11081-C421	485,88	
	OPENFT-FTP-2 (WINDOWS) V12.0	x											U11081-C422	789,41	
	OPENFT-FTP-3 (WINDOWS) V12.0	x											U11081-C423	1580,00	
	OPENFT-1 (WINDOWS) V11.0	x	x	x	x	x	x	x					U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x	x	x	x	x	x					U11081-C311	1081,18	
	OPENFT-2 (WINDOWS) V11.0	x											U11081-C302	1760,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	x											U11081-C312	1760,00	
	OPENFT-3 (WINDOWS) V11.0	x											U11081-C303	3518,82	
	OPENFT-FTAM-3 (WINDOWS) V11.0	x											U11081-C313	3518,82	
	OPENFT-SW-CD (WINDOWS) V11.0	x	x	x	x	x	x	x					U11081-C300	27,06	
	OPENFT-CR (WINDOWS) V11.0	x	x	x	x	x	x	x					U11081-C299	12,94	
	OPENFT-1 (UNIX systems) V11.0	x	x	x	x	x	x	x					U10987-C501	1081,18	
	OPENFT-FTAM-1 (UNIX systems) V11.0	x	x	x	x	x	x	x					U10987-C513	1081,18	
	OPENFT-SW-CD (UNIX systems) V11.0	x	x	x	x	x	x	x					U10987-C500	31,76	
	OPENFT-CR (UNIX systems) V11.0	x	x	x	x	x	x	x					U10987-C499	14,12	



## Positionnement PRIMERGY Serveurs Rack



**PRIMERGY  
RX1330**

Le serveur PRIMERGY RX1330 de Fujitsu est un serveur rack monoprocesseur d'entrée de gamme adapté aux budgets modestes et offrant de nombreuses extensions en option, pour répondre au mieux aux exigences de chacun. Il convient parfaitement aux applications de fichiers et d'infrastructure et de communication avec un maximum de 32 Go de mémoire RAM, 3 slots PCIe et jusqu'à 10 disques durs. Ce serveur 1U offre en outre de nombreuses possibilités de configuration avec une vaste sélection d'options : alimentations hot-plug, ventilateurs redondants, contrôleur RAID.



**PRIMERGY  
RX2510**

Le PRIMERGY RX 2510 est un serveur rack qui offre un équilibre entre les performances optimales de deux processeurs et une grande efficacité pour l'administration et la consommation énergétique. Le châssis 1U permet non seulement d'économiser en termes d'espace de rack, mais également sur vos coûts d'investissement. Avec ses caractéristiques, le RX2510 est le serveur idéal pour répondre aux exigences des Datacenters des différents types de prestataires de services et de hosters. Les économies énergétiques, les fonctions de redondance et le concept thermique Cool-SAFE® permettant une plage de température d'exploitation élargie se traduiront par des coûts d'exploitation inférieurs. Ce serveur RX2510 est optimisé pour l'hébergement web, services managés, les environnements de cloud privé, ou d'autres solutions de XaaS.



**PRIMERGY  
RX2530**

Le serveur rack PRIMERGY RX2530 de 1U offre des performances élevées, une grande évolutivité et une excellente efficacité énergétique dans un boîtier 1U compact. Ce serveur est idéal pour la virtualisation, les scénarios d'expansion, les petites bases de données et l'informatique hautes performances grâce à la puissance des nouveaux processeurs Intel® Xeon® E5-2600 v3 comptant jusqu'à 18 coeurs et dotés de la dernière technologie de mémoire DDR4. De plus, le RX2530 est très évolutif : jusqu'à 1 536 Go de mémoire DDR4, dix disques durs et jusqu'à quatre disques SSD PCIe haut débit en option ainsi que la technologie flexible DynamicLoM, ce qui permet d'anticiper les exigences futures tout en



**PRIMERGY  
RX2540**

Le serveur PRIMERGY RX2540 de FUJITSU définit des normes supérieures en matière d'utilisation, d'évolutivité et de rentabilité. Il s'agit d'un serveur rack biprocesseur 2U idéal pour les charges de travail liées aux applications d'entreprise, à la collaboration et à la messagerie, ainsi que pour les bases de données traditionnelles. D'autre part, elle simplifie considérablement les tâches effectuées liées à l'infrastructure comme la virtualisation et la consolidation des serveurs. Une des innovations principales : les performances polyvalentes sont garanties par une nouvelle génération de processeurs. Le PRIMERGY RX2540 M1 peut être équipé de deux processeurs Intel® Xeon® E5-2600 v3 comportant jusqu'à 36 coeurs. En plus de la nouvelle technologie de mémoire DDR4, il accroît les performances d'application, pouvant ainsi s'adapter à la croissance continue des données. La conception modulaire du serveur offre une excellente évolutivité, avec un maximum de 24 disques durs, une densité de stockage élevée, la technologie DynamicLoM, jusqu'à 8 slots d'extension d'E/S PCIe Gen 3.



**PRIMERGY  
RX2560**

Le serveur rack PRIMERGY RX2560 de 4 U offre un maximum de performances, une grande évolutivité et une disponibilité élevée, sans aucun compromis. Les filiales, les datacenters ainsi que les PME peuvent bénéficier des performances offertes avec les deux processeurs Intel® Xeon® E5 v3 associés à 1 536 Go de mémoire DDR4. Les 10 slots d'extension et la capacité de stockage jusqu'à 32 disques durs 2,5" offrent des options d'évolution exceptionnelles. Grâce à une alimentation et des ventilateurs redondants, et à une sélection de différents contrôleurs RAID, le serveur tour garantit des niveaux de disponibilité élevés et une certaine « tranquillité d'esprit ». Le serveur est donc idéal pour les applications les plus exigeantes en ressources, les solutions de virtualisation et les applications nécessitant des capacités de stockage conséquentes.



**PRIMERGY  
RX4770**

Le serveur FUJITSU PRIMERGY RX4770 est un système standard x86 avec quatre sockets offrant un niveau supérieur de performance, d'évolutivité et d'efficacité. Cette association fait du serveur une plate-forme idéale pour les bases de données et les applications à haute densité de transaction, les bases de données centrales et en mémoire. D'autre part, elle simplifie considérablement les tâches effectuées liées à l'infrastructure comme la virtualisation et la consolidation des serveurs. Le processeur Intel® Xeon® de la gamme E7 v2 avec un maximum de 60 coeurs permet une incroyable amélioration des performances informatiques pour offrir des résultats plus efficaces. La mémoire d'une capacité trois fois supérieure à celle de la génération précédente permet au système de gérer facilement les charges de données intensives et complexes comme les bases de données centrales et l'analyse de données en temps réel. Grâce à une redondance intégrée et des composants hot-plug ainsi que des fonctions RAS essentielles avancées telles que les technologies Resilient System et Memory, le RX4770 offre une plus grande disponibilité.





Modèle	RX1330 M2	RX2510 M2	RX2530 M2	RX2520 M1	RX2450 M2	RX2560 M2	RX4770 M2	
Type	Monoprocesseur (1U)	Biprocésseur (1U)	Biprocésseur (1U)	Biprocésseur (2U)	Biprocésseur (2U)	Biprocésseur (4U)	Quadriprocesseur (4U)	
Processeur	Xeon® E3-1220v3 (4C) / 1231v3 (4C) / 1240Lv3 (4C) / 1241v3 (4C) / 1271v3 (4C) / 1275Lv3 (4C) / 1281v3 (4C)	Xeon® E5-2603v4(6C) / 2609v4(8C) / 2620v4(8C) / 2623v4(4C) / 2630v4(10C) / 2630Lv4(10C) / 2640v4(10C) / 2650v4(12C) / 2650Lv4(14C) / 2660v4(14C)	Xeon® E5-2603v4(6C) / 2609v4(8C)/2620v4(8C)/2 623v4(4C)/2630v4(10C)/2 630Lv4(10C)/2637v4(4C)/ 2640v4(10C)/2643v4(6C)/ 2650v4(12C)/2650Lv4(14 C)/2660v4(14C)/2667v4(8 C)/2680v4(14C)/2683v4(1 6C)/2690v4(14C)/2695v4( 18C)/2697v4(18C)/2697Av 4(16C)/2697v4(18C)/2698 v4(20C)/2699v4(22C)	Xeon® 2403v2 (4C) / 2407v2 (4C) / 2420v2 (6C) / 2430v2 (6C) / 2430Lv2 (6C) / 2440v2 (8C) / 2450v2 (8C) /2470v2 (10C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2 623v4(4C)/2630v4(10C)/2 630Lv4(10C)/2637v4(4C)/ 2640v4(10C)/2643v4(6C)/ 2650v4(12C)/2650Lv4(14 C)/2660v4(14C)/2667v4(8 C)/2680v4(14C)/2683v4(1 6C)/2690v4(14C)/2695v4( 18C)/2697v4(18C)/2697Av 4(16C)/2697v4(18C)/2698 v4(20C)/2699v4(22C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2 623v4(4C)/2630v4(10C)/2 630Lv4(10C)/2637v4(4C)/ 2640v4(10C)/2643v4(6C)/ 2650v4(12C)/2650Lv4(14 C)/2660v4(14C)/2667v4(8 C)/2680v4(14C)/2683v4(1 6C)/2690v4(14C)/2695v4( 18C)/2697v4(18C)/2697Av 4(16C)/2697v4(18C)/2698 v4(20C)/2699v4(22C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2 623v4(4C)/2630v4(10C)/2 630Lv4(10C)/2637v4(4C)/ 2640v4(10C)/2643v4(6C)/ 2650v4(12C)/2650Lv4(14 C)/2660v4(14C)/2667v4(8 C)/2680v4(14C)/2683v4(1 6C)/2690v4(14C)/2695v4( 18C)/2697v4(18C)/2697Av 4(16C)/2697v4(18C)/2698 v4(20C)/2699v4(22C)	Xeon® E7-4809v3 (8C) / /E7-4820v3 (10C) / E7- 4830v3 (12C) / E7-4850v3 (14C) / E7-8860v3 (16C) / E7-8867v3 (16C) / E7- 8870v3 (18C) / E7-8880v3 (18C) / E7-8890v3 (18C) / E7-8891v3 (10C), / E7- 8893v3 (4C)
Mémoire	2 à 32 Go   DDR-3   4 Slots	8 à 384 Go   DDR-4   12 Slots	8 à 1536 Go   DDR-4   24 Slots	4 à 192 Go   DDR-3   12 Slots	8 à 1536 Go   DDR-4   24 Slots	8 à 1536 Go   DDR-4   24 Slots	16Go à 6 To   DDR-4   96 Slots	
Lecteur optique	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	
Disque dur (Go)	4x 3.5" SAS/SATA 4/8 à 10x 2.5" SAS/SATA	4x 3.5" SAS/SATA 4 x 2.5" SAS/SATA	4x 3.5" SAS/SATA 8/10 x 2.5" SAS/SATA	12x 3.5" SAS/SATA 16x 2.5" SAS/SATA	8/12x 3.5" SAS/SATA 16/24x 2.5" SAS/SATA	12x 3.5" SAS/SATA 32x 2.5" SAS/SATA	8x 2.5" SAS/SATA	
Ctrl RAID interne	RAID 0/1/10 : 4 ports SATA	RAID 0/1 intégré ou Ctrl RAID en opt.	RAID 0/1 intégré ou Ctrl RAID en opt.	RAID 0/1 intégré ou RAID 5/6 SAS (opt)	RAID 0/1 intégré ou RAID 5/6 SAS (opt)	Opt. Ctrl RAID	RAID 0/1/10 : 8 ports SAS ou RAID 5/6 intégré SAS (opt)	
Slots PCI (I/O)	2x PCIe Gen3 + 1x PCIe Gen2	4x PCIe Gen3	4x PCIe Gen3	7x PCIe Gen3	6x PCIe Gen3	12x PCIe Gen3	11x PCIe Gen3	
Ctrl LAN intégré	2x Gigabit 1x Gigabit - admin	2x Gigabit 1x Gigabit - admin	DynamicLOM 1x Gigabit - admin	2x Gigabit 1x Gigabit - admin	DynamicLoM 1x Gigabit - admin	DynamicLOM 1x Gigabit - admin	2x 10 Gigabit 1x Gigabit - admin	
Ctrl graphique intégré	1 x VGA	2 x VGA	2 x VGA	1 x VGA	2 x VGA	2 x VGA	1 x VGA	
Port Série	1 x RS232-C		Opt. Via PCIe	1 x RS232-C	1 x RS232-C	1 x RS232-C	1 x RS232-C	
Ports USB	2 (avant), 4 (arrière), 2 (interne)	2 (avant), 3 (arrière)	2 (avant), 3 (arrière), 1 (interne)	3 (avant), 4 (arrière), 2 (interne)	3 (avant), 4 (arrière), 2 (interne)	2 (avant), 4 (arrière), 2 (interne)	3 (avant), 2 (arrière), 1 (interne)	
Alimentation (puissance de sortie)	300W (non hot plug - 92%) 450W (hot-plug - 94%)	450W (hot-plug 94%) 800W (hot-plug 94 ou 96%)	450W (hot-plug 94%) 800W (hot-plug 94 ou 96%)	450W (hot-plug 94%) 800W/1200W (hot-plug 94 ou 96%)	450W (hot-plug 94%) 800W/1200W (hot-plug 94 ou 96%)	450W (hot-plug 94%) 800W (hot-plug 94 ou 96%)	2x 1200 ou 1600 W (hot plug) + 2 en option	
Standard	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	
Systèmes d'exploitation supportés	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	
Garantie std.	1 an sur site	2 ans sur site	3 ans sur site	3 ans sur site	3 ans sur site	3 ans sur site	3 ans sur site	



## PRIMERGY RX1330 M2

Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur PRIMERGY RX1330 M2 de FUJITSU est un serveur rack monoprocesseur adapté aux budgets modestes et offrant de nombreuses extensions en option, pour répondre au mieux aux exigences de chacun. Il convient parfaitement aux applications de fichiers, d'infrastructure et de communication ou collaboration en offrant jusqu'à 64 Go de mémoire RAM, 3 slots PCIe et 10 disques durs 2,5 pouces. En outre, ce serveur 1U permet diverses configurations spécifiques à vos besoins grâce à ses fonctionnalités optionnelles, notamment des unités d'alimentation hot-plug, des ventilateurs redondants et un contrôleur RAID. Offrant une haute efficacité énergétique et un fonctionnement à température ambiante élevée grâce à la conception thermique avancée Cool-safe® en option, le serveur PRIMERGY RX1330 M2 contribue également à une nette réduction des coûts d'exploitation. La suite ServerView™ et les fonctions de gestion à distance (iRMC S4) simplifient les

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>PRIMERGY RX1330 M2</b>					
	PY RX1330M2/LFF/STANDARD PSU /	PY RX1330M2/LFF/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U SYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC010IN	1091,76	
	PY RX1330M2/LFF/STANDARD PSU /	PY RX1330M2/LFF/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC011IN	1091,76	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U SYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC020IN	1140,00	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC021IN	963,53	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ 2xHD SATA 6G 1TB 7.2K HOT PL 3.5' BC/ RMK F1-CMA SL/RACK MOUNT 1U SYM/	VFY:R1332SC030IN	1515,29	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U SYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC040IN	1148,24	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/16 GB U 2133 2R/DVD-RW/ 2xHD SAS 12G 600GB/RAID 12G 1GB/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/KIT/	VFY:R1332SC120IN	2564,71	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SX060FR	987,06	


**PRIMERGY RX1330 M2**

 Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Configurations Spéciales

**PRIMERGY RX1330 M2 (Suite)**

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Unités de Base

**PRIMERGY RX1330 M2**

PY RX1330M2/LFF/standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 4 drive bays for hot plug 3.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V101	584,71	
PY RX1330M2/LFF/hot plug PSU/red. fans	Rack based server 19" (1U), BU without processor and RAM, 1 hot plug modular power supply module, 5 redundant fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 4 drive bays for hot plug 3.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V201	642,35	
PY RX1330M2/SFF/standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 8 drive bays for hot plug 2.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V301	595,29	


**PRIMERGY RX1330 M2**

 Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>PRIMERGY RX1330 M2 (Suite)</b>					
	PY RX1330M2/SFF/hot plug PSU/red. fans	Rack based server 19" (1U), BU without processor and RAM,1 hot plug modular power supply module,5 redundant fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 8 drive bays for hot plug 2.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V401	651,76	
	PY RX1330M2/10xSFF/hot plug PSU/red.fans	Rack based server 19" (1U), BU without processor and RAM,1 hot plug modular power supply module,5 redundant fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 10 drive bays for hot plug 2.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V501	823,53	



## PRIMERGY RX2510

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY RX2510 est un serveur rack qui offre un équilibre entre les performances optimales de deux processeurs et une grande efficacité pour l'administration et la consommation énergétique. Le châssis 1U permet non seulement d'économiser en termes d'espace de rack, mais également sur vos coûts d'investissement. Avec ses caractéristiques, le RX2510 est le serveur idéal pour répondre aux exigences des Datacenters des différents types de prestataires de services et de hosters. Les économies énergétiques, les fonctions de redondance et le concept thermique Cool-SAFE® permettant une plage de température d'exploitation élargie se traduiront par des coûts d'exploitation inférieurs. Ce serveur RX2510 est optimisé pour l'hébergement web, services managés, les environnements de cloud privé, ou d'autres solutions de XaaS.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>PRIMERGY RX2510 M2</b>					
	PY RX2510 M2 /XEON E5-2620V4/	PY RX2510 M2 /XEON E5-2620V4/ 8 GB RG 2400 1R/PLAN CP 2X1GB/ RMK F1-CMA SL/RACK MOUNT 1U SYM/ RACK CMA 1U/KIT/PSU 450W HP/	VFY:R2512SC010IN	2322,35	
	PY RX2510 M2 /XEON E5-2620V4/	PY RX2510 M2 /XEON E5-2620V4/ 8 GB RG 2400 1R/PLAN CP 2X1GB/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/ RACK CMA 1U/KIT/PSU 450W HP/	VFY:R2512SC011IN	2342,35	
	PY RX2510 M2 /ATD 45°C/XEON E5-2620V4/	PY RX2510 M2 /ATD 45°C/XEON E5-2620V4/ 16 GB RG 2400 2R/PLAN CP 2X1GB/ RMK F1-CMA SL/RACK MOUNT 1U SYM/KIT/ PSU 450W HP/NO POWERCORD/PSU DUMMY/	VFY:R2512SC030IN	2429,41	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>					
<b>PRIMERGY RX2510 M2</b>					
	PRIMERGY RX2510 M2	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 12x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104; 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; Bays for up to 4x hot plug 3,5" or hot plug 2.5" SAS/SATA drives; 3/6 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations with 1x CPU. Please check required power with the power calculator (integrated in the system architect)., , Delivery in single packaging, minimum order quantity: 1 unit.	S26361-K1582-V101	854,12	



**PRIMERGY RX2510**

Fiches produit : <http://fr.fujitsu.com/primergy>

<p>PRIMERGY RX2510 M2 bulk packaging</p>	<p>Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 12x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104; 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; Bays for up to 4x hot plug 3,5" or hot plug 2.5" SAS/SATA drives; 3/6 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations with 1x CPU. Please check required power with the power calculator (integrated in the system architect)., , Delivery in bulk packaging, minimum order quantity: 8 units (or a multiple of 8 units).</p>	<p>S26361-K1582-V111</p>	<p>854,12</p>
--	---	--------------------------	---------------



## PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Le Fujitsu PRIMERGY RX2520 M1 est une plate-forme efficace et évolutive conçue pour les applications professionnelles. Ce serveur rack biprocesseur est doté des processeurs Intel® Xeon® les plus récents de la gamme E5-2400 v2 avec une mémoire RAM allant jusqu'à 192 Go. Le PRIMERGY RX2520 vous offre un excellent rapport qualité/prix. Avec jusqu'à 12 disques de stockage de 3,5" ou 16 de 2,5" intégrés, son châssis modulaire compact PRIMERGY 2U le dote d'un environnement très performant pour les applications et les services qui requièrent du stockage. De plus, le RX2520 est prévu pour répondre aux exigences ultérieures en offrant des options modulaires supplémentaires ainsi que des kits de mise à niveau pour les LAN, RAID et stockage. Les unités d'alimentation offrant 96 % d'efficacité énergétique et le système de gestion iRMC S4 amélioré réduisent

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>				
<b>PRIMERGY RX2520 M1</b>				
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 2-4 hot plug fans optional redundant; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., Modular 8-Port RAID Ctrl. optional; max 8 drive bays for hot plug 3.5" SAS/SATA HDs expandable; ServerView Suite Software Pack				
PY RX2520 M1 8X 3.5' /XEON E5-2403V2/	PY RX2520 M1 8X 3.5' /XEON E5-2403V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/RAID 6G 0/1/RMK F1 S7 LV/ RACK MOUNT 1U SYM/RACK CMA 2U/KIT/	VFY:R2521SC030IN	2314,12	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ RMK F1 S7 LV/RACK MOUNT 1U SYM/	VFY:R2521SC040IN	1931,76	
PY RX2520 M1 8X 3.5' /XEON E5-2407V2/	PY RX2520 M1 8X 3.5' /XEON E5-2407V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ RMK F1 S7 LV/RACK MOUNT 1U SYM/	VFY:R2521SC050IN	1761,18	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ RMK F1 S7 LV/RACK MOUNT 1U ASYM/	VFY:R2521SX170FR	1951,76	
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., Modular 8-Port RAID Ctrl. optional; max 12 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack				
PY RX2520 M1 12X 3.5' /XEON E5-2420V2/	PY RX2520 M1 12X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ RAID 6G 5/6 512MB/RMK F1 S7 LV/ RACK MOUNT 1U SYM/RACK CMA 2U/KIT/	VFY:R2521SC180IN	2054,12	
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 2-4 hot plug fans optional redundant; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., RAID0/1-Ctrl. for 4 HDDs Intég., Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs expandable; ServerView Suite Software Pack				
PY RX2520 M1 2.5' EXP. /XEON E5-2403V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2403V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/4X2.5"HDD/RMK F1 S7 LV/ RACK MOUNT 1U SYM/RACK CMA 2U/KIT/	VFY:R2521SC010IN	1283,53	
PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/CF4: 8X2.5" HDD/ RAID 6G 5/6 512MB/RMK F1 S7 LV/	VFY:R2521SC020IN	1834,12	



**PRIMERGY RX2520 M1**

Fiches produit : <http://fr.fujitsu.com/primergy>

PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2450V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM SLIM/ CF4: 8X2.5' HDD/D3116C/TFM MODULE/FBU/	VFY:R2521SC240IN	6428,24
PY RX2520 M1 2.5' EXP. / XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. / XEON E5-2420V2/ PERFORMANCE MODE/3x4GB RG 1600 1R/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ CF7: 12X2.5' HDD/D3116C/TFM MODULE/FBU/	VFY:R2521SC250IN	4201,18





## PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

### Configurations Spéciales

#### PRIMERGY RX2520 M1 (Suite)

PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/CF4: 8X2.5' HDD/ RAID 6G 5/6 512MB/RMK F1 S7 LV/	VFY:R2521SX160FR	1951,76	
--	---	------------------	---------	--

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

### Unités de Base

#### PRIMERGY RX2520 M1

PY RX2520 M1 8x 3,5"	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 2-4 hot plug fans optional redundant; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., Modular 8-Port RAID Ctrl. optional; max 8 drive bays for hot plug 3.5" SAS/SATA HDs expandable; ServerView Suite Software Pack	S26361-K1480-V101	1082,35	
PY RX2520 M1 12x 3.5"	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., Modular 8-Port RAID Ctrl. optional; max 12 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1480-V112	1315,29	
PY RX2520 M1 2.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 2-4 hot plug fans optional redundant; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., RAID0/1-Ctrl. for 4 HDDs Intég., Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs expandable; ServerView Suite Software Pack	S26361-K1480-V401	916,47	



## PRIMERGY RX2530

Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur rack PRIMERGY RX2530 M1 et M2 de 1U offre des performances élevées, une grande évolutivité et une excellente efficacité énergétique dans un boîtier 1U compact. Ce serveur est idéal pour la virtualisation, les scénarios d'expansion, les petites bases de données et l'informatique hautes performances grâce à la puissance des nouveaux processeurs Intel® Xeon® E5-2600 v3 et v4 comptant jusqu'à 18/22 coeurs et dotés de la dernière technologie de mémoire DDR4. De plus, le RX2530 est très évolutif : jusqu'à 1 536 Go de mémoire DDR4, dix disques durs et jusqu'à quatre disques SSD PCIe haut débit en option ainsi que la technologie flexible DynamicLoM, ce qui permet d'anticiper les exigences futures tout en réalisant des économies.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>PRIMERGY RX2530 M1</b>					
Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 2,5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).					
PY RX2530 M1 4X 2.5' EXP. /	PY RX2530 M1 4X 2.5' EXP. / XEON E5-2620V3/INDEPENDENT MODE/ 8 GB RG 2133 1R/DVD-RW/2X1GB IF CARD/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/		VFY:R2531SC021IN	1951,76	
PY RX2530 M1 4X 2.5' EXP. /	PY RX2530 M1 4X 2.5' EXP. / XEON E5-2630V3/INDEPENDENT MODE/ 16 GB RG 2133 2R/DVD-RW/2X1GB IF CARD/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/		VFY:R2531SX110FR	2445,88	
<b>PRIMERGY RX2530 M2</b>					
Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 3,5" SAS/SATA drives; 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator)., , Delivery in single packaging, minimum order quantity: 1 unit.					
PY RX2530 M2 4X 3.5' /XEON E5-2620V4/	PY RX2530 M2 4X 3.5' /XEON E5-2620V4/ INDEPENDENT MODE/8 GB RG 2400 1R/DVD-RW/ 2X1GB IF CARD/RMK F1-CMA SL/ RACK MOUNT 1U SYM/RACK CMA 1U/KIT/		VFY:R2532SC030IN	2555,29	
Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 2,5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).					
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 8 GB RG 2400 1R/DVD-RW/2X1GB IF CARD/ RMK F1-CMA SL/RACK MOUNT 1U SYM/		VFY:R2532SC010IN	2555,29	



## PRIMERGY RX2530

Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>PRIMERGY RX2530 M2 (Suite)</b>					
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 8 GB RG 2400 1R/DVD-RW/2X1GB IF CARD/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/		VFY:R2532SC011IN	2555,29	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2630V4/INDEPENDENT MODE/ 8 GB RG 2400 1R/DVD-RW/RAID 12G 1GB/ 4X1GB IF CARD/RMK F1-CMA SL/		VFY:R2532SC020IN	3491,76	
PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/ XEON E5-2620V4/INDEPENDENT MODE/ 16 GB RG 2400 2R/RAID 12G 2GB/ 4X1GB IF CARD/RMK F1-CMA SL/		VFY:R2532SC040IN	3292,94	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>PRIMERGY RX2530 M1</b>					
PY RX2530 M1 4x 3.5"	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6Gbit/s Ctrl. Intég.; 4 bays for hot plug 3,5" SAS/SATA drives; 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).		S26361-K1492-V101	1112,94	
PY RX2530 M1 4x 2.5" expandable	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6Gbit/s Ctrl. Intég.; 4 bays for hot plug 2,5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).		S26361-K1492-V301	1134,12	



## PRIMERGY RX2530

Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>PRIMERGY RX2530 M1 (Suite)</b>					
	PY RX2530 M1 10x 2.5"	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 10 bays for hot plug 2,5" SAS/SATA drives (therein 4 bays prepared for up to 4x 2.5" PCIe Flash SSD drives); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1492-V501	1444,71	
<b>PRIMERGY RX2530 M1-L</b>					
	PY RX2530 M1-L 4x 2.5" expandable	Long Lifecycle System. See configuration hints for further details., , Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 2,5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1492-V302	1444,71	
<b>PRIMERGY RX2530 M2</b>					
	PY RX2530 M2 4x 3.5'	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 3,5" SAS/SATA drives; 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator)., , Delivery in single packaging, minimum order quantity: 1 unit.	S26361-K1565-V101	1112,94	


**PRIMERGY RX2530**

 Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>PRIMERGY RX2530 M2 (Suite)</b>					
	PY RX2530 M2 4x 3.5' bulk packaging	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6Gbit/s Ctrl. Intég.; 4 bays for hot plug 3,5" SAS/SATA drives; 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator)., , Delivery in bulk packaging, minimum order quantity: 8 units (or a multiple of 8 units).	S26361-K1565-V111	1070,59	
	PY RX2530 M2 4x 2.5' expandable	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6Gbit/s Ctrl. Intég.; 4 bays for hot plug 2,5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1565-V301	1134,12	
	PY RX2530 M2 4x 2.5' exp. in bulk pack.	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6Gbit/s Ctrl. Intég.; 4 bays for hot plug 2,5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator)., , Delivery in bulk packaging, minimum order quantity: 8 units (or a multiple of 8 units).	S26361-K1565-V311	1103,53	

**PRIMERGY RX2530**Fiches produit : <http://fr.fujitsu.com/primergy>

PY RX2530 M2 10x 2.5'	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 10 bays for hot plug 2,5" SAS/SATA drives (therein 4 bays prepared for up to 4x 2.5" PCIe Flash SSD drives); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1565-V501	1444,71
-----------------------	---	-------------------	---------



**PRIMERGY RX2540**

Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur PRIMERGY RX2540 M1 et M2 de FUJITSU définit des normes supérieures en matière d'utilisation, d'évolutivité et de rentabilité. Il s'agit d'un serveur rack biprocesseur 2U idéal pour les charges de travail liées aux applications d'entreprise, à la collaboration et à la messagerie, ainsi que pour les bases de données traditionnelles. D'autre part, elle simplifie considérablement les tâches effectuées liées à l'infrastructure comme la virtualisation et la consolidation des serveurs. Une des innovations principales : les performances polyvalentes sont garanties par une nouvelle génération de processeurs. Le PRIMERGY RX2540 M1 peut être équipé de deux processeurs Intel® Xeon® E5-2600 v3 et v4. En plus de la nouvelle technologie de mémoire DDR4, il accroît les performances d'application, pouvant ainsi s'adapter à la croissance continue des données. La conception modulaire du serveur offre une excellente évolutivité, avec un maximum de 24 disques durs, une densité de stockage élevée, la technologie DynamicLoM, jusqu'à 8 slots d'extension d'E/S PCIe Gen 3.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>PRIMERGY RX2540 M1</b>					
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LoM with 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 3.5" SAS/SATA drives expandable; ServerView Suite Software Pack					
PY RX2540 M1 4X 3.5" /XEON E5-2620V3/	PY RX2540 M1 4X 3.5" /XEON E5-2620V3/ INDEPENDENT MODE/2x8 GB RG 2133 1R/ DVD-RW/RAID 12G 1GB/2X1GB IF CARD/KIT/ PSU 450W HP/NO POWERCORD/PSU DUMMY/		VFY:R2541SC010IN	2422,35	
PY RX2540 M1 4X 3.5" /2xXEON E5-2640V3/	PY RX2540 M1 4X 3.5" /2xXEON E5-2640V3/ COOLER KIT 2ND CPU/2xINDEPENDENT MODE/ 4x16 GB RG 2133 2R/DVD-RW/RAID 12G 1GB/ 4X1GB IF CARD/KIT/2xPSU 800W HP/		VFY:R2541SC020IN	5382,35	



**PRIMERGY RX2540** Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>PRIMERGY RX2540 M1 (Suite)</b>					
PY RX2540 M1 4X 3.5' /XEON E5-2620V3/	PY RX2540 M1 4X 3.5' /XEON E5-2620V3/ INDEPENDENT MODE/2x8 GB RG 2133 1R/ DVD-RW/RAID 12G 1GB/4X1GB IF CARD/ RMK F1 S7 LV/RACK MOUNT 1U SYM/		VFY:R2541SC030IN	3414,12	
PY RX2540 M1 4X 3.5' /XEON E5-2640V3/	PY RX2540 M1 4X 3.5' /XEON E5-2640V3/ INDEPENDENT MODE/2x16 GB RG 2133 2R/ DVD-RW/RAID 12G 1GB/4X1GB IF CARD/ RMK F1 S7 LV/RACK MOUNT 1U SYM/		VFY:R2541SC040IN	3528,24	
PY RX2540 M1 4X 3.5' /XEON E5-2620V3/	PY RX2540 M1 4X 3.5' /XEON E5-2620V3/ INDEPENDENT MODE/8 GB RG 2133 1R/DVD-RW/ RAID 12G 1GB/2X1GB IF CARD/RMK F1 S7 LV/ RACK MOUNT 1U SYM/RACK CMA 2U/KIT/		VFY:R2541SC050IN	2351,76	
<p>Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, DynamicLoM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 1 bay 5.25" x 1.6" for backup devices, 8 drive bays for hot plug 2.5" SAS/SATA drives expandable; ServerView Suite Software Pack</p>					
PY RX2540 M1 8X 2.5' /XEON E5-2620V3/	PY RX2540 M1 8X 2.5' /XEON E5-2620V3/ INDEPENDENT MODE/16 GB RG 2133 2R/ DVD-RW/CF4: 8X2.5" HDD/RAID 12G 1GB/ 4X1GB IF CARD/RMK F1 S7 LV/		VFY:R2541SC071IN	2469,41	
PY RX2540 M1 8X 2.5' /XEON E5-2630V3/	PY RX2540 M1 8X 2.5' /XEON E5-2630V3/ INDEPENDENT MODE/16 GB RG 2133 2R/ DVD-RW/CF4: 8X2.5" HDD/RAID 12G 1GB/ 4X1GB IF CARD/RMK F1 S7 LV/		VFY:R2541SX130FR	3010,59	
<b>PRIMERGY RX2540 M2</b>					





**PRIMERGY RX2540** Fiches produit : <http://fr.fujitsu.com/primergy>

		Référence	Prix Indicateur (€)	Remarques
<b>Modèle Description</b>				
Configurations Spéciales				
<b>PRIMERGY RX2540 M2 (Suite)</b>				
<p>Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LoM with 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 3.5" SAS/SATA drives expandable; ServerView Suite Software Pack</p>				
PY RX2540 M2 4X 3.5' EXP. /	PY RX2540 M2 4X 3.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 2x8 GB RG 2400 1R/DVD-RW/RAID 12G 1GB/ 4X1GB IF CARD/RMK F1 S7 LV/	VFY:R2542SC010IN	3412,94	
PY RX2540 M2 4X 3.5' EXP. /	PY RX2540 M2 4X 3.5' EXP. / XEON E5-2640V4/INDEPENDENT MODE/ 2x16 GB RG 2400 2R/DVD-RW/RAID 12G 1GB/ 4X1GB IF CARD/RMK F1 S7 LV/	VFY:R2542SC020IN	4385,88	
PY RX2540 M2 4X 3.5' EXP. /	PY RX2540 M2 4X 3.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 8 GB RG 2400 1R/DVD-RW/RAID 12G 1GB/ 2X1GB IF CARD/RMK F1 S7 LV/	VFY:R2542SC030IN	3071,76	
<p>Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, DynamicLoM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 1 bay 5.25" x 1.6" for backup devices, 8 drive bays for hot plug 2.5" SAS/SATA drives expandable; ServerView Suite Software Pack</p>				
PY RX2540 M2 8X 2.5' EXP. /	PY RX2540 M2 8X 2.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 16 GB RG 2400 2R/DVD-RW/CF4: 8X2.5' HDD/ RAID 12G 1GB/4X1GB IF CARD/RMK F1 S7 LV/	VFY:R2542SC040IN	3410,59	



**PRIMERGY RX2540** Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Spéciales					
<b>PRIMERGY RX2540 M2 (Suite)</b>					
PY RX2540 M2 8X 2.5' EXP. /	PY RX2540 M2 8X 2.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 16 GB RG 2400 2R/CF4: 8X2.5' HDD/ RAID 12G 2GB/4X1GB IF CARD/RMK F1 S7 LV/		VFY:R2542SC050IN	3455,29	
<p>Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, Dynamic LOM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 24 drive bays for hot plug 2.5" SAS/SATA drives; ServerView Suite Software Pack</p>					
PY RX2540 M2 24X 2.5' /XEON E5-2620V4/	PY RX2540 M2 24X 2.5' /XEON E5-2620V4/ INDEPENDENT MODE/16 GB RG 2400 2R/ RAID 12G 2GB/4X1GB IF CARD/RMK F1 S7 LV/ RACK MOUNT 1U SYM/KIT/PSU 800W HP/		VFY:R2542SC060IN	3921,18	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>PRIMERGY RX2540 M1</b>					



**PRIMERGY RX2540** Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>PRIMERGY RX2540 M1 (Suite)</b>					
PY RX2540 M1 4x 3.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LoM with 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 3.5" SAS/SATA drives expandable; ServerView Suite Software Pack		S26361-K1495-V101	1128,24	
PY RX2540 M1 12x 3.5"	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LoM with 2x/4x 1/10 Gbit Ethernet LAN optional, Modular 8-Port RAID Ctrl. optional; 12 drive bays for hot plug 3.5" SAS/SATA drives; ServerView Suite Software Pack		S26361-K1495-V112	1604,71	



**PRIMERGY RX2540** Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Référence	Prix Indicateur (€)	Remarques
Unités de Base				
<b>PRIMERGY RX2540 M1 (Suite)</b>				
PY RX2540 M1 8x 2.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, DynamicLoM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 1 bay 5.25" x 1.6" for backup devices, 8 drive bays for hot plug 2.5" SAS/SATA drives expandable; ServerView Suite Software Pack	S26361-K1495-V401	1087,06	
PY RX2540 M1 24x 2.5"	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LOM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 24 drive bays for hot plug 2.5" SAS/SATA drives; ServerView Suite Software Pack	S26361-K1495-V424	1708,24	
<b>PRIMERGY RX2540 M1-L</b>				



**PRIMERGY RX2540** Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Référence	Prix Indicateur (€)	Remarques
Unités de Base				
<b>PRIMERGY RX2540 M1-L (Suite)</b>				
PY RX2540 M1-L 8x 2.5" expandable	Long Lifecycle System. See configuration hints for further details., , Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, DynamicLoM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 1 bay 5.25" x 1.6" for backup devices, 8 drive bays for hot plug 2.5" SAS/SATA drives expandable; ServerView Suite Software Pack	S26361-K1495-V402	1397,65	
<b>PRIMERGY RX2540 M2</b>				
PY RX2540 M2 4x 3.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LoM with 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 3.5" SAS/SATA drives expandable; ServerView Suite Software Pack	S26361-K1566-V101	1128,24	



**PRIMERGY RX2540** Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Référence	Prix Indicatif (€)	Remarques
<b>PRIMERGY RX2540 M2 (Suite)</b>				
Unités de Base				
PY RX2540 M2 12x 3.5'	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LoM with 2x/4x 1/10 Gbit Ethernet LAN optional, Modular 8-Port RAID Ctrl. optional; 12 drive bays for hot plug 3.5" SAS/SATA drives; ServerView Suite Software Pack	S26361-K1566-V112	1604,71	
PY RX2540 M2 8x 2.5' expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, DynamicLoM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 1 bay 5.25" x 1.6" for backup devices, 8 drive bays for hot plug 2.5" SAS/SATA drives expandable; ServerView Suite Software Pack	S26361-K1566-V401	1087,06	
PY RX2540 M2 24x 2.5'	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LOM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 24 drive bays for hot plug 2.5" SAS/SATA drives; ServerView Suite Software Pack	S26361-K1566-V424	1708,24	



## PRIMERGY RX2560

Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur rack PRIMERGY RX2560 M1 et M2 de 4 U offre un maximum de performances, une grande évolutivité et une disponibilité élevée, sans aucun compromis. Les filiales, les datacenters ainsi que les PME peuvent bénéficier des performances offertes avec les deux processeurs Intel® Xeon® E5 v3 et v4 associés à 1 536 Go de mémoire DDR4. Les 10 slots d'extension et la capacité de stockage jusqu'à 32 disques durs 2,5" offrent des options d'évolution exceptionnelles. Grâce à une alimentation et des ventilateurs redondants, et à une sélection de différents contrôleurs RAID, le serveur tout garanti des niveaux de disponibilité élevés et une certaine « tranquillité d'esprit ». Le serveur est donc idéal pour les applications les plus exigeantes en ressources, les solutions de virtualisation et les applications nécessitant des capacités de

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Spéciales</b>					
<b>PRIMERGY RX2560 M1</b>					
		Rack server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).			
PY RX2560 M1 /ADV. THERMAL/	PY RX2560 M1 /ADV. THERMAL/	MODE/ 8 GB RG 2133 1R/DVD-RW SM/3.5' KIT (8X)/ PRAID CP400I/2X1GB IF CARD/RMK F2 S7 LV/	VFY:R2561SC010IN	3248,24	
PY RX2560 M1 /ADV. THERMAL/	PY RX2560 M1 /ADV. THERMAL/	MODE/ 8 GB RG 2133 1R/DVD-RW SM/3.5' KIT (8X)/ PRAID CP400I/2X1GB IF CARD/RMK F2 S7 LV/	VFY:R2561SC011IN	3248,24	
PY RX2560 M1 /ADV. THERMAL/	PY RX2560 M1 /ADV. THERMAL/	MODE/ 8 GB RG 2133 1R/DVD-RW SM/2.5' KIT (8X)/ PRAID CP400I/2X1GB IF CARD/RMK F2 S7 LV/	VFY:R2561SC020IN	3248,24	
PY RX2560 M1 /ADV. THERMAL/	PY RX2560 M1 /ADV. THERMAL/	MODE/ 8 GB RG 2133 1R/DVD-RW SM/2.5' KIT (8X)/ PRAID CP400I/2X1GB IF CARD/RMK F2 S7 LV/	VFY:R2561SC021IN	3248,24	
PY RX2560 M1 /ADV. THERMAL/	PY RX2560 M1 /ADV. THERMAL/	MODE/ 8 GB RG 2133 1R/DVD-RW/ (16X 2.5',4X 3.5')/RAID 12G 1GB/	VFY:R2561SC030IN	4284,71	
<b>PRIMERGY RX2560 M2</b>					
		Rack server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).			
PY RX2560 M2 /ATD 45°C/XEON E5-2620V4/	PY RX2560 M2 /ATD 45°C/XEON E5-2620V4/	MODE/8 GB RG 2400 1R/ DVD-RW SM/2.5' KIT (8X)/PRAID CP400I/ 2X1GB IF CARD/RMK F2 S7 LV/	VFY:R2562SC010IN	3202,35	
PY RX2560 M2 /ATD 45°C/XEON E5-2620V4/	PY RX2560 M2 /ATD 45°C/XEON E5-2620V4/	MODE/8 GB RG 2400 1R/DVD-RW/ (16X 2.5',4X 3.5')/RAID 12G 1GB/ 4X1GB IF CARD/RMK F2 S7 LV/	VFY:R2562SC020IN	4222,35	



## PRIMERGY RX2560

Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Configurations Spéciales

### PRIMERGY RX2560 M2 (Suite)

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Unités de Base

### PRIMERGY RX2560 M1

PY RX2560 M1	Rack server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1541-V301	1087,06	
--------------	--	-------------------	---------	--

### PRIMERGY RX2560 M2

PRIMERGY RX2560 M2	Rack server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1583-V301	1087,06	
--------------------	---	-------------------	---------	--





## PRIMERGY RX4770

Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur rack PRIMERGY RX2560 M1 et M2 de 4 U offre un maximum de performances, une grande évolutivité et une disponibilité élevée, sans aucun compromis. Les filiales, les datacenters ainsi que les PME peuvent bénéficier des performances offertes avec les deux processeurs Intel® Xeon® E5 v3 et v4 associés à 1 536 Go de mémoire DDR4. Les 10 slots d'extension et la capacité de stockage jusqu'à 32 disques durs 2,5" offrent des options d'évolution exceptionnelles. Grâce à une alimentation et des ventilateurs redondants, et à une sélection de différents contrôleurs RAID, le serveur tour garantit des niveaux de disponibilité élevés et une certaine « tranquillité d'esprit ». Le serveur est donc idéal pour les applications les plus exigeantes en ressources, les solutions de virtualisation et les applications nécessitant des capacités de stockage conséquentes.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

### Configurations Spéciales

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

### Unités de Base

#### PRIMERGY RX4770 M2

PY RX4770 M2	Rack mountable server 19" (4U) incl. 8x hot plug fans (7+1 redundancy); system board for up to 4x XEON E7-x800v3 CPUs; 2x memory board for each 12x DDR4 LV DIMM modules; 8 drive bays for hot plug 2.5" SAS/SATA HDD/SSD; iRMC S4 server management with graphics controller and 10/100/1000Mbit Service LAN-port; 1x Dual-Port Ethernet Ctrl. (= 2x 10/1 GBit LAN Ports) WOL capable; SAS RAID Ctrl. optional; LocalView LCD Display; ServerView Suite Software Package		S26361-K1503-V200	5517,65	
--------------	---	--	-------------------	---------	--



## Accessoires serveurs rack PRIMERGY

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicateur (€)	Remarques
Accessoires (Matrice)																		
Processor																		
	Intel Xeon E5-2603v2 4C/4T 1.80GHz 10MB													x		S26361-F3788-L180	336,47	
	Intel Xeon E5-2609v2 4C/4T 2.50GHz 10MB													x		S26361-F3788-L250	461,18	
	Intel Xeon E5-2640v2 8C/16T 2.00GHz 20MB													x		S26361-F3789-L200	1289,41	
	Intel Xeon E5-2620v2 6C/12T 2.10GHz 15MB													x		S26361-F3789-L210	636,47	
	Intel Xeon E5-2630v2 6C/12T 2.60GHz 15MB													x		S26361-F3789-L260	905,88	
	Intel Xeon E5-2660v2 10C/20T 2.2GHz 25MB													x		S26361-F3790-L220	1982,35	
	Intel Xeon E5-2670v2 10C/20T 2.5GHz 25MB													x		S26361-F3790-L250	2200,00	
	Intel Xeon E5-2650v2 8C/16T 2.60GHz 20MB													x		S26361-F3790-L260	1682,35	
	Intel Xeon E5-2680v2 10C/20T 2.8GHz 25MB													x		S26361-F3790-L280	2428,24	
	Intel Xeon E5-2690v2 10C/20T 3.0GHz 25MB													x		S26361-F3790-L300	2872,94	
	Intel Xeon E5-2695v2 12C/24T 2.4GHz 30MB													x		S26361-F3791-L240	3261,18	
	Intel Xeon E5-2697v2 12C/24T 2.7GHz 30MB													x		S26361-F3791-L270	3716,47	
	Intel Xeon E5-2667v2 8C/16T 3.30GHz 25MB													x		S26361-F3791-L300	2872,94	
	Intel Xeon E5-2643v2 6C/12T 3.50GHz 25MB													x		S26361-F3791-L330	2200,00	
	Intel Xeon E5-2637v2 4C/8T 3.50GHz 15MB													x		S26361-F3791-L350	1444,71	
	Intel Xeon E5-2650Lv2 10C/20T 1.70GHz													x		S26361-F3792-L170	1749,41	
	Intel Xeon E5-2630Lv2 6C/12T 2.4GHz 15MB													x		S26361-F3792-L240	905,88	
	Intel Xeon E5-2603v2 4C/4T 1.80GHz 10MB				x											S26361-F3800-L180	418,82	
	Intel Xeon E5-2609v2 4C/4T 2.50GHz 10MB				x											S26361-F3800-L250	574,12	
	Intel Xeon E5-2640v2 8C/16T 2.00GHz 20MB				x											S26361-F3801-L200	1609,41	
	Intel Xeon E5-2620v2 6C/12T 2.10GHz 15MB				x											S26361-F3801-L210	797,65	
	Intel Xeon E5-2630v2 6C/12T 2.60GHz 15MB				x											S26361-F3801-L260	1134,12	
	Intel Xeon E5-2660v2 10C/20T 2.2GHz 25MB				x											S26361-F3802-L220	2480,00	
	Intel Xeon E5-2670v2 10C/20T 2.5GHz 25MB				x											S26361-F3802-L250	2748,24	
	Intel Xeon E5-2650v2 8C/16T 2.60GHz 20MB				x											S26361-F3802-L260	2101,18	
	Intel Xeon E5-2680v2 10C/20T 2.8GHz 25MB				x											S26361-F3802-L280	3032,94	
	Intel Xeon E5-2690v2 10C/20T 3.0GHz 25MB				x											S26361-F3802-L300	3592,94	
	Intel Xeon E5-2695v2 12C/24T 2.4GHz 30MB				x											S26361-F3803-L240	4078,82	
	Intel Xeon E5-2697v2 12C/24T 2.7GHz 30MB				x											S26361-F3803-L270	4648,24	
	Intel Xeon E5-2667v2 8C/16T 3.30GHz 25MB				x											S26361-F3803-L300	3592,94	
	Intel Xeon E5-2643v2 6C/12T 3.50GHz 25MB				x											S26361-F3803-L330	2748,24	
	Intel Xeon E5-2637v2 4C/8T 3.50GHz 15MB				x											S26361-F3803-L350	1807,06	
	Intel Xeon E5-2650Lv2 10C/20T 1.70GHz				x											S26361-F3804-L170	2189,41	
	Intel Xeon E5-2630Lv2 6C/12T 2.4GHz 15MB				x											S26361-F3804-L240	1134,12	
	Intel Xeon E5-2603v3 6C/6T 1.60 GHz						x									S26361-F3849-L303	440,00	
	Intel Xeon E5-2609v3 6C/6T 1.90 GHz						x									S26361-F3849-L309	569,41	
	Intel Xeon E5-2620v3 6C/12T 2.40 GHz						x									S26361-F3849-L320	735,29	
	Intel Xeon E5-2623v3 4C/8T 3.00 GHz						x									S26361-F3849-L323	745,88	
	Intel Xeon E5-2630v3 8C/16T 2.40 GHz						x									S26361-F3849-L330	1065,88	
	Intel Xeon E5-2640v3 8C/16T 2.60 GHz						x									S26361-F3849-L340	1449,41	
	Intel Xeon E5-2650v3 10C/20T 2.30 GHz						x									S26361-F3849-L350	1764,71	
	Intel Xeon E5-2603v3 6C/6T 1.60 GHz									x						S26361-F3849-L403	377,65	
	Intel Xeon E5-2609v3 6C/6T 1.90 GHz									x						S26361-F3849-L409	507,06	
	Intel Xeon E5-2620v3 6C/12T 2.40 GHz									x						S26361-F3849-L420	672,94	
	Intel Xeon E5-2623v3 4C/8T 3.00 GHz									x						S26361-F3849-L423	683,53	
	Intel Xeon E5-2630v3 8C/16T 2.40 GHz									x						S26361-F3849-L430	1004,71	
	Intel Xeon E5-2640v3 8C/16T 2.60 GHz									x						S26361-F3849-L440	1387,06	
	Intel Xeon E5-2650v3 10C/20T 2.30 GHz									x						S26361-F3849-L450	1703,53	
	Intel Xeon E5-2603v3 6C/6T 1.60 GHz												x			S26361-F3849-L503	377,65	
	Intel Xeon E5-2609v3 6C/6T 1.90 GHz												x			S26361-F3849-L509	507,06	
	Intel Xeon E5-2620v3 6C/12T 2.40 GHz												x			S26361-F3849-L520	672,94	
	Intel Xeon E5-2623v3 4C/8T 3.00 GHz												x			S26361-F3849-L523	683,53	
	Intel Xeon E5-2630v3 8C/16T 2.40 GHz												x			S26361-F3849-L530	1004,71	
	Intel Xeon E5-2640v3 8C/16T 2.60 GHz												x			S26361-F3849-L540	1387,06	
	Intel Xeon E5-2650v3 10C/20T 2.30 GHz												x			S26361-F3849-L550	1703,53	
	Intel Xeon E7-4809v3 8C/16T 2.00GHz 20MB														x	S26361-F3896-L309	1738,82	
	Intel Xeon E7-4820v3 10C/20T 1.90GHz														x	S26361-F3896-L320	2360,00	
	Intel Xeon E7-4830v3 12C/24T 2.10GHz														x	S26361-F3896-L330	3198,82	
	Intel Xeon E7-4850v3 14C/28T 2.20GHz														x	S26361-F3896-L350	4430,59	
	Intel Xeon E7-8860v3 16C/32T 2.20GHz														x	S26361-F3896-L360	6274,12	
	Intel Xeon E7-8867v3 16C/32T 2.50GHz														x	S26361-F3896-L367	6740,00	
	Intel Xeon E7-8870v3 18C/36T 2.10GHz														x	S26361-F3896-L370	6889,41	
	Intel Xeon E7-8880v3 18C/36T 2.30GHz														x	S26361-F3896-L380	8914,12	
	Intel Xeon E7-8890v3 18C/36T 2.50GHz														x	S26361-F3896-L390	10840,00	
	Intel Xeon E7-8891v3 10C/20T 2.80GHz														x	S26361-F3896-L391	10337,65	
	Intel Xeon E7-8893v3 4C/8T 3.20GHz														x	S26361-F3896-L393	10337,65	
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz					x				x						S26361-F3933-L303	440,00	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz					x				x						S26361-F3933-L309	569,41	



Accessoires serveurs rack PRIMERGY

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicateur (€)	Remarques
Accessoires (Matrice)																		
<b>Processor (Suite)</b>																		
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz					x			x							S26361-F3933-L320	735,29	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz					x			x							S26361-F3933-L323	745,88	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz					x			x							S26361-F3933-L330	1065,88	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz					x			x							S26361-F3933-L340	1449,41	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz					x			x							S26361-F3933-L350	1764,71	
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz											x				S26361-F3933-L403	377,65	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz										x					S26361-F3933-L409	507,06	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz										x					S26361-F3933-L420	672,94	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz										x					S26361-F3933-L423	683,53	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz										x					S26361-F3933-L430	1004,71	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz										x					S26361-F3933-L440	1387,06	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz										x					S26361-F3933-L450	1703,53	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz												*			S26361-F3933-L509	507,06	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz												*			S26361-F3933-L520	672,94	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz												*			S26361-F3933-L523	683,53	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz												*			S26361-F3933-L530	1004,71	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz												*			S26361-F3933-L540	1387,06	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz												*			S26361-F3933-L550	1703,53	
	Intel Xeon E5-2403v2 4C/4T 1.8GHz 10MB						x									S26361-F3832-L180	336,47	
	Intel Xeon E5-2407v2 4C/4T 2.4GHz 10MB						x									S26361-F3832-L240	414,12	
	Intel Xeon E5-2440v2 8C/16T 1.9GHz 20MB						x									S26361-F3833-L190	1242,35	
	Intel Xeon E5-2420v2 6C/12T 2.2GHz 15MB						x									S26361-F3833-L220	642,35	
	Intel Xeon E5-2430v2 6C/12T 2.5GHz 15MB						x									S26361-F3833-L250	858,82	
	Intel Xeon E5-2470v2 10C/20T 2.4GHz 25MB						x									S26361-F3834-L240	2049,41	
	Intel Xeon E5-2450v2 8C/16T 2.5GHz 20MB						x									S26361-F3834-L250	1600,00	
	Intel Xeon E5-2450Lv2 10C/20T 1.7GHz						x									S26361-F3835-L170	1749,41	
	Intel Xeon E5-2430Lv2 6C/12T 2.4GHz 15MB						x									S26361-F3835-L240	942,35	
	Intel Xeon E5-2403v2 4C/4T 1.8GHz 10MB						x									S26361-F3832-L181	325,88	
	Intel Xeon E5-2407v2 4C/4T 2.4GHz 10MB						x									S26361-F3832-L241	403,53	
	Intel Xeon E5-2440v2 8C/16T 1.9GHz 20MB						x									S26361-F3833-L191	1231,76	
	Intel Xeon E5-2420v2 6C/12T 2.2GHz 15MB						x									S26361-F3833-L221	631,76	
	Intel Xeon E5-2430v2 6C/12T 2.5GHz 15MB						x									S26361-F3833-L251	849,41	
	Intel Xeon E5-2450v2 8C/16T 2.5GHz 20MB						x									S26361-F3834-L251	1589,41	
	Intel Xeon E5-2450Lv2 10C/20T 1.7GHz						x									S26361-F3835-L171	1738,82	
	Intel Xeon E5-2430Lv2 6C/12T 2.4GHz 15MB						x									S26361-F3835-L241	931,76	
<b>Mémoire</b>																		
	64GB (2x32GB) 2Rx4 DDR4-2133 R ECC													*		S26361-F3897-L641	1480,00	
	16GB (2x8GB)1Rx4 DDR4-2133 R ECC													*		S26361-F3897-L642	372,94	
	32GB (2x16GB) 2Rx4 DDR4-2133 R ECC													*		S26361-F3897-L643	631,76	
	64GB (2x32GB) 4Rx4 DDR4-2133 LR ECC													*		S26361-F3897-L644	1729,41	
	128GB (2x64GB) 4Rx4 DDR4-2133 LR ECC													*		S26361-F3897-L645	3727,06	
	Mémoire Board RX4770 M2													*		S26361-F5295-L200	574,12	
	CPU airflow Dummy													*		S26361-F5295-L999	25,88	
	4GB (1x4GB) 1Rx8 L DDR3-1600 U ECC		x													S26361-F5312-L514	88,24	
	8GB (1x8GB) 2Rx8 L DDR3-1600 U ECC		x													S26361-F5312-L518	155,29	
	4GB (1x4GB) 1Rx8 DDR4-2133 U ECC			x												S26361-F3909-L514	88,24	
	8GB (1x8GB) 2Rx8 DDR4-2133 U ECC			x												S26361-F3909-L515	129,41	
	16GB (1x16GB) 2Rx8 DDR4-2133 U ECC			x												S26361-F3909-L516	243,53	
<b>Mémoire Modules</b>																		
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC			x		x									x	S26361-F3781-L514	129,41	
	8GB (1x8GB) 1Rx4 DDR4-2133 R ECC						x		x		x					S26361-F3843-L514	185,88	
	8GB (1x8GB) 1Rx4 DDR4-2400 R ECC				x			x		x		*				S26361-F3934-L511	185,88	
	16GB (1x16GB) 2Rx4 DDR4-2133 R ECC						x		x		x					S26361-F3843-L516	272,94	
	8GB (1x8GB) 1Rx4 L DDR3-1600 R ECC			x		x								x		S26361-F3781-L515	165,88	
	32GB (1x32GB) 2Rx4 DDR4-2133 R ECC						x		x		x					S26361-F3843-L517	740,00	
	16GB (1x16GB) 2Rx4 DDR4-2400 R ECC				x			x		x		*				S26361-F3934-L512	315,29	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC			x		x								x		S26361-F3781-L516	305,88	
	8GB (1x8GB) 2Rx8 DDR4-2133 R ECC						x		x		x					S26361-F3843-L515	228,24	
	32GB (1x32GB) 2Rx4 DDR4-2400 R ECC				x			x		x		*				S26361-F3934-L515	740,00	
	32GB (1x32GB) 4Rx4 DDR4-2133 LR ECC							x		x		x				S26361-F3844-L517	864,71	
	8GB (1x8GB) 2Rx8 DDR3-1866 R ECC				x									x		S26361-F3793-L515	237,65	
	64GB (1x64GB) 4Rx4 L DDR4-2133 LR ECC							x		x		x				S26361-F3844-L518	1863,53	
	16GB (1x16GB) 2Rx8 DDR4-2400 R ECC								x		x		*			S26361-F3934-L513	362,35	
	16GB (1x16GB) 2Rx4 DDR3-1866 R ECC			x									x			S26361-F3793-L516	336,47	
	32GB (1x32GB) 4Rx4 DDR3-1866 LR ECC			x									x			S26361-F3848-L517	828,24	
	32GB (1x32GB) 4Rx4 L DDR3-1600 LR ECC			x									x			S26361-F3782-L517	787,06	
	64GB (1x64GB) 4Rx4 DDR4-2400 LR ECC								x		x		*			S26361-F3935-L516	1863,53	
	64GB (1x64GB) 8Rx4 L DDR3-1333 LR ECC			x											x	S26361-F3783-L518	3934,12	



## Accessoires serveurs rack PRIMERGY

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																		
Mémoire Modules (Suite)																		
Graphics	PGRA CP NVIDIA GRID K1										x	x				S26361-F2222-L914	3054,12	
	PGRA CP NVIDIA GRID K2										x	x				S26361-F2222-L924	6149,41	
	PGRA CP NVIDIA Tesla M60										x	x				S26361-F2222-L964	9307,06	
	Interface VGA avant				x		x							x		S26361-F2571-L26	56,47	
	PGRA CP NVS 1GB VGA PCI-e x16 card											x	*			S26361-F2748-L538	150,59	
	Risercard PCIe1*x8+2*x4											x	*			S26361-F3846-L131	56,47	
	PY GFX mounting kit right for K1/K2										x	x				S26361-F3846-L11	202,35	
	PY GFX mounting kit left for K1/K2										x	x				S26361-F3846-L12	202,35	
	PY GFX mounting kit right for M60										x	x				S26361-F3846-L13	202,35	
	PY GFX mounting kit left for M60										x	x				S26361-F3846-L14	202,35	
Supports amovibles																		
	Mise à jour kit V201 vers 12x disque dur 2.5 "					x								x		S26361-F1373-L247	300,00	
	Mise à jour kit V201 vers 16x disque dur 2.5 "					x								x		S26361-F1373-L248	392,94	
	Mise à jour kit V301 vers 16x disque dur 2.5 "					x								x		S26361-F1373-L378	176,47	
	Mise à jour kit V401 vers 4x DD 2.5 " + LTO					x								x		S26361-F1373-L423	62,35	
	Kit de mise à jour V401 à 8x DD 2.5"					x								x		S26361-F1373-L424	155,29	
	Kit de mise à jour V401 à 12x DD 2.5"					x								x		S26361-F1373-L427	351,76	
	Kit de mise à jour V401+LTO vers 8x DD 2.5"					x								x		S26361-F1373-L436	98,82	
	Kit Upg. vers 4x + 8x 2.5' SAS3.0													x		S26361-F1373-L572	202,35	
	Kit Upg. vers 12x DD 3.5"					x										S26361-F1480-L119	243,53	
	Blu-ray Triple Writer ultraslim SATA		x	x				x	x	x	x	x	*			S26361-F3641-L6	170,59	
	Blu-ray Triple Writer ultraslim SATA											x	*			S26361-F3641-L8	170,59	
	DVD ROM Ultrastlim		x	x				x	x	x	x					S26361-F3718-L2	92,94	
	Adaptateur USB3.0 PCIe x1	x			x		x							x	*	S26361-F3749-L501	25,88	
	DVD-RW supermulti ultraslim SATA		x	x				x	x	x	x	x	*			S26361-F3778-L1	98,82	
	Upg. to Medium 3.5' kit (8x3.5'HDD)											x	*			S26361-F3900-L1	103,53	
	Upg. kit for 8x 2.5' HDD											x	*			S26361-F3900-L11	647,06	
	Upg. to Medium 2.5' kit (16x2.5'HDD)											x	*			S26361-F3900-L12	170,59	
	2x2.5' NON-hot-plug mounting frames											x	*			S26361-F3900-L125	41,18	
	Upg. 4x 3.5' HD accessible kit											x	*			S26361-F3900-L13	124,71	
	Upg. to maximum 3.5' kit (12x3.5'HDD)											x	*			S26361-F3900-L2	600,00	
	Upg. to performance kit 4x 2.5' PCIe											x	*			S26361-F3900-L21	647,06	
	Upg. to 8x 2.5' PCIe											x	*			S26361-F3900-L22	625,88	
	DVD-RW supermulti slimline SATA	x			x		x							x	*	S26361-F3269-L2	98,82	
	Graveur Blu-ray triple couche slimline SATA	x			x		x							x	*	S26361-F3641-L2	170,59	
	DVD-ROM 1.6" SATA											x	*			S26361-F3266-L2	41,18	
	DVD-RW supermulti 1.6" SATA											x	*			S26361-F3267-L2	56,47	
	RDX 320 5.25'									x	x					S26361-F3750-L324	295,29	
	RDX 320 3.5'						x							x		S26361-F3750-L325	295,29	
	RDX 320 3.5'													x		S26361-F3750-L327	347,06	
	RDX 500 5.25'									x	x					S26361-F3750-L504	330,59	
	RDX 500 3.5'						x							x		S26361-F3750-L505	330,59	
	RDX 500 3.5'													x		S26361-F3750-L507	375,29	
	RDX 1000 5.25'									x	x					S26361-F3750-L604	370,59	
	RDX 1000 3.5'						x							x		S26361-F3750-L605	370,59	
	RDX 1000 3.5'													x		S26361-F3750-L607	415,29	
	RDX Drive USB2.0 cable set						x							x		S26361-F3750-L20	21,18	
	RDX Drive USB3.0 5.25" internal									x	x	x	*			S26361-F3750-L4	217,65	
	RDX Drive USB 3.0 3.5" interne						x							x		S26361-F3750-L5	217,65	
	RDX Drive USB 3.0 3.5" internal													x		S26361-F3750-L7	269,41	
	Lecteur bande LTO3HH Ultr 400Go 60MB/s SAS						x									S26361-F3561-L4	1460,00	
	Lecteur LTO4HH 800Go 120Mbits/s SAS V2						x			x	x	x	*	x		S26361-F3626-L2	2023,53	
	Lecteur LTO5HH 1500GB 140MB/s SAS						x			x	x	x	*	x		S26361-F3627-L1	2334,12	
	Kit bande LTO6HH 2.5TB 160MB/s SAS 6Gb						x			x	x	x	*	x		S26361-F3787-L1	2935,29	
Hard Disks																		
	Upg. kit from 4x to 8x 2.5' HDD								x	x						S26361-F1492-L140	62,35	
	Upg. kit from 4x to 8x 2.5' HDD	x	x													S26361-F1537-L140	114,12	
	Option upgrade DD 8x 2.5"				x											S26361-F3317-L700	114,12	
	Option 4x REAR 2.5" SAS/SATA HDD/SSD										x	x				S26361-F3853-L10	254,12	
	HD SATA 6G 6TB 7.2K 512e HOT PL 3.5' BC													x		S26361-F3903-L600	1108,24	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5' BC				x		x							x		S26361-F3906-L100	409,41	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5' BC				x		x							x		S26361-F3906-L200	720,00	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5' BC	x	x					x	x	x	x	x	*			S26361-F3907-L100	409,41	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5' BC	x	x					x	x	x	x	x	*			S26361-F3907-L200	720,00	
	HD SATA 6G 250GB 7.2K NO HOT PL 2.5' BC													x	*	S26361-F3908-L250	232,94	
	HD SATA 6G 1TB 7.2K HOT PL 2.5' BC													x	*	S26361-F3926-L100	409,41	
	HD SATA 6G 250GB 7.2K HOT PL 2.5' BC													x	*	S26361-F3926-L250	232,94	



**Accessoires serveurs rack PRIMERGY**

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																		
<b>Hard Disks (Suite)</b>																		
	HD SATA 6G 500GB 7.2K HOT PL 2.5' BC											x	*			S26361-F3926-L500	263,53	
	HD SATA 6G 1TB 7.2K HOT PL 3.5' BC		x			x			x				*			S26361-F3950-L100	254,12	
	HD SATA 6G 500GB 7.2K HOT PL 3.5' BC		x			x										S26361-F3950-L500	228,24	
	HD SATA 6G 1TB 7.2K HOT PL 3.5' ECO		x													S26361-F3951-L100	181,18	
	HD SATA 6G 500GB 7.2K HOT PL 3.5' ECO		x													S26361-F3951-L500	170,59	
	Disque dur SAS 6G 1To 7.2K HOT PL 3.5' BC													x		S26361-F5241-L100	336,47	
	Disque dur SAS 6G 2To 7.2K HOT PL 3.5' BC													x		S26361-F5241-L200	496,47	
	Disque dur SAS 6G 3To 7.2K HOT PL 3.5' BC													x		S26361-F5241-L300	688,24	
	Disque dur SAS 6G 4To 7.2K HOT PL 3.5' BC													x		S26361-F5241-L400	791,76	
	PPCI EP x16 Switch										x	x			*	S26361-F5267-L501	228,24	
	PPCI EP x16 Switch incl. cables- RX2530							x	x							S26361-F5267-L503	269,41	
	PCIe cable 1-4 for SW to 2.5' SFF SSD														*	S26361-F5295-L630	103,53	
	SSD SAS 12G 1.6TB Main 2.5" H-P EP				x									x		S26361-F5297-L160	9876,47	
	SSD SAS 12G 200GB Main 2.5" H-P EP				x									x		S26361-F5297-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP				x									x		S26361-F5297-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP				x									x		S26361-F5297-L800	5171,76	
	SSD SAS 12G 1.6TB Main 2.5" H-P EP							x	x	x	x	x	*	*		S26361-F5298-L160	9876,47	
	SSD SAS 12G 200GB Main 2.5" H-P EP							x	x	x	x	x	*	*		S26361-F5298-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP							x	x	x	x	x	*	*		S26361-F5298-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*		S26361-F5298-L800	5171,76	
	SSD SAS 12G 1.6TB Main 3.5' H-P EP													x		S26361-F5315-L160	9876,47	
	SSD SAS 12G 200GB Main 3.5' H-P EP													x		S26361-F5315-L200	1434,12	
	SSD SAS 12G 400GB Main 3.5' H-P EP													x		S26361-F5315-L400	2717,65	
	SSD SAS 12G 800GB Main 3.5' H-P EP													x		S26361-F5315-L800	5171,76	
	SSD SATA 6G 100GB Main 3.5' H-P EP													x		S26361-F5319-L100	610,59	
	SSD SATA 6G 200GB Main 3.5' H-P EP													x		S26361-F5319-L200	1211,76	
	SSD SATA 6G 400GB Main 3.5' H-P EP													x		S26361-F5319-L400	2443,53	
	SSD SATA 6G 800GB Main 3.5' H-P EP													x		S26361-F5319-L800	4891,76	
	SSD SAS 12G 1.6 TB Main 3.5' H-P EP							x	x	x	x					S26361-F5320-L160	9876,47	
	SSD SAS 12G 200GB Main 3.5' H-P EP							x	x	x	x					S26361-F5320-L200	1434,12	
	SSD SAS 12G 400GB Main 3.5' H-P EP							x	x	x	x					S26361-F5320-L400	2717,65	
	SSD SAS 12G 800GB Main 3.5' H-P EP							x	x	x	x					S26361-F5320-L800	5171,76	
	HD SAS 6G 300GB 15K HOT PL 3.5' EP													x		S26361-F5520-L530	502,35	
	HD SAS 6G 450GB 15K HOT PL 3.5' EP													x		S26361-F5520-L545	720,00	
	HD SAS 6G 600GB 15K HOT PL 3.5' EP													x		S26361-F5520-L560	869,41	
	HD SAS 6G 300GB 15K HOT PL 3.5' EP	x					x									S26361-F5521-L530	502,35	
	HD SAS 6G 450GB 15K HOT PL 3.5' EP	x					x									S26361-F5521-L545	720,00	
	HD SAS 6G 600GB 15K HOT PL 3.5' EP	x					x									S26361-F5521-L560	869,41	
	SSD SATA 6G 120GB ReadIntensive 2.5' H-P				x		x							x		S26361-F5524-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5' H-P				x		x							x		S26361-F5524-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5' H-P				x		x							x		S26361-F5524-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 2.5' H-P				x		x							x		S26361-F5524-L800	2189,41	
	SSD SATA 6G 120GB ReadIntensive 2.5' H-P	x	x				x	x	x	x	x	*	*	*		S26361-F5525-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5' H-P	x	x				x	x	x	x	x	*	*	*		S26361-F5525-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5' H-P	x	x				x	x	x	x	x	*	*	*		S26361-F5525-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 2.5' H-P	x	x				x	x	x	x	x	*	*	*		S26361-F5525-L800	2189,41	
	SSD SATA 6G 120GB ReadIntensive 3.5' H-P													x		S26361-F5528-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 3.5' H-P													x		S26361-F5528-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 3.5' H-P													x		S26361-F5528-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 3.5' H-P													x		S26361-F5528-L800	2189,41	
	SSD SATA 6G 120GB ReadIntensive 3.5' H-P	x	x				x	x	x	x	x					S26361-F5530-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 3.5' H-P	x	x				x	x	x	x	x					S26361-F5530-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 3.5' H-P	x	x				x	x	x	x	x					S26361-F5530-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 3.5' H-P	x	x				x	x	x	x	x					S26361-F5530-L800	2189,41	
	HD SAS 12G 300GB 15K HOT PL 3.5' EP				x		x	x	x	x	x					S26361-F5532-L530	502,35	
	HD SAS 12G 450GB 15K HOT PL 3.5' EP				x		x	x	x	x	x					S26361-F5532-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 3.5' EP				x		x	x	x	x	x					S26361-F5532-L560	869,41	
	PACC EP PX600 1.3TB						x	x	x	x	x	*	*	*		S26361-F5546-L131	13458,82	
	PACC EP PX600 2.6TB						x	x	x	x	x	*	*	*		S26361-F5546-L261	25882,35	
	PACC EP PX600 5.2TB						x	x	x	x	x	*	*	*		S26361-F5546-L521	49694,12	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP		x				x	x	x	x	x			*		S26361-F5550-L112	720,00	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP		x				x	x	x	x	x			*		S26361-F5550-L130	263,53	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP		x				x	x	x	x	x			*		S26361-F5550-L160	496,47	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP		x				x	x	x	x	x			*		S26361-F5550-L190	651,76	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP				x		x							x		S26361-F5551-L130	263,53	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP				x		x							x		S26361-F5551-L160	496,47	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP				x		x							x		S26361-F5551-L190	651,76	
	HD SAS 12G 300GB 10K hp 2.5'(1Box=20pcs)				x		x							x		S26361-F5551-L930	263,53	



## Accessoires serveurs rack PRIMERGY

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Accessoires (Matrice)																Hard Disks (Suite)																	HD SAS 6G 300GB 15K HOT PL 2.5' EP	x															HD SAS 6G 450GB 15K HOT PL 2.5' EP	x															HD SAS 6G 600GB 15K HOT PL 2.5' EP	x															HD SAS 12G 300GB 10K NO HOT PL 2.5' EP											x					HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC											x	*				SSD SATA 6G 120GB ReadIntens 2.5' N H-P											x	*				HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	*				HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x	
Hard Disks (Suite)																	HD SAS 6G 300GB 15K HOT PL 2.5' EP	x															HD SAS 6G 450GB 15K HOT PL 2.5' EP	x															HD SAS 6G 600GB 15K HOT PL 2.5' EP	x															HD SAS 12G 300GB 10K NO HOT PL 2.5' EP											x					HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC											x	*				SSD SATA 6G 120GB ReadIntens 2.5' N H-P											x	*				HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	*				HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																	
	HD SAS 6G 300GB 15K HOT PL 2.5' EP	x															HD SAS 6G 450GB 15K HOT PL 2.5' EP	x															HD SAS 6G 600GB 15K HOT PL 2.5' EP	x															HD SAS 12G 300GB 10K NO HOT PL 2.5' EP											x					HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC											x	*				SSD SATA 6G 120GB ReadIntens 2.5' N H-P											x	*				HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	*				HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																	
	HD SAS 6G 450GB 15K HOT PL 2.5' EP	x															HD SAS 6G 600GB 15K HOT PL 2.5' EP	x															HD SAS 12G 300GB 10K NO HOT PL 2.5' EP											x					HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC											x	*				SSD SATA 6G 120GB ReadIntens 2.5' N H-P											x	*				HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	*				HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																	
	HD SAS 6G 600GB 15K HOT PL 2.5' EP	x															HD SAS 12G 300GB 10K NO HOT PL 2.5' EP											x					HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC											x	*				SSD SATA 6G 120GB ReadIntens 2.5' N H-P											x	*				HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	*				HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																	
	HD SAS 12G 300GB 10K NO HOT PL 2.5' EP											x					HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC											x	*				SSD SATA 6G 120GB ReadIntens 2.5' N H-P											x	*				HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	*				HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																	
	HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC											x	*				SSD SATA 6G 120GB ReadIntens 2.5' N H-P											x	*				HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	*				HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																	
	SSD SATA 6G 120GB ReadIntens 2.5' N H-P											x	*				HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	*				HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																	
	HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	*				HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																	
	HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	*				HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																	
	HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																	
	HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																	
	HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																	
	HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP		x		x	x	x	x	x	x	x	x					HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																	
	HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																	
	HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																	
	HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC		x		x		x	x	x	x	x	x	*				HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC					x											HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x				x	x	x	x	x	x	*	*			SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x											SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x				x	x	x	x	x	x	*				SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP				x		x	x	x	x	x	x	*				SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x		x		x	x	x	x	x	x	*				HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	HDD Dummy Frame Slim 2.5'	x	x				x	x	x	x	x	x	*				HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	*				SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 100GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 200GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 400GB Main 2.5" H-P EP			x		x								x			SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 800GB Main 2.5" H-P EP			x		x								x			Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x						HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO		x														HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO		x														Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Option 4x REAR PCIe-SSD SFF									x	x						DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x		x							x			HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP			x		x								x			HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x										x			DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x		x							x			SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 100GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 200GB Main 3.5" H-P EP		x				x	x		x							SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x							SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	*				SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD SATA 6G 64GB DOM N H-P		x				x										SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	*	*			Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x						DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	DD SAS 6G 300Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	DD SAS 6G 450Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	DD SAS 6G 600Go 10K HOT PL 2.5' EP				x		x							x			DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	DD SAS 6G 900Go 10K HOT PL 2.5' EP				x		x							x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	





**Accessoires serveurs rack PRIMERGY**

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>																		
<b>Hard Disks (Suite)</b>																		
	HD SAS 12G 600GB 15K HOT PL 2.5" EP			x				x	x	x	x	x			x	S26361-F5531-L560	869,41	
	DD SAS 6Gb/s 146Go 15K hot plug 2.5" EP 30				x	x								x		S26361-F4482-L514	232,94	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP				x	x								x		S26361-F4482-L530	481,18	
	HD SAS 6G 450GB 15K HOT PL 2.5" EP				x	x								x		S26361-F4482-L545	488,24	
	HD SAS 6G 600GB 15K HOT PL 2.5" EP				x	x								x		S26361-F4482-L560	658,82	
<b>SCSI/RAID/SAS controller</b>																		
	SAS cable kit 6GBit RX1330 8x2,5'		x	x												BDL:RX1330_8X25_D	61,18	
	SAS cable kit 12GBit RX1330 8x2,5'		x	x												BDL:RX1330_8X25_U	61,18	
	SAS cable kit 6GBit RX2520 8x2,5'						x									BDL:RX2520_8X25_D	61,18	
	SAS cable kit 6GBit RX2520 8x2,5' /w LTO						x									BDL:RX2520_LTO_D	61,18	
	SAS cable kit 12GBit RX2520 8x2,5 /w LTO						x									BDL:RX2520_LTO_U	61,18	
	SAS cable kit 6GBit RX2520 8x2,5' /w RDX						x									BDL:RX2520_RDX_D	61,18	
	SAS cable kit 12GBit RX2520 8x2,5 /w RDX						x									BDL:RX2520_RDX_U	61,18	
	SAS cable kit 6GBit RX2530 8x2,5'							x	x							BDL:RX2530_8X25_D	61,18	
	SAS cable kit 12GBit RX2530 8x2,5'							x	x							BDL:RX2530_8X25_U	61,18	
	SAS cable kit 12GBit RX2540 8x2,5'									x	x					BDL:RX2540_8X25_U	61,18	
	SAS cable kit 6GBit RX2540 8x3,5'									x	x					BDL:RX2540_8X35_D	61,18	
	Opt.FH PCIe Riser		x	x												S26361-F1420-L210	21,18	
	Opt.Full Height PCIe Riser					x				x						S26361-F1492-L210	15,29	
	SAS3.0 cable upgrade kit for RX1330		x	x												S26361-F1537-L180	67,06	
	SAS3.0 cable upgradekit for RX2540 2.5'										x	x				S26361-F3120-L100	47,06	
	SAS3.0 cable upgradekit for RX2540 3.5'										x	x				S26361-F3120-L101	47,06	
	SAS cable 12GBit RX2520 8x2,5" with LTO						x									S26361-F3210-L301	30,59	
	SAS cable 6GBit RX1330 8x2,5'		x	x												S26361-F3210-L302	30,59	
	SAS cable 6GBit RX1330 4x2,5'		x	x												S26361-F3210-L303	30,59	
	SAS cable 12GBit RX2520 12x3,5"						x									S26361-F3210-L307	30,59	
	SAS cable 12GBit RX2540 8x2,5"										x	x				S26361-F3210-L308	30,59	
	SAS cable 12GBit RX1330 4x2,5"		x	x												S26361-F3210-L309	30,59	
	SAS cable 12GBit RX2530 4x2,5"							x	x							S26361-F3210-L311	30,59	
	SAS cable 6GBit RX2520 8x and 12x3.5"						x									S26361-F3210-L314	30,59	
	SAS cable 12GBit RX1330 4x3,5"		x	x												S26361-F3210-L315	30,59	
	SAS cable 6GBit RX2530 8x2,5"							x	x							S26361-F3210-L316	30,59	
	SAS cable 6GBit RX2530 4x2,5"							x	x							S26361-F3210-L317	30,59	
	SAS cable 12GBit RX2520 4x2,5"						x									S26361-F3210-L318	30,59	
	SAS cable 12GBit RX1330 8x2,5"		x	x												S26361-F3210-L320	30,59	
	SAS cable 12GBit RX2510 4x3,5"					x										S26361-F3210-L321	30,59	
	SAS cable 6GBit RX2540 8x3,5"										x	x				S26361-F3210-L323	30,59	
	SAS cable 6GBit RX2540 4x3,5"										x	x				S26361-F3210-L324	30,59	
	SAS cable 12GBit RX2540 8x3,5"										x	x				S26361-F3210-L325	30,59	
	SAS cable 12GBit RX2540 4x3,5"										x	x				S26361-F3210-L326	30,59	
	SAS cable 6GBit RX2520 8x2,5" with RDX						x									S26361-F3210-L401	30,59	
	SAS cable 6GBit RX2520 8x2,5"						x									S26361-F3210-L407	30,59	
	SAS cable 6GBit RX2520 4x2,5"						x									S26361-F3210-L416	30,59	
	SAS cable 6GBit RX1330 4x3,5"		x	x												S26361-F3210-L431	30,59	
	SAS cable 6GBit RX2510 4x3,5"					x										S26361-F3210-L433	30,59	
	Upg. BBU pour ctrl RAID 5/6 C		x		x									x		S26361-F3257-L210	181,18	
	Ctrl SAS 6Gb/s 8ext PCIe FH/LP		x				x							x		S26361-F3628-L501	289,41	
	Module TFM pour l'option FBU sur D3116				x	x								x		S26361-F3669-L100	160,00	
	Ctrl RAID FBU option w/ cable 25/55/70cm				x	x								x		S26361-F3669-L110	108,24	
	RAID Ctrl SAS 6G 8Port ex 1GB LSI V3				x	x								x		S26361-F3713-L503	869,41	
	PRAID CP400i FH/LP		x	x		x	x	x	x	x	x	x	x	x	x	S26361-F3842-L501	217,65	
	PSAS CP400i FH/LP		x	x		x	x	x	x	x	x	x	x	x	x	S26361-F3842-L502	228,24	
	PSAS CP400e FH/LP		x	x		x	x	x	x	x	x	x	x	x	x	S26361-F3845-L501	367,06	
	Risercard PCIe 2x x8 right										x	x				S26361-F3846-L21	77,65	
	Risercard PCIe 2x x8 left										x	x				S26361-F3846-L22	77,65	
	PRAID EP420e FH/LP					x		x	x	x	x	x	x	x	x	S26361-F3847-L502	677,65	
	PRAID EP400i FH/LP		x	x		x		x	x	x	x	x	x	x	x	S26361-F5243-L1	418,82	
	TFM module for FBU on PRAID EP400i		x	x		x		x	x	x	x	x	x	x	x	S26361-F5243-L100	181,18	
	RAID Ctrl FBU option w/ 25/55/70cm cable		x	x		x		x	x	x	x	x	x	x	x	S26361-F5243-L110	108,24	
	1FBU 25,55,70cm cable					x										S26361-F5243-L111	114,12	
	PRAID EP420i FH/LP		x	x		x		x	x	x	x	x	x	x	x	S26361-F5243-L2	444,71	
	TFM module for FBU on PRAID EP420i/e		x	x		x		x	x	x	x	x	x	x	x	S26361-F5243-L200	228,24	
	Ctrl RAID SAS 6Gb/s 0/1 (D2607)		x	x		x								x		S26361-F3554-L8	191,76	
	RAID Advanced Software Options		x					x		x		x	x	x	x	S26361-F5243-L660	228,24	
	RAID Advanced SW Option CacheCade		x	x				x	x	x	x	x	x	x	x	S26361-F5243-L670	228,24	
	Ctrl RAID SAS 6Gb/s 5/6 512Mo (D2616)		x	x		x		x						x		S26361-F3554-L512	418,82	
	RAID Ctrl SAS 6G 1GB (D3116C)				x		x							x		S26361-F3669-L4	418,82	
	SAS3.0 cable upgrade kit for RX2530					x		x	x							S26361-F1537-L200	51,76	





**Accessoires serveurs rack PRIMERGY**

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques	
<b>Accessoires (Matrice)</b>																			
<b>SCSI/RAID/SAS controller (Suite)</b>																			
	Clé de validation SAS pour ports sur carte mère				x		x									x	S26361-F3674-L1	92,94	
	RAID Advanced SW Option CacheCade int.															x	S26361-F3669-L670	228,24	
	RAID Advanced SW Option CacheCade ext.															x	S26361-F3669-L671	228,24	
<b>Fibre Channel</b>																			
	Ctrl FC 8Gbit/s 1 Canal LPe1250 MMF LC FH										x	x	x	x		x	S26361-F3961-L1	890,59	
	Ctrl FC 8Gbit/s 2 canaux LPe12002 MMF LC										x	x	x	x		x	S26361-F3961-L2	1434,12	
	Ctrl FC 8Gbit/s 1 Canal LPe1250 MMF LC LP		x	x	x	x	x	x	x	x	x	x	x			x	S26361-F3961-L201	890,59	
	Ctrl FC 8Gbit/s 2 canaux LPe12002 MMF LC LP		x	x	x	x	x	x	x	x	x	x	x			x	S26361-F3961-L202	1434,12	
	Ctrl FC 8Gb/s 1 canal QLE2560 MMF LC											x	x	x		x	S26361-F3631-L1	988,24	
	Ctrl FC 8Gb/s 2 canaux QLE2562 MMF LC										x	x	x	x		x	S26361-F3631-L2	1594,12	
	Ctrl FC 8Gb/s 1 canal QLE2560 MMF LC LP		x	x	x	x	x	x	x	x	x	x	x			x	S26361-F3631-L201	988,24	
	Ctrl FC 8Gb/s 2 canaux QLE2562 MMF LC LP		x	x	x	x	x	x	x	x	x	x	x			x	S26361-F3631-L202	1594,12	
	PFC EP LPe16000				x	x	x	x	x	x	x	x	x	x	x	x	S26361-F4994-L501	1578,82	
	PFC EP LPe16002				x	x	x	x	x	x	x	x	x	x	x	x	S26361-F4994-L502	2044,71	
	PFC EP QLE2670				x	x	x	x	x	x	x	x	x	x	x	x	S26361-F5313-L501	1578,82	
	PFC EP QLE2672				x	x	x	x	x	x	x	x	x	x	x	x	S26361-F5313-L502	2458,82	
	PFC EP QLE2690 1x 16Gb Qlogic						x				x					x	S26361-F5580-L501	1578,82	
	PFC EP QLE2692 2x 16Gb Qlogic						x				x					x	S26361-F5580-L502	2044,71	
<b>Connection Blades</b>																			
	Intel IB Cu Cable 40Gb, 4x QSFP, 3m				x					x	x	x	x			x	S26361-F3996-L203	88,24	
	Intel IB FO Cable 40Gb, 4x QSFP, 10m				x					x	x	x	x			x	S26361-F3996-L210	388,24	
	Infiniband Cu Cable 100Gb, QSFP, 3m				x		x			x	x	x	x	x		x	S26361-F5549-L563	232,94	
	Infiniband Cu Cable 100Gb, QSFP, 1m				x		x			x	x	x	x	x		x	S26361-F5549-L561	170,59	
	Module SFP+ Multi Mode Fiber 10GbE LC		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3986-L3	465,88	
	SFP+ Module Single Mode Fiber 10GbE LC		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3986-L4	1320,00	
	SFP+ active Twinax Cable Fujitsu 2m				x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3989-L102	181,18	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 1m				x					x	x	x	x			x	S26361-F3996-L101	98,82	
	SFP+ active Twinax Cable Fujitsu 5m		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3989-L105	228,24	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 3m				x					x	x	x	x			x	S26361-F3996-L103	124,71	
	SFP+ active Twinax Cable Fujitsu 10m		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3989-L110	269,41	
	Infiniband Cu Cable 56Gb, 4x QSFP, 1m				x	x				x	x	x	x			x	S26361-F3996-L561	134,12	
	Infiniband Cu Cable 56Gb, 4x QSFP, 3m				x	x	x			x	x	x	x			x	S26361-F3996-L563	202,35	
<b>Communication/Réseau</b>																			
	Contrôleur Ethernet 1x1Gbit PCIe CT Desktop Cu Ip		x	x												x	S26361-F3516-L201	56,47	
	PLAN AP 1x1Gbit Cu Intel I210-T1				x					x						x	S26361-F3852-L501	56,47	
	RX4770M1-M3 Subm.LAN 2x10Gb optic															x	S26361-F5295-L500	647,06	
	PLAN EM 2x1Gb T OC114000-LOM interface									x	x	x	x	x		x	S26361-F5302-L201	170,59	
	PLAN EM 4x1Gb T OC114000-LOM interface									x	x	x	x	x		x	S26361-F5302-L401	325,88	
	PLAN EM 2x10Gb T OC114000-LOM interface									x	x	x	x	x		x	S26361-F5302-L210	590,59	
	PLAN EM 2x10Gb SFP OC114000-LOM interfac									x	x	x	x	x		x	S26361-F5302-L211	455,29	
	PLAN EP OCe14102 2x 10Gb				x					x	x	x	x	x	x	x	S26361-F5536-L502	647,06	
	PLAN EP OCe14102 2x 10Gb BASE-T									x	x	x	x	x	x	x	S26361-F5557-L501	838,82	
	Contrôleur Ethernet 2x10Gbit PCIe x8 D2755 SFP+		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3629-L502	647,06	
	Shared 10Gb Management LAN kit				x											x	S26361-F3629-L750	30,59	
	Eth Ctrl 2x10GBase-T PCIe x8 X540-T2		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3752-L502	838,82	
	PCNA EP OCe14102 2x 10Gb DMF				x					x	x					x	S26361-F5250-L510	1852,94	
	PCNA QSFP+ MMF module for OCe14401									x	x					x	S26361-F5539-L140	2174,12	
	PCNA EP OCe14401 1x 40Gb									x	x	x	x			x	S26361-F5539-L501	1915,29	
	PCNA SFP+ MMF Module for OCe14102				x	x				x	x	x	x	x	x	x	S26361-F5250-L110	465,88	
	PCNA EP OCe14102 2x 10Gb				x					x	x	x	x	x	x	x	S26361-F5250-L501	1480,00	
	PIB EP QLE7340e									x	x	x	x			x	S26361-F4475-L122	409,41	
	PIB EP QLE7342e									x	x	x	x			x	S26361-F4475-L222	455,29	
	PLAN CP 2x1Gbit Cu Intel I350-T2		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F4610-L502	196,47	
	PLAN CP 4x1Gbit Cu Intel I350-T4		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F4610-L504	461,18	
	IB HCA 40Gb 1 port QDR enhanced				x					x	x	x	x			x	S26361-F4475-L103	765,88	
	IB HCA 40Gb 2 port QDR enhanced				x					x	x	x	x			x	S26361-F4475-L203	1185,88	
	Contrôleur Infiniband 56Gb 1 port FDR				x					x	x	x	x	x	x	x	S26361-F4533-L102	1004,71	
	Contrôleur Infiniband 56Gb 2 ports FDR				x					x	x	x	x	x	x	x	S26361-F4533-L202	1604,71	
	PIB EP 100Gb 1 port EDR ConnectX-4									x	x						S26361-F5540-L102	1231,76	
	PIB EP 100Gb 2 port EDR ConnectX-4									x	x						S26361-F5540-L202	1930,59	
<b>Rack-Infrastructure</b>																			
	Rack Mount Kit F1 CMA QRL LV				x					x	x					x	S26361-F2735-L175	98,82	
	Kit Rack F1 S7 LV				x					x	x					x	S26361-F2735-L176	98,82	
	Rack Mount Kit F1-CMA Slim Line		x	x													S26361-F2735-L200	82,35	
	Kit Rack F2-C S7 LV													x	*	*	S26361-F2735-L285	108,24	
	Kit Rack F2 S7 LV															*	S26361-F2735-L286	108,24	
	Adaptateur d'angle PC/DC-Rack, 3U till 200Kg													x	*	*	S26361-F2735-L31	36,47	
	Rack Mount Kit F1-CMA Slim Line				x					x	x						S26361-F2735-L400	82,35	



Accessoires serveurs rack PRIMERGY

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																		
<b>Rack-Infrastructure (Suite)</b>																		
	Rack Mount Kit F1 Slim Line			x		x		x	x							S26361-F2735-L401	82,35	
	RMK F1 Slimline, Slide-In Rail, screw					x										S26361-F2735-L421	51,76	
	RMK F1 Slimline, Slide-In Rail, QRL			x					x							S26361-F2735-L422	56,47	
	Câble magmt. pour 19" DC- PC- Rack	x	x		x	x	x	x	x	x	x	x	*	x	*	S26361-F2735-L7	36,47	
	1U Câble arm pour PRIMECENTER- et 3rd-party racks		x	x				x	x							S26361-F2735-L8	47,06	
	Rack Cable Management Arm 1U	x	x	x	x	x		x	x							S26361-F2735-L81	25,88	
	Rack Cable Management Arm 2U						x			x	x	x	*	x	*	S26361-F2735-L82	36,47	
	Adapteurs angles PC/DC-Rack, 50Kg	x	x	x		x	x	x	x	x	x			x		S26361-F2735-L10	25,88	
	Paire de câbles pour 3rd party racks	x						x		x	x			x	*	S26361-F2201-L20	56,47	
<b>PRIMERGY-Software</b>																		
	eLCM Activation Pack		x	x	x	x	x	x	x	x	x	x	*	x	*	BDL:ELCM-PACK	36,47	
	iRMC S3 advanced pack	x														S26361-F1790-L242	315,29	
	iRMC S4 advanced pack (NL)		x	x	x	x	x	x	x	x	x	x	*	x	*	S26361-F1790-L244	315,29	
	VMware vSphere Embed. UFM 8 GB Device	x	x	x	x	x	x	x	x	x	x	x	*	x	*	S26361-F2341-D433	124,71	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2344-D230	3775,00	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2344-D231	3775,00	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2344-D232	3775,00	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2344-D233	5185,00	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2344-D234	5185,00	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2344-D235	5185,00	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x	x		x	x		x		x	*	x				S26361-F2344-D236	945,00	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x	x		x	x		x		x	*	x				S26361-F2344-D237	945,00	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x	x		x	x		x		x	*	x				S26361-F2344-D238	945,00	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x	x		x	x		x		x	*	x				S26361-F2344-D239	9445,00	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x	x		x	x		x		x	*	x				S26361-F2344-D240	9445,00	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x	x		x	x		x		x	*	x				S26361-F2344-D241	9445,00	
	VMware vSOM STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D300	8878,82	
	VMware vSOM STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D301	8878,82	
	VMware vSOM STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D302	8878,82	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D303	17343,53	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D304	17343,53	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D305	17343,53	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D306	20901,18	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D307	20901,18	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D308	20901,18	
	VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D310	884,71	
	VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D311	884,71	
	VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D312	884,71	
	VMware vSphere ENT for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D313	2554,12	
	VMware vSphere ENT for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D314	2554,12	
	VMware vSphere ENT for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D315	2554,12	
	VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D316	3108,24	
	VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D317	3108,24	
	VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D318	3108,24	
	VMware vSOM STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D320	1547,06	
	VMware vSOM STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D321	1547,06	
	VMware vSOM STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D322	1547,06	
	VMware vSOM ENT for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D323	3227,06	
	VMware vSOM ENT for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D324	3227,06	
	VMware vSOM ENT for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D325	3227,06	
	VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D326	3770,59	
	VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D327	3770,59	
	VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D328	3770,59	
	VMW Essentials Plus Kit w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D330	3068,24	
	VMW Essentials Plus Kit w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D331	3068,24	
	VMW Essentials Plus Kit w/o SP-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D332	3068,24	
	VMW Essentials Kit + Subscription-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D340	571,76	
	VMW Essentials Kit + Subscription-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D341	774,12	
	VMW Essentials Kit + Subscription-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D342	996,47	
	VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D343	2663,53	
	VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D344	2663,53	
	VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D345	2663,53	
	VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D346	3997,65	
	VMW ROBO AVD 25 VMs w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D347	3997,65	
	VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D348	3997,65	
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D350	2010,59	
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D351	2010,59	
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	*	x			S26361-F2344-D352	2010,59	



## Accessoires serveurs rack PRIMERGY

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>																		
<b>PRIMERGY-Software (Suite)</b>																		
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D353	4027,06	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D354	4027,06	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D355	4027,06	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D365	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D366	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D367	404,71	
	VMW vSAN for ROBO w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D368	10030,59	
	VMW vSAN for ROBO w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D369	10030,59	
	VMW vSAN for ROBO w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D370	10030,59	
	VMW vSAN Advanced for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D371	3216,47	
	VMW vSAN Advanced for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D372	3216,47	
	VMW vSAN Advanced for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D373	3216,47	
	VMW vSAN ADV DT 10-Pack w/o SP-1yr	x	x		x	x	x							x	x	S26361-F2344-D374	805,88	
	VMW vSAN ADV DT 10-Pack w/o SP-3yr	x	x		x	x	x							x	x	S26361-F2344-D375	805,88	
	VMW vSAN ADV DT 10-Pack w/o SP-5yr	x	x		x	x	x							x	x	S26361-F2344-D376	805,88	
	VMW vSAN ADV DT 100-Pack w/o SP-1yr	x	x		x	x	x							x	x	S26361-F2344-D377	8058,82	
	VMW vSAN ADV DT 100-Pack w/o SP-3yr	x	x		x	x	x							x	x	S26361-F2344-D378	8058,82	
	VMW vSAN ADV DT 100-Pack w/o SP-5yr	x	x		x	x	x							x	x	S26361-F2344-D379	8058,82	
	VMware vCloud Suite 6 STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D380	4442,35	
	VMware vCloud Suite 6 STD w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D381	4442,35	
	VMware vCloud Suite 6 STD w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D382	4442,35	
	VMware vCloud Suite 6 ADV w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D383	6665,88	
	VMware vCloud Suite 6 ADV w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D384	6665,88	
	VMware vCloud Suite 6 ADV w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D385	6665,88	
	VMware vCloud Suite 6 ENT w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D386	10228,24	
	VMware vCloud Suite 6 ENT w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D387	10228,24	
	VMware vCloud Suite 6 ENT w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D388	10228,24	
	VMW vSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L230	4329,41	
	VMW vSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L231	4329,41	
	VMW vSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L232	4329,41	
	VMW vSAN Enterprise for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L233	5947,06	
	VMW vSAN Enterprise for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L234	5947,06	
	VMW vSAN Enterprise for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L235	5947,06	
	VMW vSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x	x		x	x	x							x	x	S26361-F2344-L236	1082,35	
	VMW vSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x	x		x	x	x							x	x	S26361-F2344-L237	1082,35	
	VMW vSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x	x		x	x	x							x	x	S26361-F2344-L238	1082,35	
	VMW vSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x	x		x	x	x							x	x	S26361-F2344-L239	10834,12	
	VMW vSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x	x		x	x	x							x	x	S26361-F2344-L240	10834,12	
	VMW vSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x	x		x	x	x							x	x	S26361-F2344-L241	10834,12	
	VMW vSOM STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L300	10407,06	
	VMW vSOM STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L301	10407,06	
	VMW vSOM STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L302	10407,06	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L303	20327,06	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L304	20327,06	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L305	20327,06	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L306	24494,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L307	24494,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L308	24494,12	
	VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L310	1028,24	
	VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L311	1028,24	
	VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L312	1034,12	
	VMware vSphere ENT for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L313	2960,00	
	VMware vSphere ENT for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L314	2960,00	
	VMware vSphere ENT for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L315	2992,94	
	VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L316	3604,71	
	VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L317	3604,71	
	VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L318	3642,35	
	VMware vSOM STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L320	1812,94	
	VMware vSOM STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L321	1812,94	
	VMware vSOM STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L322	1812,94	
	VMware vSOM ENT for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L323	3782,35	
	VMware vSOM ENT for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L324	3782,35	
	VMware vSOM ENT for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L325	3782,35	
	VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L326	4416,47	
	VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L327	4416,47	
	VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L328	4416,47	
	VMW Essentials Plus Kit w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L330	3592,94	
	VMW Essentials Plus Kit w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L331	3592,94	



Accessoires serveurs rack PRIMERGY

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques	
PRIMERGY-Software (Suite)																			
	VMW Essentials Plus Kit w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L332	3592,94		
	VMware vSphere STD FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	x	x	x	x			x	x	S26361-F2344-L335	884,71		
	VMware vSphere ENT FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	x	x	x	x			x	x	S26361-F2344-L336	2554,12		
	VMware vSphere EPL FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	x	x	x	x			x	x	S26361-F2344-L337	3108,24		
	VMW Essentials Kit + Subscription-1yr	x	x	x	x	x	x	x	x	x	x			x	x	S26361-F2344-L340	670,59		
	VMW Essentials Kit + Subscription-3yr	x	x	x	x	x	x	x	x	x	x			x	x	S26361-F2344-L341	909,41		
	VMW Essentials Kit + Subscription-5yr	x	x	x	x	x	x	x	x	x	x			x	x	S26361-F2344-L342	1169,41		
	VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L343	3090,59		
	VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L344	3090,59		
	VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L345	3090,59		
	VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L346	4643,53		
	VMW ROBO ADV 25 VMs w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L347	4643,53		
	VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L348	4643,53		
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L350	2354,12		
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L351	2354,12		
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L352	2354,12		
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L353	4718,82		
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L354	4718,82		
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L355	4718,82		
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L365	470,59		
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L366	470,59		
	VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L367	470,59		
	VMW VSAN for ROBO w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L368	11645,88		
	VMW VSAN for ROBO w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L369	11645,88		
	VMW VSAN for ROBO w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L370	11645,88		
	VMW VSAN Advanced for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L371	3734,12		
	VMW VSAN Advanced for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L372	3734,12		
	VMW VSAN Advanced for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L373	3734,12		
	VMW VSAN ADV DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L374	936,47		
	VMW VSAN ADV DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L375	936,47		
	VMW VSAN ADV DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L376	936,47		
	VMW VSAN ADV DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L377	9356,47		
	VMW VSAN ADV DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L378	9356,47		
	VMW VSAN ADV DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L379	9356,47		
	VMware vCloud Suite 6 STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L380	5147,06		
	VMware vCloud Suite 6 STD w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L381	5147,06		
	VMware vCloud Suite 6 STD w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L382	5147,06		
	VMware vCloud Suite 6 ADV w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L383	7722,35		
	VMware vCloud Suite 6 ADV w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L384	7722,35		
	VMware vCloud Suite 6 ADV w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L385	7722,35		
	VMware vCloud Suite 6 ENT w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L386	11851,76		
	VMware vCloud Suite 6 ENT w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L387	11851,76		
	VMware vCloud Suite 6 ENT w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L388	11851,76		
	VMW Upp vCenter S FND to STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S418	3587,06		
	VMW Upp ESXi to vSphere STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S420	927,06		
	VMW Upp ESXi to vSphere ENT w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S421	2676,47		
	VMW Upp ESXi to vSphere EPL w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S422	3256,47		
	VMW Upp vSp STD to vSp ENT w/o SP-1yr				x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S423	1920,00		
	VMW Upp vSp STD to vSp EPL w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S424	2562,35		
	VMW Upp vSp ENT to vSp EPL w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S425	635,29		
	FSE KVM Standard Support 1 year	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L430	202,35		
	FSE KVM Standard Support 3 years	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L431	512,94		
	FSE KVM Premium Support 1 year	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L432	616,47		
	FSE KVM Premium Support 3 years	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L433	1548,24		
	UCS Back-Level Support Standard 1 year				x				x	x	x			x		S26361-F2346-L440	58,82		
	UCS Back-Level Support Standard 3 years				x				x	x	x			x		S26361-F2346-L441	98,82		
	UCS Back-Level Support Premium 1 year				x				x	x	x			x		S26361-F2346-L442	202,35		
	UCS Back-Level Support Premium 3 years				x				x	x	x			x		S26361-F2346-L443	512,94		
	ooB HDD monitoring by iRMC				x											S26361-F2557-L301	25,88		
	WinSvr 2012 R2 Datacenter 2CPU ROK Distributeurs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D413	4575,29		
	WinSvr 2012R2 DC w/Reassignment 2CPU ROK	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D417	6127,06		
	WinSvr 2012 R2 Standard 2CPU/2VM ROK Distributeurs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D423	704,71		
	WinSvr 2012 R2 Essentials 2CPU ROK MUL Distributeurs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D432	375,29		
	WinSvr 2012 R2 Foundation 1CPU ROK Distributeurs	x	x													S26361-F2567-D442	205,88		
	WinStorageSvr 2012 R2 Std 2CPU/2VM ROK	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D453	547,06		
	Windows Server 2012 Standard AddLic 2CPU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L425	720,00		
	WinSvr CAL 2012 50Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L460	1169,41		
	WinSvr CAL 2012 50User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L461	1742,35		



**Accessoires serveurs rack PRIMERGY**

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>																		
<b>PRIMERGY-Software (Suite)</b>																		
	WinSvr CAL 2012 10Device		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L462	237,65	
	WinSvr CAL 2012 10User		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L463	349,41	
	WinSvr CAL 2012 5Device		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L464	118,82	
	WinSvr CAL 2012 5User		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L465	175,29	
	WinSvr CAL 2012 1Device		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L466	28,24	
	WinSvr CAL 2012 1User		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L467	36,47	
	WinSvr CAL 2012 100Device		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L468	2350,59	
	WinSvr CAL 2012 100User		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L469	2965,88	
	WinSvr RDS CAL 2012 5Device		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L470	517,65	
	WinSvr RDS CAL 2012 5User		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L471	703,53	
	WinSvr RDS CAL 2012 1Device		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L472	108,24	
	WinSvr RDS CAL 2012 1User		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L473	140,00	
	WinSvr RDS CAL 2012 100Device		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L474	10223,53	
	WinSvr RDS CAL 2012 100User		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L475	12884,71	
	WinSvr RDS CAL 2012 50Device		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L476	5109,41	
	WinSvr RDS CAL 2012 50User		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L477	6444,71	
	WinSvr RDS CAL 2012 10Device		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L478	1020,00	
	WinSvr RDS CAL 2012 10User		x	x	x	x	x	x	x	x	x	x	*	x		S26361-F2567-L479	1294,12	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter		x	x	x		x	x				x	*	x		S26361-F2567-L480	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise		x	x	x		x	x				x	*	x		S26361-F2567-L481	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard		x	x	x		x	x				x	*	x		S26361-F2567-L482	72,94	
	DG/DE Kit WinSvr 2012 Datacenter		x	x	x	x	x	x				x	*	x		S26361-F2567-L486	72,94	
	DG/DE Kit WinSvr 2012 Standard		x	x	x	x	x	x				x	*	x		S26361-F2567-L487	72,94	
	PRIMERGY ServerStart Bundle (abonnement)		x	x	x	x	x	x	x	x	x	x	*	x		U15000-C176	222,35	
	ServerView Suite, Dernière version		x	x	x	x	x	x	x	x	x	x	*	x		U15000-C289	25,88	
	Debian FSE Standard Support 1 year		x	x	x		x	x	x	x				x		S26361-F2346-L420	58,82	
	Debian FSE Standard Support 3 years		x	x	x		x	x	x	x				x		S26361-F2346-L421	98,82	
	Debian FSE Priority Support 1 year		x	x	x		x	x	x	x				x		S26361-F2346-L422	202,35	
	Debian FSE Priority Support 3 years		x	x	x		x	x	x	x				x		S26361-F2346-L423	512,94	
	UBUNTU FSE Standard Support 1 year		x	x	x		x	x	x	x				x		S26361-F2346-L424	58,82	
	UBUNTU FSE Standard Support 3 years		x	x	x		x	x	x	x				x		S26361-F2346-L425	98,82	
	UBUNTU FSE Priority Support 1 year		x	x	x		x	x	x	x				x		S26361-F2346-L426	202,35	
	UBUNTU FSE Priority Support 3 years		x	x	x		x	x	x	x				x		S26361-F2346-L427	512,94	
	VMware vSphere 5 Media Kit OEM		x	x	x	x	x	x	x	x	x		*	x		S26361-F2341-L300	82,35	
<b>OS/Application-SW</b>																		
	CA Client Automation		x	x	x	x	x	x	x	x	x			x		U24552-C418	75,27	
	CA Server Automation Base Configuration		x	x	x	x	x	x	x	x	x			x		U24552-C424	61984,59	
	CA ServiceDeskManager Full LicenseConcur		x	x	x	x	x	x	x	x	x			x		U24581-C150	5312,96	
<b>Onduleur/Alimentation</b>																		
	Power Supply Module 1200W w/o power cord													*		S26113-F5295-L120	403,53	
	Power Supply Module 1600W w/o power cord													*		S26113-F5295-L160	444,71	
	Module d'alimentation 800W hp						x							x		S26113-F574-L12	310,59	
	Module Alimentation 450W platinum hot-plug		x													S26113-F575-L10	269,41	
	Module d'alimentation 450W hp			x			x							x		S26113-F575-L12	269,41	
	Module alimentation DC -48V 800W gold hp													x		S26113-F609-L10	409,41	
	RX100S8, RX1330M1 convers. kit to hp PSU			x												S26361-F1420-L10	305,88	
	RX1330 M2 conversion kit to hp PSU				x											S26361-F1420-L11	305,88	
	Fujitsu batterie unit 280W, 12V			x												S26361-F5541-L414	491,76	
	Fujitsu batterie unit 380W, 12V				x											S26361-F5541-L475	409,41	
	Cable powercord rack, 1.8m, black		x	x	x	x	x	x	x	x	x	x	*			T26139-Y1968-L180	15,29	
	Cable powercord rack, 2.5m, black		x	x	x	x	x	x	x	x	x	x	*			T26139-Y1968-L250	15,29	
	Cordon alimentation -48V DC, 4m, noir													x		T26139-Y4024-L10	51,76	
	Câble secteur (F), 1.8m, gris		x	x	x	x	x	x	x	x	x	x	*	x		T26139-Y1740-L10	15,29	
	Modular PSU 800W platinum hp						x	x	x	x	x	x	*			S26113-F574-L13	310,59	
	Modular PSU 450W platinum hp			x			x	x	x	x	x	x	*			S26113-F575-L13	269,41	
	Modular PSU 800W titanium hp				x		x	x	x	x	x	x	*	x		S26113-F615-L10	414,12	
	Modular PSU 1200W platinum hp									x	x		*			S26113-F616-L10	424,71	
<b>Divers</b>																		
	Fan upgrade kit 2nd CPU				x											S26361-F1386-L120	64,71	
	Connecteur Option Frontale VGA		x	x							x	x	*			S26361-F1420-L130	51,76	
	opt. front VGA							x	x							S26361-F1420-L131	51,76	
	Kit LocalView S2						x							x		S26361-F2557-L106	72,94	
	Option Service LAN				x									x		S26361-F2571-L27	36,47	
	Câble Port Série option				x			x	x				*			S26361-F3120-L3	47,06	
	serial port option									x	x					S26361-F3120-L40	41,18	
	Module TPM		x		x									x		S26361-F3552-L1	51,76	
	TPM Module for RX4770													*		S26361-F3552-L5	67,06	
	TPM 1.2 Module		x	x		x	x	x	x	x	x	x	*			S26361-F3552-L6	51,76	



## Accessoires serveurs rack PRIMERGY

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>																		
<b>Divers (Suite)</b>																		
	Redundant fan upgrade kit						x									S26361-F3667-L10	51,76	
	Serial Port (RS232)					x										S26361-F5011-L10	41,18	
<b>FC/IP-Infrastructure</b>																		
	4x10GE Direct QSFP-4SFP Cable,10m,1-pack								x							D:QSFP-4SFP-AOC10L	1367,06	
	40GE Direct Attached QSFP-QSFP,10m,1pack								x							D:QSFP-QSFP-AOC10L	1035,29	
<b>Clavier /Souris</b>																		
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)											x	*			S26381-K341-L140	37,65	
	MOUSE M530 GREY											x	*			S26381-K468-L101	15,29	
	Clavier KB521 FR											x	*			S26381-K521-L140	21,18	
<b>Media</b>																		
	Cartouche Nettoyage DAT72						x			x	x	x	*	x		D:CL-DAT72-MX-01	6,00	
	LTO Cleaning Media,1pc.Random Label,Fuji					x		x	x	x	*	*	*	*		D:CL-LTO-01L	41,28	
	LTO-3 data media,5pack avec label,Fuji					x		x	x	x	*	*	*	*		D:CR-LTO3-05L	137,02	
	LTO-4 data media,5packavec label,Fuji					x		x	x	x	*	*	*	*		D:CR-LTO4-05L	132,74	
	LTO-5 data media,5 pièces avec label,Fuji					x		x	x	x	*	*	*	*		D:CR-LTO5-05L	123,84	
	LTO-6 data media,5pack label,Fuji					x		x	x	x	*	*	*	*		D:CR-LTO6-05L-BF	195,25	
	LTO-7-CR Medien,5Stk Random Label,Fuj					x		x	x	x	*	*	*	*		D:CR-LTO7-05L	1017,13	
	Cartouche RDX 320/640Go					x		x	x	x	*	*	*	*		S26361-F3857-L320	131,76	
	Pack 10x cartouches RDX 320/640Go					x		x	x	x	*	*	*	*		S26361-F3857-L329	1249,41	
	RDX MEDIUM 2TB					x		x	x	x	*	*	*	*		S26361-F3857-L700	345,88	
	Cartouche RDX 500Go/1000Go					x		x	x	x	*	*	*	*		S26361-F3857-L500	127,06	
	Cartouche RDX 1To					x		x	x	x	*	*	*	*		S26361-F3857-L600	197,65	
<b>Câbles</b>																		
	SFP+ active optical cable Brocade, 7m	x	x	x		x	x	x	x	x	x	*	*	*	*	S26361-F3873-L507	325,88	
	SFP+ active optical cable Brocade, 10m	x	x	x		x	x	x	x	x	x	*	*	*	*	S26361-F3873-L510	367,06	
	QSFP+ passive Twinax Cable Fujitsu 2m								x							S26361-F3986-L402	325,88	
	QSFP+ passive Twinax Cable Fujitsu 5m								x							S26361-F3986-L405	455,29	
	QSFP+ active Twinax Cable Fujitsu 10m								x							S26361-F3986-L410	657,65	
	QSFP+/4xSFP+ Breakout Cable Brocade 1m								x							S26361-F5317-L401	517,65	
	QSFP+/4xSFP+ Breakout Cable Brocade 3m								x							S26361-F5317-L403	636,47	
	QSFP+/4xSFP+ Breakout Cable Brocade 5m								x							S26361-F5317-L405	755,29	
	QSFP+ active Twinax Cable Brocade 1m								x							S26361-F5317-L41	398,82	
	QSFP+ active Twinax Cable Brocade 3m								x							S26361-F5317-L43	517,65	
	QSFP+ active Twinax Cable Brocade 5m								x							S26361-F5317-L45	636,47	
	Câble secteur rack, 4m, gris	x	x	x	x	x	x	x	x	x	x	*	*	*	*	T26139-Y1968-L10	15,29	
	SFP+ active Twinax Cable Brocade 1m	x	x	x	x	x	x	x	x	x	x	*	*	*	*	S26361-F3873-L501	155,29	
	SFP+ active Twinax Cable Brocade 3m	x	x	x	x	x	x	x	x	x	x	*	*	*	*	S26361-F3873-L503	202,35	
	SFP+ active Twinax Cable Brocade 5m	x	x	x	x	x	x	x	x	x	x	*	*	*	*	S26361-F3873-L505	243,53	
<b>Accessories</b>																		
	External Super Multi Drive			x		x				x	x					S26341-F103-L135	52,94	
	A-DATA USB3.0 Flash Stick UE700 32GB			x		x		x	x	x	x	*	*	*	*	S26391-F6048-L332	38,82	
	A-DATA USB3.0 Flash Stick UE700 64GB			x		x		x	x	x	x	*	*	*	*	S26391-F6048-L364	67,06	
<b>Additional Software</b>																		
	OPENFT-CR (Unix systems) V12.0	x	x	x	x		x	x	x	x	x			x		U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0	x	x	x	x		x	x	x	x	x			x		U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0	x	x	x												U10987-C601	1189,41	
	OPENFT-2 (Unix systems) V12.0				x		x	x	x	x	x			x		U10987-C602	1935,29	
	OPENFT-FTAM-1 (Unix systems) V12.0	x	x	x												U10987-C613	1189,41	
	OPENFT-FTAM-2 (Unix systems) V12.0				x		x	x	x	x	x			x		U10987-C614	1935,29	
	OPENFT-FTP-1 (Unix systems) V12.0	x	x	x												U10987-C625	485,88	
	OPENFT-FTP-2 (Unix systems) V12.0				x		x	x	x	x	x			x		U10987-C626	789,41	
	OPENFT-SW-CD (WINDOWS) V10.0				x		x	x	x	x	x			x		U11081-C201	27,06	
	OPENFT-CR (WINDOWS) V12.0	x	x	x	x		x	x	x	x	x			x		U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0	x	x	x	x		x	x	x	x	x			x		U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0	x	x	x												U11081-C401	1189,41	
	OPENFT-2 (WINDOWS) V12.0				x		x	x	x	x	x			x		U11081-C402	1935,29	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x	x	x												U11081-C411	1189,41	
	OPENFT-FTAM-2 (WINDOWS) V12.0				x		x	x	x	x	x			x		U11081-C412	1935,29	
	OPENFT-FTP-1 (WINDOWS) V12.0	x	x	x												U11081-C421	485,88	
	OPENFT-FTP-2 (WINDOWS) V12.0				x		x	x	x	x	x			x		U11081-C422	789,41	
	OPENFT-1 (WINDOWS) V11.0	x	x	x												U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x	x												U11081-C311	1081,18	
	OPENFT-2 (WINDOWS) V11.0				x		x	x	x	x	x			x		U11081-C302	1760,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0				x		x	x	x	x	x			x		U11081-C312	1760,00	
	OPENFT-SW-CD (WINDOWS) V11.0	x	x	x	x		x	x	x	x	x			x		U11081-C300	27,06	
	OPENFT-CR (WINDOWS) V11.0	x	x	x	x		x	x	x	x	x			x		U11081-C299	12,94	
	OPENFT-1 (UNIX systems) V11.0	x	x	x												U10987-C501	1081,18	
	OPENFT-FTAM-1 (UNIX systems) V11.0	x	x	x												U10987-C513	1081,18	



## Accessoires serveurs rack PRIMERGY

Catégorie	Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560-M2	PRIMERGY RX300 S8	PRIMERGY RX4770-M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																		
<b>Additional Software (Suite)</b>																		
	OPENFT-SW-CD (UNIX systems) V11.0	x	x	x	x		x	x	x	x	x			x		U10987-C500	31,76	
	OPENFT-CR (UNIX systems) V11.0	x	x	x	x		x	x	x	x	x			x		U10987-C499	14,12	



## Positionnement PRIMERGY Serveurs Blade



**PRIMERGY  
BX900 S2**

Le BX900 ou "Dynamic Cube" offre la performance, l'évolutivité, la disponibilité et la flexibilité que vous recherchez pour vos besoins dans le cadre de projet de consolidation et virtualisation dans votre Data Center. Le châssis BX900 S2 peut recevoir jusqu'à 18 serveurs lames biprocesseur dans un format rack de 10U. Sa densité et sa possibilité de cascading jusqu'à 4 châssis offre une évolutivité inégalée pour une protection totale de votre investissement.



**PRIMERGY  
BX400 S1**

Le système Fujitsu PRIMERGY BX400 est une infrastructure informatique polyvalente « dans une boîte ». Ce serveur lame convient parfaitement aux entreprises de taille moyenne et filiales comme aux plus grandes structures. Le PRIMERGY BX400 est un système idéal, car il vous propose une solution plus intelligente pour configurer une infrastructure informatique qui prendra en charge vos processus d'entreprise avec moins de câbles, ainsi qu'une consommation d'énergie et un encombrement moins importants. Ce système vous apporte une combinaison idéale de lames de connexion, de stockage et serveur dans un petit boîtier.





				
Modèle	<b>BX2560 M2</b>	<b>BX2580 M2</b>	<b>SX960 S1</b>	<b>SX980 S2</b>
Type	Lame Serveur Biprocasseur (HH)	Lame Serveur Biprocasseur (HH)	Lame Stockage 1 à 10 Disques (HH)	Lame Stockage 1 à 10 Disques (HH)
Processeur	Xeon® E5-2603v4(6C)/2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697Av4(16C)/2697v4(18C)/2698v4(20C)/2699v4(22C)	Xeon® E5-2603v4(6C)/2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697Av4(16C)/2697v4(18C)/2698v4(20C)/2699v4(22C)		
Mémoire	8 à 1024 Go   DDR-4   16 Slots	8 à 1536 Go   DDR-4   24 Slots		
Disque dur (Go)	2x 2.5" SAS/SATA Hot-Plug	2x 1.8" SSD Non Hot-Plug	10x 2.5" SAS/SATA/SSD	10x 2.5" SAS/SSD Hot-Plug
Slots PCI (I/O)	2x PCIe Gen3 (Carte Mez) 2x 10 Gigabit ou 4x 1Gigabit	2x PCIe Gen3 (Carte Mez) 2x 10 Gigabit ou 4x 1Gigabit		
Ctrl LAN intégré			Direct Attached Storage (DAS)	Direct Attached Storage (DAS) Ctrl RAID intégré Partagé via Ctrl SAS
Ports USB	1x Gigabit - administration 1 (avant), 2 (interne)	1x Gigabit - administration 1 (avant), 2 (interne)		
Systèmes d'exploitation supportés	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere, Citrix XenServer	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere, Citrix XenServer		
Garantie std.	3 ans sur site	3 ans sur site		



## PRIMERGY BX400 S1

Fiches produit : <http://fr.fujitsu.com/primergy>

Le système Fujitsu PRIMERGY BX400 est une infrastructure informatique polyvalente « dans une boîte ». Ce serveur lame convient parfaitement aux entreprises de taille moyenne et filiales comme aux plus grandes structures, en tant qu'extension du système PRIMERGY BX900, qui ne nécessite pas les performances de calcul de 18 lames serveur. Le PRIMERGY BX400 facilite les opérations informatiques tout au long de son cycle de vie. Puisqu'il s'agit d'une solution d'entreprise complète, le serveur lame permet d'économiser du temps et de l'argent dès le début et reste facile à gérer avec les ressources existantes. Le PRIMERGY BX400 est un système idéal, car il vous propose une solution plus intelligente pour configurer une infrastructure informatique qui prendra en charge vos processus d'entreprise avec moins de câbles, ainsi qu'une consommation d'énergie et un encombrement moins importants. Ce système vous apporte une combinaison idéale de lames de connexion, de stockage et serveur dans un petit boîtier. Il est caractérisé par sa conception complète et conviviale comportant une solution simple pour l'installation et l'administration.

Ce serveur lame offre une infrastructure modulaire pour un usage adapté à la fois aux environnements de bureau et aux centres de données, ainsi que

la possibilité d'utiliser une technologie de pointe avec une flexibilité et une bande passante E/S importantes. Le boîtier PRIMERGY BX400 est disponible en deux versions différentes. La version rack peut être facilement intégrée aux racks 19 pouces de Fujitsu ou

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>PRIMERGY BX400 S1</b>				
PY BX400 S1 System Unit	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord, ServerView Suite, All empty slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1335-V201	3618,82	



## PRIMERGY BX900 S2

Fiches produit : <http://fr.fujitsu.com/primergy>

### Le Dynamic Cube

Le PRIMERGY BX900 S2 de Fujitsu est une infrastructure dynamique et réactive de serveur dans une seule boîte. Ce serveur lame peut s'adapter de façon dynamique à divers besoins informatiques et fournit des avantages économiques réels pour un nombre toujours plus élevé d'applications. Le PRIMERGY BX900 peut accueillir jusqu'à 18 lames serveur et lames de stockage dans un châssis de 10U. Il est ainsi le leader de sa catégorie en termes de densité dans un format compact. Le concept de refroidissement breveté de Fujitsu, Cool-safe™, associé aux alimentations certifiées 80Plus Platinum offrant une gestion de l'alimentation globale, réduit vos coûts et garantit une utilisation plus efficace de l'énergie et de la capacité de refroidissement. La gestion centralisée des environnements physiques et virtualisés et les possibilités de virtualisation de l'ensemble des E/S, associées à un système entièrement redondant, donne une véritable souplesse aux opérations métier. De plus, le PRIMERGY BX900 S2 offre des améliorations en termes de connectivité évolutive avec la prise en charge des connexions InfiniBand haut débit (FDR InfiniBand) avec bande passante de 56 Gbit/s. Les lames serveurs, équipées des derniers processeurs Intel® Xeon® séries 5500 et 5600 et de la nouvelle génération de processeurs Intel® Xeon® E5, offrent des performances évolutives qui répondent aux exigences des scénarios de virtualisation/consolidation les plus complexes pour les applications d'entreprises critiques, et des applications hautes performances les plus gourmandes en ressources. Avec des fonctionnalités avancées comme les slots DIMM haut débit (jusqu'à 24) et le contrôleur Converged Network Adapter 10 Gbit intégré, les nouvelles lames serveurs PRIMERGY offrent la plus forte capacité mémoire dans une lame biprocesseur et placent toujours plus haut la barre des possibilités.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>PRIMERGY BX900 S2</b>				
PY BX900 S2 System Unit without PSU	Unité de base 10 U sans Serveurs Lames, 1x MMB, ServerView Suite, Tous les emplacements vides sont fermés avec Blind-Blades, 1 câble Ye USB pour se connecter et l'affichage à l'avant des lames de serveur (2x USB, 1x série, 1x VGA), GA)	S26361-K1421-V300	4731,76	



## Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>										
<b>Processor</b>										
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz		x					S26361-F3933-L603	398,82	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz		x					S26361-F3933-L609	528,24	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz		x					S26361-F3933-L620	694,12	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz		x					S26361-F3933-L623	703,53	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz		x					S26361-F3933-L630	1024,71	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz		x					S26361-F3933-L640	1408,24	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz		x					S26361-F3933-L650	1723,53	
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz				x			S26361-F3933-L803	398,82	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz				x			S26361-F3933-L809	528,24	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz				x			S26361-F3933-L820	694,12	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz				x			S26361-F3933-L823	703,53	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz				x			S26361-F3933-L830	1024,71	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz				x			S26361-F3933-L840	1408,24	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz				x			S26361-F3933-L850	1723,53	
	Intel Xeon E5-2609v2 4C/4T 2.50GHz 10MB						x	S26361-F5273-L250	574,12	
	Intel Xeon E5-2640v2 8C/16T 2.00GHz 20MB						x	S26361-F5274-L200	1609,41	
	Intel Xeon E5-2667v2 8C/16T 3.30GHz 25MB						x	S26361-F5276-L330	3592,94	
	Intel Xeon E5-2637v2 4C/8T 3.50GHz 15MB						x	S26361-F5276-L350	1807,06	
	Intel Xeon E5-2603v3 6C/6T 1.60 GHz	x						S26361-F3849-L603	398,82	
	Intel Xeon E5-2609v3 6C/6T 1.90 GHz	x						S26361-F3849-L609	528,24	
	Intel Xeon E5-2620v3 6C/12T 2.40 GHz	x						S26361-F3849-L620	694,12	
	Intel Xeon E5-2630v3 8C/16T 2.40 GHz	x						S26361-F3849-L630	1024,71	
	Intel Xeon E5-2640v3 8C/16T 2.60 GHz	x						S26361-F3849-L640	1408,24	
	Intel Xeon E5-2650v3 10C/20T 2.30 GHz	x						S26361-F3849-L650	1723,53	
	Intel Xeon E5-2623v3 4C/8T 3.00 GHz	x						S26361-F3849-L623	703,53	
<b>Mémoire Modules</b>										
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC						x	S26361-F3781-L614	129,41	
	8GB (1x8GB) 1Rx4 DDR4-2133 R ECC	x		x				S26361-F3843-L614	185,88	
	8GB (1x8GB) 1Rx4 DDR4-2400 R ECC		x		x			S26361-F3934-L611	185,88	
	16GB (1x16GB) 2Rx4 DDR4-2133 R ECC	x		x				S26361-F3843-L616	315,29	
	8GB (1x8GB) 1Rx4 L DDR3-1600 R ECC						x	S26361-F3781-L615	176,47	
	16GB (1x16GB) 2Rx4 DDR4-2400 R ECC		x		x			S26361-F3934-L612	315,29	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC						x	S26361-F3781-L616	305,88	
	8GB (1x8GB) 2Rx8 DDR4-2133 R ECC	x		x				S26361-F3843-L615	228,24	
	32GB (1x32GB) 2Rx4 DDR4-2400 R ECC		x		x			S26361-F3934-L615	740,00	
	16GB (1x16GB) 2Rx4 DDR3-1866 R ECC						x	S26361-F3793-L616	418,82	
	32GB (1x32GB) 4Rx4 DDR4-2133 LR ECC	x		x				S26361-F3844-L617	864,71	
	64GB (1x64GB) 4Rx4 DDR4-2133 LR ECC	x		x				S26361-F3844-L618	1863,53	
	16GB (1x16GB) 2Rx8 DDR4-2400 R ECC		x		x			S26361-F3934-L613	362,35	
	8GB (1x8GB) 2Rx8 DDR3-1866 R ECC						x	S26361-F3793-L615	300,00	
	32GB (1x32GB) 4Rx4 L DDR3-1600 LR ECC						x	S26361-F3782-L617	787,06	
	64GB (1x64GB) 4Rx4 DDR4-2400 LR ECC		x					S26361-F3935-L616	1863,53	
	64GB (1x64GB) 8Rx4 L DDR3-1333 LR ECC						x	S26361-F3783-L618	3934,12	
	Mem. 4Go 1Rx4 L DDR3-1600 R ECC						x	S26361-F3697-L614	129,41	
	Mem. 8Go 2Rx4 L DDR3-1600 R ECC						x	S26361-F3697-L615	202,35	
	Mem. 16Go 2Rx4 L DDR3-1600 R ECC						x	S26361-F3697-L616	305,88	
	Mem. 32Go 4Rx4 L DDR3-1333 LR ECC						x	S26361-F3698-L617	714,12	
<b>Hard Disks</b>										
	DD SATA 1 To 5.4K 2.5" NO HOT PL ECO					x	x	S26361-F3798-L100	331,76	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5' BC	x	x					S26361-F3907-L100	409,41	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5' BC	x	x					S26361-F3907-L200	720,00	

**Accessoires serveurs lames PRIMERGY****Fiches produit : <http://fr.fujitsu.com/primergy>**

BX2560 PCH connection kit	x	x				S26361-F4008-L100	30,59	
BX2560 PCIe x4	x	x				S26361-F4008-L101	47,06	
BX2580 PCH connection kit			x	x		S26361-F4008-L110	30,59	



## Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
Hard Disks (Suite)										
	BX2580 SAS RAID MEZZ connection kit			x	x			S26361-F4008-L111	51,76	
	BX924 S3 Kit de montage pour disque PCH					x	x	S26361-F4008-L3	118,82	
	BX924 S3 disque Kit de montage SAS Mezz					x	x	S26361-F4008-L4	118,82	
	SSD SAS 12G 1.6TB Main 2.5" H-P EP	x	x					S26361-F5298-L160	9876,47	
	SSD SAS 12G 200GB Main 2.5" H-P EP	x	x					S26361-F5298-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP	x	x					S26361-F5298-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP	x	x					S26361-F5298-L800	5171,76	
	SSD SATA 6G 100GB Main 2.5" N H-P EP					x	x	S26361-F5307-L100	765,88	
	SSD SATA 6G 200GB Main 2.5" N H-P EP					x	x	S26361-F5307-L200	1516,47	
	SSD SATA 6G 400GB Main 2.5" N H-P EP					x	x	S26361-F5307-L400	3054,12	
	SSD SATA 6G 800GB Main 2.5" N H-P EP					x	x	S26361-F5307-L800	6112,94	
	SSD SATA 6G 120GB ReadIntensive 2.5' H-P	x	x					S26361-F5525-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5' H-P	x	x					S26361-F5525-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5' H-P	x	x					S26361-F5525-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 2.5' H-P	x	x					S26361-F5525-L800	2189,41	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP	x	x					S26361-F5550-L112	720,00	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP	x	x					S26361-F5550-L130	263,53	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP	x	x					S26361-F5550-L160	496,47	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP	x	x					S26361-F5550-L190	651,76	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC			x				S26361-F5573-L100	662,35	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC			x				S26361-F5573-L200	1205,88	
	SSD SATA 6G 240GB Mix-Use 1.8' N H-P EP				x			S26361-F5585-L240	621,18	
	SSD SATA 6G 480GB Mix-Use 1.8' N H-P EP				x			S26361-F5585-L480	1185,88	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L120	325,88	
	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L192	4270,59	
	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L240	621,18	
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L480	1185,88	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L960	2247,06	
	SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x					S26361-F5592-L120	4555,29	
	SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x					S26361-F5592-L200	797,65	
	SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x					S26361-F5592-L400	1552,94	
	SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x					S26361-F5592-L800	3032,94	
	SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x					S26361-F5593-L200	797,65	
	SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x					S26361-F5593-L400	1552,94	
	SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x					S26361-F5593-L800	3032,94	
	HDD Dummy Frame Slim 2.5'	x	x					S26361-F5601-L25	10,59	
	SSD SATA 6G 64GB DOM N H-P	x	x	x	x			S26361-F5523-L64	124,71	
	SSD PCIe3 800GB Main 2.5' H-P EP	x	x					S26361-F5534-L800	5461,18	
	SSD SATA 6G 128GB DOM N H-P	x	x	x	x			S26361-F5523-L128	217,65	
	SSD PCIe3 1.6TB Main 2.5' H-P EP	x	x					S26361-F5534-L161	10917,65	
	SSD PCIe3 2TB Main 2.5' H-P EP	x	x					S26361-F5534-L201	14287,06	
	SSD SATA 6G 100GB Main 2.5" H-P EP	x						S26361-F3821-L100	610,59	
	SSD SATA 6G 200GB Main 2.5" H-P EP	x						S26361-F3821-L200	1211,76	
	SSD SATA 6G 400GB Main 2.5" H-P EP	x						S26361-F3821-L400	2443,53	
	SSD SATA 6G 800GB Main 2.5" H-P EP	x						S26361-F3821-L800	4891,76	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	x						S26361-F3816-L250	232,94	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	x	x					S26361-F3816-L500	263,53	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	x	x					S26361-F3816-L100	409,41	
	HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	x	x					S26361-F3817-L500	289,41	
	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	x	x					S26361-F3817-L100	507,06	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	x						S26361-F3818-L130	263,53	

**Accessoires serveurs lames PRIMERGY****Fiches produit : <http://fr.fujitsu.com/primergy>**

HD SAS 6G 450GB 10K HOT PL 2.5" EP	x					S26361-F3818-L145	403,53	
HD SAS 6G 600GB 10K HOT PL 2.5" EP	x					S26361-F3818-L160	491,76	
HD SAS 6G 900GB 10K HOT PL 2.5" EP	x					S26361-F3818-L190	631,76	



## Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
<b>Hard Disks (Suite)</b>										
	HD SAS 6G 1.2TB 10K HOT PL 2.5" EP	x						S26361-F3818-L112	647,06	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	x						S26361-F3818-L514	232,94	
	HD SAS 12G 450GB 10K 512e HOT PL 2.5' EP	x						S26361-F5543-L145	418,82	
	HD SAS 12G 600GB 10K 512e HOT PL 2.5' EP	x	x					S26361-F5543-L160	496,47	
	HD SAS 12G 900GB 10K 512e HOT PL 2.5' EP	x	x					S26361-F5543-L190	651,76	
	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5' EP	x	x					S26361-F5543-L112	720,00	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP	x	x					S26361-F5543-L118	1149,41	
	HD SAS 12G 300GB 15K HOT PL 2.5' EP	x	x					S26361-F5531-L530	502,35	
	HD SAS 12G 450GB 15K HOT PL 2.5' EP	x	x					S26361-F5531-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 2.5' EP	x	x					S26361-F5531-L560	869,41	
<b>SCSI/RAID/SAS controller</b>										
	PRAID EM400i BP	x	x					S26361-F3823-L20	30,59	
	PRAID EM400i Mezz	x	x					S26361-F3823-L30	232,94	
	PRAID CM400i	x	x					S26361-F3823-L400	481,18	
	PRAID EM400i	x	x					S26361-F3823-L410	724,71	
	PRAID EM400i FBU	x	x					S26361-F3823-L10	129,41	
	Clé de validation SAS pour ports sur carte mère					x	x	S26361-F3674-L1	92,94	
<b>Mezzanine Cards</b>										
	PY IB CX3 Mezz Card 56Gb 2 Port	x		x		x	x	S26361-F4534-L1	1884,71	
	Carte mezzanine Ethernet 1Gb, 4 Ports	x	x	x	x	x	x	S26361-F3331-L1	621,18	
	Carte mezzanine Ethernet 10Gb 2 Ports V2	x	x	x	x	x	x	S26361-F3997-L1	657,65	
	Carte mezzanine FC 8Gb, 2 Ports (MC-FC82E)	x	x	x	x	x	x	S26361-F3874-L1	849,41	
	PY FC Mezz Card 16Gb 2 Port (MC-FC162E)	x	x	x	x		x	S26361-F4994-L402	1082,35	
	PY CNA Mezz Card 2x10Gb 2 channel	x	x	x	x	x	x	S26361-F3592-L532	998,82	
	Carte Mezzanine SAS 6Gb	x	x	x	x	x	x	S26361-F4480-L1	217,65	
	PY SAS RAID Mezz Card 6Gb	x	x	x	x	x	x	S26361-F4481-L1	392,94	
	Kit de connexion SSD,			x	x	x	x	S26361-F4481-L30	82,35	
<b>PRIMERGY-Software</b>										
	eLCM Activation Pack	x	x	x	x			BDL:ELCM-PACK	36,47	
	VMware vSphere Embed. UFM 8 GB Device	x	x	x	x	x	x	S26361-F2341-D433	124,71	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D230	3775,00	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D231	3775,00	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D232	3775,00	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x	x	x	x	S26361-F2344-D233	5185,00	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x	x	x	x	x	S26361-F2344-D234	5185,00	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x	x	x	x	x	S26361-F2344-D235	5185,00	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x				x	x	S26361-F2344-D236	945,00	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x				x	x	S26361-F2344-D237	945,00	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x				x	x	S26361-F2344-D238	945,00	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x				x	x	S26361-F2344-D239	9445,00	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x				x	x	S26361-F2344-D240	9445,00	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x				x	x	S26361-F2344-D241	9445,00	
	VMware vSOM STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D300	8878,82	
	VMware vSOM STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D301	8878,82	
	VMware vSOM STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D302	8878,82	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D303	17343,53	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D304	17343,53	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D305	17343,53	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D306	20901,18	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D307	20901,18	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D308	20901,18	



**Accessoires serveurs lames PRIMERGY****Fiches produit : <http://fr.fujitsu.com/primergy>**

VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D310	884,71	
VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D311	884,71	
VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D312	884,71	



**Accessoires serveurs lames PRIMERGY**

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
<b>PRIMERGY-Software (Suite)</b>										
	VMware vSphere ENT for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D313	2554,12	
	VMware vSphere ENT for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D314	2554,12	
	VMware vSphere ENT for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D315	2554,12	
	VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D316	3108,24	
	VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D317	3108,24	
	VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D318	3108,24	
	VMware vSOM STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D320	1547,06	
	VMware vSOM STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D321	1547,06	
	VMware vSOM STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D322	1547,06	
	VMware vSOM ENT for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D323	3227,06	
	VMware vSOM ENT for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D324	3227,06	
	VMware vSOM ENT for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D325	3227,06	
	VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D326	3770,59	
	VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D327	3770,59	
	VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D328	3770,59	
	VMW Essentials Plus Kit w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D330	3068,24	
	VMW Essentials Plus Kit w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D331	3068,24	
	VMW Essentials Plus Kit w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D332	3068,24	
	VMW Essentials Kit + Subscription-1yr	x	x	x	x	x	x	S26361-F2344-D340	571,76	
	VMW Essentials Kit + Subscription-3yr	x	x	x	x	x	x	S26361-F2344-D341	774,12	
	VMW Essentials Kit + Subscription-5yr	x	x	x	x	x	x	S26361-F2344-D342	996,47	
	VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D343	2663,53	
	VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D344	2663,53	
	VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D345	2663,53	
	VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D346	3997,65	
	VMW ROBO AVD 25 VMs w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D347	3997,65	
	VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D348	3997,65	
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D350	2010,59	
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D351	2010,59	
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D352	2010,59	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D353	4027,06	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D354	4027,06	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D355	4027,06	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D365	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D366	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D367	404,71	
	VMW VSAN for ROBO w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D368	10030,59	
	VMW VSAN for ROBO w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D369	10030,59	
	VMW VSAN for ROBO w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D370	10030,59	
	VMW VSAN Advanced for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D371	3216,47	
	VMW VSAN Advanced for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D372	3216,47	
	VMW VSAN Advanced for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D373	3216,47	
	VMW VSAN ADV DT 10-Pack w/o SP-1yr	x				x	x	S26361-F2344-D374	805,88	
	VMW VSAN ADV DT 10-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-D375	805,88	
	VMW VSAN ADV DT 10-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-D376	805,88	
	VMW VSAN ADV DT 100-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-D377	8058,82	
	VMW VSAN ADV DT 100-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-D378	8058,82	
	VMW VSAN ADV DT 100-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-D379	8058,82	
	VMware vCloud Suite 6 STD w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D380	4442,35	
	VMware vCloud Suite 6 STD w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D381	4442,35	
	VMware vCloud Suite 6 STD w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D382	4442,35	

**Accessoires serveurs lames PRIMERGY****Fiches produit : <http://fr.fujitsu.com/primergy>**

VMware vCloud Suite 6 ADV w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D383	6665,88	
VMware vCloud Suite 6 ADV w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D384	6665,88	
VMware vCloud Suite 6 ADV w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D385	6665,88	



**Accessoires serveurs lames PRIMERGY**

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERY BX2560 M1	PRIMERY BX2560 M2	PRIMERY BX2580 M1	PRIMERY BX2580 M2	PRIMERY BX924 S3	PRIMERY BX924 S4	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>										
<b>PRIMERY-Software (Suite)</b>										
	VMware vCloud Suite 6 ENT w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D386	10228,24	
	VMware vCloud Suite 6 ENT w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D387	10228,24	
	VMware vCloud Suite 6 ENT w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D388	10228,24	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L230	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L231	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L232	4329,41	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x	x	x	x	S26361-F2344-L233	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x	x	x	x	x	S26361-F2344-L234	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x	x	x	x	x	S26361-F2344-L235	5947,06	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-L236	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-L237	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-L238	1082,35	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-L239	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-L240	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-L241	10834,12	
	VMW vSOM STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L300	10407,06	
	VMW vSOM STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L301	10407,06	
	VMW vSOM STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L302	10407,06	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L303	20327,06	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L304	20327,06	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L305	20327,06	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L306	24494,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L307	24494,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L308	24494,12	
	VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L310	1028,24	
	VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L311	1028,24	
	VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L312	1034,12	
	VMware vSphere ENT for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L313	2960,00	
	VMware vSphere ENT for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L314	2960,00	
	VMware vSphere ENT for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L315	2992,94	
	VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L316	3604,71	
	VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L317	3604,71	
	VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L318	3642,35	
	VMware vSOM STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L320	1812,94	
	VMware vSOM STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L321	1812,94	
	VMware vSOM STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L322	1812,94	
	VMware vSOM ENT for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L323	3782,35	
	VMware vSOM ENT for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L324	3782,35	
	VMware vSOM ENT for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L325	3782,35	
	VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L326	4416,47	
	VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L327	4416,47	
	VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L328	4416,47	
	VMW Essentials Plus Kit w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L330	3592,94	
	VMW Essentials Plus Kit w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L331	3592,94	
	VMW Essentials Plus Kit w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L332	3592,94	
	VMware vSphere STD FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	S26361-F2344-L335	884,71	
	VMware vSphere ENT FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	S26361-F2344-L336	2554,12	
	VMware vSphere EPL FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	S26361-F2344-L337	3108,24	
	VMW Essentials Kit + Subscription-1yr	x	x	x	x	x	x	S26361-F2344-L340	670,59	
	VMW Essentials Kit + Subscription-3yr	x	x	x	x	x	x	S26361-F2344-L341	909,41	
	VMW Essentials Kit + Subscription-5yr	x	x	x	x	x	x	S26361-F2344-L342	1169,41	

**Accessoires serveurs lames PRIMERGY****Fiches produit : <http://fr.fujitsu.com/primergy>**

VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L343	3090,59	
VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L344	3090,59	
VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L345	3090,59	



**Accessoires serveurs lames PRIMERGY**

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
<b>PRIMERGY-Software (Suite)</b>										
	VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L346	4643,53	
	VMW ROBO ADV 25 VMs w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L347	4643,53	
	VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L348	4643,53	
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L350	2354,12	
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L351	2354,12	
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L352	2354,12	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L353	4718,82	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L354	4718,82	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L355	4718,82	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L365	470,59	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L366	470,59	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L367	470,59	
	VMW VSAN for ROBO w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L368	11645,88	
	VMW VSAN for ROBO w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L369	11645,88	
	VMW VSAN for ROBO w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L370	11645,88	
	VMW VSAN Advanced for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L371	3734,12	
	VMW VSAN Advanced for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L372	3734,12	
	VMW VSAN Advanced for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L373	3734,12	
	VMW VSAN ADV DT 10-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-L374	936,47	
	VMW VSAN ADV DT 10-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-L375	936,47	
	VMW VSAN ADV DT 10-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-L376	936,47	
	VMW VSAN ADV DT 100-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-L377	9356,47	
	VMW VSAN ADV DT 100-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-L378	9356,47	
	VMW VSAN ADV DT 100-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-L379	9356,47	
	VMware vCloud Suite 6 STD w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L380	5147,06	
	VMware vCloud Suite 6 STD w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L381	5147,06	
	VMware vCloud Suite 6 STD w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L382	5147,06	
	VMware vCloud Suite 6 ADV w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L383	7722,35	
	VMware vCloud Suite 6 ADV w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L384	7722,35	
	VMware vCloud Suite 6 ADV w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L385	7722,35	
	VMware vCloud Suite 6 ENT w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L386	11851,76	
	VMware vCloud Suite 6 ENT w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L387	11851,76	
	VMware vCloud Suite 6 ENT w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L388	11851,76	
	VMM Upg vCenter S FND to STD w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S418	3587,06	
	VMW Upg ESXi to vSphere STD w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S420	927,06	
	VMW Upg ESXi to vSphere ENT w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S421	2676,47	
	VMW Upg ESXi to vSphere EPL w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S422	3256,47	
	VMW Upg vSp STD to vSp ENT w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S423	1920,00	
	VMW Upg vSp STD to vSp EPL w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S424	2562,35	
	VMW Upg vSp ENT to vSp EPL w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S425	635,29	
	WinSvr 2012 R2 Datacenter 2CPU ROK Distributeurs	x	x	x	x	x	x	S26361-F2567-D413	4575,29	
	WinSvr 2012 R2 DC w/Reassignment 2CPU ROK	x	x	x	x	x	x	S26361-F2567-D417	6127,06	
	WinSvr 2012 R2 Standard 2CPU/2VM ROK Distributeurs	x	x	x	x	x	x	S26361-F2567-D423	704,71	
	WinStorageSvr 2012 R2 Std 2CPU/2VM ROK	x	x	x	x	x	x	S26361-F2567-D453	547,06	
	Windows Server 2012 Standard AddLic 2CPU	x	x	x	x	x	x	S26361-F2567-L425	720,00	
	WinSvr CAL 2012 50Device	x	x	x	x	x	x	S26361-F2567-L460	1169,41	
	WinSvr CAL 2012 50User	x	x	x	x	x	x	S26361-F2567-L461	1742,35	
	WinSvr CAL 2012 10Device	x	x	x	x	x	x	S26361-F2567-L462	237,65	
	WinSvr CAL 2012 10User	x	x	x	x	x	x	S26361-F2567-L463	349,41	
	WinSvr CAL 2012 5Device	x	x	x	x	x	x	S26361-F2567-L464	118,82	
	WinSvr CAL 2012 5User	x	x	x	x	x	x	S26361-F2567-L465	175,29	



## Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

WinSvr CAL 2012 1Device	x	x	x	x	x	x	S26361-F2567-L466	28,24	
WinSvr CAL 2012 1User	x	x	x	x	x	x	S26361-F2567-L467	36,47	
WinSvr CAL 2012 100Device	x	x	x	x	x	x	S26361-F2567-L468	2350,59	



## Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
<b>PRIMERGY-Software (Suite)</b>										
	WinSvr CAL 2012 100User	x	x	x	x	x	x	S26361-F2567-L469	2965,88	
	WinSvr RDS CAL 2012 5Device	x	x	x	x	x	x	S26361-F2567-L470	517,65	
	WinSvr RDS CAL 2012 5User	x	x	x	x	x	x	S26361-F2567-L471	703,53	
	WinSvr RDS CAL 2012 1Device	x	x	x	x	x	x	S26361-F2567-L472	108,24	
	WinSvr RDS CAL 2012 1User	x	x	x	x	x	x	S26361-F2567-L473	140,00	
	WinSvr RDS CAL 2012 100Device	x	x	x	x	x	x	S26361-F2567-L474	10223,53	
	WinSvr RDS CAL 2012 100User	x	x	x	x	x	x	S26361-F2567-L475	12884,71	
	WinSvr RDS CAL 2012 50Device	x	x	x	x	x	x	S26361-F2567-L476	5109,41	
	WinSvr RDS CAL 2012 50User	x	x	x	x	x	x	S26361-F2567-L477	6444,71	
	WinSvr RDS CAL 2012 10Device	x	x	x	x	x	x	S26361-F2567-L478	1020,00	
	WinSvr RDS CAL 2012 10User	x	x	x	x	x	x	S26361-F2567-L479	1294,12	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	x	x	x	x	x	x	S26361-F2567-L480	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	x	x	x	x	x	x	S26361-F2567-L481	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	x	x	x	x	x	x	S26361-F2567-L482	72,94	
	DG/DE Kit WinSvr 2012 Datacenter	x	x	x	x	x	x	S26361-F2567-L486	72,94	
	DG/DE Kit WinSvr 2012 Standard	x	x	x	x	x	x	S26361-F2567-L487	72,94	
	PRIMERGY ServerStart Bundle (abonnement)	x	x					U15000-C176	222,35	
	ServerView Suite, Dernière version	x	x					U15000-C289	25,88	
	VMware vSphere 5 Media Kit OEM	x	x	x	x	x	x	S26361-F2341-L300	82,35	
<b>OS/Application-SW</b>										
	CA Client Automation	x	x	x	x	x	x	U24552-C418	75,27	
	CA Server Automation Base Configuration	x	x	x	x	x	x	U24552-C424	61984,59	
	CA ServiceDeskManager Full LicenseConcur	x	x	x	x	x	x	U24581-C150	5312,96	
<b>Divers</b>										
	Module TPM					x	x	S26361-F3552-L1	51,76	
	TPM 1.2 Module	x	x	x	x			S26361-F3552-L6	51,76	
<b>Câbles</b>										
	Câble frontal en Y	x	x	x	x	x	x	S26361-F4478-L2	67,06	
<b>Accessories</b>										
	External Super Multi Drive	x	x	x	x	x	x	S26341-F103-L135	52,94	
<b>Additional Software</b>										
	OPENFT-CR (Unix systems) V12.0	x	x	x	x	x	x	U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0	x	x	x	x	x	x	U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0	x	x					U10987-C601	1189,41	
	OPENFT-2 (Unix systems) V12.0			x	x	x	x	U10987-C602	1935,29	
	OPENFT-FTAM-1 (Unix systems) V12.0	x	x					U10987-C613	1189,41	
	OPENFT-FTAM-2 (Unix systems) V12.0			x	x	x	x	U10987-C614	1935,29	
	OPENFT-FTP-1 (Unix systems) V12.0	x	x					U10987-C625	485,88	
	OPENFT-FTP-2 (Unix systems) V12.0			x	x	x	x	U10987-C626	789,41	
	OPENFT-CR (WINDOWS) V12.0	x	x	x	x	x	x	U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0	x	x	x	x	x	x	U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0	x	x					U11081-C401	1189,41	
	OPENFT-2 (WINDOWS) V12.0			x	x	x	x	U11081-C402	1935,29	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x	x					U11081-C411	1189,41	
	OPENFT-FTAM-2 (WINDOWS) V12.0			x	x	x	x	U11081-C412	1935,29	
	OPENFT-FTP-1 (WINDOWS) V12.0	x	x					U11081-C421	485,88	
	OPENFT-FTP-2 (WINDOWS) V12.0			x	x	x	x	U11081-C422	789,41	
	OPENFT-1 (WINDOWS) V11.0	x	x					U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x					U11081-C311	1081,18	
	OPENFT-2 (WINDOWS) V11.0			x	x	x	x	U11081-C302	1760,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0			x	x	x	x	U11081-C312	1760,00	



**Accessoires serveurs lames PRIMERGY****Fiches produit : <http://fr.fujitsu.com/primergy>**

OPENFT-SW-CD (WINDOWS) V11.0	x	x	x	x	x	x	U11081-C300	27,06
OPENFT-CR (WINDOWS) V11.0	x	x	x	x	x	x	U11081-C299	12,94
OPENFT-1 (UNIX systems) V11.0	x	x					U10987-C501	1081,18



**Accessoires serveurs lames PRIMERGY**

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
-----------	-------------	--------------------	--------------------	--------------------	--------------------	-------------------	-------------------	-----------	--------------------	-----------

Accessoires (Matrice)

**Additional Software (Suite)**

OPENFT-FTAM-1 (UNIX systems) V11.0	x	x						U10987-C513	1081,18	
OPENFT-SW-CD (UNIX systems) V11.0	x	x	x	x	x	x		U10987-C500	31,76	
OPENFT-CR (UNIX systems) V11.0	x	x	x	x	x	x		U10987-C499	14,12	



## PRIMERGY Connection Blades

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>PRIMERGY Connection Blades</b>				
PY CB Eth Switch/IBP 1Gb 36/12	Connexion LAN Blade pour Fujitsu PRIMERGYBX400 et BX900 Blade Servers., Utilisation comme switch L2 LAN ou Intelligent Blade Panel (IBP) ou End Host Mode (EHM) module., Interfaces: interne 36 (downlinks), externe 8 RJ45 GbE, 4 SFP GbE	S26361-K1304-V301	3354,12	
PY CB Eth Switch/IBP 1Gb 18/6	1Gb LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:., intern:<Tab/>18x 1Gbit/s Eth (downlinks), extern:<Tab/> 6x RJ45 1Gbit/s Eth	S26361-K1366-V300	2292,94	
PY CB Eth Switch/IBP 1Gb 36/8+2	Connexion LAN Blade pour Fujitsu PRIMERGY BX900 Blade Servers., Utilisation comme switch LAN ou Intelligent Blade Panel (IBP)., Interfaces: interne 36 (downlinks), externe 8 RJ45 GbE, 2 SFP+ 10GbE	S26361-K1304-V302	6155,29	
PY CB Eth FEX B22F 10Gb 16/8	10Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., The Cisco FEX B22F is designed for attachment to switches of the Cisco Nexus 5000 and Nexus 6000 families., Switches out of the Cisco Nexus 7000 family do not support the embedded FEX modules., , Interfaces:., intern: 16x 10Gbit/s Eth (downlinks to server 1 - 16), extern: 8x SFP+ 10Gbit/s	S26361-K1440-V300	9669,41	
PY CB Eth FEX B22F with 16 FET 10Gb 16/8	10Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., The Cisco FEX B22F is designed for attachment to switches of the Cisco Nexus 5000 and Nexus 6000 families., Switches out of the Cisco Nexus 7000 family do not support the embedded FEX modules., The included 16 FET modules are only for Ultra Short Range connection between the FEX B22F and the parent switch., , Interfaces:., intern: 16x 10Gbit/s Eth (downlinks to server 1 - 16), extern: 8x SFP+ 10Gbit/s Eth	S26361-K1440-V310	15352,94	
PY CB FC Pass Thru 8Gb 18/18	Fibre Channel Pass Thru Connection Blade pour PRIMERGY BX900 Blade Servers, doté de 18 downlinks et 18 uplinks, tous indépendants les uns des autres supporte 4Gb/8Gb Fibre Channel avec autonegotiation	S26361-K1363-V318	4529,41	
40GBE CONNECTION BLADE 18/8+2	10/40Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., , Interfaces:., internal: 18x 10Gbit/s Eth (downlinks), external: 8x 10Gbit/s Eth SFP+, 2x 40Gbit/s Eth QSFP+	S26361-K1533-V300	9235,29	
PY CB FC Switch 16Gb 18/8 14 (Brocade)	Fibre Channel Switch 16Gbit/s 18/8 (Brocade 6545) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:., - License for 14 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 16Gbit/s Short-Wavelength Laser (SWL), LC connector	S26361-K1527-V314	8929,41	
PY CB FC Switch 16Gb 18/8 26 (Brocade)	Fibre Channel Switch 16Gbit/s 18/8 (Brocade 6545) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:., - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 16Gbit/s Short-Wavelength Laser (SWL), LC connector	S26361-K1527-V326	12315,29	



## PRIMERGY Connection Blades

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>PRIMERGY Connection Blades (Suite)</b>				
PY CB FC Switch 16Gb 18/8 26 E (Brocade)	Fibre Channel Switch 16Gbit/s 18/8 (Brocade 6545) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended Fabric, - License for Adaptive Networking, - License for Server Application Optimization, - 4 x Brocade hot-pluggable SFP+ module, 16Gbit/s Short-Wavelength Laser (SWL), LC connector	S26361-K1527-V327	16668,24	
PY CB Switch SAS 6Gbits/s 18/6	PY CB SAS Switch 6Gb 18/6	S26361-K1391-V400	1878,82	



**PRIMERGY SX05 S1**

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>PRIMERGY SX05 S1</b>				
PY SX05 S1 USB	Rack-enclosure 19 "(1U) pour un maximum de deux périphériques de sauvegarde USB (RDX, DAT), Incl. alimentation et le ventilateur, ,	S26361-K1418-V110	600,00	
PY SX05 S1 SAS	Rack-enclosure 9 "(1U) pour un maximum dedeux périphériques de sauvegarde SAS (LTO), Incl. alimentation et le ventilateur	S26361-K1418-V100	631,76	

**PRIMERGY SX960 S1**Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>PRIMERGY SX960 S1</b>				
PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Ctrl., The SX960 S1 can be installed max. 2x in BX400/900	S26361-K1382-V303	1796,47	

**PRIMERGY SX980 S2**Fiches produit : <http://fr.fujitsu.com/primergy>**PRIMERGY SX980 S2**

<b>Modèle</b>	<b>Description</b>	<b>Détails</b>	<b>Référence</b>	<b>Prix Indicatif (€)</b>	<b>Remarques</b>
Unités de Base					
<b>PRIMERGY SX980 S2</b>	PY SX980 S2 JBOD Blade	PY SX980 S2 JBOD Blade, jusqu'à 10x SAS HDD / SSD, Peut être installé max. 2X BX400 et BX900 6x	S26361-K1383-V220	1842,35	



## Accessoires stockage PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
<b>Supports amovibles</b>										
	RDX 320 5.25'	x						S26361-F3750-L324	295,29	
	RDX 500 5.25'	x						S26361-F3750-L504	330,59	
	RDX 1000 5.25'	x						S26361-F3750-L604	370,59	
	RDX Drive USB3.0 5.25" internal	x						S26361-F3750-L4	217,65	
	Lecteur bande LTO3HH Ultr 400Go 60MB/s SAS	x						S26361-F3561-L4	1460,00	
	Lecteur LTO4HH 800Go 120Mbps/s SAS V2	x	x					S26361-F3626-L2	2023,53	
	Lecteur LTO5HH 1500GB 140MB/s SAS	x	x					S26361-F3627-L1	2334,12	
	Kit bande LTO6HH 2.5TB 160MB/s SAS 6Gb	x	x					S26361-F3787-L1	2935,29	
<b>Hard Disks</b>										
	SSD SAS 12G 1.6TB Main 2.5" H-P EP			x	x		x	S26361-F5297-L160	9876,47	
	SSD SAS 12G 200GB Main 2.5" H-P EP			x	x		x	S26361-F5297-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP			x	x		x	S26361-F5297-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP			x	x		x	S26361-F5297-L800	5171,76	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP				x		x	S26361-F5551-L130	263,53	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP				x		x	S26361-F5551-L160	496,47	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP				x		x	S26361-F5551-L190	651,76	
	HD SAS 12G 300GB 10K hp 2.5'(1Box=20pcs)				x		x	S26361-F5551-L930	263,53	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC				x		x	S26361-F5572-L100	662,35	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC				x		x	S26361-F5572-L200	1205,88	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L120	325,88	
	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L192	4270,59	
	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L240	621,18	
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L480	1185,88	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L960	2247,06	
	SSD SATA 6G 100GB Main 2.5" H-P EP			x	x			S26361-F5303-L100	610,59	
	SSD SATA 6G 200GB Main 2.5" H-P EP			x	x			S26361-F5303-L200	1211,76	
	SSD SATA 6G 400GB Main 2.5" H-P EP			x	x			S26361-F5303-L400	2443,53	
	SSD SATA 6G 800GB Main 2.5" H-P EP			x	x			S26361-F5303-L800	4891,76	
	DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x	x	x	S26361-F5228-L500	289,41	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP				x		x	S26361-F5544-L118	1149,41	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP				x		x	S26361-F5551-L112	720,00	
	DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x	x	x	S26361-F5228-L100	507,06	
	DD SAS 6G 300Go 10K HOT PL 2.5' EP			x	x		x	S26361-F5247-L130	263,53	
	DD SAS 6G 450Go 10K HOT PL 2.5' EP			x	x		x	S26361-F5247-L145	403,53	
	DD SAS 6G 600Go 10K HOT PL 2.5' EP			x	x		x	S26361-F5247-L160	465,88	
	DD SAS 6G 900Go 10K HOT PL 2.5' EP			x	x		x	S26361-F5247-L190	631,76	
	DD SAS 3Gb/s 300Go 10K Hot-plug 2.5" EP			x	x			S26361-F3292-L130	487,06	
	HD SAS 6G 1.2TB 10K HOT PL 2.5" EP			x	x		x	S26361-F5247-L112	508,24	
	DD SAS 3Gb/s 450Go 10K HotPlug 2.5" EP			x				S26361-F3292-L145	651,76	
	DD SAS 3Gb/s 600Go 10K HotPlug 2.5" EP			x				S26361-F3292-L160	761,18	
	DD SAS 3Gb/s 146Go 15K Hot-plug 2.5" EP			x	x			S26361-F3292-L514	232,94	
	DD SATA 3Gb/s 500Go 7.2k hot plug 2.5" BC			x	x			S26361-F3601-L500	263,53	
	DD SATA 3Gb/s 1To 7.2k hot plug 2.5" BC			x	x			S26361-F3601-L100	409,41	
	DD SAS 6Gb/s 300Go 10K hot plug 2.5" EP 30			x	x	x	x	S26361-F4482-L130	263,53	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP			x	x	x	x	S26361-F4482-L145	403,53	
	DD SAS 6Gb/s 600Go 10K hot plug 2.5" EP			x	x	x	x	S26361-F4482-L160	491,76	
	DD SAS 6Gb/s 900Go 10K hot plug 2.5" EP			x	x	x	x	S26361-F4482-L190	631,76	





**Accessoires stockage PRIMERGY** **Fiches produit : <http://fr.fujitsu.com/primergy>**

DD SAS 6Gb/s 146Go 15K hot plug 2.5" EP 30			x	x	x	x	S26361-F4482-L514	232,94
HD SAS 6G 300GB 15K HOT PL 2.5" EP			x	x	x	x	S26361-F4482-L530	481,18



## Accessoires stockage PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
<b>Hard Disks (Suite)</b>										
	HD SAS 6G 450GB 15K HOT PL 2.5' EP			x	x	x	x	S26361-F4482-L545	488,24	
	HD SAS 6G 600GB 15K HOT PL 2.5' EP			x	x	x	x	S26361-F4482-L560	658,82	
<b>SCSI/RAID/SAS controller</b>										
	Upg. RAM BBU pour Ctrl RAID 5/6			x				S26361-F3257-L110	181,18	
	PSAS CP200i		x	x	x			S26361-F3554-L118	170,59	
	Module TFM pour l'option FBU sur D3116				x			S26361-F3669-L100	160,00	
	Ctrl RAID FBU option w/ cable 25/55/70cm				x			S26361-F3669-L110	108,24	
	PSAS CP400i FH/LP				x			S26361-F3842-L502	228,24	
	PRAID EP400i FH/LP				x			S26361-F5243-L1	418,82	
	TFM module for FBU on PRAID EP400i				x			S26361-F5243-L100	181,18	
	RAID Ctrl FBU option w/ 25/55/70cm cable				x			S26361-F5243-L110	108,24	
	PRAID EP420i FH/LP				x			S26361-F5243-L2	444,71	
	TFM module for FBU on PRAID EP420i/e				x			S26361-F5243-L200	228,24	
	Ctrl RAID SAS 6Gb/s 0/1 (D2607)			x				S26361-F3554-L8	191,76	
	Ctrl RAID SAS 6Gb/s 5/6 512Mo (D2616)			x	x			S26361-F3554-L512	418,82	
	RAID Ctrl SAS 6G 1GB (D3116C)				x			S26361-F3669-L4	418,82	
<b>Media</b>										
	LTO-3 data media,5pack avec label,Fuji	x						D:CR-LTO3-05L	137,02	
	LTO-4 data media,5packavec label,Fuji	x						D:CR-LTO4-05L	132,74	
	LTO-5 data media,5 pièces avec label,Fuji	x						D:CR-LTO5-05L	123,84	
	LTO-6 data media,5pack label,Fuji	x						D:CR-LTO6-05L-BF	195,25	
	LTO-7-CR Medien,5Stk Random Label,Fuj	x						D:CR-LTO7-05L	1017,13	
	Barcode Label oder, not standard Random	x						D:CR-LTO-LAB	4,71	
	Cartouche RDX 320/640Go	x						S26361-F3857-L320	131,76	
	Pack 10x cartouches RDX 320/640Go	x						S26361-F3857-L329	1249,41	
	RDX MEDIUM 2TB	x						S26361-F3857-L700	345,88	
	Cartouche RDX 500Go/1000Go	x						S26361-F3857-L500	127,06	
	Cartouche RDX 1To	x						S26361-F3857-L600	197,65	
<b>Câbles</b>										
	Câble SAS SFF 8088-SFF 8088 , 2.0m	x						S26361-F3246-L202	114,12	
	SAS cable (MiniSAS), 3m	x						S26361-F3246-L212	170,59	
	Câble SAS externe 4m 8088-8088	x						S26361-F3246-L402	150,59	
	Câble SAS EXT 2m 8088-8470	x						S26361-F3246-L203	108,24	
	Câble SAS EXT 4m 8088-8470	x						S26361-F3246-L403	140,00	



**PRIMECENTER**

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>PRIMECENTER M2 Rack</b>				
PRIMECENTER M2 Rack 47U 1200x800	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 47U 1200x800), Symmetrical basic cabinet WxDxH = 800x1200x2200mm. Both vertical 19-inch levels are steplessly moveable. 3 vertical 1U-slots on every side. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Up to 200 different key cylinders. Identical locks (code 333) as standard. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 100mm., Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V847	2795,29	
PRIMECENTER M2 Rack 24U 1100x600	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 24U 1100x600), Symmetrical basic cabinet WxDxH = 600x1100x1200mm. Both vertical 19-inch levels are steplessly moveable. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Identical locks (code 333) as standard. Up to 200 different key cylinders. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. , Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V624	2122,35	
PRIMECENTER M2 Rack 42U 1200x600	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 42U 1200x600), Symmetrical basic cabinet WxDxH = 600x1200x2000mm. Both vertical 19-inch levels are steplessly moveable. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Identical locks (code 333) as standard. Up to 200 different key cylinders. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 100mm., Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V642	2381,18	
PRIMECENTER M2 Rack 42U 1200x800	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 42U 1200x800), Symmetrical basic cabinet WxDxH = 800x1200x2000mm. Both vertical 19-inch levels are steplessly moveable. 3 vertical 1U-slots on every side. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Identical locks (code 333) as standard. Up to 200 different key cylinders. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 100mm., Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V842	2588,24	



PRIMECENTER		Fiches produit : <a href="http://fr.fujitsu.com/primergy" style="color: white;">http://fr.fujitsu.com/primergy</a>	
PRIMECENTER M2 LC Rack 42U 1200x800	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 42U 1200x800). Suitable for Liquid Cooled solution with Rack CDU., Symmetrical basic cabinet WxDxH = 800x1200x2000mm. Both vertical 19-inch levels are steplessly moveable. 3 vertical 1U-slots on every side. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Up to 200 different key cylinders. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 100mm., Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V942	3287,06



## Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMECENTER M1 Rack	PRIMECENTER M2 Rack	PRIMECENTER M3 Rack	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>							
<b>Connection Blades</b>							
	Intel IB Cu Cable 40Gb, 4x QSFP, 3m	x			S26361-F3996-L203	88,24	
	Intel IB FO Cable 40Gb, 4x QSFP, 10m	x			S26361-F3996-L210	388,24	
	SFP, 1GbE, copper, for stacking, 1m	x			S26361-F5263-L11	124,71	
	SFP, 1GbE, copper, for stacking, 5m)	x			S26361-F5263-L15	217,65	
	Infiniband Cu Cable 100Gb, QSFP, 3m	x	x		S26361-F5549-L563	232,94	
	Infiniband Cu Cable 100Gb, QSFP, 1m	x	x		S26361-F5549-L561	170,59	
	SFP+ active Twinax Cable Fujitsu 2m	x			S26361-F3989-L102	181,18	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 1m	x			S26361-F3996-L101	98,82	
	SFP+ active Twinax Cable Fujitsu 5m	x			S26361-F3989-L105	228,24	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 3m	x			S26361-F3996-L103	124,71	
	SFP+ active Twinax Cable Fujitsu 10m	x			S26361-F3989-L110	269,41	
	Infiniband Cu Cable 56Gb, 4x QSFP, 1m	x	x		S26361-F3996-L561	134,12	
	Infiniband Cu Cable 56Gb, 4x QSFP, 3m	x	x		S26361-F3996-L563	202,35	
<b>Rack-Infrastructure</b>							
	Cable management, 19" Rack, 1HE, upgrade	x			D:CABLE-GUIDE-1U-L	79,73	
	Cable management, 19" Rack, 2U, upgrade	x			D:CABLE-GUIDE-2U-L	75,11	
	Socket strip 2x12 outlets f. USA/CAN	x	x		S26361-F2262-L411	610,59	
	Adapteurs angles PC/DC-Rack 150Kg	x	x		S26361-F2735-L15	30,59	
	Câble magmt. pour PC- Rack 19"	x	x		S26361-F2735-L17	36,47	
	Cable carrying plate DC-/PC-racks	x	x		S26361-F2735-L20	51,76	
	Plateau pour câbles 1U avec anti poussière	x	x		S26361-F2735-L25	67,06	
	Adapteur d'angle PC/DC-Rack, 3U till 200Kg	x	x		S26361-F2735-L31	36,47	
	Éléments d'assemblage , M5, t=2,5mm	x	x		S26361-F2735-L500	56,47	
	Cable CAT 6A, RJ45, 5m	x	x		S26361-F3417-L605	36,47	
	console switch adapter USB-VGA incl. 2.1	x	x		S26361-F4473-L225	88,24	
	console switch adapter USB-VGA incl. 3m	x	x		S26361-F4473-L230	98,82	
	Consoleswitch KVM S4 adapt USB2.0-VGA, VM	x	x		S26361-F4473-L240	150,59	
	console switch adapter true serial	x	x		S26361-F4473-L241	160,00	
	RC25-KVM-Switch Mounting-Kit	x	x		S26361-F4473-L25	98,82	
	Console switch KVM S3-1601, 1U	x	x		S26361-F4473-L601	1071,76	
	Console switch KVM S3-0801, 1U	x	x		S26361-F4473-L801	610,59	
	Rack 19" Shelf kit 1U	x	x		S26361-F4530-L100	114,12	
	Dummy panel 1U plast. Bk	x	x		S26361-F4530-L131	15,29	
	Dummy panel 2U plast. Bk	x	x		S26361-F4530-L132	21,18	
	Protection anti-basculement pour M1 rack	x			S26361-F4530-L210	258,82	
	Kit Rack Connecteur pour PCR M1 Racks	x			S26361-F4530-L225	62,35	
	Brush Panel Kit (2 pcs) Top Cover PCR M1	x			S26361-F4530-L250	25,88	
	Brush Panel Kit (1 pc) pour porte arrière Rack M1	x			S26361-F4530-L260	36,47	
	Rack Connection Kit f.racks w/o sidewall	x	x		S26361-F4530-L400	51,76	
	Kit de mise à la terre pour Rack M1	x			S26361-F4530-L6	41,18	
	PDU mounting kit short f PCR M1+ M2		x		S26361-F5560-L1	51,76	
	PDU Sensor Temp/Hum Modular f MPX/ MPH		x		S26361-F5560-L10	160,00	



## Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

PDU Sensor 3x digital inlet modul f.MPH	x	S26361-F5560-L11	108,24	
PDU basic 16A CEE blue 24x10A	x	S26361-F5560-L110	347,06	
PDU basic 32A CEE blue 36x10A + 6x16A	x	S26361-F5560-L111	409,41	



## Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMECENTER M1 Rack	PRIMECENTER M2 Rack	PRIMECENTER M1 Rack	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>							
<b>Rack-Infrastructure (Suite)</b>							
	PDU basic 16A IEC320 24x10A, UPS,cascade		x		S26361-F5560-L112	337,65	
	PDU Extern, Remote Display f MPH		x		S26361-F5560-L12	297,65	
	PDU basic 16A CEE red 36x10A + 12x16A		x		S26361-F5560-L130	522,35	
	PDU basic 32A CEE red 24x10A + 12x16A		x		S26361-F5560-L131	791,76	
	PDU mounting kit long f PCR M1+ M2		x		S26361-F5560-L2	51,76	
	PDU metered 16A CEE blue 17x10A + 2x16A		x		S26361-F5560-L210	817,65	
	PDU metered 32A CEE blue 30x10A + 6x16A		x		S26361-F5560-L211	931,76	
	PDU metered 16A CEE Rot 30x10A + 6x16A		x		S26361-F5560-L230	1211,76	
	PDU metered 32A CEE Rot 30x10A + 6x16A		x		S26361-F5560-L231	1712,94	
	PDU SpeedMount instalation kit PCR M2		x		S26361-F5560-L3	47,06	
	PDU managed 16A CEE blue 18x10A + 6x16A		x		S26361-F5560-L310	1537,65	
	PDU managed 32A CEE Blau 18x10A + 6x16A		x		S26361-F5560-L311	1930,59	
	PDU managed 16A CEE Rot 18x10A + 6x16A		x		S26361-F5560-L330	2230,59	
	PDU managed 32A CEE Rot 18x10A + 6x16A		x		S26361-F5560-L331	2489,41	
	PDU cable extracting preventions set C14		x		S26361-F5560-L4	117,65	
	PDU cable extracting preventions set C20		x		S26361-F5560-L5	62,35	
	PDU Phase / Feed marker set yellow		x		S26361-F5560-L6	83,53	
	PDU Phase / Feed marker set red		x		S26361-F5560-L7	83,53	
	PDU Phase / Feed marker set blue		x		S26361-F5560-L8	83,53	
	Connection kit for racks w/ sidewalls	x	x		S26361-F5561-L250	82,35	
	Velcro Quick-Strip (10 pcs.)	x	x		S26361-F5561-L271	56,47	
	Cable through 100 x 2.000 mm	x	x		S26361-F5561-L272	112,94	
	Velcro strip black (in meters - 25 m)	x	x		S26361-F5561-L273	67,06	
	Top carrier set for PCR M2 rack 800mm		x		S26361-F5561-L278	362,35	
	Brush strip for cover 42/47U rack		x		S26361-F5561-L279	56,47	
	LC TOOL KIT FOR AIR BLEEDING		x		S26361-F828-L245	228,24	
	LC TOOL KIT FOR QUICK CONNECTOR		x		S26361-F828-L246	683,53	
	Câble magmt. pour 19" DC- PC- Rack			x	S26361-F2735-L7	36,47	
	1U Câble arm pour PRIMECENTER- et 3rd-party racks	x		x	S26361-F2735-L8	47,06	
	Rack Cable Management Arm 1U	x			S26361-F2735-L81	25,88	
	Rack Cable Management Arm 2U	x			S26361-F2735-L82	36,47	
	Adapteurs angles PC/DC-Rack, 50Kg	x		x	S26361-F2735-L10	25,88	
	Paire de câbles pour 3rd party racks	x			S26361-F2201-L20	56,47	
	Boitier prises 3 phases3x 8 prises	x		x	S26361-F2262-L31	202,35	
	Boitier de prises secteur + câble + ass.10x	x		x	S26361-F2262-L40	114,12	
	Bornier de prises 8x IEC320 + IEC309 plug 32A	x		x	S26361-F2262-L45	300,00	
	Boitier prises 1x3 16A + 1x2 10A IEC321	x		x	S26361-F2262-L132	487,06	
	Boitier prises 3x3 16A + 3x2 10A IEC323	x		x	S26361-F2262-L332	1004,71	
	Ensemble de 5 prises secteur	x		x	SNP:SY-F1903L2-P	129,41	
	Bornier de 3 prises (D) Euro socket (10A)	x		x	SNP:SY-F1903L1-P	82,35	
<b>PRIMEGERY-Software</b>							
	PRIMEGERY ServerStart Bundle (abonnement)	x		x	U15000-C176	222,35	



**Accessoires PRIMECENTER** **Fiches produit : <http://fr.fujitsu.com/primergy>**

ServerView Suite, Dernière version	x	x	U15000-C289	25,88	
<b>Onduleur/Alimentation</b>					
Adaptateur APC-UPS WEB Management	x	x	S26113-F80-L30	336,47	





## Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMECENTER M1 Rack	PRIMECENTER M2 Rack	PRIMECENTER M3 Rack	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>							
<b>Onduleur/Alimentation (Suite)</b>							
	Bornier de prises 10xIEC320C13 pour UPS	x		x	S26361-F2262-L42	124,71	
	UPS PDU 50A 2U,6x16A+4x10A IEC320	x		x	S26361-F2262-L500	869,41	
	RMK-PDU 2U horizontal	x			S26361-F2735-L320	114,12	
	RMK-PDU 3U horizontal	x			S26361-F2735-L330	305,88	
	APC Online UPS RMK D/P/3rd P Racks	x		x	S26361-F2845-L1	202,35	
	Cable powercord rack, 1.8m, black	x			T26139-Y1968-L180	15,29	
	Cable powercord rack, 2.5m, black	x			T26139-Y1968-L250	15,29	
	Câble secteur (F), 1.8m, gris	x		x	T26139-Y1740-L10	15,29	
	Cordon secteur ICE320 C19->16A CEE Blue	x		x	S26361-F3151-L200	30,59	
<b>Câbles</b>							
	DX60/1/200S3 Ext.SAS Cable Encl. 3.5m x1	x			FTS:ETFKM35-L	218,82	
	SAS cable (MiniSAS – miniSAS HD) 3.0m	x			FTS:SAS-MINIHD3M-L	183,53	
	Câble SAS SFF 8088-SFF 8088 , 2.0m	x	x	x	S26361-F3246-L202	114,12	
	SAS cable (MiniSAS), 3m	x	x	x	S26361-F3246-L212	170,59	
	Câble SAS externe 4m 8088-8088	x	x	x	S26361-F3246-L402	150,59	
	Câble SAS externe 0.5 m	x	x	x	S26361-F3246-L5	67,06	
	Cable CAT 6A, RJ45, 2m	x	x	x	S26361-F3417-L602	25,88	
	SFP+ active optical cable Brocade, 7m	x			S26361-F3873-L507	325,88	
	SFP+ active optical cable Brocade, 10m	x			S26361-F3873-L510	367,06	
	QSFP+ passive Twinax Cable Fujitsu 2m	x			S26361-F3986-L402	325,88	
	QSFP+ passive Twinax Cable Fujitsu 5m	x			S26361-F3986-L405	455,29	
	QSFP+ active Twinax Cable Fujitsu 10m	x			S26361-F3986-L410	657,65	
	Câble secteur rack, 4m, gris	x		x	T26139-Y1968-L10	15,29	
	FC-Cable OM4, MMF, 5m, LC/LC	x		x	D:FCKAB-OM4-C05L-L	37,64	
	Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 2m	x		x	D:KBSAS6G-1S-1S-2M	51,76	
	FC-Cable OM4, MMF, 10m, LC/LC	x		x	D:FCKAB-OM4-C10L-L	42,08	
	Cable CAT 6A, RJ45, 3m	x		x	S26361-F3417-L603	30,59	
	FC-Cable OM4, MMF, 20m, LC/LC	x		x	D:FCKAB-OM4-C20L-L	52,85	
	FC-Cable OM4, MMF, 50m, LC/LC	x		x	D:FCKAB-OM4-C50L-L	83,14	
	Cable CAT 6A, RJ45, 10m	x		x	S26361-F3417-L610	41,18	
	FC-Cable OM3 LWL 5m LC LC	x		x	D:FCKAB-OM3-C05L-L	35,82	
	Câble SAS EXT 2m 8088-8470	x	x	x	S26361-F3246-L203	108,24	
	Cable CAT 6A, RJ45, 15m	x		x	S26361-F3417-L615	47,06	
	SFP+ active Twinax Cable Brocade 1m	x			S26361-F3873-L501	155,29	
	FC-Cable OM3 LWL 10m LC LC	x		x	D:FCKAB-OM3-C10L-L	39,31	
	SFP+ active Twinax Cable Brocade 3m	x			S26361-F3873-L503	202,35	
	FC-Cable OM3 LWL 20m LC LC	x		x	D:FCKAB-OM3-C20L-L	45,85	
	SFP+ active Twinax Cable Brocade 5m	x			S26361-F3873-L505	243,53	
	FC-Cable OM3 LWL 50m LC LC	x		x	D:FCKAB-OM3-C50L-L	67,11	
	FC cable MMF, 5m, LC/SC	x		x	D:FCKAB-MM-B05L-L	34,20	
	FC cable MMF, 10m, LC/SC	x		x	D:FCKAB-MM-B10L-L	36,92	
	Câble SAS EXT 4m 8088-8470	x	x	x	S26361-F3246-L403	140,00	



## Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

FC cable MMF, 20m, LC/SC	x	x	D:FCKAB-MM-B20L-L	43,89	
Câble FC SMF 10m, Connecteur LC-LC	x	x	D:FCKAB-SM-C10L-L	60,75	
Câble FC SMF 20m, Connecteur LC-LC	x	x	D:FCKAB-SM-C20L-L	68,27	



## Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMECENTER M1 Rack	PRIMECENTER M2 Rack	PRIMECENTER M3 Rack	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>							
<b>Câbles (Suite)</b>							
	SFP+ active Twinax cable BRCD 1m UPG	x		x	EBR800-TWX-1M-L	118,82	
	Câble SFP Attached + Cop, 3m UPG	x		x	EBR800-TWX-3M-L	152,09	
	Câble SFP Direct Attached + Cop, 5m UPG	x		x	EBR800-TWX-5M-L	196,46	
	Switch Console KVM S2 adaptateur PS/2-VGA	x		x	S26361-F2293-L201	103,53	
	Switch Console KVM S2 adaptateur USB-VGA	x		x	S26361-F2293-L202	103,53	
	Switch Console, câble KVM-S2 CAT5, 5m	x		x	S26361-F2293-L50	15,29	
	Switch Console, câble KVM-S2 CAT5, 2m	x		x	S26361-F2293-L20	10,59	
	Switch Console, câble KVM-S2 CAT5, 10m	x		x	S26361-F2293-L10	21,18	
<b>Additional Software</b>							
	OPENFT-CR (WINDOWS) V10.0	x		x	U11081-C199	12,94	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x		x	U11081-C411	1189,41	
	OPENFT-FTP-3 (WINDOWS) V12.0	x		x	U11081-C423	1580,00	
	OPENFT-1 (WINDOWS) V11.0	x		x	U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x		x	U11081-C311	1081,18	
	OPENFT-2 (WINDOWS) V11.0	x		x	U11081-C302	1760,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	x		x	U11081-C312	1760,00	
	OPENFT-3 (WINDOWS) V11.0	x		x	U11081-C303	3518,82	
	OPENFT-FTAM-3 (WINDOWS) V11.0	x		x	U11081-C313	3518,82	
	OPENFT-SW-CD (WINDOWS) V11.0	x		x	U11081-C300	27,06	



## Positionnement PRIMERGY Scale-out



SERVEURS PRIMERGY MULTI-NODE	Châssis 4 emplacements	Châssis 2 emplacements
	CX400 M1	CX400 M1
Type de nœud serveurs	CX2550 M1	CX2570 M1
Format	Rack 2U	Rack 2U
Nb d'emplacement Avant	24 (4x6) x 2.5" SAS/SATA/SSD non partagé	12 (2x6) x 2.5" SAS/SATA/SSD non partagé
Nb d'emplacement Arrière	2x Nodes CX2550 M1 2x Alim hot-plug	2x Nodes CX2570 M1 2x Alim hot-plug
Alimentation Redondante	OUI	OUI
Alimentation output	2x Alim 1600W hot-Plug (94%)	2x Alim 1600W hot-Plug (94%)
Ventilateurs	4x Ventilateurs non hot-Plug	4x Ventilateurs non hot-Plug



SERVEURS PRIMERGY MULTI-NODE	Serveur Intel 2-socket	Serveur Intel 2-socket
	CX2550 M2	CX2570 M1
Format	1U	2U
Nb max. par châssis	4 dans CX400 S2	2 dans CX400 S2
Chipset	Intel® C610	Intel® C610
Processeurs	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697v4(18C)/2698v4(20C)/2699v4(22C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697v4(18C)/2698v4(20C)/2699v4(22C)
Mémoire	2 CPU en Std	2 CPU en Std
Mémoire	16 à 1024 Go   DDR-4   16 Slots	16 à 1024 Go   DDR-4   16 Slots
Disques Durs	6x 2.5" (châssis)	6x 2.5" (châssis)
Contrôleur RAID interne	RAID 0/1 Disque interne	RAID 0/1 Disque interne
Slots PCI (I/O)	2x PCIe Gen3	4x PCIe Gen3
Carte GPGPU	-	1x NVIDIA® Tesla™ ou 1x Intel® Xeon Phi™
Ctrl LAN intégré	3/2x Gigabit 1x Gigabit - administration	3/2x Gigabit 1x Gigabit - administration
Ctrl graphique intégré	1 x VGA	1 x VGA
Ports USB	2	2
Administration	ServerView Suite	ServerView Suite
Systèmes d'exploitation	WindowsServer 2008 R2/ 2012 Red Hat; SuSe Linux Hyper-V Server 2008/2012 VMware vSphere, Citrix XenServer	WindowsServer 2008 R2/ 2012 Red Hat; SuSe Linux Hyper-V Server 2008/2012 VMware vSphere, Citrix XenServer



## PRIMERGY CX400 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Avec le serveur PRIMERGY CX400 M1 de Fujitsu, les entreprises ainsi que les institutions de développement et de recherche peuvent maintenant faire face aux défis d'envergure qui les attendent. Le système rack de 2U contient jusqu'à quatre nœuds serveur, 8 processeurs Intel® Xeon® et 64 modules de mémoire DIMM DDR4, offrant ainsi des niveaux de performance et d'efficacité énergétique inégalés. Le système évolutif s'adapte parfaitement à une variété d'applications grâce à sa grande modularité. Lorsque de nouveaux besoins apparaissent, des nœuds serveur, des cartes de co-processeur ou des disques durs supplémentaires peuvent être ajoutés. Le PRIMERGY CX400 M1 l'emporte sur les serveurs rack traditionnels grâce à sa double densité de serveur ainsi que ses coûts matériels et d'exploitation peu élevés. Le système est ainsi un composant répliquable idéal pour la mise en oeuvre de solutions scale-out à grande échelle.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>					
<b>PRIMERGY CX400 M1</b>					
	PY CX400 M1 chassis for CX2550 M1/M2	2U Systemunit for up to 4x CX2550 M1, HDD cage for 24x 2.5" HDD/SSD shared between the number of installed Server Nodes. All empty node slots closed with Dummy pannels. ServerView Suite.	S26361-K1530-V100	998,82	
	PY CX400 M1 chassis for CX2570 M1/M2	2U System unit for up to 2x CX2570 M1, HDD cage for 12x 2.5" HDD/SSD shared between the number of installed Server Nodes. , All empty node slots closed with Dummy pannels. ServerView Suite.	S26361-K1530-V200	1147,06	
	PY CX400 M1 for CX2550 M1/M2 8x 2.5 HDD	2 U Systemunit for up to 4 CX- Server Nodes, HDD cage w/o expander for 24x 2.5" HDD shared between the number of installed Server Nodes. , All empty node slots closed with Dummy pannels, ServerView Suite	S26361-K1530-V300	1268,24	



## PRIMERGY CX2550

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY CX2550 M1 et M2 est un noeud serveur compact offrant une densité de calcul très élevée avec quatre serveurs indépendants dans un châssis 2U. Il est idéal pour le Cloud, les clusters et les besoins en informatique hautes performances (HPC), mais également pour les environnements dédiés aux grosses données. Associés dans un système à noeuds multiples PRIMERGY CX400 M1, les serveurs offrent une performance évolutive totale exceptionnelle grâce aux 8 processeurs de la dernière gamme Intel® Xeon® E5-2600 v3 et v4, aux 64 modules de mémoire DIMM DDR4 et aux 24 emplacements pour disques de stockage dans un boîtier rack 2U. Grâce à un potentiel de performance exceptionnel, une efficacité énergétique élevée et un coût d'investissement attractif, le PRIMERGY CX2550 M1 offre une grande polyvalence et permet d'envisager des charges de travail ambitieuses.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>					
<b>PRIMERGY CX2550 M1</b>					
	PRIMERGY CX2550 M1 air cooling	PY CX2550 M1	S26361-K1531-V200	1190,59	
	PRIMERGY CX2550 M1 liquid cooling	Condensed half-width-1U server; up to 4x CX2550 M1 into a CX400 M1 2U chassis; Intel Xeon E5-2600 v3 product family; 16 DIMMs per server node with up to 512 GB DDR4 memory and up to 2,133 MHz DRAM bandwidth; variable local storage: 6x 2.5" storage drives per node, 6x 2.5" HDD/SSD or 4x 2.5" HDD/SSD + 2x 2.5" PCIe SSD, 1x SATA DOM, UFM; Fan-less server node with shared power and cooling; hot-plug for server nodes, power supplies and disk drives enable enhanced availability and easy serviceability; iRMC S4 Intég. server management; ServerView Suite Software Pack	S26361-K1531-V210	1604,71	
<b>PRIMERGY CX2550 M2</b>					
	PY CX2550 M2 air cooling	Condensed half-width-1U server; up to 4x CX2550 M2 into a CX400 M1 2U chassis; Intel Xeon E5-2600 v4 product family; 16 DIMMs per server node with up to 1024 GB DDR4 memory and up to 2,400 MHz DRAM bandwidth; variable local storage: 6x 2.5" storage drives per node, 6x 2.5" HDD/SSD or 4x 2.5" HDD/SSD + 2x 2.5" PCIe SSD, 1x SATA DOM, UFM; Fan-less server node with shared power and cooling; hot-plug for server nodes, power supplies and disk drives enable enhanced availability and easy serviceability; iRMC S4 Intég. server management; ServerView Suite Software Pack	S26361-K1568-V200	1283,53	
	PY CX2550 M2 liquid cooling	Liquid-cooled half-width-1U server; up to 4x CX2550 M2 into a CX400 M1 2U chassis; Intel Xeon E5-2600 v4 product family; 16 DIMMs per server node with up to 1024 GB DDR4 memory and up to 2,400 MHz DRAM bandwidth; variable local storage: 6x 2.5" storage drives per node, 6x 2.5" HDD/SSD or 4x 2.5" HDD/SSD + 2x 2.5" PCIe SSD, 1x SATA DOM, UFM; Fan-less server node with shared power and cooling; hot-plug for server nodes, power supplies and disk drives enable enhanced availability and easy serviceability; iRMC S4 Intég. server management; ServerView Suite Software Pack	S26361-K1568-V210	1687,06	



**PRIMERGY CX2570**

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY CX2570 est un noeud serveur compact offrant une densité de calcul très élevée avec deux serveurs indépendants dans un châssis 2U. Il est idéal pour les solutions HPC, d'analyse et de virtualisation particulièrement exigeantes. Deux noeuds serveur peuvent être intégrés dans le boîtier PRIMERGY CX400 M1 qui occupe seulement l'espace équivalent à 2U d'un rack de Datacenter standard traditionnel. Le PRIMERGY CX2570 M1 associe des performances de calcul et graphiques très élevées à une grande efficacité énergétique. Chaque noeud serveur demi-largeur équipé d'un processeur de la gamme Intel® Xeon® E5-2600 v3, v4 et de 16 modules de mémoire DIMM DDR4, comprend jusqu' à deux cartes graphiques NVIDIA® GPGPU ou de co-processeur Intel® Xeon Phi™ pour des performances

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>PRIMERGY CX2570 M1</b>					
	PRIMERGY CX2570 M1 air cooling	PY CX2570 M1	S26361-K1532-V200	1615,29	
<b>PRIMERGY CX2570 M2</b>					
	PY CX2570 M2 air cooling	Condensed half-width-2U server; Up to 2x CX2570 M2 into a CX400 M1 2U chassis; Intel Xeon E5-2600 v2 product family; 16 DIMMs per server node with up to 1024 GB DDR4 memory and up to 2,400 MHz DRAM bandwidth; Optional high-end GPGPU/co-processor cards (Nvidia Tesla, Grid or Intel Xeon Phi); Variable local storage: 6x 2.5" storage drives per node, 12 in total; Fan-less server node with shared power and cooling; Hot-plug for server nodes, power supplies and disk drives enable enhanced availability and easy serviceability; iRMC S4 Intég. server management; ServerView Suite Software Pack	S26361-K1569-V200	1615,29	



## Accessoires serveurs scale-out PRIMERGY CX

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>																	
<b>Processor</b>																	
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz				x		x								S26361-F3933-L703	440,00	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz				x		x								S26361-F3933-L709	569,41	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz				x		x								S26361-F3933-L720	735,29	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz				x		x								S26361-F3933-L723	745,88	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz				x		x								S26361-F3933-L730	1065,88	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz				x		x								S26361-F3933-L740	1449,41	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz				x		x								S26361-F3933-L750	1764,71	
<b>Mémoire Modules</b>																	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC		x							x					S26361-F3781-L614	129,41	
	8GB (1x8GB) 1Rx4 DDR4-2133 R ECC			x											S26361-F3843-L614	185,88	
	8GB (1x8GB) 1Rx4 DDR4-2400 R ECC				x		x								S26361-F3934-L611	185,88	
	16GB (1x16GB) 2Rx4 DDR4-2133 R ECC			x											S26361-F3843-L616	315,29	
	8GB (1x8GB) 1Rx4 L DDR3-1600 R ECC		x						x						S26361-F3781-L615	176,47	
	16GB (1x16GB) 2Rx4 DDR4-2400 R ECC				x		x								S26361-F3934-L612	315,29	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC		x						x						S26361-F3781-L616	305,88	
	8GB (1x8GB) 2Rx8 DDR4-2133 R ECC			x											S26361-F3843-L615	228,24	
	32GB (1x32GB) 2Rx4 DDR4-2400 R ECC				x		x								S26361-F3934-L615	740,00	
	16GB (1x16GB) 2Rx4 DDR3-1866 R ECC		x						x						S26361-F3793-L616	418,82	
	32GB (1x32GB) 4Rx4 DDR4-2133 LR ECC			x											S26361-F3844-L617	864,71	
	64GB (1x64GB) 4Rx4 DDR4-2133 LR ECC			x											S26361-F3844-L618	1863,53	
	16GB (1x16GB) 2Rx8 DDR4-2400 R ECC				x		x								S26361-F3934-L613	362,35	
	8GB (1x8GB) 2Rx8 DDR3-1866 R ECC		x						x						S26361-F3793-L615	300,00	
	32GB (1x32GB) 4Rx4 L DDR3-1600 LR ECC		x							x					S26361-F3782-L617	787,06	
	64GB (1x64GB) 4Rx4 DDR4-2400 LR ECC				x		x								S26361-F3935-L616	1863,53	
	Mem. 4Go 1Rx4 L DDR3-1600 R ECC		x								x				S26361-F3697-L614	129,41	
	Mem. 8Go 2Rx4 L DDR3-1600 R ECC		x						x		x				S26361-F3697-L615	202,35	
	Mem. 16Go 2Rx4 L DDR3-1600 R ECC		x								x				S26361-F3697-L616	305,88	
	Mem. 32Go 4Rx4 L DDR3-1333 LR ECC		x						x						S26361-F3698-L617	714,12	
<b>Graphics</b>																	
	PACC CP NVIDIA Tesla K80					x									S26361-F2222-L80	9949,41	
	PGRA CP NVIDIA GRID K1					x			x						S26361-F2222-L914	3054,12	
	PGRA CP NVIDIA GRID K2					x			x						S26361-F2222-L924	6149,41	
	PGRA CP NVIDIA Tesla M60					x	x								S26361-F2222-L964	9307,06	
	Mounting kit for CX2570								x						S26361-F3736-L500	30,59	
	mounting kit for Tesla K80								x						S26361-F3736-L510	30,59	
	Intel Xeon Phi Co-Processor 3120P						x			x					S26361-F4100-L312	2748,24	
	Intel Xeon Phi Co-Processeur 7120P						x			x					S26361-F4100-L712	6211,76	
<b>Supports amovibles</b>																	
	6x 2.5" HDD/SSD (SAS/SATA only) kit			x		x									S26361-F5519-L10	191,76	
	6x 2.5" HDD/SSD (SAS/SATA PCIe) kit			x		x									S26361-F5519-L20	254,12	
<b>Hard Disks</b>																	
	DD SATA 6G 1To 7.2K NO HOT P 2.5' BC										x				S26361-F3710-L100	409,41	
	DD SATA 6G 250Go 7.2K NO HOT P 2.5' BC										x				S26361-F3710-L250	232,94	
	DD SATA 6G 500Go 7.2K NO HOT P 2.5' BC										x				S26361-F3710-L500	263,53	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5' BC				x	x	x	x							S26361-F3936-L100	409,41	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5' BC					x	x	x	x						S26361-F3936-L200	720,00	
	HD SAS 6G 600GB 15K HOT PL 2.5" EP		x	x					x	x					S26361-F4568-L560	1112,94	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP											x			S26361-F5245-L545	651,76	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP												x		S26361-F5245-L560	890,59	
	SSD SAS 12G 1.6TB Main 2.5" H-P EP				x										S26361-F5298-L160	9876,47	
	SSD SAS 12G 200GB Main 2.5" H-P EP				x										S26361-F5298-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP				x										S26361-F5298-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP					x									S26361-F5298-L800	5171,76	
	SSD SAS 12G 1.6TB Main 3.5" H-P EP			x					x	x					S26361-F5300-L160	9876,47	
	SSD SAS 12G 200GB Main 3.5" H-P EP			x					x	x					S26361-F5300-L200	1434,12	
	SSD SAS 12G 400GB Main 3.5" H-P EP			x					x	x					S26361-F5300-L400	2717,65	
	SSD SAS 12G 800GB Main 3.5" H-P EP			x					x	x					S26361-F5300-L800	5171,76	
	SSD SATA 6G 400GB Main 2.5" H-P EP			x							x				S26361-F5304-L400	3054,12	
	SSD SATA 6G 100GB Main 2.5" N H-P EP											x			S26361-F5306-L100	610,59	
	SSD SATA 6G 200GB Main 2.5" N H-P EP												x		S26361-F5306-L200	1211,76	
	SSD SATA 6G 120GB ReadIntensive 2.5" H-P			x		x									S26361-F5525-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5" H-P			x		x									S26361-F5525-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5" H-P			x		x									S26361-F5525-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 2.5" H-P			x		x									S26361-F5525-L800	2189,41	
	SSD SATA 6G 120GB Boot 2.5" N H-P											x			S26361-F5529-L120	362,35	
	SSD SATA 6G 240GB Boot 2.5" N H-P												x		S26361-F5529-L240	761,18	
	SSD SATA 6G 480GB Boot 2.5" N H-P												x		S26361-F5529-L480	1345,88	





**Accessoires serveurs scale-out PRIMERGY CX** **Fiches produit : <http://fr.fujitsu.com/primergy>**

HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP			x	x	x	x							S26361-F5550-L112	720,00
HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP			x	x	x	x							S26361-F5550-L130	263,53
HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP			x	x	x	x							S26361-F5550-L160	496,47
HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP			x	x	x	x							S26361-F5550-L190	651,76
SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP					x								S26361-F5588-L120	325,88
SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP					x								S26361-F5588-L192	4270,59



**Accessoires serveurs scale-out PRIMERGY CX** Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)	Hard Disks (Suite)																
	SSD SATA 6G 240GB Mixed-Use 2.5" H-P EP				x	x									S26361-F5588-L240	621,18	
	SSD SATA 6G 480GB Mixed-Use 2.5" H-P EP				x	x									S26361-F5588-L480	1185,88	
	SSD SATA 6G 960GB Mixed-Use 2.5" H-P EP				x	x									S26361-F5588-L960	2247,06	
	SSD SATA 6G 1.2TB Write-Int. 2.5" H-P EP				x	x									S26361-F5592-L120	4555,29	
	SSD SATA 6G 200GB Write-Int. 2.5" H-P EP				x	x									S26361-F5592-L200	797,65	
	SSD SATA 6G 400GB Write-Int. 2.5" H-P EP				x	x									S26361-F5592-L400	1552,94	
	SSD SATA 6G 800GB Write-Int. 2.5" H-P EP				x	x									S26361-F5592-L800	3032,94	
	HDD Dummy Frame Slim 2.5"			x	x	x	x								S26361-F5601-L25	10,59	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC			x	x										S26361-F3895-L250	211,76	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC			x	x										S26361-F3895-L500	243,53	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC			x		x									S26361-F3895-L100	377,65	
	DD SAS 6G 300Go 10K HOT PL 3.5" EP									x					S26361-F5244-L130	263,53	
	DD SAS 6G 450Go 10K HOT PL 3.5" EP									x					S26361-F5244-L145	403,53	
	DD SAS 6G 600Go 10K HOT PL 3.5" EP									x					S26361-F5244-L160	491,76	
	DD SAS 6G 900Go 10K HOT PL 3.5" EP									x					S26361-F5244-L190	631,76	
	SSD SATA 6G 64GB DOM N H-P			x											S26361-F5523-L64	124,71	
	SSD PCIe3 800GB Main 2.5" H-P EP			x		x									S26361-F5534-L800	5461,18	
	SSD SATA 6G 128GB DOM N H-P			x											S26361-F5523-L128	217,65	
	SSD PCIe3 1.6TB Main 2.5" H-P EP			x		x									S26361-F5534-L161	10917,65	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP			x	x										S26361-F5537-L130	263,53	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP			x	x										S26361-F5537-L145	403,53	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP			x	x										S26361-F5537-L160	491,76	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP			x	x										S26361-F5537-L190	631,76	
	DD SAS 6G 300Go 15K HOT PL 3.5" EP									x					S26361-F5245-L530	481,18	
	SSD PCIe3 2TB Main 2.5" H-P EP			x		x									S26361-F5534-L201	14287,06	
	HD SAS 6G 1.2TB 10K HOT PL 2.5" EP			x	x										S26361-F5537-L112	670,59	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP			x	x										S26361-F5538-L514	232,94	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP			x	x										S26361-F5538-L530	465,88	
	HD SAS 6G 450GB 15K HOT PL 2.5" EP			x	x										S26361-F5538-L545	662,35	
	HD SAS 6G 600GB 15K HOT PL 2.5" EP			x	x										S26361-F5538-L560	880,00	
	DD SATA 6Gb/s 500Go 7.2K HOT PL 3.5" BC MNS	x	x					x	x						S26361-F3711-L500	284,71	
	DD SATA 6Gb/s 1To 7.2K HOT PL 3.5" BC MNS	x	x					x	x						S26361-F3711-L100	315,29	
	DD SATA 6G 3To 7.2K HOT PL 3.5" BC MNS	x	x					x	x						S26361-F3711-L300	677,65	
	DD SAS 6G 1To 7.2K HOT PL 3.5" BC			x				x		x					S26361-F5242-L100	336,47	
	DD SAS 6G 2To 7.2K HOT PL 3.5" BC			x				x	x	x					S26361-F5242-L200	496,47	
	DD SAS 6G 3To 7.2K HOT PL 3.5" BC			x				x	x	x					S26361-F5242-L300	688,24	
	DD SAS 6G 4To 7.2K HOT PL 3.5" BC			x				x	x	x					S26361-F5242-L400	791,76	
	SSD SATA 6G 100GB Main 2.5" H-P EP				x										S26361-F3821-L100	610,59	
	DD SAS 6G 500Go 7.2K HOT PL 2.5" BC MNS	x						x							S26361-F5229-L500	289,41	
	SSD SATA 6G 200GB Main 2.5" H-P EP				x		x								S26361-F3821-L200	1211,76	
	DD SAS 6G 1To 7.2K HOT PL 2.5" BC MNS	x						x							S26361-F5229-L100	507,06	
	DD SATA 6Gb/s 250Go 7.2K hot-plug 2.5" BC	x	x					x	x						S26361-F3709-L250	289,41	
	DD SATA 6Gb/s 500Go 7.2K hot-plug 2.5" BC	x	x					x	x						S26361-F3709-L500	331,76	
	SSD SATA 6G 400GB Main 2.5" H-P EP				x		x								S26361-F3821-L400	2443,53	
	DD SATA 6Gb/s 1To 7.2K hot-plug 2.5" BC	x	x					x	x						S26361-F3709-L100	512,94	
	SSD SATA 6G 800GB Main 2.5" H-P EP				x		x								S26361-F3821-L800	4891,76	
	DD SAS 6Gb/s 300Go 10K HOT PL 2.5" EP	x	x					x	x						S26361-F4568-L130	331,76	
	HD SAS 12G 600GB 10K 512e HOT PL 2.5" EP				x		x								S26361-F5543-L160	496,47	
	HD SAS 12G 900GB 10K 512e HOT PL 2.5" EP				x		x								S26361-F5543-L190	651,76	
	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5" EP				x		x								S26361-F5543-L112	720,00	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5" EP				x		x								S26361-F5543-L118	1149,41	
	DD SAS 6Gb/s 600Go 10K HOT PL 2.5" EP	x	x					x	x						S26361-F4568-L160	616,47	
	DD SAS 6Gb/s 900Go 10K HOT PL 2.5" EP	x	x					x	x						S26361-F4568-L190	832,94	
	HD SAS 6G 1.2TB 10K HOT PL 2.5" EP	x	x					x	x						S26361-F4568-L112	962,35	
	HD SAS 12G 300GB 15K HOT PL 2.5" EP				x		x								S26361-F5531-L530	502,35	
	HD SAS 12G 450GB 15K HOT PL 2.5" EP				x		x								S26361-F5531-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 2.5" EP				x		x								S26361-F5531-L560	869,41	
SCSI/RAID/SAS controller	PSAS CP200i									x					S26361-F3554-L118	170,59	
	PRAID CP400i FH/LP			x		x									S26361-F3842-L501	217,65	
	PSAS CP400e FH/LP			x											S26361-F3845-L501	367,06	
	iBBU pour ctrl RAID avec câble pour CX2y0	x	x					x	x						S26361-F4575-L510	181,18	
	PRAID EP400i FH/LP			x											S26361-F5243-L1	418,82	
	PRAID EP420i FH/LP			x											S26361-F5243-L2	444,71	
	SAS/SATA CABLE FOR ONB. SATA CONTROLLER			x		x									S26361-F5552-L330	36,47	
	SAS/SATA CABLE FOR MODULAR RAID			x		x									S26361-F5552-L350	36,47	
	TFM module for FBU on PRAID EP420i/e			x											S26361-F5243-L200	228,24	



**Accessoires serveurs scale-out PRIMERGY CX** **Fiches produit : <http://fr.fujitsu.com/primergy>**

RAID Advanced Software Options			x		x							S26361-F5243-L660	228,24
RAID Advanced SW Option CacheCade			x	x	x	x						S26361-F5243-L670	228,24
<b>Fibre Channel</b>													
Ctrl FC 8Gbit/s 1 Canal LPe1250 MMF LC LP			x	x		x			x	x		S26361-F3961-L201	890,59
Ctrl FC 8Gbit/s 2 canaux LPe12002 MMF LC LP			x	x		x			x	x		S26361-F3961-L202	1434,12
PFC EP LPe16002			x	x	x		x		x	x		S26361-F4994-L502	2044,71



**Accessoires serveurs scale-out PRIMERGY CX**

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>																	
<b>Fibre Channel (Suite)</b>																	
	PFC EP QLE2672			x											S26361-F5313-L502	2458,82	
<b>Connection Blades</b>																	
	Intel IB Cu Cable 40Gb, 4x QSFP, 3m	x	x	x		x		x	x	x					S26361-F3996-L203	88,24	
	Intel IB FO Cable 40Gb, 4x QSFP, 10m	x	x	x		x		x	x	x					S26361-F3996-L210	388,24	
	Infiniband Cu Cable 100Gb, QSFP, 3m				x	x									S26361-F5549-L563	232,94	
	Infiniband Cu Cable 100Gb, QSFP, 1m				x	x	x								S26361-F5549-L561	170,59	
	Module SFP+ Multi Mode Fiber 10GbE LC				x	x		x	x	x					S26361-F3986-L3	465,88	
	SFP+ Module Single Mode Fiber 10GbE LC				x	x		x	x						S26361-F3986-L4	1320,00	
	SFP+ active Twinax Cable Fujitsu 2m				x	x		x	x	x					S26361-F3989-L102	181,18	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 1m	x	x	x		x		x	x	x					S26361-F3996-L101	98,82	
	SFP+ active Twinax Cable Fujitsu 5m				x	x		x	x	x					S26361-F3989-L105	228,24	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 3m	x	x	x		x		x	x	x					S26361-F3996-L103	124,71	
	SFP+ active Twinax Cable Fujitsu 10m				x	x		x	x	x					S26361-F3989-L110	269,41	
	Infiniband Cu Cable 56Gb, 4x QSFP, 1m				x	x	x								S26361-F3996-L561	134,12	
	Infiniband Cu Cable 56Gb, 4x QSFP, 3m				x	x	x								S26361-F3996-L563	202,35	
<b>Communication/Réseau</b>																	
	PY Eth Mezz Card 10Gb 2 Port f CX2y0	x	x												S26361-F4575-L2	532,94	
	Contrôleur Ethernet 2x10Gbit PCIe x8 D2755 SFP+			x	x			x	x	x					S26361-F3629-L502	647,06	
	Eth Ctrl 2x10GBase-T PCIe x8 X540-T2	x	x	x		x		x	x	x					S26361-F3752-L502	838,82	
	PCNA QSFP+ MMF module for OCe14401				x	x									S26361-F5539-L140	2174,12	
	PCNA EP OCe14401 1x 40Gb				x	x									S26361-F5539-L501	1915,29	
	PCNA SFP+ MMF Module for OCe14102				x	x									S26361-F5250-L110	465,88	
	PCNA EP OCe14102 2x 10Gb				x	x									S26361-F5250-L501	1480,00	
	PIB EP QLE7340e	x	x	x		x		x	x						S26361-F4475-L122	409,41	
	PIB EP QLE7342e	x	x	x		x		x	x						S26361-F4475-L222	455,29	
	PLAN CP 2x1Gbit Cu Intel I350-T2	x	x	x		x		x	x	x					S26361-F4610-L502	196,47	
	PLAN CP 4x1Gbit Cu Intel I350-T4	x	x	x		x		x	x	x					S26361-F4610-L504	461,18	
	IB HCA 40Gb 1 port QDR enhanced	x	x	x		x		x	x	x					S26361-F4475-L103	765,88	
	IB HCA 40Gb 2 port QDR enhanced	x	x	x		x		x	x	x					S26361-F4475-L203	1185,88	
	Contrôleur Infiniband 56Gb 1 port FDR	x	x	x		x		x	x	x					S26361-F4533-L102	1004,71	
	Contrôleur Infiniband 56Gb 2 ports FDR	x	x	x		x		x	x	x					S26361-F4533-L202	1604,71	
	PIB EP 100Gb 1 port EDR ConnectX-4				x	x									S26361-F5540-L102	1231,76	
	PIB EP 100Gb 2 port EDR ConnectX-4				x	x									S26361-F5540-L202	1930,59	
<b>Rack-Infrastructure</b>																	
	CX400 dummy server node										x		x		S26361-F4574-L100	21,18	
	Adapteurs angles PC/DC-Rack, 50Kg										x				S26361-F2735-L10	25,88	
	Paire de câbles pour 3rd party racks										x		x		S26361-F2201-L20	56,47	
<b>PRIMERGY-Software</b>																	
	eLCM Activation Pack				x		x								BDL:ELCM-PACK	36,47	
	iRMC S4 advanced pack (NL)			x	x	x									S26361-F1790-L244	315,29	
	VMware vSphere Embed. UFM 8 GB Device	x		x		x		x	x						S26361-F2341-D433	124,71	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D230	3775,00	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D231	3775,00	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D232	3775,00	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x		x		x	x						S26361-F2344-D233	5185,00	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x	x		x		x	x						S26361-F2344-D234	5185,00	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x	x		x		x	x						S26361-F2344-D235	5185,00	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D236	945,00	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D237	945,00	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D238	945,00	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D239	9445,00	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D240	9445,00	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D241	9445,00	
	VMware vSOM STD Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D300	8878,82	
	VMware vSOM STD Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D301	8878,82	
	VMware vSOM STD Acc Kit 6CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D302	8878,82	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D303	17343,53	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D304	17343,53	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D305	17343,53	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D306	20901,18	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D307	20901,18	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D308	20901,18	
	VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D310	884,71	
	VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D311	884,71	
	VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D312	884,71	
	VMware vSphere ENT for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D313	2554,12	
	VMware vSphere ENT for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D314	2554,12	



**Accessoires serveurs scale-out PRIMERGY CX** **Fiches produit : <http://fr.fujitsu.com/primergy>**

VMware vSphere ENT for 1 CPU w/o SP-5yr	x	x	x		x		x	x					S26361-F2344-D315	2554,12
VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x		x		x	x					S26361-F2344-D316	3108,24
VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x		x		x	x					S26361-F2344-D317	3108,24
VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x		x		x	x					S26361-F2344-D318	3108,24
VMware vSOM STD for 1 CPU w/o SP-1yr	x	x	x				x						S26361-F2344-D320	1547,06
VMware vSOM STD for 1 CPU w/o SP-3yr	x	x	x				x						S26361-F2344-D321	1547,06



### Accessoires serveurs scale-out PRIMERGY CX

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
<b>PRIMERGY-Software (Suite)</b>																	
	VMware vSOM STD for 1 CPU w/o SP-5yr	x	x	x				x							S26361-F2344-D322	1547,06	
	VMware vSOM ENT for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D323	3227,06	
	VMware vSOM ENT for 1 CPU w/o SP-3yr	x	x	x				x							S26361-F2344-D324	3227,06	
	VMware vSOM ENT for 1 CPU w/o SP-5yr	x	x	x				x							S26361-F2344-D325	3227,06	
	VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x				x							S26361-F2344-D326	3770,59	
	VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x				x							S26361-F2344-D327	3770,59	
	VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x				x							S26361-F2344-D328	3770,59	
	VMW Essentials Plus Kit w/o SP-1yr	x	x	x				x							S26361-F2344-D330	3068,24	
	VMW Essentials Plus Kit w/o SP-3yr	x	x	x				x							S26361-F2344-D331	3068,24	
	VMW Essentials Plus Kit w/o SP-5yr	x	x	x				x							S26361-F2344-D332	3068,24	
	VMW Essentials Kit + Subscription-1yr	x	x	x				x							S26361-F2344-D340	571,76	
	VMW Essentials Kit + Subscription-3yr	x	x	x				x							S26361-F2344-D341	774,12	
	VMW Essentials Kit + Subscription-5yr	x	x	x				x							S26361-F2344-D342	996,47	
	VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x				x							S26361-F2344-D343	2663,53	
	VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x				x							S26361-F2344-D344	2663,53	
	VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x				x							S26361-F2344-D345	2663,53	
	VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x				x							S26361-F2344-D346	3997,65	
	VMW ROBO AVD 25 VMs w/o SP-3yr	x	x	x				x							S26361-F2344-D347	3997,65	
	VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x				x							S26361-F2344-D348	3997,65	
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D350	2010,59	
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D351	2010,59	
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D352	2010,59	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D353	4027,06	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D354	4027,06	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D355	4027,06	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D365	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D366	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D367	404,71	
	VMW VSAN for ROBO w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D368	10030,59	
	VMW VSAN for ROBO w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D369	10030,59	
	VMW VSAN for ROBO w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D370	10030,59	
	VMW VSAN Advanced for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D371	3216,47	
	VMW VSAN Advanced for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D372	3216,47	
	VMW VSAN Advanced for 1 CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D373	3216,47	
	VMW VSAN ADV DT 10-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D374	805,88	
	VMW VSAN ADV DT 10-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D375	805,88	
	VMW VSAN ADV DT 10-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D376	805,88	
	VMW VSAN ADV DT 100-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D377	8058,82	
	VMW VSAN ADV DT 100-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D378	8058,82	
	VMW VSAN ADV DT 100-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D379	8058,82	
	VMware vCloud Suite 6 STD w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D380	4442,35	
	VMware vCloud Suite 6 STD w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D381	4442,35	
	VMware vCloud Suite 6 STD w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D382	4442,35	
	VMware vCloud Suite 6 ADV w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D383	6665,88	
	VMware vCloud Suite 6 ADV w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D384	6665,88	
	VMware vCloud Suite 6 ADV w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D385	6665,88	
	VMware vCloud Suite 6 ENT w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D386	10228,24	
	VMware vCloud Suite 6 ENT w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D387	10228,24	
	VMware vCloud Suite 6 ENT w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D388	10228,24	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x		x		x		x	x						S26361-F2344-L230	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x		x		x		x	x						S26361-F2344-L231	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x		x		x		x	x						S26361-F2344-L232	4329,41	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr	x		x		x		x	x						S26361-F2344-L233	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr	x		x		x		x	x						S26361-F2344-L234	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr	x		x		x		x	x						S26361-F2344-L235	5947,06	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x		x		x		x	x						S26361-F2344-L236	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x		x		x		x	x						S26361-F2344-L237	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x		x		x		x	x						S26361-F2344-L238	1082,35	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x		x		x		x	x						S26361-F2344-L239	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x		x		x		x	x						S26361-F2344-L240	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x		x		x		x	x						S26361-F2344-L241	10834,12	
	VMW vSOM STD Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L300	10407,06	
	VMW vSOM STD Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L301	10407,06	
	VMW vSOM STD Acc Kit 6CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-L302	10407,06	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L303	20327,06	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L304	20327,06	
	VMware vSOM ENT Acc Kit 6CPU w/o SP-5yr	x		x				x							S26361-F2344-L305	20327,06	



**Accessoires serveurs scale-out PRIMERGY CX** **Fiches produit : <http://fr.fujitsu.com/primergy>**

VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x					S26361-F2344-L306	24494,12
VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x					S26361-F2344-L307	24494,12
VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x		x				x						S26361-F2344-L308	24494,12
VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x		x		x	x					S26361-F2344-L310	1028,24
VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x		x		x	x					S26361-F2344-L311	1028,24
VMware vSphere STD for 1 CPU w/o SP-5yr	x		x		x		x	x					S26361-F2344-L312	1034,12



### Accessoires serveurs scale-out PRIMERGY CX

Fiches produit : <http://fr.fujitsu.com/primergy>

		PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
--	--	-------------------	-------------------	--------------------	--------------------	--------------------	--------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-----------	--------------------	-----------

Catégorie Description

Accessoires (Matrice)

#### PRIMERGY-Software (Suite)

VMware vSphere ENT for 1 CPU w/o SP-1yr	x	x	x		x		x	x							S26361-F2344-L313	2960,00	
VMware vSphere ENT for 1 CPU w/o SP-3yr	x	x	x		x		x	x							S26361-F2344-L314	2960,00	
VMware vSphere ENT for 1 CPU w/o SP-5yr	x		x		x		x	x							S26361-F2344-L315	2992,94	
VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x		x		x	x							S26361-F2344-L316	3604,71	
VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x		x		x	x							S26361-F2344-L317	3604,71	
VMware vSphere EPL for 1 CPU w/o SP-5yr	x		x		x		x	x							S26361-F2344-L318	3642,35	
VMware vSOM STD for 1 CPU w/o SP-1yr	x	x	x					x							S26361-F2344-L320	1812,94	
VMware vSOM STD for 1 CPU w/o SP-3yr	x	x	x					x							S26361-F2344-L321	1812,94	
VMware vSOM STD for 1 CPU w/o SP-5yr	x	x	x					x							S26361-F2344-L322	1812,94	
VMware vSOM ENT for 1 CPU w/o SP-1yr	x	x	x					x							S26361-F2344-L323	3782,35	
VMware vSOM ENT for 1 CPU w/o SP-3yr	x	x	x					x							S26361-F2344-L324	3782,35	
VMware vSOM ENT for 1 CPU w/o SP-5yr	x	x	x					x							S26361-F2344-L325	3782,35	
VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x					x							S26361-F2344-L326	4416,47	
VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x					x							S26361-F2344-L327	4416,47	
VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x					x							S26361-F2344-L328	4416,47	
VMW Essentials Plus Kit w/o SP-1yr	x	x	x												S26361-F2344-L330	3592,94	
VMW Essentials Plus Kit w/o SP-3yr	x	x	x					x							S26361-F2344-L331	3592,94	
VMW Essentials Plus Kit w/o SP-5yr	x	x	x					x							S26361-F2344-L332	3592,94	
VMware vSphere STD FlexF 1 CPU w/oSP-3yr	x	x	x		x		x	x							S26361-F2344-L335	884,71	
VMware vSphere ENT FlexF 1 CPU w/oSP-3yr	x	x	x		x		x	x							S26361-F2344-L336	2554,12	
VMware vSphere EPL FlexF 1 CPU w/oSP-3yr	x	x	x		x		x	x							S26361-F2344-L337	3108,24	
VMW Essentials Kit + Subscription-1yr	x	x	x		x		x	x							S26361-F2344-L340	670,59	
VMW Essentials Kit + Subscription-3yr	x	x	x		x		x	x							S26361-F2344-L341	909,41	
VMW Essentials Kit + Subscription-5yr	x	x	x		x		x	x							S26361-F2344-L342	1169,41	
VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x					x							S26361-F2344-L343	3090,59	
VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x					x							S26361-F2344-L344	3090,59	
VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x					x							S26361-F2344-L345	3090,59	
VMW ROBO ADV 25 VMs w/o SP-1yr	x	x	x					x							S26361-F2344-L346	4643,53	
VMW ROBO ADV 25 VMs w/o SP-3yr	x	x	x					x							S26361-F2344-L347	4643,53	
VMW ROBO ADV 25 VMs w/o SP-5yr	x	x	x					x							S26361-F2344-L348	4643,53	
VMW Virtual SAN for 1 CPU w/o SP-1yr	x		x		x		x	x							S26361-F2344-L350	2354,12	
VMW Virtual SAN for 1 CPU w/o SP-3yr	x		x		x		x	x							S26361-F2344-L351	2354,12	
VMW Virtual SAN for 1 CPU w/o SP-5yr	x		x		x		x	x							S26361-F2344-L352	2354,12	
VMW Virtual SAN DT 100-Pack w/o SP-1yr	x		x		x		x	x							S26361-F2344-L353	4718,82	
VMW Virtual SAN DT 100-Pack w/o SP-3yr	x		x		x		x	x							S26361-F2344-L354	4718,82	
VMW Virtual SAN DT 100-Pack w/o SP-5yr	x		x		x		x	x							S26361-F2344-L355	4718,82	
VMW Virtual SAN DT 10-Pack w/o SP-1yr	x		x		x		x	x							S26361-F2344-L365	470,59	
VMW Virtual SAN DT 10-Pack w/o SP-3yr	x		x		x		x	x							S26361-F2344-L366	470,59	
VMW Virtual SAN DT 10-Pack w/o SP-5yr	x		x		x		x	x							S26361-F2344-L367	470,59	
VMW VSAN for ROBO w/o SP-1yr	x		x		x		x	x							S26361-F2344-L368	11645,88	
VMW VSAN for ROBO w/o SP-3yr	x		x		x		x	x							S26361-F2344-L369	11645,88	
VMW VSAN for ROBO w/o SP-5yr	x		x		x		x	x							S26361-F2344-L370	11645,88	
VMW VSAN Advanced for 1 CPU w/o SP-1yr	x		x		x		x	x							S26361-F2344-L371	3734,12	
VMW VSAN Advanced for 1 CPU w/o SP-3yr	x		x		x		x	x							S26361-F2344-L372	3734,12	
VMW VSAN Advanced for 1 CPU w/o SP-5yr	x		x		x		x	x							S26361-F2344-L373	3734,12	
VMW VSAN ADV DT 10-Pack w/o SP-1yr	x		x		x		x	x							S26361-F2344-L374	936,47	
VMW VSAN ADV DT 10-Pack w/o SP-3yr	x		x		x		x	x							S26361-F2344-L375	936,47	
VMW VSAN ADV DT 10-Pack w/o SP-5yr	x		x		x		x	x							S26361-F2344-L376	936,47	
VMW VSAN ADV DT 100-Pack w/o SP-1yr	x		x		x		x	x							S26361-F2344-L377	9356,47	
VMW VSAN ADV DT 100-Pack w/o SP-3yr	x		x		x		x	x							S26361-F2344-L378	9356,47	
VMW VSAN ADV DT 100-Pack w/o SP-5yr	x		x		x		x	x							S26361-F2344-L379	9356,47	
VMware vCloud Suite 6 STD w/o SP-1yr	x		x		x		x	x							S26361-F2344-L380	5147,06	
VMware vCloud Suite 6 STD w/o SP-3yr	x		x		x		x	x							S26361-F2344-L381	5147,06	
VMware vCloud Suite 6 STD w/o SP-5yr	x		x		x		x	x							S26361-F2344-L382	5147,06	
VMware vCloud Suite 6 ADV w/o SP-1yr	x		x		x		x	x							S26361-F2344-L383	7722,35	
VMware vCloud Suite 6 ADV w/o SP-3yr	x		x		x		x	x							S26361-F2344-L384	7722,35	
VMware vCloud Suite 6 ADV w/o SP-5yr	x		x		x		x	x							S26361-F2344-L385	7722,35	
VMware vCloud Suite 6 ENT w/o SP-1yr	x		x		x		x	x							S26361-F2344-L386	11851,76	
VMware vCloud Suite 6 ENT w/o SP-3yr	x		x		x		x	x							S26361-F2344-L387	11851,76	
VMware vCloud Suite 6 ENT w/o SP-5yr	x		x		x		x	x							S26361-F2344-L388	11851,76	
VMW Upg vCenter S FND to STD w/o SP-1yr	x	x	x		x		x	x							S26361-F2344-S418	3587,06	
VMW Upg ESXi to vSphere STD w/o SP-1yr	x	x	x		x		x	x							S26361-F2344-S420	927,06	
VMW Upg ESXi to vSphere ENT w/o SP-1yr	x	x	x		x		x	x							S26361-F2344-S421	2676,47	
VMW Upg ESXi to vSphere EPL w/o SP-1yr	x	x	x		x		x	x							S26361-F2344-S422	3256,47	
VMW Upg vSp STD to vSp ENT w/o SP-1yr	x	x	x		x		x	x							S26361-F2344-S423	1920,00	
VMW Upg vSp STD to vSp EPL w/o SP-1yr	x	x	x		x		x	x							S26361-F2344-S424	2562,35	
VMW Upg vSp ENT to vSp EPL w/o SP-1yr	x	x	x		x		x	x							S26361-F2344-S425	635,29	





**Accessoires serveurs scale-out PRIMERGY CX**

Fiches produit : <http://fr.fujitsu.com/primergy>

WinSvr 2012 R2 Datacenter 2CPU ROK Distributeurs	x	x		x			x	x			S26361-F2567-D413	4575,29
WinSvr 2012R2 DC w/Reassignment 2CPU ROK	x	x		x			x	x			S26361-F2567-D417	6127,06
WinSvr 2012 R2 Standard 2CPU/2VM ROK Distributeurs	x	x		x			x	x			S26361-F2567-D423	704,71
WinStorageSvr 2012 R2 Std 2CPU/2VM ROK	x						x	x			S26361-F2567-D453	547,06
Windows Server 2012 Standard AddLic 2CPU	x	x		x			x	x			S26361-F2567-L425	720,00
WinSvr CAL 2012 50Device	x	x		x			x	x			S26361-F2567-L460	1169,41



**Accessoires serveurs scale-out PRIMERGY CX**

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
<b>Accessoires (Matrice)</b>																	
<b>PRIMERGY-Software (Suite)</b>																	
	WinSvr CAL 2012 50User		x	x		x			x	x					S26361-F2567-L461	1742,35	
	WinSvr CAL 2012 10Device		x	x		x			x	x					S26361-F2567-L462	237,65	
	WinSvr CAL 2012 10User		x	x		x			x	x					S26361-F2567-L463	349,41	
	WinSvr CAL 2012 5Device		x	x		x			x	x					S26361-F2567-L464	118,82	
	WinSvr CAL 2012 5User		x	x		x			x	x					S26361-F2567-L465	175,29	
	WinSvr CAL 2012 1Device		x	x		x			x	x					S26361-F2567-L466	28,24	
	WinSvr CAL 2012 1User		x	x		x			x	x					S26361-F2567-L467	36,47	
	WinSvr CAL 2012 100Device		x	x		x			x	x					S26361-F2567-L468	2350,59	
	WinSvr CAL 2012 100User		x	x		x			x	x					S26361-F2567-L469	2965,88	
	WinSvr RDS CAL 2012 5Device		x	x		x			x	x					S26361-F2567-L470	517,65	
	WinSvr RDS CAL 2012 5User		x	x		x			x	x					S26361-F2567-L471	703,53	
	WinSvr RDS CAL 2012 1Device		x	x		x			x	x					S26361-F2567-L472	108,24	
	WinSvr RDS CAL 2012 1User		x	x		x			x	x					S26361-F2567-L473	140,00	
	WinSvr RDS CAL 2012 100Device		x	x		x			x	x					S26361-F2567-L474	10223,53	
	WinSvr RDS CAL 2012 100User		x	x		x			x	x					S26361-F2567-L475	12884,71	
	WinSvr RDS CAL 2012 50Device		x	x		x			x	x					S26361-F2567-L476	5109,41	
	WinSvr RDS CAL 2012 50User		x	x		x			x	x					S26361-F2567-L477	6444,71	
	WinSvr RDS CAL 2012 10Device		x	x		x			x	x					S26361-F2567-L478	1020,00	
	WinSvr RDS CAL 2012 10User		x	x		x			x	x					S26361-F2567-L479	1294,12	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter		x	x		x			x						S26361-F2567-L480	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise		x	x		x			x						S26361-F2567-L481	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard		x	x		x			x						S26361-F2567-L482	72,94	
	DG/DE Kit WinSvr 2012 Datacenter		x	x		x			x	x					S26361-F2567-L486	72,94	
	DG/DE Kit WinSvr 2012 Standard		x	x		x			x	x					S26361-F2567-L487	72,94	
	VMware vSphere 5 Media Kit OEM	x	x	x		x		x	x						S26361-F2341-L300	82,35	
<b>Onduleur/Alimentation</b>																	
	CX400 M1 PSU 1x 1600W Platinum hp										x				S26113-F617-L50	414,12	
	CX400 M1 PSU 2400W Platinum hp										x				S26113-F620-L30	621,18	
	Cordon secteur16A ICE320 C19->C20										x				S26361-F3151-L300	30,59	
	Cordon secteur IEC320 C19 -IEC320 C14										x				S26361-F3151-L350	15,29	
<b>Divers</b>																	
	LC TUBE SET for CX400 Mx 800 MM										x				S26361-F5558-L50	185,88	
<b>Câbles</b>																	
	SFP+ active optical cable Brocade, 7m			x		x		x	x	x					S26361-F3873-L507	325,88	
	SFP+ active optical cable Brocade, 10m			x		x		x	x	x					S26361-F3873-L510	367,06	
	Câble secteur rack, 4m, gris											x		x	T26139-Y1968-L10	15,29	
	SFP+ active Twinax Cable Brocade 1m			x		x		x	x	x					S26361-F3873-L501	155,29	
	SFP+ active Twinax Cable Brocade 3m			x		x		x	x	x					S26361-F3873-L503	202,35	
	SFP+ active Twinax Cable Brocade 5m			x		x		x	x	x					S26361-F3873-L505	243,53	



**Onduleurs - Périphériques**

Fiches produit : <http://fr.fujitsu.com/stockage>

Catégorie	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques					
<b>Onduleur/Alimentation</b>					
	PY UPS 1500VA / 980W Tour	PY UPS 1500VA / 980W Tour Line Interactive (VI) UPS (SMT1500i) Noir, 8x IEC320 C13 (10A) sortie, Les sorties sont disposées en deux groupes dont une est contrôlable, 1x IEC320 C14 entrée (10A) + cordon d'alimentation avec CEE7 (Schuko), cordon d'alimentation spécifique au pays peuvent être commandés séparément, incl. câble de commande pour le premier serveur USB et port COM (noir),	S26361-F4542-L150	476,47	
	PY UPS 750VA / 500W Tour	PY UPS 750VA / 500W Tour Line Interactive (VI) UPS (SMT750i) Noir, C13 IEC320 6x (10A) sortie, 1x IEC320 C14 entrée (10A) + cordon d'alimentation avec CEE7 (Schuko), cordon d'alimentation spécifique au pays peuvent être commandés séparément, incl. câble de commande pour le premier serveur USB et port COM (noir). Ne pas utiliser si l'alimentation du serveur > 500W (par exemple TX200 TX150 ) 1x Smart Slot pour carte optionnelle de gestion WEB.,	S26361-F4542-L75	300,00	
	WBEXTWAR1YR-SP-02	12 month Extended Warranty – prolongs the Standard Warranty of the UPS (3 years). Need to be purchased within 90 days after UPS was purchased at Fujitsu and requires activation at APC within 30 days thereafter. Warranty cover time is limited to max. 6 years., , Please note: The Extended Warranty does not provide On-Site repair services; it is a material warranty only, but includes the batterie. Delivery contains CD with warranty information, including the Service Registration Key and the link where to register at APC. Without registration there is no right to claim this service. Available in all major Fujitsu countries, for details please have a look to the country list and Extended Warranty Datasheet as published in the FTS Extranet. This warranty can be purchased for Fujitsu 750VA Line Interactive Tower UPS.	S26361-F4542-L712	67,06	
	WBEXTWAR3YR-SP-02	36 month Extended Warranty – prolongs the Standard Warranty of the UPS (3 years). Need to be purchased within 90 days after UPS was purchased at Fujitsu and requires activation at APC within 30 days thereafter. Warranty cover time is limited to max. 6 years., , Please note: The Extended Warranty does not provide On-Site repair services; it is a material warranty only, but includes the batterie. Delivery contains CD with warranty information, including the Service Registration Key and the link where to register at APC. Without registration there is no right to claim this service. Available in all major Fujitsu countries, for details please have a look to the country list and Extended Warranty Datasheet as published in the FTS Extranet. This warranty can be purchased for Fujitsu 750VA Line Interactive Tower UPS.	S26361-F4542-L722	140,00	



**Onduleurs - Périphériques**

Fiches produit : <http://fr.fujitsu.com/stockage>

Catégorie	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques					
<b>Onduleur/Alimentation (Suite)</b>					
	WBEXTWAR1YR-SP-03	<p>12 month Extended Warranty – prolongs the Standard Warranty of the UPS (3 years). Need to be purchased within 90 days after UPS was purchased at Fujitsu and requires activation at APC within 30 days thereafter. Warranty cover time is limited to max. 6 years., , Please note: The Extended Warranty does not provide On-Site repair services; it is a material warranty only, but includes the batterie. Delivery contains CD with warranty information, including the Service Registration Key and the link where to register at APC. Without registration there is no right to claim this service. Available in all major Fujitsu countries, for details please have a look to the country list and Extended Warranty Datasheet as published in the FTS Extranet. This warranty can be purchased for Fujitsu 1500VA Line Interactive Tower and 1500VA Rack / Tower convertible UPS.</p>	S26361-F4542-L112	88,24	
	WBEXTWAR3YR-SP-03	<p>36 month Extended Warranty – prolongs the Standard Warranty of the UPS (3 years). Need to be purchased within 90 days after UPS was purchased at Fujitsu and requires activation at APC within 30 days thereafter. Warranty cover time is limited to max. 6 years., , Please note: The Extended Warranty does not provide On-Site repair services; it is a material warranty only, but includes the batterie. Delivery contains CD with warranty information, including the Service Registration Key and the link where to register at APC. Without registration there is no right to claim this service. Available in all major Fujitsu countries, for details please have a look to the country list and Extended Warranty Datasheet as published in the FTS Extranet. This warranty can be purchased for Fujitsu 1500VA Line Interactive Tower and 1500VA Rack / Tower convertible UPS.</p>	S26361-F4542-L122	191,76	



## Accessoires Onduleurs

Catégorie	Description	APC Online UPS	MASTERGUARD Online UPS	PY LI UPS	PY Online UPS	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
<b>Onduleur/Alimentation</b>								
	Adaptateur APC-UPS WEB Management	x		x		S26113-F80-L30	336,47	
	APC Online UPS RMK D/P/3rd P Racks	x			x	S26361-F2845-L1	202,35	
	WBEXTWAR1YR-SP-05	x		x	x	S26361-F4542-L512	321,18	
	WBEXTWAR3YR-SP-05	x			x	S26361-F4542-L522	720,00	
	WBEXTWAR1YR-SP-06	x			x	S26361-F4542-L812	600,00	
	WBEXTWAR3YR-SP-06	x			x	S26361-F4542-L822	1387,06	
	Câble secteur (F), 1.8m, gris			x		T26139-Y1740-L10	15,29	
	Cordon secteur 16A ICE320 C19->C20		x			S26361-F3151-L300	30,59	
	WBEXTWAR1YR-SP-03			x		S26361-F4542-L112	88,24	
	WBEXTWAR3YR-SP-03			x		S26361-F4542-L122	191,76	
	WBEXTWAR1YR-SP-04	x			x	S26361-F4542-L312	155,29	
	WBEXTWAR3YR-SP-04	x			x	S26361-F4542-L322	367,06	



**ETERNUS  
DX60 - DX100 - DX200 S3**

Evolutifs et unifiés, les systèmes de stockage Fujitsu ETERNUS DX60, DX100 et DX200 S3 offrent des fonctionnalités de classe entreprise pour les petites et moyennes entreprises et les filiales, avec un excellent rapport prix/performances. L'architecture de la gamme ETERNUS DX permet aux clients de bénéficier des options logicielles, telles que le Thin Provisioning, la gestion automatique des classes de stockage (Tiering) et la gestion de la qualité de service (QoS).



**ETERNUS  
DX500 S3 - DX600 S3**

Evolutifs et unifiés, les systèmes de stockage Fujitsu ETERNUS DX500 et DX600 S3 offrent une haute performance de stockage de pointe et une gestion automatique de qualité de service (QoS), ce qui permet une utilisation des systèmes optimale et contribue à un rapide retour sur investissement. C'est la solution idéale pour consolider dans une seule baie les grandes applications d'entreprise, leurs bases de données de production et les volumineux entrepôts de données nécessaires à l'analyse et la prise de décision par les directions métiers.



**ETERNUS  
JX40 - JX60**

Les ETERNUS JX40 (disques 2.5") et JX60 (disques 3.5") sont des systèmes de stockage à attachement direct (JBOD) qui permettent d'étendre la capacité de stockage des serveurs PRIMERGY



**ETERNUS CS200c**

L'ETERNUS CS200c est une appliance de protection unifiée des données powered by CommVault Simpana qui est une solution complète de sauvegarde et d'archivage en intégrant matériel optimisé, logiciels et licences. Elle a un modèle Entry de 2 à 24 To de capacité nette et un modèle Scale qui dispose d'une évolutivité de stockage de 6 à 96 To.



**ETERNUS CS800 S5**

L'ETERNUS CS800 S5 est une solution clé en main pour la protection et la sauvegarde des données avec la fonction de déduplication intégrée. Elle offre une capacité nette de stockage de 4 To à 320 To en connexion NAS, VTL ou OST.



## ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

### ETERNUS DX60 S3 - La baie de stockage disque idéale pour la PME

Grâce à sa robustesse de fonctionnement et à son prix abordable, l'ETERNUS DX60 S3 est une baie de stockage sur disque idéale pour l'environnement informatique de la PME. Le logiciel d'administration, livré gratuitement, réduit la charge de gestion opérationnelle et fournit des outils pour protéger les données. La capacité de mixer tout type de connexion réseau et de disques dans la même baie apporte une grande liberté de choix pour optimiser une configuration en termes de coût et de performances. Conçue pour être simple à installer dans les environnements informatiques les plus petits, elle offre cependant une capacité d'évolution exceptionnelle en terme de volume de données à stocker. La solution de stockage idéale pour

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Standards</b>				
<b>ETERNUS DX60 S3 2.5</b>				
DX60S3 2,5 1xCM 2xFC 8Gb no HD	VALUE FOR YOU ETERNUS DX60 S3 2,5" 1x CM, FC 8G2P,	VFY:DX630XF510IN	3763,53	
DX60S3 2,5 2xCM 4xFC 8Gb 6x600GB10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xFC 8Gb 6x600GB,	VFY:DX630XF511IN	6036,24	
DX60S3 2,5 2xCM 4xSAS2 6x600GB10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xSAS2 6x600GB,	VFY:DX630XF512IN	5589,53	
DX60S3 2,5 2xCM 4x1Gb iSCSI 6x600GB10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4x1Gb iSCSI 6x600GB,	VFY:DX630XF513IN	6017,07	
DX60S3 2,5 2xCM 4xSAS2 10x900GB 10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xSAS2, 10x900GB 10k,	VFY:DX630XF514IN	7645,88	
DX60S3 2,5 2xCM 4xFC 8Gb 10x600GB 10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xFC 8Gb, 10x600GB 10k,	VFY:DX630XF515IN	7057,65	
DX60S3 2,5 1xCM 2x10G-T no Disk	VALUE FOR YOU ETERNUS DX60S3 2,5 1xCM 2x10G-T iSCSI, no Disk	VFY:DX630XF516IN	3400,24	
DX60 S3 2,5 2xCM 4x10Gb-T 4x1,8TB10 SAS	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4x10G-T iSCSI, 4x1,8TB10 SAS Disk	VFY:DX630XF517IN	7430,59	
DX60S3 2,5 2xCM 4xFC 8Gb 4x900GB 10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xFC 8Gb, 4x900G 10k SAS Disk	VFY:DX630XF518IN	5430,59	
DX60 S3 2,5 2xCM 4x10Gb-T 4x900GB 10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xFC 10Gb-T, 4x900G 10k SAS Disk	VFY:DX630XF519IN	5981,18	
DX60S3 2,5 2xCM 4xFC 8Gb no HD	VALUE FOR YOU ETERNUS DX60S3 2.5, 2x Co, 2xDB FC 8G2P	VFY:DX630XF520IN	5038,15	
DX60S3 2,5 1xCM 2x1Gb iSCSI no HD	VALUE FOR YOU ETERNUS DX60S3 2.5. 1x Co, 1xDB iSCSI 1G2P	VFY:DX630XF530IN	3529,41	
DX60S3 2,5 2xCM 4x1Gb iSCSI no HD	VALUE FOR YOU ETERNUS DX60S3 2.5. 2x Co, 2xDB iSCSI 1G2P	VFY:DX630XF540IN	5020,46	
DX60S3 2,5 2xCM 4x1Gb iSCSI 2x600GB10k	VALUE FOR YOU ETERNUS DX60 S3 2,5 2xiSCSI 2x600GB	VFY:DX630XF550IN	5353,65	
DX60S3 2,5 2xCM 4x1Gb iSCSI 2x1,2TB	VALUE FOR YOU ETERNUS DX60 S3 2,5 2xiSCSI 2x1.2TB	VFY:DX630XF560IN	5555,62	
DX60S3 2,5 2xCM 4xSAS2 2x600GB10k	VALUE FOR YOU ETERNUS DX60 S3 2,5 2xSAS 2x600GB	VFY:DX630XF570IN	4924,64	
DX60S3 2,5 2xCM 4xSAS2 2x1,2TB	VALUE FOR YOU ETERNUS DX60 S3 2,5 2xSAS 2x1.2TB	VFY:DX630XF580IN	5126,61	
DX60S3 2,5 1xCM 2xSAS2 no HD	VALUE FOR YOU ETERNUS DX60S3 2.5, 1x Co, 1xDB SAS 6G2P	VFY:DX630XF590IN	3186,47	
<b>ETERNUS DX60 S3 3.5</b>				
DX60S3 3,5 1xCM 2xFC 8Gb no HD	VALUE FOR YOU ETERNUS DX60 S3 3,5" 1x Co, 1xDB FC 8G2P,	VFY:DX630XF010IN	3414,67	
DX60S3 3,5 2xCM 4x1Gb iSCSI 2x2TB	VALUE FOR YOU ETERNUS DX60S3 3,5 2xiSCSI 1G 2x2TB,	VFY:DX630XF020IN	5393,14	



**ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2** Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Standards</b>				
<b>ETERNUS DX60 S3 3.5 (Suite)</b>				
DX60S3 3,5 2xCM 4x1Gb iSCSI 6x2TB	VALUE FOR YOU ETERNUS DX60S3 3,5 2xCM 4x1Gb iSCSI 6x2TB,	VFY:DX630XF030IN	6130,28	
DX60S3 3,5 2xCM 4xSAS2 6x2TB	VALUE FOR YOU ETERNUS DX60S3 3,5 2xCM 4xSAS2 6x2TB,	VFY:DX630XF040IN	5701,27	
DX60S3 3,5 1xCM 2xSAS2 6x2TB	VALUE FOR YOU ETERNUS DX60S3 3,5 1xCM 2xSAS2 6x2TB,	VFY:DX630XF050IN	4037,65	
DX60S3 3,5 1xCM 2x1Gb iSCSI no Disk	VALUE FOR YOU ETERNUS DX60S3 3,5 1xCM 2x1Gb iSCSI no Disk,	VFY:DX630XF060IN	3561,89	
DX60S3 3,5 1xCM 2x10G-T no Disk	VALUE FOR YOU ETERNUS DX60S3 3,5 1xCM 2x2x10G-T iSCSI no Disk,	VFY:DX630XF070IN	3445,63	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>ETERNUS DX60 S3 2.5</b>				
ET DX60 S3 Base 2.5	The ETERNUS DX60 S3 Base 2,5" with 2U footprint provides, 24x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, Note: Encryption off, , Scope of delivery, Hardware:, 1x 2.5" Ctrl. Enclosure DX60 S3, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , ,	FTS:ET063AU	1734,31	
<b>ETERNUS DX60 S3 3.5</b>				
ET DX60 S3 Base 3.5	The ETERNUS DX60 S3 Base 3,5" with 2U footprint provides, 12x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, Note: Encryption off, , Scope of delivery, Hardware:, 1x 3.5" Ctrl. Enclosure DX60 S3, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , ,	FTS:ET063BU	1741,37	
<b>ETERNUS DX60 S3 2.5 Expa</b>				





**ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2** Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS DX60 S3 2.5 Expa (Suite)</b>				
ET DX60 S3 DriveEncl. 2.5" IO Mod.x2	ETERNUS DX60 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX60 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance:	FTS:ETFEAD2U	2874,12	
ET DX60 S3 DriveEncl. 2.5" IO Mod.x1	ETERNUS DX60 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX60 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance:	FTS:ETFEAS2U	2382,35	
<b>ETERNUS DX60 S3 2.5 Field</b>				
ET DX60 S3 DriveEncl. 2.5" IO Mod.x2	ETERNUS DX60 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX60 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance:	FTS:ETFEAD2U-L	2874,12	
ET DX60 S3 DriveEncl. 2.5" IO Mod.x1	ETERNUS DX60 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX60 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance:	FTS:ETFEAS2U-L	2382,35	
<b>ETERNUS DX60 S3 3.5 Expa</b>				
ET DX60 S3 DriveEncl. 3.5 IO Mod. x2	Drive enclosure for DX60 S3 (3.5inch, dual-expander type), 1x 3.5" Drive Enclosure, 2x Expander, 2x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETFEDDU	2767,06	
ET DX60 S3 DriveEncl. 3.5 IO Mod. x1	Drive enclosure for DX60 S3 (3.5inch, single-expander type), 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETFEDSU	2280,00	
<b>ETERNUS DX60 S3 3.5 Field</b>				
ET DX60 S3 DriveEncl. 3.5 IO Mod. x2	Drive enclosure for DX60 S3 (3.5inch, dual-expander type), (Field upgrade only!), , 1x 3.5" Drive Enclosure, 2x Expander, 2x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETFEDDU-L	2767,06	



**ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2** Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>ETERNUS DX60 S3 3.5 Field (Suite)</b>				
ET DX60 S3 DriveEncl. 3.5 IO Mod. x1	Drive enclosure for DX60 S3 (3.5inch, single-expander type), (Field upgrade only!), , 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETFEDSU-L	2280,00	
<b>ETERNUS DX600 S3</b>				
ETERNUS DX600 S3 Base (CE) w 2 Cntrl.	The ETERNUS DX600 Base (HDD less) with 3U footprint provides , 2x Ctrl. Module, (CM), 2x Power Supply, No Channel Adapter installed, Scope of delivery, Hardware:, 1x 3U Ctrl. Enclosure (CE) DX500, 2x DX600 S3 Ctrl. Module, 2x Power Supply (100-240VAC) , 2x Power Cable 2.5m, 10A (2x Rack Power Plug) , 1x Setup Poster, Info Sheet, Manual CD, 1x Rackmount Kit, Software: , 1x ET SF V16 and DVD license agreement (paper) , 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and StorageCruiser Standard (42 Days), Maintenance:	FTS:ET603SAU	46875,29	
<b>ETERNUS DX60 S2 3.5 Expa</b>				
ET DX60 S2 DriveEncl. 3.5 EXP Mod. x1	Drive enclosure for DX60 S2 (3.5inch, single-expander type), (Field upgrade only!), , 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETEED1DU-L	2145,88	
ET DX60 S2 DriveEncl. 3.5 EXP Mod. x2	Drive enclosure for DX60 S2 (3.5inch, dual-expander type), (Field upgrade only!), , 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETEED2DU-L	2932,94	
<b>ETERNUS DX80 S2 3.5</b>				
ETERNUS DX80 S2 Base 3.5" - 1x Ctrl	• Ctrl. Enclosure 3.5" , - Ctrl. Module x 1, - Cache Mémoire (2GB) x 1, - Power Supply Unit x 2, - Manual on CD, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082SDU	5116,26	
<b>ETERNUS DX8090 S2 2.5 Expa</b>				
ET DX8090 S2 DriveEncl. 2.5 IO Mod. x1	(Field upgrade only!), , • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1CU-L	2624,71	
ET DX8090 S2 DriveEncl. 2.5 IO Mod. x2	(Field upgrade only!), , • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 2, • Rack mount kit x 1 ,	FTS:ETEAD2CU-L	3485,88	
ET DX8090 S2 DriveEncl. 2.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1CU	2624,71	
ET DX8090 S2 DriveEncl. 2.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 2, • Rack mount kit x 1 ,	FTS:ETEAD2CU	3485,88	
<b>ETERNUS DX8090 S2 3.5 Expa</b>				
ET DX8090 S2 DriveEncl. 3.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1DU-L	2594,12	
ET DX8090 S2 DriveEncl. 3.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2DU-L	3369,41	



**ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2** Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS DX8090 S2 3.5 Expa (Suite)</b>				
ET DX8090 S2 DriveEncl. 3.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1DU	2594,12	
ET DX8090 S2 DriveEncl. 3.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2DU	3369,41	



## ETERNUS DX410 / 440 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS DX440 S2</b>				
ETERNUS DX4x0S2 DE 2.5 2xIO 24x600GB	Drive enclosure for DX4x0 S2 (2.5inch), - Drive Enclosure 2.5" x 1, - I/O-Modul x 2, - QSFP cable 1.1m x 2, - Power Supply x 2, - AC cable (2.5m) x 2, - Rackmount Kit x 1	FTS:ET40AP-DE24600	14307,06	
<b>ETERNUS DX4xx S2 2.5 Expa</b>				
ET DX4x0 S2 DriveEncl. 2.5 IO Mod. x2	Drive enclosure for DX4x0 S2 (2.5inch) (Field upgrade only!), - Drive Enclosure 2.5" x 1, - I/O-Modul x 2, - QSFP cable 1.1m x 2, - Power Supply x 2, - AC cable (2.5m) x 2, - Rackmount Kit x 1	FTS:ETNAD2CU-L	4996,76	
ETERNUS DX4xx S2 - Boîtier Disque 2.5" - 2x Module	ETERNUS DX4xxx - Boîtier disque 2.5" - 2x Module I/O - 2x câbles QSFP (1,1m) - 2x Alimentations - 2x câbles AC (2,5m) - Kit de montage en rack	FTS:ETNAD2CU	4996,76	
<b>ETERNUS DX4xx S2 3.5 Expa</b>				
ET DX4x0 S2 DriveEncl. 3.5 IO Mod. x2	Drive enclosure for DX4x0 S2 (3.5inch) (Field upgrade only!), - Drive Enclosure 3.5" x 1, - I/O-Modul x 2, - QSFP cable 1.1m x 2, - Power Supply x 2, - AC cable (2.5m) x 2, - Rackmount Kit x 1	FTS:ETNAD2DU-L	4803,57	
ETERNUS DX4xx S2 - Boîtier Disque 3.5" - 2x Module	ETERNUS DX4xxx - Boîtier disque 3.5" - 2x Module I/O - 2x câbles QSFP (1,1m) - 2x Alimentations - 2x câbles AC (2,5m) - Kit de montage en rack	FTS:ETNAD2DU	4803,57	


**ETERNUS DX100 S3**

 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
<b>ETERNUS DX100 S3 2.5</b>				
DX100S3 2.5,2xCo,2xDB FC8G2P,10x1TB	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 10x 1TB Disk	VFY:DX130XF510IN	10387,06	
DX100S3 2.5,1xCo,1xDB iSCSI1G2P no Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 1x Ctrl., 1x Daughter Bord iSCSI 1G2P, no disks	VFY:DX130XF511IN	4704,71	
DX100S3 2.5,2xCo,2xDBiSCSI 1G2P no Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 1G2P, no disks	VFY:DX130XF512IN	7564,38	
DX100S3 2.5,2xCo,2xDB iSCSI10G2Pno Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 10G2P, no disks	VFY:DX130XF513IN	7218,82	
DX100S3 2.5,2Co,4x FC16G,10x 600GB 10k	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 4x ChannelAdapter FC16G2P, 10x 600GB 10k	VFY:DX130XF514IN	9998,82	
DX100S3 2.5,2xCo,2xDBiSCSI10G,10x1.2 TB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x ChannelAdapter iSCSI 10G2P, 10x 1.2TB 10k	VFY:DX130XF515IN	10587,06	
DX100S3 2.5,2x Co,2xDB FC8G2P,4x900GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x CA FC8GB 2P, 4x 900GB 10k	VFY:DX130XF516IN	8494,12	
DX100S3 2.5,2xCo,2xDB FC8G2P,10x1TB	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 10x 1TB Disk, No data encryption function!	VFY:DX130XF51E0IN	10387,06	
DX100S3 2.5,2Co, 2x DB FC8G2P,12x300GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 12x 300GB/10K Disk	VFY:DX130XF520IN	8987,06	
DX100S3 2.5,2Co, 2x DB FC8G2P,12x300GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 12x 300GB/10K Disk, No data encryption function!	VFY:DX130XF52E0IN	8987,06	
DX100S3 2.5,2x Co,2xDB FC8G2P,10x600GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 10x 600GB/10K Disk	VFY:DX130XF530IN	9827,06	
DX100S3 2.5,2x Co,2xDB FC8G2P,10x600GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 10x 600GB/10K Disk, No data encryption function!	VFY:DX130XF53E0IN	9827,06	
DX100S3 2.5,2xCo,4x DBFC8G2P,10x 600GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 4x Daughter Bord FC 8G2P, 10x 600GB/10K Disk	VFY:DX130XF540IN	11202,35	
DX100S3 2.5,2xCo,2x DBiSCSI10G,10x600G10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 10G2P, 10x 600GB/10K Disk	VFY:DX130XF550IN	10881,18	
DX100S3 2.5,2xCo,2x DBiSCSI10G,10x600G10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 10G2P, 10x 600GB/10K Disk, No data encryption function!	VFY:DX130XF55E0IN	10881,18	
DX100S3 2.5,2xCo,4xDBiSCSI10G,10x600 G10k	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 4x Daughter Bord iSCSI 10G2P, 10x 600GB/10K Disk	VFY:DX130XF560IN	13310,59	
DX100S3 2.5,2xCo,2xDBiSCSI1G,2x600G10k	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 1G2P, 2x 600GB/10K Disk	VFY:DX130XF570IN	7897,57	
DX100S3 2.5,2x Co,2xDB FC8G2P no Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, no disks	VFY:DX130XF580IN	7411,06	
DX100S3 2.5,1x Co,1xDB FC8G2P no Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 1x Ctrl., 1x Daughter Bord FC 8G2P, no disks	VFY:DX130XF590IN	4822,35	
<b>ETERNUS DX100 S3 3.5</b>				
DX100S3 3.5,1x Co,2xDB iSCSI 1G,2X3TB	VALUE FOR YOU ETERNUS DX100 S3 3.5" 1x Ctrl., 2x CA iSCSI 1G2P, 2x 3TB Disk	VFY:DX130XF010IN	5647,06	



<b>ETERNUS DX100 S3</b>		<b>Fiches produit : <a href="http://fr.fujitsu.com/stockage">http://fr.fujitsu.com/stockage</a></b>		
DX100S3 3.5,2xCo,4xDB iSCSI 1G,12x2TB	VALUE FOR YOU ETERNUS DX100 S3 3.5" 2x Ctrl., 4x CA iSCSI 1G2P, 12x 2TB Disk	VFY:DX130XF020IN	10601,18	
DX100S3 3.5,1xCM,1xCA FC8G2P, no Disk	VALUE FOR YOU ETERNUS DX100 S3 3.5" 1xCA FC8G2P, no Disk	VFY:DX130XF030IN	5855,70	
DX100S3 3.5,1xCM,1xCA iSCSI1G2P,no Disk	VALUE FOR YOU ETERNUS DX100 S3 3.5" 1xCM,1xCA iSCSI1G2P,no Disk	VFY:DX130XF040IN	5547,57	


**ETERNUS DX100 S3**

 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				

**ETERNUS DX100 S3 3.5 (Suite)**

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				

**ETERNUS DX100 S3 2.5**

DX100 S3 Base Encl 2.5" (CE) wo Cntrl.	The ETERNUS DX100 Base 2,5" with 2U footprint provides, 24x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:, 1x 2.5" Ctrl. Enclosure DX100, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:, unklar	FTS:ET103AU	3588,26	
--	---	-------------	---------	--

**ETERNUS DX100 S3 3.5**

DX100 S3 Base Encl 3.5" (CE) wo Cntrl.	The ETERNUS DX100 Base 3,5" with 2U footprint provides, 12x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:, 1x 3.5" Ctrl. Enclosure DX100, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:;	FTS:ET103BU	3542,56	
--	--	-------------	---------	--











**ETERNUS DX200 S3** Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Configurations Standards</b>				
<b>ETERNUS DX200 S3 2.5</b>				
DX200S3 2.5,1xCM,1xCA FC8G2P, no Disks	VALUE FOR YOU ETERNUS DX200 S3 2.5" 1xCM,1xCA FC8G2P, no Disks	VFY:DX230XF511IN	7780,00	
DX200S3 2.5,1xCM,1xCAiSCSI1G2P, no Disks	VALUE FOR YOU ETERNUS DX200 S3 2.5" 1xCM,1xCAiSCSI1G2P, no Disks	VFY:DX230XF512IN	7485,88	
DX200S3 2.5,2xCo,2x DBFC8G2P,10x 600G10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 2x CA FC 8G2P, 10x 600GB/10k Disk	VFY:DX230XF520IN	14371,76	
DX200S3 2.5,2xCo,4xDBFC8G2P,10x 600GB10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA FC 8G2P, 10x 600GB/10k Disk	VFY:DX230XF530IN	15745,88	
DX200S3 2.5,2xCo,2xDBiSCSI10G,10x600G B10	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 2x CA iSCSI 10G2P, 10x 600GB/10k Disk	VFY:DX230XF540IN	15425,88	
DX200S3 2.5,2xCo,4xDBiSCSI10G,10x600G B10	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA iSCSI 10G2P, 10x 600GB/10k Disk	VFY:DX230XF550IN	17854,12	
DX200S3 2.5,2xCo,4xDBiSCSI1G,24x300GB 10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA iSCSI 1G2P, 24x 300GB/10k Disk	VFY:DX230XF560IN	15829,41	
DX200S3 2.5,2xCo,4xDBFC8G2P,24x300GB 10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA FC 8G2P, 24x 300GB/10k Disk	VFY:DX230XF570IN	17004,71	
DX200S3 2.5,2xCo,4xDBiSCSI1G,12x600GB 10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA iSCSI 1G2P, 12x 600GB/10k Disk	VFY:DX230XF580IN	15158,82	
<b>ETERNUS DX200 S3 3.5</b>				
DX200S3 3.5,1xCM,1xCA FC8G2P, no Disk	VALUE FOR YOU ETERNUS DX200 S3 3.5" 1xCM,1xCA FC8G2P, no Disk	VFY:DX230XF010IN	6687,06	
DX200S3 3.5,1xCM,1xCAiSCSI1G 2P,no Disks	VALUE FOR YOU ETERNUS DX200 S3 3.5" 1xCM,1xCAiSCSI1G 2P,no Disks	VFY:DX230XF020IN	6420,00	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>ETERNUS DX200 S3 2.5</b>				



ETERNUS DX200 S3		Fiches produit : <a href="http://fr.fujitsu.com/stockage" style="color: white;">http://fr.fujitsu.com/stockage</a>	
DX200 S3 Base Encl 2.5" (CE) wo Cntrl.	<p>The ETERNUS DX200 Base 2,5" with 2U footprint provides, 24x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:., 1x 2.5" Ctrl. Enclosure DX200, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:., 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:</p>	FTS:ET203AU	4690,59
<b>ETERNUS DX200 S3 3.5</b>			



**ETERNUS DX200 S3** Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>ETERNUS DX200 S3 3.5 (Suite)</b>				
DX200 S3 Base Encl 3.5" (CE) wo Cntrl.	The ETERNUS DX200 Base 3,5" with 2U footprint provides, 12x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:, 1x 3.5" Ctrl. Enclosure DX200, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:	FTS:ET203BU	4209,41	
<b>ETERNUS DX200F S3 2.5 (800GB)</b>				
DX200F w 2xCM 2x8G Cache 5x800GB SSD	The ETERNUS DX200F Base 2,5" with 2U footprint provides, 5x SSD slots installed with SSD 800GB, 19x slots (empty) , 2x slots installed with Ctrl. Module (CM), Spinner Type2, 2x Power Supply installed, , Scope of delivery, Hardware:, 2x 2.5" Ctrl. Enclosure DX200 (Spinner Type2), 2x 2x 4GB Cache (each CM 8GB), 5x SSD 800GB, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:.,	FTS:ET203CFAU	22216,47	
<b>ETERNUS DX200F S3 2.5 (1.6TB)</b>				
DX200F w 2xCM 2x8G Cache 5x1.6TB SSD	The ETERNUS DX200F Base 2,5" with 2U footprint provides, 5x SSD slots installed with SSD 1.6TB, 19x slots (empty) , 2x slots installed with Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:, 2x 2.5" Ctrl. Enclosure DX200, 2x 2x 4GB Cache (each CM 8GB), 5x SSD 1.6TB, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:., ,	FTS:ET203CFBU	31510,59	



## ETERNUS DX100/200 S3 Drive Enclosure

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>ETERNUS DX1/200 S3 2.5DE Expa</b>				
DX1/200 S3 Drive Encl 2.5" w 2x IO Mod.	ETERNUS DX100 S3 / DX200 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX100 S3/ DX200 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEADU	2874,12	
DX1/200 S3 Drive Encl 2.5" w 1x IO Mod.	ETERNUS DX100 S3 / DX200 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 1x SAS cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX100 S3/ DX200 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEASU	2382,35	
<b>ETERNUS DX1/200 S3 2.5DE Field</b>				
DX1/200 S3 Drive Encl 2.5" w 2x IO Mod.	ETERNUS DX100 S3 / DX200 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX100 S3/ DX200 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEADU-L	2874,12	
DX1/200 S3 Drive Encl 2.5" w 1x IO Mod.	ETERNUS DX100 S3 / DX200 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 1x SAS cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX100 S3/ DX200 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEASU-L	2382,35	
<b>ETERNUS DX1/200 S3 3.5DE Expa</b>				
DX1/200 S3 Drive Encl 3.5" w 2x IO Mod.	ETERNUS DX100 S3 / DX200 S3 3.5" Drive Enclosure (DE) with 2U footprint provides , 12x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS cable, , Scope of delivery, Hardware:, 1x 3.5" Drive Enclosure DX100 S3/ DX200 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEBDU	2768,24	



**ETERNUS DX100/200 S3 Drive Enclosure** Fiches produit : <http://fr.fujitsu.com/stockage>

DX1/200 S3 Drive Encl 3.5" w 1x IO Mod.	ETERNUS DX100 S3 / DX200 S3 3.5" Drive Enclosure (DE) with 2U footprint provides , 12x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 1x SAS cable, , Scope of delivery, Hardware:, 1x 3.5" Drive Enclosure DX100 S3/ DX200 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFBSU	2280,00
---	--	------------	---------

**ETERNUS DX1/200 S3 3.5DE Field**



## ETERNUS DX100/200 S3 Drive Enclosure

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>ETERNUS DX1/200 S3 3.5DE Field (Suite)</b>				
DX1/200 S3 Drive Encl 3.5" w 2x IO Mod.	ETERNUS DX100 S3 / DX200 S3 3.5" Drive Enclosure (DE) with 2U footprint provides , 12x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS cable, , Scope of delivery, Hardware:, 1x 3.5" Drive Enclosure DX100 S3/ DX200 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEBDU-L	2768,24	
DX1/200 S3 Drive Encl 3.5" w 1x IO Mod.	ETERNUS DX100 S3 / DX200 S3 3.5" Drive Enclosure (DE) with 2U footprint provides , 12x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 1x SAS cable, , Scope of delivery, Hardware:, 1x 3.5" Drive Enclosure DX100 S3/ DX200 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEBSU-L	2280,00	
<b>ETERNUS HD-DE DX1/200 Expa</b>				
ET DX1/200S3 HD-DEnc. 3.5 12G IOMod.x2	Drive enclosure for DX100 S3/DX200 S3 12Gbit/s, (3.5inch, dual-IOM type), 1x 3.5" High Density - Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 3.5m, 4x Power Supply, 2x AC cable 4m, 2x AC cable 2,5m, 1x Rackmount Kit, , No Mounting Bracket for FJ Primecenter Rack included!	FTS:ETFEEU	13835,29	
<b>ETERNUS HD-DE DX1/200 Field</b>				
ET DX1/200S3 HD-DEnc. 3.5 12G IOMod.x2	Drive enclosure for DX100 S3/DX200 S3 12Gbit/s, (3.5inch, dual-IOM type), 1x 3.5" High Density - Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 3.5m, 4x Power Supply, 2x AC cable 4m, 2x AC cable 2,5m, 1x Rackmount Kit, , No Mounting Bracket for FJ Primecenter Rack included!	FTS:ETFEEU-L	13835,29	





**ETERNUS DX500 S3**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS DX500 S3</b>				
ETERNUS DX500 S3 Base (CE) w 2 Cntrl.	he ETERNUS DX500 Base (HDD less) with 3U footprint provides , 2x Ctrl. Module, (CM), 2x Power Supply, No Channel Adapter installed, Scope of delivery, Hardware:, 1x 3U Ctrl. Enclosure (CE) DX500, 2x DX500 S3 Ctrl. Module, 2x Power Supply (100-240VAC) , 2x Power Cable 2.5m, 10A (2x Rack Power Plug) , 1x Setup Poster, Info Sheet, Manual CD, 1x Rackmount Kit, Software: , 1x ET SF V16 and DVD license agreement (paper) , 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and StorageCruiser Standard (42 Days), Maintenance:	FTS:ET503SAU	29670,59	





## ETERNUS DX600 S3

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS DX600 S3</b>				
ETERNUS DX600 S3 Base (CE) w 2 Cntrl.	The ETERNUS DX600 Base (HDD less) with 3U footprint provides , 2x Ctrl. Module, (CM), 2x Power Supply, No Channel Adapter installed, Scope of delivery, Hardware:, 1x 3U Ctrl. Enclosure (CE) DX500, 2x DX600 S3 Ctrl. Module, 2x Power Supply (100-240VAC) , 2x Power Cable 2.5m, 10A (2x Rack Power Plug) , 1x Setup Poster, Info Sheet, Manual CD, 1x Rackmount Kit, Software: , 1x ET SF V16 and DVD license agreement (paper) , 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and StorageCruiser Standard (42 Days), Maintenance:	FTS:ET603SAU	46875,29	



## ETERNUS DX500/600 S3 Drive Enclosure

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS DX5/600 S3 2.5DE Expa</b>				
DX5/600 S3 DriveEncl 2.5" w 2x IO Mod.	Drive enclosure for DX500 S3/DX600 S3 , (2.5inch, dual-IOM type), 1x 2.5" Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 1.1m, 2x Power Supply, 2x AC cable 4m, 1x Rackmount Kit	FTS:ETPEADU	2874,12	
<b>ETERNUS DX5/600 S3 2.5DE Field</b>				
DX5/600 S3 DriveEncl 2.5" w 2x IO Mod.	Drive enclosure for DX500 S3/DX600 S3 (Field upgrade only!), (2.5inch, dual-IOM type), 1x 2.5" Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 1.1m, 2x Power Supply, 2x AC cable 4m, 1x Rackmount Kit	FTS:ETPEADU-L	2874,12	
<b>ETERNUS DX5/600 S3 3.5DE Expa</b>				
DX5/600 S3 DriveEncl 3.5" w 2x IO Mod.	Drive enclosure for DX500 S3/DX600 S3, (3.5inch, dual-IOM type), 1x 3.5" Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 1.1m, 2x Power Supply, 2x AC cable 4m, 1x Rackmount Kit	FTS:ETPEBDU	2767,06	
<b>ETERNUS DX5/600 S3 3.5DE Field</b>				
DX5/600 S3 DriveEncl 3.5" w 2x IO Mod.	Drive enclosure for DX500 S3/DX600 S3 (Field upgrade only!), (3.5inch, dual-IOM type), 1x 3.5" Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 1.1m, 2x Power Supply, 2x AC cable 4m, 1x Rackmount Kit	FTS:ETPEBDU-L	2767,06	
<b>ETERNUS HD-DE DX5/600 Expa</b>				
ET DX5/600S3 HD-DEncl. 3.5 12G IOMod. x2	Drive enclosure for DX500 S3/DX600 S3 12Gbit/s, (3.5inch, dual-IOM type), 1x 3.5" High Density - Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 3.5m, 4x Power Supply, 2x AC cable 4m, 2x AC cable 2,5m, 1x Rackmount Kit,	FTS:ETPEEDU	13835,29	
<b>ETERNUS HD-DE DX5/600 Field</b>				
ET DX5/600S3 HD-DEncl. 3.5 12G IOMod. x2	Drive enclosure for DX500 S3/DX600 S3 12Gbit/s, (3.5inch, dual-IOM type), 1x 3.5" High Density - Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 3.5m, 4x Power Supply, 2x AC cable 4m, 2x AC cable 2,5m, 1x Rackmount Kit,	FTS:ETPEEDU-L	13835,29	



## ETERNUS DX8700 S3

Fiches produit : <http://fr.fujitsu.com/stockage>

### ETERNUS DX8700 S3 - La plus évolutive au monde des baies de stockage haut de gamme

Les nouvelles baies de stockage high-end ETERNUS DX8700 et DX8900 S3 permettent de faire face à la croissance exponentielle des données. Leur architecture « pay-as-you-grow » en fait les plus flexibles et les plus évolutives du marché. Une automatisation intelligente permet aux entreprises de gérer de plus larges volumes de données tout en bénéficiant d'excellents niveaux de service

La continuité de production requise pour les données critiques de l'entreprise est assurée grâce à une redondance de bout en bout et au basculement transparent au sein d'un cluster de baies. Délivrant jusqu'à 4 millions d'opérations d'entrée/sortie par seconde (IOPS) et une capacité de stockage massive pouvant atteindre 14 pétaoctets, cette solution propose une

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>					
<b>ETERNUS DX8700 S3</b>					
	ET DX8700 S3 Base RM Contr. X2	ETERNUS DX8700 S3, , - 1x controller enclosure CE, - 2x power distribution unit (AC200-240V), - 2x controller module CM, - 2x AC Power cable, , - 1x backend enclosure FE, - Front-End Router Type1, - 4x power distribution unit (AC200-240V), - 4x AC Power cable, , - QSFP Copper Cable 1.1m x8, - Management Cable 3m x4, , - Rack mount kit x1 (FE and CE) ,	FTS:ET873SAU	84244,71	
	ET DX8700S3 Ctrl.Encl. Contr. X2	ETERNUS DX8700 S3 Expansion CE Ctrl. , 1x Ctrl. Enclosure, 2x Ctrl. CM, , 2x AC cable (1x2.5m and 1x1.5m), 1x Rackmount Kit, CD , Manual,	FTS:ETSCBU	54411,76	
<b>ETERNUS DX8700 S3 CE Field</b>					
	ET DX8700S3 Ctrl.Encl. Contr. x2	ETERNUS DX8700 S3 Expansion CE Ctrl. , 1x Ctrl. Enclosure, 2x Ctrl. CM, , 2x AC cable (1x2.5m and 1x1.5m), 1x Rackmount Kit, CD , Manual,	FTS:ETSCBU-L	54411,76	
<b>ETERNUS DX8700 S2 2.5 Field</b>					
	ET DX8700 S2 DriveEncl. 2.5 x4 BRTx2 UPG	Drive enclosure Set 2.5inch for DX8700 S2 with two Backend Router for field upgrade, Including:, 4 x DE 's 2,5inch with mounting kit 's, short SAS connecting cables (8x 1.1m) and the AC power cables, 2 x Backend Router, 8 x additional SAS Câbles for DE Set 1-7, long SAS connecting cable (3m), needed for Connecting DE 's Rack to Rack. ,	FTS:ETGAB4CU-L	46080,00	
	ET DX8700 S2 DriveEncl. 2.5 x4 UPG	Drive enclosure Set 2.5inch for DX8700 S2 for field upgrade, Including:, 4 x DE 's 2,5inch with mounting kit 's, short SAS connecting cables (8x 1.1m) and the AC power cables.,	FTS:ETGAD4CU-L	39937,65	
<b>ETERNUS DX8700 S2 3.5 Field</b>					


**ETERNUS DX8700 S3**

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>ETERNUS DX8700 S2 3.5 Field (Suite)</b>					
	ET DX8700 S2 DriveEncl. 3.5 x4 BRTx2 UPG	Drive enclosure Set 3.5inch for DX8700 S2 with two Backend Router for field upgrade, Including:, 4 x DE´s 3,5inch with mounting kit´s, short SAS connecting cables (8x 1.1m) and the AC power cables, 2 x Backend Router, 8 x additional SAS Câbles for DE Set 1-7, long SAS connecting cable (3m), needed for Connecting DE´s Rack to Rack. ,	FTS:ETGAB4DU-L	46080,00	
	ET DX8700 S2 DriveEncl. 3.5 x4 UPG	Drive enclosure Set 3.5inch for DX8700 S2 for field upgrade, Including:, 4 x DE´s 3,5inch with mounting kit´s, short SAS connecting cables (8x 1.1m) and the AC power cables., ,	FTS:ETGAD4DU-L	39937,65	
<b>ETERNUS DX8700 S2 RACK</b>					
	DX8X00S2 BASE RACK SYMMETRIC 700MM 42U	42 HE Rack (Base Rack DX8700 S2), Rack with fixed mounted cable Tray., Symmetrical large basic cabinet with 740mm post distance. WxDxH = 700x1050x2003mm., , , Note: Only to use for the ETERNUS DX8700 S2 System	FTS:ETBAS7S42U	7101,18	
	DX8X00S2 EXP RACK SYMMETRIC 700MM 42U	42 HE Rack (Expansion Rack DX8700 S2), Rack with fixed mounted cable Tray., Symmetrical large basic cabinet with 740mm post distance. WxDxH = 700x1050x2003mm., , , Note: Only to use for the ETERNUS DX8700 S2 System	FTS:ETEXP7S42U	6868,24	



## ETERNUS JX40

Fiches produit : <http://fr.fujitsu.com/stockage>

### ETERNUS JX40 - Systèmes de stockage disque à attachement direct (JBOD)

Le stockage SAS ETERNUS JX40 est un système de stockage passif connectable directement sur le serveur via une connexion SAS 6 Gb/s. Il permet d'étendre les capacités de stockage disque des serveurs PRIMERGY. Avec son format rack 2U, ETERNUS JX40 permet de répondre à des besoins de capacité de stockage complémentaires dans un boîtier compact intégrable dans une armoire rack 19" standard. Il peut recevoir jusqu'à 24 disques 2.5" pour une capacité totale de 12 To. Il est possible de configurer jusqu'à 3 ETERNUS JX40 en cascade pour atteindre une capacité disque de 36 To.

Au sein de ETERNUS JX40, les composants actifs - disques durs hot-plug et module d'alimentation hot-plug - peuvent être remplacés en cours d'exploitation. Les alimentations hot-plug et redondantes peuvent être connectées sur des phases redondantes via des lignes d'alimentation séparées. L'optimisation du refroidissement des disques durs pour sécuriser les

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>ETERNUS JX40 S2 2.5</b>				
ETERNUS JX40 S2 Enclosure w 1x IOM	ETERNUS JX40 S2 1 Channel JBOD System	FTS:ETJEADU	2547,06	
<b>ETERNUS JX40 S2 3.5</b>				
ETERNUS JX40 S2 3.5 Enclosure w 1x IOM	ETERNUS JX40 S2 3,5 " 1 Channel JBOD System	FTS:ETJEBDU	2124,71	
<b>ETERNUS JX40</b>				
ETERNUS JX40	ETERNUS JX40 1 Channel JBOD System	FTS:ETJXS11BG	2547,06	



## ETERNUS JX60

Fiches produit : <http://fr.fujitsu.com/stockage>

### ETERNUS JX60 - Systèmes de stockage disque à attachement direct (JBOD)

La baie de stockage passif de type JBOD est une solution économique pour étendre les capacités de stockage interne d'un serveur. Comme le volume des données à stocker augmente plus rapidement que la capacité des disques, le nombre de disques à installer s'accroît encore plus vite, ce qui entraîne une consommation plus forte d'espace dans les racks. C'est pour résoudre ce dilemme que la baie de stockage JBOD ETERNUS JX60 de Fujitsu offre une très haute densité de stockage dans un minimum d'espace. Elle peut contenir jusqu'à 60 disques Nearline SAS de 3,5" dans un boîtier de seulement 4U (quatre unités de hauteur de rack). En connectant directement sur le serveur jusqu'à quatre boîtiers, il est ainsi possible d'atteindre une capacité totale de

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS JX60</b>				
ETERNUS JX60	ETERNUS JX60 Enclosure w 1x IOM	FTS:JX60-EXP	11791,24	





Accessoires Stockage ETERNUS (1)

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX1200 S3 2.5DE Expa	ETERNUS DX1200 S3 2.5DE Field	ETERNUS DX1200 S3 3.5DE Expa	ETERNUS DX1200 S3 3.5DE Field	ETERNUS DX100 S3 2.5	ETERNUS DX100 S3 3.5	ETERNUS DX200 S3 2.5	ETERNUS DX200 S3 3.5	ETERNUS DX200F S3 2.5 (1.6TB)	ETERNUS DX200F S3 2.5 (800GB)	ETERNUS DX410 S1	ETERNUS DX410 S2	ETERNUS DX440 S1	ETERNUS DX440 S2	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX5600 S3 2.5DE Expa	ETERNUS DX5600 S3 3.5DE Expa	ETERNUS DX5600 S3 3.5DE Field	ETERNUS DX500 S3	ETERNUS DX600 S3	Référence	Prix Indicatif (€)	Remarques	
<b>Accessoires (Matrice)</b>																									
<b>Mémoire</b>																									
DX100 S3 Cache4G, 1x4GB for 1Ctl						x	x															FTS:ETFM41U-L	170,59		
DX200 S3 Cache8G, 2x4GB for 1Ctl								x	x														FTS:ETFM42U-L	341,18	
ETERNUS DX410 S2 - Cache 8Go (2x Ctrl 2x2Go DIM)													x										FTS:ETNM24-L	1782,35	
ETERNUS DX440 S2 - Cache 24Go (2x Ctrl 3x4Go DIM)														x									FTS:ETNM46-L	5347,06	
<b>Hard Disks</b>																									
DX8090 S2 MLC SSD SAS 400GB 2.5 x1												x											FTS:ETES4HE-L	3547,06	
DX8090 S2 MLC SSD SAS 400GB 3.5 x1													x										FTS:ETES4HF-L	3547,06	
DX8090 S2 MLC SSD SAS 800GB 2.5 x1													x										FTS:ETES8HC-L	7094,12	
DX8090 S2 MLC SSD SAS 800GB 3.5 x1														x									FTS:ETES8HD-L	7094,12	
DX1200 S3 HD 2.5" 300GB 15krpm x1	x	x																					FTS:ETFDA3-L	360,00	
DX1200 S3 HD 2.5" 600GB 15krpm x1	x	x	x																				FTS:ETFDA6-L	503,53	
DX1200 S3 HD 2.5" 1.2TB 10krpm x1	x	x		x																			FTS:ETFDB1-L	597,65	
DX1200 S3 HD 2.5" 300GB 10krpm x1	x	x		x																			FTS:ETFDB3-L	200,00	
DX1200 S3 HD 2.5" 600GB 10krpm x1	x	x		x																			FTS:ETFDB6-L	334,12	
DX1200S3 HD SAS 1.8TB 10k 2.5 AF x1	x	x		x					x														FTS:ETFDB8-L	868,24	
DX1200 S3 HD 2.5" 900GB 10krpm x1	x	x		x																			FTS:ETFDB9-L	456,47	
DX1200 S3 SED 2.5" 1.2TB 10krpm x1	x	x		x																			FTS:ETFDC1-L	651,76	
DX1200 S3 SED 2.5" 900GB 10krpm x1	x	x		x																			FTS:ETFDC9-L	470,59	
DX1200 S3 HD 2.5" 1.0TB 7.2krpm x1	x	x		x																			FTS:ETFNA1-L	397,65	
DX1200S3 SED NLSAS 4TB 7.2 3.5 x1			x	x		x		x															FTS:ETFNF4-L	615,29	
DX1200 MLC SSD 2.5" 400GB SAS3 x1	x	x			x		x					x											FTS:ETFSA4-L	1788,24	
DX1200 MLC SSD 2.5" 800GB SAS3 x1	x	x			x		x					x											FTS:ETFSA8-L	3341,18	
DX1200 MLC SSD 2.5" 1.6TB SAS3 x1	x	x			x		x		x														FTS:ETFSAH-L	5664,71	
DX1200 MLC SSD 3.5" 400GB SAS3x1					x	x		x		x													FTS:ETFSB4-L	1788,24	
DX1200 MLC SSD 3.5" 800GB SAS3 x1					x	x		x		x													FTS:ETFSB8-L	3341,18	
DX1200 MLC SSD 3.5" 1.6TB SAS3 x1					x	x		x		x													FTS:ETFSBH-L	5664,71	
DX1200 S3 SSD MLC 3.5" 1.6TB for HD-DE												x											FTS:ETFSD4-L	1681,18	
DX60 S3 MLC SSD SAS 400GB 2.5 x1												x											FTS:ETFSD4-L	1788,24	
DX60 S3 MLC SSD SAS 400GB 2.5 x1												x											FTS:ETFSD8-D	3141,18	
DX60 S3 MLC SSD SAS 800GB 2.5 x1												x											FTS:ETFSD8-L	3341,18	
DX60 S3 MLC SSD SAS 1.6TB 2.5 x1												x											FTS:ETFSDH-D	5325,88	
DX60 S3 MLC SSD SAS 1.6TB 2.5 x1												x											FTS:ETFSDH-L	5664,71	
DX60 S3 MLC SSD SAS 400GB 3.5 x1												x											FTS:ETFSE4-D	1681,18	
DX60 S3 MLC SSD SAS 400GB 3.5 x1												x											FTS:ETFSE4-L	1788,24	
DX60 S3 MLC SSD SAS 800GB 3.5 x1												x											FTS:ETFSE8-D	3141,18	
DX60 S3 MLC SSD SAS 800GB 3.5 x1												x											FTS:ETFSE8-L	3341,18	
DX60 S3 MLC SSD SAS 1.6TB 3.5 x1												x											FTS:ETFSEH-D	5325,88	
DX60 S3 MLC SSD SAS 1.6TB 3.5 x1												x											FTS:ETFSEH-L	5664,71	
DX1200S3 SED SSD SAS 800GB 12G 2.5 x1	x	x					x		x														FTS:ETFSG8-L	3376,47	
DX1200S3 SED SSD SAS 1.6TB 12G 2.5 x1	x	x					x		x														FTS:ETFSGH-L	5703,53	
DX1200S3 SED SSD SAS 800GB 12G 3.5 x1					x	x		x		x													FTS:ETFSH8-L	3376,47	
DX1200S3 SED SSD SAS 1.6TB 12G 3.5 x1					x	x		x		x													FTS:ETFSHH-L	5703,53	
DX8x00 S2 MLC SSD SAS 400GB 2.5 x1												x											FTS:ETGS4HE-L	3654,12	
DX8x00 S2 MLC SSD SAS 400GB 3.5 x1												x											FTS:ETGS4HF-L	3654,12	
ETERNUS DX4xx S2 - Disque SAS 300Go/10k - 2.5" (si													x		x	x							FTS:ETND3HC-L	268,24	
DX4x0 S2 HD SAS 300GB 15k 2.5 x1													x		x	x							FTS:ETND3HG-L	582,35	
DX4x0 S2 HD SAS 300GB 10k 3.5 x1																	x						FTS:ETND3HH-L	284,71	
ETERNUS DX4xx S2 - Disque SAS 450Go/10k - 2.5" (si													x		x	x							FTS:ETND4HC-L	398,82	
ETERNUS DX4xx S2 - Disque SAS 600Go/10k - 2.5" (si													x		x	x							FTS:ETND6HC-L	484,71	
DX4x0 S2 HD SAS 600GB 10k 3.5 x1																	x						FTS:ETND6HH-L	497,65	
DX4x0 S2 HD SAS 900G 10k 2.5 x1													x		x	x							FTS:ETND9HC-L	703,53	
DX4x0 S2 SED SAS900GB 10k 2.5 x1													x		x	x							FTS:ETND9HE-L	861,18	
DX4x0 S2 HD NLSAS 1TB 7.2 2.5 x1													x		x	x							FTS:ETNN1HC-L	445,88	
ETERNUS DX4xx S2 - Disque NLSAS 1To/7.2k - 3.5" (s													x		x	x							FTS:ETNN1HD-L	320,00	
ETERNUS DX4xx S2 - Disque NLSAS 2To/7.2k - 3.5" (s															x	x	x						FTS:ETNN2HD-L	487,06	
DX4x0 S2 HD NLSAS 3TB 7.2 3.5 x1													x		x	x							FTS:ETNN3HD-L	814,12	
DX4x0 S2 HD NLSAS 4TB 7.2 3.5 x1															x	x	x						FTS:ETNN4HD-L	900,00	
DX4x0 S2 MLC SSD SAS 400GB 2.5 x1											x		x	x									FTS:ETNS4HE-L	3547,06	
DX4x0 S2 MLC SSD SAS 400GB 3.5 x1											x		x	x									FTS:ETNS4HF-L	3547,06	
DX4x0 S2 MLC SSD SAS 800GB 2.5 x1											x		x	x									FTS:ETNS8HC-L	7094,12	
DX4x0 S2 MLC SSD SAS 800GB 3.5 x1											x		x	x									FTS:ETNS8HD-L	7094,12	
DX5600 S3 HD 2.5" 300GB 15krpm x1																	x	x					FTS:ETPDA3-L	554,12	
DX5600 S3 HD 2.5" 600GB 15krpm x1																	x	x					FTS:ETPDA6-L	858,82	
DX5600 S3 HD 2.5" 1.2TB 10krpm x1																	x	x					FTS:ETPDB1-L	705,88	
DX5600 S3 HD 2.5" 300GB 10krpm x1																	x	x					FTS:ETPDB3-L	276,47	
DX5600 S3 HD 2.5" 600GB 10krpm x1																	x	x					FTS:ETPDB6-L	477,65	
DX5600S3 HD SAS 1.8TB 10k 2.5 AF x1																	x	x					FTS:ETPDB8-L	2031,76	
DX5600 S3 HD 2.5" 900GB 10krpm x1																	x	x					FTS:ETPDB9-L	663,53	
DX5600 S3 SED 2.5" 1.2TB 10krpm x1																	x	x					FTS:ETPDC1-L	770,59	



**Accessoires Stockage ETERNUS (1)**

Fiches produit : <http://fr.fujitsu.com/stockage>

DX5/600 S3 SED 2.5" 900GB 10krpm x1																				x	x					FTS:ETPDC9-L	684,71	
DX5/600 S3 SAS 1,2 TB 10k for HD DE																					x						FTS:ETPDE1-L	705,88
DX5/600 S3 Extreme cache 1.4TB for 2Ctl																									x	x	FTS:ETPF1-L	19387,06
DX5/600 S3 Extreme cache 2.8TB for 2Ctl																									x	x	FTS:ETPF2-L	30292,94
DX5/600 S3 HD 2.5" 1.0TB 7.2krpm x1																											FTS:ETPNA1-L	456,47



Accessoires Stockage ETERNUS (1)

Fiches produit : <http://fr.fujitsu.com/stockage>

Table with columns: Description, ETERNUS DX1200 S3 2.5DE Expa, ETERNUS DX1200 S3 2.5DE Field, ETERNUS DX1200 S3 3.5DE Expa, ETERNUS DX1200 S3 3.5DE Field, ETERNUS DX100 S3 2.5, ETERNUS DX100 S3 3.5, ETERNUS DX200 S3 2.5, ETERNUS DX200 S3 3.5, ETERNUS DX200F S3 2.5 (1.6TB), ETERNUS DX200F S3 2.5 (800GB), ETERNUS DX410 S1, ETERNUS DX410 S2, ETERNUS DX440 S1, ETERNUS DX440 S2, ETERNUS DX4xx S2 2.5 Expa, ETERNUS DX4xx S2 3.5 Expa, ETERNUS DX5600 S3 2.5DE Expa, ETERNUS DX5600 S3 3.5DE Expa, ETERNUS DX5600 S3 3.5DE Field, ETERNUS DX500 S3, ETERNUS DX600 S3, Références, Prix Indicatif (€), and Remarques. Rows include Hard Disks (Suite), Divers, Câbles, and Upgs.



**Accessoires Stockage ETERNUS (1)**

Fiches produit : <http://fr.fujitsu.com/stockage>

ETSF16 ACM UPG ACL to ACM LocalCpy Tier3												x									FTS:D01906G83H	4721,18
AMF upgrade +1Year for FTS:D0190EF8CH												x									FTS:D0190FFSCH	534,12
AMF upgrade +1Year for FTS:D0190EF8DH													x								FTS:D0190FFSDH	969,41
AMF upgrade +1Year for FTS:D01910F8CH													x								FTS:D019X0FSCH	1260,00
AMF upgrade +1Year for FTS:D01910F8DH														x							FTS:D019X0FSDH	2367,00



Accessoires Stockage ETERNUS (1)

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX1200 S3 2_5DE Expa	ETERNUS DX1200 S3 2_5DE Field	ETERNUS DX1200 S3 3_5DE Expa	ETERNUS DX1200 S3 3_5DE Field	ETERNUS DX100 S3 2_5	ETERNUS DX100 S3 3_5	ETERNUS DX200 S3 2_5	ETERNUS DX200 S3 3_5	ETERNUS DX200F S3 2_5 (1_6TB)	ETERNUS DX200F S3 2_5 (800GB)	ETERNUS DX410 S1	ETERNUS DX410 S2	ETERNUS DX440 S1	ETERNUS DX440 S2	ETERNUS DX4xx S2 2_5 Expa	ETERNUS DX4xx S2 3_5 Expa	ETERNUS DX5600 S3 2_5DE Expa	ETERNUS DX5600 S3 3_5DE Field	ETERNUS DX5600 S3 3_5DE Expa	ETERNUS DX5600 S3 3_5DE Field	ETERNUS DX500 S3	ETERNUS DX600 S3	Référence	Prix Indicatif (€)	Remarques				
<b>Accessoires (Matrice)</b>																													
<b>SF (Standard) (Suite)</b>																													
AMF upgrade +1Year for FTS:D01918F8CH												x														FTS:D019X8FSCH	1017,00		
AMF upgrade +1Year for FTS:D01918F8DH														x													FTS:D019X8FSDH	1525,00	
AMF upgrade +1Year for FTS:D01913F8CH												x															FTS:D019X1FSCH	1225,88	
AMF upgrade +1Year for FTS:D01913F8DH														x													FTS:D019X1FSDH	2951,76	
AMF upgrade +1Year for FTS:D01916F8CH												x															FTS:D019X6FSCH	1993,00	
AMF upgrade +1Year for FTS:D01916F8DH														x													FTS:D019X6FSDH	2984,00	
AMF upgrade +1Year for FTS:D01904F8CH												x															FTS:D019XAFSCH	4910,59	
AMF upgrade +1Year for FTS:D01904F8DH														x													FTS:D019XAFSDH	8060,00	
<b>Ctrl. Modul (CM)</b>																													
DX100 S3 CM w 1xCA FCoE 10G 2port				x	x																						FTS:ETFCC2E-L	2936,47	
DX200 S3 CM w 1xCA FCoE 10G 2port						x	x																				FTS:ETFCC2F-L	4414,12	
DX100 S3 CM w 1xCA FCoE 10G 2port wo SFP				x	x																						FTS:ETFCCAEL-L	2698,82	
DX200 S3 CM w 1xCA FCoE 10G 2port wo SFP						x	x																				FTS:ETFCCAF-L	4176,47	
DX100 S3 CM w 1xCA FC 8G 2port				x	x																						FTS:ETFCH2E-L	2671,76	
DX200 S3 CM w 1xCA FC 8G 2port						x	x																				FTS:ETFCH2F-L	4149,41	
DX100 S3 CM w 1xCA FC 16G 2port				x	x																						FTS:ETFCH2E-L	3543,53	
DX200 S3 CM w 1xCA FC 16G 2port						x	x																				FTS:ETFCH2F-L	5021,18	
DX100 S3 CM w 1xCA iSCSI 1G 2port				x	x																						FTS:ETFCL2E-L	2337,65	
DX200 S3 CM w 1xCA iSCSI 1G 2port						x	x																				FTS:ETFCL2F-L	3815,29	
DX100 S3 CM w 1xCA SAS 6G 2port				x	x																						FTS:ETFCS2E-L	2170,59	
DX200 S3 CM w 1xCA SAS 6G 2port						x	x																				FTS:ETFCS2F-L	3648,24	
DX100 S3 CM w 1xCA iSCSI 10G 2port				x	x																						FTS:ETFCX2E-L	3270,59	
DX200 S3 CM w 1xCA iSCSI 10G 2port						x	x																				FTS:ETFCX2F-L	4748,24	
DX100 S3 CM w 1xCA iSCSI 10G 2p wo SFP				x	x																						FTS:ETFCXAE-L	2905,88	
DX200 S3 CM w 1xCA iSCSI 10G 2p wo SFP						x	x																				FTS:ETFCXAF-L	4383,53	
<b>Channel Adapter</b>																													
DX1/200 S3 Add CA FCoE 10G 2port				x	x	x	x																				FTS:ETFHC2-L	1047,06	
DX1/200 S3 Add.CA FCoE 10G 2port wo SFP				x	x	x	x																				FTS:ETFHCA-L	808,24	
DX1/200 S3 Add CA Eth 1G 4port Unified				x	x	x	x																				FTS:ETFHE4-L	604,71	
DX1/200 S3 Add CA FC 8G 2port				x	x	x	x																				FTS:ETFHF2-L	781,18	
DX1/200 S3 Add CA FC 16G 2port				x	x	x	x																				FTS:ETFHH2-L	1654,12	
DX200F Add CA FC 16G 2port w. SFP x2								x	x																		FTS:ETFHH4F-L	3305,88	
DX1/200 S3 SFP 16G LongWave				x	x	x	x																				FTS:ETFHHS-L	1489,41	
DX1/200 S3 Add CA iSCSI 1G 2port				x	x	x	x																				FTS:ETFHL2-L	447,06	
DX1/200 S3 Add.CA Eth 10G 2port Unified				x	x	x	x																				FTS:ETFHN2-L	1381,18	
DX1/200 S3 Add CA Eth 10G 2p Unif. woSFP				x	x	x	x																				FTS:ETFHNA-L	1212,94	
DX1/200 S3 Add CA SAS 6G 2port				x	x	x	x																				FTS:ETFHS2-L	280,00	
DX1/200 S3 Add CA iSCSI 10G 2port				x	x	x	x																				FTS:ETFHX2-L	1381,18	
DX200F Add CA iSCSI 10G 2port w. SFP x2								x	x																		FTS:ETFHX4F-L	2760,00	
DX1/200 S3 Add CA iSCSI 10G 2port woSFP				x	x	x	x																				FTS:ETFHXA-L	1015,29	
DX200F Add CA iSCSI 10G 2port wo. SFP x2								x	x																		FTS:ETFHXBF-L	2030,59	
ETERNUS DX4x0 S2 - Interf. FCoE 2x Ports 10Gx2												x	x														FTS:ETNHC22-L	4768,24	
DX4x0 S2 IFCard FCoE 2P 10G x2 no SFP												x	x														FTS:ETNHC2N-L	4591,76	
ETERNUS DX4xx S2 - 2x Carte Interf. FC 2x Ports 8G												x	x														FTS:ETNHF22-L	2674,12	
ETERNUS DX4xx S2 - 2x Carte Interf. FC 4x Ports 8G												x	x														FTS:ETNHF24-L	4188,24	
DX4x0 S2 Long wave SFP+ 8G x2												x	x														FTS:ETNHFL2-L	1052,94	
DX4x0 S2 InterfCard FC 2Port 16G x2												x	x														FTS:ETNHH22-L	5410,59	
DX4x0 S2 InterfCard FC 4Port 16G x2												x	x														FTS:ETNHH24-L	9704,71	
DX4x0 S2 Long wave SFP+ 16G x2												x	x														FTS:ETNHHL2-L	1763,53	
ETERNUS DX4xx S2 - 2x Carte Interf. iSCSI 2x Ports												x	x														FTS:ETNHL22-L	4188,24	
ETERNUS DX4xx S2 - 2x Carte Interf. iSCSI 2x Ports												x	x														FTS:ETNHX22-L	4768,24	
DX4x0 S2 IFCard iSCSI 2P 10G x2 no SFP												x	x														FTS:ETNHY2N-L	4591,76	
ETERNUS DX4x0 S2 - 2x Carte Interf. iSCSI 2x Ports												x	x														FTS:ETNRL22-L	7308,24	
DX5/600 S3 CA FCoE 10G 2port x2																					x	x					FTS:ETPHC4-L	2908,24	
DX5/600 S3 CA FCoE 10G 2port x2 wo SFP																					x	x					FTS:ETPHCA-L	2263,53	
DX5/600 S3 CA Eth 1G 4port x2 f.Unified																					x	x					FTS:ETPHE8-L	1701,18	
DX5/600 S3 CA FC 8G 2port x2																					x	x					FTS:ETPHF4-L	2207,06	
DX5/600 S3 CA FC 8G 4port x2																					x	x					FTS:ETPHF8-L	3971,76	
DX5/600 S3 CA FC 16G 2port x2																					x	x					FTS:ETPHH4-L	2956,47	
DX5/600 S3 CA FC 16G 4port x2																					x	x					FTS:ETPHH8-L	5323,53	
DX5/600 S3 SFP 16G LongWave																					x	x					FTS:ETPHHL-L	1817,65	
DX5/600 S3 CA iSCSI 1G 2port x2																					x	x					FTS:ETPHL4-L	2748,24	
DX5/600 S3 CA Eth10G 2p x2 Unified w SFP																					x	x					FTS:ETPHN4-L	5355,29	
DX5/600 S3 CA Eth10G 2px2 Unified wo SFP																					x	x					FTS:ETPHNA-L	3543,53	
DX5/600 S3 CA iSCSI 10G 2port x2																					x	x					FTS:ETPHX4-L	5317,65	
DX5/600 S3 CA iSCSi 10G 2port x2 wo SFP																					x	x					FTS:ETPHXA-L	2827,06	



**Accessoires Stockage ETERNUS (2)**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX60 S1 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60 S3	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8090 S2 2.5 Expa	ETERNUS DX8090 S2 3.5 Expa	ETERNUS DX8700 CE Field upg	ETERNUS DX8700 S2	ETERNUS DX8700 S2 2.5 Expa	ETERNUS DX8700 S2 2.5 Field	ETERNUS DX8700 S2 3.5 Expa	ETERNUS DX8700 S2 3.5 Field	ETERNUS DX8700 S2 RACK	ETERNUS DX8700 S3	ETERNUS DX8700 S3 CE Field	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS JX60	Référence	Prix Indicatif (€)	Remarques	
<b>Accessoires (Matrice)</b>																										
<b>Mémoire</b>																										
DX8700 S2 96GCacheMem.set f.2Contr2x3DIM												x												FTS:ETGMH6-L	33045,88	
DX8700S2 192GCacheMem.set f.2Contr2x3DIM												x												FTS:ETGMW6-L	66090,59	
DX87/8900S3 128G Mem.set f.2Contr.8x8DIM																	x	x						FTS:ETSMC12-L	25074,12	
DX87/8900S3 256G Mem.set f.2Contr16x8DIM																	x	x						FTS:ETSMC25-L	50115,29	
DX87/8900S3 32G Mem.set f.2Contr. 4x4DIM																	x	x						FTS:ETSMC32-L	6260,00	
<b>Hard Disks</b>																										
DX60 S2 HD SAS 1.2TB 10k 2.5 x1		x																						FTS:ETED1HB-L	852,94	
DX60 S2 HD SAS 300GB 10k 2.5 x1		x																						FTS:ETED3HB-L	268,24	
DX8090 S2 HD SAS 300G 10k 2.5 x1								x	x										x					FTS:ETED3HC-L	268,24	
DX8090 S2 HD SAS 300GB 15k 2.5 x1								x	x										x					FTS:ETED3HG-L	582,35	
DX8090 S2 HD SAS 300GB 10k 3.5 x1								x		x														FTS:ETED3HH-L	284,71	
DX60 S2 HD SAS 300GB 10k 3.5 x1			x	x																				FTS:ETED3HJ-L	336,47	
DX60 S2 HD SAS 450GB 10k 2.5 x1		x																						FTS:ETED4HB-L	398,82	
DX8090 S2 HD SAS 450G 10k 2.5 x1								x	x										x					FTS:ETED4HC-L	398,82	
DX60 S2 HD SAS 600GB 10k 2.5 x1			x																					FTS:ETED6HB-L	484,71	
DX8090 S2 HD SAS 600G 10k 2.5 x1								x	x										x					FTS:ETED6HC-L	484,71	
DX8090 S2 HD SAS 600GB 10k 3.5 x1								x		x														FTS:ETED6HH-L	497,65	
DX60 S2 HD SAS 600GB 10k 3.5 x1			x	x																				FTS:ETED6HJ-L	497,65	
DX60 S2 HD SAS 900GB 10k 2.5 x1		x																						FTS:ETED9HB-L	703,53	
DX8090 S2 HD SAS 900G 10k 2.5 x1								x	x										x					FTS:ETED9HC-L	703,53	
DX8090 S2 SED SAS900GB 10k 2.5 x1								x	x										x					FTS:ETED9HE-L	861,18	
DX60 S2 HD NLSAS 1TB 7.2 3.5 x1			x	x																				FTS:ETEN1HA-L	320,00	
DX60 S2 HD NLSAS 1TB 7.2 2.5 x1		x																						FTS:ETEN1HB-L	445,88	
DX8090 S2 HD NLSAS 1TB 7.2 2.5 x1								x	x										x					FTS:ETEN1HC-L	445,88	
DX8090 S2 HD NLSAS 1TB 7.2 3.5 x1								x		x										x				FTS:ETEN1HD-L	320,00	
DX60 S2 HD NLSAS 2TB 7.2 3.5 x1			x	x																				FTS:ETEN2HA-L	487,06	
DX8090 S2 HD NLSAS 2TB 7.2 3.5 x1								x		x										x				FTS:ETEN2HD-L	487,06	
DX60 S2 HD NLSAS 3TB 7.2 3.5 x1			x	x																				FTS:ETEN3HA-L	770,59	
DX8090 S2 HD NLSAS 3TB 7.2 3.5 x1								x		x										x				FTS:ETEN3HD-L	814,12	
DX60 S2 HD NLSAS 4TB 7.2k 3.5 x1			x	x																				FTS:ETEN4HA-L	900,00	
DX8090 S2 HD NLSAS 4TB 7.2k 3.5 x1								x		x										x				FTS:ETEN4HD-L	900,00	
DX8090 S2 MLC SSD SAS 400GB 2.5 x1								x	x											x				FTS:ETES4HE-L	3547,06	
DX8090 S2 MLC SSD SAS 400GB 3.5 x1								x		x											x			FTS:ETES4HF-L	3547,06	
DX8090 S2 MLC SSD SAS 800GB 2.5 x1								x		x										x				FTS:ETES8HC-L	7094,12	
DX8090 S2 MLC SSD SAS 800GB 3.5 x1								x		x											x			FTS:ETES8HD-L	7094,12	
DX8x00 S2 HDD SAS 1.2TB 10k 2.5 x1												x	x	x										FTS:ETGD1HC-L	838,82	
DX8x00 S2 SED SAS 1.2TB 10k 2.5 x1												x	x	x										FTS:ETGD1HE-L	1012,94	
DX8x00 S2 HDD SAS 300GB 10k 2.5 x1												x	x	x										FTS:ETGD3HC-L	276,47	
DX8x00S2 HD SAS 300GB 15k 2.5 x1												x	x	x										FTS:ETGD3HG-L	600,00	
DX8x00S2 HD SAS 300GB 10k 3.5 x1															x	x								FTS:ETGD3HH-L	294,12	
DX8x00 S2 HDD SAS 450GB 10k 2.5 x1												x	x	x										FTS:ETGD4HC-L	411,76	
DX8x00 S2 HDD SAS 600GB 10k 2.5 x1												x	x	x										FTS:ETGD6HC-L	500,00	
DX8x00 S2 HDD SAS 600GB 15k 2.5 x1												x	x	x										FTS:ETGD6HG-L	1145,88	
DX8x00S2 HD SAS 600GB 10k 3.5 x1															x	x								FTS:ETGD6HH-L	512,94	
DX8x00 S2 HDD SAS 900GB 10k 2.5 x1												x	x	x										FTS:ETGD9HC-L	697,65	
DX8x00 S2 SED SAS 900GB 10k 2.5 x1												x	x	x										FTS:ETGD9HE-L	685,88	
DX8x00 S2 MLC SSD SAS 400GB 2.5 x1												x	x	x										FTS:ETGS4HE-L	3654,12	
DX8x00 S2 MLC SSD SAS 400GB 3.5 x1												x	x	x										FTS:ETGS4HF-L	3654,12	
JX40 SAS Disk 300GB 15k 6G 2.5"																				x				FTS:ETJSA3HBG-L	305,88	
JX40 SAS Disk 300GB 10k 6G 2.5"																				x				FTS:ETJSA3MBG-L	181,18	
JX40 SAS Disk 450GB 10k 6G 2.5"																				x				FTS:ETJSA4MBG-L	376,47	
JX40 SAS Disk 600GB 10k 6G 2.5"																				x				FTS:ETJSA6MBG-L	308,24	
JX40 SAS Disk 900GB 10k 6G 2.5"																				x				FTS:ETJSA9MBG-L	452,94	
JX40 BC SAS Disk 1 TB BC 6G 2.5" 7.2k																				x				FTS:ETJSU4MBG-L	418,82	
DX5/600 S3 Extreme cache 1.4TB for 2Ctl								x																FTS:ETPF1-L	19387,06	
DX5/600 S3 Extreme cache 2.8TB for 2Ctl								x																FTS:ETPF2-L	30292,94	
DX87/8900 S3 1.4TB FlashCache 1.4TB x1																								FTS:ETSF1-L	19387,06	
DX87/8900 S3 700GB FlashCache 700GB x1																								FTS:ETSF7-L	11705,88	
JX40 SAS Disk 1.2TB 10k 6G 2.5"																				x				FTS:JX40-HD-12-L	801,18	
JX40 SAS Disk 300GB 15k 12G 2.5"																				x				FTS:JX40-HD30015-L	305,88	
JX40 SAS Disk 450GB 15k 12G 2.5"																				x				FTS:JX40-HD45015-L	643,53	
JX40 SAS Disk 600GB 15k 12G 2.5"																				x				FTS:JX40-HD60015-L	489,41	
JX40 SSD SAS 12G 1.6TB MLC 2.5"																				x				FTS:JX40-SSD1600-L	12591,76	
JX40 SSD SAS 12G 200GB MLC 2.5"																				x				FTS:JX40-SSD200-L	1632,94	



**Accessoires Stockage ETERNUS (2)**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX60 S1 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX600 S3	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8090 S2 2.5 Expa	ETERNUS DX8090 S2 3.5 Expa	ETERNUS DX8700 CE Field upg	ETERNUS DX8700 S2	ETERNUS DX8700 S2 2.5 Expa	ETERNUS DX8700 S2 2.5 Field	ETERNUS DX8700 S2 3.5 Expa	ETERNUS DX8700 S2 3.5 Field	ETERNUS DX8700 S2 RACK	ETERNUS DX8700 S3	ETERNUS DX8700 S3 CE Field	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS JX60	Référence	Prix Indicatif (€)	Remarques				
<b>Accessoires (Matrice)</b>																													
<b>Hard Disks (Suite)</b>																													
JX40 SSD SAS 12G 400GB MLC 2.5"																						x		FTS:JX40-SSD400-L	3351,76				
JX40 SSD SAS 12G 800GB MLC 2.5"																						x		FTS:JX40-SSD800-L	6431,76				
JX60 3.5" 2TB 7k2 SAS																						x		FTS:JX60-HD-2TB-L	349,41				
JX60 3.5" 3TB 7k2 SAS																						x		FTS:JX60-HD-3TB-L	489,41				
JX60 3.5" 4TB 7k2 SAS																						x		FTS:JX60-HD-4TB-L	731,76				
JX60 3.5 6 TB 7k2 512E																						x		FTS:JX60-HD-6TB-L	802,35				
DX8x00 S2 HDD NLSAS 1TB 7.2 2.5 x1											x	x	x											FTS:ETGN1HC-L	460,00				
DX8x00 S2 HDD NLSAS 1TB 7.2 3.5 x1											x			x	x									FTS:ETGN1HD-L	330,59				
DX8x00 S2 HDD NLSAS 2TB 7.2 3.5 x1											x			x	x									FTS:ETGN2HD-L	502,35				
DX8x00 S2 HDD NLSAS 3TB 7.2 3.5 x1											x			x	x									FTS:ETGN3HD-L	838,82				
DX8x00S2 HD NL SAS 4TB 7.2k 3.5 x1											x			x	x									FTS:ETGN4HD-L	927,06				
DX8x00 S2 MLC SSD SAS 800GB 2.5 x1											x	x	x											FTS:ETGS8HC-L	7307,06				
DX8x00 S2 MLC SSD SAS 800GB 3.5 x1											x			x	x									FTS:ETGS8HD-L	7307,06				
<b>SCSI/RAID/SAS controller</b>																													
ETERNUS DX60 - Ctrl FC pour Base 2.5" (sur site)	x																							FTS:ETLC6F4BG-L	2641,18				
<b>Rack-Infrastructure</b>																													
Protection anti-basculement pour M1 rack																							x	S26361-F4530-L210	258,82				
Kit Rack Connecteur pour PCR M1 Racks																								x	S26361-F4530-L225	62,35			
Brush Panel Kit (2 pcs) Top Cover PCR M1																								x	S26361-F4530-L250	25,88			
Brush Panel Kit (1 pc) pour porte arrière Rack M1																								x	S26361-F4530-L260	36,47			
Kit de mise à la terre pour Rack M1																							x	S26361-F4530-L6	41,18				
<b>Divers</b>																													
DX RAIL Kit for 3rd Party Rack	x	x	x			x	x	x	x														x	x	FTS:DX-RAIL-3RD	52,94			
DX S2-S3 2,5" HDD Dummy x1						x		x															x		FTS:DXS2HDD25-D	11,76			
DX S2-S3 3,5" HDD Dummy x1							x	x															x		FTS:DXS2HDD35-D	11,76			
DX8090 S2 Add. IO Module									x	x															FTS:ETEAMA-L	609,41			
DX60 S2 Add. EXP Module 3.5						x																			FTS:ETEEXD-L	611,76			
JX40 2nd Expander Unit (6G)																							x		FTS:ETJEXBG-L	631,76			
DX5/600 S3 Module Cage for Extreme Cache						x																			FTS:ETPFC-L	545,88			
<b>Câbles</b>																													
DX60/1/200S3 Ext.SAS Cable Encl. 3.5m x1																								x	FTS:ETFKM35-L	218,82			
DX1/200S3 Ext. SAS Cable f.Encl. 6.0m x1																								x	FTS:ETFKM60-L	471,76			
DX8700 S2 SAS Câbles RackBehind Rack6mx8												x	x	x	x	x									FTS:ETGC4Q6-L	1962,35			
DX8700 S2 SAS Câbles pour 1DE upg 1.1m x2													x	x	x	x									FTS:ETG-CBL1M-L	277,65			
DX8700 S2 SAS Câbles f.DE Set 1-8, 3m x8												x	x	x	x	x									FTS:ETG-CBL3M-L	1469,41			
ETERNUS DX60/80 - câble SAS																								x	FTS:ETLCAMS1G-L	158,82			
ETERNUS DX4xx S2 - Câbles SAS pour Ext. Rack (2x 3							x	x	x	x													x	x	FTS:ETNC2Q3-L	348,24			
ETERNUS DX4xx S2 - Câbles SAS pour Ext. Rack (2x 6							x	x	x	x														x	x	FTS:ETNC2Q6-L	474,12		
DX5/600S3 Ext. AOC f.Encl. 15m x1							x																		FTS:ETPKA15-L	805,88			
DX5/600S3 Ext. AOC f.Encl. 30m x1							x																		FTS:ETPKA30-L	881,18			
DX5/600S3 Ext. SAS Cable f.Encl. 3.5m x1							x																		FTS:ETPKM35-L	145,88			
DX5/600S3 Ext. SAS Cable f.Encl. 6.0m x1							x																		FTS:ETPKM60-L	363,53			
DX US Power Cord 3M NEMA 5-15 x2							x																		FTS:ETPWRC3M-L	12,94			
DX87/8900S3 Ext. Câbles f.FE 8x10m 4x10m																								x	x	FTS:ETSKA1X-L	6612,94		
DX87/8900S3 Ext. Câbles f.FE 8x3m 4x3m																								x	x	FTS:ETSKA30-L	1281,18		
DX87/8900S3 Ext. Câbles f.FE 8x3m 4x5m																								x	x	FTS:ETSKA50-L	1790,59		
DX8x00S3 Ext. SAS Cable f.Encl. 1x3.5m																								x	x	FTS:ETSKB35-L	157,65		
DX8x00S3 Ext. SAS Cable f.Encl. 1x6.0m																								x	x	FTS:ETSKB60-L	350,59		
SAS cable (MiniSAS – miniSAS HD) 3.0m																								x	x	FTS:SAS-MINIHD3M-L	183,53		
SAS cable (MiniSAS – miniSAS HD) 6.0m																								x	x	FTS:SAS-MINIHD6M-L	470,59		
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 2m																								x		D:KBSAS6G-1S-1S-2M	51,76		
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 4m																								x		D:KBSAS6G-1S-1S-4M	83,53		
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 6m																								x		D:KBSAS6G-1S-1S-6M	100,00		
FC-Cable OM3 LWL 10m LC LC							x																			D:FCKAB-OM3-C10L-L	39,31		
FC-Cable OM3 LWL 20m LC LC							x																			D:FCKAB-OM3-C20L-L	45,85		
FC-Cable OM3 LWL 50m LC LC							x																			D:FCKAB-OM3-C50L-L	67,11		
DX87/8900S3 Ext. Câbles f.FE 8x30m 4x30m																									x	x	FTS:ETSKA3X-L	11585,88	
DX8x00S3 Ext. AOC f.Encl. 1x15m																									x	x	FTS:ETSKBF0-L	805,88	
DX8x00S3 Ext. AOC f.Encl. 1x30m																									x	x	FTS:ETSKB3X-L	881,18	



**Accessoires Stockage ETERNUS (2)**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX60 S1 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60 S3	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8090 S2 2.5 Expa	ETERNUS DX8090 S2 3.5 Expa	ETERNUS DX8700 CE Field upg	ETERNUS DX8700 S2	ETERNUS DX8700 S2 2.5 Expa	ETERNUS DX8700 S2 2.5 Field	ETERNUS DX8700 S2 3.5 Expa	ETERNUS DX8700 S2 3.5 Field	ETERNUS DX8700 S2 RACK	ETERNUS DX8700 S3	ETERNUS DX8700 S3 CE Field	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS JX60	Référence	Prix Indicatif (€)	Remarques	
<b>Accessoires (Matrice)</b>																										
<b>Câbles (Suite)</b>																										
SFP+ active Twinax cable BRCD 1m UPG																								EBR800-TWX-1M-L	118,82	
Câble SFP Attached + Cop, 3m UPG																								EBR800-TWX-3M-L	152,09	
Câble SFP Direct Attached + Cop, 5m UPG																								EBR800-TWX-5M-L	196,46	
<b>Upgs</b>																										
DX600S3 UNIFIED Kit 16x16GB DIMM					x																			FTS:DX6UNI2UPGAP-L	30338,82	
<b>SF (Standard)</b>																										
ETSF15 SC Standard UPG fromBase DX60			x	x																				FTS:D01905F8AH	1865,84	
ETSF15 SC Standard UPG fromBase DX80DX90							x	x												x	x			FTS:D01905F8BH	2339,73	
ETSF15 SC Standard UPG fromBase DX8700													x											FTS:D01905F8GH	8287,06	
ETSF16 SC UPG Basic to Standard TierS		x	x	x																				FTS:D01905G80H	650,59	
ETSF16 SC UPG Basic to Standard Tier1								x	x												x	x		FTS:D01905G81H	1788,24	
ETSF16 SC UPG Basic to Standard Tier3								x																FTS:D01905G83H	7885,88	
ETSF16 SC UPG Basic to Standard Tier4												x	x											FTS:D01905G84H	9827,06	
ETSF15 ACM LocalCopy UPG HWtoACM DX60			x	x																				FTS:D01906F81H	206,40	
ETSF15 ACM LocalCopyUPG HWtoACM DX80DX90								x	x															FTS:D01906F82H	254,28	
ETSF15 ACM RemCopy UPG HWtoACM DX90																				x	x			FTS:D01907F82H	2260,00	
ETSF16 VersionUp Kit V14 to V16 DX60		x	x	x																				FTS:D0190MG80H	352,46	
ETSF16 VersionUp Kit V14 to V16 DX80								x	x															FTS:D0190MG81H	440,10	
ETSF16 VersionUp Kit V14 to V16 DX90																								FTS:D0190MG82H	964,04	
ETSF16 VersionUp Kit V15 to V16 DX60		x	x	x																				FTS:D0190NG80H	317,03	
ETSF16 VersionUp Kit V15 to V16 DX80								x	x															FTS:D0190NG81H	396,28	
ETSF16 VersionUp Kit V15 to V16 DX90																								FTS:D0190NG82H	870,18	
AMF upgrade +1Year for FTS:D01910F8GH												x												FTS:D019X0FSGH	3917,65	
AMF upgrade +1Year for FTS:D01912F81H												x												FTS:D019XCFS1H	3734,12	
AMF upgrade +1Year for FTS:D01912F82H												x												FTS:D019XCFS2H	3734,12	
AMF upgrade +1Year for FTS:D01912F83H												x												FTS:D019XCFS3H	3734,12	
AMF upgrade +1Year for FTS:D01914F81H												x												FTS:D019XDFS1H	5705,88	
AMF upgrade +1Year for FTS:D01914F82H												x												FTS:D019XDFS2H	5705,88	
AMF upgrade +1Year for FTS:D01914F83H												x												FTS:D019XDFS3H	5705,88	
AMF upgrade +1Year for FTS:D01917F81H												x												FTS:D019XEFS1H	4932,94	
AMF upgrade +1Year for FTS:D01917F82H												x												FTS:D019XEFS2H	4932,94	
AMF upgrade +1Year for FTS:D01917F83H												x												FTS:D019XEFS3H	4932,94	
AMF upgrade +1Year for FTS:D0190EF8EH												x												FTS:D0190FFSEH	1938,82	
<b>Ctrl. Modul (CM)</b>																										
DX80 S2 Add. Ctrl., no InterfCard								x	x															FTS:ETEAC8A-L	2196,47	
DX90 S2 Add. Ctrl., no InterfCard																								FTS:ETEAC9A-L	2711,76	
DX60 S2 Add. Ctrl. 2.5 FC 4G																								FTS:ETEEC6CF-L	2507,06	
DX60 S2 Add. Ctrl. 2.5 iSCSI 1G																								FTS:ETEEC6CL-L	2448,24	
DX60 S2 Add. Ctrl. 2.5 SAS 3G																								FTS:ETEEC6CS-L	2448,24	
DX60 S2 Add. Ctrl. 3.5 FC 4G																								FTS:ETEEC6DF-L	2507,06	
DX60 S2 Add. Ctrl. 3.5 iSCSI 1G																								FTS:ETEEC6DL-L	2448,24	
DX60 S2 Add. Ctrl. 3.5 SAS 3G																								FTS:ETEEC6DS-L	2448,24	
DX8700 S2 Exp. Ctrl. x2																								FTS:ETGECA-L	26947,06	
DX8700 S2 Exp. Contr. x2, BBU x1, PSU x2																								FTS:ETGECB-L	31430,59	
<b>Channel Adapter</b>																										
DX8090 S2 InterfCard FCoE 2Port 10G																								FTS:ETEHC12-L	1470,59	
DX8090 S2 IFCard FCoE 2Port 10G no SFP																								FTS:ETEHC1N-L	1294,12	
DX8090 S2 InterfCard FC 2Port 8G																								FTS:ETEHF12-L	831,76	
DX8090 S2 InterfCard FC 2Port 16G																								FTS:ETEHH12-L	1763,53	
DX8090 S2 Long wave SFP+ 16G x1																								FTS:ETEHL1-L	858,82	
DX8090 S2 InterfCard iSCSI 2Port 1G																								FTS:ETEHL2-L	475,29	
DX8090 S2 InterfCard SAS 2Port 6G																								FTS:ETEHS12-L	297,65	
DX8090 S2 InterfCard iSCSI 2Port 10G																								FTS:ETEHY12-L	1470,59	
DX8090 S2 IFCard iSCSI 2Port 10G no SFP																								FTS:ETEHY1N-L	1294,12	
DX8x00 S2 InterfCard FCoE 2Port 10G x2																								FTS:ETGHCX4-L	4911,76	
DX8x00 S2 IFCard FCoE 2P 10G x2 no SFP																								FTS:ETGHCXN-L	4730,59	
DX8x00 S2 InterfCard FC 2Port 8G x2																								FTS:ETGHF84-L	2755,29	
DX8x00 S2 InterfCard FC 4Port 8G x2																								FTS:ETGHF88-L	4314,12	
DX8x00 S2 Long wave 8G SFP+ x2																								FTS:ETGHF8L-L	1084,71	
DX8x00 S2 InterfCard FC 2Port 16G x2																								FTS:ETGHFH4-L	5572,94	
DX8x00 S2 InterfCard FC 4Port 16G x2																								FTS:ETGHFH8-L	9996,47	





**Accessoires Stockage ETERNUS (2)**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX60 S1 2_5	ETERNUS DX60 S2 2_5	ETERNUS DX60 S2 3_5	ETERNUS DX60 S2 3_5 Expa	ETERNUS DX600 S3	ETERNUS DX80 S2 2_5	ETERNUS DX80 S2 3_5	ETERNUS DX8090 S2 2_5 Expa	ETERNUS DX8090 S2 3_5 Expa	ETERNUS DX8700 CE Field upg	ETERNUS DX8700 S2	ETERNUS DX8700 S2 2_5 Expa	ETERNUS DX8700 S2 2_5 Field	ETERNUS DX8700 S2 3_5 Expa	ETERNUS DX8700 S2 3_5 Field	ETERNUS DX8700 S2 RACK	ETERNUS DX8700 S3	ETERNUS DX8700 S3 CE Field	ETERNUS DX90 S2 2_5	ETERNUS DX90 S2 3_5	ETERNUS JX40	ETERNUS JX60	Référence	Prix Indicatif (€)	Remarques		
<b>Accessoires (Matrice)</b>																											
<b>Channel Adapter (Suite)</b>																											
DX8x00 S2 Long wave 16G SFP+ x2												x												FTS:ETGHFHL-L	1816,47		
DX8x00 S2 InterfCard iSCSI 2Port 1G x2												x													FTS:ETGHL14-L	4314,12	
DX8x00 S2 InterfCard iSCSI 2Port 10G x2												x													FTS:ETGHLX4-L	4911,76	
DX8x00 S2 IFCard iSCSI 2P 10G x2 no SFP												x													FTS:ETGHLXN-L	4730,59	
DX8x00 S2 Rem.Int.Card iSCSI 2Port 1G x2												x													FTS:ETGRL14-L	7528,24	
DX5/600 S3 CA FCoE 10G 2port x2					x																				FTS:ETPHC4-L	2908,24	
DX5/600 S3 CA FCoE 10G 2port x2 wo SFP					x																				FTS:ETPHCA-L	2263,53	
DX5/600 S3 CA Eth 1G 4port x2 f.Unified					x																				FTS:ETPHE8-L	1701,18	
DX5/600 S3 CA FC 8G 2port x2					x																				FTS:ETPHF4-L	2207,06	
DX5/600 S3 CA FC 8G 4port x2					x																				FTS:ETPHF8-L	3971,76	
DX5/600 S3 CA FC 16G 2port x2					x																				FTS:ETPHH4-L	2956,47	
DX5/600 S3 CA FC 16G 4port x2					x																				FTS:ETPHH8-L	5323,53	
DX5/600 S3 SFP 16G LongWave					x																				FTS:ETPHHL-L	1817,65	
DX5/600 S3 CA iSCSI 1G 2port x2					x																				FTS:ETPHL4-L	2748,24	
DX5/600 S3 CA Eth10G 2p x2 Unified w SFP					x																				FTS:ETPHN4-L	5355,29	
DX5/600 S3 CA Eth10G 2px2 Unified wo SFP					x																				FTS:ETPHNA-L	3543,53	
DX5/600 S3 CA iSCSI 10G 2port x2					x																				FTS:ETPHX4-L	5317,65	
DX5/600 S3 CA iSCSi 10G 2port x2 wo SFP					x																				FTS:ETPHXA-L	2827,06	
DX8x00 S3 InterfCard FC 2Port 16G x2																	x	x							FTS:ETSHFC4-L	5572,94	
DX8x00 S3 InterfCard FC 4Port 16G x2																	x	x							FTS:ETSHFC8-L	9996,47	
DX87/8900S3 Longwave SFP+ 16G x2																	x	x							FTS:ETSHFCL-L	5323,53	
DX8x00 S3 InterfCard FCoE 2Port 10G x2																	x	x							FTS:ETSHFE4-L	2908,24	
DX8x00 S3 IFCard FCoE 2P 10G x2 no SFP+																	x	x							FTS:ETSHFEN-L	2263,53	
DX8x00 S3 InterfCard iSCSI 2Port 1G x2																	x	x							FTS:ETSHL14-L	2748,24	
DX8x00 S3 InterfCard iSCSI 2Port 10G x2																	x	x							FTS:ETSHL4-L	5317,65	
DX8x00 S3 IFCard iSCSI 2P 10G x2 no SFP+																	x	x							FTS:ETSHLXN-L	2827,06	


**ETERNUS CS 38HU Racks / 42HU Racks**

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>CS 42HU Racks</b>					
	ETERNUS CS Rack, I-Type (S13)	42HU Rack for CS HE. Measurements (HxWxD) 2003x700x1050mm. The maximum mounted weight will be 1000kg. The Rack has lockable Front- and Backdoors for Operation and Maintenance. The rack has no tilt protection. There are no specific cooling measures required.,	CS-R13-IR	6823,53	
	ETERNUS CS Rack, E-Type (S13)	42HU Rack for CS HE. Measurements (HxWxD) 2003x700x1050mm. The maximum mounted weight will be 1000kg. The Rack has lockable Front- and Backdoors for Operation and Maintenance. The rack has no tilt protection. There are no specific cooling measures required.,	CS-R13-ER	4158,82	
	ETERNUS CS800 RACK CABINET (42HU)	42HU Rack for CS800. Measurements (HxWxD) 2003x700x1050mm. The maximum mounted weight will be 1000kg. The Rack has lockable Front- and Backdoors for Operation and Maintenance. The rack has no tilt protection. There are no specific cooling measures required.	ETCS8-RACKCAB	4456,47	



## ETERNUS CS200c

Fiches produit : <http://fr.fujitsu.com/stockage>

### ETERNUS CS200 - Appliance de protection unifiée des données powered by CommVault Simpana

L'ETERNUS CS200c intègre matériel optimisé, logiciels et licences dans une solution complète de protection de données unifiée (sauvegarde et archivage). L'appliance permet d'installer rapidement et facilement un environnement de sauvegarde et d'archivage riche en fonctionnalités. Le logiciel Simpana de CommVault, leader technologique, exploite toute la puissance des systèmes Fujitsu pour délivrer la performance attendue par l'entreprise selon le modèle choisi dans la gamme. L'ETERNUS CS200c a un modèle Entry de 2 à 24 To de capacité nette et un modèle Scale qui dispose d'une évolutivité de stockage de 6 à 96 To.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>					
<b>CS200 Appliance Model S</b>					
	ETERNUS CS200 Capext S-Mod 02TB FOUND	Field upgrade CS200 S-model, capacity expansion with 02TB licensed capacity; Foundation licensed zum Einbau in CS200-S	CS-200-S-CEXT	3235,29	
<b>CS200 Appliance Model M</b>					
	ETERNUS CS200 Capext M-Mod 04TB FOUND	Field upgrade CS200 M-model, capacity expansion with 04TB licensed capacity; Foundation licensed zum Einbau in CS200-M	CS-200-M-CEXT	6307,06	
<b>CS200 Appliance Model L</b>					
	ETERNUS CS200 Capext L-Mod 06TB FOUND	Field upgrade CS200 L-model, capacity expansion with 06TB licensed capacity; Foundation licensed zum Einbau in CS200-L	CS-200-L-CEXT	9297,65	
<b>CS200 Appliance Model XL</b>					
	ETERNUS CS200 Capext XL-Mod 08TB FOUND	Field upgrade CS200 XL-model, capacity expansion with 08TB licensed capacity; Foundation licensed zum Einbau in CS200-XL	CS-200-XL-CEXT	12312,94	
<b>CS200 SCALE &amp; JBOD</b>					
	ETERNUS CS200 SCALE-JBOD 12TB ADVAN LIC	CS200 JBOD with 12TB capacity, licensed with Appliance Advanced software; , for attachment to CS200-SC or for cascading several JBODs	ETCS-200C-SC12-ADV	27468,38	
	ETERNUS CS200 Capext SC JBOD 06TB FOUND	Field upgrade CS200 JBOD capacity expansion with 06TB licensed capacity; Foundation licensed zum Einbau in CS200-SC JBOD	ETCS-200C-SCEX	11721,18	
	ETERNUS CS200 Capext SC JBOD 06TB ADVAN	Field upgrade CS200 JBOD capacity expansion with 06TB licensed capacity; Advanced licensed; to built into a CS200-SC JBOD	ETCS-200C-SCEX-ADV	14070,59	
	ETERNUS CS200 SC-JBOD HW 18TB unlicnsd	CS200 JBOD with 18TB capacity, unlicensed; , for attachment to CS-200-SC06HW Appliance	ETCS-200C-SC18HW	13137,88	
<b>CS200S2 Appliance Model S</b>					
	PROMO CS200c S2 S-Model 01TB ADV licnsd	CS200 S2 S-model with 01TB capacity, licensed with Appliance Advanced software	CS-PR200S2-SLA01	8551,76	
	CS200c S2 S-Model 02TB FOUND licensed	CS200 S2 S-model with 02TB capacity, licensed with Appliance Foundation software	CS-200S2-SLF02	10902,35	
	CS200c S2 S-Model 01TB ADV licensed	CS200 S2 S-model with 01TB capacity, licensed with Appliance Advanced software	CS-200S2-SLA01	9688,24	
	CS200c S2 S-Model 02TB ADV licensed	CS200 S2 S-model with 02TB capacity, licensed with Appliance Advanced software	CS-200S2-SLA02	11596,47	
	CS200c S2 S-Model 01TB NOT licensed	CS200 S2 S-model with 01TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S2-SHW01	8071,76	


**ETERNUS CS200c**

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>					
<b>CS200S2 Appliance Model S (Suite)</b>					
	CS200c S2 S-Model 02TB NOT licensed	CS200 S2 S-model with 02TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S2-SHW02	8250,59	
<b>CS200S2 Appliance Model M</b>					
	PROMO CS200c S2 M-Model 24TB NOT licnsd	CS200 S2 M-model with 24TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-PR200S2-MHW24	11944,71	
	CS200c S2 M-Model 04TB FOUND licensed	CS200 S2 M-model with 04TB capacity, licensed with Appliance Foundation software	CS-200S2-MLF04	17221,18	
	CS200c S2 M-Model 08TB FOUND licensed	CS200 S2 M-model with 08TB capacity, licensed with Appliance Foundation software	CS-200S2-MLF08	23176,47	
	CS200c S2 M-Model 12TB FOUND licensed	CS200 S2 M-model with 12TB capacity, licensed with Appliance Foundation software	CS-200S2-MLF12	29130,59	
	CS200c S2 M-Model 16TB FOUND licensed	CS200 S2 M-model with 16TB capacity, licensed with Appliance Foundation software	CS-200S2-MLF16	35084,71	
	CS200c S2 M-Model 20TB FOUND licensed	CS200 S2 M-model with 20TB capacity, licensed with Appliance Foundation software	CS-200S2-MLF20	41040,00	
	CS200c S2 M-Model 24TB FOUND licensed	CS200 S2 M-model with 24TB capacity, licensed with Appliance Foundation software	CS-200S2-MLF24	46994,12	
	CS200c S2 M-Model UPG 04TB FOUND licnsd	CS200 S2 M-model upgrade with 04TB capacity, licensed with Appliance Foundation software	CS-200S2-MLF-U04	5954,12	
	CS200c S2 M-Model 04TB ADV licensed	CS200 S2 M-model with 04TB capacity, licensed with Appliance Advanced software	CS-200S2-MLA04	20641,18	
	CS200c S2 M-Model 08TB ADV licensed	CS200 S2 M-model with 08TB capacity, licensed with Appliance Advanced software	CS-200S2-MLA08	25949,41	
	CS200c S2 M-Model 12TB ADV licensed	CS200 S2 M-model with 12TB capacity, licensed with Appliance Advanced software	CS-200S2-MLA12	33291,76	
	CS200c S2 M-Model 16TB ADV licensed	CS200 S2 M-model with 16TB capacity, licensed with Appliance Advanced software	CS-200S2-MLA16	40632,94	
	CS200c S2 M-Model 20TB ADV licensed	CS200 S2 M-model with 20TB capacity, licensed with Appliance Advanced software	CS-200S2-MLA20	47975,29	
	CS200c S2 M-Model 24TB ADV licensed	CS200 S2 M-model with 24TB capacity, licensed with Appliance Advanced software	CS-200S2-MLA24	55316,47	
	CS200c S2 M-Model UPG 04TB ADV licensed	CS200 S2 M-model upgrade with 04TB capacity, licensed with Appliance Advanced software	CS-200S2-MLA-U04	7341,18	
	CS200c S2 M-Model 04TB NOT licensed	CS200 S2 M-model with 04TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S2-MHW04	11914,12	
	CS200c S2 M-Model UPG 04TB NOT licensed	CS200 S2 M-Modell upgrade mit 04TB Kapazität, NICHT lizensiert ; für Einsatz mit Frontend / Client- Lizensierung	CS-200S2-MHW-U04	420,00	
<b>CS200S2 Appliance Model L</b>					
	CS200c S2 L-Model 06TB FOUND licensed	CS200 S2 L-model with 06TB capacity, licensed with Appliance Foundation software	CS-200S2-LLF06	22064,71	
	CS200c S2 L-Model 12TB FOUND licensed	CS200 S2 L-model with 12TB capacity, licensed with Appliance Foundation software	CS-200S2-LLF12	31205,88	
	CS200c S2 L-Model 24TB FOUND licensed	CS200 S2 L-model with 24TB capacity, licensed with Appliance Foundation software	CS-200S2-LLF24	49489,41	
	CS200c S2 L-Model 36TB FOUND licensed	CS200 S2 L-model with 36TB capacity, licensed with Appliance Foundation software	CS-200S2-LLF36	67771,76	


**ETERNUS CS200c**

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>					
<b>CS200S2 Appliance Model L (Suite)</b>					
	CS200c S2 L-Model UPG 06TB FOUND licnsd	CS200 S2 L-model upgrade with 06TB capacity, licensed with Appliance Foundation software	CS-200S2-LLF-U06	9141,18	
	CS200c S2 L-Model 06TB ADV licensed	CS200 S2 L-model with 06TB capacity, licensed with Appliance Advanced software	CS-200S2-LLA06	24144,71	
	CS200c S2 L-Model 12TB ADV licensed	CS200 S2 L-model with 12TB capacity, licensed with Appliance Advanced software	CS-200S2-LLA12	35367,06	
	CS200c S2 L-Model 24TB ADV licensed	CS200 S2 L-model with 24TB capacity, licensed with Appliance Advanced software	CS-200S2-LLA24	57811,76	
	CS200c S2 L-Model 36TB ADV licensed	CS200 S2 L-model with 36TB capacity, licensed with Appliance Advanced software	CS-200S2-LLA36	80255,29	
	CS200c S2 L-Model UPG 06TB ADV licensed	CS200 S2 L-model upgrade with 06TB capacity, licensed with Appliance Advanced software	CS-200S2-LLA-U06	11222,35	
	CS200c S2 L-Model 06TB NOT licensed	CS200 S2 L-model with 06TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S2-LHW06	14024,71	
	CS200c S2 L-Model UPG 06TB NOT licensed	CS200 S2 L-model upgrade with 06TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S2-LHW-U06	847,06	
<b>CS200S2 APPLIANCE SCC FOUND</b>					
	CS200c S2 SCC-SRV 06TB FOUND licensed	CS200 S2 SCALE CAPACITY with 06TB capacity, licensed with Appliance Foundation software	CS-200S2-SCSLF06	31104,71	
	CS200c S2 SCC-SRV 12TB FOUND licensed	CS200 S2 SCALE CAPACITY with 12TB capacity, licensed with Appliance Foundation software	CS-200S2-SCSLF12	36731,76	
	CS200c S2 SCC-SRV 24TB FOUND licensed	CS200 S2 SCALE CAPACITY with 24TB capacity, licensed with Appliance Foundation software	CS-200S2-SCSLF24	51240,00	
	CS200c S2 SCC-SRV 36TB FOUND licensed	CS200 S2 SCALE CAPACITY with 36TB capacity, licensed with Appliance Foundation software	CS-200S2-SCSLF36	65747,06	
	CS200c S2 SCC-SRV UPG 06TB FOUND licnsd	CS200 S2 SCALE CAPACITY upgrade with 06TB capacity, licensed with Appliance Foundation software	CS-200S2-SCSLF-U06	7254,12	
	CS200c S2 SCS JBOD 16TB FOUND licensed	CS200 S2 SCALE CAPACITY JBOD with 16TB capacity, licensed with Appliance Foundation software	CS-200S2-JXSLF16	22534,12	
	CS200c S2 SCS JBOD 32TB FOUND licensed	CS200 S2 SCALE CAPACITY JBOD with 32TB capacity, licensed with Appliance Foundation software	CS-200S2-JXSLF32	42272,94	
	CS200c S2 SCS JBOD UPG 16TB FOUND licnsd	CS200 S2 SCALE CAPACITY JBOD upgrade with 16TB capacity, licensed with Appliance Foundation software	CS-200S2-JXSLF-U16	19737,65	
<b>CS200S2 APPLIANCE SCC ADV</b>					
	PROMO CS200c S2 SCC-SRV 06TB ADV licnsd	CS200 S2 SCALE CAPACITY with 06TB capacity, licensed with Appliance Advanced software	CS-PR200S2-SCSLA06	29347,06	
	CS200c S2 SCC-SRV 06TB ADV licensed	CS200 S2 SCALE CAPACITY with 06TB capacity, licensed with Appliance Advanced software	CS-200S2-SCSLA06	32298,82	
	CS200c S2 SCC-SRV 12TB ADV licensed	CS200 S2 SCALE CAPACITY with 12TB capacity, licensed with Appliance Advanced software	CS-200S2-SCSLA12	40024,71	
	CS200c S2 SCC-SRV 24TB ADV licensed	CS200 S2 SCALE CAPACITY with 24TB capacity, licensed with Appliance Advanced software	CS-200S2-SCSLA24	57824,71	
	CS200c S2 SCC-SRV 36TB ADV licensed	CS200 S2 SCALE CAPACITY with 36TB capacity, licensed with Appliance Advanced software	CS-200S2-SCSLA36	75143,53	


**ETERNUS CS200c**

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>					
<b>CS200S2 APPLIANCE SCC ADV (Suite)</b>					
	CS200c S2 SCC-SRV UPG 06TB ADV licensed	CS200 S2 SCALE CAPACITY upgrade with 06TB capacity, licensed with Appliance Advanced software	CS-200S2-SCSLA-U06	8900,00	
	CS200c S2 SCS JBOD 16TB ADV licensed	CS200 S2 SCALE CAPACITY JBOD with 16TB capacity, licensed with Appliance Advanced software	CS-200S2-JXSLA16	26924,71	
	CS200c S2 SCS JBOD 32TB ADV licensed	CS200 S2 SCALE CAPACITY JBOD with 32TB capacity, licensed with Appliance Advanced software	CS-200S2-JXSLA32	51052,94	
	CS200c S2 SCS JBOD UPG 16TB ADV licensed	CS200 S2 SCALE CAPACITY JBOD upgrade with 16TB capacity, licensed with Appliance Advanced software	CS-200S2-JXSLA-U16	24128,24	
<b>CS200S2 APPLIANCE SCC NOT LIC</b>					
	CS200c S2 SCC-SRV 06TB NOT licensed	CS200 S2 SCALE CAPACITY with 06TB capacity, NOT licensed ; for use with Frontend / Client-licensing	CS-200S2-SCSHW06	25868,24	
	CS200c S2 SCC-SRV 36TB NOT licensed	CS200 S2 SCALE CAPACITY with 36TB capacity, NOT licensed ; for use with Frontend / Client-licensing	CS-200S2-SCSHW36	29775,29	
	CS200c S2 SCC-SRV UPG 06TB NOT licensed	CS200 S2 SCALE CAPACITY upgrade with 06TB capacity, NOT licensed ; for use with Frontend / Client-licensing	CS-200S2-SCSHW-U06	781,18	
	CS200c S2 SCS JBOD 16TB NOT licensed	CS200 S2 SCALE CAPACITY JBOD with 16TB capacity, NOT licensed ; for use with Frontend / Client-licensing; NOTE: can only be connected to unlicensed systems	CS-200S2-JXSHW16	5765,88	
	CS200c S2 SCS JBOD UPG 16TB NOT licensed	CS200 S2 SCALE CAPACITY JBOD upgrade with 16TB capacity, NOT licensed ; for use with Frontend / Client-licensing; NOTE: can only be connected to unlicensed systems	CS-200S2-JXSHW-U16	2538,82	
<b>CS200S2 APPLIANCE SCP ADV</b>					
	PROMO CS200c S2 SCP-SRV 11TB ADV licnsd	CS200 S2 SCALE PERFORMANCE- model with 11TB capacity, licensed with Appliance Advanced software	CS-PR200S2-SCPLA11	34956,47	
	CS200c S2 SCP-SRV 11TB ADV licensed	CS200 S2 SCALE PERFORMANCE- model with 11TB capacity, licensed with Appliance Advanced software	CS-200S2-SCPLA11	37414,12	
	CS200c S2 SCP JBOD 07TB ADV licensed	CS200 S2 SCALE PERFORMANCE JBOD with 07TB capacity, licensed with Appliance Advanced software	CS-200S2-JXPLA07	16397,65	
	CS200c S2 SCP JBOD 14TB ADV licensed	CS200 S2 SCALE PERFORMANCE JBOD with 14TB capacity, licensed with Appliance Advanced software	CS-200S2-JXPLA14	29883,53	
	CS200c S2 SCP JBOD 21TB ADV licensed	CS200 S2 SCALE PERFORMANCE JBOD with 21TB capacity, licensed with Appliance Advanced software	CS-200S2-JXPLA21	43369,41	
	CS200c S2 SCP JBOD 28TB ADV licensed	CS200 S2 SCALE PERFORMANCE JBOD with 28TB capacity, licensed with Appliance Advanced software	CS-200S2-JXPLA28	56855,29	


**ETERNUS CS200c**

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>CS200S2 APPLIANCE SCP ADV (Suite)</b>					
	CS200c S2 SCP JBOD UPG 07TB ADV licensed	CS200 S2 SCALE PERFORMANCE JBOD upgrade with 07TB capacity, licensed with Appliance Advanced software	CS-200S2-JXPLA-U1	13485,88	
<b>CS200S2 APPLIANCE SCP FOUND</b>					
	CS200c S2 SCP-SRV 11TB FOUND licensed	CS200 S2 SCALE PERFORMANCE- model with 11TB capacity, licensed with Appliance Foundation	CS-200S2-SCPLF11	34396,47	
	CS200c S2 SCP JBOD 07TB FOUND licensed	CS200 S2 SCALE PERFORMANCE JBOD with 07TB capacity, licensed with Appliance Foundation software	CS-200S2-JXPLF07	14476,47	
	CS200c S2 SCP JBOD 14TB FOUND licensed	CS200 S2 SCALE PERFORMANCE JBOD with 14TB capacity, licensed with Appliance Foundation software	CS-200S2-JXPLF14	26042,35	
	CS200c S2 SCP JBOD 21TB FOUND licensed	CS200 S2 SCALE PERFORMANCE JBOD with 21TB capacity, licensed with Appliance Foundation software	CS-200S2-JXPLF21	37607,06	
	CS200c S2 SCP JBOD 28TB FOUND licensed	CS200 S2 SCALE PERFORMANCE JBOD with 28TB capacity, licensed with Appliance Foundation software	CS-200S2-JXPLF28	49172,94	
	CS200c S2 SCP JBOD UPG 07TB FOUND licnsd	CS200 S2 SCALE PERFORMANCE JBOD upgrade with 07TB capacity, licensed with Appliance Foundation software	CS-200S2-JXPLF-U1	11565,88	
<b>CS200S2 APPLIANCE SCP NOT LIC</b>					
	CS200c S2 SCP-SRV 11TB NOT licensed	CS200 S2 SCALE PERFORMANCE- model with 11TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S2-SCPHW11	25091,76	
	CS200c S2 SCP JBOD 07TB NOT licensed	CS200 S2 SCALE PERFORMANCE JBOD with 07TB capacity, NOT licensed ; for use with Frontend / Client licensing	CS-200S2-JXPHW07	6803,53	
	CS200c S2 SCP JBOD UPG 07TB NOT licnsd	CS200 S2 SCALE PERFORMANCE JBOD upgrade with 07TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S2-JXPHW-U1	3892,94	



## ETERNUS CS800

Fiches produit : <http://fr.fujitsu.com/stockage>

### ETERNUS CS800 - Une solution clé en main pour la protection des données avec déduplication pour les petites et moyennes entreprises

L'ETERNUS CS800 est la solution idéale pour les entreprises qui recherchent la performance des sauvegardes sur disques, une capacité à répliquer les données sur un site distant tout en réduisant les coûts et la surface de stockage. L'appliance offre les performances de sauvegarde très rapides jusqu'à 11,5 To par heure en mode cible en ligne conventionnel, sans restriction sur les logiciels de sauvegarde ni pré-requis de logiciels. L'ETERNUS CS800 S5 a un modèle Entry de 4 à 24 To de capacité et un modèle Scale qui dispose d'une évolutivité de stockage de 16 à 320 To.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>CS800 S4</b>				
ETERNUS CS800 DX80 EXT. SHELF (8 TB)	CS800 DX80 S2 8TB Extension Shelf for the SCALE (8TB), incl. power and cascading interface cable, ,	ETCS8-ESHSELF1	10875,29	
ETERNUS CS800 DX80 EXT. SHELF (16 TB)	CS800 DX80 S2 16TB Extension Shelf for the SCALE (16TB), incl. power and cascading interface cable, ,	ETCS8-ESHSELF2	20250,59	
ETERNUS CS800 DX80 EXT. SHELF (24 TB)	CS800 DX80 S2 24TB Extension Shelf for the SCALE (24TB) , incl. power and cascading interface cable,	ETCS8-ESHSELF3	27000,00	
<b>CS800 S5</b>				
ETERNUS CS800 S5 ENTRY (4 TB)	System Package: ETERNUS CS800 S5 Entry, (4 TB capacity), Packaged dedupe appliance in a box, 5 x 1 Gb Ethernet, 4.0 TB usable capacity	ETCS8-ENTRY-P50	8264,71	
ETERNUS CS800 S5 ENTRY JX BASE (4 TB)	ETERNUS CS800 S5 Entry JX Base (4 TB capacity) , , Additional 4 TB of RAID6 protected disk storage, Provided via an ETERNUS JX disk cabinet	ETCS8-JXBASE5	5068,38	
ETERNUS CS800 S5 EXT. SHELF (16 TB)	ETERNUS CS800 S5 EXT. SHELF (16 TB) , , Additional 16 TB of RAID6 protected disk storage,	ETCS8-ESHSELF51	20250,59	
ETERNUS CS800 S5 EXT. SHELF (24 TB)	ETERNUS CS800 S5 EXT. SHELF (24 TB) , , Additional 24 TB of RAID6 protected disk storage,	ETCS8-ESHSELF52	27000,00	
ETERNUS CS800 S5 EXT. SHELF (32 TB)	ETERNUS CS800 S5 EXT. SHELF (32 TB) , , Additional 32 TB of RAID6 protected disk storage	ETCS8-ESHSELF53	30941,18	
ETERNUS CS800 S5 SCALE HS KIT (16 TB)	ETERNUS CS800 S5 Scale Hotspare Kit (16 TB) , , Additional shelf of 12 hot spare disks for the deduplication store in the RAID system,	ETCS8-HSKIT51	20250,59	
ETERNUS CS800 S5 SCALE HS KIT (24 TB)	ETERNUS CS800 S5 Scale Hotspare Kit (24 TB) , , Additional shelf of 12 hot spare disks for the deduplication store in the RAID system	ETCS8-HSKIT52	27000,00	
ETERNUS CS800 S5 SCALE HS KIT (32 TB)	ETERNUS CS800 S5 Scale Hotspare Kit (32 TB) , , Additional shelf of 12 hot spare disks for the deduplication store in the RAID system,	ETCS8-HSKIT53	30000,00	
<b>CS800 S6</b>				
ET CS800 S6 ENTRY1 (8 TB)	S6, Entry1, contains a configurable processor unit, details see the Data Sheet or Product Insights	ETCS8-ENTRY1-P60	12352,94	
ET CS800 S6 ENTRY2 (8 TB)	S6, Entry2, contains a configurable processor unit with one external configurable RAID device, details see the Data Sheet or Product Insights	ETCS8-ENTRY2-P60	16470,59	
ET CS800 S6 ENTRY JX BASE (16 TB)	ETERNUS CS800 S6 Entry Base 6-24TB, ,	ETCS8-JXBASE6	8235,29	
ET CS800 S6 SCALE (32 TB)		ETCS8-SCALE2-P60	49765,88	
ET CS800 S6 EXT. SHELF (32 TB)	CS800 S6 Base 32TB	ETCS8-ESHSELF62	28823,53	
ET CS800 S6 SCALE HS KIT (f. 32TB Shelf)	ETERNUS CS800 S6 Scale Hotspare Kit (36 TB) , , Additional shelf of 12 hot spare disks for the deduplication store in the RAID system	ETCS8-HSKIT62	20588,24	
CS800S6 ENTRY1,1GbE only,3Y subscription	CS800 ENTRY S6 (8TB) - Channel	VFY:CS800EN061IN	9294,12	





**LTO Desktop**

Lecteur au format Desktop disponible avec un lecteur LTO-4, LTO-5 ou LTO-6 pour un débit rapide des sauvegardes



**SCALAR i500**

Librairie moyenne gamme modulaire offrant évolutivité, performance et fiabilité parmi les meilleures du marché.



**ETERNUS LT20 S2**

ETERNUS LT20 S2 est un auto-chargeur économique ultracompact et extrêmement fiable pour les petites et moyennes entreprises. Il peut recevoir jusqu'à 8 cartouches et 1 lecteur LTO-4, LTO-5 ou LTO-6



**ETERNUS LT40 S2**

ETERNUS LT40 S2 est un auto-chargeur compacte pouvant recevoir jusqu'à 24 cartouches et deux lecteurs LTO-4, LTO-5 ou



**ETERNUS LT60 S2**

ETERNUS LT60 S2 est une librairie compacte avec une capacité jusqu'à 48 cartouches et pouvant disposer 4 lecteurs LTO-4, LTO-5 ou LTO-6 dans un format rack (4U).



**ETERNUS LT260**

ETERNUS LT260 est une librairie automatisée et évolutive jusqu'à 1 Po de données compressées. Elle dispose d'une capacité de 80 à 160 cartouches et jusqu'à 12 lecteurs LTO-5 ou LTO-6 dans un format rack (6U ou 12U avec son extension).

**LTO Desktop**Fiches produit : <http://fr.fujitsu.com/stockage>

Ce lecteur LTO au format desktop est une solution de sauvegarde performante pour les petits serveurs. La technologie LTO Ultrium est particulièrement bien adaptée pour la sauvegarde de données critiques nécessitant un débit important.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>SAS LTO Desktop Drive</b>				
DT LTO-5 RoHS SAS SFF8088 HH 1500 GB	Fujitsu LTO-5 Desk Top Model (RoHS7), Interface SAS, Capacity 1500GB native	D:LTO-DT-U5S-R	2387,06	
DT LTO-6 RoHS SAS SFF8088 HH 2500 GB	Fujitsu LTO-6 Desk Top Model (RoHS7), Interface SAS, Capacity 2600GB native	D:LTO-DT-U6S-R	2648,24	



## ETERNUS LT20 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

### Un auto-chargeur économique ultracompact et extrêmement fiable pour les petites et moyennes entreprises.

Il est basé sur la technologie éprouvée LTO qui offre une grande capacité de stockage à haute vitesse et à des prix abordables. En fonction de votre besoin, il existe plusieurs technologies LTO-4 ou LTO-5 ou LTO-6. Il dispose de 2 magasins de 4 slots et un slot pour les entrées ou sorties de cartouches. L'ETERNUS LT20 S2 peut stocker jusqu'à 50 To en mode compressé (LTO-6) dans seulement 1 U de hauteur. Il permet d'automatiser la sauvegarde de données sur une semaine d'activité.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
<b>ETERNUS LT20 S2 R</b>				
VFY ETLT20N-PS2 RoHS,1xLTO-5HH SAS,8Slot	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one LTO-5 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Mémoire capacity until to 12 / 24 Tbyte (uncompr./compr.), - Interface SAS, - LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	VFY:LT2R2XF0411N	4352,94	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS LT20 S2 R</b>				
ET LT20 S2 N-PSU Lib. RoHS,8Slot,0 drive	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one half height tape drive slot, - 1 Tape Drive slot for the equipment of the library can be between a LTO-4 or LTO 5 half height tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded-component. Library connection realized via ADI (Automation Drive Interface), -2 cartridge magazine (right & left) per 4 cartridge already installed, - Mémoire capacity until from 6,4 up to 50 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS(SFF8088) or FC 8Gb/s , Processing LTO 3, LTO 4, LTO-5 and LTO 6 cartridges possible (depending on the tape trive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges), -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere ) , -1x Ethernet Cable (1,5m)	FTS:LT20S2JNXU-R1	1909,41	



ETERNUS LT20 S2		Fiches produit : <a href="http://fr.fujitsu.com/stockage" style="color: white;">http://fr.fujitsu.com/stockage</a>	
ET LT20S2R1, 1xLTO-6HH SAS,8Slot	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one LTO-6 SAS half height tape drive, - 1 Tape Drive LTO-6 Half Height with SAS interface. Library connection realized via ADI (Automation Drive Interface)., - 2 cartridge magazine (right & left) per 4 cartridge already installed, - Mémoire capacity until from 20 up to 50 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface SFF 8088 SAS, Processing LTO 4, LTO 5 and LTO 6 cartridges possible., This LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5 and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges)., -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT21S2JS1U	5876,47



**ETERNUS LT20 S2**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS LT20 S2 R (Suite)</b>				
ET LT20S2R1, 1xLTO-6HH FC, 8Slot	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one LTO-6 FC half height tape drive, - 1 Tape Drive LTO-6 Half Height with FC interface. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 4 cartridge already installed, - Mémoire capacity until from 20 up to 50 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface FC 8Gb/s , Processing LTO 4, LTO 5 and LTO 6 cartridges possible., This LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5 and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges)., -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere ) , -1x Ethernet Cable (1,5m)	FTS:LT21S2JF1U	6087,06	
<b>ETERNUS LT20 S2-I</b>				
ETERNUS LT20S2 chassis	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one half height tape drive slot, - 1 Tape Drive slot for the equipment of the library can be between a LTO-4 or LTO 5 half height tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded-component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 4 cartridge already installed, - Mémoire capacity until from 6,4 up to 50 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS(SFF8088) or FC 8Gb/s , Processing LTO 3, LTO 4, LTO-5 and LTO 6 cartridges possible (depending on the tape trive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges)., -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere ) , -1x Ethernet Cable (1,5m)	FTS:LT20S2KNXU	1909,41	



## ETERNUS LT40 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

### Librairie LTO à 24 slots

L'ETERNUS LT40 S2 est équipé de la technologie LTO qui est synonyme de haute capacité, de rapidité et de média à faible coût. Il propose une capacité de stockage jusqu'à 150 To (LTO-6 en mode compressé) en format rack de 2U avec 24 emplacements pour les cartouches. Il peut recevoir en option un ou deux lecteurs LTO-4 ou LTO-5 ou LTO-6. Il accepte des connexions SAS ou Fibre Channel.

Comme toute la gamme de stockage de Fujitsu dédiée aux petites et moyennes entreprises, l'ETERNUS LT40 S2 est très facile à

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

#### ETERNUS LT40 S2 R

VFY ET LT40 S2 RoHS,1xLTO-5HH SAS,24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) SAS-drive , Upg.able with 1 x HH LTO-5 SAS-drive (2drives maximum), - Mémoire capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	VFY:LT4R2XF040IN	5194,12	
--	---	------------------	---------	--

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

#### ETERNUS LT40 S2 R

ET LT40 S2 Lib.RoHS 12 to 24Slot,0 drive	Tape Library ETERNUS LT40 with 12 up to 24 cartridge slots, integrated Barcode Reader and two half height or one full hight tape drive slot, - two Half Height (LTO-4 or LTO 5 tape drive) or one Full Hight (LTO-5) Tape Drive slot for the equipment of the library can be between with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded-component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 19,2up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 3, LTO 4, LTO-5 and LTO 6 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), - 1x Ethernet Cable (1,5m)	FTS:LT40S2JNXU-R	2710,59	
---	---	------------------	---------	--



## ETERNUS LT40 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS LT40 S2 R (Suite)</b>				
ET LT40S2RoHS 1xLTO-6HH FC,24Slot	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-6 FC half height tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Height Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO-5 and LTO 6 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5 and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT4RS2JF11U	7724,71	
ET LT40S2RoHS 1xLTO6-HH SAS,24Slot	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-6 SAS half height tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Height Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO-5 and LTO 6 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5 and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT4RS2JS11U	7514,12	
ET LT40 S2 RoHS,1xLTO-5HH FC,24Slot	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-5 FC half heigh tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Heigh Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 3, LTO-4 and LTO 5 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4 and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT40S2L5F1-24R	6655,29	



**ETERNUS LT40 S2**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS LT40 S2 R (Suite)</b>				
ET LT40 S2 RoHS,1xLTO-5HH SAS,24Slot	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-5 SAS half heigh tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Heigh Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 3, LTO-4 and LTO 5 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4 and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Netzkabel CEE 7/4 / IEC-60320 C13 (Schukostecker/ Kaltgerätestecker) , -1x Netzkabel 2,5m (Rack Netzanschluss: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT40S2L5S1-24R	6361,18	
ET LT40 S2 RoHS,1xLTO-4HH SAS,24Slot	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-4 SAS half heigh tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Heigh Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 2, LTO-3 and LTO 4 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-4 tape drive can read LTO-2, LTO-3 and LTO-4 cartridges and write LTO-3 and LTO-4 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT40S2L4S1-24R	6110,59	
<b>ETERNUS LT40 S2-I</b>				
ETERNUS LT40S2 chassis	Tape Library ETERNUS LT40 with 12 up to 24 cartridge slots, integrated Barcode Reader and two half height or one full high tape drive slot, - two Half Height (LTO-5, LTO-6 or LTO 7 tape drive) Tape Drive slot for the equipment of the library can be between with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded- component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 19,2up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5, LTO-6 and LTO 7 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, - Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT40S2KNXU	2710,59	





## ETERNUS LT60 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

### Librairie LTO de 24 à 48 slots

L'ETERNUS LT60 est équipé de la technologie LTO qui est synonyme de haute capacité, de rapidité et de média à faible coût. Il propose une capacité de stockage jusqu'à 300 To (LTO-6 en mode compressé) en format rack de 2U avec de 24 à 48 emplacements pour les cartouches. Il peut recevoir de 2 à 4 lecteurs LTO-4, LTO-5 ou LTO-6. Il accepte des connexions SAS ou Fibre Channel.

Comme toute la gamme de stockage de Fujitsu dédiée aux petites et moyennes entreprises, l'ETERNUS LT60 est très facile à

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS LT60 S2 R</b>				
ET LT60 S2 Lib.RoHS 24 to 48Slot,0 drive	Tape Library ETERNUS LT60 S2 RoHS with 24 up to 48 cartridge slots, integrated Barcode Reader and four half height or two full height tape drive slots, four Half Height or two Full Height Tape Drive slots for the equipment of the library can be between LTO-4, LTO-5 or LTO 6 half height tape drive or LTO-5 tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded- component. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine active, the two right magazine can be activatet over a separate license per magazine., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 19,2 up to 300 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 3, LTO 4, LTO-5 and LTO 6 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT60S2JNXU-R	4111,76	
ET LT60 S2 RoHS, 48Slot, 2x LTO-6FC HH	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with two LTO-6 FC half heigh tape drive., - four half HighTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5 and LTO 6 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5, and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , - Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L6F2-48R	14140,00	



**ETERNUS LT60 S2**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS LT60 S2 R (Suite)</b>				
ET LT60 S2 RoHS, 36Slot, 1x LTO-6FC HH	Tape Library ETERNUS LT60 S2 RoHS with 36 up to 48 cartridge slots, integrated Barcode Reader and with one LTO-6 FC half heigh tape drive., - four half highTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and one right Magazine active, the secound right magazine can be activatet over a separate license., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5 and LTO 6 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5, and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , - Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L6F1-36R	9125,88	
ET LT60 S2 RoHS, 48Slot, 2x LTO-6SAS HH	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with two LTO-6 SAS half heigh tape drive., - four half HighTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5 and LTO 6 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5, and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , - Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L6S2-48R	13718,82	



**ETERNUS LT60 S2**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
<b>ETERNUS LT60 S2 R (Suite)</b>				
ET LT60 S2 RoHS, 36Slot, 1x LTO-6SAS HH	Tape Library ETERNUS LT60 S2 RoHS with 36 up to 48 cartridge slots, integrated Barcode Reader and with one LTO-6 SAS half height tape drive., - four half height Tape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and one right Magazine active, the second right magazine can be activated over a separate license., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5 and LTO 6 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5, and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , - Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L6S2-36R	8915,29	
ET LT60 S2 RoHS, 48Slot, 4x LTO-5FC HH	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with four LTO-5 FC half height tape drive., - Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface FC 8Gb/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, - Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , - 1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L5F4-48R	18217,65	
ET LT60 S2 RoHS, 48Slot, 2xLTO-5FC FH	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with two LTO-5 FC full height tape drive., - Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface FC 8Gb/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, - Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , - 1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L5F2-48R	14248,24	



**ETERNUS LT60 S2** Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>ETERNUS LT60 S2 R (Suite)</b>				
ET LT60 S2 RoHS,36Slot,1x LTO-5FC FH Dr.	Tape Library ETERNUS LT60 S2 RoHS with 36 up to 48 cartridge slots, integrated Barcode Reader and with one LTO-5 FC full height tape drive., - two Full HightTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and one right Magazine active, the second right magazine can be activatet over a separate license., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface FC 8Gb/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2JNXU-36R	9180,00	
ET LT60 S2 RoHS,48Slot,1x LTO-5FC FH Dr.	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with one LTO-5 FC full height tape drive., - two Full HightTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active, - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 72 up to 144 Tbyte (uncompr./compr.) depending on the cartridges., - Interface FC 8Gb/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2JNXU-48R	10016,47	
<b>ETERNUS LT60S2-I</b>				
ETERNUS LT60S2 chassis	Tape Library ETERNUS LT60 S2 RoHS with 24 up to 48 cartridge slots, integrated Barcode Reader and four half height or two full height tape drive slots, - four Half Height or two Full HightTape Drive slots for the equipment of the library can be between LTO-5, LTO-6 or LTO 7 half height tape drive or LTO-5 tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded- component. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine active, the two right magazine can be activatet over a separate license per magazine., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 19,2 up to 300 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5, LTO-6 and LTO 7 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT60S2KNXU	4111,76	



**ETERNUS LT260**

Fiches produit : <http://fr.fujitsu.com/stockage>

**Librairie de bandes automatisée et évolutive jusqu'à 1 Po de données**

La librairie de bandes ETERNUS LT260 LTO associe une flexibilité d'évolution, une densité de stockage exceptionnelle et une automatisation des fonctions de gestion en local ou à distance pour faire face à la rapidité de croissance des volumes de données à protéger avec une très grande efficacité. Elle peut accueillir 500 To de données compressées dans l'unité de base de 6U de hauteur. Cette capacité peut être doublée simplement en ajoutant une unité d'extension. Chaque unité contient 80 slots et de 1 à 6 lecteurs de bande pour la connectivité, la performance ou la redondance. L'ETERNUS LT260 est divisible en 6 partitions maximum par unité pour desservir différents environnements applicatifs en parallèle. Une

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>ETERNUS LT260</b>					
	ET LT260 base unit,80LTO Cart.Slots,0Dri	Tape Library ETERNUS LT260 base with 80 cartridge slots, integrated Barcode Reader and up to six half height tape drive slot, - Tape Drive slot for the equipment of the library can be between a, LTO-3, LTO-4, LTO-5 and / or LTO 6 half height tape drive with SAS and / or FC interface be selected. There must be order extra a tape drive with the library as a embedded, - component. Library connection realized via ADI (Automation Drive Interface), - One cartridge magazine right with 40 slots & one cartridges magazine left with 40 slots already installed, - Mémoire capacity until from 200 up to 500 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO3, LTO 4, LTO 5 and LTO 6 cartridges possible (depending on the tape drive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, - Can be installed into a rack unit (6U), -1x Rack Kit, -1x Cleaning Cartridges , -1x Ethernet Cable 1,5m, Remote Managment RJ45 connector, -2x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere ), -2x PSU mounted (max 2 PSU possible),	FTS:LT26FB	17958,82	
<b>ETERNUS LT260-I</b>					



**ETERNUS LT260**

Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
<b>ETERNUS LT260-I (Suite)</b>					
ET LT260-I Library, 80Slots, 0 Drive		Tape Library ETERNUS LT260 base with 80 cartridge slots, integrated Barcode Reader and up to six half height tape drive slot, - Tape Drive slot for the equipment of the library can be between a, LTO-3, LTO-4, LTO-5 and / or LTO 6 half height tape drive with SAS and / or FC interface be selected. There must be order extra a tape drive with the library as a embedded, - component. Library connection realized via ADI (Automation Drive Interface)., - One cartridge magazine right with 40 slots & one cartridges magazine left with 40 slots already installed, - Mémoire capacity until from 200 up to 500 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5, LTO 6 and LTO 7 cartridges possible (depending on the tape trive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-7 tape drive can read LTO-5, LTO-6, and LTO-7 cartridges and write LTO-6 and LTO-7 cartridges, - Can be installed into a rack unit (6U), -1x Rack Kit, -1x Cleaning Cartridges , -1x Ethernet Cable 1,5m, Remote Managment RJ45 connector, -2x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere ) , -2x PSU mounted (max 2 PSU possible),	FTS:LT26GB	17958,82	
ET LT260 Extension Unit 80LTO Cart.Slots		ETERNUS LT260 extension unit with 80 cartridge slots, , The ETERNUS LT260 extension unit is an expansion module for the ETERNUS LT260 base unit only. The tape drive slots can be used for LTO-5, LTO-6 and / or LTO 7 half height tape drives with SAS and / or FC interfaces. Max. of 6 LTO tape drives are possible, for every 3 LTO drives a drive power module (max. 2) is needed; you need also an additional power supply (max 1), if more than 3 tape drives need to be installed. Two cartridge magazines with each 40 slots (left & right) are always installed. The storage capacity is dependent of the LTO technology and number of LTO cartridges used. Possible tape drive interface are SAS 6Gb/s (SFF8088) or FC 8Gb/s. The parallel processing of LTO 5, LTO 6 and LTO 7 cartridges are generally possible. Each offered LTO tape drive can read three LTO generations and write two LTO generations (example: LTO-5 tape drive can read LTO-3, LTO-4 and LTO-5 cartridges and read & write LTO-4 and LTO-5 cartridges). The ETERNUS LT260 base and extension units must be installed into a 19" rack and consume 6U of rack space each. The extensionmodule has always to be assembled below the base unit! The ETERNUS LT260 extension unit shipments include: , -1x Rack Kit, -1x Power Supply Unit (max. 2 PSU possible)., -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere ) , - 0x drive power module mounted (max 2 possible), , ,	FTS:LT26FZ80	9451,76	



## SCALAR i500

Fiches produit : <http://fr.fujitsu.com/stockage>

**Scalar i500 est une librairie moyenne gamme intelligente avec une grande évolutivité, performance et fiabilité.**

L'évolutivité de la capacité de stockage à la demande du Scalar i500 permet une croissance ininterrompue de 41 à 409 slots de cartouches. Le mécanisme unique et continu de la robotique garantit un transfert rapide et fiable des cartouches. L'architecture iPlatform et le logiciel d'administration rendent la sauvegarde plus aisée et permettent de conserver un total contrôle des processus grâce à une surveillance proactive et des diagnostics à distance.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Library Scalar i500</b>				
Unités de Base				
SCi500 5U Lib,no drives,41slots,PTO(NAM)	Quantum Scalar i500 5U Base Library, no tape drives, 41 activated slots, PTO (NAM), 5U rack-mountable library. Includes one 5U control module and no expansion modules. Supports optional encryption (FIPS validated with KMIP support) and smart phone monitoring capability with Vision. Supports optional path failover and Extended Data Life Management. Includes 200 LTO-4, 200 LTO-5 and 200 LTO-6 data cartridge barcode labels.	Q:LSC51-BSYS-024A	5006,65	
SCi500 14U Lib,no drives,41slot,PTO(NAM)	Quantum Scalar i500 14U Base Library, no tape drives, 41 activated slots, PTO (NAM), 14U rack-mountable library. Includes one 5U control module and one 9U expansion module. Supports optional encryption (FIPS validated with KMIP support) and smart phone monitoring capability with Vision. Supports optional path failover and Extended Data Life Management. Includes 200 LTO-4, 200 LTO-5 and 200 LTO-6 data cartridge barcode labels.	Q:LSC53-BSYS-024A	9034,30	
Lib. SCi500 5U, pas Lect., 41slots (EMEA)	Librairie Scalar i500 Base 5U, sans lecteur, 41 slots activés - Inclus étiquettes code barre 200 LTO-3, 200 LTO-4, et 200 LTO-5 (EMEA)	Q:LSC51-BSYS-024E	5006,65	
Lib. SCi500 5U, pas Lect., 41slots (APAC)	Librairie Quantum Scalar i500 Base 5U, sans lecteur, 41 slots activés - Inclus étiquettes code barre 200 LTO-3, 200 LTO-4, et 200 LTO-5 (APAC)	Q:LSC51-BSYS-024N	5006,65	
Lib. SCi500 14U, 0 Lect.,41 Slots	Librairie Scalar i500 Base 14U, sans lecteur, 41 slots activés - Inclus étiquettes code barre 200 LTO-3, 200 LTO-4, et 200 LTO-5 (EMEA)	Q:LSC53-BSYS-024E	9034,30	
Lib. SCi500 23U, 0 Lect.,41 Slots	Librairie Scalar i500 Base 23U, sans lecteur, 41 slots activés - Inclus étiquettes code barre 400 LTO-3, 400 LTO-4 (EMEA)	Q:LSC55-BSYS-024E	15310,50	
SCi500 23U Library, no drives, 41 slots	Quantum Scalar i500 23U Base Library, no tape drives, 41 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-024N	15310,50	
SCi500 14U Library,no drives, 87 slots	Quantum Scalar i500 14U Base Library, no tape drives, 87 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC53-BSYS-052N	#####	
SCi500 14U Library, no drives,133 slots	Quantum Scalar i500 14U Base Library, no tape drives, 133 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC53-BSYS-080N	#####	
SCi500 23U Library, no drives, 87 slots	Quantum Scalar i500 23U Base Library, no tape drives, 87 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-052N	#####	



<b>SCALAR i500</b>		<b>Fiches produit : <a href="http://fr.fujitsu.com/stockage" style="color: white;">http://fr.fujitsu.com/stockage</a></b>	
SCi500 23U Library, no drives, 133 slots	Quantum Scalar i500 23U Base Library, no tape drives, 133 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-080N	#####
SCi500 23U Library, no drives, 179 slots	Quantum Scalar i500 23U Base Library, no tape drives, 179 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-0AEN	#####





**SCALAR i500** Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
<b>Unités de Base</b>				
<b>Library Scalar i500 (Suite)</b>				
SCi500 23U Library, no drives, 225 slots	Quantum Scalar i500 23U Base Library, no tape drives, 225 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-0DAN	#####	
SCi500 9U Exp.Module,0slots,upg,PTO(NAM)	Quantum Scalar i500 9U Expansion Module, zero activated slots, field upgrade, PTO (NAM), Provides the ability to add up to four tape drives and 46 or 92 additional tape slots. Includes 200 LTO-3, 200 LTO-4, 200 LTO-5, and 200 LTO-6 data cartridge barcode labels. Order up to two 46-slot license keys (LSC5H-ULSL-046A) as needed. Scalar i500 9U Expansion Module Installation (SSC5H-NEXM-000x) is required.	Q:LSC5H-UEXM-900A	8670,43	
Lib. SCi500 - Module Ext. 9U, UPG (EMEA)	Lib. Scalar i500 9U - Module d'extension, Aucun slot activé - Extension sur site (EMEA). Il fournit la capacité d'ajouter jusqu'à 4 lecteurs et 46 ou 92 slots additionnels. Inclus : 200 étiquettes code barre LTO-3 et 200 LTO-4. Nécessité de commander 1 ou 2 clés de licence 46-slot (LSC5H-ULSL-046A). L'installation du module d'extension Scalar i500 9U est obligatoire (SSC5H-NEXM-000x)	Q:LSC5H-UEXM-900E	8670,43	



**Accessoires Stockage bandes**

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS LT20 S2	ETERNUS LT20 S2 & BackupExec	ETERNUS LT20 S2 R	ETERNUS LT20 S2-I	ETERNUS LT20 S2R & BackupExec	ETERNUS LT260-I	ETERNUS LT260-I	ETERNUS LT40 S2	ETERNUS LT40 S2 & BackupExec	ETERNUS LT40 S2 R	ETERNUS LT40 S2-I	ETERNUS LT60 S2	ETERNUS LT60 S2 R	ETERNUS LT60S2-I	Référence	Prix Indicateur (€)	Remarques
<b>Accessoires (Matrice)</b>																	
<b>Rack-Infrastructure</b>																	
Cable managment,19" Rack,1HE,upgrade	x	x	x	x	x			x	x	x	x					D:0	79,73
Cable managment,19" Rack,2U,upgrade	x	x	x	x	x			x	x	x	x					D:0	75,11
<b>Media</b>																	
LTO Cleaning Media,1pc.Random Label,Fuji	x	x	x	x	x	x	x	x	x	x	x				D:0	41,28	
LTO-3 data media,5pack avec label,Fuji	x	x	x					x	x	x					D:0	137,02	
LTO-4 data media,5packavec label,Fuji	x	x	x	x				x	x	x					D:0	132,74	
LTO-5 data media,5 pièces avec label,Fuji	x	x	x	x	x	x	x	x	x	x	x				D:0	123,84	
LTO-6 data media,5pack label,Fuji	x	x	x	x	x	x	x	x	x	x	x				D:0	195,25	
LTO-7-CR Medien,5Stk Random Label,Fuj	x	x	x	x	x	x	x	x	x	x	x				D:0	1017,13	
Barcode Label oder, not standard Random	x	x	x	x	x	x	x	x	x	x	x				D:0	4,71	
<b>Câbles</b>																	
Cordon alim pour périph. (F/M) - 2,5m	x	x	x	x	x	x	x	x	x	x	x				D:0	12,94	
SAS Kabel 12Gb 1xSFF 8644-2xSFF 8088 3m								x	x	x	x				D:0	90,82	
SAS cable (MiniSAS – miniSAS HD) 3.0m			x	x	x	x			x	x					FT	183,53	
SAS cable (MiniSAS – miniSAS HD) 6.0m			x	x	x	x			x	x					FT	470,59	
FC-Cable OM4, MMF, 5m, LC/LC	x	x	x	x	x	x	x	x	x	x	x				D:0	37,64	
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 2m	x	x	x	x	x	x	x	x	x	x	x				D:0	51,76	
FC-Cable OM4, MMF, 10m, LC/LC	x	x	x	x	x	x	x	x	x	x	x				D:0	42,08	
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 4m	x	x	x	x	x	x	x	x	x	x	x				D:0	83,53	
FC-Cable OM4, MMF, 20m, LC/LC	x	x	x	x	x	x	x	x	x	x	x				D:0	52,85	
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 6m															D:0	100,00	
FC-Cable OM4, MMF, 50m, LC/LC	x	x	x	x	x	x	x	x	x	x	x				D:0	83,14	
Câble SAS 1x SFF 8470-1x SFF 8088 2m	x	x	x					x	x	x	x				D:0	37,65	
FC-Cable OM3 LWL 5m LC LC	x	x	x	x	x	x		x	x	x					D:0	35,82	
Câble SAS 1x SFF 8470-1x SFF 8088 4m	x	x	x					x	x	x	x				D:0	65,88	
FC-Cable OM3 LWL 10m LC LC	x	x	x	x	x	x		x	x	x					D:0	39,31	
FC-Cable OM3 LWL 20m LC LC	x	x	x	x	x	x		x	x	x					D:0	45,85	
Câble SAS 1x SFF 8470-2x SFF 8088 3m								x	x	x	x				D:0	67,06	
FC-Cable OM3 LWL 50m LC LC	x	x	x					x	x	x					D:0	67,11	
FC cable MMF, 5m, LC/SC	x	x	x	x	x	x	x	x	x	x	x				D:0	34,20	
Câble SAS 1x SFF 8470-4x SFF 8088 3m								x	x	x	x				D:0	105,88	
FC cable MMF, 10m, LC/SC	x	x	x	x	x	x	x	x	x	x	x				D:0	36,92	
FC cable MMF, 20m, LC/SC	x	x	x	x	x	x	x	x	x	x	x				D:0	43,89	
Câble FC SMF 10m, Connecteur LC-LC	x	x	x	x	x	x	x	x	x	x	x				D:0	60,75	
Câble FC SMF 20m, Connecteur LC-LC	x	x	x	x	x	x		x	x	x					D:0	68,27	
Câble SAS 1x SFF 8088-2x SFF 8088 3m								x	x	x	x				D:0	60,00	
Câble SAS 1x SFF 8088-2x SFF 8088 5m								x	x	x	x				D:0	80,00	
Câble SAS 6Gb 1x SFF 8088-2x SFF 8088 3m						x	x	x	x	x	x				D:0	83,53	
<b>Tape Drive</b>																	
LTO-7 FC HH Drive-I Option,Fiel Upg.							x								FT	6400,00	
ET LTS2 LTO-7 FC HH Tape Drive-I, upg				x							x				FT	6400,00	
LTO-6 FC HH Drive-I Option,Fiel Upg.								x							FT	4397,65	
ET LTS2 LTO-6 FC HH Tape Drive-I, upg				x							x				FT	4397,65	
ET LT260 LTO-5 FC HH Drive, Upg.						x	x								FT	3271,76	
ET LT S2 drive FC LTO-6 HH RoHS Upg.	x	x	x	x	x			x	x	x	x				FT	4388,24	
LTO-7 SAS HH Drive-I Option,Fiel Upg.								x							FT	5997,65	
ET LT S2 drive FC LTO-5 HH RoHS upgrade	x	x	x	x				x	x	x	x				FT	3271,76	
LTO-6 SAS HH Drive-I Option,Fiel Upg.															FT	4175,29	
ET LTS2 LTO-7 SAS HH Tape Drive-I, upg				x							x				FT	5997,65	
ET LT260 LTO-5 SAS HH Drive, Upg.						x	x								FT	3065,88	
ET LTS2 LTO-6 SAS HH Tape Drive-I, upg				x							x				FT	4175,29	
ET LT260 LTO-6 FC HH Drive, Upg.						x	x								FT	4397,65	
ET LT S2 drive SAS LTO-6 HH RoHS Upg.	x	x	x	x	x			x	x	x	x				FT	4168,24	
ET LT260 LTO-6 SAS HH Drive, Upg.						x	x								FT	4175,29	
ET LT S2 drive SAS LTO-5 HH RoHS upgrade	x	x	x	x				x	x	x	x				FT	3065,88	
ET LT S2 drive FC LTO-5 HH RoHS upgrade								x	x	x					FT	4447,06	
ET LT S2 drive SAS LTO-4 HH RoHS upgrade	x	x		x				x	x	x					FT	2691,76	
<b>Tape Accessories</b>																	
FibreCAT TX08, TX24S, TX48S - Kit de montage en rac	x	x	x	x				x	x	x	x				D:0	96,47	
Storage overseabox f. CX, SX, TX	x	x	x	x	x			x	x	x	x				D:0	118,82	
ETERNUS LT20 S2 - Magasin 4 Slots (gauche)	x	x	x	x											FT	341,18	
ETERNUS LT20 S2 - Magasin 4 Slots (droit)	x	x	x	x	x										FT	341,18	
ET LT260 redundant enabled PSU, Upg.							x	x							FT	596,47	
ET LT60 S2 power supply, series2 upgrade												x	x		FT	498,82	
ETERNUS LT40S2+LT60S2 - Mag.12 Slots (gauche)								x	x	x	x				FT	409,41	
ETERNUS LT40S2+LT60S2 - Mag.12 Slots (droit)								x	x	x	x				FT	409,41	
ET LT260 Drive Power Board, Upg.						x	x								FT	645,88	