## Tab M8 ZA5G0038SE

**Product** 

Lenovo TB-8505F

Region

NORTH

Country/Region

Sweden

Machine Type

ZA5G

TopSeller

No

**Processor** 

MediaTek Helio A22 (4C, 4x A53 @2.0GHz)

**Graphics** 

Integrated IMG GE8300 GPU

Chipset

MediaTek SoC Platform

Memory

2GB Soldered

Display

8" HD (1280x800) IPS 350nits

Multi-touch

10-point Multi-touch

Storage

32GB eMMC

WLAN + Bluetooth

11a/b/g/n/ac, 1x1 + BT5.0

**WWAN** 

None

**Bundled Accessories** 

None

Color

Iron Grey

Camera

Front 2.0MP / Rear 5.0MP

Microphone

Mono

VoiceCall

No

**Battery** 

Integrated 5000mAh

Power Adapter

5V / 1.0A

**Operating System** 

Android Pie

Base Warranty

2-year, Courier / Depot

EAN / UPC

193638288497

Announce Date

2019-08-20

#### Notes:

**Battery life** is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

## L

### WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



#### https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2019. All rights reserved.



# Lenovo Tab M8 Platform Specifications

Processor	MediaTek® Processor  MediaTek Helio A22 (4xARM Cortex-A53, up to 2.0GHz)	Camera	Front / Rear / Type Zoom Flash Light
One what are	MediaTek Helio P22T (8xARM Cortex-A53, up to 2.3GHz)  Interpreted IMC (F50000 are IMC (F50000 CP).  Interpreted IMC (F50000 are IMC (F50000 CP).  Interpreted IMC (F5000 CP).  Interp	_	TR-8505E 5.0MP
Graphics	Integrated IMG GE8300 or IMG GE8320 GPU	$\dashv$	0 OMP       8.0MP
Display	Size Resolution Type Brightness Color Gamut Angle		TB-8505X 2.0MP Fixed Focus 5.0MP Focus 6.0MP Focus CMOS Digital No
	8" (203.2mm)	Audio	TB-8705F 5.0MP 13.0MP Yes  * Front 2.0MP + Rear 8.0MP India only Single front speaker with Dolby Atmos® / single microphone (mono), 3.5mm (0.14inch) combo audio / microphone jack (CTIA)
Multi-touch	Capacitive-type multi-touch, supports 10-point touch	Keyboard	None
Memory	2GB, 3GB or 4GB / LPDDR3, soldered to systemboard	- Touchpad	None
Storage	16GB, 32GB or 64GB eMMC (Embedded Multi Media Card), flash memory on board	Security chip Fingerprint reade VoiceCall (Opt)	None rNone VoiceCall (TB-8505X)
Card slot	One single card slot (WiFi model) or one dual-card slot (LTE model), supports Nano-SIM card + MicroSD card (HD: up to 128GB, FAT32; FHD: up to 256GB, FAT32) * HD: TB-8505F, TB-8505X; FHD: TB-8705F	Battery type Battery life	Li-ion Polymer 5000mAh (Minimum) / 5100mAh (Typical) Standby Time: Over 2wks Online Video playback Time: Up to 12hrs Browsing Time: Up to 18hrs
Bluetooth® WLAN WWAN ( <i>Optional</i> ) LTE Band	Bluetooth 5.0 802.11 a/b/g/n/ac, 1x1, 2.4 GHz / 5 GHz Wi-Fi Dual Bands 4G LTE connectivity GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5(B6/B19)/B8 FDD LTE: B1/B2/B3/B4/B5(B19)/B7/B8/B20 TDD LTE: B38/B40	AC adapter  Charging time  Preload	**Battery life varies significantly with settings, usage, & other factors One of the following, configurable by model:  * 5V/1A (HD: TB-8505F, TB-8505X)  * 5V/2A (FHD: TB-8705F) Over 3.3hrs  Android® Pie
NFC WIFI Direct WIFI Display WHDI FM Radio A-GPS (Optional) GPS Glonass Beidou Vibrator (Opt) G-sensor P-sensor L-sensor E-compass	None Yes Yes Yes None Yes (TB-8505X) Yes Yes Yes Yes Yes Yes Yes Yes TB-8705F, TB-8505X) Accelerometer sensor Proximity sensor (TB-8705F, TB-8505X) Ambient sensor (TB-8705F, TB-8505X) None		Lenovo applications  Camera  Google  FM Radio  Tablet Manager  Tablet Manager  Google  Maps  Gmail  YouTube  Messages (TB-8505F)  Phone (TB-8505F)  Phone (TB-8505F)  Google Photos  Duo  Calendar  Files  Netflix (ROW version)
Hall Sensor Gyroscope Proofing Dimensions Weight Case color	None None IP52 (FHD: TB-8705F), IP5X (TB-8505F, TB-8505X) <i>WxDxH (HD):</i> 7.84" x 4.79" x 0.32"; 199.1mm x 121.8mm x 8.15mm <i>WxDxH (FHD):</i> 7.80" x 4.83" x 0.32"; 198.2mm x 122.6mm x 8.15mm 305g / 0.67lb Iron Grey or Platinum Grey	Limited warranty	One of the following, configurable by model:  1-year mail-in service 2-year/1-yr battery mail-in service 1-year courier / depot service 2-year/1-yr battery courier / depot service 1-year customer carry-in service 2-year/1-yr battery customer carry-in service 2-year/1-yr battery courier / depot or customer carry-in service
Case material Ports Buttons	Plastic for back cover  One Micro-USB 2.0, supports Lenovo T-Hub, OTG, 3.5mm (0.14inch) combo audio / microphone jack, one MicroSD slot (TB-8505F, TB-8705F) or dual-card slot for Nano-SIM card and MicroSD card (TB-8505X) * Depending on many factors, actual data transfer speed may be lower than theoretical speed Power key, volume key tions above may not be available in all regions	Environment	RoHS-compliant

