Fujitsu recommends Windows 10 Pro for business.



# Data Sheet FUJITSU Tablet STYLISTIC Q5010

#### Tough Tablet for Hard Work

The FUJITSU Tablet STYLISTIC Q5010 enables new levels of productivity in industrial settings. It is made for rough environments thanks to its spill and dust proof housing (IP54). The lightweight design combined with a 10.1-inch display with reinforced corners. Ultimate connectivity and security options like LTE and fingerprint sensor as well as a long battery runtime let you stay connected wherever you are.

Made for rough and tough environments

Discover new levels of productivity in rough industrial settings

- Spill and dust resistant design with port caps to protect the interfaces (IP54)
- Solid housing with reinforced corners ensures durability
- Durability is MIL-STD-810H tested
- Optional TPU cover for more robustness

Convenience and mobility

All day productivity for indoor and outdoor use

- 10.1" anti-glare touch screen with pen support
- Integrated pen garage
- High performance battery with increased charging voltage (up to 80% in one hour)

Enterprise connectivity and security Secure data access from everywhere

- Embedded 4G/LTE
- Optional keyboard dock with additional LAN port
- Integrated fingerprint sensor
- Family concept: Uses the same cradle as STYLISTIC Q7 Series









## Components

Base unit	STYLISTIC Q5010	STYLISTIC Q5010 LTE
Operating systems		
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro for business. Windows 10 Home	Windows 10 Pro. Fujitsu recommends Windows 10 Pro for business. Windows 10 Home
Operating system compatible	Windows 10	Windows 10
Operating system notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support. ts.fujitsu.com.	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support. ts.fujitsu.com.
Processor	Intel® Pentium® Silver N5030 (4 Cores / 4 Threads, 1.1 GHz)	
Processor notes	Intel graphics not supported	
Memory	8 GB on board memory LPDDR4	8 GB on board memory LPDDR4
	no DIMM	no DIMM
Bluetooth	V5.0	V5.0
3G/4G		Sierra Wireless EM7455 (Cat 6)
Hard disk drives (internal)	256 GB, eMMC module	
	128 GB, eMMC module	
Hard disk	eMMC SSD	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery	
Interface add on cards/components (optional)		
Multimedia		
Camera	Front camera 2.0 megapixel, rear camera 8.0 megapixel with autofocus and light	

## Base unit

Base unit	STYLISTIC Q5010	STYLISTIC Q5010 LTE
General system information		
Chipset	Integrated in CPU	Integrated in CPU
Supported capacity RAM	8 GB	8 GB
Supported capacity RAM (max.)	8 GB	8 GB
Memory slots	LPDDR4 (2400 MHz)	LPDDR4 (2400 MHz)
LAN notes	LAN connector via optional keyboard dock, cradle or optional USB adapter cable, virtual MAC address support	LAN connector via optional keyboard dock, cradle or optional USB adapter cable, virtual MAC address support
Integrated WLAN	Intel Dual Band Wireless-AC9560NV with integrated BT 5.0 Intel Dual Band Wireless-AC9560NV with integrated BT 5.0	
BIOS version	UEFI Specification 2.6	UEFI Specification 2.6
BIOS features	InsydeH2O BIOS	InsydeH2O BIOS
Audio type	On board	On board

General system information		
Audio codec	Realtek ALC255	Realtek ALC255
Audio features	2x internal microphones, 2x built-in speakers (stereo)	2x internal microphones, 2x built-in speakers (stereo)
Waterproof / Spillproof	IP54	IP54
Drop resistant	yes	
Dustproof	Yes	
Disinfectable	no	
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display		
Display	25.7 cm (10.1-inch),IPS,(WUXGA),Anti-glare touchscreen,1,920 x 1,200 pixel,1000 ,500 cd/m <sup>2</sup>	25.7 cm (10.1-inch),IPS,(WUXGA),Anti-glare touchscreen,1,920 x 1,200 pixel,1000 ,500 cd/m²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing) Integrated ambient light sensor for automatic backlight adjustment to the working environment. Toughened glass	Wide-view high-bright LED display (for enhanced outdoor viewing) Integrated ambient light sensor for automatic backligh adjustment to the working environment. Toughened glass
Sensors	Ambient Light Sensor Compass Gyroscope Proximity	Ambient Light Sensor Compass Gyroscope Proximity
Aspect ratio	16:9	16:9
Brightness - typical	500 cd/m <sup>2</sup>	500 cd/m <sup>2</sup>
Contrast - typical	1000	1000
Viewing angle (h/v) - typical	160°/160°	160°/160°
Digitizer / Touch Technology	Multi-touch up to 10 fingers, active pen support	Multi-touch up to 10 fingers, active pen support
Ambient light sensor	Integrated	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight	While enabled, the ambient light sensor automatically adjusts the display backlight
Graphics		
Base unit	STYLISTIC Q5010	STYLISTIC Q5010 LTE
TFT resolution (VGA)	1,920 x 1,200 pixel	1,920 x 1,200 pixel
Graphics features	Dual Display support (1x external, 1x internal) DirectX® 12 OpenGL® 4.4	Dual Display support (1x external, 1x internal) DirectX® 12 OpenGL® 4.4
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator	Shared memory depending on main memory size and operating system 3D accelerator
Interfaces		
DC-in	1	1
Audio: line-out / headphone	1 (combo port with Audio line-in)	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)	1 (combo port with Audio line-out)
Internal microphones	2x digital array microphones	2x digital array microphones
USB 3.1 Gen1 (USB 3.0) total	1 (USB Type-A)	1 (USB Type-A)
USB 3.2 Gen1 (5 Gbps) total	1 (USB Type-C)	1 (USB Type-C)
USB Type-C	1 with power delivery	1 with power delivery
HDMI	1 (on optional cradle or via optional adapter cable)	1 (on optional cradle or via optional adapter cable)
Ethernet (RJ-45)	-	-
Memory card slots	1 SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC card: 512GB microSDXC card: 200GB (or 128GB) Speed Class: up to UHS-I	1 SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC card: 512GB microSDXC card: 200GB (or 128GB) Speed Class: up to UHS-I

Interfaces		
SIM card slot		1 (MicroSIM - only for models with integrated 4G/LTE)
Interface Module notes	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)
Docking connector for Port Replicator	1	1
Cradle (Charging or Functional)		
DC-in	1 (19V)	
Audio: line-in	1	
Audio: line-out	1	
USB 3.2 Gen1 (5 Gbps) total	3	
DisplayPort	1	
VGA	1	
Kensington Lock support	1	
Ethernet (RJ-45)	1 (10/100/1000)	
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technol	ological base of the product.
Wireless technologies	2. deal beard for MAII ANI Diverse sale shows deviate MAII ANI	2. deal bond for MI AN 2. for ITE Disease the deem decide
Antennas	2x dual band for WLAN, Bluetooth shared with WLAN	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
Integrated WLAN	Intel Dual Band Wireless-AC9560NV with integrated BT 5.0	
WLAN encryption	WEP, WPA, WPA2	
WLAN notes		25
	Import and usage according to country-specific regulations.	
Integrated LTE or UMTS	I I II COCC III III	LTE Sierra Wireless EM7455 (Cat. 6)
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.	Including GPS functionality Import and usage according to country-specific regulations. LTE Connection Manager (if configured with 4G/LTE)
GPS		Embedded in 4G module if configured with WWAN
Power supply AC adapter	12V / 36W (3A)	12V / 36W (3A)
Rated voltage range	100 V - 240 V (AC Input)	100 V - 240 V (AC Input)
Rated frequency range	2.4 GHz- 2.48 GHz	10 0Hz – 8 kHz
1st battery		Li-lon battery 2-cell, 31 Wh, 31 Wh
·	Li-lon battery 2-cell, 31 Wh, 31 Wh	•
Battery features	Quick Charge: 80% in 1h	Quick Charge: 80% in 1h
Runtime 1st battery	10 h (Productivity Workload MobileMark® 2018)	10 h (Productivity Workload MobileMark® 2018)
Battery charging time	2.3h	2.3h
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www. bapco.com for additional details.  The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco.com for additional details.  The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	262,8 x 168.9 x 12.4 mm	262,8 x 168.7 x 12.4 mm
	10.3 x 0.65 x 0.48 inch	
Weight	from 605 g slate only	from 620 g slate only
Weight (lbs)	from 1.36 lbs	from 1.39 lbs
Weight notes	Weight may vary depending on actual configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F); Packed -10 - 60 °C (14 - 140 °F)	
Operating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (re	elative humidity)

Compliance		
Product	STYLISTIC Q5010	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQ TCO Certified 8.0 in progress MIL-STD-810H tested	)L)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	
Security software		
Additional software (preinstalled)	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (driver and utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility EasyGuide online user documentation Microsoft Office (1 month trial for new Microsoft® Off	
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software)	
Manageability		
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)	
Manageability software	DeskView Client DeskView Instant BIOS Management	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) WBEM (Web Based Enterprise Management) BootP (made4you)	
Manageability link	http://www.fujitsu.com/fts/manageability	
 Security		
System and BIOS Security	Absolute Persistence® technology capable BIOS EraseDisk Intel® PTT	Absolute Persistence® technology capable BIOS EraseDisk Intel® PTT
User Security	Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password	Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password
Warranty		
Warranty period	2 years (for countries within EMEIA)	
Warranty type	Bring-in Service / Collect & Return Service (depending on country)	
Warranty Terms & Conditions Product Support Services - the perfec	http://www.fujitsu.com/warranty ct extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day	
necommenaea service		

## Recommended Accessories

STYLISTIC Q7311, Q7310 and STYLISTIC Q5010 Family Cradle



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F3397-L100

LAN Conversion Cable (USB to LAN) for STYLISTIC Q



The FUJITSU USB Type-A to LAN Conversion Cable enables you to connect Order Code: your compatible STYLISTIC Tablet to a wired network connection.

S26391-F3398-L840

GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

USB Type-C to Gb-LAN Adapter



The FUJITSU USB Type-C to Gb-LAN Adapter offers a fast and easy way to connect a Gbit-LAN to your mobile system, or desktop PC, using the USB Type-C port via plug-and-play functionality

Order Code: S26391-F6058-L301

USB-C Hub 4 Ports



Connecting all of your USB peripherals is quick and easy with the USB-C Hub 4 Ports from Fujitsu. SuperSpeed USB Type-C makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically. The USB-C Hub 4 Ports if fit for both Office and Industry applications, additionally including a 7-48 VDC with "Phoenix" clamp (+/-/GND).

Order Code: S26391-F6099-L404

STYLISTIC Q5010 Stylus Pen



Ergonomic and authentic handwriting on your tablet

Order Code: S26391-F3309-L510

Folio Cover STYLISTIC Q5010



The Folio Cover for the STYLISTIC Q5010 is a thin, tailored protective sleeve Order Code: for your Fujitsu tablet. It keeps the device safe from damage on the go, and \$26391-F3609-L100 brings a touch of style to your daily work. It can even be used as a stand if you need to display a presentation or watch a clip and fits even the device is connected to its keyboard dock.

STYLISTIC O5010 TPU Cover



The protective TPU Cover is designed to prevent damages to your STYLISTIC O5010. Openings of the cover allow you to access all ports and buttons whilest the hand strap on the back of the case fives you a firm grip while working with your tablet outside the office.

Order Code: S26391-F3609-L200

Car Adapter USB-C-QC



One Car Adapter fits all.

Independent of your mobile device charging method this car adapter will fulfill all major requirements and standards for fast charging vendorbrandindependent notebooks and all mobile devices. The Car Adapter USB-C-QC supports USB PD with PPS, Quick Charge (QC), Apple- and Samsung charge.

Order Code: S26391-F2613-L630



Order Code: \$26391-F1194-L125

Pro Green Backpack 14



The FUJITSU Pro Green Backpack 14 protects notebooks and tablets with Order Code: displays measuring up to 14 inches. It features a roomy main compartment S26391-F1194-L82 with a padded notebook slot and pockets with separate areas for smaller items like power adapters and office supplies to keep you organized. One small front pocket and two zipped side pockets complete the backpack. Padded shoulder straps, a padded top handle and back cushioning provide pleasant carrying comfort when you're on the move. The backpack's elegant design and recyclable material will impress everyone who sees it.

Notebook Mouse M420NB



The Notebook Mouse M420NB is the perfect optical notebook mouse for Order Code: busy professionals on the road. It is compact enough that it easily slips into S26381-K454-L100 a notebook bag or briefcase without getting in the way. It features two buttons and a scroll wheel which can also be used as a third button.

STYLISTIC Q5010 Keyboard Dock



Enjoy the benefits of a physical keyboard dock connection which is more reliable and hassle free. With the attached keyboard dock you get the ability to prop the tablet up and fold it over the tablet's screen to protect it, especially when you are mobile.

Order Code: S26391-F3409-L221

## More information

#### Fujitsu products, solutions & services

In addition to FUJITSU Tablet STYLISTIC Q5010, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Tablet STYLISTIC Q5010, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/pc/tablets

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



#### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use. html

Copyright 2021 Fujitsu Technology Solutions

#### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2021-06-02 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2021 Fujitsu Technology Solutions GmbH