# IN1118HD

Ultra-Portable Projector with PC-less Display

Part #: IN1118HD

InFocus

The IN1118HD mobile projector is the brightest product on the market, lumens per pound, and this book-sized projector goes anywhere.

#### **Key Features**

- Compact and lightweight for easy travel
- The only full 1080p HD products on the market at this ultra-portable size
- 2,400 lumens for bright images in any light
- PC-less display from USB drive or 4GB of internal memory
- Add the <u>LightCast Key</u> to wirelessly cast from any device or view documents
- Connect via HDMI and USB with ease
- Includes carrying case for easy portability
- Durable, road-tested design that's built to last

"Highly Recommended" -- <u>IN1118HD review by</u> HomeTheaterHiFI.com













## LightCast Wireless Collaboration

Use the <u>LightCast Key</u> (sold separately) to easily connect and share content from your Apple, Windows, Android, or Chrome devices. Access the document viewer for PC-less presentation, and then browse the internet or use a digital whiteboard, all without connecting a device.\*

\* Wireless keyboard and mouse are recommended for digital whiteboard and internet browser usage.

#### Carry it Everywhere

At only 3.5 lbs. and the size of a small hardback novel, the IN1118HD projector is easy to pack and carry in its included soft case, a backpack, or your laptop bag. Take your

presentations with you and never worry about on-site AV again.

### Display from No Device at All

Leave your laptop behind and project images, audio and video directly from 4GB of on-board memory. Just load your files and go.

#### Built for the Road

A recessed lens keeps this projector safe from impact, plus a smooth exterior has no edges to snag or break when taking it in or out of the included carrying case.



# Specifications\*

Projector	IN1118HD	
Resolution — Native	Full HD (1920 x 1080)	
Resolution – Maximum	WUXGA (1920 x 1200)	
Display Technology	DLP	
Video Standard Compatibility	NTSC, NTSC 4.43, PAL, PAL-M, PAL-N, SECAM, 480i, 480p, 576i, 720p, 1080i, 1080p	
Speakers	Mono 2W x 1	
Lamp Brightness	2,400 lumens	
Lamp Brightness – Low Power	1,920 lumens	
Lamp Life	6,000 hours	
Lamp Life – Low Power	10,000 hours	
Lamp Power	170W	
Lamp Power – Eco Mode	150W	
Replacement Lamp	SP-LAMP-095	
Contrast Ratio	15,000:1	
Number of Colors	16.7 million	
Aspect Ratio	16:9	
Aspect Ratio Compatibility	4:3, 16:10	
Image Size – Minimum	30 in	
Image Size – Maximum	300 in	
Projection Offset	15	
Keystone Correction	± 40°V	
Connectors – Inputs	HDMI 1.4a (including audio), Composite video, S-video, 3.5mm PC audio, VGA	
Connectors – Outputs	3.5mm audio output	
Audible Noise	< 30 dBA at 0°F / -17.8°C	
Audible Noise – Eco Mode	< 27 dBA at 0°F / -17.8°C	
Included Accessories	Power cord, Remote, VGA cable, Documentation, Carrying case, 3.5mm stereo audio cable	
Product Warranty	2 years	
Lamp Warranty	6 months	
, ,		
Accessories Warranty	90 days	
Storage  DC less Compatibility	4 GB	
PC-less Compatibility	USB HID mouse and keyboard, USB 2.0 Micro-B, USB 2.0 Type-A ×2, File viewer/player, USB HID	
Video Player Compatibility	AVI, MKV, 3GP, MP4, MPEG-1 (MPG, MPEG), QuickTime (MOV, QT), RealMedia (RM, RMVB)	
Photo Viewer Compatibility	JPEG and JPG, PNG, Bitmap (BMP)	
Music Player Compatibility	MP3, WMA, AAC, WAV	
Power Consumption	220.0W max	
Power Consumption – Standby Mode	0.5W max	
Power Consumption – Low Power	180.0W max	
Operating Conditions	32 to 95°F at 0 to 10000 ft / 0 to 35°C at 0 to 3048 m	
Documentation Languages	English, French, German, Spanish, Italian, Norwegian, Dutch, Simplified Chinese, Korean, Swedish, Russian, Arabic, Indonesian, Portuguese	
Menu Languages	English, French, German, Spanish, Italian, Norwegian, Dutch, Simplified Chinese, Traditional Chinese, Korean, Swedish, Russian, Finnish, Polish, Turkish, Danish, Arabic, Indonesian, Persian, Portuguese, Vietnamese, Czecl Romanian, Hungarian	
Approvals	UL and c-UL, FCC, CE, CCC+CECP, KCC, NOM, PCT/CU/EAC, PSB, SABS, SASO, CB, Nemco/GS, KC	
Throw and Zoom		
Throw Distance – Minimum	1 m	
Throw Distance – Maximum  Throw Distance – Maximum	10 m	
Throw Ratio – Minimum		
	1.15:1	
Throw Ratio – Maximum	1.50:1	
Zoom Ratio	1.3:1	
Shipping		
Product Dimensions	7.3 x 8.8 x 3.1 in / 185.4 x 223.5 x 78.7 mm	
Product Weight	3.5 lbs / 1.6 kg	
	12 x 6.5 x 14.5 in /	

Projector	IN1118HD	
Shipping Weight	5.7 lbs / 2.6 kg	

<sup>\*</sup> Product specifications, terms, and offerings are subject to change at any time without notice.

### Accessories

1 Year Extended Warranty for IN1XXX, IN2XXX, IN3XXX Projectors (EPW-PJM1)

Manual Pull Up Projector Screen: 73 in., 16:9 (SC-PUW-73)

Projector Lamp for IN1116 and IN1118HD (SP-LAMP-095)

Presenter 4 RF Remote with Laser Pointer (HW-PRESENTER-4)

LightCast Key (INA-LCKEY1)

LiteShow 4 DB+ Dual Band Wireless Adapter (INLITESHOW4DB+)

LightCast Key (Europe) (INA-LCKEY2)

LightCast Key (Asia-Pacific) (INA-LCKEY3)

VGA Cable (36 ft / 11 m) (SP-VGA-11M)

DLP Link 3D Glasses by XPAND (X103-EDUX3-R1)

2 Year Extended Warranty for IN1XXX, IN2XXX, IN3XXX Projectors (EPW-PJM2)