

Interventional Pain Management / Spinal Imaging

ISO-DRIVE 100RTL 100RT 100T 100E Tables and Accessories




ISO-DRIVE Motorized elevation, Isocentric lateral roll and Trendelenburg tilt



100RTL Motorized elevation, longitudinal travel, lateral and Trendelenburg tilt



100RT Motorized elevation, lateral and Trendelenburg tilt



100T Motorized elevation and Trendelenburg tilt



100E Motorized elevation

idi
imagediagnostics.com

INTELLIGENT DESIGN ► TANGIBLE OUTCOMES

Iso-Drive Advanced Spinal Image Table with Isocentric roll



Iso-Drive Description:

C-Arm table for pain management and other imaging procedures where motorized elevation, tilt, lateral roll and longitudinal motion are required.

- Isocentric Roll
- Elevation
- Trendelenburg tilt

Iso-Drive Spinal Imaging Table #A100-3121 with .375" x 1.125" accessory rails (120VAC - 240VAC)

Includes the following:

- X100-3211 Tabletop Pad, 2" (51mm) thick
- X100-3212: Facial Cushion, 1" Thick
- X100-3234: Head Cushion, 3.375" Thick
- X100-3235: Facial Cushion, 3.375" Thick
- X100-3236: Tapered Facial Cushion, 3.375" Thick
- K000-0299: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50



Tabletop 24" (610mm) x 84" (2134mm)
with facial cutout

Iso-Drive General Purpose Table #A100-3120 (120 - 240 VAC)

Includes the following:

- X100-3118: Tabletop pad, 2" (51mm) thick
- K000-0299: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50










Tabletop 24" (610mm) x 84" (2134mm)






Iso-Drive Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad For A100-3120 table. 2" thick foam pad 24" wide x 84" long.	X100-3118
	Replacement Tabletop Pad For A100-3121 table. 2" thick for 84" x 24" x 19" top with 12" facial relief and cutout.	X100-3211
	Snap-on Socket Accommodates a round accessory post. Quickly snaps onto rail and pull bottom lever to release. Mounts and locks anywhere on standard OR table rail. Lithotomy wheel for accessory angle adjustments.	C000-0746 C000-1065
	Simple clamp Accommodates a round accessory post. All metal design clamp mounts and locks anywhere on standard OR table rail. Autoclavable.	C100-3046
	Snap-on Blade Clamp Accommodates a blade-style accessory post. Quickly snaps onto rail, push button to release clamp. Mounts and locks anywhere on standard OR table rail. Prevents false rail engagement. Autoclavable.	C100-3043
	Simple Blade Clamp Accommodates blade-style accessory post. Mounts and locks anywhere on standard OR table rail ends or at rail notches. A cost-effective solution.	C000-1115
	Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379).	A310-056 A310-062
	Replacement pad for A310-056 or A310-062 Armboard	C100-3288
	Single use soft armband straps, package of 12	C000-1555
	Clamp-on Accessory Rail Rail is 8.5" long x .375" thick x 1.25" high. Clamp-on Accessory Rail 10mm x 25mm x 216mm clamp-on accessory rail.	A100-1007 A100-2379

Iso-Drive Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Arm Board Carbon fiber, shoulder mount (attaches by sliding thin section under patient / table pad), flat. Includes pad and strap.</p>	A310-059
	<p>Replacement Pad for A310-059 Armboard</p>	X100-3244
	<p>Hand Control, Iso-Drive Table Must verify table serial # with IDI for compatibility. Motions controlled: Elevation, trendelenburg, Iso-Roll. (Included with table).</p>	K000-0299
	<p>Scatter Guard radiation shield draping - .5mm lead equivalence For 28" (711mm) wide optional tabletop X100-1325 Dimensions: 59" (1500mm) long, 24" (610mm) below tabletop. Draping extends along both sides and head--end of table. Supported by fabric section over tabletop.</p>	A610-108
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence For 24" (610mm) rectangular tabletop X100-995. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop.</p>	A610-096
	<p>Radiation Shield - .5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32.125" high x 4" deep.</p>	A610-080
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence for 22" (559mm) tabletop X100-733 models with 22" (559mm) tapered-end tabletop with facial cutout. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop.</p>	A610-092
	<p>Radiation Shield - .5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32.125" high x 4" deep.</p>	A610-080

Iso-Drive Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Radiation Shield - .5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32.125" high x 4" deep.</p>	A610-080
	<ul style="list-style-type: none"> ● Facial Cushion, crescent shape. ● Disposable covers for facial cushion, box of 50. 	Cushion: #C000-0597 Covers: #C000-0598
	<p>Heavy Duty Medical Grade Anti-Fatigue Mat (24" (610mm) x 66" (1676mm) x .75" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plasticizers and will not leach over time. Durable brushed texture.</p>	C000-1181
	<p>IV Pole (C000-1324) Stainless steel with four bottle hooks and IV Pole Clamp (C000-1325) Range: 1070 -1660 mm Tube diameter: 25 / 18 mm</p>	A100-3285
	<p>Compass Contour Drape Custom shaped drape for the Compass Contour Radiation Shield. Slips over the lower portion of the shield and is held in place with an elastic band. Sterile. Case of 20.</p>	X610-0208
	<p>Curve Spine Frame Provides maximum lordosis for Laminectomy, Decompression, Disc Surgery and Microdiscectomy procedures. Includes hand crank. Patient supports are adjustable to fit different patient sizes.</p>	C000-1750
	<p>Compass Contour Radiation Shield Contoured ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~30" (76cm) x 23.5" (60cm) with a 10" radius along the bottom edge of the leaded acrylic shield. Does not include ceiling suspension arm.</p>	A610-0200
	<p>Compass Frame Radiation Shield Rectangular ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~ 30" (76cm) x 23.5" (60cm). Does not include ceiling suspension arm.</p>	A610-0215

Iso-Drive Table Optional and Replacement Accessories:



Restraint Straps (Pair)

Set of two patient restraint straps with buckles and one pad.

A100-3731

Iso-Drive Shipping Crate Specifications

Weight (approx.): 620 Lb (281 kg.)

Length: 90" (2,286mm)

Width: 32" (813mm)

Height: 32" (813mm)

100RTL Table



100RTL Description:

C-Arm table for pain management and other imaging procedures where motorized elevation, tilt, lateral roll and longitudinal motion are required.

- Motorized elevation
- Trendelenburg tilt
- Lateral roll
- Longitudinal motion
- 120VAC is standard
- 230VAC is optional and must be specified at time of order

100RTL #A100-1254 (120VAC) A100-2637 (230VAC)

Includes the following:

- X100-1742: Tabletop pad, 2" (51mm) thick
- K000-0197: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial




Tabletop 24" (610mm) x 80" (2032mm)

100RTL #A100-2646 (120VAC) A100-2647 (230VAC)

Includes the following:

- X100-1757: Tabletop pad, 2" (51mm) thick
- K000-0197: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50



Tabletop 22" (559mm) x 80" (2032mm)

100RTL #A100-2672 (120VAC) # A100-2673 (230VAC)







Includes the following:

- X100-2083: Tabletop pad, 2" (51mm) thick
- K000-0197: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion









Tabletop 24" (610mm) x 80" (2032mm)









100RTL Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad For A100-1254 or A100-2637 tables. 2" thick foam pad 24" wide x 80" long.	X100-1742
	Replacement Tabletop Pad For A100-2646 or A100-2647 tables. 2" thick foam pad. 22" wide with a facial cutout x 80" long.	X100-1757
	Replacement Tabletop Pad For A100-2672 or A100-2673 tables. 2" thick foam pad 28" wide x 80" long.	X100-2083
	Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379).	A310-056 A310-062
	Replacement pad for A310-056 or A310-062 Armboard	C100-3288
	Single use soft armband straps, package of 12	C000-1555
	Clamp-on Accessory Rail Rail is 8.5" long x .375" thick x 1.25" high. Clamp-on Accessory Rail 10mm x 25mm x 216mm clamp-on accessory rail.	A100-1007 A100-2379
	Arm Board Carbon fiber, shoulder mount (attaches by sliding thin section under patient / table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	X100-3244
	Hand Control, 100RTL (must verify table serial # with IDI for compatibility). Motions controlled: Elevation, trendelenburg, roll, slide. (Included with table).	K000-0197




100RTL Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Foot Control for 100RTL Foot Control unit controls all table motions.</p>	A100-1961
	<p>Scatter Guard radiation shield draping - .5mm lead equivalence For 28" (711mm) wide optional tabletop X100-1325 Dimensions: 59" (1500mm) long, 24" (610mm) below tabletop. Draping extends along both sides and head--end of table. Supported by fabric section over tabletop.</p>	A610-108
	<p>Radiation Shield - .5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32.125" high x 4" deep.</p>	A610-080
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence For for 24" (610mm) rectangular tabletop X100-995. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop.</p>	A610-096
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence for 22" (559mm) tabletop X100-733 models with 22" (559mm) tapered-end tabletop with facial cutout. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop.</p>	A610-092
	<ul style="list-style-type: none"> • Facial Cushion, crescent shape. • Disposable covers for facial cushion, box of 50. 	<p>Cushion: #C000-0597 Covers: #C000-0598</p>

100RTL Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Curve Spine Frame Provides maximum lordosis for Laminectomy, Decompression, Disc Surgery and Microdiscectomy procedures. Includes hand crank. Patient supports are adjustable to fit different patient sizes.</p>	C000-1750
	<p>Heavy Duty Medical Grade Anti-Fatigue Mat (24" (610mm) x 66" (1676mm) x .75" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plasticizers and will not leach over time. Durable brushed texture.</p>	C000-1181
	<p>Compass Contour Radiation Shield Contoured ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~30" (76cm) x 23.5" (60cm) with a 10" radius along the bottom edge of the leaded acrylic shield. Does not include ceiling suspension arm.</p>	A610-0200
	<p>Compass Frame Radiation Shield Rectangular ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~ 30" (76cm) x 23.5" (60cm). Does not include ceiling suspension arm.</p>	A610-0215
	<p>Compass Contour and Frame Drape Custom shaped drape for the Compass Contour and Frame Radiation Shield. Slips over the entire shield and is held in place with an elastic band. Sterile. Case of 20.</p>	C610-0256
	<p>IV Pole C000-1324 Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Accessory Rail Clamp C000-1325 included</p>	A100-3285
	<p>Simple clamp Accommodates a round accessory post. All metal design clamp mounts and locks anywhere on standard OR table rail. Autoclavable.</p>	C100-3046
	<p>Snap-on Blade Clamp Accommodates a blade-style accessory post. Quickly snaps onto rail, push button to release clamp. Mounts and locks anywhere on standard OR table rail. Prevents false rail engagement. Autoclavable.</p>	C100-3043

100RTL Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Simple Blade Clamp Accommodates blade-style accessory post. Mounts and locks anywhere on standard OR table rail ends or at rail notches. A cost-effective solution.</p>	C000-1115
	<p>Snap-on Socket Accommodates a round accessory post. Quickly snaps onto rail and pull bottom lever to release. Mounts and locks anywhere on standard OR table rail. Lithotomy wheel for accessory angle adjustments.</p>	C000-0746
	<p>Restraint Straps (Pair) Set of two patient restraint straps with buckles and one pad.</p>	A100-3731

100RTL Shipping Crate Specifications

- Weight (approx.): 605 Lb. (274kg)
- Length: 96" (2438mm)
- Width: 42" (1067mm)
- Height: 47" (1194mm)

100RT Mobile Imaging Table



100RT Description:

C-arm table for pain management and other imaging procedures where motorized elevation, tilt and lateral roll are required.

- Motorized Elevation
- Trendelenburg tilt
- Lateral Roll
- 120VAC is standard
- 230VAC is optional and must be specified at time of order

100RT #A100-870 (120VAC) A100-2636 (230VAC)

Includes the following:

- X100-1742: Tabletop pad, 2" (51mm) thick
- K000-0195: Hand control.
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50



Tabletop 24" (610mm) x 80" (2032mm)

100RT #A100-2644 (120VAC) A100-2645 (230VAC)

Includes the following:

- X100-1757: Tabletop pad, 2" (51mm) thick
- K000-0195: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50



Tabletop 22" (610mm) x 80" (2032mm)








100RT #A100-2660 (120VAC) #A100-2661(230VAC)

Includes the following:

- X100-2083: Tabletop pad, 2" (51mm) thick
- K000-0195: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50

Tabletop 28" (711mm) x 80" (2032mm)







100RT Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad For A100-870 or A100-2636 tables. 2" thick foam pad 24" wide x 80" long.	X100-1742
	Replacement Tabletop Pad For A100-2644 or A100-2645 tables. 2" thick foam pad. 22" wide with a facial cutout x 80" long.	X100-1757
	Replacement Tabletop Pad For A100-2660 or A100-2661 tables. 2" thick foam pad 28" wide x 80" long.	X100-2083
	Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379).	A310-056 A310-062
	Replacement pad for A310-056 or A310-062 Armboard	X100-1755
	Clamp-on Accessory Rail Rail is 8.5" long x .375" thick x 1.25" high. Clamp-on Accessory Rail 10mm x 25mm x 216mm clamp-on accessory rail.	A100-1007 A100-2379
	Arm Board Carbon fiber, shoulder mount (attaches by sliding thin section under patient / table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	X100-3244
	Hand Control, 100RT Must verify table serial # with IDI for compatibility. (Included with table).	K000-0195

100RT Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Foot Control For 100RT table. Must verify table serial # with IDI for compatibility.</p>	A100-1960
	<p>Scatter Guard radiation shield draping - .5mm lead equivalence For 28" (711mm) wide optional tabletop X100-1325 Dimensions: 59" (1500mm) long, 24" (610mm) below tabletop. Draping extends along both sides and head-end of table. Supported by fabric section over tabletop.</p>	A610-108
	<p>Radiation Shield - .5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32.125" high x 4" deep.</p>	A610-080
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence For 24" (610mm) rectangular tabletop X100-995. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop</p>	A610-096
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence for 22" (559mm) tabletop X100-733 models with 22" (559mm) tapered-end tabletop with facial cutout. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop.</p>	A610-092
	<ul style="list-style-type: none"> • Facial Cushion, crescent shape. • Disposable covers for facial cushion, box of 50. 	<p>Cushion: #C000-0597 Covers: #C000-0598</p>

100RT Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Curve Spine Frame Provides maximum lordosis for Laminectomy, Decompression, Disc Surgery and Microdiscectomy procedures. Includes hand crank. Patient supports are adjustable to fit different patient sizes.</p>	C000-1750
	<p>Heavy Duty Medical Grade Anti-Fatigue Mat (24" (610mm) x 66" (1676mm) x .75" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plasticizers and will not leach over time. Durable brushed texture.</p>	C000-1181
	<p>Compass Contour Radiation Shield Contoured ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~30" (76cm) x 23.5" (60cm) with a 10" radius along the bottom edge of the leaded acrylic shield. Does not include ceiling suspension arm.</p>	A610-0200
	<p>Compass Frame Radiation Shield Rectangular ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~ 30" (76cm) x 23.5" (60cm). Does not include ceiling suspension arm.</p>	A610-0215
	<p>Compass Contour and Frame Drape Custom shaped drape for the Compass Contour and Frame Radiation Shield. Slips over the entire shield and is held in place with an elastic band. Sterile. Case of 20.</p>	C610-0256
	<p>IV Pole C000-1324 Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Accessory Rail Clamp C000-1325 included</p>	A100-3285

100RT Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Simple clamp Accommodates a round accessory post. All metal design clamp mounts and locks anywhere on standard OR table rail. Autoclavable.</p>	C100-3046
	<p>Snap-on Blade Clamp Accommodates a blade-style accessory post. Quickly snaps onto rail, push button to release clamp. Mounts and locks anywhere on standard OR table rail. Prevents false rail engagement. Autoclavable.</p>	C100-3043
	<p>Simple Blade Clamp Accommodates blade-style accessory post. Mounts and locks anywhere on standard OR table rail ends or at rail notches. A cost-effective solution.</p>	C000-1115
	<p>Snap-on Socket Accommodates a round accessory post. Quickly snaps onto rail and pull bottom lever to release. Mounts and locks anywhere on standard OR table rail. Lithotomy wheel for accessory angle adjustments.</p>	C000-0746
	<p>Restraint Straps (Pair) Set of two patient restraint straps with buckles and one pad.</p>	A100-3731

100RT Shipping Crate Specifications

- Weight (approx.): 571 Lb(259 kg.)
- Length: 96" (2438mm)
- Width: 42" (1067mm)
- Height: 47" (1194mm)

100T Mobile Imaging Table



100T Description:

C-arm table for pain management and other procedures where motorized elevation and Trendelenburg tilt are required.

- Motorized Elevation
- Trendelenburg tilt
- 120VAC is standard
- 230VAC is optional and must be specified at time of order

100T #A100-658 (120VAC) A100-2638 (230VAC)

Includes the following:

- X100-1742: Tabletop pad, 2" (51mm) thick
- K000-0054: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50



Tabletop 24" (610mm) x 80" (2032mm)

100T #A100-2648 (120VAC) A100-2649 (230VAC)

Includes the following:

- X100-1757: Tabletop pad, 2" (51mm) thick
- K000-0054: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50




Tabletop 22" (559mm) x 80" (2032mm)








100T #A100-2658 (120VAC) A100-2659 (230VAC)

Includes the following:

- X100-2083: Tabletop pad, 2" (51mm) thick
- K000-0054: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50









100T Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad For A100-658 or A100-2638 tables. 2" thick foam pad 24" wide x 80" long.	X100-1742
	Replacement Tabletop Pad For A100-2648 or A100-2649 tables. 2" thick foam pad. 22" wide with a facial cutout x 80" long.	X100-1757
	Replacement Tabletop Pad For A100-2658 or A100-2659 tables. 2" thick foam pad 28" wide x 80" long.	X100-2083
	Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379.	A310-056 A310-062
	Replacement pad for A310-056 or A310-062 Armboard	C100-3288
	Single use soft armband straps, package of 12	C000-1555
	Clamp-on Accessory Rail Rail is 8.5" long x .375" thick x 1.25" high. Clamp-on Accessory Rail 10mm x 25mm x 216mm clamp-on accessory rail.	A100-1007 A100-2379
	Arm Board Carbon fiber, shoulder mount (attaches by sliding thin section under patient / table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	X100-3244
	Hand Control for 100T table. Elevate and tilt functions. (Included with table).	K000-0054

100T Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Foot Control for 100T Substitute for hand control. Cannot use hand and foot control at the same time.</p>	A100-500
	<p>Scatter Guard radiation shield draping - .5mm lead equivalence For 28" (711mm) wide optional tabletop X100-1325 Dimensions: 59" (1500mm) long, 24" (610mm) below tabletop. Draping extends along both sides and head--end of table. Supported by fabric section over tabletop.</p>	A610-108
	<p>Radiation Shield - .5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32.125" high x 4" deep.</p>	A610-080
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence For 24" (610mm) rectangular tabletop X100-995. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop</p>	A610-096
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence for 22" (559mm) tabletop X100-733 models with 22" (559mm) tapered-end tabletop with facial cutout. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop.</p>	A610-092
	<ul style="list-style-type: none"> ● Facial Cushion, crescent shape. ● Disposable covers for facial cushion, box of 50. 	<p>Cushion: #C000-0597 Covers: #C000-0598</p>

100T Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Curve Spine Frame Provides maximum lordosis for Laminectomy, Decompression, Disc Surgery and Microdiscectomy procedures. Includes hand crank. Patient supports are adjustable to fit different patient sizes.</p>	C000-1750
	<p>Heavy Duty Medical Grade Anti-Fatigue Mat (24" (610mm) x 66" (1676mm) x .75" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plasticizers and will not leach over time. Durable brushed texture.</p>	C000-1181
	<p>Compass Contour Radiation Shield Contoured ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~30" (76cm) x 23.5" (60cm) with a 10" radius along the bottom edge of the leaded acrylic shield. Does not include ceiling suspension arm.</p>	A610-0200
	<p>Compass Frame Radiation Shield Rectangular ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~ 30" (76cm) x 23.5" (60cm). Does not include ceiling suspension arm.</p>	A610-0215
	<p>Compass Contour and Frame Drape Custom shaped drape for the Compass Contour and Frame Radiation Shield. Slips over the entire shield and is held in place with an elastic band. Sterile. Case of 20.</p>	C610-0256
	<p>IV Pole C000-1324 Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Accessory Rail Clamp C000-1325 included</p>	A100-3285

100T Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Simple clamp Accommodates a round accessory post. All metal design clamp mounts and locks anywhere on standard OR table rail. Autoclavable.</p>	C100-3046
	<p>Snap-on Blade Clamp Accommodates a blade-style accessory post. Quickly snaps onto rail, push button to release clamp. Mounts and locks anywhere on standard OR table rail. Prevents false rail engagement. Autoclavable.</p>	C100-3043
	<p>Simple Blade Clamp Accommodates blade-style accessory post. Mounts and locks anywhere on standard OR table rail ends or at rail notches. A cost-effective solution.</p>	C000-1115
	<p>Snap-on Socket Accommodates a round accessory post. Quickly snaps onto rail and pull bottom lever to release. Mounts and locks anywhere on standard OR table rail. Lithotomy wheel for accessory angle adjustments.</p>	C000-0746
	<p>Restraint Straps (Pair) Set of two patient restraint straps with buckles and one pad.</p>	A100-3731

100T Shipping Crate Specifications

- Weight (approx): 540 Lb /254kg
- Length: 96" (2438mm)
- Width: 42" (1067mm)
- Height: 47" (1194mm)

100E Mobile Imaging Table



100E Description:

C-arm table for pain management and other procedures where motorized elevation is the only movement required.

- 120VAC is standard
- 230VAC is optional and must be specified at time of order

100E #A100-402 (120VAC) A100-2635 (230VAC)

Includes the following:

- X100-1742: Tabletop pad, 2" (51mm) thick
- K000-0041: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50



Tabletop 24" (610mm) x 80" (2032mm)

100E #A100-2642 (120VAC) A100-2643 (230VAC)

Includes the following:

- X100-1757: Tabletop pad, 2" (51mm) thick
- K000-0041: hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50



Tabletop 22" (559mm) x 80" (2032mm)

100E #A100-2656 (120VAC) A100-2657 (230VAC)

Includes the following:

- X100-2083: Tabletop pad 2" (51mm) thick
- K000-0041: Hand control
- A100-3731: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50



Tabletop 28" (711mm) x 80" (2032mm)







100E Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad For A100-402 or A100-2635 tables. 2" thick foam pad 24" wide x 80" long.	X100-1742
	Replacement Tabletop Pad For A100-2642 or A100-2643 tables. 2" thick foam pad. 22" wide with a facial cutout x 80" long.	X100-1757
	Replacement Tabletop Pad For A100-2656 or A100-2657 tables. 2" thick foam pad 28" wide x 80" long.	X100-2083
	Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379).	A310-056 A310-062
	Replacement pad for A310-056 or A310-062 Armboard	C100-3288
	Single use soft armband straps, package of 12	C000-1555
	Clamp-on Accessory Rail Rail is 8.5" long x .375" thick x 1.25" high. Clamp-on Accessory Rail 10mm x 25mm x 216mm clamp-on accessory rail.	A100-1007 A100-2379
	Arm Board Carbon fiber, shoulder mount (attaches by sliding thin section under patient / table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	X100-3244
	Hand control for 100E. (Included with table).	K000-0041

100E Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Foot Control 100E</p>	<p>A100-758</p>
	<p>Scatter Guard radiation shield draping - .5mm lead equivalence For 28" (711mm) wide optional tabletop X100-1325 Dimensions: 59" (1500mm) long, 24" (610mm) below tabletop. Draping extends along both sides and head-end of table. Supported by fabric section over tabletop.</p>	<p>A610-108</p>
	<p>Radiation Shield - .5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32.125" high x 4" deep.</p>	<p>A610-080</p>
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence For 24" (610mm) rectangular tabletop X100-995. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop.</p>	<p>A610-096</p>
	<p>Scatter-Guard radiation shield draping - .5mm lead equivalence for 22" (559mm) tabletop X100-733 models with 22" (559mm) tapered-end tabletop with facial cutout. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop.</p>	<p>A610-092</p>
	<ul style="list-style-type: none"> • Facial Cushion, crescent shape. • Disposable covers for facial cushion, box of 50. 	<p>Cushion: #C000-0597 Covers: #C000-0598</p>

100E Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Curve Spine Frame Provides maximum lordosis for Laminectomy, Decompression, Disc Surgery and Microdiscectomy procedures. Includes hand crank. Patient supports are adjustable to fit different patient sizes.</p>	C000-1750
	<p>Heavy Duty Medical Grade Anti-Fatigue Mat (24" (610mm) x 66" (1676mm) x .75" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plasticizers and will not leach over time. Durable brushed texture.</p>	C000-1181
	<p>Compass Contour Radiation Shield Contoured ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~30" (76cm) x 23.5" (60cm) with a 10" radius along the bottom edge of the leaded acrylic shield. Does not include ceiling suspension arm.</p>	A610-0200
	<p>Compass Frame Radiation Shield Rectangular ceiling suspended acrylic barrier radiation protection with a lead equivalence of .5mm. Enhanced eye, head and neck protection from x-ray scatter. Shielding area is ~ 30" (76cm) x 23.5" (60cm). Does not include ceiling suspension arm.</p>	A610-0215
	<p>Compass Contour and Frame Drape Custom shaped drape for the Compass Contour and Frame Radiation Shield. Slips over the entire shield and is held in place with an elastic band. Sterile. Case of 20.</p>	C610-0256
	<p>IV Pole C000-1324 Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Accessory Rail Clamp C000-1325 included</p>	A100-3285

100E Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	<p>Simple clamp Accommodates a round accessory post. All metal design clamp mounts and locks anywhere on standard OR table rail. Autoclavable.</p>	C100-3046
	<p>Snap-on Blade Clamp Accommodates a blade-style accessory post. Quickly snaps onto rail, push button to release clamp. Mounts and locks anywhere on standard OR table rail. Prevents false rail engagement. Autoclavable.</p>	C100-3043
	<p>Simple Blade Clamp Accommodates blade-style accessory post. Mounts and locks anywhere on standard OR table rail ends or at rail notches. A cost-effective solution.</p>	C000-1115
	<p>Snap-on Socket Accommodates a round accessory post. Quickly snaps onto rail and pull bottom lever to release. Mounts and locks anywhere on standard OR table rail. Lithotomy wheel for accessory angle adjustments.</p>	C000-0746
	<p>Restraint Straps (Pair) Set of two patient restraint straps with buckles and one pad.</p>	A100-3731

100E Shipping Crate Specifications

- Weight (approx.): 495 Lb (225kg)
- Length: 96" (2438mm)
- Width: 42" (1067mm)
- Height: 47" (1194mm)

Pain Management / Spinal Imaging Table Specifications & Accessories

●Standard feature ○Optional NA Not available	100E	100T	100RT	100RTL	Iso-Drive
Elevate (Height with 2" pad)	27- 38.8" 68 - 101 cm	30 - 41.8" 76 - 106 cm	32.4 - 44.2" 82 - 112 cm	33.2 - 43.2" 84.3 - 109.7 cm	31" - 43" 79 - 109cm
Trendelenburg Tilt	NA	±15°	±15°	±15°	±12°
Lateral Tilt	NA	NA	20°	20°	±12°
Longitudinal Tabletop Motion	NA	NA	NA	10"	NA
Standard Tabletop Size	24" x 80" 61 x 203 cm	24" x 80" 61 x 203 cm	24" x 80" 61 x 203 cm	24" x 80" 61 x 203 cm	24"/12" x 84" 61/31 x 213cm
Optional Tabletop Size	22" x 80" 56 x 203 cm with facial cut-out	22" x 80" 56 x 203 cm with facial cut-out	22" x 80" 56 x 203 cm with facial cut-out	22" x 80" 56 x 203 cm with facial cut-out	24" x 84" 61 x 213cm
Optional GI Table- top Size	28" x 80" 71 x 203 cm	28" x 80" 71 x 203 cm	28" x 80" 71 x 203 cm	28" X 80" 71 x 203 cm	NA
Imaging Area	66" 167.6 cm	62" 157.5 cm	62" 157.5 cm	59" 149.9 cm	58" 147.3cm
Patient Capacity	450 Lb 204 kg	450 Lb 204 kg	450 Lb 204 kg	450 Lb. 204 kg	600 Lb. 272 kg
Table Weight	290 Lb 131 kg	325 Lb 147 kg	380 Lb 172 kg	355 Lb. 161 kg	620 Lb. 281 kg
Tabletop Pad (2" thick)	•	•	•	•	•
Restraint Straps	•	•	•	•	•
Facial Support Cushion	•	•	•	•	•
Pendant Hand Control	•	•	•	•	•
Foot Control	◇	◇	◇	◇	◇
Armboard, rail mounted	◇	◇	◇	◇	◇
Armboard, carbon fiber	◇	◇	◇	◇	◇
VAB Armboard	◇	◇	◇	◇	◇
Clamp-on Accessory Rail	◇	◇	◇	◇	◇
Scatter-Guard Radiation Shield	◇	◇	◇	◇	NA
Curve Spine Frame	◇	◇	◇	◇	◇



Since 1986, IDI has been a manufacturer of innovative products for surgical, interventional and diagnostic imaging.

Our product focus is in electro-mechanical solutions for fluoroscopic and digital radiographic applications.

IDI is committed to superior product design, value and customer support in everything we do.

Image Diagnostics, Inc.

310 Authority Drive
Fitchburg, Massachusetts
01420

For customer service:
sales@imagediagnostics.com
Telephone: 978.829.0009



Image Diagnostics, Inc. 310 Authority Drive Fitchburg, MA, 01420 USA
A veteran-owned company since 1986. Designed and manufactured in the U.S.
Tel: 978-829-0009 Image Diagnostics, Inc. reserves the right to update product specifications without notification. Warranty information for IDI products is available upon request from Image Diagnostics, Inc.

