


DS-LEDIF-6X3, 8X4, 10X5

Flat Wall Mount


FOR SAMSUNG IFH/-E SERIES DIRECT VIEW LED DISPLAYS



Peerless-AV's Flat Wall Mount is designed exclusively for the Samsung IFH Series Direct View LED Displays, offering slim, space-saving, and aesthetically appealing designs for multiple configurations. With integrated cable management, easy-hang hardware, and a lightweight aluminium frame, integrators can quickly and easily build the perfect video wall. Peerless-AV® also offers start to finish support through the SEAMLESS LED Video Wall Integration Program. The Peerless-AV LED Solutions Team is there every step of the way to ensure every customer receives SEAMLESS product support and service.

SAMSUNG

DS-LEDIF-10X5 shown



HEIGHT ADJUSTMENT
Overcome installation irregularities to assure the LED pixels are aligned

QUICK ASSEMBLY
Predetermined adaptor rail locations speed up assembly and minimise the errors

DEPTH ADJUSTMENT
The entire mount creates one flat plane, regardless of wall imperfections

- Lightweight aluminium frame is easy to install and minimizes the wall load
- Modular design offers unlimited video wall display configurations
- Tight tolerances and wall plate spacers assure the cabinets are properly positioned

SEAMLESS by Peerless-AV® - LED Video Wall Integration Program offers:

 EXPERT TEAM	 MARKETING SUPPORT	 CUSTOM CAPABILITY	 DEDICATED LED MOUNTING SOLUTIONS
 PRECISION ENGINEERING	 LIGHTWEIGHT DESIGN	 INSTALLER FRIENDLY	 CERTIFIED TRAINING



Visit Peerless-AV.com/SEAMLESS to get your project started!

DS-LEDIF-6X3 Flat Wall Mount for 6x3 Samsung IFH/-E Series Direct View LED Displays


Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLOUR
DS-LEDIF-6X3	2880 x 1613 x 56.3-66.3mm (113.40" x 63.50" x 2.22"-2.61")	34.0kg (75.0lb)	162kg (356lb)	Powder Coat & Clear Anodised Finish	Black & Silver

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDIF-6X3	1689.1 x 736.6 x 203.2mm (66.50" x 29.00" x 8.00")	40.0kg (88.0lb)	735029321781	Wall Plate, Mounting Bracket, Spacer & Hardware	1

All dimensions = inch (mm)



Architect Specifications

The Flat Wall Mount shall be a Peerless-AV model DS-LEDIF-6X3 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
 2300 White Oak Circle
 Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
 Unit 3 Watford Interchange
 Colonial Way, Watford
 Herts, WD24 4WP
 United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
 Av. de las Industrias 413
 Parque Industrial Escobedo
 General Escobedo, N.L.,
 México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDIF-8X4 Flat Wall Mount for 8x4 Samsung IFH/-E Series Direct View LED Displays


Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
DS-LEDIF-8X4	3839 x 2153 x 56.3-66.3mm (151.18" x 84.76" x 2.22"-2.61")	46.8kg (103.0lb)	288kg (634lb)	Powder Coat & Clear Anodised Finish	Black & Silver

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDIF-8X4	2959.1 x 736.6 x 203.2mm (116.50" x 29.00" x 8.00")	58.6kg (129.0lb)	735029322375	Wall Plate, Mounting Bracket, Spacer & Hardware	1

All dimensions = **inch** (mm)



Architect Specifications

The Flat Wall Mount shall be a Peerless-AV model DS-LEDIF-8X4 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
 2300 White Oak Circle
 Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
 Unit 3 Watford Interchange
 Colonial Way, Watford
 Herts, WD24 4WP
 United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
 Av. de las Industrias 413
 Parque Industrial Escobedo
 General Escobedo, N.L.,
 México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDIF-10X5 Flat Wall Mount 10x5 Samsung IFH/-E Series Direct View LED Displays


Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
DS-LEDIF-10X5	4800 x 2693 x 56.3-66.3mm (188.98" x 106.00" x 2.22"-2.61")	70.4kg (155.0lb)	450kg (990lb)	Powder Coat & Clear Anodised Finish	Black & Silver

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDIF-10X5	2959.1 x 736.6 x 203.2mm (116.50" x 29.00" x 8.00")	84.1kg (185.0lb)	735029322351	Wall Plate, Mounting Bracket, Spacer & Hardware	1

All dimensions = inch (mm)



Architect Specifications

The Flat Wall Mount shall be a Peerless-AV model DS-LEDIF-10X5 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
 2300 White Oak Circle
 Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
 Unit 3 Watford Interchange
 Colonial Way, Watford
 Herts, WD24 4WP
 United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
 Av. de las Industrias 413
 Parque Industrial Escobedo
 General Escobedo, N.L.,
 México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360

