SONY

BRAVIA™ 4K HDR OLED Professional Displays

Innovative displays designed for business

48" – 83" A80J/A9/A90J Series

FWD-48A9/T1

FWD-55A80J

FWD-65A80J


FWD-77A80J

FWD-55A90J

FWD-65A90J







Make an impressive statement with exquisite 4K HDR OLED images, effortless style and sound to match

Add unprecedented impact to your visual communications with the stunningly styled, fully featured BRAVIA OLED Professional Display. Combining bright, beautiful 4K HDR image quality with easy operation, it's an imposing addition to corporate boardrooms, lobbies, and reception areas.

Optimised for professional display applications, BRAVIA takes full advantage of cutting-edge OLED display technologies and our ingenious Cognitive Processor XR to ensure vibrant high-contrast 4K images.

The beautifully sleek, minimalist design of the A80J/A90J/A9* is sure to impress in any setting. And with Acoustic Surface Audio+, cinematic sound comes directly from the screen.

For even greater peace of mind there's the added reassurance of our 3 Years warranty with Repair or if necessary advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.

Ultimate Picture Quality

4K image resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.

High contrast OLED screen technology

Each self-illuminating pixel is precisely and individually controlled so that you can enjoy breathtaking OLED contrast with pictures that feel deep, natural and real.



Wider Colour with XR TRILUMINOS Pro™*

Powered by our Cognitive Processor XR, the OLED series reproduce colour in a way that humans find beautiful. See a wider palette of colours with an enhanced range of hue and saturation, allowing natural shades and precise details to be seen, even in dark scenes.



Spectacularly real 4K HDR images*

With XR HDR Remaster, this display can detect each object on screen, analyse its colour and adjust contrast for even more realistic pictures. Object-based processing, powered by BRAVIA XR™, takes precision to a whole new level by adding adjustment of hue, saturation, brightness, motion vector, bandwidth and more. The result is exceptionally real scenes with greater depth, lifelike textures and natural colours.

XR Motion

Smoother movement*

with our OLED XR Motion Clarity[™] technology, even fast action stays smooth and clear. Moving images are precisely controlled to minimise blur so that pictures remain true with less loss in brightness during high-speed scenes.

Sound from the screen

With our Acoustic Surface Audio+ technology, sound comes directly from the centre of the screen with powerful actuators behind the TV vibrating to create acoustics that move with the picture.

 * FWD-48A9/T1 is powered by the X1 Ultimate processor (TRILUMINOS Display, X-Motion Clarity...), instead of the Cognitive Processor XR.



Features

Do more with Android TV

Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.

Google Chromecast and Apple Airplay

With Google Chromecast built-in, and Apple Airplay, easily mirror your content and enjoy it super-sized on your BRAVIA.

Flexible Mounting and Installation

BRAVIA Professional Displays offer flexible mounting options with VESA standard mounting for easy integration into a wide range of environments.

Greater peace of mind

There's the added reassurance of our 3 Years warranty with Repair or if necessary advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.





Bring the incredible depth and quality of 4K HDR OLED resolution to your business

Ideal for:

Corporate presentation
Digital signage
Video conferencing
Education

For full features visit pro.sony/products/professional-displays

© 2022 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony

Distributed by

PrimeSupport

Find your local telephone number to contact our *PrimeSupport Helpdesk* on our website **pro.sony/en_GB/change-country-region-language**

Monday - Friday 09:00 - 18:00 (Central European Time), excluding local national holidays. Support is available in English, French, Italian, German & Spanish

Prime Support Pro

Specifications

		FWD-55A80J	FWD-65A80J	FWD-77A80J	FWD-48A9/T1	FWD-55A90J	FWD-65A90J	FWD-83A90J	
	Screen size (measured	55"(54.6")	65"(64.5")	77"(76.7")	48"(47.5")	55"(54.6")	65"(64.5")	83"(82.5")	
Display features	diagonally) Display resolution		· , ,	, ,		, ,	, ,	, ,	
	(H x V, pixels)	3840 x 2160							
	Display device	OLED							
D () 1	Aspect Ratio Operating System	16:9 Android 10							
Professional features	On-board Storage (GB)	Android 10 16GB							
	TV System (Digital Terrestrial)								
Display System	TV System (Digital Cable)	DVB-C							
	TV System (Digital Sat)	DVB-S/S2							
	Number of Tuners	2(Digital) / 1(Analog)							
	(Terrestrial/Cable) Number of Tuners (Sat)	2							
Network Features	Wi-Fi Direct	Yes							
	Wi-Fi Certified	Yes							
	Apple AirPlay	Yes							
	Chromecast built-in	Yes							
	Internet Browser	Vewd							
	Codec for Home Network	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotinJpeg/ASF(WMV):VC1/MOV:AVC, MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG							
	Wireless LAN	MPEG4,MOTIONIPEg/MKV:XXIO,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG Integrated							
	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AV1:Xvid,MotinJpeg/ASF(WMV):VC1/MOV:AVC,							
Convenience features		MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG							
	i-Manual	Yes							
	On Screen Clock Sleep Timer	Yes Vac							
	On/Off Timer	Yes Yes							
	On on time	Yes AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ,KAN,KOR,KIR,							
	Display Language	LAO,LIT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE, SWA,TAM,TEL,THA,TGL,TUR,UKR,URD,UZB,VIE, zh_CN,zh_HK,zh_TW,ZUL							
Control specs	IP Control	Yes (requires authentication)							
Control specs	Pro mode	No Yes No							
Inputs & Outputs	HDMI Signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p							
	HDCP	HDCP2.3(for HDMI1/2/3/4)							
	RF (Terrestrial/Cable) Connection Input(s)	1(Bottom)							
	IF (Satellite) Input(s)	2(Bottom)							
	Composite Video Input(s)	Hybrid w/S-Center Speaker Input x1(Side, Mini jack)							
	HDMI inputs total	4(1Side, 3Bottom)							
	USB ports	2(Side) / 1(Bottom)							
	Ethernet inputs	1(Bottom) 640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz),							
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 120x1024(64.0kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits*)							
	PCMCIA Slot(s)	1(Side)							
Audio	Speaker Position	Front							
specifications	Audio Power Output	10W + 10W + 10W 20W + 20W + 10W 10W + 10W + 5W 20W + 20W + 10W + 10W							
Video Specification	Wide Mode	Wide zoom / Normal / Full / Zoom / 14:9 Yes							
	4:3 Default Video Processing		VD 4V Unscaling		Yes 4K X-Reality PRO XR 4K Upscaling				
	_	Picture Processor V1							
	4K Processor	Cognitive Processor XR Ultimate Cognitive Processor XR							
	HDR (High Dynamic Range) compatibility	Yes (HDR10, HLG, Dollby Vision)							
	Cable Management		No		Yes				
Design Features	Frame color	Titanium Black			Black	Titanium Black			
	Stand Design		Aluminum Layer stand			Aluminum Edge Stand			
	VESA® Hole Spacing	Stand							
	Compatible	Yes							
	VESA® Hole Pitch (W x H)	30.0 x 30.0 cm 40.0 x 40.0 cm							
Eco & energy saving	Power Consumption (in Standby)	0.50W							
	Mercury content (mg)	0.0							
	Power Saving Mode / Back	Yes							
Dimensions	Light Off Mode Display only	Approx. 122.7 x	Approx. 144.8 x	Approx. 172.2 x	Approx. 106.9 x	Approx. 122.3 x	Approx. 144.4 x	Approx. 185.0 x	
	(W x H x D)	71.2 x 5.3 (0.59) cm	83.6 x 5.3 (0.63) cm	99.9 x 5.4 (0.69) cm	62.4 x 5.8 (0.42) cm	70.9 x 4.1(0.56) cm	83.3 x 4.1(0.56) cm	106.7 x 5.3 (0.73) cm	
	Display with Stand	Approx. 122.7 x	Approx. 144.8 x	Approx. 172.2 x	Approx. 106.9 x 62.9 x 25.5 cm	Approx. 128.2 x	Approx. 150.2 x	Approx. 188.0 x	
Weights (Approx.)	(W x H x D) Display only	73.5 x 33.0 cm Approx. 17.8 kg	85.9 x 33.0 cm Approx. 22.3 kg	102.2 x 36.7 cm Approx. 28.9 kg	62.9 x 25.5 cm Approx. 13.9 kg	70.9 x 31.7 cm Approx. 18.6 kg	83.4 x 31.7 cm Approx. 22.5 kg	107.2 x 42.8 cm Approx. 42 kg	
	Display with Stand	Approx. 17.8 kg	Approx. 23.5 kg	Approx. 30.1 kg	Approx. 17.6 kg	Approx. 20.3 kg	Approx. 24.6 kg	Approx. 42 kg Approx. 43.5 kg	
	Package Carton (Gross)	Approx. 25 kg	Approx. 31 kg	Approx. 40 kg	Approx. 22 kg	Approx. 29 kg	Approx. 34 kg	Approx. 59 kg	
	Wallmount Bracket	SU-WL450 (Terminal access limitation, refer to SU-WL450 product page), SU-WL850 (Refer to Country/Area Handling Chart)							
accessories									
		3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible							
Service and Warranty	Standard Warranty 2 years PrimeSupport extension	PSP.FWD55A80J.2X	PSP.FWD65A80J.2X	PSP.FWD77A80J.2X	PSP.FDWA948.2X	PSP.FWD55A90J.2X	PSP.FWD65A90J.2X	PSP.FWD83A90J.2X	

 $^{^{\}star}$ For A90 series, 100Hz and 120Hz is supported by HDMI IN 2, IN 3 and IN 4