Fujitsu recommends Windows 8 Pro.



Data Sheet Fujitsu STYLISTIC Q704 Tablet PC

Your Toughest Business Performer

The FUJITSU STYLISTIC Q704 helps you to get the job done, regardless of location and weather conditions. Its 31.8 cm (12.5-inch) Full HD display with pen and touch input and 4th gen Intel® Core™ i7 processor with vPro™ technology ensure highest performance. A semi-ruggedized design and optional 4G/LTE and NFC help you achieve your tasks, whereever you are in every weather. Enterprise-class security features, two different dockable keyboards and an optional cradle mean that you can work in comfort and security.

Slim & semi-rugged design

Protect your tablet from environmental conditions. Work anywhere despite exposing the tablet to rain, humidity or dust without any component damage.

 Waterproof (tested for IPX5/7/8 specifications), dustproof (tested for IP5X specification), resistant to alcohol-based wipes, durable chemically strengthened glass display, MIL-STD tested

Enterprise ready

Windows 8.1 Professional operating system for multitasking, security and compatibility

 Seamless deployment in commercial environments. Easily connect with and use established Windows-based applications

Content creation and collaboration

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch display

Data entry via pen-based handwriting recognition or onscreen keyboard with predictive text on a 31.8 cm (12.5-inch) Full HD display, dual performance mode for battery runtime of up to 16 hours, full USB 3.0 port and optional extension cables via microUSB

User experience and connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby

 Front/rear webcams, integrated Wi-Fi, Bluetooth and optional embedded 4G/LTE, WLAN, GPS, optional Near Field Communication (NFC), 2 convenient dockable keyboard options and cradle option

Manageability and security

Easy administration and protection against unauthorized third-party access

■ Latest 4th gen. Core™ i7 processor with Intel vPro™technology, fingerprint sensor, embedded TPM and Advanced Theft Protection option, optional SmartCard Shell or Functional Shell for VESA mount available









Components

Processor	Intel 4th gen Core i7-4600U / 8GB / vPro	Intel 4th gen Core i7-4600U / 8GB / vPro	
	Intel 4th gen Core i5-4300U / 4GB / vPro	Intel 4th gen Core i5-4300U / 4GB / vPro	
	Intel 4th gen Core i5-4200U / 4GB / non vPro	Intel 4th gen Core i5-4200U / 4GB / non vPro	
Hard disk drives	SSD m-SATA 64GB w/FDE	SSD m-SATA 64GB w/FDE	
	SSD m-SATA 2500 TCG Opal	SSD m-SATA 2266B TCG Opal	
AA/LA NI	SSD m-SATA 256GB TCG Opal Intel Dual Band Wireless-N 7260 2x2 ABGN	SSD m-SATA 256GB TCG Opal Intel Dual Band Wireless-N 7260 2x2 ABGN	
WLAN Bluetooth			
3G/4G	Bluetooth 4.0 LE integrated on WLAN module UMTS Sierra Wireless EM8805 (optional)	Bluetooth 4.0 LE integrated on WLAN module UMTS Sierra Wireless EM8805 (optional)	
3U/4U	LTE Sierra Wireless EM7305 (optional)	LTE Sierra Wireless EM7305 (optional)	
Miscellaneous	GPS (Mitsumi)	GPS (Mitsumi)	
Viscendicous	Standard Shell	SmartCard Shell	
	Functional Shell	Sindicedia Sileii	
Processor	Intel® Core™ i5-4200U processor (1.6 GHz, up to 2.6 GHz, 3 MB) *		
	Intel® Core™ i7-4600U processor (2.1 GHz, up to 3.3 GHz, 4 MB)		
	Intel® Core™ i5-4300U processor (1.9 GHz, up to 2.9 GHz, 3 MB)		
Operating systems	1 2 2 2 1		
Operating system	Windows 8.1 Pro 64-bit		
operating system	Windows 8.1 64-bit		
	Windows® 7 Professional 64-bit		
Operating system compatible	Windows 8.1		
	Windows® 7		
Base unit memory	STYLISTIC Q704 Waterproof	STYLISTIC Q704 SmartCard	
Supported capacity RAM	8 GB		
Supported capacity RAM (max.)			
Memory slot type	LPDDR3 (1600 MHz)		
Memory notes			
Hard disk drives (internal)	SSD mSATA, 256 GB, Opal TCG		
	SSD mSATA, 128 GB, Opal TCG		
	SSD mSATA, 64 GB, FDE		
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.		
	Accessible capacity may vary, also depending on used software.		
	Up to 20 GB of HDD space is reserved for system recovery		
	Internal HDD interface: S-ATA III (6GBit/s)		
WLAN (optional)	Intel® Dual Band Wireless-N 7260 2x2 AGN		
Wireless technologies			
Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN		
Bluetooth	Bluetooth 4.0		
WLAN notes	Import and usage according to country-specific regulations.		
UMTS/GPS notes	Including GPS functionality		
NFC	optional		
3G/4G (optional)	UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		
	LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		
Display	31.8 cm (12.5-inch), LED backlight, (Full HD), Anti-glare display, magnesium, 1920 x 1080 pixel		

General system information			
Chipset	Integrated		
Chipset notes	Supports iAMT 9.0, Intel® vPro™ requires Core i5-43xx & i	7-46xx CPU. Intel WLAN 7260 a/b/g/n. TPM module	
BIOS features	BIOS Flash EPROM		
bios icadaics	BIOS based on Phoenix SecureCore		
Waterproof	IPX5 / 7 / 8		
Dustproof	IP5X	No	
 Display			
Display	31.8 cm (12.5-inch), IPS dual digitizer, Full HD, Glossy di	splay, 1920 x 1080 pixel, 700:1, 352 cd/m ²	
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid.		
	Integrated ambient light sensor for automatic backlight adjustment to the working environment.		
Sensors	3-axis Accelerometer Gyroscope		
	Ambient Light Sensor		
	Magnetic Field Sensor		
Aspect ratio	16:9		
Brightness - typical	352 cd/m ²		
Contrast - typical	700:1		
Digitizer	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen		
Ambient light sensor	Integrated		
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight		
Viewing angle (h/v) - typical	178°/178°		
Graphics			
Base unit	STYLISTIC Q704 Waterproof	STYLISTIC Q704 SmartCard	
TFT resolution (HDMI)	1920 x 1080 pixel	1920 x 1080 pixel	
TFT resolution (VGA)	1920 x 1080 pixel	1920 x 1080 pixel	
Max. resolution external display	up to 1920 x 1080	up to 1920 x 1080	
Graphics brand name	Intel® HD Graphics 4400	Intel® HD Graphics 4400	
Graphics features	3 Display Support	3 Display Support	
	HDCP support	HDCP support	
	DirectX 11	DirectX 11	
Graphics notes	Shared memory depending on main memory size and	Shared memory depending on main memory size and	
	operating system 3D accelerator	operating system 3D accelerator	
	30 accelerator	3D acceletatol	
Interfaces	1/-:	Sur- 1- (/CD)	
Memory card slots	1 (microSD up to 2GB, microSDHC up to 32GB, microSDXC	. up to 64uB)	
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE micro SIM)		
USB 3.0 total	1		
Micro USB 2.0	1		
USB 2.0 total			
DC-in	1		
Audio: line-in / line-out	1		
Internal microphones	1 (digital)		
Docking connector for Port Replicator	1		
Wired communication			
LAN	via cradle or optional cable accessory Intel® 218LM		
 Multimedia			
Audio type	On board		
Audio codec	Realtek ALC283		
Audio features	Built-in array microphone, 2x built-in speakers (stereo)		
Camera	Front camera 2 megapixel, rear camera 5 megapixel witl	. (

Page 3 / 7 www.fujitsu.com/fts/tabletpc

Power supply	
AC adapter	19 V / 65 W (3.42 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Lithium Polymer battery 3-cell, 46 Wh
Runtime 1st battery	up to 10h (not approved)
Battery charging time	~ 140 min.
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers
,	mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	309.6 x 199.3 x 11.9 mm
Weight	from 0.980 kg
Weight notes	Weight may vary depending on actual configuration (including battery pack)#Height depending on Shell
Operating ambient temperature	5-35°C
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)
Additional Software	J , , , , , , , , , , , , , , , , , , ,
Additional software (preinstalled)	Adobe® Reader® (pdf reader)
Additional software (premistaneu)	Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8.1: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win7: Fujitsu Recovery (hard disk based recovery) McAfee Internet Security and Antivirus Software (60 days trial version)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software CyberLink YouCam (webcam software) Recovery DVD for Windows®
Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 9.0 (depending on CPU)
Manageability software	DeskView Client
<i>y</i>	DeskView Instant BIOS Management
	DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability

Page 4 / 7 www.fujitsu.com/fts/tabletpc

Security	
System and BIOS Security	Advanced Theft Protection (Computrace® only)
	Write protect option for the Flash EPROM
	Control of all USB interfaces
	User and supervisor BIOS password
	Embedded security (TPM 1.2) (optional)
User Security	User and supervisor BIOS password
	Preboot Authentification with SystemLock 3
	Hard disk password
	Integrated fingerprint sensor (optional)
	Integrated SmartCard slot
	Workplace Protect (secure authentication solution)
Compliance	
Product	STYLISTIC Q704
Europe	CE!
	EN 60950
Global	IT-Eco-Declaration
	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronic equipment)
Russia	GOST
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Cradle	
DC-in	1 (19V)
USB 2.0 total	3
Ethernet (RJ-45)	1 (10/100)
Warranty	
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Maintenance and Support Service	s - the perfect extension
Recommended Service	9x5, Response Time: Next Business Day
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

		Order Code: S26391-F1193-L20
		Order Code: S26391-F1193-L21
Bluetooth® Mouse V470	The latest Bluetooth technology makes cables a thing of the past. The Bluetooth® Mouse V470 has a sensitive laser sensor with a resolution of 1.000 dpi. This delivers smoother cursor control on nearly any surface. Scroll horizontally or vertically with the 4-way tilt scroll wheel and take it wherever you go.	Order Code: LTC:M-RCQ142

Mobile Bluetooth Communication Speaker



The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so \$26391-F7128-L700 you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.

Order Code:

In-Earphone Stereo



These earphones ensure the best acoustic experience with an excellent inear tiny metallic design. They are equipped with 3 different interchangeable S26391-F7139-L6 silicon ear plugs for optimal wearing comfort and with a wired volume control for easy access to your controls. The 3.5mm audio jack makes these earphones the best companion for your notebook, PC or portable multimedia device.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu STYLISTIC Q704, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu STYLISTIC Q704, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-12-16 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions