Fujitsu recommends Windows 8 Pro.



Data Sheet Fujitsu LIFEBOOK T904 Ultrabook™ Tablet PC

Stylish and Flexible Working Made Easy

The FUJITSU tablet LIFEBOOK T904 is a versatile 2-in-1 Ultrabook™ for demanding professionals with new dynamic work styles. Its ultra-thin, durable aluminum housing with magnesium lid at just 17.1 mm height, and its super lightweight enable you to travel in comfort. The super crisp, rotatable 33.8 cm (13.3-inch) WQHD IGZO display supports pen and touch input. The optional backlit keyboard, enterprise-grade security features and embedded 4G/LTE support your dynamic work style. With the optional port replicator maximum convenience in the office is ensured.

Ultrabook and Tablet PC in one

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch with the dual digitizer.

■ Bi-directional rotatable 33.8 cm (13.3-inch) display with dual digitizer allows audit-proof pen and touch input, or with the keyboard

Ultimate mobility

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

■ Fast charging user-exchangeable battery, ShockSensor for HDD protection, optional 4G/LTE or 3G/UTMS (incl. GPS), WLAN and Bluetooth

Highest security

Protect your company data against unauthorized third-party access.

Advanced Theft Protection, fingerprint sensor, SmartCard reader and OPAL encrypted drives

Ergonomic working

Maximize your productivity with ultimate convenience and best feature set for business users.

 Super high resolution (2560x1440) WQHD IGZO display, optional backlit keyboard and port replicator











Components

Processor	Intel® Core™ i5-4200U processor (1.6 GHz, up to 2.6 GHz, 3 MB) *				
	Intel® Core™ i7-4600U processor (2.1 GHz, up to 3.3 GHz, 4 MB)				
	Intel® Core™ i5-4300U processor (1.9 GHz, up to 2.9 GHz, 3 MB)				
	*Processor only for retail, SMB, education and government				
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes				
	Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business				
Operating systems					
Operating system	Windows 8.1 64-bit				
	Windows 8.1 Pro 64-bit				
	Windows 7 Professional 64-bit				
Operating system compatible	Windows 8.1 Windows 7				
Memory modules	4 GB (1 module(s) 4 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM				
	8 GB (1 module(s) 8 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM				
Base unit memory	LIFEBOOK T904				
Supported capacity RAM (max.)	8 GB				
Memory slots total	1				
Memory slot type	DIMM (DDR3L)				
Memory notes	DDR3L – 1,600 MHz				
Hard disk drives (internal)	SSHD, 5,400 rpm, 500 GB / 16 GB SSD Cache, 2.5-inch, S.M.A.R.T.				
	SSHD, 5,400 rpm, 320 GB / 16 GB SSD Cache, 2.5-inch, S.M.A.R.T.				
	SSD SATA III, 256 GB, 2.5-inch, Opal TCG				
	SSD SATA III, 256 GB, 2.5-inch				
	SSD SATA III, 128 GB, 2.5-inch, Opal TCG				
	SSD SATA III, 128 GB, 2.5-inch				
Hard disk notes	ShockSensor for HDD shock protection				
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.				
	Accessible capacity may vary, also depending on used software.				
	Up to 20 GB of HDD space is reserved for system recovery				
	Internal HDD interface: S-ATA III (6GBit/s)				
VLAN (optional)	Intel® Wireless-N 7260 2x2 BGN + BT				
Vireless technologies					
Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN				
Bluetooth	Bluetooth 4.0 LE				
ntegrated WLAN	Intel® Centrino Wireless-N7260 a/b/g/n				
VLAN encryption	WEP, WPA, WPA2				
VLAN max. data rate	up to 300 Mbit/s				
WLAN notes	Import and usage according to country-specific regulations.				
JMTS/GPS notes	Including GPS functionality				
3G/4G (optional)	Sierra Wireless EM8805 (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s)				
	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)				
Base unit	LIFEBOOK T904				
General system information					
Chipset	Integrated in CPU				
empset	-)				

General system information					
BIOS features	BIOS based on Phoenix SecureCore				
Display					
Display	33,8 cm (13,3 inch), 2560x1440 Pixel (WQHD), 1000:1, 350cd/m ²				
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid.				
	Integrated ambient light sensor for automatic backlight adjustment to the working environment.				
Sensors	3-axis Accelerometer				
	Gyroscope				
	Ambient Light Sensor				
	Magnetic Field Sensor				
Aspect ratio	16:9				
Brightness - typical	350 cd/m ²				
Contrast - typical	1000:1				
Digitizer	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen				
Ambient light sensor	Integrated				
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight				
Graphics					
Base unit	LIFEBOOK T904				
TFT resolution (HDMI)	up to 1,920 x 1,200				
FFT resolution (VGA)	up to 1,920 x 1,200				
FFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200				
TFT resolution (DisplayPort on Port	up to 2,560 x 1,600				
Replicator)	σρ to 2,300 × 1,000				
Graphics brand name	Intel® HD Graphics 4400				
Graphics features	3 Display Support				
	HDCP support				
	DirectX 11				
Graphics notes	Shared memory depending on main memory size and operating system				
	3D accelerator				
Interfaces					
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)				
SmartCard slot	1				
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)				
USB 3.0 total	2 (incl. 1x Anytime USB Charge functionality)				
USB 2.0 total	- ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '				
HDMI	1				
Ethernet (RJ-45)	1 (pull out LAN connector)				
DC-in	1				
Audio: line-in / microphone	1 (combo port with Audio line-out)				
Audio: line-out / headphone	1 (combo port with Audio line-in)				
nternal microphones	2 (digital)				
Docking connector for Port Replicator	2 (uigital)				
Kensington Lock support	1				
Wired communication					
LAN	Built-in 10/100/1,000 MBit/s Intel® 218LM				

Page 3 / 8 www.fujitsu.com/fts/tabletpc

Keyboard and pointing devices	
	Backlit isolation keyboard
	Keys: 85, key width: 19 mm, keystroke: 1mm
	Fingerprint sensor
	Tablet Pen
	Touch-screen
	Multi gesture touchpad with integrated mouse button functionality
	Volume Control Button
	Windows Button
Multimedia	
Audio type	On board
Audio codec	Realtek ALC283
Audio features	2x digital array microphones, 2x built-in speakers (stereo)
Camera	Built-in webcam (Full HD) with Status LED
Power supply	
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter
AC adapter	19 V / 65 W (3.42 A)
Notes	90W AC Adapter for usage with Port Replicator
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery options	Li-lon battery 4-cell, 3,150 mAh, 45 Wh
1st battery	Lithium polymer battery 4-cell, 45m Wh
Battery features	Rapid Charge
Runtime 1st battery	up to 8.5 h
Battery charging time	~ 120min
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers
battery notes	mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product
	comparisons between manufacturers. It does not quarantee any specific battery runtime which actually can be lower
	and may vary depending on product model, configuration, application and power management settings. The battery
	capacity slightly decreases with every charging cycle and over the lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	321 x 235 x 17.1 front / 19.3 back mm
Weight	from 1.6 ka
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	5 - 35 °C
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)
Additional Software	
	Adaba@ Daada@ (adf saadas)
Additional software (preinstalled)	Adobe® Reader® (pdf reader)
	Fujitsu Display Manager ShockSensor Utility
	Power Saving Utility
	Fujitsu Plugfree Network (network management utility)
	EasyGuide online user documentation
	Win8.1: Microsoft Push Button Recovery (hard disk based recovery)
	Microsoft Office (buy license to activate the pre-installed Microsoft Office)
	Win7: Fujitsu Recovery (hard disk based recovery)
	McAfee Internet Security and Antivirus Software (60 days trial version)
Additional software (optional)	Drivers & Utilities DVD (DUDVD)
,	UMTS connection manager (optional with UMTS)
	DVD playback software
	Colored in Nov. Comp. (work on an artificial)
	CyberLink YouCam (webcam software) Recovery DVD for Windows®

Page 4 / 8

Manageability	
Manageability technology	DeskUpdate Driver management
	PXE 2.1 Boot code
	Wake up from S5 (off mode) Intel® vPro™ technology
	WoL (Wake on LAN)
	iAMT 9.0 (depending on CPU)
Manageability software	DeskView Client
	DeskView Instant BIOS Management
	DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management
C	Alarm Management
Supported standards	WMI PXE
	BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.html
	The printing of the control of the c
Security Dhysical Cosusing	Vencinates Leek cuspert
Physical Security	Kensington Lock support
System and BIOS Security	Write protect option for the Flash EPROM Control of all USB interfaces
	User and supervisor BIOS password
	Advanced Theft Protection (Computrace® only)
	Embedded security (TPM 1.2)
User Security	User and supervisor BIOS password
•	Preboot Authentification with SystemLock 3
	Hard disk password
	Integrated fingerprint sensor (optional)
	Smartcard reader (optional)
	Workplace Protect (secure authentication solution)
Product	LIFEBOOK T904
Europe	CE! EN 60950
Global	IT-Eco-Declaration
4.054.	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronic equipment)
Russia	GOST
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Port Replicator interfaces (optional)	
DC-in	1 (19V)
Power on switch	1
USB 3.0 total	4
DisplayPort DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher proirity.
VGA	1
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	2 (Port Rep only)
Notes	Port replicator supports 0-Watt functionality (made4you). Display port is shared with DVI - exclusive usage
Wassashi	
Warranty Standard Warranty	2 years (depending on country)
Standard Warranty Service level	2 years (depending on country) Collect & Return Service / Bring-in Service (depending on country specific requirements)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
wanding remis & Conditions	пкр.пэиррик.сышукэи.сишиманашу
D	f. 29

۸.	۱,	•	٠,		ь	ı
I۷	a	и	а	ш	L١	,

Maintenance and Support Services - the perfect extension

Recommended Service 9x5, Response Time: Next Business Day Service Weblink http://www.fujitsu.com/fts/services/support

Recommended Accessories

Port Replicator for LIFEBOOK T904



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1317-L100

Port Replicator for LIFEBOOK T904



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1317-L110

Car/Truck Power Adapter 90



People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car/Truck Power Adapter 90 will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available.

Order Code: S26391-F2613-L610

Security Lock



We at Fujitsu Technology Solutions consider the safety of your devices to be Order Code: paramount. The Standard Security Lock is our low cost option that saves you S26361-F1650-L210 money without ever sacrificing on quality or security. The 180cm cord comes with two keys, and is compatible with any product which utilizes a T-slot locking mechanism.

Wireless Notebook Mouse WI610



The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

Order Code: S26381-K460-L100

SOUNDSYSTEM DS E2000 Air



The new more powerful SOUNDSYSTEM DS E2000 Air gives you impressive, well-balanced sound throughout the frequency band. It is an unbeatable USB speaker set with a surprisingly small form factor. The robust satellite speakers are decorated with a deluxe piano finish and the base is adorned with warm ambient lighting.

Order Code: S26391-F7128-L600

Page 6 / 8 www.fujitsu.com/fts/tabletpc

HS S2000NC Headset



The HS S2000NC Headset offers more than current headsets. Besides superb Order Code: sound quality, the headset provides an impressive feature: a button to switch off noise and disburden your ears of unwanted noise level. Thanks to a special technology based on wave inversion this headset reduces unwanted noise by up to 70 % for a quieter audio experience. The sponge cushion specially made by BioProtein ensures optimum comfort for long hours travelling by rail or air.

S26391-F7139-L3

Wireless Keyboard Set LX901



The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set with offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.

S26381-K565-L4** (**: Country specific variation)

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK T904 Ultrabook™, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK T904 Ultrabook™, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2014-03-12 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions