Fujitsu recommends Windows® 7.



Data Sheet Fujitsu STYLISTIC Q775

Most Secure Professional Tablet

The FUJITSU Tablet STYLISTIC Q775 is the perfect companion for professionals who require ultimate security and a large screen span. Its 33.8 cm (13.3-inch) Full HD anti-glare display supports pen and touch input, while the optional palm vein sensor combined with PalmSecure™ technology provides an unrivaled security level. Everywhere connectivity is ensured with embedded 4G/LTE, GPS and NFC. A cradle shared with other STYLISTIC models enables best-in-class comfort in the office.

Intuitive 2 in 1 design

Easily switch between tablet and notebook use

■ Attachable keyboard

Paramount security

Keep your most valuable asset safe - your data

■ Optional palm vein sensor for PalmSecure™ technology, TPM, optionally embedded fingerprint sensor or Smartcard reader

Convenient content viewing

Enjoy a large screen span to perfectly view all your content, even tables and spread sheets

33.8 cm (13.3-inch) Full HD anti-glare display with touch and pen input, supporting audit-proof signature

Enterprise connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby

Optionally integrated 4G/LTE, Wi-Fi, Bluetooth, GPS and Near Field Communication (NFC)

Adaptable design

Broad range of accessories lets you build your individual 2 in 1

Optionally available hand strap, shoulder strap, VESA mount, attachable keyboard, shared common cradle with other STYLISTIC models.















Page 1/7 http://ts.fujitsu.com

Components

Base unit	STYLISTIC Q775
Operating systems	
Operating system	Windows 8.1 Pro 64-bit
Operating system compatible	Windows 8.1 Windows 7
Processor	Intel® Core™ i5-5200U processor (2.1 GHz, up to 2.7 GHz, 3 MB) *
	Intel® Core™ i7-5600U processor (2.6 GHz, up to 3.2 GHz, 4 MB)
	Intel® Core™ i5-5300U processor (2.3 GHz, up to 2.9 GHz, 3 MB)
	*Processor only for retail, SMB, education and government
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes
Hard disk drives (internal)	SSD SATA III, 512 GB, M.2 module, OPAL capable
	SSD SATA III, 256 GB, M.2 module, OPAL capable
	SSD SATA III, 128 GB, M.2 module, OPAL capable
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6GBit/s)
Interface add on cards/components (optional)	
3G/4G (optional)	UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s) NFC
	LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Wireless-N 7265 2x2 b/g/n with integrated Bluetooth 4.0
	Import and usage according to country-specific regulations.
	Intel® Dual Band Wireless-N 7265 2x2 ac with integrated Bluetooth 4.0 Import and usage according to country-specific regulations.
Display	$33.8 \text{cm} (13.3\text{-inch}), \text{IPS dual digitizer}, (\text{Full HD}), \text{Glare with dual digitizer}, \text{compound}, 1,920 \times 1,080 \text{pixel}, 1000:1,330 \text{cd/m}^2$
	33.8 cm (13.3-inch),IPS dual digitizer,(Full HD),Anti-glare display,compound,1,920 x 1,080 pixel,1000:1,330 cd/m²
Multimedia	
Camera	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

Base unit

Base unit	STYLISTIC Q775
General system information	
Chipset	Integrated in CPU
Chipset notes	Supports iAMT 10.0 Intel® vPro™ requires Core i5-53xx & i7-56xx CPU, Intel WLAN 7265 ac, TPM module
Supported capacity RAM	8 GB
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	8 GB
Memory slots	LPDDR3 (1600 MHz)
LAN	Built-in 10/100/1,000 MBit/s Intel® 218LM
BIOS features	BIOS based on Phoenix SecureCore

Page 2 / 7 http://ts.fujitsu.com

General system information	
Audio type	On board
Audio codec	Realtek ALC283
Audio features	Built-in array microphone, 2x built-in speakers (stereo)
Display	33.8 cm (13.3-inch),IPS,(Full HD),Glare or anti-glare display,1,920 x 1,080 pixel,1000:1,330 cd/m²
Display notes	ISO 9241-307 - Pixel class II
	Viewing angle: Left/Right 89°, Top 89°, Bottom 89°; 25ms response time;
C	Integrated ambient light sensor for automatic backlight adjustment to the working environment. 3-axis Accelerometer
Sensors	Gyroscope
	Ambient Light Sensor
	Magnetic Field Sensor
	Compass
Aspect ratio	16:9
Brightness - typical	330 cd/m²
Contrast - typical	1000:1
Digitizer / Touch Technology	Wacom Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	178°/178°
Graphics	
Base unit	STYLISTIC Q775
FFT resolution (HDMI)	up to 4,096 × 2,160
TFT resolution (VGA)	1,920 x 1,080 pixel
Graphics brand name	Intel® HD Graphics 5500
Graphics features	3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	1 (digital)
USB 2.0 total	1
USB 3.0 total	1 (Anytime USB-charge)
VGA	1 (via optional cradle or optional USB conversion cable)
micro HDMI	1 (via antional gradia or antional LICP adapter cable)
Ethernet (RJ-45)	1 (via optional cradle or optional USB adapter cable) 1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 128GB
Memory card slots SmartCard slot	optional
SIM card slot	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)
Interface Module notes	LAN, HDMI, DisplayPort and VGA available via conversion cable.
Cradle (Charging or Functional)	
DC-in	1 (19V)
Audio: line-in	1
Audio: line-out	
USB 2.0 total	3 (if used with STYLISTIC Q555)
USB 3.0 total	3 (if used with STYLISTIC Q736/Q616/Q775/Q665)
DisplayPort	1
VGA	
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.

Page 3 / 7 http://ts.fujitsu.com

Wireless technologies	
Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN
Bluetooth	Bluetooth 4.0 LE
WLAN notes	Import and usage according to country-specific regulations.
LTE/UMTS/GPS notes	Including GPS functionality
	Import and usage according to country-specific regulations.
NFC	optional
GPS	Embedded in 3G/4G module if configured with WWAN
Power supply	
AC adapter	19 V / 65 W (3.42 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Lithium Polymer battery 3-cell, 46 Wh
Runtime 1st battery	Up to 10h (Productivity Workload MobileMark® 2012)
Runtime 1st + 2nd battery	Up to 15.40h (Productivity Workload MobileMark® 2012)
Battery charging time	~ 120 min.
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	317 x 208 x 12.7 (Standard Shell) / 15.8 (SmartCard Shell) mm
,	12.45 x 0.49 x 8.19 inch
Weight	From 0.990 kg
Weight (lbs)	From 2.18 lbs
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	Running: 5 - 35 °C; Packed -15 - 60 °C
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)
Compliance	
Product	STYLISTIC Q775
Germany	GS (only for premium anti-glare touchscreen display)
Еигоре	CE!
Luiope	EN 60950
Global	ENERGY STAR® 6.1
	EPEAT® Gold (dedicated regions)
	IT-Eco-Declaration
	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
·	mep.//giobalsp.es.injica.com/sites/certificates
Additional Software	A J. L. 20 D J. 20 / - JC J N
Additional software (preinstalled)	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (driver and utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8.1: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win7: Fujitsu Recovery (hard disk based recovery)

Page 4 / 7 http://ts.fujitsu.com

Additional Software	
Additional software (optional)	Drivers & Utilities DVD (DUDVD) LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software) Recovery DVD for Windows®
Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 10.0 (depending on CPU)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2) EraseDisk (optional)
User Security	Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Smartcard reader (optional) SystemLock BIOS SmartCard security Embedded palm vein sensor (optional)
Security notes	Choose people over passwords. Protect your business with PalmSecure technology http://choosepeopleoverpasswords.global.fujitsu.com/
Warranty period	2 years (for countries within EMEIA)
Warranty type Product Support Services - the perfe	Collect & Return Service / Bring-in Service (depending on country) ct extension
Spare Parts availability	5 years after end of product life

Recommended Accessories

Page 5 / 7 http://ts.fujitsu.com

Cradle STYLISTIC Q Series



Boosted efficiency, desktop experience, flexibility, expandability - these are Order Code: only some of the benefits of the cradle for the STYLISTIC Q Series

S26391-F1467-L100

Shoulder Strap STYLISTIC Q Series



The FUJITSU Shoulder Strap is the perfect addition to your STYLISTIC Q Series Order Code: SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort.

S26391-F1193-L13

(Picture shows a STYLISTIC for illustration only.)

VESA Mount Plate STYLISTIC Q Series



The VESA Mounting Plate for the STYLISTIC Q Series is used to easily and securely attach the rear of the STYLISTIC Q Series to any standard 4-hole 75mm x 75mm VESA-compliant mount, such as a vehicle mount, wall mount, or cart mount. The VESA Mounting Plate is secured to the STYLISTIC Q Series using the four threaded inserts on the rear of the system. (Works exclusively with SmartCard Shells of STYLISTIC Q Series. Picture shows different STYLISTIC model and plate color for illustration only.)

Order Code: S26391-F1419-L900

Hand Strap STYLISTIC Q Series



The FUJITSU Hand Strap makes handling and carrying your tablet easier. It Order Code: comes with screws that allow you to attach it to the threaded inserts on the \$26391-F1419-L930 back of your tablet to provide a secure grip. The adjustable Velcro makes this hand strap easy to adjust for any size hand.

(Picture shows a different STYLISTIC model for illustration only.)

Micro HDMI to HDMI Conversion Cable



The Fujitsu Micro HDMI to HDMI Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector S26391-F6055-L231 or external display has an HDMI connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.

Order Code:

USB to VGA Conversion Cable



The FUJITSU USB to VGA Conversion Cable enables you to view content from Order Code: your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)

S26391-F1418-L810

LAN Conversion Cable (USB to LAN) for STYLISTIC Q



The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Q Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

Order Code: S26391-F1418-L840

Keyboard Docking for STYLISTIC Q7 Series (without battery)



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's slim keyboard for the STYLISTIC Q Series.

S26391-F1289-L2xx** (**country specific version)

Keyboard Docking for STYLISTIC Q7 Series (with battery)



Flexibility, enhanced battery runtime, expandability, desktop replacement, S26391-F1289-L3xx** investment protection – to name just a few benefits of Fujitsu's keyboard for (**country specific version) the STYLISTIC Q Series.

Page 6 / 7 http://ts.fujitsu.com

More information

In addition to Fujitsu STYLISTIC Q775, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu STYLISTIC Q775, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. http://ts.fujitsu.com All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

Contact

Address: x-xx-x, street, city, state, ZIP code, country Phone: xx-xxxx-xxxx
Fax : xx-xxxx-xxxx
Email: xxx.xxxxxxexx.fujitsu.com
Website: www.fujitsu.com/[country]
2016-11-11 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html Copyright © Fujitsu Technology Solutions