HP LaserJet Enterprise MFP M725z



Ordering Information

Commercial model number: CF068A (BGJ/AAZ/201)

Canada model number: CF068A

Sidebar

In the box:

Hardware Installation Guide Print cartridge Support flyer Warranty guide Power cord Software and documentation on CD-ROM Telecom cable

Software:

Windows Installer HP PCL 6 discrete driver Mac SW Link to Web

Standard warranty:

1 year Next Business Day Onsite

Replaces

HP LaserJet M5035 Multifunction Printer	Q7829A Compare
HP LaserJet M5035x Multifunction Printer	Q7830A Compare
HP LaserJet M5035xs Multifunction Printer	Q7831A Compare

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service

U2014E

Next Business Day Onsite with DMR: 3 years

U7A14E

Optional Care Pack Services

Get precise document finishing, one-touch workflows, and many scan-to options on a versatile A3 MFP.

Do more—with document sizes up to A3, and high-capacity cartridges¹ and paper trays. Print nearly to the page's edge, and even staple. Copy, scan, and fax²—and print from smartphones and tablets from virtually anywhere with HP ePrint.³

Set a swift pace—use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets. Preview and control jobs on the 8-inch color touchscreen. Scan to multiple locations, and print via an easy-access USB port.

Monitor your devices with industry-leading tools like HP Web Jetadmin. Help protect data in transit and at rest. Enhance security with PIN printing. Add safeguards via the hardware integration pocket. Integrate tomorrow's solutions with ease.



Enlarge Image

Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use. Easily manage printing policies with HP EcoSMART Fleet. Save paper, using automatic two-sided printing.

Compatible Operating Systems

Standard Desktop

Windows XP	SP2+
Windows Server 2003	SP1+
Windows Server 2008	32/64-bit
Windows Server 2012	64-bit
Windows® 7	*
Windows® 8	*
Mac OS	Mac OS X v 10.6, 10.7, 10.8
Other	Citrix and Windows Terminal Services (hp.com/go/upd); Novell (novell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix, hp.com/go/unixmodelscripts, hp.com/go/jetdirectunix_software); SAP device types (hp.com/go/sap/drivers, hp.com/go/sap/print); HP ePrint Mobile Driver (hp.com/go/eprintmobiledriver)

Additional Information

Sales	www.hp.com Data Sheet 4AA4-5988ENUC
Technical Support	www.hp.com/support
Third-party solutions	www.hpgsc.com
Reseller	http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com
Battlecards	M725 Battlecard
Guides and Brochures	M725 Product Guide 4AA4-6256ENUC

Installation with Network Setup Service	U2014E	Brand Specifications	
Same Day	U7A08E	PRINTER	
Onsite, Standard Business Hours: 3 years		Print Technology AIO/MFP Functions	Laser Black and white printing, black and white copying, black and white faxing, color scanning
Same Day	U7A10E	Print Speed Black, Letter: ISO/Best Quality	Up to 40 ppm ^ℤ
Onsite,	OTATOL	First Page Out	As fast as 10 sec from Ready mode
Standard		Processor	800 MHz
Business		Paper Trays, Std	6
Hours: 4 years		Paper Trays, Max	6
Same Day	U7A12E	Input Capacity, Std	2,100 sheets
Onsite, Standard		Input Capacity, Max	2,100 sheets
Business		Output Capacity, Std	750 sheets
Hours: 5 years		Output Capacity, Max Envelope Input, Std	750 sheets 10
Same Day		Envelope Fleeder	No
Onsite,	U7A09E	Two-Sided Printing	Automatic (standard)
Extended Business Hours: 3 years		Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2
Same Day Onsite, Extended Business Hours: 4 years	U7A11E		Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts
Same Day	U7A13E	Print Quality, Black Best	Up to 1200 x 1200 dpi
Onsite, Extended Business		Print Resolution Technology	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi
Hours: 5 years		Print Cartridges	1 (black)
Next Business Day Onsite	U7A14E	Print Languages, Std	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF
with DMR: 3		Printer Management	HP Web Jetadmin, HP Utility (Mac)
years Next Business Day Onsite with DMR: 4	U7A15E	Display Type	8.0-in (20.3 cm) touchscreen; LCD (color graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
years		SCANNER	
Next Business	U7A16E		
Day Onsite with DMR: 5	OTATOL	Scan Speed	Up to 19 ipm (black and white), up to 14 ipm (color) ⁸
years		Scan Resolution, Enhanced	Not available
Next Business	U7Y66E	Scan Resolution, Optical Grayscale Levels	Up to 600 dpi 256
Day Onsite	O7 TOOL	Grayscale Levels	230
Call-to-Repair with DMR: 3		COPIER	
years		Copy Speed, Max, Black	Up to 40 cpm
Next Business	U7Y67E	Copy Resolution, Black Text	Up to 600 x 600 dpi
Day Onsite	OTTOTE	Copy Resolution, Black Graphics	Up to 600 x 600 dpi
Call-to-Repair with DMR: 4 years		Copier Settings	Sides, collate, paper selection, reduce/enlarge, image adjustment, content orientation, pages per sheet, booklet format, edge to edge, optimize text/picture, original size, job build
Next Business	U7Y68E	Number Of Copies, Max	9999
Day Onsite Call-to-Repair		Copier Reduce/Enlarge	25–400%
with DMR: 5 years		FAX	
Second	U7Y69E	Fax Speed Fax Resolution, Best	3 sec per page ⁹ Up to 300 x 300 dpi (400 x 400 dpi for received

Business Day			faxes only)
Onsite Call-to- Repair with DMR: 3 years		PC Fax Interface	Yes
		Speed Dialing, Max Numbers	Up to 100 numbers (each can contain 100 numbers)
Second	U7Y70E	Fax Forwarding	Yes
Business Day	OTTTOE	Fax Blocking	Yes
Onsite Call-to- Repair with		DIGITAL SENDING	
DMR: 4 years Second Business Day	Digital Sending Features, Std	Scan to e-mail; Save-to-Network Folder; Save- to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL	
Onsite Call-to- Repair with DMR: 5 years		Digital Sending Features, Opt	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to
Post Warranty Service,	UU926PE	Divital Counting File Formants	LAN, Internet); OCR; Local Address Book
Remote User Assistance Support: 1 year		Digital Sending File Formats	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Post Warranty Service, Same	U7Y74PE	GENERAL	
Day Onsite, Standard		Duty Cycle, Monthly	Up to 200,000 pages ¹⁰
Business		Recommended Monthly Volume	5,000 to 20,000 pages ¹¹
Hours: 1 year		ADF Capacity	100 sheets
Post Warranty Service, Same Day Onsite, Extended	Media Types	Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum	
Business Hours: 1 year Post Warranty	UE696PE	Media Sizes, Std	Tray 1, 2: Letter, legal, executive, 8.5 x 13 in; tray 3: letter, legal, executive, 8.5 x 13 in, 11 x 17 in; tray 4, 5, 6: letter, letter-R, legal, executive, 8.5 x 13 in, 11 x 17 in, 16K
Service, Next	OE090PE	Media Sizes, Std, Metric	A3; A4; A5; B4 (JIS); B5 (JIS)
Business Day Onsite: 1 year Post Warranty		Media Sizes, Custom	Tray 1: 3 x 5 in to 12.3 x 18.5 in; tray 2: 5.8 x 8.3 in to 11.7 x 14.3 in; tray 3, 4, 5, 6: 5.8 x 8.3 in to 11.7 x 17 in
Service, Next Business Day Onsite: 2 years	U7Y73PE	Media Sizes, Custom, Metric	Tray 1: 76.2 x 127 to 312 x 469.9 mm; tray 2: 148 x 210 to 297 x 363 mm; tray 3, 4, 5, 6: 148 x 210 to 297 x 431 mm
Post Warranty	LIZVZ0DE	Media Weights	Tray 1: 16 to 53 lb; tray 2, 3, 4, 5, 6: 16 to 32 lb
Service, Next Business Day	U7Y76PE	Media Weights, Metric	Tray 1: 60 to 199 g/m²; trays 2, 3, 4, 5, 6: 60 to 120 g/m²
Onsite with DMR: 1 year Post Warranty	U7Y78PE	Connectivity, Std	2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network, Foreign Interface, Hardware Integration Pocket, 2 Internal USB Host
Service, Next		Connectivity, Opt	HP Jetdirect wireless print servers
Business Day		Mobile Printing Capability	HP ePrint, Apple AirPrint
Onsite Call-to-		Memory, Std	1 GB
Repair with		Memory, Max	1.5 GB
DMR: 1 year Post Warranty Service, Second Business Day Onsite Call-to-	U7Y79PE	Hard Disk Drive	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
Repair with		Power Supply Type	Built-in power supply
DMR: 1 year		Power Supply Required	110-volt input voltage: (Option #BGJ, #201) 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: (Option #AAZ) 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)

Power Consumption	890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off) ¹²
Typical Electricity Consumption (TEC)	3.81 kWh/Week
ENERGY STAR® Qualified	Yes
Mac Compatible	Yes
Dimensions (W x D x H)	36.1 x 40.6 x 46.9 in (maximum), 29.3 x 26.8 x 46.9 in (minimum)
Weight	206.3 lb
Dimensions, Metric	917 x 1032 x 1192 mm (maximum), 745 x 681 x 1192 mm (minimum)
Weight, Metric	92.35 kg
Shipping Dimensions	33.7 x 29.9 x 61.1 in
Shipping Weight	249 lb
Shipping Dimensions, Metric	856 x 760 x 1553 mm
Shipping Weight, Metric	113 kg
Pallet Dimensions	33.7 x 29.9 x 61.1 in
Pallet Dimensions, Metric	856 x 760 x 1553 mm
Pallet Weight	249 lb
Pallet Weight, Metric	113 kg
Quantity Per Pallet	1

Jetdirect Products

HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A)

HP Jetdirect 2700w USB Wireless Print Server (J8026A)

Accessories

Memory and mass storage

HP 200-pin DDR2 512 MB x64 DIMM (CF306A)

Paper-handling accessories

HP Staple Cartridge Refill (C8091A)

Maintenance kits

HP LaserJet CF249A 110V Maintenance/Fuser Kit (CF249A)

HP LaserJet CF254A 220V Maintenance/Fuser Kit (CF254A)

HP 100 ADF Roller Replacement Kit (L2718A)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 14A Black Original LaserJet Toner Cartridge (CF214A)

HP 14X High Yield Black Original LaserJet Toner Cartridge (CF214X)

Compatible Paper Products

Top Recommended Papers

HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	<u>HPM1120R</u>
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 14 in	20 lb	500 sheets	HPM1420

HP Brochure and Presentation Papers

HP Premium Glossy Presentation Paper				
8.5 x 11 in	32 lb	250 sheets	CG988A	
HP Laser Glossy Tri-fold Brochure Paper				
8.5 x 11 in	40 lb	150 sheets	<u>Q6612A</u>	
HP Laser Glossy Brochure Paper				
8.5 x 11 in	52 lb	100 sheets	Q6608A	
8.5 x 11 in	40 lb	150 sheets	Q6611A	

HP Everyday Papers

HP Premium Choice Laser Paper

8.5 x 11 in	32 lb	500 sheets	<u>HPU1132</u>	
HP LaserJet Paper				
8.5 x 11 in	24 lb	500 sheets	HPJ1124	
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R	
HP All-in-One Printing Paper				
8.5 x 11 in	22 lb	500 sheets	HPT1122	
8.5 x 11 in	22 lb	2,500 sheets	HPT115	
HP Multipurpose Paper				
8.5 x 11 in	20 lb	500 sheets	HPM1120R	
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C	
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC	
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H	
8.5 x 14 in	20 lb	500 sheets	HPM1420	
HP Office Paper				
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC	
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C	
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP	
8.5 x 14 in	20 lb	500 sheets	HPC8514	
8.5 x 11 in	20 lb	500 sheets	<u>HPC8511R</u>	
HP Office Quickpack				
8.5 x 11 in	20 lb	2,500 sheets	HP2500S	
HP Recycled Paper				
8.5 x 11 in	20 lb	500 sheets	HPE1120R	
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C	
HP Business Copy Paper				
8.5 x 11 in	20 lb	500 sheets	HPBC11	
HP Everyday Copy and Print Paper				
8.5 x 11 in	20 lb	500 sheets	HPA510	
The information contained herein is subject to change without notice. The only warranties for HP				

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- 1. High-capacity cartridges are optional for the HP LaserJet Enterprise MFP M725 Series.
- 2 . Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn.
- 3 . Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.
- 4. HP Web Jetadmin is free and can be downloaded at www.hp.com/go/webjetadmin.
- 5 . HP Auto-On and Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- 6. HP EcoSMART Fleet must be purchased separately.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 8 . Scan speeds vary according to complexity of the document and the specifications of the connected PC or MAC.
- 9. Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

- 10 . Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 11 . HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 12 . Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.