

HDMI® Over Single Cat 5e / 6 Extender with Power Over Cable - 230 ft (70m)

StarTech ID: ST121HDBTE



The ST121HDBTE HDMI® over CAT5e/6 Video Extender kit lets you extend HDMI video and audio up to 230 feet (70 Meters) over a single Cat5e/6 cable. For added versatility, both the Transmitter and Receiver can be powered by the same single power source using Power Over Cable (POC).

With support for High-Definition resolutions of up to 1920x1080 and the accompanying digital audio, this cost-effective HD extender is a plug-and-play solution that can easily be installed using new or existing Ethernet infrastructure wiring. Plus, with Power Over Cable both Transmitter and Receiver can be powered using a single power adapter that can be connected to either device.

The HDMI over Cat6 Video Extender kit includes both the local transmitter and remote receiver units, plus mounting hardware - perfect for point-to-point digital signage applications that require high quality HDMI video, and a tidy, professional installation.

For additional distance, HDMI cables up to 32-feet (10-meters) in length can be used on the local and remote end.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.







Applications

- Extend HDMI when power outlets are limited, with only a single power adapter required at either the Transmitter or Receiver, using Power Over Cable
- Place the display in a convenient viewing area, while the system equipment is placed elsewhere in a clean and secure environment
- Optimize placement of your demo stations at tradeshows and in auditoriums

Features

- Power Over Cable, allows a single power source to operate the transmitter and Receiver
- 230ft (70m) Maximum HDMI extension
- Includes transmitter (local) and receiver (remote) units
- Supports HD resolutions up to 1080p (1920x1080)
- Supports Cat5e or Cat6 Ethernet cabling
- No software/drivers required
- Mounting Hardware Included



Technical Specifications

Warranty 2 Years Audio Yes

Cabling Cat 5e UTP or better

Daisy-Chain No
Output Signal HDMI
Ports 1

Audio Specifications 5.1 Surround Sound

Max Distance 70 m / 230 ft Maximum Cable Length 0.2 ft [0.1 m]

Maximum Digital Resolutions 1080p / 1920x1080

Wide Screen Supported Yes

Connector A 1 - HDMI (19 pin) Latching Female

Connector A 1 - RJ-45 Female

Connector B 1 - HDMI (19 pin) Female

Connector B 1 - RJ-45 Female

Color Black
Enclosure Type Aluminum
Product Height 1 in [25 mm]
Product Length 3.1 in [80 mm]
Product Weight 10.9 oz [310 g]
Product Width 2.6 in [67 mm]
LED Indicators 1 - Power Indicator

Center Tip Polarity Positive Input Current 0.5A

Input Voltage 110 ~ 240 AC

Output Current 1.5A
Output Voltage 12 DC
Plug Type M

Power Source AC Adapter Included

Humidity 0% - 80 % RH (non-condensing)
Operating Temperature 0°C to 40°C (32°F to 104°F)
Storage Temperature -10°C to 60°C (14°F to 140°F)

Shipping (Package) Weight 1.6 lb [0.7 kg]



Hard-to-find made easy®

Spec Sheet

Included in Package 1 - HDMI over CAT5e/6 Transmitter Unit Included in Package 1 - HDMI over CAT5e/6 Receiver Unit

Included in Package 1 - Power Adapter Included in Package 1 - Instruction Man

1 - Instruction Manual1 - Mounting Brackets

Included in Package 1 - Cat5e Cable

Certifications, Reports and Compatibility



Included in Package

